Digitized by Google



BIBLIOTECA NAZ. ROMA VITTORIO EMANUELE

12 - 1 - IV - 14

Digitized by Google

PHARMACOPOEIA AUGUSTANA

REFORMATA,

ET EIUS

MANTISSA.

Cum

ANIMADVERSIONIBUS
JOANNIS ZWELFERI
PALAT. Med. Doct.

Annexa ejuſdem Autoris

PHARMACOPOEIA REGIA.

GOUDÆ.

Sumptibus WILHELMI VERHOEVEN.
Anno M. DC. LIII.

Digitized by Google

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Digitized by Google

POTENTISSIMO
AC
INVICTISSIMO
ROMANORUM IMPERATORI
FERDINANDO III
PERPETUO AUGUSTO,

Germaniæ, Hungariæ, Bohemiæ, Dalmatiæ, Croatiæ, Sclavoniæ, &c. Regi, Archi-duci Auſtriæ, Duci Burgundiæ, Styriæ, Carinthiæ, Carniolæ & Wirtembergæ, &c. Comiti Tirolis, &c.

IMPERATOR AUGUSTISSIME

SI ſedulum hunc arduumque ſpecto laborem, nullum, qui ſibi hoc quicquid eſt operis, præter GLORIOSISSIMAM VESTRAM MAJESTATEM ullo jure magis vendicare poſſit, invenio. Meritò enim, quod ſub VESTRO CLYPEO elaboratum & enatum eſt, ad VESTRÆ MAJESTATIS aras ſuſpenditur, tanquam votiva quædam tabula, vel ad Auguſtum ejuſdem pulvinar deponitur, tanquam debitæ ſubjectionis, gratique & obſervantis animi μνημόσυνον. Itaque hoc meum qualecunque opus ad INVI-

ctissimæ Majestatis ſubſellia depono, eâ autem animi devotione eâque ſpe, ut Clementiæ Vestræ Solem confidam illud eâ benignitate adſpecturum, ut ſub ejus radiis tutum ſit ab omni livore, ego verò ad plura alia, ſub Sacratissimæ Majestatis Vestræ patrocinio, communi mortalium bono ulteriùs proferenda accendar. Sic fiat, ſic velit Summus Imperator Divum ac Hominum Jehova, cujus æternæ protectioni Imperatoriam Vestram Majestatem ardentibus votis commendo, qui Ipsam univerſi terrarum orbis bono perennare jubeat: Ità pro Cæsarea incolumitate & feliciſſimo regimine ſeriò ſupplicat

SACRÆ CÆSAREÆ MAJESTATIS VESTRÆ

humillimus cliens

JOANNES SWELFER.

IN-

INDVSTRIA NATVRÆ

Suas Opes & Operas explicantis in Operis frontiſpicio.

IPſa ſuis præſtans opibus, nil indiga noſtri,
Involucro *Naturæ* ſacro Myſteria velat.
Scandere nemo vias poterit, nec pandere plena
Scrinia gazarum, niſi quem Fortuna juvabit
Æquior. Imperio fruitur *Natura* Potenti,
Sceptrigerâ ſpectata manu, moderatur habenas
In rebus cunctis. Ejus miracula cernit
Ingenio pollens Medicus, confinia mundi
Solerter ſpectans. Hîc ſe ſociata propago
Aëris ac *Ignis*, *Telluris* & *Æquoris* offert.
Ira quid efficiat *Flammarum* fervida, motâ
Vulcani rabie, cœloque ſimillimus *Aër*,
Integra *Telluris* moles, circumfluus *Humor*,
Scire decet, nec ſcire ſatis: tentare neceſſum
Corpora, *Natura cauſas* librare latentes.
En *triplex Regnum*, cui ſubdita magna poteſtas!
O *Natura* ſagax! *Animalia* gignis & auges,
E gremio terræ ſplendentia *dona Metalli*
In varios uſus de cornu divite promis.
Quàm varias *Plantas* in pulchris exſeris agris
Lætificos florum, Zephyro ridente, colores?
Florea rura micant, velut inter Cynthia ſtellas.
Verùm *Dædalea* penetrare ſacraria *Matris*,
Et cæcos aperire ſinus, tacitoſque receſſus,
Aurificis *Regnum triplex* expendere librâ,
Hoc virtutis opus, Fortunæ nobile munus.
Quali concinnat redolentia *mella labore*
Filia Veris *Apis*, gratiſſimâ civis Hymetri;
Per varias operas, conamina ſedula dextræ
Aſſequitur Medicus Verum, mendacia vulgi
Sordent: adjutu Sacratæ *Palladis* alta
Culmina conſcendit, Myſteria gnavus anhelat.
Armis & parmis pugnandum fortiter haſtis,

Digitized by Google

Enſibus & clypeis in caſtris *Palladis Alma.*
Etſi *Vita brevis, perfectio longior Artis*
Hac brevitate caret, conſtanti ſorte perennans.
Firmat eam *Ratio*, & *prudentis mentis acumen.*
Et *ſapit* & *vigilat*, cauſas examinat omnes
Filius Artificis Naturæ: nulla voluptas,
Deliciæ nullæ dūcunt ſolertia corda,
Eſt *DEVS* in Medico, furor igneus, entheus ardor,
Eſt ibi *Mercurius* Genius, qui ſubvehit *Alis*
Æthereos animos & *Virgâ* abſcondita monſtrat.
Nec mora, nec requies: *Hermetis* dona petuntur,
Cœleſtes rerum vires & munera Divûm.
Cœlum Terra petit, mens Summa tuetur & Ima.
Neſcit enim Virtus occulta, ſepulta jacere.
Emicat, atque caput ſuper omnia cætera tollit.
Naturæ contemnit opes, gazas que *Chymia*
Inter verveces, craſſoque ſub æthere natus.
Numen amat doctum Medicum, Medicamina dextra:
Prudens quiſque colit Medicum, quærendo medelam.
Non locus hic monſtris, Erebo vel ſulphure dignis,
Quæ juvat interitum tantæ meditarier Arti.
Zwelferum conſtat felici ſidere natum,
Naturâ Genitrice ſatum, qui fulgida Divûm
Munera Divino produxit acumine mentis.
Hoc teſtatur opus, quod luminis aſpicit auras,
Effugiens cineres, ac ære perennius omni.
Verius haud quicquam de Phœbi tripode dictum,
Armiger ille Iovis, pennis pernicibus auras
Sulcans, in Libri formoſa fronte ſuperbit,
Te FERDNANDE, PATER PATRIÆ MITISSIME NOSTRÆ,
CÆSAREVM NVMEN, quod facta Inſignia Magnum
Fecerunt, quod Fama Polis æterna locavit,
Te Patrem cognoſcit opus, Summumque Patronum,
Magna molis opus, ſudore, labore paratum.
Singula ſunt dextrè, prudenter tradita, doctè,
Singula confirmat perſpecta Peritia rerum,

Et

Et Ratio, Medicæ firmiſſima fulcra cohortis.
Geſtit Apollineæ proſapia tota catervæ.
Pharmacopœus ovat, Cimelia ſplendida nactus,
Cordivoros morbos, triſtes pellentia curas.
Devotis votis Bonitas Suprema roganda eſt,
Ut per *Zwelferum* ſuccreſcat doctior orbis,
Ingenii monumenta ſacri magmenta capeſſant!
Sic ſecura malis virtus invicta manebit,
Mordacem linguam, ronchos & ſibila Momi,
Et Lethum & Lethen contemnet Nobile Verum!
Zwelferi ſtudium ſanctiſsima Gratia Cœli
Ditet, quæ valido torquet Supera, Infera nutu!

VIRO

Clariſſimo & experientiſſimo Domino

JOANNI ZWELFERO

PHILOSOPHIÆ ET MEDICINÆ

Doctori eximio, Fautori & Amico meo

plurimum honorando.

NUnquam pectore candido Camænûm
Dignus laude vir excidit, nec ejus
Poſſunt non vigilem tenere curam.
O Zwelfere decus chori medentûm,
Cui, quicquid tenebris tegit profundis
Antiqui Hermetis ars, patet recluſum;
Quid Sol fulgidus, albicansque Luna
Præſtent utilitatis imbecillo;
Cur tot Proteus induat figuras,
Quid Lupi ſatiet voracitatem,
Et quæ plura foret referre longum,
Fidâ condita mente quæ reſervas:
Et cujus Genio Galenus ingens
Connexu ſociatus eſt amico,
Ut ſic des ope mutuâ ſalutem,
Quibus tetrica devorat medullam
Febris, queis macies renudat oſſa,
Et queis jam moribunda membra linquit,
Mens pertæſa ſuæ labentis ædis.
Ergo ſi mereatur eſſe curæ,
Si quis laude feratur eſſe dignus,
Palmam præripies, eriſque primus
Quem Muſæ nitido beant honore,
Et quondam data ſerta duplicantur.
Nunc cum de cerebro novum repandis

Scri-

Scripturæ genus, uſibus medentûm
Aptum, creſcit honore Laurus alma
Laurus Veris habet decus perenne,
Seu Sol torreat arva fervido æſtu,
Sive horreſcat hyems gelu nocivo.
Laurus fulminis ictibus reſiſtit:
Sic nil te afficiet malo ferali,
Quid ſors perfida cunque moliatur.
Sic nunquam peritura permanebit
Factis gloria, quicquid invidorum
Contra auſus capiant calumniæque,
Omen JOVA meum probet, precabor.

Honoris & amicitiæ ergo ſcribebat
JOH. JACOB WEPFER SCAPHUS
Med. Doct.

ALIUD.

ES duplex Medicus, credo Zwelfere, Deorum
Atque hominum; ſaltem jus in utrumque tenes.
Dum varium ſtillas nectar, quod lingua ligurit
Divûm liberiùs, nonne medere Diis?
Pharmacon infirmis dum præbes, nonne mederis?
Juſtè igitur Medicus diceris eſſe duplex.
Fac, quæſo, linquas Divos, mortalibus inſta:
Ipſe brevi Divus, ſi medicaris, eris.

Amicitiæ ergò canebat
JOANN. JACOBUS SCHARANDÆUS
Solodorenſis Phil. & Med. Doctor.

ALIUD.

QUod tua nos Patavi Collegia trina monebant,
Id data ſcripta typo quemlibet ipſa monent.
Sic tua ſucceſſus habeat doctrina perennes,
Pluribus ut ſtudiis, nos alioſque juves.

Aliud

Aliud ejuſdem.

QUæ mendicatis, ſuffucatiſve referta
   Eſt dapibus, talis non mihi menſa placet.
Quas olim medicas epulas Zwelfere parabas,
   Hæc mihi menſa placet, hæc tua ſcripta placent.

Amicam ſui memoriam atteſtatur
Joannes Chriſtophorus Hochwidtner
Phil. & Med. Doctor.

ALIUD.

Nobili & Clariſſimo Domino
JOANNI ZWELFERO, AA. LL. & Philoſophiæ, nec non ſaluberrimæ Medicinæ Doctori, ac ſuo quondam in Chymia Inſtructori
grati animi ergo accinit.

AUguſta celebris quondam quod Vindelicorum
   Ægris ſolamen Pharmacopœia tulit,
Hoc liber iſte tuus: multum ſed diſpare fructu,
   Mentis quem reperit cura, laborque novus.
Illa docet multum: negat experientia multa:
   Libris mens nimium credula, luſa fuit.
Non rarò fructus ſpeculatio plantat inanes,
   Ni ſocias jungant Arsque Laborque manus.
Sæpius Æſclapo ſpondet meditatio montes,
   Quos Labor ac Uſus comperit eſſe apinas.
Aſt tua, quam liber iſte fovet, ſecura medela eſt,
   Nec niſi quæ propriâ Vera reperta manu.
Hanc dedit arguta docilis ſolertia mentis,
   Et longâ expertus dexteritate Labor:
Hinc tibi Teutonicas excrevit fama per oras,
   Hermetem dum te viderat in Latio.
Perge, decus SUUELFERE tuum, nomenque per orbem
   Sparge libris, raras pande ſalutis opes.
Magna homini NUMEN tribuit tibi dona medendi,
   Tu tribuas homini, ſis hominique DEUS.

Idem

Idem Authorem ad editionem Operis adhortabatur anno quovis Verſu ſeorſim comprehenſo,

MAnDato Chartæ, reparans ZweLfere perennI
PharMaCA, & æterno traDe reperta LIbro:
Præſtans arte DoCes ægro MeLIora parare,
TaLIa non ægro pharmacopœa Dabat.
HæC ferè, More feræ, potIs es non traDere faLſa
Carpere Monſtroſo, ZoILe, Dente potes.

GEORGIUS SCHADENBERGER,
Carinth. Med. Doctor.

ALIUD.

Anagramma,

JOANNES ZWELFER.
FUR ZOILE VENENAS.

MOrtiferâ linguâ FUR ZOILE ſcripta VENENAS
ZWELFERI, fruſtra eſt: nulla venena nocent.
Ipſe venenoſis herbis ſcit pellere morbos,
Sic non mors, vita at longior inde venit.
Zodiaci ſignis duodenis omnia ſubſunt,
Vitam prolongant, dant quoque ſæpe necem,
Zwelferi totidem præclaris dotibus; annon
Qui morbis languet, ſubditus eſſe velit?

Paucis dixit

JOANNES FRIDERICUS BAUZ
Phil. & Med. Doctor.

PRO-

Prooemium ad Lectorem.

NOn pauci occidêre ſoles, *Lector Benevole*, unde primum *Artis Pharmaceutica* ſolida jecerim fundamenta, ejuſdemque integros ſedecim annos continuus ſeduluſque ſectator extiterim, indeque ſemper ad altiora adſpirans *Chymiam* pro virili excolere cœperim, & hâc pariter inſtructus tandem *Apollinea militia* ſacramentum dixerim, *Artique medica*, cui *Pharmaceutice* nimirùm & *Spagyrica* famulantur, totum me dederim. Hinc porrò in hanc prorupi ſententiam, cùm viderem, quàm malè *Authores plurimi* in ſcriptis ſuis, quæ de *compoſitionibus* & *præparationibus medicamentorum* publico donârunt, hallucinati fuerint, me operæ pretium facturũ, ſi meæ in prædictis induſtriæ boni. publici causâ tenue aliquod ederem ſpecimen, atque hunc in finem *Diſpenſatoria*, alioquin innumeris ſcatentia mendis, ſub incudem revocarem. Cum verò omnia ac ſingula *Diſpenſatoria* (quæ tamen uno ferè eodemque tenore conſcripta, iiſdemque & æqualibus erroribus defœdata ſunt,) ſigillatim ad examen trahere nimis arduum foret onus, imò etiam ſupervacaneum, proinde *Auguſtanorum* illud, ceû inter cætera approbatiſſimum, & ubivis in *Germania* à *Medicis* & *Pharmacopœis* receptum; quodque cuncta alia complectitur, adeò, ut, eodem à mendis liberato, reliqua omnia repurgata cenſeam, in manus ſumere, eidemque ſtrenuam meam locare operam conſultum & proficuum duxi, in quo eâ quâ fieri potuit brevitate errores præcipuos (omnes enim exaggerare & prolixè exponere qui vellet, *Augiæ ſtabulum* expurgare anniteretur) enucleavi, & prout potui emendavi, quæque in ipſo omninò inordinatè & confuſè à Medicis præſcriptæ fuêre compoſitiones, ſervatis ferè ſemper ipſarum ingredientibus, in ordinem redegi, nec non

veram

veram & dextram illarum præparationem, quantum quidem in numeroſâ illa ingredientium toties tàm manifeſtè inter ſe repugnantium congerie licuit, adjunxi. Ex qua mea qualicunque opera jam palàm fiet, quantoperè neceſſarium ſit illi, qui de *Compoſitionibus* & *Præparationibus medicamentorum* utile aliquid ſcriptis commendare ſatagit, ut *Artis Pharmaceutica*, pariterque *ſcientiæ Spagyricæ* fundamentis & præceptis non leviter tinctus ac imbutus ſit, ſecus enim in rebus jatricis & operationibus vel leviſſimis hærebit, ac in abſurdiſſimos ſe præcipitabit errores. Exiſtimo autem atque abundè mihi polliceor, quod, ſi quiſquam has meas *Animadverſiones* ſuper prænominatum *Auguſtanorum Diſpenſatorium* ſtudioſè attenteque perlegerit, ac ſine præconcepta opinione mente revolverit, ipſe facillimam, veram & concinnam habiturus eſt *Methodum*, juxta quam omnes medicaminum quà *componendi* quà *præparandi* formulas dextre & rationabiliter inſtituere, quæ etiam brevitatis causâ feſtinanter ſilentio conſecrata ſunt, ex iiſdem haud difficulter colligere poſſit, modò perpetim in memoria habeat, *non quodlibet ex quolibet fieri; nec quodlibet pati à quolibet; neque unumquodque cuilibet, ſed determinatum determinato, ac homogeneum homogeneo dextrè commiſceri.* Cæterùm quod *Autboritatem Veterum* nec non *Recentiorum* quorundam, inprimis ubi ipſorum errores maximè conſpicui fuêre, non adeò ſanctè ubique obſervârim, vitio mihi ne vertas *Amice Lector*, utpotè quod uſquequaque fieri non potuit, cùm *Veritatem*, *ipſam ſalutemque Proximi Anteceſſorum noſtrorum Autboritati*, vel *Modernorum non paucorum exigua fama*, quam ex conſcribendis omnis generis *medicamentorum formulis ac compoſitionibus* ſibi comparare voluêre, longè anteferendam eſſe duxerim; quippe ſi illorum præſcriptionibus ac traditis, ſæpenumerò *Rationi & Experientia* apertè reluctantibus, diutiùs firmiterque inſiſteremus, ac cum iiſdem delirare pergeremus, demum & nos *Medicina hoſti* deberemus ludibrium & *poſteris noſtris* noſmet-

metipſos riſui exponeremus. Proinde me nil quicquam inpoſterum tangent vel angent acerba & ignominioſa cavillatorum quorundam dicta vel ſcripta: Etenim quiſquis exactè & intimiùs omnia penſiculaverit, non poterit aliter, quin Veritati adſtipuletur, mihique, qui in omnibus illam ducem ſequor, vel invitus ſuum det calculum. Sigillatim autem me non movebunt cavillationes indignantium nonnullorum Medicorum & Pharmacopœorum, qui grande nefas eſſe putant, à conceptis ſemel erroribus vel latum unguem recedere; vel meliora ſequi; quibus tamen imperitiam ſuam palàm faciunt potiùs, quàm ut famæ meæ vim tantillam inferant, quorũ injurias & nefandos inſultus *ipſa Veritate propugnatrice* propulſabo nullo dextram ſubeunte bacillo. Interea de bonis omnibus, *cùm doctiſſimis & experientiſſimis Medicis*, tùm *ſedulis & peritis Pharmacopœis* amplã hanc ſpem conſpicio, quod *Veritatem* avidè ſuſcepturi ſint, qui & certò ſibi perſuadeant, me nil niſi vera propriiſque meis manibus tentata & experta huic operi inſeruiſſe. Hiſce *Lector Amice* vale, & quem ardens amor *Veri Proximique Salus*, quam undique pro lege habui, ſedulum expreſsêre laborem, ambabus, quod dicitur, ulnis amplectere, & conatus meos honeſtè interpretare. Hoc ſi *Te* facturum ſenſero, immortalitatem mihi partam dicam, *Tibique Tuiſque* commodis, dum ſpiritus hos reget artus, totum me devovebo. Dabam Viennæ Anno M. DC LII. ipſis Maji Calendis.

IN

IN PHARMACOPOEIAM,

SEU DISPENSATORIUM AUGUSTANUM REFORMATUM

PRÆLIMINARIA NECESSARIA.

P*Rolegomena Iſagogica in* PHARMACOPOEIAM AUGUSTANAM, *cùm partim ſuperflua ſint, utpotè Caput primum,* de officio Pharmacopœi, & qualem eum eſſe deceat, *in quo ſuperabundanter, & ſtrictiſſimè ad minima uſque is depingitur; partim minùs ſufficientia videantur, ut Caput ſecundum* de delectu quorundam medicamentorum ſimplicium, & notis, quibus ipſorum adulteria dignoſcantur: *Item Caput tertium* de collectione Simplicium: *Et quartum,* de medicamentorum cùm Simplicium tùm Compoſitorum repoſitione ac aſſervatione, nec non receptaculis vel inſtrumentis unicuique adhibendis: *Vt & quintum* de medicamentorum quorumlibet duratione: *Octavum item* de Venenis & eorundem Alexipharmacis ſive Antidotis; *Ea brevitatis cauſa omittere, è contra verò Clariſſimum Schröderum de* his, *in ſua Pharmacopœia Medico-Chymica, & quidem de collectione medicamentorum ſimplicium, eorundem repoſitione ac aſſervatione, nec non utrorumque cùm Simplicium tùm Compoſitorum duratio-*

ratione, aliiſque quamplurimis neceſſariis & notatu dignis, in libro primo de Iſagoge: *De Offi.ina autem & illius contentis*, in libro ſecundo: *Et de delectu medicamentorum ex tribus illis regnis, Mineralis, Vegetabili & Animali depromptorum*, in reliquis tribus libris *perpulchrè, in Mineralogiam, Phytologiam & Zoologiam diviſis, ſolidè tractantem, Benevolo Lectori unicè commendare volui; quem ſi diligenter perlegerit, plurima inſuper neceſſaria, quæ in dictis Prolegomenis omiſſa ſunt, ex eo haurire poterit. Caput verò ſextum*, de Simplicibus abſolutè ſcriptis, quæ Antonomaſia quadam cæteris præſtant, quid cujuſque loco accipiendum ſit, tractans; *Caput deinde ſeptimum*, de ſuccedaneis quorundam medicamentorum, eorundemque ſubſtitutis agens; *Ac tandem Caput nonum*, ponderum & menſurarum medicarum inſtructionem continens, *ideò huic Operi neceſſariò addenda exiſtimavi, ut & Pharmacopœorum miniſtri, quibus non ſemper alios Authores adire licet, in promptu, caſu neceſſitatis habeant, quem conſulant Apollinem, ſi fortè hærerent circa doctrinam, prænominatis tribus capitibus contentam. Quod hic obiter monere volui, ut Amicus Lector me ne hoc quidem ſine cauſa addidiſſe, aut illud omiſiſſe videret.*

CAPUT PRIMUM.

De ſimplicibus abſolute ſcriptis, quæ Antonomaſiâ quadam cæteris præſtant, quid cujuſque loco accipiendum.

EVENIT ſæpiſſimè, ut in præſcribendis medicamentorum formulis ſimplex aliquod ponatur à Practicis ſolo nomine, abſque ſexûs, loci, magnitudinis, formæ, coloris, delectûs, aut propriæ partis alicujus determinatione comprehenſum, unde dubium hoc oritur, ſitne mas vel fœmina, radix an ſemen, vel folia aut flores, hujus vel illius plantæ ibidem nominatæ, aut ſimplex aliquod aliud ſub diver-

ſis formis ac qualitatibus in Officinis proſtans, idque album vel nigrum, amarum vel dulce recipiendum. Pro cujus rei notitia ſciendum, in quoque medicamenti genere id aſſumi ſemper debere quod eſt optimum, ut ſi v. gr. ſcribatur Benzoinum, ſumatur Amygdaloïdes, quod eſt optimum; ſi Aloë occurrat, ſimpliciter ſcripta, intelligatur Soccotrina; ſin Santalum, capiatur Citrinum, utpote odoratiſſimum; ſi Tamariſcus, ſumatur cortex ejus. Sunt autem plantæ non paucæ, quarum ſola in uſum Medicum folia cooptantur: aliæ ob flores duntaxat expetuntur: nonnullarum radix, prout in quibuſdam ſemen tantùm cæteris totius ſtirpis partibus præfertur. Quædam Patriâ nativitate gaudent, ac à ſolo ſeu regione unde ortum duxêre, famam ſortiuntur: plurimam ſexu æſtimantur, pleraque verò qualitatibus aliis, quarum hæc in hoc, aliæ in alio deſiderari conſueverunt, ſua pro dignitate diſtinguuntur.

Itaque ſi ſimpliciter occurrat

	SUMATUR
Abſinthium,	Ponticum.
Acetum,	Ex vino, non cereviſiâ, aut hydromelle.
Agaricus,	Albus & fæmineus.
Agnus caſtus,	Semen ejuſdem.
Aloë,	Soccotrina.
Alumen,	Sciſſile.
Amomum,	Scythicum.
Ammi,	Illyricum, aut Ægyptiacum.
Aniſum,	Creticum.
Ariſtolochia,	Rotunda.
Balſamum,	Opobalſamum, vel ejus ſuccedaneum.
Borrago, aut Bugloſſum,	Flos aut folium, vel utrumque ſimul.
Bryonia,	Alba, non nigra.

	Sumatur	
Calamintha,		Montana.
Capparis,		Cortex radicis.
Cardamomum,		Minus.
Centaurium,		Minus.
Cinamomum,		Acutiſſimum odoratiſſimumque.
Corallus,		Ruber.
Coſtus,		Amarus.
Cuminum,		Æthiopicum.
Cupreſſus,		Conus ejuſdẽ in adſtringentibus, folia aut lignum in diureticis.
Daucus,		Semen Dauci Cretici.
Dictamnus,		Cretenſis.
Eruca,		Sylveſtris.
Gummi,		Arabicum.
Granatum pom.		Acidum.
Helleborus,		Niger, quia albo ſecurior.
Hepatica,		Lichen.
Hyoſcyamus,		Albus.
Hyſſopus,		Montanus.
Iris,		Illyrica, vel Florentina.
Lilium,		Album.
Margarita,		Solida ac candida.
Marrubium,		Album.
Maſtiche,		Chia, aut Ægyptia.
Medulla,		Cervina, vel ſi deſit, Vitulina.
Mentha,		Rubra & hortenſis vera.
Nymphæa,		Candida.
Oleum,		Olivarum.
Opium,		Thebaicum.
Papaver,		Album.
Plantago,		Major.
Pæonia,		Maris ſemen, aut radix.
Petroſelinum,		Macedonicum.

Piper,

Piper,		Album.
Pix,		Liquida in ſuppurantibus, ſicca in glutinantibus.
Polypodium,		Quercinum.
Prunum,		Damaſcenum, vel Hungaricum.
Quercula minor,		Chamædrys.
Reſina,		Laricina, aut Terebinthina.
Rhus,	SUMATUR	Cortex, fructus Sumach.
Roſa,		Rubra.
Roſmarinus,		Herba ejuſdem, interdum flos.
Santalum,		Citrinum.
Scordium,		Creticum.
Spica,		Indica.
Stœchas,		Flos Stœchados Arabicę.
Styrax,		Calamita.
Sulphur,		Apyron, ſeu vivum.
Thymus,		Creticus.
Veronica,		Mas.
Viola,		Nigra, ſeu Cærulea.
Zingiber,		Malvaricum.

Noſſe quoque Pharmacopœos oportet, plura quandoque Simplicia uno titulo ſimul comprehendi, utpote cùm ſcribitur: Accipe quinque herbarum emollientium ſingularum manipulum, ſumantur ſequentes, nempe

Quinque herbæ emollientes {
Malva.
Althæa.
Violaria.
Mercurialis.
Parietaria.

His alii Brancam Vrſinam, Betam & Atriplicem adſcribunt.

Quatuor ſemina calida majora,	Aniſi. Fœniculi. Carvi. Cumini.
Quatuor ſemina calida minora,	Ammeos. Amomi. Apii. Dauci.
Quatuor ſemina frigida majora,	Cucumeris. Cucurbitæ. Citrulli. Melonum.
Quatuor ſemina frigida minora,	Endiviæ. Scariolæ. Lactucæ. Portulacæ.
Quinque radices aperientes majores,	Apii. Fœniculi. Aſparagi. Petroſelini. Ruſci.
Quinque radices aperientes minores,	Graminis. Rubiæ. Eryngii. Capparis. Ononidis.
Quinque genera Myrobalanorum,	Citrini, ſeu Flavi. Chebuli, ſeu Cepuli. Indi, ſeu Nigri. Emblici. Bellirici.

Qua-

Quatuor flores cordiales,	Borraginis. Bugloſſi. Roſarum. Violarum.
Fragmenta quinque lapidum pretioſorum,	Saphyri. Granati. Smaragdi. Hyacinthi. Sardæ, ſeu Corneoli.
Quinque herbæ capillares,	Adiantum nigrũ, ſeu Capillus Veneris. (muraria. Adiantum album, ſeu Ruta Polytrichon aureum. Trichomanes. Aſplenium, ſeu Ceterach.
Quatuor aquæ pleuriticæ,	Cardui B. Mariæ. Taraxaconis. Cardui Benedicti. Scabioſæ.
Tria olea ſtomachica,	Abſinthii. Cydoniorum. Maſtichinum.
Quatuor unguenta calida,	Arêgon. Martiaton. Althææ. Agrippæ.
Quatuor unguenta frigida,	Album camphoratum. Roſatum Meſue. Populeon. Infrigidans Galeni.

Hac autem omnia ac ſingula à Pharmacopœis ad amuſſim tenenda, imò memoria mandanda ſunt, ne in his alioquin error obtingat, qui vel Medici intentionem præcedat, vel agro damnum adferat; cùm apprimè cavendum ſit, ne quis ab ea arte, qua omnibus benefacit, per operarii eam tractantis, aut exercentis vel inſcitiam, vel incuriam lædatur.

CAPUT SECUNDUM.

De Succedaneis quorundam Medicamentorum, eorundemque ſubſtitutis.

EVenit perſæpè, ut in tanta tàm diverſorum Medicamentorum farragine, ſimplex aliquod medicamentum deſideretur, vel quia id omninò deeſt, ac comparari vix poteſt, veluti Balſamum verum; vel quia vis ejus ob loci, unde id peti debet, diſtantiam, & itineris prolixam moram, exoletum ad nos devehitur, ac viribus expers: Vel quia de ejus ortu, an nimirum legitimum id ſit vel ſpurium, adhuc dubitatur, unde ne ægri ſuo commodo priventur, aliud quodpiam viribus æquipollens huic ſubſtituendum, quod ejus defectum ſimili temperaturâ, facultate ac gradu reſarciat. Talia ſubrogata medicamenta Græcis ἀντιϐαλλόμενα dicta, Latinis *Succedanea* & *Subſtituta*, Officinis, verò licet ſatis Barbarè, *Quid* pro *Quo* vocari conſueverunt. In iis autem deligendis, utpote quidnam cuique commodè ſubrogari queat, cum non niſi peritiſſimi Medici, minimè verò Pharmacopœi judicare ac decernere poſſint ac debeant, idcircò præcipua eorum complexi, hæc ipſa in ſeriem Alphabeticam ſic digeſſimus, ut è dextro ſubjecti catalogi latere vera & legitima, ex ſiniſtro verò ſuccedanea ſeu ἀντιϐαλλόμενα promptè conſpicerentur.

Itaque pro		
Acacia,	Subſtit.	Hypociſtis, aut ſuccus Prunorum ſylveſtrium.
Acantho,		Malva.
Acoro,		Calamus Aromaticus, aut in purgantibus Aſarum.
Adipe Cervi,		Adeps Capræ.
Adipe Vulpis,		Adeps Taxi.
Althæa,		Malva.

Digitized by Google

Ammi,	Subſtit.	Aniſum.
Amomo,		Calamus Arom. aut grana Juniperi, vel ſemen Citri, ac Hyperici, æquali pondere.
Ammoniaco,		Bdellium.
Amygdalis amaris,		Nuclei Perſicorum.
Aqua marina,		Aqua ſimplex, in qua ſalis uncia ſemis bullierit.
Ariſtolochia rotunda,		Longa vel Piſtolochia.
Aſpalatho,		Lignum Aloës.
Bâlauſtio,		Malicorium.
Balſamo,		Oleum Caryophyllorum.
Blito,		Atriplex.
Calamintha,		Menthaſtrum.
Cardamomo,		Cyperus.
Carpobalſamo,		Cubebæ.
Caſtia lignea,		Cinamomum optimum.
Chamædry,		Chamæpitys.
Citri ſucco,		Succus Limonum.
Dauco,		Paſtinaca.
Dictamno,		Scordium.
Ebulo,		Sambucus.
Eupatorio Meſuæ,		Aſari & Abſinthii ana partes æquales.
Folio,		Macis & Cyperi ana partes æquales.
Galbano,		Sagapenum.
Herba Paris,		Umbilicus Veneris, aut Sedum minus.
Hyſſopo,		Saturegia.
Juſquiamo,		Papaver.
Lacca,		Styrax.
Lapide Armeno,		Lapis Lazuli.
Mandragora,		Juſquiamus, Solanum, Papaver.

	Subſtit.	
Meu,		Angelica, aut Oſtrutium.
Omphacio,		Succus Granatorum aut Ribes.
Opobalſamo,		Oleum Nucis Moſchatæ.
Opopanace,		Ammoniacum, vel Galbanum.
Oeſypo,		Medulla cruris vituli.
Petroſelino,		Apium.
Phu,		Valeriana.
Rhapontico,		Rhabarbarum ſelectum.
Saxifragia,		Pimpinella.
Tamariſco,		Fraxinum.
Xylobalſamo,		Lignum Aloës.

Hæc ideò ſubjecimus, ne quilibet Pharmacopœus ſuo pro judicio, eoque forſan crudo, temerè de his quidquam ſtatuat, aut ſuo pro arbitratu inconſultò in defectum alterius quidpiam ſubrogare nitatur, quod non prudenti conſilio ac unanimi Medicorum exercitatorum decreto eidem ſufficiendum fuerit; cum ſuccedaneorum cenſura non niſi peritiſſimis Medicis credi poſſit, ac debeat, utpote in qua non nuda qualitas, ſed qualitatis quoque gradus, ac operationis inſuper modus doctâ planè & ſolerti indagine penſitandus.

CA-

CAPUT TERTIUM.

De Ponderibus & Menſuris Medicis.

RECTE ſanè hucuſque communis Philoſophorum ſchola omnia pondere, numero & menſura contineri docuit, hæc enim agendorum ſunt quaſi quidam limites ac regulæ, quibus ea, quæ præſtanda ſunt ad juſtiiam & æquitatem penſantur, adeò ut his vel poſthabitis, vel neglectis in medicina facienda periculi plenus labor ſit futurus, cum cujuſque medicamenti vis & energia ad ſubjecti ſeu patientis ægri vires aut tolerantiam comparatione factâ horum adminiculo eliciendæ debitæ doſis causâ trutinetur, ne aut medicamentum proportione ſuâ per defectum fraudatum, ac in minori quàm par eſt quantitate exhibitum effectu à ſe expectato fruſtretur, aut in ejuſdem proportionis exceſſu porrectum corpus vel lædat, vel omninò peſſundet.

Inchoantur autem pondera à minutioribus, tanquam à partibus totum conſtructuris; è granis enim ſcrupuli, ex his drachmæ, hinc unciæ, ac tandem libræ conſurgunt, habentque ſe ſcrupuli inſtar literarum, drachmæ inſtar ſyllabarum, unciæ inſtar dictionum, libra inſtar orationis; unde cùm Fannius Poëta notaſſet tot unciæ ineſſe ſcrupulos, quot Alphabetum Græcum literas continet, nempe viginti quatuor, tale id metro expreſſit.

Vncia ſit drachmis bis quattuor, unde putandum,
Grammata dicta quod hæc viginti quattuor in ſe
Vncia habet; tot enim formis vox Græca notatur,
Horis quot mundus peragit noctemque diemque.

Granum autem, σιτάριον dictum, minimum pondus eſt quo utimur, albi piperis granum pondere adæquans; ejus viginti ſcrupulum, ſexaginta drachmam conſtituunt,

Siliqua κεράτιον pendit grana quatuor,

Obolus ὀβολὸς, pendit grana decem, ſeu ſcrupulum dimidium.

Scru-

Digitized by Google

Scrupulus γράμμα ſeu διώβολον, pendit obolos duos, ſeu grana viginti.

Drachma δραχμὴ καὶ ὁλκὴ noſtra, Attica, Græca, pendit grana ſexaginta, ſeu tres ſcrupulos, & eſt octava pars unciæ.

Aureus Arabum, & Denarius Romanus, pendit drachmam unam, & inſuper ſeptimam ejus partem $\frac{1}{7}$ circiter grana novem, unde tres Denarii tetradrachmam, & ſeptem Denarii vel Aurei conſtituunt unciam.

Sicilicus pendit drachmas duas.

Sextula pendit quatuor ſcrupulos.

Duella pendit octo ſcrupulos:

Uncia οὐγγία ἢ δωδέκατον, duodecima pars libræ, conſtat drachmis octo, denariis ſeptem. Idem pendit Oxybaphon Galeno.

Seſcuncia ſeu ſeſcunx, uncia una & ſemis octava pars libræ, idem pendit Faba Alexandrina.

Sextans ἕκτον ſexta pars libræ, duæ unciæ.

Quadrans, tres unciæ, τέταρτον quarta pars libræ.

Triens, quatuor unciæ, τρίτον tertia pars libræ.

Quincunx, unciæ quinque.

Semis vel ſemiſſis, id eſt, dimidium aſſis, unciæ ſex, ἡμίλιτρον.

Septunx, unciæ ſeptem.

Bes vel Beſſis, quaſi bis triens, unciæ octo.

Dodrans, unciæ novem, demitur quadrans.

Dextans, unciæ decem, demitur ſextans.

Deunx, unciæ undecim, demitur uncia.

As vel Aſſis, unciæ duodecim, ſeu libra Romana drachmarum 96.

Libra λίτρα. Pondo triplex eſt. Publica ſeu Zygoſtatica, ſeu Civilis, pendit uncias ſedecim, drachmas 128: dicitur & μνᾶ, ſeu Mina Medica: Item Attica & Ægyptia ſeu Alexandrina, teſte Galen. κτ̃ γένη in Emplaſtro Heræ, & Emplaſtris viridibus Andromachi. Mina Græcorum 100 drachmarum.

Medi-

Medicinalis, quæ & Romana & As, duodecim uncias, denarios 14, drachmas 96 pendit, & hæc eſt Officinis uſitata.

Dioſcorides ἡ δὲ λίτρα ἔχει οὐγγίας ιβ'. & Galenus ἡ μὲν γὰρ λίτρα δράχμας ἓξ ἄγει πρὸς τοῖς ἐνενήκοντα.

Marca continet uncias octo, ſeu ſedecim lotones, & hac utuntur aurifabri. Bes Romanæ libræ.

Notantur autem pondera his ſignis.

Gr. gr.	Designat	Granum.
℈. S. vel ~ſ.		Dimidium ſcrupulum.
℈. I.		Scrupulum.
ʒ. I.		Drachmam.
℥. S.		Unciam dimidiam.
℥. I.		Unciam.
℔. S.		Libram dimidiam.
℔. I.		Libram.
M.		Manipulum.
N.		Numerum.
P.		Pugillum.
Ana.		Æquale pondus, aut menſuram, duorum vel plurium medicamentorum.

Conſultius autem omninò eſt, in definiendis, aut praſcribendis medicamentorum formulis, ac ſignando numero, priſcorum Romanorum notis uti, quæ ſic pinguntur: I. II. III. IV. V. VI. VII. VIII. IX. X. XI. XII. &c. quàm aliis Ciphrarum characteribus, 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. Sic enim ob notarum diverſitatem non tàm facilè error committitur, qui characterum ſimilitudine forſan ſubrepere poſſet, cum 3. drachmam, pondus deſignet, itemque numerum ternarium.

Mensuræ Liquidorum.

Libra Civilis ſeu publica tantundem pendit, quantum dimidia vini menſura Auguſtana, quæ capit uncias ſedecim; nam integra menſura noſtra bilibralis eſt, & pendit uncias triginta duas.

Hemina Italica, eſt dimidius Sextarius Atticus, & pendit uncias menſurales novem, tantundem quoque pendit Cotyla Attica; dicitur & Hemixeſton. Vide Galen. à κτ̀ γένη cap. de iis, quæ Crito conſcripſit. Cotyla Italica, eſt libra menſuralis, ſeu duodecim unciæ. Gal. δ' ὑγκειῶν ς'.

Sextarius Atticus, ὁ ξέστης Ἰταλικὸς ἢ Ῥωμαϊκὸς, continet duas heminas, ſeu uncias decem & octo, id eſt dimidiam menſuram Anguſtanam, & inſuper duas uncias.

Chœnix Sextarii duo, menſura Auguſtana, & quatuor unciæ.

Chus, χῦς, Chœnices duæ, duæ menſuræ Auguſtanæ, & octo unciæ.

Congius ſex Sextarios continet, id eſt, tres menſuras Auguſtanas, & duodecim uncias.

Bicongius duodecim Sextarios, id eſt, ſex menſuras Auguſtanas, & viginti quatuor uncias continebit. Talis dictus fuit Ciceronis filius.

Tricongius, erant decem menſuræ Auguſtanæ, & inſuper quatuor unciæ.

Σὺν Θεῷ.

MEDICAMENTORUM PHARMACOPOEIÆ [AU]GUSTANÆ

CLASSIS PRIMA,

Continens

SYRUPOS ALTERANTES,

Mella, Juleb, Mivas, ac Rob.

V*Erus ac genuinus* Divini illius, ſenis Hippocratis *filius*, *& qui non* φημῇ *ſolum*, *ſed* ἔργῳ, *id eſt*, *opere ipſo inter medentes nomen ſuum profiteri ſatagit*, *totus in hoc eſſe debet*, *ut* Citò, Tutò, *&* Jucundè *Medicinam faciat*; *Quò autem illud commodè fieri poſſit*, *plures meditati ſunt Aſclepiadicæ artis Proceres medicamentorum compoſitiones*, *in quarum numero non poſtremum locum obtinet illa*, *quam* Syrupi *nomine indigitant Pharmaceuticæ artis periti*, *de cujus legitimo præparandi modo mox ſub auſpicio hujus Operis agere ſtat ſententia*..

Antequam autem ſpecialem Syruporum *aggrediamur compoſitionem*, *ſeu potiùs dextram eorundem componendorum rationem*, *conſultum arbitrati ſumus paucis explicare*, PRIMO, quid *ſive* quale *medicamenti genus* Syrupus *ſit*; SECUNDO, ad quem uſum *inventus*; TERTIO. qualem debeat habere conſiſtentiam, *ut ad futuros uſus*, *viribus integris manentibus ad tempus aſſervari queat.*

Eſt autem Syrupus, medicamentum liquidum, non tamen omninò dilutum & aquoſum, ex ſuccis, infuſionibus, decoctionibus, vel aquis deſtillatis, cum melle aut ſaccharo (*quæ veluti Pharmacopœorum ſales ſunt*, *quibus ſuas confectiones à putredine præſervant*) ad juſtam conſiſtentiam coctum.

Inven-

Digitized by Google

Inventum eſt hoc Medicamenti genus, partim ut virtutes Vegetabilium *vel* Animalium *&* Mineralium, *ſub hac forma, in unum vel alterum annum, ſine ſitu & corruptione, integrè conſervari poſſent; partim etiam ut palato delicatulorum ægrotantium conſuleretur.*

Conſiſtentia Syruporum, *variat ipſa αυτοψία & Pharmacopæi arbitratu limitata & reſtricta*; Pondus itidem Liquoris ad Saccharum *præciſum & exactum determinari nequit, cùm* Liquores *diverſi ſint, qui ad* Syrupi *confectionem à Medicis præſcribuntur: Alii ni mirùm aquoſi ſunt & diluti, craſſiores alii, nonnulli etiam acidi, ut potè qui non parùm variant pondus & proportionem* Sacchari, *qu & ipſum diſcrepat in conſiſtentia, puritate & bonitate, quæ omnia & ſingula à perito artifice probè ſunt conſidera... Vt plurimùm verò* pro libra una Sacchari, unciæ ſeptem vel octo [illegible] ſufficiunt, *ut ſolâ diſſolutione, aut unica ſaltem ebullitione, efficacis* Syrupi *durabilis* conſiſtentia *acquiratur. Quibus præmiſſis ſpecialem* Syruporum *præparationem auſpicamur, ubi plura, quæ aliàs præmittenda fuiſſent, affatim eluceſcent.*

SYRUPUS DE ABSINTHIO.

℞. Abſinthii Pontici, ſeu Romani, libram ſemis,
Roſarum rubear: uncias duas,
Spicæ Indicæ drachmas tres,
Vini veteris clari optimi,
Succi Cydoniorum ana libras tres, & uncias quatuor
Macerentur in vaſe fictili horis viginti quatuor: deinde decoquantur, & colaturæ adde
Sacchari libras duas.
Fiat, ut eſt artis, Syrupus.

VEntriculi, hepatis, & viſcerum aliorum imbecillitati etiam doloriſicæ, & cachexiæ præſertim à cauſa frigida ſuccurrit: appetentiam dejectam excitat; inteſtinorum & viſcerum mollitiem delet, ac retentricem eorum vim confirmat: flatus diſcutit, felle ſuffuſos & auriginoſos juvat, humoreſque per urinas propellit. Datur in albo & pituitoſo menſium flore: ſumitur ex aqua Menthæ in ventriculi affectibus, nam in roborando ſtomacho & jecore mirabilis eſt potentia.

ANIMADVERSIONES.

COnſtat & in confeſſo eſt, non pauca *Vegetabilia* quantumvis ſicca, ex quibus & hic *Syrupus* paſſim in Officinis conficitur, ſecum ferre ſpiritum quendam fugacem, ſive partes tenues & ſubtiles, levi calore ignis ſtimulatas, quâ datâ portâ ad auras æthereas

avo-

avolantes, in quibus alioquin ſumma conſiſtit vis activa, corpus univerſum penetrandi, quibus *Vegetabilia* plurima viduata, illum, quem aliàs promittebant effectum, neutiquam edere poſſunt, nec Medicus, qui illis uti ſatagit, afflictum ægrum ſui voti compotem f[illegible]e potis eſt. Tali ſpiritu volatili gaudent præ cæteris cuncta odo[illegible]era, utpotè quem odor in ipſa deſtillatione prodit; cui ſua ſpirituoſitate neutiquam cedit *vinum* præſertim *vetus & fermentatum*, qua orbatum, vappam relinquit & inutile phlegma; Infallibiliter proinde [illegible]quitur, cùm in aſſignata hujus *Syrupi*, aliàs non ſatis lau[illegible]di præparatione, partes illæ ſpirituoſiores, utut lentè coquatur [illegible]bent enim quinque libræ & aliquot unciæ inſuper affuſi liquoris [illegible]orare) exhalent, *Syrupum* hunc ad operandum nullius fore efficaciæ, niſi dexterior [illegible]us inſtituatur præparatio, quæ talis eſſe poteſt.

℞. *Abſinthii Pontici ſeu Romani* ℔ ß,
Roſarum rub. ℥ ij,
Spicæ Indicæ ℥ iij,
Vini veteris clari & optimi,
Succi Cydoniorum ana ℔ iij. ℥ iiij.

Inciſa quæ incidenda ſunt, immittantur cucurbitæ vitreæ, quibus affundantur *Vinum & ſuccus Cydoniorum*, ac appoſito capitello, macerentur horis xxiiij. poſtea augeatur ignis, & in arena fortis fiat deſtillatio plus quàm ad dimidias, vel ut ſaltem libra una liquoris in fundo maneat reſidua; *priores autem unciæ decem aquæ, quæ prodiere magis ſpirituoſa & odorifera*. ſeorſim aſſerventur, ſicut etiam *ſecunda aqua prolecta* ſeparatim ſervetur. Refrigeratâ cucurbitâ, ſpecies in fundo relictæ exprimantur, expreſſum *albumine ovi* clarificetur, & ad uncias quatuor inſpiſſetur, vel eouſque evaporet; Cui demùm adde *prioris aquæ deſtillatæ* ℥ x. circiter &
Sacchari albiſſimi ℔ ij.
ac ſolâ ſupra ignem diſſolutione, vel unicâ ſaltem ebullitione fiat *Syrupus* juſtæ conſiſtentiæ, impregnatus virtute & efficaciâ rerum, quæ ejus compoſitionem ingrediuntur. *Aqua ſecunda ſeparatim aſſervata*, cùm ob paucitatem *Sacchari* in *Syrupum* redigi nequeat, poteſt, quotieſcunque ille à Medicis præſcribitur, cum eodem permixta commodè propinari.

SYRUPUS ACETOSITATIS CITRI.

℞. Succi acidi Mali Citrii per pannum rarum colati libras tres,
Sacchari albiſſimi libras tres,
Coquantur ſecundum artem.

REfrigerando & humectando biliosarum ac æstuantium febrium incendia potentiſsimè reſtinguit, & ſitis intolerantiam ſedat, viſcerum phlegmonas, ardoremque vehementem, & bilioſos affectus omnes corrigit, cor, ventri ulum, & alia viſcera, ab intemperie calida imbecilla firmat, ſpiri ab immodico calore attenuatos reſolvi prohibet; ipſorum putredini, p. ut etiam humorum ac aëris, tota ſua ſubſtantia reſiſtit, febreſque peſtilentes aut gigni vetat, aut jam natas emendat, n non veneniſ adverſatur.

ANimadvertant Pharmacopœi in hujus Syrupi præparatio ſuccum Citri ſumant, colo ſponte ſua tranſmiſſum, non atem valida expreſſione paratum, eum cum ſaccharo albiſſimo, qu.. deranum eſt, aut ſaltem clarificato, ſecu... o igne decoquant: alias enim facile craſſeſcit, vel in grumos ab, ac ſitum levi occaſione contrahit, aut evadit fuſcus ac nigricans, cum alioquin (prout Limonum Syrupus, ac Acetoſus ſimplex, aut Julep roſatum) pellucidus & albus eſſe debeat.

Peritiores Pharmacopæi ſuccum Citri vel omnino non, vel modicè ſaltem coquunt, eundem Sacchаro per ſe & ſupra Syrupi conſiſtentiam cocto artificiosè jungentes: ſic enim Syrupus tenuis evadit, ac transparens, nec facile grumeſcit, aut debitam ſuam amittit gratiam.

ANIMADVERSIONES.

PRima in præparatione hujus *Syrupi* animadverſio firmo ſtat talo, nec a nobis impugnatur, utpote quam vel illis, qui vix à limine artem Pharmaceuticam ſalutarunt, ipſa dictitat ratio; Altera verò admonitio nobis non uſque adeò fit veriſimilis: Si enim *Saccharum* cum tanta quantitate *ſucci Citri* (præſcribuntur enim in præparatione hujus *Syrupi* ℔. *vj. Succi, ad Sacchari* ℔. *iij.* debent igitur *ſucci* ℔. *iiij. cum dimidia* circiter lento igne evaporare) tam diu coquatur, quouſque debitam ſuam nanciſcatur conſiſtentiam, non poteſt non rubicundo colore imbui *Syrupus*, & quò lentiori coquatur igne, eò evadet rubicundior, quod ipſum periti Pharmacopœi probè nôrunt. Tertia admonitio æquè, uti prior, claudicat, quod nimirum peritiores Pharmacopœi *ſuccum Citri* vel omninò non, vel modicè ſaltem coquant, eundemque *Sacchаro* per ſe, & ſupra Syrupi conſiſtentiam cocto artificiosè jungant, ac inde *Syrupum transparentem vel lucidum, nec facile grumeſcentem* ſibi promittant. Quomodo enim ſine omnimoda coctione poſſunt exhalare *libræ quatuor cum dimidia ſucci*, cum alias liquores acidi quodammodo fixi ſint, & intenſiori ignis gradu in deſtillatione indigeant? Accipiunt autem nonnunquam Pharmacopœi *non libras ſex ſucci* ad

libras

libras tres Sacchari, ſed libram unam & uncias octo circiter ſucci, ad præfatum pondus ſacchari, ſicque ſine diuturniori coctione & unicâ ſaltem ebullitione Syrupum conficiunt tranſparentem, gratam habentem aciditatem, paulo tamen [illegible], ac ſi duplum pondus ſucci additum fuiſſet. Si tamen quiſpiam acidiorem deſideraret ſyrupum, poſſet eundem parare in modum ſequentem.

℞. *Succi Citri depurati, & ad remanentiam partis tertiæ (id eſt, ut à tribus libris unâ remaneat) in M. B. abſtracti* ℔ ij ß. *Sacchari albiſſimi, vel albumine ovorum clarificati, & ad omnimodam aquoſitatis exhalationem cocti* ℔ iiij.

[F]que una vel altera ebullitione in vaſe terreo vitreato *Syrupus*.

SYRUPUS DE SUCCO

Acetosae Mesue.

℞. Succi Acetoſæ depurati libras tres,
Sacchari clarificati libram unam ſemis.
Coquantur ſecundum artem.

F*ebribus bilioſis admodum gratus eſt, peſtilentibus ſaluber; viſcerum igneum calorem moderatur, ipſaque confirmat, & valide refrigerat.*

SYRUPUS DE SUCCO

Acetosellae.

℞. Succi Acetoſellæ depurati libras duas,
Sacchari clarificati libram unam.
Coquantur in Syrupum.

V*iſcerum inflammationibus, nec non malignis, ac peſtilentibus febribus confert, earundem fervorem reprimit, putredinem emendat, ſitim, ac ſanguinis ebullitiones compeſcit: cor eximiè roborat, & aphtis auxiliatur.*

ANIMADVERSIONES.

In Syrupos de Succo Acetoſa & Acetoſella.

Ne potiorum & nobiliſſimarum nonnunquam *ſuccorum* partium, dum inutili coctione eos fruſtrà exhalare permittimus, tantam faciamus jacturam, idcirco cum *ſuccorum* inſpiſſatio vel exhalatio in *Syruporum* coctione ad debitam ſuam conſiſtentiam exigatur, præſtabit à *ſucco* tantum liquoris aquei per deſtillationem abſtrahere, donec de ipſo ſaltem remaneat, quantum ad diſſolutionem

ſacchari ſufficere videbitur; E. g. *Uncias ſeptem vel octo ſucci* relinquendo *pro libra una ſacchari*; *Aqua* verò per deſtillationem à *ſuccis* abſtractæ, quotieſcunque *Syropos* præſcribunt Medici, ad unciam unam vel ampliùs, pro uncia una *Syrupi*, addi poſſunt, ut non ſolùm craſſiores Acetoſæ, aliarumque herbarum partes, à *ſacch*[illegible] devictæ, ſed & ſubtiliores & ſpirituoſæ earundem herbarum par[illegible] *Syrupum* nobilitent, reddantque efficaciorem. Idipſum ut fiat, eligatur præparandi modus ex ſequentibus, uter placebit.

℞. *Succi Acetoſæ, Acetoſellæ, aut alicujus alterius herb*[illegible] ℔. v.

Depurentur per reſidentiam, poſtea abſtrahantur per Alemb[illegible]cum vitreum ℔. iiij. duabus libris remanentibus addantur

Sacchari albi ℔. iij.

Coquanturque unâ vel alterâ ebullitione [illegible] [illegible]ntiam *Syrupi*, cui, quoties præſcribitur, *aqua à ſucco deſtillata* [illegible] [illegible]ddi poteſt. Vel

℞. *Succi cujuſdam Herbæ* ℔. vj.

Abſtrahantur per Alembicum ad remanentiam *libræ unius*, huic per pannum colatæ, adde

Sacchari albi ℔. ij.

Coquantur invicem ad talem conſiſtentiam *Sacchari*, qualem exigeres, ſi *Rotulas* efficere velles; addantur tandem

Aquæ prioris à ſucco per Alembicum deſtillatæ ℥ *xv. circiter.*

Fiatque ebullitione unicâ, vel ſolâ ſaltem diſſolutione *Syrupus*, juſtam habens conſiſtentiam.

SYRUPUS ACETOSUS SIMPLEX MESUE.

℞. Saccari clarificati libras quinque,
Aquæ fontis libros quatuor,
Aceti vini libras tres,
Coquantur ſecundum artem.

Humorum craſſitiem incidit, & attenuat, obſtructiones levat, aperit & abſtergit, ſaluberrimus in affectibus calidis, ac bilioſis, & ex materia mixta natis, bilis impetum tenuitate, ac æſtu furientem frangit, reprimit, incraſſat, & refrigeratione extinguit, urinas movet, ſudores elicit, ac peſtilentia putredinique reſiſtit.

ANIMADVERSIONES.

Mirari ſubit, in hac ſimplicis hujus *Syrupi* ſimpliciſſima præparatione, tàm craſſos commiſſos eſſe *errores*, nullâ ratione conticendos; Nimirum ipſa dictitat ratio, cui experientia abundè con-

conteſtatur, *fruſtrà fieri per plura, per pauciora æquè commodè perfici quod poteſt.* En, Lector benevole, deſtinantur in *Syrupi hujus* præparat[illegible]one, *libris quinque ſacchari, aceti tres libræ, & aquæ fontis inſu[illegible] quatuor libræ,* cum abundè ſufficiant ſolius *aceti libræ tres*, quæ c[illegible]mnum aliquandiu cum *ſaccharo* percoquendæ ſunt, ſi debitam [illegible]optes *Syrupi* conſiſtentiam, ut adeò neutiquam opus ſit, *aquæ fontanæ* tantam adjicere copiam, quippe quæ penitùs penitusque [illegible]alare de[illegible]et, ſi *Syrupus* ad conſiſtentiam coquendus eſt, ſine qua [illegible]late[illegible] [illegible]llius integritas perſiſtit; Taceo, quod in ipſa *aqua cum* [illegible]*to* mixtæ violenta coctione unà ſubtiliores, volatiles ac ſalinæ [illegible] partes avolent & evaneſcant, à quibus tamen præſens *Syrupus* [illegible]otes mutuari deberet, vires videlicet attenuandi, humorum craſſiti[illegible] [illegible]uctiones viſcerum reſerandi, & alias, quæ ab authore illi aſſignantur, virtutes; Neque etiam puto fore quem-[illegible]iam, qui aſſerere auſit, ex additione *aquæ fontanæ* ullas, ne dicam, majores huic *Syrupo* virtutes acceſſuras. Proindè ſatiùs eſſe arbitror, ex ſolo fortiſſimo & optimè dephlegmato *aceti ſpiritu*, abſque ulla *aquæ additione*, *Syrupum* hunc conficere, procedendo in modum ſequentem, ita nimirum longè efficacior evadet, ac integris viribus ætatem feret.

℞. *Aceti diſtillati fortiſſimi per M. B. dephlegmati* ℔. ij ß,
Sacchari albi ℔. iij ß.

Coquantur parùm in *vaſe terreo* vel *lapideo* ad conſiſtentiam juſtam *Syrupi.*

SYRUPUS ACETOSUS COMPOSITUS MESUS.

℞. Rad. Fœniculi,
Apii,
Endiviæ ana uncias tres,
Sem. Aniſi,
Fœniculi,
Apii ana unciam unam,
Endiviæ unciam ſemis.

Coquantur lento igne in libris decem aquæ ad dimidias: adde colaturæ

Sacchari optimi libras tres,
Aceti acerrimi libras duas.

Coquantur ad Syrupi conſiſtentiam.

BIBLIOTECA NAZ. ROMA VITTORIO EMANUELE

Obſtructiones viſcerum reſerat, humorum craſſitiem tenuat & purgat, urinas promovet, febres compoſitas & nothas, prout & ventriculum bile ac pituita craſſa refertum allevat, nec non renum, jecoris, & lienis infarctus penetrat.

ANIMADVERSIONES.

Dolendum ſanè & deteſtandum, quod in pleriſque medicamentorum præparationibus, abjecta aut vapore-tenus expulſa parte potiori, deteriori nos ſaturemus, ſicque *nucleos* veluti abjiciamus *putaminibus* contenti; Idipſum in præſenti *Syrupo acetoſo compoſito* uſu venit; Etenim & *ſemina Aniſi, Fœniculi, Apii*, nec non *radices earundem herbarum* ceu odoratæ, aromaticæ, tenuiumque partium, in longa illa coctione, quam lentiſſimo etiam igne illa ſi. virtutibus ſuis, queis *Syrupum* hunc nobilitare deberent, penitus ſpoliantur, relictis partibus terreſtrioribus, ejectis & relegatis a... Utut enim lentè ſatis coquantur, nihilominus neceſſum eſt, ut in prima coctura, *quinque libra aqua* exhalent, ... iteratâ coctione ſecundâ, quæ fit cum *ſaccharo & aceto*, denuò *libra quinque* ſolius enim *aceti* ſatis ſuperque eſt, quantum ſufficiat *libris illis tribus ſacchari* ad conficiendum *Syrupum*. Quomodo igitur Medicus ſui voti compos evadet, ſuumque adipiſcetur finem, in reſerandis obſtructionibus, craſſitie humorum attenuanda & minerâ morbificâ per urinam expurgandâ, ſi ſubtiliores & tenuiores partes, à quibus virtutes illæ proficiſcuntur, *Syrupum* hunc deſtituant, nilque niſi craſſamentum ab ingredientibus illi ſit relictum: Itaque ne hæc fiant, paretur modo ſequenti.

℞. *Radicum Apii,*
Fœniculi,
Endiviæ ana ℥. *iij,*
Semin. Aniſi,
Fœniculi
Apii ana ℥ *j,*
Endiviæ ℥ ß.

Quibus contuſis & cucurbitæ vitreæ immiſſis, affunde *aceti vini acerrimi deſtillati* ℔ *ij*, deſtillentur appoſito capitello, & circumlitis juncturis per M. B. ad ſpecierum ſiccitatem uſque. *Aqua* ſive *acetum deſtillatum & impregnatum* ſeorſim aſſervetur. Speciebus in fundo cucurbitæ remanentibus affunde *aquæ ſimplicis* ℔ *iij*, coquantur lento igne ad tertias, colaturæ ſive expreſſioni albumine ovorum clarificatæ, adde

Sacchari ℔ *iij.*

Coquantur ad conſiſtentiam *Tabulati*, tandem adde *de ſuperiori aceto deſtillato* & virtutibus ingredientium ſubtilioribus imbuto ℔ *j.* ß, cum *aceto tribus* circiter, atque unâ vel alterâ ebullitione aut ſolâ diſſolutione juſtæ conſiſtentiæ *Syrupus.*

SYRUPUS ACETOSUS DIA-RHODON MESUE.

℞. Rad. Apii,
Fœniculi,
Endiviæ ana uncias duas,
Roſarum unciam unam,
Glyc[illegible]rhizæ unciam ſemis,
Spi[illegible]æ drachmas duas ſemis,
Sem. Aniſi,
Fænicul,
Apii ana drachmas ſeptem.

Coqu. [illegible] ſex aquæ fontanæ ad duarum partium conſumptionem; adde
Succi Endiviæ,
Apii ana libras duas ſemis,
Aceti libras duas,
Sacchari libras tres.
Fiat lege artis Syrupus.

Uſus ejus eſt ad febres complicatas; hepatis, & ſplenis obſtructiones aperit, & viſcera corroborat.

ANIMADVERSIONES,

Magni fit hic *Syrupus* in hepatis & lienis obſtructionibus reſerandis, viſceribuſque roborandis, quod encomium illi nullus derogarem, ſi debito modo & ex arte conficeretur, ſin ſecus fiat, quale ab eo ſperandum ſit juvamen, quilibet, cui mens integra, ex facili deprehendet; Multus autem ne ſim in præſcripto componendi modo refutando, ablego Lectorem ad *Animadverſiones Syrupi* præcedentis, & melioris informationis ergo ſequentem ſubnecto præparationem.

℞. *Rad. Apii,*
Fœniculi,
Endiviæ ana ℥ ij,
Glycyrrhizæ ℥ ß,
Roſarum rub. ℥ ij,
Spicæ Indicæ, ʒ ij ß,
Sem. Aniſi,
Fœniculi,
Apii ana ʒ vij.

Craſſiuſcule inciſa & contuſa immittantur cucurbitæ vitreæ velteræ, quibus ſuperaffundantur
Succi Endiviæ,

Apii ana ℔ ij ß,
Aceti vini ℔ ij.

Deſtillentur ad remanentiam *duarum* circiter *librarum*; Prioris *aqua* odoriferæ, quæ primò exſtillavit ℔ j, ſeorſim aſſervetur, ſic & *ſecunda aqua* ſeparatim. Remanentiæ deſtillatione in cucurbi. exprimantur, expreſſum albumine ovi clarificetur & ad libram j, ſi ejus major quantitas, ſit evaporet. Tandem addantur

Sacchari albi ℔ iij, &
Reſervatæ ſuperioris aquæ odoriferæ
primæ q. ſ. vel ℥ *x.*
præter propter,

ac paucis ebullitionibus fiat *Syrupus.*

Aqua ſecunda deſtillata, ad uſus in ſuperioriu[illegible] aſſe[illegible]ri, & una cum *Syrupo* mixta præſcribi poteſt.

SYRUPUS ADIANTINUS

FERNELII.

℞. Adianti albi, id eſt, Rutæ murariæ manipulos tres,
Nigri, ſeu Capilli Veneris,
Simplicis, ſeu Vulgaris, id eſt, Polytrichi aurei,
Saxifragiæ,
Betonicæ,
Pimpinellæ,
Aſplenii ana manipulos duos.

Coquantur ex aquæ libris octo, dum ad quinque redeant. In expreſſo ſolve

Sacchari albi libras quatuor,
Mellis optimi expurgati libram ſemis.
Fiat Syrupus.

OMnes quacunque corporis parte humores æquabiliter incidit, atque detergit, cuivis morbo incipienti, omni itidem naturæ, ætati, regioni, atque etiam prægnanti familiaris.

In defectu Polytrichi aurei ſubſtituatur Trichomanes.

ANIMADVERSIONES.

SYrupi hujus compoſitionem, licet odorifera & aromatica pauca ingrediantur, utpotè quæ cætera medicamenta tenuitate partium antecellunt, & hujus ratione longiorem coctionem reſpuunt, nihilominùs tamen præſtabit in modum præcedentium ex recentibus etiam *herbis* eundem præparare, per infuſionem & deſtillationem, ita nullarum partium damnum patiemur, & *Syrupum* habebimus efficaciorem.

SYRU-

SYRUPUS DE AGRESTA

Mesus.

℞, Omphacii, ſeu Agreſtæ libras quinque.
Sacchari clarificati libras tres.
Coquantur ſecundum artem.

PO[illegible]tur aſtringit, refrigerat, & ſiccat, ideoque à putredine [illegible]adicat, conditionique peſtilenti quàm maximè reſiſtit, ventriculum ſtabilit, eumque ab aliarum partium excrementis ſecurum præſtat: prægnantium malaciam dejicit, intemperiem calidam ſtomachi hepatis, ſitimque vehementem reſtringuit, venenis adverſatur, feb[illegible]ioſis benefacit: cholera morbo, ac dyſenteria purgato prius corpore, medetur. Poſt cibum ſumptus, vomitionem immoderatiorem, moleſtamque ſtomachi ſubverſionem ab æſtuante bile, aut inflammatione perſonat.

AGreſta, ſuccus eſt ex uvis immaturis expreſſus, paulò antequam maturuerint, is Græcis Omphacium dicitur, quod ad intinctus quandoque aſſervatur. Hoc autem loco Agreſta ſumi debet nondum coctione denſata, ſed expreſſa tantùm & depurata.

ANIMADVERSIONES.

HIc *Syrupus* præ cæteris prioribus encomium meretur, eò quod virtus ejus *adſtringens*, *refrigerans*, & *roborans*, in coctione ſive præſcripta ejus præparatione non pereat, quia *ſpiritus* in Agreſtis, nondum maturus, primis ebullitionibus repente evolare nequit, quapropter & illud quod reſtat, ad prædictos edendos effectus, nobis uberiorem ſpem relinquit.

SYRUPUS DE ALTHÆA

Fernelii.

℞. Rad. Althææ uncias duas,
Rad. Graminis,
Aſaragi,
Glycyrrhizæ,
Uvarum paſſarum expurgatarum ana unciam ſemis.
Cicerum rubrorum unciam unam,
Cymarum Althææ,
Malvæ,
Helxines,
Pimpinellæ,
Plantaginis,

Adianthi utriuſque ana manipulum unum,
Quatuor ſem. frig. major. & minor. ana drachmas tres.

Coquantur ex aquæ libris ſex, dum quatuor ſuperſint: deinde cum ſacchari albi libris quatuor, percoquatur Syrupus.

Ardorem urinæ demulcet, ac citra manifeſtum calorem, craſſam, obſtruentemque pituitam, nec non viſcidam purulentamque erenum ſaniem, & arenulas blandè ac clementer expurgat.

ANIMADVERSIONES.

NOndum inventus eſt, qui hanc *Fernelii* inconcinnam compoſitionem, ea, qua præſcripta eſt methodo, in *Syrupum* elegantem, juſtam habentem conſiſtentiam, vere redi[illegible]erit; Nam *Althea radix*, quocunque modo coquatur, mucilaginem pr[illegible] viſcidiſſimam, pariter etiam *cyma ejuſdem herba*, ut & *cyma Malvæ*, nec non quatuor *ſemina frigida majora & minora*, nonnihil mucilaginoſa ſunt & oleaginoſa, ad *Syrupum* conficiendum inepta. Equidem me non latet, Pharmacopœos, ſacculo vel nodulo eadem incluſa, cum reliquis ſpeciebus coctioni ſubmittere, ne *mucilago* cùm horum ſeminum, tum prædictarum rerum, irritum reddat eorundem conamen, quo minus elegantem gratumque conficiant *Syrupum*, ſed incluſa ſacculo remaneat *mucilago*, quâ tamen *mucilagine radicum*, *cymarum* & *ſeminum* deſtitutus *Syrupus*, nil ſanè præter nomen & numerum in officinas adfert, virtutibus illis, quibus inſignitur, penitus orbatus. Cùm igitur hic *Syrupus* ex ſpeciebus prædictis abſque fuco & fallacia præparari nequeat, Medici autem ob virtutes ejus tantopere deprædicatas, eo carere nolint, proinde Author illis ſum, ut loco *Syrupi* alioquin, uti dictum, paratu impoſſibilis, *decoctum* earundem ſpecierum edulcoratum trahant in uſum, cui quatuor *ſemina frigida majora*, cum *aqua* contuſa, *emulſionis* inſtar, poſſunt permiſceri; Quod ipſum *decoctum* ſi quoque diutius paulo coqueretur, præ nimia ſua viſciditate, nauſeoſum foret & palato ingratum.

SYRUPUS APERITIVUS MAGISTRALIS D. MINDERERI.

℞. Succorum depuratorum
Rad. Cichorii,
Pimpinellæ ana libram unam,
Fumariæ,
Lupuli ana uncias ſex,
Petroſelini,
Fœniculi ana uncias tres,

Rad. Apii,
Enulæ,
Aſparagi,
Eryngii,
Vincetoxici ana unciam unam,
Herbarum Agrintoniæ,
S. Kunegundis, ſeu Eupatorii Avicennæ,
Agerati ana manipulum unum,
F[illegible]iorum Cuſcutæ,
Ceterach,
Adianti utriuſque,
Cardui benedicti,
C[illegible] chii Pontici,
Florum Centaurii minoris ana manipulum ſemis,
Granorum Alkekengi unciam unam,
Aquæ fontanæ libras ſex,
Aceti Squillitici libras duas,

Arida omnia ex prædictis ſex libris aquæ coque, dum ſuperſint libræ duæ, has tranſcola diligenter, & cum ſuccis & aceto Squillitico, additis

Sacchari albi libris tribus ſemis.
Coque in Syrupum juſtæ conſiſtentiæ.

O*Mnibus omnino jecoris, meſenterii, hepatis ac venarum meſaraicarum obſtructionibus ſalutaris eſt, diuturnis febribus, & ex eis natis cachexiis ac hydropi prodeſt. Acui ejus vis poteſt, ſpiritu vel oleo Chalcanthi.*

ANIMADVERSIONES.

EO nunc res rediit, ut unuſquiſque ferè Medicorum, ſaltem ut nomen ſuum hinc inde in Officinis Pharmaceuticis reſonet, peculiarem, alter hanc, alter illam ſibi effingat *compoſitionem*, quo ipſo tamen ſæpenumero, ſummam ſuam in arte pharmaceutica ignorantiam produnt potius, quam ut exinde famam aliquam ſibi concilient. Hoc vitium non ſolum junioribus, glorioſæ cupidine prurientibus Medicis tenaciter adhæret ſed & ſenioribus, & quos capitis nives jam propinquæ mortis admonent, perquam familiare eſt; Verùm nimium ſe dant turpiter, & hoſti medicinæ debent ludibrium. Inter illos & author hujus *Syrupi Magiſtralis* nomen profitetur ſuum; Antequam enim hunc conſtrueret, recordari prius debuiſſet, magnam eſſe *radicum* diverſitatem, quarum aliæ ſucculentæ & pulpoſæ ſunt, quædam aridæ & lignoſæ, nonnullæ medio modo ſe habentes. Ex aridis & lignoſis *radicibus* illæ ſunt, ex quibus Author, pro *ſyrupi* hujus confectione, *ſuccum* extorquere jubet, *Cichorii*

Digitized by Google

chorii nimirùm, præſertim ſylveſtris (nam domeſticæ & ſativæ ubique non proſtant) *Pimpinellæ, Petroſelini, Fœniculi*; Meherclem non poſſum animum meum inducere, ut credam, unquam Pharmacopœum ex ſolis hiſce aridis *radicibus*, abjectis *herbis, ſuccum* expreſſiſſe, niſi fortè in tàm exigua quantitate, ut operæ precium non fuerit, rem inchoare, nedum perficere; Alterum in hujus *ſyrupi compoſitione* animadverſione dignum eſt, quod *liquoris* ℔. vij ß, *cum libris tribus & dimidia ſacchari in ſyrupi* conſiſtentiam debeant percoqui, p[illegible]quam ſat ſuperque *herba radices & fructus* decocta ſunt, & ſubtili[illegible]s ac ſummè penetrantes eorundem partes, longiori coctura deperditæ, adeò ut *meſenteris*, *hepatis* ac *venarum meſaraciarum* obſtructionibus reſerandis, parùm aut nihil prodèrit hîc *ſyr[illegible]*: Efflagitant n[illegible] rùm hi *morbi* medicamenta ſpirituoſa, non ve[illegible] [illegible]tas medicinas, virtute ſalinâ, volatili ac ſpirituali penitus exut[illegible], utpotè qua inviolentis illis, iiſdemque reiteratis coctionibus, omnino caſtrantur, prout ſufficienter etiam in ſuperioribus innuimus. Et licet difficilè ſit virtutes ſingulas rerum, *ſyrupum* hunc ingredientium, ſartas tectasque, non mutatis mutandis conſervare, nihilominùs tamen, cum mei inſtituti in præſens non ſit, *compoſitionibus* hiſce ab omnibus Medicis receptis quippiam detrahere, ſed veram ac legitimam duntaxat earundem *præparationem* demonſtrare & palam facere, idcircò illam propono hunc in modum:

℞. *Succor. depur. ex totis Cichorio,*
Pimpinella, ana libram unam,
Fumaria,
Lupulo ana ℥ vj.
Petroſelino,
Fœniculo ana ℥ iij.

Radicum Apii,
Enula,
Aſparagi,
Eryngii,
Vincetoxici ana ℥ j.

Herb. Agrimonia,
Eupatorii Avicen.
Agerati ana M j.
Cuſcuta,
Ceterach,
Adianthi utriuſque,
Carduibened.
Comar, Abſinthii Pont.
Florum Centaurii min. ana M ß;
Granorum Alkekengi ℥ j.

Inciſis

Inciſis & craſſiuſculè contuſis, ac cucurbitæ vitreæ immiſſis, ſuperaffundantur *ſucci* ſuperiùs enumerati, &

Aceti Scyllitici ℔ ij,

F[illegible] que per arenam in vaſe vitreo fortis deſtillatio, quoad ſuperſint [illegible]iter *libra dua liquoris* in fundo cucurbitæ cum ſpeciebus; ſeparatim tamen, ut in aliis præparationibus monui, prioris *aqua librâ unâ* aſſervata: Reſiduum fortiter expreſſum albumine ovi clarifi[illegible]ur, cujus ſi plus quàm *libra una* fuerit, euſque evaporet; adiicis[illegible] *[illegible]chari libris tribus cum dimidia*, & prius egreſſæ *aqua ſpiritue*[illegible] ſeorſim ſuperiùs aſſervatæ *libra una*, fiat una vel altera ebullitione *ſyrupus*, *Aqua ſecunda* itidem ſeparatim collecta poteſt, pro[illegible]liis monui, convenienti doſi, quoties exigitur *ſyrupus* eidem adu[illegible]i.

SYRUPUS ARANTIORUM.

℞. Succi Arantiorum lege artis percolati libras tres,
Sacchari albiſſimi libram unam ſemis.
Coque in Syrupum.

D*Vpliciter his Syrupus præparari conſuevit, è ſucco nimirum Arantiorum dulcium & acidorum: quorum hic nauſeam, ſitum, & cordis tadia pellit: ille calidus faucium ac pectoris malis opitulatur.*

ANIMADVERSIONES.

PArari poteſt hic *ſyrupus* admodum *ſyrupi acetoſitatis Citri.*

SYRUPUS DE CORTICIBUS ARANTIORUM.

℞. Corticum Arantiorum recentium & extimorũ libram unam,
Aquæ fontis libras quatuor ſemis.
Coquantur ad duarum partium conſumptionem: colaturæ adde
Sacchari optimi libram unam,
Fiat Syrupus.

V*Entriculum frigidum roborat & fulſit, concoctionem adjuvat, flatus diſpellit, ac cordis vires adauget.*

ANIMADVERSIONES.

OMne medicamentum, quod *cordi robur addere, collapſas vires reſtaurare, flatus diſpellere, ac ventriculi intemperiem frigidam corrigere, eundemque roborare ac fulcire debet*, oportet, ut nullatenus

virtute

virtute ſuâ balſamicâ, calidâ ac ſpirituoſâ, ſit exutum ac privatum; In hujus autem *ſyrupi* præſcripta præparatione, *cortices Arantiorum recentes & extimi*, ſubtilem ac fragrantiſſimum ſuum *ſpiritum & oleum* balſamicum, carminativum, diuturnâ coctione prorſus amittunt, ut nil niſi *Extractum amarum* maneat in reſiduo, (utut leniſſimo coquatur igne,) nihil ergo de effectu illo & viribus, quæ ipſi attribuuntur, nobis promittere poſſumus, niſi alia & quidem melior vel accuratior inſtituatur *præparatio*, quæ taliseſſe poteſt.

℞. *Cort. Arantior. recentium & extim, conciſorumque* ℥ j.
Quibus cucurbitæ vitreæ immiſſis ſuperinfundatur.

Aquæ ſimplicis (vel quod melius eſſet, Vini generoſi) ℔ j ß.

Et poſt unius alteriuſve diei digeſtionem, fiat abſtractio in M.B. juncturis optimè clauſis, ferè uſque ad ſiccitatem *corticum aquâ ſpirituoſâ odoriferâ* proleĉtâ interim aſſervatâ; [illegible] curbita reſidui cum *libris duabus vel tribus aquæ ſimplicis*, ad remanentiam *libræ unius* coquantur, *decoctum* colatum, & ſi opus, clarificatum, cum

ſacchari libris duabus,

Denuò coquatur ad conſiſtentiam *Tabulati*, cui, *extracto corticum* impregnato, *ſuperioris ſpirituoſa prolecta aquæ ſ. q.* addatur, ac unicâ ebullitione vel ſolâ diſſolutione, paretur juſtæ conſiſtentiæ *Syrupus*.

Nota, pro *libra una corticum*, viſum eſt *duas* addere *libras ſacchari*, evadet nihilominus *ſyrupus* longè efficacior, quàm ſi ſimpliciter per coctionem eſſet paratus.

Si quis etiam ſuperiorem à *corticibus deſtillatam aquam*, novis ac recentibus *Arantiorum corticibus* (aliquot unciis) impregnare & eſſentificare vellet, ſolâ digeſtione & extractione, is adhuc efficaciorem redderet *ſyrupum*.

SYRUPUS FLORUM ARANTIORUM.

℞. Florum Arantiorum recentium libram ſemis.

Infundantur in aquæ fontanæ calentis libris duabus, horis viginti quatuor: tum rejectis prioribus floribus, ac reaſſumptis totidem novis infuſio reiteretur, idque trina vice fiat. Deinde colaturæ unciæ quindecim, coquantur cum ſacchari albiſſimi libra una in ſyrupum.

Cor ac cerebrum mirificè recreat, ſpiritus inſtaurat, ſudoreſque movet: peſtilentibus ideò febribus ſalutaris, infectos namque humores à centro ad circumferentiam propellit, & exanthemata ejicit.

ANIMADVERSIONES.

[illegible] præcedentis *ſyrupi* præparandi modo etiam hujus præpara-[illegible]o diſpaleſcit, nihilominus tamen melioris informationis ergò ſequentem adjiciam:

℞. *Florum Arantiorum recentium* ℔ j ß,

[illegible]ſtentur integri non contuſi *unâ vel alterâ unicâ vini albi, vel* [illegible]*oſarum, aut cort. Arantiorum*, & in M. B. deſtillentur; *Aqua* [illegible]redientis aſſerventur ℥ vij, vel ℥ viij, reliqua vel ſecun-[illegible]ſeorſim ſervetur. *Floribus* in fundo remanentibus de novo [illegible]ntur, ℔. ij, aquæ ſimplicis ferventis, & ad remanentiam [illegible]*nius*, leniter coquantur; *decoctum* expreſſum & clarifica-m [illegible]

[illegible]*acchari albi* ℔. j,

[illegible]quatur ad conſiſtentiam *Tabulati*, cui adde [illegible]*fragrantioris, prius à floribus deſtillata*, ℥ vij, *circiter*, in M. B. ſolâ diſſolutione *ſacchari ſyrupus*; *Aqua* ſuperflua [illegible]trahatur in uſum unà cum *ſyrupo*, prout ſæpius monui.

[illegible]YRUPUS DE ARTEMISIA.

Artemiſiæ manipulos duos,
Pulegii,
Calaminthæ,
Origani,
Meliſſophylli,
Dictamni Cretici,
[illegible]erſicariæ,
[illegible]abinæ,
Majoranæ,
[illegible]hamædryos,
[illegible]yperici,
[illegible]hamæpityos ſeu Ivæ Artheticæ
[illegible]iatricariæ cum flore,
[illegible]entaurii minoris,
[illegible]utæ,
[illegible]etonicæ,
[illegible]gloſſi ana manipulum unum,
[illegible]iculi,
[illegible]pii,
[illegible]troſelini,
[illegible]paragi,
[illegible]ſci,
[illegible]pinellæ,

Bacc[illegible]

Enulæ,
Cyperi,
Rubeæ,
Iridis,
Pæoniæ ana unciam unam.
Baccarum Juniperi,
Sem: Liguſtici,
Petroſelini,
Apii,
Aniſi,
Nigellæ,
Rad. Aſari,
Pyrethri,
Phu, ſeu Valerianæ,
Coſti,
Carpobalſami,
Cardamomi,
Caſſiæ ligneæ,
Calami Aromatici ana unciam ſemis.

Omnia trita & quaſſata infundantur horis viginti quatuor in aquæ puræ libris decem, & coquantur ad dimidias: deinde aufer ab igne, ac dum aqua tepuerit, frica manibus, & cola diligenter, expreſſumque cum ſacchari libris quatuor in Syrupum percoque.

S*Yrupus iſte ex Matthæo de Gradibus in librum nonum Rhaſis ad Almanſorum cap. de menſium ſuppreſſione deſumptus, potens eſt in aperiendis obſtructionibus ex craſſis, viſcidis & glutinoſis humoribus ortum ducentibus: incidit enim, aperit, & potentiſſimè tenuat, uteri autem affectibus potiſſimùm prodeſt, eumque elocatum priſtinæ ſedi reſtituit, flatus frigidosque humores, quibus is plerumque infeſtatur, ac aliquando etiam emovetur, diſſipans, doloresque ſupprimens. Nervos interim roborat, menſtruis imperat, materiam contumacem apparat, ejuſdemque exitum provocat.*

ADvertendum in hoc Syrupo, ut decoctum, antequam cum ſaccharo percoquatur ac inſpiſſetur, diligenti & iteratâ tranſcolatione repurgetur: ne is vel facilè ranceſcat, vel turbidus evadat, aut à craſſa ſubſidentia non probè mundatus facilè corrumpatur, cùm alioquin ob aromatum vim ac condituram per biennium durare queat. Debent autem in ejus coctura ac præparatione Aromata ſub finem demum coctionis injici, ne vires ipſorum protinùs evaneſcant, aut efficacia eorum in ſubtili partium tenuitate conſiſtens, per diuturniorem coactionem expiret.

Quantumvis Syrupus iſte à Fernelio, (prout Plantius notavit) *revo-*

examinatus, aliam deſcriptionem ejus judicio ſortitus ſit, n noſtri Medici diuturno ejus uſu ac efficacia hucuſque nti, ut qui etiam alibi ſecundum genuinam Auctoris de- parari ſoleat, ideò nihil in eo immutandum eſſe conſui- proinde ſecundum veterem ac priùs conſuetum modum con- t.

ANIMADVERSIONES.

›tiſſimum in hujus *Syrupi* præparatione occurrunt *Ani- rſione* digna, Primò quidem, quod injuncta illa trans- *cti*, quam frequenter & diligenter etiam illa fiat, ſola ıt ad *decocti* purificationem, & *ſyrupi* clari ac elegantis m ... quoque colatura illa iteratò cum albumine ovi Verùm peritus Pharmacopœus hac admonitione non in ipſe nôrit quæ factu opus fuerint. Alterum eſt, quòd ſ finem demùm coctionis injici jubeantur, ne vires eo- ıs evaneſcant, aut efficacia ipſorum in ſubtili partium te- iſtens, per diuturniorem coctionem expiret, quod ipſum denter monent; aſt rem acu non tangunt: Licet enim rimæ decoctionis, *aromata* addantur, ac parum & le- coquantur, parum etiam de virtutibus ſuis in decoctio- ıt, & illa ipſa vis aromatica, quæ quantaque in *decoctum* ſi non in eadem decoctione prima iterum exſpiret, cer- ſecunda violenta ebullitione *decocti* cum *ſaccharo*, ex- tiò notandum, cùm nonſolum *aromata*, ſed & reliquo- entium vires utplurimum in ſubtili partium tenuitate ›tam horum eſſe habendam rationem. Si itaque efficax *ſyrupus*, qui æquè *aromatum* ac aliorum ingredientium imbutus, paretur is ad modum *ſyrupi acetoſi compoſiti* illatione nimirum volatilium ac tenuium partium cum circiter *aqua*, & decoctione remanentium *ſpecierum*, le additione *ſacchari q. ſ. ſyrupus.*

en, quod *decoctum*, ſi à *ſpeciebus*, jam deſtillationem m, cum *ſaccharo* ad totalem *Tabulati* conſiſtentiam re- :, cui tandem *aqua deſtillata odorifera & ſpirituoſa* in quantitate (℥ vij, circiter ad ℔ j ſacchari) addenda eſt, ›ri coctione, *ſyrupi* conſiſtentia exſurgat.

RUPUS DE BETONICA.

Simplex.

Betonicæ depurati libras tres, ıari clarificati libram unam ſemis. at Syrupus, ut eſt artis.

AD capitis & uteri vitia propulſanda efficax: leniter aperit, concoquit & abſtergit, ac menſes moderatè provocat.

ANIMADVERSIONES.

DExtra hujus *Syrupi* præparatio in eo conſiſtit, ut *de tribus libris ſucci Betonicæ* abſtrahantur per Alembicum ℔ ij circiter. Relicta demum *libra una ſucci*, cum *ſacchari libra una & dimidia* coquenda ad conſiſtentiam *Tabulati*; tandem de *ſucco* [illegible] per deſtillationem abſtracto tantum admiſceatur, quantum a[illegible] bitam *ſyrupi* conſiſtentiam ſufficere videbitur, ſine tamen ulteriori coctione; Reliqua *aqua*, unâ cum *ſyrupo*, quoties præſcribitur, ex[illegible] beri poteſt.

Non poſſum etiam, Lector benevole, [illegible] eran. hujus *ſyrupi* præparationem addam, ſecun[illegible] quam [illegible] quoque ex conſimilibus odoriferis herbis, *ſyrupi* ſimplices parari poſſunt efficaciſſimi, utpotè

℞. *Succi Betonicæ recentis* ℔ *iiij, quibus immerge*
Herbæ Betonicæ minutim conciſæ recentis ℔ *j,*

Poſtea libram unam *ſucci odorati*, *vel* ℥ *xv*, per deſtillationem ex M. B. evoca, relictam in fundo cucurbitæ *Betonicam* unà cum ſucco fortiter exprime, expreſſum album, ovi clarifica, & cum

Sacchari albi libris duabus

ad omnimodam *Tabulati* conſiſtentiam percoque, cui demum

Succum perquam odoriferum deſtillatum adde, ſolâque diſſolutione confice Syrupum.

Efficaciorem adhuc ſi quis exoptet hunc *Syrupum*, adeat præparationem *Syrupi de Meliſſa* ſequentis diſpenſatorii novi, & juxta ejus normam etiam hunc conficiat.

SYRUPUS DE BETONICA COMPOSITUS.

℞. Betonicæ manipulos tres,
Majoranæ manipulum unum ſemis,
Thymi,
Roſarum ana manipulum unum,
Violariæ,
Stœchadis,
Salviæ ana manipulum ſemis,
Sem. Fœniculi,
Aniſi,
Ammeos ana unciam ſemis,
Rad. Pæoniæ,
Polypodii,

Fœni-

Fœniculi ana drachmas quinque.

Fiat decoctio in libris ſex aquæ, ad medietatis conſumptionem, colaturæ poſtmodum addendo.

Succi Betonicæ libras duas,
Sacchari libras tres.
Fiat Syrupus.

C*ompoſitus ad prædicta efficacior exiſtit, licet ejus uſus nonnihil ev..uerit, & eidem ſyrupus de Stœchade Fernelii ſucceſſerit.*

ANIMADVERSIONES.

QUamvis hic *ſyrupus*, parum in præparatione diſcrepet à *ſyrupis* præcedentibus, de *Arthemiſia* nimirum, item *Aceroſo compoſito Meſues*, nihilominus ejus brevem & concinnam addam præparationem;

℞. *Species omnes in compoſitione ſuperius præſcriptas, ut plurimum recentes,*

Quibus inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperaffunde

Succi Betonicæ recentis ℔ ij,

Et appoſito capitello, juncturiſque probè lutatis ac receptaculo præpoſito, deſtilla per M B. ferè ad ſiccitatem uſque *ſpecierum: Deſtillata aqua, vel ſuccus odoratus* deſtillatione prolectus ſeorſim aſſervetur. Reſiduæ in fundo *ſpecies* coquantur affusâ *aquâ*, ad remanentiam *duarum librarum* circiter, expreſſioni vel colaturæ albumine ovi clarificatæ adde *ſaccharum* præſcriptum, & ad conſiſtentiam *Tabulati* percoque, cui demum junge vel adde ſuperiorem deſtillatum & impregnatum nobiliorem *ſuccum*, unaque ebullitione vel ſolâ diſſolutione *ſyrupum* effice præſtantiſſimum.

SYRUPUS DE BERBERIS.

℞. Succi Berberorum depurati libras duas,
Sacchari libram unam ſemis.
Fiat ex arte Syrupus.

R*Efrigerat, & modicè attenuat: febribus malignis confert, bilem reprimit, febrium æſtus delet, ac immoderatam ſitim compeſcit, bilioſis ventris profluviis ſalutaris.*

ANIMADVERSIONES.

CIrcà hujus *ſyrupi* præparationem nihil notatu dignum occurrit, niſi quod moneam, ut in *vaſe terreo* vel *lapideo* ſolâ coctione paretur.

SYRUPUS DE BORRAGINE.

℞. Florum Borraginis recentium libras duas,
Aquæ fontis puræ calentis libras octo,

Affuſâ floribus aquâ ſic in infuſione per horas viginti quatuor di mittantur: deinde floribus his (factâ prius expreſſione) abjectis, infuſio reaſſumptis novis ac recentibus floribus ſecundò, a[illegible]e ſic t[illegible]tiò iteretur; poſtmodum accipe

Colaturæ hujus libras quinque.
Sacchari clarificati libras quatuor.
Coque ad formam Syrupi.

SI tanta florum copia non ſit, ut ex eoru[illegible] Syr[illegible] hic, aut alter ſubſequens parari queat, ſic fiat.

℞ Succi Borraginis defecati, & cum albuminibus ovorum clarificati libras octo:

In hoc ſucco calente, infunde per horas duodecim florum Borraginis recentium libram unam: poſtea colentur, & cum Sacchari libris quatuor fiat Syrupus.

SYRVPVS DE BVGLOSSO.

Paratur eodem modo, ex trina florum infuſione, ut prior jam [illegible]ctus.

Proſunt hi Syrupi maniacis ac melancholicis: lætitiam enim augent, & ſanguinem complanant, pectus quoque humectant & leniunt, nec non ſyncopen & animi defectiones è corde natas arcent, cujus tremori, palpitationi, & imbecillitati eximiè ſuccurrunt.

NOtandum, nos Syrupos hos hactenus ex ſuccis herbarum earundem parari conſuetos, ex florum infuſionibus trina vice iteratis in poſterum conficiendos inſtituiſſe: quem ſanè modum (ut Melichius monet) etiam Veneti obſervant, cùm aliàs Syrupi iſti valde lenti ac craſſi, nec non multum ingrati evadere, ſuccique ipſi facilè corrumpi ſoleant: licet pro delicatulis ac ditioribus etiam ex ipſo florum ſucco, Syrupi in Officinis noſtris parati proſtent, eo planè modo quo Syrupus ex ſucco florum Violarum parari conſuevit, confecti.

ANIMADVERSIONES.

In Syrupum de Borragine & Bugloſſo.

F*Lores Borraginis* licet ſenſili odore non polleant, ſi tamen verum, quod *lætitiam augeant, cor & ſpiritus vitales recreent* & *inſta*[illegible]-

inſtaurent, non diffitendum prorſus, eos in ſe reconditum habere *ſpiritum* quendam, *ſpiritibus vitalibus*, adeoque *cordi* ipſi, ceu eorundem *ſcaturigini* familiarem; Ne igitur & hic coctione longâ in auras avolet, ſatiùs erit, poſthabito præſcripto conficiendi modo, *ſyrupum* h..nc præparare in modum *ſyrupi ex floribus Arantiorum.*

Eodem quoque modo paretur *ſyrupus* ex *floribus Buglofsi.*

SYRVPVS BYZANTINVS SIMPLEX MESUE.

℞. Succorum Endiviæ,
Apii ana libras d..s,
Lu...,
Bugloſſi ana libram unam.

Ferveant ſimul, ac ſpumâ ablatâ depurentur. Inde verò ejus ſucci ..bræ quatuor cum Sacchari clarificati libris duabus ſemis, lento igne Syrupum percoquantur.

..ebres putridas mixtas ex humore bilioſo & pituitoſo, ſolutu contumaces juvat: obſtructiones viſcerum aperit, humores tenaces & lentos incidit, ac tenuat, morbo regio validè ſuccurrit, ..nis duritiem, & infarctus ab humoris melancholici craſſitie diſ..as.

..Yrupus Byzantinus ſic dictus, vel quod Medici Byzantini frequen..er eo uterentur, vel quod Meſue qui Damaſcenus ſeu Africanus , hunc à Conſtantinopolitano Medico ſibi communicatum acce.. Vide Ant. Muſam Braſavol, in examine Syruporum.

ANIMADVERSIONES.

..teſt hic *Syrupus* in modum aliorum *ſyruporum*, ex ſuccis con..ctorem commodè parari. Vide *Animadverſiones in ſyrupum da..ica ſimplicem.*

..YRVPVS BYZANTINVS COMPOSITUS MESUE.

Succorum Endiviæ,
Apii ana libras duas,
Lupuli,
..ugloſſi ana libram unam.
.. ſuccis decoquantur
..oſarum Rubear, unciæ duæ,
..lycyrrhizæ unicia ſemis,
..icæ Indicæ drachmæ duæ,

Sem. Aniſi,

Fœniculi,

Apii ana drachmæ tres,

Colaturæ adde

Aceti libras duas,

Sacchari albiſſimi libras tres.

Coquantur, ut eſt artis, in Syrupum.

AD prædicta omnia valentior: ictero adverſatur, [illegible] atis, & ſplenis pertinaces obſtructiones reſerat, ventris infla[illegible] tem movet, ac hydropem incipientem anteverſit.

ANIMADVERSIONES.

COnſulantur *Animadverſiones in ſyr[illegible] itivum [illegible] giſtralem Mindereri*, ſecundum quas, huju[illegible] *yrupi* [illegible] tur præparatio.

SYRUPUS DE CALAMINTHA MESUE.

℞. Calaminthæ Montanæ, ſeu Nepethæ Domeſticæ, ana uncias duas,

Sem. Liguſtici,

Dauci,

Schœnanthi ana drachmas quinque,

Uvarum paſſarum libram ſemis,

Aquæ libras ſex.

Primò coquantur Uvæ paſſæ, deinde reliquæ ad medias: in fine addatur Schœnanthos. Expreſſum percoquatur cum mellis deſpumati libris duabus, & fiat Syrupus.

VIſcerum obſtructiones levat: incidit, attenuat, tergit, & aperit; interna calefacit, obſtinatas materias expulſioni præparat, ac menſes movet, tuſſi antiquæ, aſthmati, intemperiei viſcerum frigidæ convenit: humores viſcidos ac craſſos, bronchia pulmonum obſidentes expurgat: ſenibus familiares affectus levat, nec non lienis tumorem duritiemque diſcutit.

ANIMADVERSIONES.

LIcet hic *ſyrupus* ad normam *ſyrupi de Abſinthio*, vel potiùs *de Betonica compoſiti*, ſatis eleganter confici poſſet, quia verò ratione *mellis* quoad præparandi modum levis quædam occurrit diverſitas, proinde ejus dilucidiorem addamus præparationem.

℞. *Calamintha mont. ſeu Nepetha,*

Domeſtica ana recent. ℥ *iij,*

Sem. recent. Liguſtici.

Dauci

Dauci ana ℥ j,
Schœnanthi ʒ v,
Uvarum paſſarum ℔ ß,

Quibus inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis ſuperaffundatur *aqua ſimpl.* ℔ ß, fiat deſtillatio & abſtractio ad ſiccitatem *ſpecierum*, profecta *aqua odorifera* aſſervata; Reſiduæ in cucurbita *ſpecies* recentis *aqua* teaffuſæ ſ. q. coquantur ad remanentiam *libra unius, decoctum* expreſſum & clarificatum, additis

Mellis optimi libris duabus,

ad conſiſtentiam ejus craſſiſſimam percoquatur, quibus tandem de ſuperiori deſtillata *aqua odorifera* tantum addatur, quantum pro juſta conſiſtentia *ſyrupi*, ſine ulteriori coctione ſufficere videbitur, fiatque *ſyrup*.

SYRUPUS DE CHAMÆMELO.

Præparatur ex trina florum infuſione,
Colatura & Saccharo, uti antecedentes de Borragine & Bugloſſo.

Magnificus ejus uſus eſt in colica & iliaca, itemque affectibus uterinis à frigore ortis. Additur potiſſimum in enemata, ubi craſſos flatus evocare neceſſe eſt.

ANIMADVERSIONES.

Cum *ſyrupo* ex *floribus*, vel etiam *corticibus Arantiorum*, additione *vini* quoad præparationem coincidit & hic *ſyrupus*, proinde ex illius conficiendi modo ſatis commodè peti poteſt.

SYRUPUS DE CAPILLIS VENERIS SIMPLEX.

℞. Capillorum Veneris uncias ſex.
Macerentur in libris ſex aquæ, horis viginti quatuor: deinde coquantur ad medietatis conſumptionem:
Colaturæ adde ſacchari libram unam ſemis.
Fiat Syrupus.

Ad thoracis affectiones calidas ac deſtillationes tenues præſtans eſt: pleuritidi proindè incipienti idoneus, cùm materia calida, aut mixta ſuâ tenuitate promptè efferri nequit: obſtructiones rea vaſorum leniter aperit.

ANIMADVERSIONES.

Nihil hic *ſyrupus* difficultatis habet, ejuſque debita præparandi ratio ex ſuperiotibus facilè colligitur, vel ſi libet ad præſcriptum modum paretur.

SYRUPUS DE CAPILLIS VENERIS COMPOSITUS.

℞. Capillorum Veneris uncias quinque,
Glycyrrhizæ uncias duas,
Aſplenii, ſeu Phyllitidis, aut Linguæ cervinæ manipulum unum,

Macerentur in libris ſex aquæ, horis viginti quatuor: deinde coquantur ad medietatis conſumptionem, Colaturæ adde

Sacchari clarificati,
Penidiorum,
Aquæ Capillorum Veneris ana unc[illegible]as.
Fiat Syrupus ſecundum artem.

VEnarum meatus leniter expurgat, obſtructiones aperit, è renibus item & veſica mucores ac arenulas exigit: quem in finem Dodonæus radicumRuſci & Aſparagi ana unciam unam, ac ſeminis inſuper Malvæ drachmas duas addendas cenſet. Nunc Syrupus Adiantinus Fernelii ejus vicem fere ſupplet.

ANIMADVERSIONES.

HUjus *Syrupi*, ſive is ſimpliciter, ſive ſecundum mentem Dodonæi, additis nimirum *radicibus Ruſci*, *Aſparagi*, & *ſemine Malvæ*, vel potius loco ejuſdem, *herba* (ſemen enim quia mucilaginoſum eſt, viſcidum & craſſum, vel mucilaginoſum redderet *decoctum*, difficulter in conſiſtentiam juſtam & durabilem *ſyrupi* redigibile) præparandus ſit, cum aliis hujus generis, utpote *ſyrupo de Betonica compoſito*, æqua eſt conficiendi ratio. Duo vero inſuper huic compoſitioni inſunt, quæ nullatenus præterire queo, quin caucis illa attingam; *Saccharum* videlicet *Penidii & aqua Capillorum Veneris*; Neque enim video, in quem uſum *ſaccharum*, inprimis *Penidii*, reliquo *ſaccharo communi* clarificato ſit adjectum, utpote quod necquicquam ab alio quovis *ſaccharo albo* puro diſcrepat, ſi in liquore aliquo diſſolvatur, nec niſi ſola ultra ordinariam conſiſtentiam coctura, & peculiari ſaltem efformandi modo (qui in manuali operatione conſiſtit) ab eodem differt, qui tamen modus ſpeciem & virtutem ejus non variat, nec ullam vim & efficaciam ulterius illi addit, præterquàm quod magis friabile, & in ore præſertim infantium liquabile evadat, pectuſque ſic leniter deglutitum leniat, diſſolutum vero denuo in aliquo liquore, nihil præ reliquo *ſaccharo* peculiare habet, & iiſdem, quibus illud uſibus inſervit. Idcirco neſcio ob quem ſingularem finem huic *ſyrupo* additum ſit, niſi quod precium ejus augeat. Alterum æquè ἄτοπον & ἄλογον eſt, quod in ſe-

cunda

cunda de coctione cum prædicto *ſaccharo*, addatur *aqua Capillorum Veneris*, quæ quàm imprudenter & inutiliter illi adjiceatur, inde conjicere poſſumus, quòd à *tribus illis libris remanentis colatura*, in ultima coctione, quæ fit cum *ſaccharo*, *libra dua* debeant evaporare, ut juſta exoptetur *ſyrupi* conſiſtentia; Ergo & illa *aqua Capillorum Veneris*, ſi addita fuerit, exhalabit, & quidem cum primis. Supponitur enim, *aquas* ſtillatitias *decoctis* eſſe ſpirituoſiores. Quòd ſi verum, uti veriſſimum, etiam *aqua hac Capillorum Veneris* deſtilla.., vo' citate fugæ, reliquias *decocti* antevertet; In quem igitur finem au..ita ſit, judicare eſto penes benevolum Lectorem.

SYRUPUS DE SUCCO CARDUI BENEDICTI.

℞. Succi Cardui Benedicti depurati libras tres,
Sacchari clarificati libras duas.
Fiat lege artis Syrupus.

Febribus malignis ac peſtilentibus confert, humorum putredinem arcet, ſudorei prolicit, vermes enecat, & pleuritidi auxiliatur.

ANIMADVERSIONES.

Hic *ſyrupus* præparandi modo, à reliquis è *ſuccis* paratis, non diſcrepat, adeoque exindè ejus præparatio petatur.

SYRUPUS CERASORUM ACIDORUM.

℞. Succi Ceraſorum acidorum per reſidentiam defæcati libras ſex,
Sacchari albiſſimi libras tres.
Fiat Syrupus.

D internos æſtus efficax: ſitim extinguit, appetitum inſtaurat, febrium incendia reprimit, bilis ferociam domat, mulierum malacia prodeſt, cordis denique vires tuetur.

.enda hîc ſunt Ceraſa illa acida, aliquibus Duracina dicta, quæ vulgari idiomate Weichſſen aut Weixlen nominamus, eorum ſuccô, ubi probè maturuerint, Syrupus hic con-

ANIMADVERSIONES.

Syrupo, nihil *animadverſione* dignum occurrit, præterquod is, qui illum præparare vult, obſervet, ut præ manibus

nibus habeat *ſuccum*, qui ſua ſponte veluti ex *ceraſis* unà cum nucleis contuſis effluxerit; alias enim ſi ope torcularis ex recentibus *ceraſis* idem *ſuccus* ſtatim exprimeretur, in inſpiſſatione cum *ſaccharo gelatinam* præberet, non verò elegantem *ſyrupum*.

SYRUPUS DE CICHORIO
SIMPLEX.

℞. Succi Cichorii depurati libras tres,
Sacchari clarificati libram unam ſemis.
Coquantur in Syrupum.

HEpatis, ac renum intemperiem calidam emendat: febribus auxiliatur, bilis acrimoniam frangit, [illegible] humectat, & obſtructiones expedit.

Compoſitus, ſeu de Cichorio cum Rhabarbaro, inter purgantes requirendus.

ANIMADVERSIONES.

NOn variat à præparatione reliquorum Syruporum ex ſuccis.

SYRUPUS DE CINAMOMO.

℞. Cinamomi optimi, ſeu acutiſſimi, craſſiuſculè pulveriſati uncias duas ſemis,
Ponantur in cucurbitam vitream, addanturque
Aquæ Cinamomi optimæ libræ duæ.

Stent in loco calido benè obturato vaſe, ne quid expiret, horis viginti quatuor: deinde colentur, & validè exprimantur, ac in expreſſione hac rurſum tantundem Cinamomi infundatur, itereturque id in univerſum quatuor vicibus. Tum demum Cinamomo omni collecto ſic infuſo, & poſt quatuor expreſſiones relicto, affundatur libra una vini Malvatici generoſiſſimi. Stent pariter in infuſione: tandem validè exprimantur, & addantur expreſſo

Aquæ Roſarum odoratiſſimæ unciæ duæ.
Sacchari albiſſimi libra una.
Decoquantur in vaſe fictili probè tecto ad conſiſtentiam Syrupi.

VItales ſpiritus plurimum recreat, cor, ac ventriculum à frigore languidum reficit, oris halitum commendat, coctioni ſtudet, necnon univerſas corporis vires fulcit.

ANI-

ANIMADVERSIONES.

Jàm inſulſa ſit precioſi hujus *ſyrupi* præparatio, cùm ex ana-
yſi ejus mox patebit, tùm quilibet, qui vel per tranſennam
ntroſpexerit, facilè videbit. Etenim *Cinamomum*, idque
im & acutiſſimum, (quale ad hunc *ſyrupum*, ſpiritibus vitali-
rimum recreandis & reficiendis, nec non univerſis corporis
fulciendis deſtinatum, non immeritò eligitur:) *aroma* eſt,
fficacia, ut ipſi fateri neceſſe habent, in ſubtili partium tenui-
nſiſtit, quæ tum facilè in diuturniori coctura exhalare poſſit;
etiam experiundi exemplum habemus in deſtillatione illius
maximè ſi vaſa non ſatis firmiter agglutinata ſint; tum enim
omaticus ſummè penetrans illicò ferit nares, & in auras avo-
 ugit, multo magis in inconſiderata hac *ſyrupi*
 eveniet; ubi priuſquam ille ſuam acquirat conſiſten-
libræ duæ cum dimidia liquoris optimi & fragrantiſſimi, co-
debent exhalare. Verùm objicient, *ſyrupum* coquendum ab
ecipi in vaſe fictili probè tecto: Euge quàm benè & pruden-
conſulunt ignari! quòd ſi ſeculum coqueretur in vaſe operto
o, ubi nil exſpirare poſſet, nunquam ad conſiſtentiam ſuam
percoqui queat. Et quid etiamnum ſibi volunt ſuperingeſtæ
iæ roſarum fragrantiſſimæ unciæ duæ? Utpotè quæ non mi-
nobiliſſimæ & aëteæ *Cinamomi* partes æthera & aëra petent,
erreâ mole, craſſamento nimirum omni *ſpiritu balſamico* vi-
exinanito. Verùm ne longior ſim in hiſce erroribus enu-
ſubnectam genuinam *ſyrupi* hujus nobiliſſimi præpara-
quæ talis eſt,

Cinamomi acutiſſimi craſſiuſculè conciſi ℥ ij ß,
cucurbitæ vitreæ immiſſis, ſuperaffundantur

Aquæ Cinamomi deſtillata bona ℔ ij,
r in balneum, mox appoſito & agglutinato capitello, cum
o recipiente, ſtentque in digeſtione aliquandiu, poſtea fortis
ccitatem uſque deſtillatio. Tùm refrigeratâ cucurbitâ exci-
ſiduum *Cinamomum*, quod ſeparatim aſſervetur, &

Recentis acerrimi Cinamomi tantundem,
æ immittatur, cui ſuperaffundatur

Aqua à priori Cinamomo abſtracta,
poſt aliqualem digeſtionem, ad omnimodam ſiccitatem
. abſtrahatur, relictum in fundo *Cinamomum* æquè ut prius
; qui labor infundendo & abſtrahendo (ſemper addito *Cina-*
centi) tertiâ & quartâ vice reiterandus eſſet, ſed laboris hu-
fieri compendium, ſi nimirum tertia vice

Cinamomi acerrimi ℥ v, cum
Aqua illa bis abſtracta

una

unâ vice infundantur, quæ ut antea per deſtillationem ad *Cinamomi* ſiccitatem uſque evocetur. *Aqua* quæ extillavit, fortiſſima erit & acerrima, peculiari vitro probè obturato aſſervanda.

Relictum illud & à trina deſtillatione reſervatum Cinamomum,

in eandem projiciatur cucurbitam, cui ſuperaffundantur

Vini Malvatici ℔ j ß,

Aquæ Roſarum ℥ ij,

Et poſt aliqualem digeſtionem lutatis optimè juncturis, & affixo receptaculo, fiat abſtractio ad remanentiam circiter *libræ unius*; *aqua* egreſſa conjungatur priori; Reſiduum autem in fundo cucurbitæ expreſſum, & albumine ovi clarificatum, ceu *Extractum Cinamomi* liquidum, pro ultimata *ſyrupi* confectione ſimiliter aſſervetur. ... um accipiantur omnes illæ *aquæ deſtillatæ* jam conjunctæ, reiterecurque adhuc ſemel, per arenam deſtillatio vel rectificatio, cujus primitùs egreſſâ ℔ j ß, ſigillatim aſſervetur, reliquâ quæ ſequitur *aquâ*, ſimiliter ſeorſim reſervatâ.

Poſtea demum

℞. *Extractum illud liquidum ſuperiùs à deſtillatione aſſervatum, & albumine ovi clarificatum,*

quod cum

Sacchari albiſſimi libris duabus cum dimidia, coque ad conſiſtentiam Tabulati, eique poſtremò

Aquæ ſuperioris fragrantiſſimæ rectificatæ ſ. q. (℔ j ß, *circiter*)

adde;

Et ſolâ diſſolutione vel unâ ebullitione, confice *ſyrupum* efficaciſſimum.

Auctarii loco adjicio hanc cautelam, ne vel *aqua illa Cinamomi acerrima* filtretur; vel *ſyrupus* per pannum coletur, ſic enim oleaginoſitas utriuſque vel filtro vel panno adhærens, non ſine inſigni virium jactura periret.

SYRUPUS CORALLIORUM.

℞. Corallia rubicundiſſima & elegantiſſima, verbi gratiâ libram ſemis.

Succi Berberorum perfectæ maturitatis perquàm accuratiſſimè depurati, ut materiam quatuor digitos, aut paulò plus ſupereemineat, digeratur in calore balnei vaporoſi, continuè per tres integros dies, donec totum Corallium in illo liquore ferè diſſolutum appareat. Hic relictis fæcibus per inclinationem ſeparetur, recentem illis ſuccum depuratum rurſus affundendo, tantiſper id reiterando, quoad nullum ampliùs colorem fundere Corallia videantur. Pro hujus ſucci Corallina

linâ eſſentiâ ſic optimè imprægnati, libris duabus, ſumatur Sacchari candidi libra una, coquantur in formam Syrupi.

PLura qui hac de re, ſive quoad balnei vaporoſi conſtitutionem, ſive operationis dexteritatem deſiderat, Quercetanum ipſum, alioſque adeat.

HIc Syrupus præditus eſt miris proprietatibus, ad inſtaurationem facultatum naturalium, & omnium affectuum ab hepatis vitio ſcaturientium, confert præterea omnibus fluxientibus hepat[illegible], dyſentericis; & lientericis.

ANIMADVERSIONES.

S[illegible]pus hic Coralli[illegible]* primâ fronte ſatis ſpecioſus apparens, plu[illegible] refertus [illegible] difficultatibus: Præcipiunt nimirum diſſolutionem dimidiæ libræ *C[illegible]alliorum,* quam ipſam moliuntur *ſucco Berberorum depurato*, ad ſupereminentiam quatuor vel quinque digitorum transverſorum iiſdem affuſo. Quâ aſſignatâ quantitate *ſucci Corallia* tamdiu digerere jubent, quouſque totum *Corallium* in liquore illo ferè diſſolutum appareat; quod tamen uti prorſus impoſſibile, (vix enim octo vel decem libræ *ſucci Berberûm* ſufficiunt pro diſſolvenda *dimidia libra Coralliorum*:) ita ipſimet quoque moniti ſui parùm memores, jubent relictis fecibus recentem *ſuccum* depuratum rurſus affundere, tantiſper id reiterando, donec totaliter ferè diſſoluta *Corallia*, nullum amplius colorem fundere videantur; Ad quid autem reiterata illa frequens affuſio *ſucci* recentis, ſi primâ vice *Corallium* ferè totum diſſolvi poſſit? Aut quomodo *Corallia* in liquore rubicundiſſimo (qualis eſt *ſuccus Berberûm*) colorem ſuum ita diſtinctim diffundere queunt, ut ab eo tanquam ſigno diagnoſtico, *ſufficientis diſſolutionis & extractionis indicium* deſumi poſſit, cum rubicundius ſit menſtruum (ſcilicet *Berberorum ſuccus*) ipſis *Coralliis*, ceu ex quibus *tinctura* extrahenda? Sed eſto, imprægnatum hoc modo habeant ſaturatâ *tincturâ Corallinâ ſuccum*, ſubjiciant eundem Vulcani violentiæ, percoquant, ſuo modo cum *ſaccharo* pro libitu, deprehendent, *Corallia* ſuum retinaculum, quo veluti compede erant reſtricta, mox deſertura, & loco *ſyrupi Corallinâ Eſſentia* imbuti, reperient grumoſum, à *Coralliis* planè quaſi deſertum *Berberorum ſuccum, ſaccharinâ dulcedine* delinitum; *Aciditas* enim *ſucci* ſuperatur quaſi & vincitur à dulcedine *ſacchari* (præſertim in violenta & diuturna coctione) quod eſt veluti *ſal dulce Corallia* præcipitans, more aliorum *ſalium*. Præſcriptâ itaque ceu inutili præparatione relictâ, proponemus aliam meliorem.

℞. *Coralliorum rubicundiſſimorum* ℔ ß,

Diſſolvantur totaliter in ſ. q. *aceti deſtillati*, ſolutio filtretur, & ad ſiccitatem per M. B. abſtrahatur, atque inſipidum prodibit phlegma rema-

remanente in fundo cucurbitæ ſolutione ſiccâ, ſive *ſale coralliorum albicante*, majoris ponderis, quàm antea erant ipſa *corallia*, ob *ſalem acidum aceti*, qui arrepto corpore (*coralliis* ſcilicet) ipſi indiſſolubili nexu ſe aſſociavit; Et fruſtra laborant qui *ſolutiones* illas ſive *ſales* per reiteratas *aquarum ſtillatitiarum* affuſiones & abſtractiones edulcorare tentant, quam nullo modo amittunt, niſi deſtruxeris totum, traditâ *ſolutione* igni violento.

Hujus ſalis ſive ſolutionis ſiccæ coralliorum, nunc pro libitu Medici, unciæ duæ vel tres accipi;

Et cum

Succi Berberum recentis clari unciis octo,

diſſolvi, additâque

Sacchari albiſſimi librâ unâ,

Solâ digeſtione & diſſolutione in *ſyrupum*, juſtæ conſiſtentiæ ori & oculis gratum, redigi poſſunt.

SYRUPUS DE CORTICIBUS CITRI.

℞. Corticum Citri recentium & extimorum libram unam,
Granorum tinctorum, ſeu Chermes drachmas duas,
Aquæ fontis libras quinque.

Coquantur ad duarum partium conſumptionem: adde colato
Sacchari optimi libram unam.

Fiat Syrupus, qui aromatiſetur cum Moſchi Orientalis granis quatuor.

VEntriculum cum corde roborat: corruptos, putres, ac fœtidos ſtomachi humores obtundit: anhelitus graveolentiam abigit: peſtilentibus venenatiſque morbis reſiſtit: cordis palpitationi medetur, mœſtitiamque diſcutit. Eo etiam ſæpè utimur in compoſitionum ſeu Eclegmatum mixturis ad cerebrum, cor, & ventriculum roborandum inſtitutis.

NOnnulli corticum Citri quantitatem in Julep probè coctum injiciunt, & ſic ſervatâ odoris fragrantiâ, ſuavior evadit: quæ jucunditas etiam huic conciliari poteſt, injectâ ſub finem coctionis corticum Citri recentium portione aliquâ.

ANIMADVERSIONES.

IPſimet nolentes volentes in annexa ſua animadverſione fateri coguntur, rei veritate convicti, quod ſervatâ odoris fragrantiâ ſuavior, & per conſequens etiam utilior & efficacior evadat *ſyrupus*; deberent proindè in id unicè eſſe intenti, ut fragrantiam illam *rerum*

rum aromaticarum & balſamicarum, quantum poſſent, ſervarent, nec longiori illâ ſatisque violentâ coctione deſtruerent; de quo cùm jam tum in ſuperioribus ſatis ſuperque conqueſti ſimus, præſertim in præparatione *ſyrupi de corticibus Arantiorum*, ideò eò relegamus benevolum Lectorem, ex cujus præparandi modo, etiam hujus conficiendi rationem ſatis luculenter colligere poterit. Cui ſi inſuper odorem *Moſchi* conciliare volupe fuerit, recipiat *Moſchum* prout in præparatione vulgari habetur, eumque nodulo incluſum, roſtro ca[…] illi imponat, ſic prima, quæ in deſtillatione prodit *aqua*, fragrantiſſima, *Moſchi eſſentiam* extrahet, ſecumque ducet, quæ demùm permix[…] *ſyrupo*, gratiſſimum eidem & ſaporem & odorem conciliabit.

[…]a autem illa & ruſtica poſt perfectam *ſyrupi* coctionem, *corticum* [...] injectio, pro *odore Citrinô* & grato illi conciliando, vel nobilioribus virtutibus ei[…] dem imbuendo, explodenda eſt, cùm *decoctum* quoddam *ſaccharo* imprægnatum, & ad *ſyrupi* conſiſtentiam coctum, ob lentorem & craſſitiem, aliarum rerum eſſentias ulterius extrahere nullo modo poſſit. Si quis tamen in vulgari modo præparato *ſyrupo odorem Citrinum* exaltare vellet, poſſet ille diverſimodè, & quidem longè majori artificio, eidem conciliari, utpotè manibus ſaltem exprimendo *ſuccum ex corticibus Citri exterioribus, ſive Citri flavedine fragrantiſſimum, in ſaccharum pulveriſatum*, & *ſyrupo* admiſcendo; Aut, ſi libet, poterit *Elæoſaccharum* confici ex *Citrino oleo* & *Syrupo* addi; vel etiam ope parvi cujuſdam torcularis, ex ſubtiliſſimis exterioribus *Citri corticibus ſuccus oleaginoſus* exprimi, isque cum *ſacchari pulvere* optimè permixtus, *ſyrupo* artificiosè adjungi poſſet: Ita nimirum ille *ſapore* & *odore citrino* saturatè imbutus, alios vulgari modo præparatos *ſyrupos*, multis paraſangis ſuperaret, & eximiis illis virtutibus, quæ ipſi attribuuntur, præ aliis ſuperbiret.

SYRUPUS CYDONIORUM.

℞. Succi Cydoniorum acidorum depurati & clarificati libras tres,
Sacchari albi libram unam ſemis.
Fiat Syrupus ſecundum artem.

Languidas & reſolutas ventriculi vires recreat, nauſeam & vomitum ſiſtit, nutritionis inſtrumenta roborat, coctricem facultatem juvat, ac viſcerum omnium vires inſtaurat, lienteriam, & alvi profluvium bilioſum, aut dyſenteriam hepaticam ex humorum acrimoniâ obortam ſedat ac cohibet: cibi appetentiam excitat, ejusque faſtidium detrahit, malos ſuccos, bilioſos præſertim, concoquit, & expulſioni apparat.

SYRUPUS DE ENDIVIA
SIMPLEX.

℞. Succi Endiviæ depurati libras octo,
Sacchari libras qoatuor.
Coquantur, ut eſt artis.

AD hepatis, & viſcerum omnium intemperiem calidam frequentis eſt uſûs: ſitis enim ardores inextinguibiles evincit, ac morbi lateralis initiis præcipuè convenit.

ANIMADVERSIONES.
In Syrupum Cydoniorum, & de Endivia Simplicem

JUxtà modum præſcriptum, aliorumque *ſyroporum ac ſuccis* confectorum commodè parantur.

SYRUPUS DE ENDIVIA
COMPOSITUS.

℞. Endiviæ recentis,
Borraginis,
Scariolæ,
Hepaticæ,
Bugloſſi,
Meliſſæ,
Eupatorii,
Lactucæ ana manip. unum,
Quatuor ſem. frig. major. ana unciam unam,
Florum Cordialium ana drachmas tres,
Santali albi,
Rubri ana drachmam unam.

Coquautur in aquæ fontis libris ſex, ſecundum artem ad medias: deinde colaturæ adde
Succi Endiviæ depurati libras quinque,
Granatorum uncias tres,
Sacchari albi libras quatuor.
Fiat Syrupus, ut eſt artis.

PRæpotens eſt in magno præcordiorum incendio; nec non ventriculi & hepatis intemperie calidâ, febribus itidem bilioſis & ardentibus adjumento eſt, obſtructiones modeſtè liberat, ac urinas promovet.

Intybus vera copioſè nunc apud nos provenit ſtudioſâ ſatione educata, caulibus quidem ac foliis Cichorio ſimilis exiſtens, ſed iis tamen majoribus, pinguioribus, ac magis ſucculentis prædita.

Complures hujus ſyrupi compoſitiones cùm circumferantur, nos uſitatum hactenus Officinis noſtris ejus parandi modum amplexati, deſcriptionem prioribus annis conſuetam retinuimus: cùm quod ejus compoſitio nobis inter cæteras viſa ſit laudabilior, tùm quod ei jam noſtra manus aſſueverit. Ejus primus auctor extitit Gentilis, cujus tamen in hoc ſyrupo ſtructuram ſubſecuta poſteritas nonnihil immutavit.

ANIMADVERSIONES.

Hic *Syrupus* meretur ſuas laudes, ſi dextra ejus fiat præparatio, quæ ex confectione ſuperiori *Syrupi Magiſtralis Mendereri* petatur, id unicè obſervando, ne in *vaſe cupreo* paretur (ob *ſuccum Granatorum acidum*) ſed *terreo* potiùs, aut aliquando in eorundem defectu, *ferreo*, ceu *cupreo* minus nocivo, id quod in omnium *ſyruporum*, quos *acidi liquores* ingrediuntur, præparationibus ſedulò notandum, quod non potui, quin datâ occaſione heic iterum monerem.

SYRVPVS DE EUPATORIO

Mesuæ.

℞. Rad. Apii,
Fœniculi,
Endiviæ ana uncias duas,
Glycyrrhizæ,
Schœnanthi,
Cuſcutæ,
Abſinthii,
Roſarum ana drachmas ſex,
Capillorum Veneris,
Bedeguar. Spinæ albæ, ſeu Cardui Benedicti,
Suhahæ, Spinæ Ægyptiæ, ſeu Eryngii,
Florum Buglоſſi,
Sem. Aniſi,
Fœniculi,
Eupatorii, ſeu Agerati ana drachmas quinque,
Rhabarbari,
Maſtiches ana drachmas tres,
Spicæ Indicæ,
Aſari,

Folii, vel ejus loco Spicæ Romanæ ana drachmas duas.
Aquæ fontanæ libras octo.
Coquantur ad tertiæ partis conſumptionem:
Expreſſioni adde
Succi Apii libras duas,
Endiviæ libram unam.
Sacchari libras quatuor.
Coquantur ſecundum artem in Syrupum.

OPtimus eſt in febribus diuturnis ac tertianis nothis, ex bile aut pituitâ craſſâ, quæ jecoris aut lienis obſtructiones parit, parteſque nutritorias & concoctrices vires labefactat, ortum ducentibus: aperit, incidit, tenuat, tergit & digerit: appetitum excitat, coctionem firmat, robur ventriculi reſuſcitat, hydropi ſuccurrit, cacochymiam & cachexiam emendat: vitioſos ſuccos per urinas educit, intemperiem frigidam delet, flatus ventriculo aut jecori innatos diſſipat, hypochondriorum dolorem ac tenſionem levat, atque adeò totius corporis corruptionem, quæ malè affectum ventriculum & hepar ſequitur, expurgat.

QUoniam hoc loco de Eupatorio agitur, ſciendum triplex id eſſe: Dioſcoridis nimirum & Græcorum, quod eſt *Agrimonia*: ſecundum, Meſue, quod eſt *Ageraton*: tertium, Avicennæ, *Herba* ſcilicet *S. Kunegundis*: Eupatorium vulgare, ſeu Origanum Aquaticum.

Pro folio, quo legitimò caremus, Spica Romana ſubſtituitur, utpote jecori præ Mace, quæ alioquin folii locum ſupplet, familiaris: cùm præſertim Syrupus iſte hepatis obſtructionibus ac debilitatibus, ab Auctore ſit deſtinatus.

ANIMADVERSIONES.

COnſulantur ſupra hunc *Syrupum Animadverſiones in Syrupum de Betonica compoſitum*, ex quibus videre eſt, quâ ratione etiam in hujus dextra præparatione procedendum ſit.

SYRUPUS DE FARFARA.

℞. Succi Farfaræ depurati libras tres,
Sacchari clarificati libram unam ſemis.
Decoquantur in Syrupum.

REfrigerat, lenit, & humectat: calidis ob id pectoris vitiis apprimè confert, tuſſi, pleuritidi, peripneumoniæ, ac phthiſi ſalutaris, nec non catarrhis ſalſis, acribus & in pectus, fauceſque delabentibus perquam idoneus.

SYRU-

SYRVPVS DE FRAGIS.

℞. Succi Fragorum depurati, ac per colum tranſmiſſi, libras tres,
Sacchari clarificati libram unam ſemis.
Fiat lege artis Syrupus.

Æſtuoſis febribus, ac internis incendiis convenit, calculos itidem atterit, urinas movet, & renum arenulas expurgat.

SYRVPVS DE FVMARIA SIMPLEX.

℞. Succi Fumiterræ depurati libras quatuor,
Sacchari clarificati libras duas ſemis.
Fiat Syrupus.

Aduſtos, ſalſos, ac retorridos humores concoquit, ſanguinem mundificat, obſtructiones expedit, ventriculum & jecur roborat, ictcrum extergit, ventrem lubricat, urinas prolicit, cutis vitia, utpote pruritum & ſcabiem aufert; demum ex viſcerum infarctu natas febres, præſertim verò bilioſas finit.

Compositus in Purgantibus requirendus.

ANIMADVERSIONES In Syrupos de Farfara, de Fragis, & de Fumaria ſimplicem.

Horum, uti omnium *Syruporum ex ſuccis* ſimpliciter parandorum, una eademque eſt conficiendi ratio, quocirca ne diu in hiſce moremur, eorum præparatio ex ſuperioribus, qui ſunt de genere hoc, petatur.

SYRUPUS DE GLYCYRRHIZA MESUE.

℞, Glycyrrhizæ uncias duas,
Capillorum Veneris unciam unam,
Hyſſopi unciam ſemis,
Aquæ libras quatuor,
Species prædictæ in aquâ priùs fervefactâ, horis viginti quatuor macerentur, deinde decoquantur ad dimidias; colaturæ adde
Mellis deſpumati,
Penidiorum,

Sacchari ana uncias octo,
Aquæ roſarum uncias ſex.
Fiat Syrupus ſecundum artem.

Thoracem, & pulmones expurgat: diuturnæ, itemque ſiccæ tuſſi, ac pleuritidi opem fert; aperit, dilatat, tergit; aſperam arteriam & partes ſpirituales lenit, eaſque ad materiam expectorandam confirmat: incipientibus thoracis affectibus frigidis & pituitoſis ſaluber eſt; calefacit enim, incidit, tenuat, expurgat, lenit & ſiccat, eaque omnia moderatiſſimè præſtat.

ANIMADVERSIONES.

Errores hujus præparationis & compoſitionis ex parte *animadverſionibus* ſupra *ſyrupum Capillorum Veneris comp[illegible]tum* deteguntur, imprimis quoad *ſaccharum [illegible], cum ſaccharo communi & melle deſpumato* addendum: Quam incautè etiam & inutiliter *aqua roſarum*, in ſecunda illa decoctione addatur, partim ex ejuſdem *ſyrupi de Capillis Veneris*, partim etiam aliorum *ſyruporum* (quorum compoſitionem odorifera ſimilia ingrediuntur) *animadverſionibus* abundè patebit, ut ſupervacaneum & tædioſum cenſea[illegible] eandem crambem toties recoquere. Ex quibus etiam legitimus hujus *ſyrupi* præparandi modus enitet.

SYRUPUS GRANATORUM
DULCIUM.

℞. Succi Granatorum dulcium libras quinque,
Sacchari albiſſimi libras duas ſemis.
Coquantur ſecundum artem.

Tuſſim hic ſyrupus ſedat, extreationes promovet, humectando ſitim à ſiccitate profectam mitigat, ac pectus lenit.

SYRUPUS GRANATORUM
ACIDORUM.

Paratur eodem modo, quo *ſyrupus* Granatorum dulcium.

Refrigerat, & humectat: nauſeam, ac vomitum bilioſum reprimit, & eſſentia ſua tenuitate obſtructa nonnihil liberat, ideoque febribus bilioſis plurimum auxilii adfert.

ANIMADVERSIONES
In Syrupum Granatorum dulcium & acidorum.

Præparatio *ſyrupi acetoſitatis citri*, etiam horum *ſyruporum* præparationem ad unguem demonſtrat, quæ ſuperius perluſtretur.

SYRU-

SYRUPUS DE SUCCO HEDERAE TERRESTRIS.

℞. Succi Hederæ terreſtris depurati libras tres,
Sacchari albiſſimi libram unam ſemis.
Coquantur ut eſt artis.

AD internos abſceſſus, cruenta, & ſanioſa ſputa ſalubris, phthiſi medetur, vaſa rupta glutinat, apoſtemata purulenta mundificat & ſanat: urinas, menſes, ac ſudores promovet.

QUercetanus aliter ſyrupum hunc nec minus dextrè præparat. Recipit enim ſucci Hederæ terreſtris libras duas ſemis, ſacchari roſati libram unam, Penidiorum uncias quatuor, & ſic in ſyrupum percoquit.

ANIMADVERSIONES.

PAretur ſimiliter uti alii *ſyrupi ex ſuccis ſimplices.* Quercetani præparatio, quæ fit cum additione *ſacchari roſati & Penidiorum,* nobis non adeò perplacet tùm quod *ſaccharum penidiatum* (uti ſuperiùs *in Animadverſionibus* ſupra *Syrupum de Capillis Veneris compoſitum,* item *de Glycyrrhiza* abundè demonſtravimus,) inutiliter *ſaccharo communi* ſubſtituatur. tùm etiam, quod *ſaccharum roſatum* abſque ſingulari ratione illi addatur, quia *ſaccharum roſatum* ſaltem ex *pulvere flor. roſarum rubearum & ſaccharo ſimplici* confectum eſt: Si igitur hunc *ſyrupum* virtute *roſarum* imbuere velis, longè meliùs erit, *roſarum ſiccarum & rubearum,* certam quantitatem, cum *ſucco hederæ terreſtris*, parumper *ſpiritu vitrioli*, vel *ſulphuris* acuato, extrahere, & tandem addito *ſaccharo, ſyrupum* conficere.

SYRUPUS FLORUM HYPERICI.

Paratur ex triplici infuſione, cum ſaccharo, ut Syrupus de Borragine, & alii conſimiles.

CAlculoſis, ac renum dolores patientibus auxilio eſt, urinas movet, vermes enecat, nec non cordis cerebrique vires adauget.

ANIMADVERSIONES.

CUm *ſyrupi* hujus præparatio cum *ſyrupi florum Arantiorum* præparatione coincidat, proindè genuina ejus parandi ratio, ex *Animadverſionibus* ſupra eundem factis, haud difficulter colligi poterit, quò benevolum Lectorem remitto.

SYRUPUS DE HYSSOPO
MESUE.

℞. Hyſſopi mediocriter ſicci,
Rad. Apii,
Fœniculi,
Petroſelini,
Glycyrrhizæ ana drachmas decem,
Hordei mundati unciam ſemis,
Tragacanthi,
Sem. Malvæ,
Cydoniorum ana drachm. tres,
Capillorum Veneris drachm. ſex,
Jujubarum,
Sebeſten ana numero triginta,
Uvarum paſſarum enucleatarum unciam unam ſemis,
Caricarum,
Dactylorum pinguium ana numero decem,
Aquæ libras octo.
Coquantur ad librarum quinque conſumptionem:
Expreſſum cum Penidiorum alborum libris duabus, in ſyrupum percoquatur.

Utimur eo in morbis thoracis invaleſcentibus, ex frigida, craſſa & lenta materia natis, ubi attenuatione, deterſione, ac expurgatione majore opus eſt; aſthmaticos & tuſſiculoſos juvat, obſtructiones liberat, hypochondriorum dolori utilis, ac renum calculis ſalutaris.

Deſcriptio Meſue radices Petroſelini non recipit: Nos autem aliorum quoque judicio ſuffulti, pro veteri conſuetudine eas adjiciendas cenſemus.

ANIMADVERSIONES.

Plura futili ac inutili huic compoſitioni inſunt, quæ ſi paulò accuratiùs rationis lance expendantur, deprehenduntur difficillimam, imo impoſſibilem reddere hujus *ſyrupi* confectionem, ut jure meritò hûc trahi queant omnia illa, quæ ſuperius *de ſyrupo de Althæa* dicta & annotata. Etenim ſi ingredientium ſpecierum proprietates exactius examinemus, certo inveniemus, neutiquam ex illis *ſyrupum* confici poſſe, pauculis ſaltem exceptis, nimirum *Hyſſopo, radicibus Apii, Fœniculi, Petroſelini, Glycyrrhiza*, & *herbâ Capillorum Veneris*, quæ quidem *decoctum* præbent craſſum, in *ſyrupi* tamen conſiſtentiam facilè reducibile. *Jujubæ* verò, *Sebeſten*, *Uvæ*

paſſæ,

paſſa, Carica, Dactyli, craſſum & viſcoſum (præſertim ſi diutius paulò, prout *fructus* deſiderant, coquantur) efficiunt *decoctum*, quòd difficulter ad *ſyrupi* conſiſtentiam redigi poteſt: *Tragacanthum* autem, *ſemen Malva, Cydoniorum*, nihil in coctura præbent, niſi meram viſcidam ſpiſſamque *mucilaginem*, talis horum tota eſt ſubſtantia, quâ ipsâ ſi imbuatur *decoctum*, evadet illud quantum quantum penitus viſcoſum & mucilagineum, imò nil niſi *mucilago* ipſa, unde *ſyrupum* eleganter tranſparentem (prout quidem in Officinis, aſt fucatus æquè uti *Syrupus de Althaa Fernelii*, proſtat:) conficere qui potuer.,

Talem vix repperit unum
Millibus è multis hominum conſultus Apollo.

Non equidem me latet, quòd Pharmacopœi prædictas *ſpecies mucilaginoſas* nodulo includant, ut ita præcaveant, quo minùs earundem *mucilago* (quæ alioquin, non niſi vi ex ſacculo exprimi poteſt:) in *decoctum* migret, verùm ſacculo incluſa remaneat tota; Sed quæſo, ſi *mucilago* illa, quæ tota prænominatarum rerum eſt *ſubſtantia & eſſentia, decocto* permiſceri non debet, in quem finem ergo (dicat mihi quis) ſpecies illæ *decocto* adduntur? De *Penidio* nil dicam, quo cùm ſpecierum prædictarum *decoctum* in *ſyrupum* percoqui præcipitur, quod ob nullam aliam cauſam *ſaccharo communi* ſubſtituitur, quàm ut precium *ſyrupi* augeatur. Equidem meum nunc eſſet, inſulſæ *hujus Meſues compoſitionis* genuinam præparationem ſubnectere, verùm cùm, uti dictum, impoſſibile ſit, ex omnibus hiſce *ſpeciebus ſyrupum* conficere, idcircò ſuadeo, ut ex ſolo *hyſſopi ſucco, radicibus Apii, Fœniculi, Petroſelini, Glycyrrhiza*, & *herbâ Hyſſopi recenti*, juxta *Animadverſiones Syrupi de Betonica ſimplicis & compoſiti*, *ſyrupum* conficiant, qui hunc de *hyſſopo Meſues* longè antecellet.

SYRUPUS DE JUJUBIS
Mesue.

℞. Jujubarum num. ſexaginta,
Violarum,
Sem. Malvæ ana drachmas quinque,
Capillorum Veneris,
Hordei mundati,
Glycyrrhizæ ana unciam unam,
Sem. Papaveris albi,
Melonum,
Lactucæ,
Cydoniorum,
Tragacanthi ana drachmas tres,

Aquæ fontis libras ſex.
Coque ad tertias, & colaturæ adde
Sacchari libras duas.
Fiat Syrupus.

AD tuſſim ſiccam, arteriæ aſperitatem, omnesque thoracis & ſpiritualium partium affectus à fluxionibus calidis ortum habentes accommodatus; ſputum tenue ſuo lentore maturat, incraſſat, glutinat, & expectorat, violato viribus affinis, ſed minus refrigerat, eum Manardus ad veſicæ ulcera celebrat, ad quæ len. dulci, frigido & mucoſo, ideoque leniente opus eſt.

SImplex fit ex ziziphis centum, in aquæ cœleſtis libris quat ... dimidias coctis, cum ſacchari librâ unâ. Utilis ad tenue ... pectus deſtillationes, & ſputum liquidius modicè incraſſandum.

ANIMADVERSIONES.

IN *ſyrupi* hujus reformatione operæ precium non eſt, ut diu nos moremur, quippe cum eandem, quam præcedens de *hyſſopo* redoleat proſapiam, iiſdemque, queîs ille ſcateat erroribus, proinde, ne in immenſam molem liber excreſcat, eaſdem laudes & *Animadverſiones* omni jure ipſi tribuo, Quod ſi inter hunc *compoſitum*, & de *zizyphis ſimplicem*, mihi daretur optio, poſtremum ego non ſine ratione eligerem.

SYRUPUS DE LIMONIBUS.

℞. Succi Limonum maturorum per ſetaceum transcolati libras ſex,
Sacchari albiſſimi libras tres.
Coquantur ſecundum artem.

REfrigerat, & acrimonia ſua vi penetrat: internis incendiis ſummoperè conducit, putredinem arcet, ac lumbricos enecat, cor, & ſtomachum reficit, eorundemque vires tuetur: caloris febrilis vehementiam componit, affectibus bilioſis magis quàm ſyrupus de Citro conveniens.

In hujus Syrupi præparatione obſervetur regula circa ſucci expreſſionem in deſcriptione Syrupi acetoſitatis Citri tradita.

ANIMADVERSIONES.

HIc *Syrupus* ubique locorum in Germania vices *ſyrupi acetoſitatis Citri* ſupplet, nec adeò inconvenienter, cùm *ſuccus Limonum* à *ſucco Pomorum citriorum* parùm aut nihil differat, unde etiam idem hic *ſyrupus*, pro *ſyrupo acetoſitatis citri*, in Italia ipſa, promiſcuè

iè divenditur, ubi tamen *poma citria* affatim haberi poſſunt; ſed iam multum quidem in ſe habent *pulpa* vel *carnis*, parùm autem nent *ſucci*, ideò ne Italis ipſis ſufficiunt pro confectione *ſyrupi*, opia ibidem præſcribendi. Cùm autem horum *pomorum ſucci*, ia e, ſapore & virtute parùm vel nihil diſcrepent, igitur etiam a ub eandem præparationem cadunt, & unâ eâdemque methodo *pi* ex ipſis confici poſſunt.

SYRUPUS DE LUPULO.

℞. Succorum depuratorum Lupuli libras quatuor,
Fumariæ libras duas,
Sacchari clarificati libras quatuor.
Fiat Syrupus ſecundum artem.

Ad jecoris intemperiem calidam, & bilis efferveſcentis impetum retundendum perutilis: ſanguinem purgat, ejusque ebullitionem temperato calore compeſcit biliofis inſuper febribus, ſythis, cephalalgia calida, internisque fervoribus confert, ictero peràm idoneus.

Paratur quoque hic Syrupus ex ſolo Lupuli ſucco, prout Meſue Cap. de volubili docet.

In hujus Syrupi confectione ſtudendum, ut ſuccus è primis emerentis Lupuli viticulis ac turionibus, ſeu aſparagis, ante enata folia exprimatur, non autem cùm jam planta provectior in caules adoleverit.

SYRUPUS DE SUCCO MELISSOPHYLLI.

℞. Succi Meliſſophylli, ſeu Citrariæ veræ libras tres,
Sacchari albi libram unam ſemis,
Coquantur in formam Syrupi.

Ad cordis vires reparandas efficax: hypothymias perſanat, ſpiritus auget, ac peſtilentium febrium malignitati adverſatur, uteri inſuper affectibus ſummoperè prodeſt, immunditiem enim expurgat, & menſes moram trahentes ejicit.

SYRUPUS DE MENTHA

Minor Mesue.

℞. Succi Menthæ depurati,
Granatorum dulcium,
Acidorum ana libram unam,
Sacchari tantundem.
Coquantur paulatim ſecundum artem.

Commendatur in ventriculi intemperie frigida, ideòque vomitum, nauſeam, & ſingultum ſedat, at alvi fluxem, retentricis facultatis imbecillitate ſubortum refrenat, ſtomachum quoque, & ventrem inferiorem totum blando ſuo calore, leniqne aſtrictione confortat.

ANIMADVERSIONES
In Syrupos de Lupulo, Meliſſophyllo, & de Mentha minorem Meſue.

Non variant hi *ſyrupi*, conficiendi modo, à *ſyrupo de Betonica ſimplici*, ideò quæ de illo ſuperiùs annotata, revolvenda ſunt.

SYRUPUS DE MENTHA
MAJOR MESUE.

℞. Succi Cydoniorum acido-dulcium,
Dulcium,
Granatorum acido-dulcium,
Dulcium,
Acidorum ana libram unam ſemis.
In ſuccis his, horis viginti quatuor macera
Menthæ ſiccæ libram unam ſemis,
Roſar. rubear. uncias duas.
His adjungito
Vini antiqui menſuras duas noſtrates, ſeu libras quatuor civiles.
Coquantur lento igne ad dimidias: poſtea colentur, addendo colaturæ
Sacchari libras duas.
Coquantur ad perfectionem: & cùm repoſueris, aromatiza eum Galliæ Moſchatæ veræ, tritæ, & in ſindone ligatæ, atque ex orificio vaſis ſuſpenſæ, drachmis tribus.

Priore longè præſtantior, ſed multùm quoque pretioſior: in quo parando Mentha parum ſicca ſumenda eſt, quæ ſupervacaneam humiditatem ſuis flatibus ventriculum turbantem, depoſuerit.

ANIMADVERSIONES.

Lepida ſanè & ridicula, mox in frontiſpicio hujus *ſyrupi*, ſeſe offert *ſuccorum Cydoniorum* & *Granatorum* alternatim permiſcendorum variatio, quæ vix poſſibilis eſt, ut in Italia (quæ tellus illis aliàs vernacula eſt, maximè *Granatis*) ne dicam in Germania, utpotè in qua vel rarus vel nullus ob Solis aërisque inclementiam eorundem

dem proventus eſt, habeatur. Neque etiam neceſſum arbitror
ò rigidè & præciſè differentias illas *ſuccorum* trahere ad dextram
us *ſyrupi* confectionem. Etenim quod ad *Cydonia* attinet, illa
ùm quoad *aciditatem* & *dulcedinem* inter ſeſe differunt, & ut plu-
nùm prout magis vel minus maturitatem adepta ſunt, in ſapore
crepant; *Granata* autem ſive *fructus mali Punici*, manifeſtè inter
differre nullus diffiteor: Sed quæſo nonne *ſapor acido-dulcis*, ſive
lco-acidus, ex *dulci* & *acido* conſtituitur? Ad quid ergò ſumptuoſa
idem, aſt inutilis illa, nec ullius momenti *ſuccorum dulcium* &
um ſigillatim addendorum farrago, ſi ex ſolis *acido-dulcibus*
re atis ſuccus pro *ſyrupi* hujus confectione exoptetur? Res ſanè
achinno digna, etiam in leviſſimis illis, quæ vel cruda gens ruſtica,
judicium ſuum parùm ſaltem conſuleret, ex facili ſuboleret, intem-
eſtivam ſuam curioſitatem proſtituere; Æquè perpera & abſurda eſt
la *vini antiqui* & *generoſi* additio, ex qua nil niſi majus precium vi-
iumque major jactura, in *ſyrupum* redundat; etenim ut jam ſupe-
iùs ad ravim uſque hortati ſumus, ubi tantam liquoris copiam ante
lebitam *ſyrupi conſiſtentiam* acquirendam (qualis etiam hic exigi-
tur) exhalare priùs oportet, ibi *vinum*, maximè *vetus* & *fermenta-
tum*, utpotè ſummè ſpirituoſum, aliaque quorum virtus in ſubtilio-
ribus & aëreis partibus conſiſtit, quàm lentâ etiam coctura tracten-
tur, fruſtrà adduntur; de quibus cùm in ſuperioribus abundè ſatis
dictum ſit, ideò ſupervacaneum cenſemus prolixius hæc exaggerare.
Legantur quæ mox ſub auſpicio hujus libri de præparatione dexte-
riori *ſyrupi de Abſinthio* annotavimus. Cæterum quam ineptè etiam
illa de *Mentha parùm priùs ſiccanda*, pro ſupervacaneæ humiditatis
ſuis flatibus ventriculum turbantis depoſitione, addita ſit *Animad-
verſio*, quiſque facilè videbit, qui computum inſtituerit, quot libræ
pro *ſyrupi* hujus conſiſtentia indipiſcenda, liquorum, cùm *vini*, tùm
ſuccorum inutiliter debeant evaporare, maximè ſi *ſyrupus* ad præ-
ſcriptum modum præparandus ſit. Præſtabit tamen (ne tantam no-
biliſſimarum virtutum, ſpecierum ingredientium faciamus jacturam)
hujus præparationem inſtituere ad modum *ſyrupi de Abſinthio*, aut
aliorum ſimilium, deſtillando nimirum partes ſpirituoſiores, eaſdem-
que ſeorſim aſſervando; Tandem cum relicto in cucurbita *decocto
colato, clarificato*, & *ad conſiſtentiam cum ſaccharo inſpiſſato*, additâ
etiam *liquoris ſpirituoſi primum in deſtillatione egreſſi q. ſ.* unicâ ebul-
litione conficere *ſyrupum*, oculis & palato gratiſſimum, & ad ven-
triculum roborandum efficaciſſimum.

Drachma illa tres Galliæ Moſchata, quas præpoſterè etiam in ſin-
done ligatas & tritas, jam confecto *ſyrupo* immittere præcipit Au-
thor, in deſtillatione roſtro Alembici imponantur, ita *ſpirituoſa*, quæ
in principio prodit *aqua*, omnem illarum eliciet *eſſentiam*, quæ alio-
quin à *ſyrupo* jam perfectè ad craſſitiem cocto, extrahi non poſſet.

SYRU-

SYRUPUS DE SUCCO MERCURIALIS.

℞. Succi Mercurialis depurati libras tres,
Sacchari libram unam ſemis.
Coque in Syrupum,

Ejus uſus ad enemata paranda olim frequens: alvum enim modeſtè ſubducit, bilioſos & aqueos humores evacuans, uterum quoque impurum mundificat, & conceptioni habilem efficit.

ANIMADVERSIONES.

SI quis hunc *Syrupum*, in modum aliorum ex *ſuccis* compoſitorum, conficere voluerit, per me licebit. Cæteroquin cùm uſus hujus *ſyrupi* ſolis clyſteribus & injectionibus inferioris gutturis deſtinatus ſit, non adeò exquiſita indigebit præparatione, & ſufficiet ſi per ſimplicem coctionem paretur.

SYRUPUS MYRTINUS COMPOSITUS MESUE.

℞. Baccarum Myrti drachmas viginti,
Roſarum rubearum,
Santali albi, & rubri.
Sumach,
Balauſtiorum,
Berberorum ana drachmas quindecim,
Meſpilorum drachmas quinquaginta,
Succi pomorum agreſtium,
Cydoniorum ana libram ſemis,

Omnia, exceptis ſuccis, coquantur in aquæ fontis libris octo ad medias: colentur, & cum ſacchari libris tribus, additus in fine ſuccis,

Fiat Syrupus.

Efficax ad thoracis & pectoris affectus, ubi contraria indicatio difficultatem parit, ac aſtringentibus ſimul & vacuantibus utendum eſt, ut in hæmorrhagia pulmonum tenui, & calidâ tuſſi, ventris etiam profluvium tranquillat, hæmorrhagiam omnem, utpote pectoris, renum, uteri, ac abundantia menſtrua cohibet, diabetem reprimit, & omnem immedicam vacuationem ſiſtit; quia refrigerat, ſiccat, & adſtringit; viſcera ab intemperie calida reſoluta, confirmat, ventriculi ſubverſionem & vomitum compeſcit, ac tuſſim quæ diarrhœam ſequitur, exterminat.

Com-

Commodiſſimè paratur hic Syrupus autumnali tempore, quando Meſpila matura quidem, ſed duriuſcula adhuc, nec temporis morâ vel diuturniore ſitu remollita proſtant.

Syrupus Myrtillorum ſimplex, ſeu ex ſucco, noſtris non eſt in uſu, ... his locis parari nequeat, niſi quis ſuccum Myrtillorum ex Italia, ... Galliâ Narbonenſi petere voluerit, quantumvis Noſtri quoque ...rtilli, vulgò Heydelbeer / *ad hunc uſum maximopere celebrentur ...traducantur.*

...pum hunc Myrtinum compoſitum, alioquin diminutum & ...ancum, Clariſſimus D.D. Adolphus Occo Officinarum Phar...aticarum hujus Reipubl. quondam Viſitator ordinarius è tene... penè eruit, ac integrum reſtituit.

ANIMADVERSIONES.

Cum hic *Syrupus* maximam partem, ex meris *adſtringentibus* conflatus ſit, ab eoque ſola *vis abſtrictiva* exoptetur, proinde abſque ulteriori labore, per *ſimplicem coctionem*, ſatis commodè parari poterit; eò quòd in reſidua hujus *decocti* aliarumque ſimi...um *ſtypticarum* rerum parte terreſtriori, reſideat *vis abſtringendi*, ...on verò in *aqua* ab iiſdem *deſtillata*: In vanum itaque laborant, ...c veluti ex inanibus paleis trituram frumenti facere nituntur, qui ex ...ebus *adſtringentibus* (loquor autem de *Vegetabilibus*) inſigni & cu...ioſâ ſolertiâ deſtillatis, ſibi ſingulares *aquas ſtipticas* pollicentur, ...tpote quâ virtute *adſtrictoriâ*, *aqua* earundem rerum *deſtillata*, ...enitùs orbata, & ſola remanentia terreſtrior, uti dictum, impræg...nata eſt.

SYRVPVS NEPHROCATHARTICVS JOUBERTI.

℞. Quinque radicum aperientium ana uncias duas,
Rad. Raphani ſylveſtris,
Ononidis,
Bardanæ,
Ericæ,
Rubi,
Eryngii,
Leviſtici,
Rubiæ majoris ana unciam unam.

Macerentur contuſæ in aceto vini albi per diem naturalem; poſtea accipe

Calami aromatici,
Cyperi,
Aſari,

Rad.

Rad. Valerianæ,
Althææ,
Cort. radicis Capparis,
Citri ſicci ana unciam ſemis,
Saxifragiæ cum radicibus,
Plantaginis cum radicibus ana manip. duos,
Summitatum Malvæ,
Parietariæ,
Urticæ,
Aſparagi,
Betonicæ,
Pimpinellæ,
Quinque herbar: Capillarium,
Naſturtii,
Siſymbrii aquatici,
Berlæ, id eſt, Sii, ſeu Laveris,
Crethæ marinæ,
Fragariæ ana manip. unum,
Pulpæ Paſſularum minorum,
Jujubarum,
Sebeſten,
Glycyrrhizæ raſæ ana uncias duas,
Caricarum pinguium numero triginta,
Granorum Halicacabi,
Juniperi ana numero viginti,
Quatuor ſeminum frig. majorum,
Minorum,
Sem. Milii Solis,
Urticæ,
Ocimi ana unciam ſemis,
Carui,
Dauci,
Seſeleos ana drachmas duas,
Florum Cordialium,
Geniſtæ.
Hyperici,
Matriſylvæ ana pugillum unum.

Coquantur in ſufficienti quantitate decocti hordei, addito aceto infuſionis radicum.

Libris quatuor colaturæ adde
Succi Limonum libram unam,
Sacchari & Mellis deſpumati ana libras duas.

Fiat Syrupus, qui aromatiſetur
Cinamomi uncia una,

Nucis

Nucis Moſchatæ unciæ ſemis.
Reponatur in uſum.

Laborioſa eſt hujus Syrupi confectio, ejus tamen uſus apud nos increbuit, ob eximias vires, quibus in ciendâ remorante urinâ, renibusque à ſabulo liberandis pollet: calculos enim atterit, renulas expurgat, urinarios meatus patefacit, & mundificat, renum, ceterum, ac veſica obſtructiones liberans. Datur commodiſſimè cum decocto Herniaria, aut Cicerum rubeorum.

Raphanus ſylveſtris intelligitur **Mörrettich**/ vulgò **Krien.**

Erica, herbula eſt fruticoſa, Tamariſco haud abſimilis, folia tamen habens minora, magisque viridia, quæ noſtris **Heyden** dicitur.

Rubia, Erythrodanum eſt Dioſcoridis, radix noſtris Officinis plus ſatis cognita, vulgò **Fe...röth** nominata.

Siſymbrium, Naſturtium eſt aquaticum, vulgò **Brunnenkreß.**

Berle, Gallicum eſt vocabulum, ſignificans apud nos Apium Paluſtre, ſeu Sium, vel Laver Dioſcoridis; quæ planta vulgari idiomate **Waſſermerck** appellatur.

Crethamarina, quæ & Salſa marina Officinis dicitur, Crithmi ſeu Crithami eſt ſpecies, quæ noſtris **Meerfenchel** / **Bacillenkraut** / & **Meerpeterlein** nominari conſuevit. Aliquibus Empetrum marinum, quod tamen Empetrum verum non eſt, ejus tamen loco Empetrum verum, ſeu Herniaria Hollerii rectè ſubſtituitur.

De Matriſylva difficultas hîc oritur, cùm variæ plantæ hoc titulo indigitari ſoleant: utpote Sclarea illa albicans & ſylveſtris, itemque Stellaria vocata herba, quæ & Matriſylva vulgaris, alioquin Spergula dicta, Germanis **Sternleberkraut** / itemque Periclymenum, ſeu Caprifolium Germanicum, cujus flores hoc loco accipiendos omnino cenſemus, cùm planta hæc potentiſſimè urinas moveat, grumoſumque ſanguinem, ac alias in urinariis meatibus collectas impuritates expellat.

Quamvis Syrupi hujus confectionem antiquitas noſtra ob eximias vires commendaverit, ejus tamen uſus apud nos jam evilnit.

ANIMADVERSIONES.

Ingentem & inconcinnam *Syrupi* hujus ingredientium farraginem, quiſquis miraretur potiùs, quàm ut eandem vel verbulo commendare dignaretur, quippe quæ vel primo ſtatim intuitu Lectorem, ne dum illum, qui *ſyrupum* ex iis parare debet, tædio afficit; Ultra hoc ſanè parùm perſpectè *Pulpas Paſſularum, Jujubarum & Sebeſten* adjicit Author, ignorans *Pulpas in ſyrupum* reduci non

non poſſe, & inter illas omnium minimè, quæ *viſcida* ſunt, quales præbent *Sebeſten*, & *Iujubæ*: Præterea ſatis mirari nequeo ſummam Authoris in præſcribendis *granis Iuniperi* cautelam, quorum quantitas adeò exigua huic compoſitioni ineſt, ut, ſuppoſito totum compoſitum continere triginta res doſes, (℥ *lxvj nimirum*) ac ita ℥ ij *ſyrupi* ſumendo pro unaquaque doſi, quælibet doſis vix virtute *dimidii grani Iuniperi* gaudeat, quæ tamen *grana Iuniperi*, inter potiſſima reponi merentur, à quibus *ſyrupus* hic *virtutem Nephrocatharticam* ſortiatur; Nec minùs inconvenienter Author hujus compoſitionis *ſpecies ingredientes omnes*, in *decocto hordei* coquere jubet, neſcius, quòd *hordeum*, ſi diutiùs coquatur (prout neceſſum eſt, ... virtutibus ejus *decoctum* imprægnari debet) *cremorem* præbeat, ad *ſyrupi elegantis* confectionem, nullo modo conducibilem: Et ponamus recipi *decoctum hordei clarum, perſpicuum, & optimè defæcatum*, haud benè tamen & illud adhiberetur, cùm parum ampliùs de virtutibus *ſpecierum præſcriptarum* extrahere poſſet, eò quòd jam tùm ſaturatè imbutum ſit virtute ipſius *hordei*, quod manifeſtum & palàm fit in quibuscunque ſolutionibus & extractionibus, ſive illæ fiant cum *ſpiritu vini*, *aceto deſtillato*, *aquâ deſtillatâ* vel *ſimplici*, aut quovis alio liquore vel menſtruo, ad extractiones rerum uſurpari ſolito. Tangenda etiam eſſent illa, quæ pro *aromatiſatione* ſub finem adjiciuntur, verùm cùm uſus hujus *ſyrupi* apud cordatos Medicos jam dudum eviluerit, idcircò brevitatis gratiâ, miſſa hæc facio, nec aliam meliorem præparationem addo, cùm vix credam ullum reperiri, qui eam deſideret. Si quis tamen hunc *ſyrupum* conficere velit, ille imitetur præparationem *ſyrupi Magiſtralis Mindereri* vel *acetoſi compoſiti*, ſecundum noſtrum indigitatum modum, omiſſis autem *Pulpis*, *ipſa Paſſula*, *Iujuba*, & *Sebeſten* accipiantur.

SYRUPUS DE NYMPHÆA

SIMPLEX NICOLAI.

Fit ex trinâ florum Nymphææ albæ infuſione, prout Syrupus roſatus.

Inſigniter refrigerat, ſomnum allicit, viſcerum æſtus mitigat, Veneris inſomnia cohibet, ſemen immodicè fluens reſtringit, ſitim temperat, ac febrium ardores compeſcit.

ANIMADVERSIONES.

Animadverſiones ſuprà *ſyrupos ex infuſionibus florum Arantiorum, Buglaſſæ*, &c. confectos, hîc conſulantur.

SYRU-

SYRUPUS DE NYMPHÆA COMPOSITUS FRANCISCI PEDEMONTANI.

℞. Flor. Nymphææ albæ uncias duas,
Citrinæ,
Pſyllii integri,
Sem, Acetoſæ ana unciam unam,
Quatuor frigid. major. ana unciam ſemis,
Minor. ana drachmas duas.
Rad. Fœniculi unciam unam.

Coquantur in aquæ hordei libris quatuor ad medias: colaturæ addantur

Sacchari libra una,
Succi Granatorum acidorum,
Aceti albi ana unciæ duæ.
Fiat Syrupus, qui aromatiſetur cum
Santali Citrini,
Spicæ Indicæ ana drachmâ unâ ſemis.

Valet ad bilioſarum vehementiumque febrium aſtus dolores à bile procreatos, & capitis fervores, inſomniam levat, ſitim extinguit, ac potenter refrigerat & humectat.

Deſcribitur hic Syrupus à Pedemontano in Cap. de calidâ intemperie hepatis ſimplici, & compoſitâ, additurque ei Spica, ne ſuâ frigiditate facilè obſtructiones pariat.

ANIMADVERSIONES.

Neque hic *ſyrupus* ſuis caret difficultatibus, quas non levidenſes creat illi, qui ipſum paraturus eſt; Etenim pleraque ingredientia ita nata ſunt, ut in coctura *mucilaginoſum* & *viſcidum* adeoque ad *Syrupum* conficiendum inutile fere reddant *decoctum*, ut ſunt potiſſimum *ſemina illa quatuor frigida minorà, Pſyllium, &c.* qualem *decocti* lentorem & viſciditatem tùm maximè promovebit *decoctum hordei*, quo ſpecies decoqui jubentur: *Corrigentia* quod ſpectat, ſcilicet *Santalum Citrinum*, & *Spicam Indicam*, illa ſub finem demùm jam confecto *ſyrupo* addita, parum de ſua vi aromatica eidem impertient, ob rationes antea multoties allegatas; Quæ ipſa etiam ſi una cum *decocto* coqui debent, vires ſuas in tenuiori & aërea ſui particula conſiſtentes vel levi coctura amittent. Suaſor itaque ſum, ut qui *ſyrupum* hunc anxiè expetat, ipſe aut magis concinnam ejus ſibi efformet compoſitionem, aut vice hujus, *emulſionem ingredientium ſeminum*, ope *decocti florum* Nymphea, & *radicum Fœniculi*, confici curet, cui *Saccharum*, *Acetum*, & *ſuccum Granatorum* ultimò addat. Vel imitetur modum noſtrum, in *ſyrupi acetoſi*

compo-

compoſiti præparatione commendatum; Videat autem, ne in coctura *decoctum mucilaginoſum* reddat, ſed iteratâ clarificatione, quantum poteſt, tenue efficiat.

SYRUPUS DE PAPAVERE
SIMPLEX MESUE.

℞. Capitum Papaveris albi & nigri recentium, & cum ſeminibus ana uncias ſeptem & ſemis,
Aquæ pluvialis libras octo.
Decoquantur ad remanentiam libræ unius & dimidiæ: adde
Penidiorum,
Sacchari ana uncias quatuor.
Fiat Syrupus, ut eſt artis.

Uſu creber, arcendis defluxionibus calidis, tenuibus, & acribus in thoracem ruentibus, quæ aſperam arteriam fauceſque exaſperant, & vigilare cogunt, proinde tuſſim ex defluxionibus iis enatam, pellit: lentore autem ſuo gutturis aſperitatem lenit caloris incendium mitigat, ſitim explet, ſomnum conciliat cum propris viribus, refrigerando nimirum & humectando, tum ex accidenti, ſedata videlicet tuſſi quæ inſomniam parit.

ANIMADVERSIONES.

Sufficiet hunc *ſyrupum* ſolâ cocturâ paraſſe, id unicè cavendo, ne mucilagineum evadat *decoctum*, quale *Papaveris capita* etiam præbere aſſolent, ſi diu coquantur; *Saccharum Penidis*, quàm inconſideratè addatur, ex ſuperioribus noſtris *Animadverſionibus* abundè patebit.

SYRUPUS DE PAPAVERE
COMPOSITUS MESUE.

℞. Capitum Papaveris albi & nigri cum ſuis ſeminibus ana uncias ſex, & drachmas duas,
Capillorum Veneris drachmas quindecim,
Glycyrrhizæ drachmas quinque,
Jujubarum numero triginta,
Sem. Lactucæ uncias quinque,
Malvæ,
Cydoniorum ana drachmas ſex.
Coquantur in libris octo aquæ, ultra medietatis conſumptionem:
Poſtmodum accipe
Colaturæ libras tres.

Peni-

Pœnidiorum,
Sacchari ana libram unam.
Fiat Syrupus.

A D *prædicta efficacior, potentiùs ſomnum conciliat & refrigerat, catarrhum, tuſſim, ſiccam & phthiſim ſedat: alvi etiam profluvio, ac dyſenteria, quæ ex materia acris & biliosa effluxu excitatur, medicatur, intemperiem calidam & ſiccam inteſtinorum emendat.*

M Eſue in utróque hoc ſyrupo aquæ tantummodò libras quatuor recipit, veruntamen quia portio hæc liquoris nimis parca extiterat, ideo eandem duplicandam eſſe cenſuimus. Quem præparandi modum à multis jam annis communi collegii voto obſervavimus.

Parandi norma hæc eſt: ut capita Papaveris lioris viginti quatuor ante coctionem in prædictâ aquæ quantitate macerentur: Poſtmodum autem ſemina mucilaginoſa in linteum ligata, inter coquendum ipſi ſyrupo, ut facultates ei ſuas tradant, immergantur: alioquin enim mucilagines ſyrupum glutinoſum ac ingratum redderent.

ANIMADVERSIONES.

P Oſſet hic *Syrupus* ſimilem in modum, uti præcedens, ſolâ coctione parari, niſi ingens illa *ſeminum mucilaginoſorum* adjecta copia, præparationem ejus legitimam, penitus præpediret, utpote è quibus virtus nulla extrahi poteſt, niſi ſimul extractâ *mucilagine*, in qua omnis earundem conſiſtit vis & efficacia; Quâ tamen (quod ſæpiùs ſuperiùs innuimus) ſi imbuatur *decoctum*, omnino ineptum redditur, ut pro *ſyrupo* conficiendo, Pharmacopœo inſervire poſſit; Propterea nilquicquam prodeſt futilis illa admonitio, quâ *ſemina mucilaginoſa* linteo illigata & incluſa, inter coquendum, *decocto* immergi jubentur, ut eâ ratione exitus *mucilagini* prohibeatur.

SYRUPUS DE PAPAVERE ERRATICO, quod aliis PAPAVER RHOEAS dicitur.

Fit ex trinâ florum infuſione, ut *Syrupus roſatus ſimplex*, vel de *Borragine:* quamvis ex *ſucco* quoque parari queat.

A D *ardentium febrium vehementes æſtus adhibetur, quorum incendia potenter extinguit, ac calores efficaciter mitigat, vigiliaſque arcet, calidis præſertim pectoris malis, utpote peripneumonia, acribus deſtillationibus, faucium inflammationibus, ac pleu-*

ac pleuritidi, cui à proprietate quàm maximè prodeſſe creditur, ſalutà-ris exiſtit.

SYRUPUS FLORUM PA-RALYSEOS.

Paratur ex repetitâ florum infuſione, ut præcedens.

F*Rigidos nervorum, ac cerebri morbos egregiè curat. Datur convulſis, tremulis, & paralyticis: cordis etiam vires tuetur, ac oris ulcera perſanat: Atque in eundem uſum mel qu... ſimili modo paratum proſtat.*

SYRUPUS DE PÆONIA.

Et hic quoque Syrupus eodem modo, quo antecedentes jam dicti, ex florum triplici infuſione parandus, quamvis aliqui ex ipſo florum ſucco eundem conficiant.

E*Pilepſia, convulſionibus, ac ſpaſmo auxiliatur: comitialis mo-bi inſultus frangit, menſes ducit, uterinis quoque affectib... conducit.*

SYRUPUS DE PILOSELLA, *ſeu* HISPIDULA RENODÆI.

℞. Summitatum floridarum & recentium Piloſellæ libram unam.
Infundantur per horas duodecim in libris quinque aquæ calentis; deinde lento igne bulliant: abhinc colaturæ libris quatuor adde
Sacchari libras tres.
Coquantur ex arte in Syrupum.

A*D plurimos pulmonis affectus depellendos maximè idoneus, ejus enim vulnera ſanat, & ulcera retardat. Exhibetur potiſſimùm iis, quibus à capite aut aliis partibus in thoracem fit defluxio, & quibus pulmones pituitoſo humore multo infarciuntur: ſiquidem humoris irruentis impetum cohibet, fluxum coquit, partem affectam roborat, ac expectorationem movet.*

ANIMADVERSIONES

In Syrupum de Papavere Erratico, Florum Paralyſeos, de Pæonia, de Piloſella, ſeu *Hiſpidula Renodæi.*

OMnes hi *Syrupi*, uti alii, ex *florum infuſionibus* facti, parentur, de quibus ſupra actum fuit.

SYRUPUS DE SUCCO PLANTAGINIS.

℞. Succi Plantaginis defæcati, ac diligenter per colum trajecti libras tres,

Sacchari albi libram unam ſemis.

Coquantur ut eſt artis.

Utiliter *internis vaſorum diſruptionibus adhibetur; proinde ruentis ſputis, ac renibus ſanguinem fundentibus auxilio eſt, dyſenteriam quoque, hæmorrhoidas, & menſes nimium fluentes reprimit ac reſtringit, internosque ſinus glutinat.*

ANIMADVERSIONES.

Hujus præparandi modus diverſus non eſt, ab aliorum *ſyruporum* præparationibus ex *ſuccis* factis, de quibus ſatis ſuperque ſuperiùs egimus, ut non opus ſit peculiarem ejus confectionem hic ſcribere.

SYRVPVS DE POMIS SIMPLEX MESUE.

℞. Succi Pomorum dulcium,

Acidorum ana libras quinque.

Cocti & deſpumati ſucci ad dimidias, biduo reſidere permittantur: tum colentur, & cum ſacchari libris tribus, fiat ſyrupus.

Cor *imbecillum roborat, ſyncopen, & cordis palpitationem juvat, ac omnibus cordis affectibus ab atrâ bile ſuccurrit: ventriculum firmat, ſitim ſedat, febribusque bilioſis auxiliatur, cor, & facultates ejus omnes ſopitas excitat, ac lætitiam inducit.*

E Dulcibus eligenda ſunt ſapidiſſima, ex acidis quæ vinoſa dicuntur, noſtris Weinling / aut Beyopffel: quæ integra, hoc eſt, cum corticibus exprimenda, quod ſaporis vis in iis contineatur, cujus ratione cor mirificè corroborare creduntur. Alium ſyrupum de Pomis ad Electuarium Alkermes parandum requiſitum, deſcribit Joubertus, qui ſequitur.

ANIMADVERSIONES.

Simpliciter modo præſcripto, vel ad modum aliorum *ſyruporum ex ſuccis confectorum*, & hic *ſyrupus* parari poteſt.

SYRUPUS DE POMIS,

Ad confectionem Alkermes expetitus.

℞. Setæ ſucco granorum Kermes tinctæ libram unam. Infunde eam in ſucci Pomorum dulcium, & aquæ roſarum ana libra una ſemis: Stent in infuſione per horas viginti quatuor; poſtea ſimul bulliant, dum aqua rubeſcat. Deinde cola, & exprime; expreſſumque cum ſacchari albi unciis octodecim & drachmis ſex in ſyrupi conſiſtentiam percoque.

Obſervetur hic regula in Prolegomenis circa vaſa tradita: enim hi ſucci nunquam in vaſe æreo, ſtann-, aut ex aurichalco confecto prob biduana reſidentia aſſervari, ſed vel in lapideo, aut ſaltem teſtaceo vitreato: alioquin ſtatim æruginem ſapiunt, noxamque ingentem contrahunt.

Compoſitus, qui Regi Sapor adſcribitur, inter purgantes requirendus.

ANIMADVERSIONES.

Adeò inepta eſt & ridicula hujus *Syrupi*, pro tam nobili, & quam nunc omnis orbis loquitur, *confectione* præparatio, ut vix ullam invenire queam, quæ illam ineptiis ſuperet: Quæ enim dementia eſt, ubi *res ipſa* æquè commodè haberi poteſt, aliam aliquam ejuſdem colore leviter tinctam ſibi eligere, eidemque præferre? Quod tamen in præſens feciſſe videntur, qui ad præfatam compoſitionem *Setam granis Kermes* tinctam, illis ipſis *granis* (quæ tamen affatim ubique ferè locorum proſtant, & quorum *uncia una* plus in ſe continet *tinctura*, quàm *Seta tincta integra libra*) neſcio quo jure, quaque injuriâ prætulerunt; Taceo, quod *Seta* illa, vel potiùs *Sericum*, rarò *ſucco* vel *tincturâ ſola & ſinceriâ granorum Kermes* imbutum, ad utplurimum rebus alienis à tinctoribus adulteratum ſit; Addo quòd *Seta* ſive *Sericum*, *ſucco* vel *tinctura granorum Kermes* tinctum, ingens ſaltem huic *confectioni* addat precium. Miror porrò inſignem illorum in *ſaccharo* parſimoniam, dum unciis novemdecim *ſyrupo* huic deſtinatis, *drachmas duas* detrahant; Et libens vel unicam ſaltem rationem ſcirem, quare *tincturæ illi coccineæ*, vel *libræ uni Setæ tinctæ* plus minusve non debeat addi *ſacchari*, quàm ℥ xviij, & ʒ vj; & cur ʒ *duæ* decurtandæ, nec *uncia illa novemdecim* integræ huic *ſyrupo* impendendæ ſint? cùm tamen aliàs in additione fruſtraneâ *rerum aromaticarum* adeò liberales ſint, ut mirari ſubeat tantam illorum prodigalitatem, quam ipſam etiam in hac *confectione* denuò oſtentant exemplo *aquæ roſarum fragrantiſſimæ*, quam æquè ac ſi nihil illis conſtaret, unà cum *ſucci pomorum* portione aquea, in auras avo-

volare permittunt: Verùm ne diutiùs in nugis illis ventilandis calamum moremur, aliam eamque magis concinnam præparationem ſubnectamus, quæ talis eſto.

℞. *Granorum Kermes* ℥ j,
Infunde eam
Succi depur. & clarif. Pomorum dulcium ℔ j,
addendo
Olei Tartari per deliq. aliquot guttulas.

Peractâ digeſtione unâque vel alterâ ebullitione, fiat colatura, *gra-nis* , *duis* adhuc *dimidiâ librâ ſucci*, itidem pauculis *guttulis olei Tartari acuati* reaffusâ, reïterataque poſt aliqualem digeſtionem vel levem coctionem colaturam, cui adde

Sacchari albiſſimi vel clarificati ℔ j ß,

& ad *ſyrupi conſiſtentiam* in vaſe terreo percoque. Hunc ſi *Roſarum* odore imbuere velis, *Elaoſacchari roſarum* ℥ ij, aut plus minusvé, prout intenſiorem vel remiſſiorem *odorem roſaceum* exigis, illi adde, ieque optimè reconditum uſui aſſerva.

SYRUPUS DE PORTULACA
MESUE.

℞. Sem. Portulacæ libram ſemis,
Succi Endiviæ cocti & depurati libras duas,
Sacchari libram unam,
Succi Granatorum acidorum uncias novem.

Tritum ſemen in ſucco Endiviæ, macera viginti quatuor horis; poſtea lento igne coque ad dimidias: demum cum ſaccharo percoque in ſyrupum.

Potenter refrigerat, ſitim inexhauſtam ſedat, febrium ardores ventriculi & jecoris calidam intemperiem moderatur. Eo efficaciter utimur ad lumbricos, & interaneorum animalia expellenda, cortice Citri indito.

ANIMADVERSIONES.

Niſi quis *aquâ ex ſucco Endiviæ*, aliàs per deſtillationem parari ſolitâ (quæ tota in hujus *ſyrupi* præparatione exhalare debet) opus habuerit, poterit eundem ad modum præſcriptum abſque deſtillatione conficere; Conſultiùs autem foret, ad ℔ ij *aquam* per deſtillationem abſtrahere, & unà cum *ſyrupo* exhibere.

SYRVPVS DE PRASIO

MESUE.

℞. Praſii, ſeu Marrubii non adeò ſicci uncias duas,
Glycyrrhizæ unciam unam,
Capillorum Veneris,
Hyſſopi parum ſicci ana drachmas ſex,
Calaminthæ,
Aniſi,
Rad. Apii,
Fœniculi ana drachmas quinque,
Ireos,
Sem. Malvæ,
Fœnugræci ana drachmas tres,
Lini,
Cydoniorum ana drachmas duas,
Paſſularum enucleatarum uncias quinque,
Caricarum pinguium numero ſedecim.

Coquantur in aquæ puræ libris decem ad dimidias: expreſſioni adde

Penidiorum,
Mellis deſpumati ana libras duas.
Fiat Syrupus,

AD longos & diuturnos thoracis affectus, tuſſim, anhelam, ſenibus & frigidis naturis familiarem, ex craſſa, frigida, viſcida & lenta materia perquam ſalutaris, aſthmaticis prodeſt, ſuppuratorum pus egregiè diſſolvit, deſſecat, & incidit, tergit, educit, & in apertum promovet. Variam componendi rationem require apud Fœſium.

ANIMADVERSIONES.

AD tædium uſque hactenus demonſtratum eſt, *ſemina Malvæ, Fœnugræci, Lini, Cydoniorum*, ob *mucilaginem meram*, quâ *decoctum* imbuunt, inepta eſſe ad conficiendos *ſyrupos elegantes, juſta conſiſtentia, gratiſque coloris & saporis*, quales quidem ab omnibus, non Pharmacopœis ſolùm, ſed ipſis etiam Medicis, experi probè nóvi. Quibus *mucilaginoſis ſeminibus*, ſi deſtitueretur hæc *Meſues compoſitio*, & ad normam aliorum *ſyruporum* per deſtillationem pararetur, citiùs fortè inde *ſyrupus* componi poſſet, ad effectus ipſi attributos edendos longè aptior, utpote quorum *viſciditate*, vis ejus diſſolvendi, incidendi, & detergendi, lentamque ac viſcidam materiam peccantem attenuandi & educendi, planè obtunditur aut annihilatur,

SYRVPVS DE DVABVS RADICIBVS.

℞. Rad. Petroſelini,
Fœniculi ana uncias quatuor,
Aquæ libras quinque.
Coque ad medias: colaturæ adde
Sacchari albiſſimi libras duas.
Fiat Syrupus.

Obſtructiones viſcerum levat, humorum craſſitiem extergit, purgat & tenuat; urinas promovet; febres compoſitas & nothas adjuvat; ventriculum bile ac pituitâ refertum allevat; renum, ſpienis & jecoris infarctus penetrat.

SYRVPVS DE QVINQVE RADICIBVS MESUE.

℞. Rad. Apii,
Fœniculi,
Petroſelini,
Aſparagi,
Ruſci ana uncias duas,
Aquæ fontis libras ſex.
Coquantur ad tertiæ partis conſumptionem: expreſſum coquatur denuò cum
Sacchari libris tribus:
Addendo ad finem
Aceti albi uncias octo.

Humorum lentitiam incidit magis, & apparat, obſtructaque potentiùs allevat, ad omnia prædicta efficacior.

ANIMADVERSIONES

In Syrupos de duabus Radicibus, & de quinque Radicibus.

Parentur quocunque modo libuerit, vel beneficio ſimplicis *coctionis*, vel (quod melius fortè) *deſtillatione & abſtractione partium tenuium, in ſpiritu volatili conſiſtentium*, & à prima deſtillatione aſſervatarum, quæ ultimò *ſyrupo* vel *ſaccharo ad Tabulati conſiſtentiam cocto*, admiſceri poſſunt, prout in aliis apertè ſatis docuimus. Poſſemus etiam in præparatione *ſyrupi de quinque radicibus* imitari modum in *Animadverſionibus* noſtris ſuper *ſyrupum acetoſum compoſitum* commendatum, deſtillando nimirum ſpecies interinitia cum ſolo *aceto deſtillato* infuſas.

SYRVPVS DE RIBES.

℞. Succi Ribes depurati libras tres,
Sacchari libram unam ſemis.
Fiat ex arte Syrupus.

INcendio febrili ſalubris exiſtit, excalefacta viſcera acoris ſui jucunditate plurimùm recreat, ſitim ſedat, nec non cholera, cardiacisque ſuccurrit.

ANIMADVERSIONES.

TRahatur huic præparatio *ſyrupi ceraſorum acidorum*, obſervatis ſimul *Animadverſionibus* ſuper eundem factis, quas benevolus Lector, pro libitu revidere poterit.

SYRVPVS ROSATVS SIMPLEX.

℞. Roſarum rubearum recentium libras quatuor,
Aquæ puræ calentis libras ſedecim.

Stent in infuſione per horas viginti quatuor; tum rejectis prioribus roſis totidem recentes ſumantur, ac reïteretur id tertium: deinde colati ſingulis libris quinque addantur ſacchari libræ quatuor.
Fiat Syrupus.

ABſtergit, aperit, lenit, ac concoquit: bilem crudam, & humores pituitoſos febrium fomitem obtinentes, expulſioni apparat, alvumque molliorem reddit.

ANIMADVERSIONES.

CUm in hoc *ſyrupo vis* (uti apparet) *ſolutiva* maximè exoptetur, confici poterit juxtà modum præſcriptum, *trinâ* videlicet *florum infuſione*, ac *forti* ſingulis vicibus *reiteratâ expreſſione.*

SYRVPVS DE ROSIS SICCIS.

℞. Roſarum rubrarum exſiccatarum libram unam.
Infundantur in aquæ calentis puræ libris ſex, horis viginti quatuor, infuſionem hanc reaſſumptis ſemper novis roſis triplicando: Tandem in expreſſione dilue ſacchari albiſſimi libras tres.
Coque ex arte in Syrupum.

AD omnem alvi fluorem ſiſtendum commendatur, cœliacos, lientericos, ac dyſentericos probè juvat, partes internas roborat, ulcera detergit, ac glutinat; vomitum compeſcit, nec non uteri rheumatiſmum cohibet.

Ani-

ANIMADVERSIONES.

MOdus parandi priorem *Syrupum*, etiam huic convenienter applicari poteſt; in eo enim hi duo *ſyrupi* ſolummodò diſcrepant, quod in ipſo *vis ſolutiva*, in hoc verò *ſtiptica* magis exoptetur, quæ ambo in *terreſtriori roſarum parte* conſiſtunt.

SYRVPVS DE RVBO IDÆO.

℞. Succi baccarum Rubi Idæi diligenter transcolati libras tres,
Sacchari albi libram unam ſemis.
Coque in Syrupum.

FEbrium æſtus mitigat, cordis defectiones arcet, lypothymias fugat, alvum blandè aſtringit, ob id diarrhæa & dyſenteria, bilioſiſque alvi fluxionibus opitulatur: cordis inſuper vires ſupra gemmas ac uniones, tutatur & auget.

SYRVPVS DE SCABIOSA.

℞. Succi Scabioſæ defæcati libras tres,
Sacchari libram unam ſemis.
Coque in Syrupum.

PEctori: noxis plurimùm prodeſt, & anhelam ſenum tuſſim ſublevat, pleuritidi confert, malignis febribus reſiſtit, ac apoſtemata diſſolvit, & repurgat.

ANIMADVERSIONES
In Syrupos de Rubo Idæo, & de Scabioſa.

PArentur ut alii *Syrupi* ex conſimilibus *ſuccis* confecti, de quibus ſuperiùs.

SYRVPVS SCELOTYRBICVS.

℞. Succi Naſturtii aquatici,
Becabungæ ana libram ſemis,
Fumariæ,
Lupuli ana uncias tres.
Ferveant ſimul, ablataque ſpuma, depurentur per reſidentiam.
℞. Succi hujus libram unam, uncias quatuor.
Decoque cum ſacchari clarificati unciis octo lento igne, ad ſyrupi conſiſtentiam.

SCorbuto in primis medetur, ejusdemque ſymptomata varia mitigat, lienis, & venarum meſaraicarum obſtructiones aperit; eroſioni oris, & gingivarum mirificè prodeſt.

ANI-

ANIMADVERSIONES.

CUm virtus *plantarum Antiſcorbuticarum* potiſſimùm reſideat in ſpirituoſa earundem parte, ſeu potiùs *ſale volatili*, vel ſi mavis in *ſpiritu volatili ſalino*, qui levi etiam ignis calore concitatus ſibi fugâ conſulere, ac Dædaleis veluti remigiis aëra petere ſolet, ut adeò ſedulâ obſervantiâ heîc opus ſit, ne is *diuturniori coctione* in auras pellatur, ſecùs enim *ſyrupum* viribus truncatum, nanciſcereris. Præſtabit itaque à *ſuccis*, priuſquam *coctioni* ſubdentur, eorundem *partium ſpirituoſiorum uncias quinque* circiter, per Alembicum abſtrahere, ex reſiduo verò cum *ſaccharo ad conſiſtentiam Tabulati cocto*, additis prædictis *unciis quinque abſtracti ſucci ſpirituoſioris* ſine ulteriori coctione conficere *ſyrupum*. Conſulantur etiam *Animadverſiones ſyrupi de Betonica ſimplicis*.

SYRUPUS DE SCOLOPENDRIO FERNELII.

℞. Polypodii Quercini,
Rad. Bugloſſi utriusque,
Cort. rad. Capparum,
Tamariſci ana uncias duas,
Scolopendrii veri, ſeu Ceterach manipulos tres,
Lupuli,
Capillorum Veneris,
Cuſcutæ,
Meliſſophylli ana manipulos duos.

Coquantur in aquæ libris novem ad remanentiam librarum quinque: colaturæ huic adde
Sacchari albi libras quatuor.
Percoquantur in Syrupum.

CRaſſam terrenamque melancholiam extenuat, mollit, fluxamque reddit: lienem obſtructione liberat, tumentemque ſolvit, melancholia quartanis, diuturnisque febribus apprimè utilis.

SYrupum hunc ex Fernelio huc tranſtulimus, ejus enim qui in veteri diſpenſatorio continebatur uſus, ob ingratum ſaporem propemodum eviluit, hic autem non minoris efficaciæ exiſtit.

ANIMADVERSIONES.

HIc *ſyrupus* juxtà modum in *Animadverſionibus ſyrupi de Calamintha Meſues* edoctum, convenientiſſimè præparari poteſt.

SYRUPUS DE SCORDIO

Simplex.

℞. Succi Scordii depurati libras duas,
Sacchari libram unam ſemis.
Fiat Syrupus.

Ejus uſus præcipuus eſt in peſtilentibus & malignis febribus: interna namque putredini maximè adverſatur, ac humorum corruptiones emendat, lumbricos enecat, menſes ciet, venenis reluctatur, vaſa rupta glutinat, nec non ſudores prolicit.

Notandum in ſucci hujus defectu ſubſtitui poſſe decoctum Scordii Cretici, aut Noſtratis, ex copioſâ plantæ hujus quantitate paratum, quod multam herbæ vim imbiberit, ita ut ſuo valore ſuccum æquet.

ANIMADVERSIONES.

Syrupi hujus præparatio cum dexterrima illa *ſyrupi de Betonica ſimplicis* præparatione coincidit: Etenim hoc pacto *ſucci Scordii vis antiloimica excellens* non ſolùm conſervatur, ſed etiam inſigniter augetur, & conſequenter *ſyrupus* hic ad enumeratos effectus multò redditur efficacior.

SYRUPUS DE SCORDIO COMPOSITUS HIERONYMI MERCURIALIS.

℞. Florum Nymphææ,
Roſarum,
Borraginis,
Citri,
Foliorum Sonchi,
Borraginis,
Acetoſæ,
Pimpinellæ ana pugillos quinque,
Sem. Acetoſæ,
Citri ana drach. quinque.
Decoque in aquæ hordei libris tribus ad tertias: deinde recipe dicti decocti libras duas,
Succi Scordii depurati libras tres,
Sacchari fini libras quatuor.
Decoque ſecundum artem; in fine addendo
Camphoræ,
Moſchi ana ſcrup. ſemis,
Miſce pro Syrupo.

D*Eſcribitur hic Syrupus ab* Octaviano Roboreto, *in Tractato de Febre puncticulari, cui præcipuè convenit, prout morbis omnibus ab humorum corruptelâ ſeu putredine natis.*

In defectu florum Citri, cortices ſubſtituantur.

ANIMADVERSIONES.

NObilis hic *ſyrupus* paretur juxta modum noſtrum in præparatione *ſyrupi de Betonica compoſiti* notatum, deſtillando nimirùm ſpecies primò cum ſolo *ſucco Scordii* ad ſiccitatem ferè, roſtro Alembici impoſitis *Moſcho* & *Camphorâ*, ita efficies *ſyrup.* ſtantiſſimum.

SYRUPUS DE SEMPERVIVO

SIMPLEX.

℞. Succi Sempervivi colati ac depurati libras tres,
Sacchari albi libram unam ſemis.
Coque in ſyrupum.

F*Ebrium æſtus potenter extinguit, ac internis incendiis auxiliatur, ob id linguæ inflammationem ejuſque ariditatem aufert.*

ANIMADVERSIONES.

PArandus eo modo, quo alii ex *ſuccis confecti ſyrupi.*

SYRUPUS DE SEMPERVIVO

COMPOSITUS.

℞. Foliorum Sempervivi recent. libras duodecim,
Contundantur in pilâ lapidea, aſpergendo iiſdem,
Salis Ammoniaci mundi ana drachmas decem.

Stent ſic ſimul probè tecta in vaſe fictili vitreato, per dies tres, vel quatuor, ſed tamen quotidie agitentur. Poſtea ex his exprimatur ſuccus qui cum ſacchari libris ſex, in vaſe itidem fictili aut lapideo, coquatur in ſyrupum juſtæ conſiſtentiæ,

P*Riore longè efficacior ad reſtinguendum febrium calorem ſuprà modum furentem: faucium, ac linguæ ariditatem & inflammationem tollit, ac prunæ morbo opitulatur.*

ANIMADVERSIONES.

COnficiatur juxtà modum præſcriptum, cavendo ſedulò, ne *metallina vaſa* præſertim *cuprea*, in coctione ejuſdem adhibantur, propter adjectum *ſalem armoniacum*, ſed vel in *lapideo* aut ſaltem *teſta-*

teſtaceo vaſa vitreato decoquatur, alioquin ſtatim *vitriolatum* & *æruginoſum* acquirit *ſaporem*, ingratum & ventriculo nocivum.

SYRUPUS DE STOECHADE
Simplex.

℞. Flor. Stœchadis uncias tres, & drachmas ſex,
Thymi,
Calaminthæ,
Origani ana drachmas decem,
Aniſi drachmas ſeptem,
Paſſularum enucleatarum uncias quatuor,
Aquæ libras ſeptem.
Coquantur ad conſumptionem librarum duarum: Colaturæ adde
Sacchari aut mellis libras quatuor.
Condiantur cum
Calami Aromatici,
Cinamomi,
Zingiberis ana drachmâ unâ ſemis.
Ligentur in nodulo, ac in ſyrupo ſuſpendantur.

V*Entriculum, cor, cerebrum, ac hepar obfirmat: craſſos humores incidit, tenacem lentamque pituitatem dividit, obſtructiones à viſcidis humoribus obortas reſerat, crudoſque à frigore ſuccos concoquit.*

ANIMADVERSIONES.

CUm in aſſignata hujus *ſyrupi* præparatione virtutes illæ eximiæ in ſulphureis ac ſubtilioribus ſpecierum ingredientium partibus conſiſtentes, *coctione diuturna* utut lentâ, penitùs exhalent, ac omninò aboleantur, relicto *extracto terreſtriori*, ad effectus ſuperiùs denominatos præſtandos planè inhabili ac inutili, idcircò modo ſequenti, quo *virtutes illæ balſamicæ* integrè ſerventur, eædemque *ſyrupo* incorporentur, laudabiliter parari poteſt, utpote:

℞. *Species omnes huic ſyrupo, cùm decoctioni, tùm aromatiſationi, deſtinatas.*

Quibus contuſis & conciſis, affunde in cucurbita vitrea *aquæ ſimplicis* ℔ *iij*, & appoſito capitello, juncturiſque benè lutatis, nec non receptaculo præpoſito, inſtituatur per M. B. deſtillatio, quouſque aliquid prodeat, vel ad ſiccitatem *ſpecierum aqua odoriferâ deſtillatione prolectâ*, ſigillatim aſſervetur; *Species in fundo cucurbitæ remanentes affuſa aqua ſ. q.* coquantur *ad* ℔ *ij*, factaque colaturâ & clarificatione, addatur huic decocto *ſaccharum eidem ſuperiùs deſtinatum*

natum (℔ v,) & ad omnimodam ejus conſiſtentiam coquatur, ac ſi *Tabulæ* confici deberent; cui adde *aquam ſuperiùs deſtillatam*, ſolaque diſſolutione, ac ſine ulteriori *coctione*, effice *ſyrupum, cerebro, cordi* & *ventriculo* gratum.

SYRUPUS DE STOECHADE

COMPOSITUS MESUE.

℞. Flor. Stœchad. uncias tres & drachmas ſex,
Thymi,
Calaminthæ,
Origani ana drachmas decem,
Aniſi,
Pyrethri ana drachmas ſeptem,
Piperis longi drachmas tres,
Zingiberis drachmas duas,
Paſſularum enucleatarum uncias quatuor,
Aquæ libras octo.

Coquantur ad duarum librarum conſumptionem.

Colatum & expreſſum cum ſacchari aut mellis libras quinque clarificatum, coquatur in ſyrupum; cui propè decocto aromata iſta in panno raro ligata immergantur, deinde in ſyrupo ad totius conditu-ram appendantur.

℞. Cinamomi,
Calami Aromatici,
Spicæ Indicæ,
Croci,
Zingiberis,
Piperis nigri,
Longi ana drachmam unam ſemis.

Craſſiunculè tundantur, ac in nodulo ligentur.

Affectibus cerebri frigidioribus & pituitoſioribus convenientior, ubi calore majore, incidentibus, & tenuantibus magis utendum eſt, cerebri, ac nervorum frigidis noxis remedio eſt, horum cauſam, pituitam ſcilicet craſſam & viſcidam potenter diſſecans, digerens, ac tenuans; paralyſi, ſpaſmo cynico, convulſioni, nec non epilepſia medicatur, deſtillationes frigidas conſumit & ſiccat; facit etiam ad pectus anhelоſum à deſtillatione impendente, ac ventriculum confortat.

SYRUPUS DE STOECHADE

FERNELII,

℞. Florum Stœchad. uncias quatuor,

Thymi,

Thymi,
Calaminthæ,
Origani ana unciam unam ſemis,
Salviæ,
Betonicæ,
Flor. Roriſmarini ana unciam ſemis,
Sem. Rutæ,
Pæoniæ,
Fœniculi ana drachmas tres.

Coquantur ex aquæ libris decem ad dimidias, expreſſumque jus Sacchari & mellis ana libris duabus; denuò coquatur in ſyrupi condiatur cum
Cinamomi,
Zingiberis,
Calami odorati ana drachmis duabus.

Ligentur aromata hæc linteo raro, & in ſyrupo hoc appenſa maneant.

Syruporum ſupradictorum vires aquat, imò quoad cerebri affectus ſanandos longè validior exiſtit, ut priorum ſyruporum uſus præ hujus compoſitione jam propè negligatur. Eum igitur, utpote nobis uſitatiſſimum, ex Fernelio huc tranſpoſuimus.

ANIMADVERSIONES
In Syrupos de Stœchade compoſitum, & de Stœchade Fernelii.

Hi *Syrupi* non minoribus, quàm præcedens, pollent virtutibus, quin eundem etiam ſuperant, ſi ritè & debito modo præparentur; Videantur ergò *Animadverſiones* præcedentis, ac ſecundùm illarum ductum inſtituatur præparatio.

SYRUPUS DE SYMPHYTO
Fernelii.

℞. Radicum & Cymarum Symphyti majoris & minoris ana manipulos tres,
Roſarum rubrarum,
Betonicæ,
Plantaginis,
Pimpinellæ,
Polygoni,
Scabioſæ,
Tuſſilaginis ana manipulos duos,

Ex tuſis omnibus recentibus exprimatur ſuccus; coquaturque, & expumetur ad libras tres; addendo

Sacchari albi libras duas ſemis.

Fiat Syrupus.

TAbidorum & ulceratorum pulmonum ſaniem & pus blandè, ac leniter ſine ſanguinis erupturi metu extergit, pulmonesque pariter confirmat.

ANIMADVERSIONES.

PAretur ſimplici *coctione*, vel præmiſsâ *deſti[...]* [...]*rum* prout in aliis *ſyruporum ex ſuccis* confectorum præp[...] indigitavimus. Notandum autem hic, quod ex *ma[...] [...]um viginti radicum, florum & herbarum*, huic *ſyrupo* deſtinati[...] vix ac ne vix quidem *tres libræ ſucci* elici poſſint; neceſſum igitur, ut qui hunc *ſyrupum* ex voto conſicere ſatagit, majorem ſibi procuret *herbarum* quantitatem.

SYRUPUS FLORUM TUNICAE.

Fit, ut Syrupus roſatus ſimplex, & alii conſimiles, qui ex trina florum infuſione parari conſueverunt.

AD præcipuos cordis affectus tollendos efficax, ejus tremorem ac ſyncopas fugat, animi deliquiis opitulatur, ac peſtilentis luis, febriumque contagioſarum noxas disjicit.

SYRUPUS DE SUCCO VERONICAE.

℞. Succi Veronicæ depurati libras tres,

Sacchari albi libram unam ſemis.

Coquantur in Syrupum.

REnum calculos & arenulas expurgat, eosque purulentos mundificat, & ſanat; pulmonum præterea exulcerationibus eximiè convenit, quorum ſaniem abſtergit, ulcera glutinat, nec non ſanguinis ſputtionem prohibet, peſtilentibus febribus quam maximè ſalutaris.

ANIMADVERSIONES

In Syrupos Florum Tunicæ, & de Succo Veronicæ.

NObilis & elegantis *Syrupi de floribus Tunicæ* præparatio inſtituatur juxta modum *Syrupi florum Aurantiorum*, vel ſimilium

lium ex *fragrantibus herbis* & *floribus* confectorum.

Syrupus autem de *ſucco Veronicæ* ad normam *ſyrupi de Betonica ſimplicis* præparetur.

SYRUPUS VIOLATUS SIMPLEX.

Fit eodem modo, quo Syrupus roſatus ſimplex.

IN febrium æſtibus, bilioſis & acutis morbis, viſcerum inflammationibus, ac ſiti inexplebili commendatur. Roſato potentiùs refrigerat & humectat, unde & ſomniferus magis, gutturis aſperitati, thoracis & pectoris totiusque ventris inferioris affectibus calidis ſuccurrit, & ſitim ſiſtit, partes ſpirituales ſuâ humoris lenitiva oblimiens eluit, ac alvum nonnihil emolliendo bilis acrimoniam retundit.

MEſue violarum recentium libras ſex, horis octo, in libris quindecim aquæ macerat in vaſe terreo coöperto, quibus colatis & expreſſis, violas recentes totidem addit, eodemque intervallo macerat in aqua calida. Expreſſi & colati libras quinque, cum ſacchari libris quatuor, lento igne decoquit; dum concreſcant, purgat albuminibus ovorum, ut in Syrupo roſato,

ANIMADVERSIONES.

CUm alvo ſimul leniendæ deſtinatus ſit hic *ſyrupus*, ideò ad modum præſcriptum parari poterit; Id autem in hujus *ſyrupi* confectione notandum, quod *color ejus cæruleus*, alias ſummo delectabilis *coctione longiori* deperdatur, atque in fuſcum vel ſubviridem minusque delectabilem commutetur. Quod ſi tamen eidem *ſyrupo colorem gratum purpureum* conciliare lubido fuerit, inſtillentur infuſioni aliquot guttulæ *ſpiritus ſalis*, vel *ſucci citri una vel altera drachma*: Clarificatio hujus *infuſionis* non niſi per *reſidentiam* in loco calido fieri poteſt, & in vanum laborat, qui ope *albuminum ovorum*, ejus citiorem *clarificationem* molitur: Quod ipſum etiam in *ſyrupo roſarum ſimplici & ſolutivo* obſervetur.

SYRUPUS VIOLATUS COMPOSITUS MESUE.

℞. Violarum recentium uncias duas,
Sem. Cydoniorum,
Malvæ ana unciam unam,
Jujubarum,
Sebeſten ana num. viginti,
Aquæ cucurbitæ libras ſex.

 Co-

Coquantur ſimul ad tertias, addendo
Sacchari libram unam ſemis.
Fiat Syrupus ſecundum artem.

Pleuritidi & tuſſi ex cauſa calida medetur; non ſolum enim leniendo, & refrigerando, humectandoque ad omnem arteria aſperitatem utilis exiſtit, ſed etiam ardentem urinam, ac nephriticum cruciatum demulcet.

Cucurbita diſtillanda eſt dum adhuc tenera exiſtit, & antequam indureſcere incipiat.

ANIMADVERSIONES.

Niſi loco *Syrupi violacei*, ſpiſſum vel mucilaginoſum [illegible] *ma* exoptes, miſſam facias ſuadeo, & intactam r[illegible] quas aſſignatam hujus *Syrupi* præparationem; Quòd ſi monenti mihi fidem adhibere non vis, ipſius periculum facias, meaque non expeſtère mendacia verba.

SYRUPUS VIOLATUS EX SUCCO FOLIORUM.

℞. Florum Violarum, quantum volueris; eos diligenter excerptos, & à viridi caule repurgatos, in mortario marmoreo, piſtillo ligneo contunde, à quibus poſtea prælo ſubjectis, ſuccum educ: cujus diligenter transcolati, accipe uncias octo,
Sacchari albiſſimi libram unam.

Coquantur in torido balnei calore, quouſque in ſyrupi conſiſtentiam abierint, ſpumam diligenter auferendo, ſerveturque ſyrupus in vaſe vitreo, vel teſtaceo vitreato.

Efficaciſſimus eſt in pectoris ac faucium morbis calidis: acres defluxiones permulces ac temperat, ſitim relevat, gutturis aſperitatem mitigat, raucedinem adimit, refrigerat & humectat. Delicatis naturis, ideoque puerilis & infantibus à tenui deſtillatione tuſſientibus auxilio eſt, ſomnumque inducit.

Alii Saccharum priùs deſpumant, & ad juſtam conſiſtentiam, vel etiam ulteriùs inſpiſſant: abhinc ſuccum addunt, & tepido calore ſaccharo commiſcent ac reponunt. Qui modus apud noſtrates Pharmacopœos etiam uſitatior exiſtit.

ANIMADVERSIONES.

Hic *ſyrupus* rarò perquàm, ex *ſucco florum expreſſo* conficitur, ſed ex *infuſione* cum *aqua* factâ, & quidem ſatis benè, cùm [illegible] *contuſi* ut plurimùm *mucilaginoſum* præbeant *ſuccum*, coque magis

magis ſi fortiori impetu præli cogantur, relictis *floribus*, integris adhuc virtutibus ac nativis ſuis coloribus præditis, qui denuò infuſi cum *aqua* vel alio convenienti *liquore*, eandem eleganti tincturâ cæruleâ ſaturatè imbuunt, ſuamque eſſentiam ac virtutes ſalvas & integras eidem communicant. Addam igitur duos modos non inelegantes, ex quibus uter placebit, pro *ſyrupi* hujus dextra præparatione eligatur.

℞. *Flor. Violar. recent. à viridi caule repurg. & excerpt.* ℔ j,
Cui ſuperaffunde
Aquæ ferventis ℔ ij,

Operatur *infuſio* (quæ commodè fieri poteſt in *vaſe ſtanneo*) relinquaturque in calore leni per aliquot horas; poſtea fiat expreſſio fortis; *Colaturæ vel expreſſæ infuſioni non calefactæ*, de novo adde *aliquot uncias florum Violarum in mortario lapideo contuſorum*, quam repone loco tepido per aliquot horas, iterumque exprime; *Expreſſo ſucco purpureo* adde
Sacchari pulveriſati q. ſ. (ad ℔ *j,* ℥ *iij, ſucci vel infuſionis circiter admiſcendo ſacchari* ℔ *ij,)*

Ac ſolâ diſſolutione in *vaſe ſtanneo* ſuper B. M. vel ahenum aquâ ferventerepletum collocato, fiat *ſyrupus* elegantiſſimus, purpureo violaceus, ac inſuper etiam durabilis. Ex *floribus* à bina infuſione ſuperiùs adhuc reſiduis, utpote qui multum adhuc tincturæ & virtutis in ſe continet, altera adhuc fiat *infuſio* cum *aqua ferventi*, ex *colatura* demum cum *ſaccharo* ad ſufficientiam addito, fiat ſine coctione vel ebullitione *ſyrupus*, uti ſuperiùs per M. B. (vel prout ſequetur) minus quidem elegans, aſt virtutibus *violarum* ſatis imprægnatus, qui vel pauperibus leviori precio divendi, vel pro *julapio* proſtare poterit. Alias etiam hic *ſyrupus* unicâ duntaxat ebullitione parari potis eſt, tali modo;

℞. *Infuſi violarum purpurei* ℥ *xv circiter,*
Sacchari albi contuſi ℔ *ij,*

Et in *aheno ſtanno obducto*, igne ardenti vel recenti carbonum confeſtim una vel altera fiat ebullitio; poſtea ab igne remotis, ac ſupernatante ſpumâ cochleari vel ſpatulâ abjectâ, *ſyrupum* per ſetaceum cola, & uſui ſerva.

MEL ANACARDINUM AZARAVII.

℞. Anacardia recentia, tere, & in aqua decoque, donec melliginem quandam in rubeo colore fuſcam remittant, eam aquæ innatantem auferto ac repoñito.

M*Emoriæ jacturam reſarcit, labantes ſenſus refricat, oblivionem diſcutit, ac mentem exacuit: morbis cerebri frigidis & humidis conducit, nervorumque reſolutioni opitulatur.*

FUchſius paulò aliter deſcribit. Anacardia enim ſeorſim trita in aceto juſtæ quantitatis diebus ſeptem perfundit, octavo die lento igne ad medietatem decoquit, & per linteolum colat, fæcem remanentem ſiccat, in ſucco autem mel juſtæ quantitatis ad ſpiſſitudinem decoquit.

ANIMADVERSIONES.

OEdipo opus eſt ad primum hujus *mellis Anacardini* præparandi modum explicandum, utpotè qui adeò obſcurus eſt & i[illegible]catus, ut nemo exinde deſideratam *mellis* [illegible]ara nem, vel conjecturare ſaltem, ne dum exactè conficere que. A[illegible] verò, qui Fuchſio tribuitur, paulò dilucidior magiſque [illegible]cinnus apparet, nihilominùs tamen quid hic ſibi velit, dum *faces r*[illegible]*anentes exſiccat*, me quoque latet. Quod ſi genui[illegible]m *mel Anacardinum* expetis, paretur illud vel coquendo vel digerendo *Anacardia* cùm *aquâ* vel *aceto* (prout libuerit, modò eorundem *eſſentia* extrahátur) & poſtea cum *mellis ſ. q.* additâ, ad conſiſtentiam debitam percoque[illegible]. Poſſunt autem meo judicio ad ℔ *j mellis*, ſumi *Anacardiorum* ℥ *iij*, plùs minùsvé pro arbitratu Medici. *Coctione* vix quicquam illis demitur de virtutibus, prout nec alii *fructus*, niſi admodum tenuium partium extiterint, *coctione* vires ſuas amittunt.

MEL ANTHOSATUM.

℞. Mellis roſati ſimplicis libras tres,
Florum Roriſmarini recentium manipulos ſex.

Stent in infuſione, loco calido, horis viginti quatuor; deinde exprimantur, & fiat colatura, quæ decoquatur, ut artis eſt.

COlicos ac uterinos dolores mitigat, ob calorem benignum, viſcera foventem, quibus etiam robur addit, cerebri, cordis, & ventriculi vires augens, & crudam in inteſtinis, ac circa meſenterium pituitam concoquens, flatibus diſcutiendis idoneum. Additur in Enemata, ubi pareſis ex colcâ metuitur, nervoſas enim partes à noxis defendit.

ANIMADVERSIONES.

SI *mel roſatum* antea debitam ſuam conſiſtentiam nactum fuerit, opus non erit, ut *flores Anthos cum melle roſato dicto* infuſi, denuo coquantur, ne eorundem odor fragrantiſſimus, in coctura exſpiret, ſed ſufficit aliquandiu loco calido in infuſione permanſiſſe, quia *flores Roriſmarini* quantumvis recentes ſucculenti non ſunt, ideòque parùm liquoris *melli* impertire queunt, ut adeò neceſſum non ſit, ante ad debitam craſſitiem coctum *mel roſatum* ulteriùs coquere,

coquere, niſi coctio in Alembico cum ſuo capitello munito fiat, & *exſtillans humiditas fragrans melli reſiduo*, denuò reddatur. Priuſquam autem *flores roriſmarini melli roſato* infundantur, nonnihil contundantur vel conſcindantur, ut eò melius *melli* eorum pateat introitus.

ALITER SIC PARATUR.

℞. Foliorum roriſmarini libram unam,
Aquæ fontanæ libras ſex.
Stent in infuſione per horas duodecim, abhinc ſecunda & tertia vice, reaſſumpto novo roremarino, repetatur infuſio, cujus colaturæ floris quinque, adde
Mellis optimi deſpumati libras quatuor.
Coque ſecundum artem.

Cum in compluribus locis florum roriſmarini tanta non exſtet copia, quæ huic melli parando ſufficiat, non minori efficaciâ herba ejuſdem ſubſtituitur.

Rondeletius, *Renodæus*, & alii, libras tres mellis accipiunt, ac in eo libram unam florum roriſmarini infundunt, & inſolatione ſolâ mel anthoſatum parant.

ANIMADVERSIONES
In alterum ejuſdem mellis anthoſati parandi modum.

Trinâ illâ *infuſione*, cum reaſſumpto ſemper recenti *roremarino*, peractâ, non exigua virtus in *mel* redundare poſſet, niſi illam una cum eadem ſcilicet *infuſione*, totam ferè inter *coquendum* exhalare neceſſum eſſet, cùm *mel* per ſe liquidum ſit, ac tantam, uti *ſaccharum* (quod ſiccum eſt.) liquoris admiſtionem ferre nequeat. Inodorum itaque vel ſaltem ingratum relinquetur *mel*, nullâ re minùs quàm *roriſmarini virtutibus potioribus ac ſubtilioribus* imprægnatum, quæ tantùm abeſt, ut cum *melle* in coctione perſiſtere potuerint, quin mox inchoatâ cocturâ in auras avolarint: Proinde magis nobis arridet ſimplex illa *Renodæi* & *Rondeletii* aliorumque ſimplicitate gaudentium, ac ipſis etiam mulierculis, lippiſque & tonſoribus nota præparatio, utpotè quæ, licet non ſingulare artificium redoleat, ad minimum ſaltem abſque virium inſigni jacturâ peragitur: Quod ſi verò magis artificioſam præparationem anhelas, cujus ad exemplum alias ſimiles ex *herbis* & *floribus* conficere queas, en, dabo ſequentem!

℞. *Roriſmarini aut Florum ejuſdem* ℔ ij, *vel* ℔ iij,
Quibus minutim conſciſſis, & cucurbitæ vitreæ immiſſis, ſuperaffundantur
Aqua ejuſdem deſtillata, aut vini opt. ℔ jß.

Fiat deſtillatio in M. B. ad ſiccitatem *florum* uſque, remanenti in fundo *roremarino* aut *floribus* ejuſdem, reaffundatur *aqua deſtillatione prolecta*, quæ iterum deſtillando proliciatur; Prioris tamen *aqua* utpote *ſpirituoſioris* majorum que virium ſeorſim aſſervetur *libra una*; Relictum autem à deſtillatione in cucurbita *roremmarinum*, affuſâ ſ. q. *aqua ſimplicis* coque, *decoctum colatum & album, ovorum clarificatum* cum

Mellis ſimplicis clari libris quatuor

commiſce, & coquendo ultrà ordinariam ac ſatis craſſam *mellis conſiſtentiam* evaporare ſine. Tandem ubi parùm refr[illegible]rit, additâ [illegible] ut videbitur

Prioris aqua deſtillata ſpirituoſa ſ. q.

(quam tamen vix exactè determinare poterimus, ob *mell[illegible] extracto rorismarini* imbuti, variantem conſiſtentiam,) fiat *mel* [illegible]itæ conſiſtentiæ, quod ipſum quò magis *præfatâ aquâ ſpirituosâ* imprægnari poterit, eò evadet præſtantius & efficacius.

MEL EMBLICORUM.

℞. Myrobalanorum Emblicorum numero quinquaginta.

Contundantur mediocriter, & decoquantur in libris tribus aquæ ad conſumptionem librarum duarum: reſiduo adde mellis tantundem, & ad juſtam conſiſtentiam percoque.

Cor, cerebrum, jecur, nec non ventriculum ſolidat, corporis odorem commendat, ac hilaritatem parit.

Mel hoc Emblicorum nihil aliud eſt, quàm Emblicorum decoctum ad conſiſtentiam inſpiſſatum, ſeu mel in quo Myrobalani Emblici conditi aſſervantur.

ANIMADVERSIONES.

Paretur modo præſcripto; Etenim *Myrobalani* & ſimiles *fructus* coctione parùm nihilvé amittunt, ſunt enim minus ſulphurei; Antequam verò *decoctum melli* jungatur, neceſſum eſt, ut cum *albumine ovi* priùs clarificetur, ac tum demùm cum *melle* maritetur. Quod autem *mel Emblicorum*, hoc modo paratum, nihil aliud ſit, quàm *decoctum Emblicorum ad conſiſtentiam inſpiſſatum*, idipſum & ridiculoſum apparet, & contradictionem implicat. Nam ſi ſimplex eſſet *decoctum*, nullo modo ipſi competeret *mellis Emblici* nomen. Verùm difficultas illa in *Annotatis* diluitur, dum ipſi aſſerunt, *mel Emblicorum eſſe mel in quo Myrobalani Emblici conditi aſſervantur*; Ergò.

MEL MENTHÆ.

℞. Succi Menthæ purificati libras duas,
Mellis optimi tantundem.
Coquantur ad juſtam conſiſtentiam.

Ventriculum frigidum fovet, coctionem adjuvat, ac pituitoſos faucium tumores diſcutit.

ANIMADVERSIONES.

Mentha planta eſt balſamica, calefaciens & exſiccans, tenuiumque partium, cujus fragrantia parteſque ſulphureæ ac ſubtiliores, utpotè, in quibus ejuſdem virtus maximè repoſita eſt, ut integræ quantum poſſibile eſt, *melli* communicentur, in id ingenuus Pharmacopœus omnem operam impendere debet. Quod ipſum in aſſignata ſiniſtra præparatione ut fieri queat, non adeò in facili eſt, cùm odor omnis & fragrantia, ſubtilioreſque *ſucci* partes in *coctione* cum *melle*, in auras pellantur: Ut itaque univerſæ *Menthæ* virtutes balſamicæ [illegible] imprimantur, inſtituatur ejus ceu convenientiſſima præparatio in modum *mellis anthoſati*, vel *roriſmarini ſecundi*, à nobis ſuperiùs traditum. Vel paretur ad normam ſequentem:

℞. *Succi Menthæ* ℔ ij,
cui immerge
Herbæ Menthæ odorif. contuſ. recent. ℔ ß, *plus minuſvé*,
Et per M. B. è cucurbita vitrea deſtillando, evoca libram unam circiter, cui prolectæ *aquæ odoriferæ*, denuò
Recent. herbæ Menthæ ℥ iiij,
immergantur, digerantur, & tandem exprimantur: Hâc *eſſentiâ* interim aſſervatâ,
℞. *Mentham utramque à deſtillatione unâ cum reſiduo ſucco, & extractione relictam;*
Quam affuſâ, adhuc *librâ unâ vel alterâ aquæ ſimplicis* coque ad ℔ j, præter propter *decoctum expreſſum & optimè clarificatum*, additis
Mellis optimi & clari libris duabus vel tribus,
iterum coquendo ad conſiſtentiam *mellis* craſſiſſimam ordinariâ multò craſſiorem redige, cui tandem *de ſuperiori deſtillata & eſſentificata aqua vel ſucco* tantum junge, quantum ad juſtam conſiſtentiam ſine ulteriori *coctione* ſufficere videbitur, fiatque *mel Menthæ* præſtantiſſimum.

MEL MERCURIALE.

℞. Succi Mercurialis libras tres,
Mellis puri ac optimi libram unam ſemis.
Coquantur & deſpumentur, ut artis eſt,

Eaſdem cum Syrupo vires obtinet, magis tamen abſtergit, ideoque alvum (ubi Enematibus inditur) felicius ſubducit.

ANIMADVERSIONES.

Quod ſuperiùs in ejuſdem *Syrupi* præparatione monui, idipſum etiam hic locum habet, propterea ſimplici ſaltem *coctione* p randum eſt.

MEL PASSVLARVM.

℞. Uvarum paſſarum libras quatuor,
Aquæ libras duodecim.

Macerentur horis viginti quatuor; deinde decoquantur ad remanentiam tertiæ partis: Colentur, & colatura decoquatur ad melli conſiſtentiam, & reponatur. Hoc *decoctum* vocatur *Mel Paſſularum*.

Pectoris vitiis, præcipuè verò deſtillationi acri, & calidæ, à ſalſis humoribus oborta conducit, aſperam arteriam lenit, & humectat, tenuem expectoratum promovet, tuſſim [illegible]em, ac raucedinem mitigat.

ANIMADVERSIONES.

Non contendamus de nomine, & utrum præſtet *decoctionem* hanc, vel *Rob*, vel *Sapa*, aut *Mellis* nomine inſignire; Præſtabit autem omnium convenientiſſimè inter *Rob* illam reponere, quia ſine *melle* conficitur.

MEL ROSATUM SIMPLEX.

℞. Roſarum rubrarum recentium libras tres,
Aquæ fontanæ puræ & calentis libras duodecim.

Stent in infuſione per horas viginti quatuor: abhinc rejectis prioribus roſis, totidem recentes rurſus priori brodio infundantur, reiterenturque id tertium. Tandem colati libris quinque adduntur libræ quatuor mellis.

Coquantur ſimul ut eſt artis.

Ventriculum roborat, detergit, viſcidoſque ſuccos expurgat, coctionem juvat, putredini adverſatur, humores crudos concoquit, oris phlegmonas, pront & gingivarum tonſillarumque inflammationes placat.

MEL ROSATUM MESUE.

℞. Roſarum rubearum nondum penitus apertarum libras duas,

Mellis

Mellis optimi libras ſex.

Coquatur lento igne ſecundum artem.

ID vulgus plerumque expetit, ac uſurpat; eo ſiquidem raucedines mitigare, aſpera quoque arteria, columella, faucium & gutturis noxas depellere edoctum eſt.

MEl roſarum Nicolai apud nos in uſu non eſt, cui ferè ſimile eſt illud, quod Noribergenſes fol. 149. deſcribunt. Recipiunt autem folia roſarum rubearum nondum penitùs explicatarum, recen- , eaque in aqua cœleſti percoquunt, ac colant: colaturæ ſuccum rum ... puratum, melque deſpumatum admiſcent, & ad juſtam ... iam coquendo perducunt.

ANIMADVERSIONES

In Mel roſatum ſimplex, & Meſue.

PArari poſſunt ad normam *mellis Anthoſati ſecundi*, vel *Men- tha* jam edocti: Noribergenſium modus conficiendi *Mel ro- ſatum Nicolai* æquè inconcinnus eſt, atque hujus, ſcatet enim ... fficultatibus, propterea eundem ſimiliter improbamus.

MEL ROSATUM CITRATUM.

℞. Mellis roſati ſimplic. ad perfectionem cocti libras duas.

Huic, dum adhuc à coctura fervet, infunde

Cort Citri recentium & extimorum libram unam.

Stent in infuſione per menſem, poſtea mel transcoletur, ac reponatur.

FRigidis ventriculi & cordis affectibus eximiè ſuccurrit, abſtergit, tenuat, concoquit, corruptionem humorum, eorundemque putredinem arcet, ideoque fœtentem animam corrigit. Requiritur potiſſimùm ad compoſitionem Oxymellis Helleborati à Iuliano deſcriptı, & à Geſnero magnis encomiis celebrati.

ANIMADVERSIONES.

INjectionem vel infuſionem *corticum Citri* confecto, & ad conſiſtentiam debitam jam percocto, *melli* fruſtraneam & inutilem eſſe, jam tum ſuperiùs in præparationibus *ſyruporum de corticibus Citri* & *Arantiorum*, ſatis ſuperque demonſtravi, ut adeò ſupervacaneum eſſe cenſeam, illa quæ ibidem hac de re dicta ſunt, heîc repetere; Ut autem hoc ipſum *mel*, de quo nunc agimus (quodque ſi rectè præparatum ſit, egregiis pollet viribus,) artificiosè & dextrè præparetur, imitari convenit modum noſtrum ſequentem, utpotè

℞. *Roſar. Damaſc. recent. & contuſar.* ℔ *ij*,

Corticum Citri exterior. recent. & conſciſ. ℥ *vj*, *vel* ℥ *viij.*

Quibus

Quibus cucurbitæ vitreæ immiſſis, ſuperaffundantur

Aquæ roſarum fragrantiſſimæ ℥ iij,

Poſtea fiat deſtillatio in M. B. juncturis probè clauſis, ad ſiccitatem ferè *roſarum & corticum* (vel ad prolectionem ℥ ix circiter,) *prolecto liquori odorifero*; de novo immerge

Corticum Citri recent. extim. ℥ iij,

Et factâ digeſtione in vitro optimè clauſo, colentur tandem *eſſentia*, & ſtudioſè interim aſſervetur. *Reſiduis* à deſtillatione *roſis & corticibus citri*, item ab eſſentia relictis, ſuperaffundantur

Aquæ ferventis ſimpl. ℔ ij,

Et poſt unius diei digeſtionem, fiat colatura & expreſſio; *Infuſo expreſſum* optimè clarificetur, & additis

Mellis optimi clari libris tribus,

coquantur ad craſſam & ordinariâ multò craſſiorem *mellis* conſiſtentiam; cui demùm remoto ab igne, & nonnihil refrigerato, addatur

Aquæ ſuperioris deſtillatæ & recentibus Citri corticibus eſſentificatæ ſ. q.

vel quantum imprimi poſſit, ut ſine ulteriori *coctione* juſtam *ſyrupi* conſiſtentiam acquirat; eritque *Mel citratum* delicatiſſimum.

MEL VIOLATUM.

Fit, ut Mel roſatum ſimplex.

R*Efrigerat, lenit, & humectat, alvumque emollit: inditur potiſſimùm Enematibus, ubi bilis & caloris acrimonia levanda, aut obtundenda eſt.*

ANIMADVERSIONES.

FIat ad normam *Mellis anthoſati ſecundi*, vel juxtà præparationem *Mellis Menthæ*.

OXYMEL SIMPLEX GALENI ET MESUE.

℞. Mellis deſpumati libras duas,
Aceti vini acerrimi libram unam,
Aquæ libras quatuor.

Mel cùm aqua diligenter deſpumetur; & ubi aqua coquendo fuerit abſumpta, addito aceto facta unicâ ebullitione, removeatur ab igne, ac ſervetur uſui.

M*Agna hujus vis craſſa tenuandi, lenta incidendi, viſcida detergendi, obſtructa aperiendi, idque ſine manifeſto calore, quo nomine febribus diuturnis & nothis ex craſſa bile ac pituita*

pituita enatis convenit, humidis naturis & frigidis, crudam, craſſam, & pituitoſam ſuccorum copiam coacervantibus aptum; nervos tamen & uterum lædere, tuſſim excitare, ac ſputum acidum potiùs demergere quàm provocare creditur, unde in materiebus pectoris educendis duo caſus occurrunt, ejus uſum non admittentes; nimirum in morbi principio crudâ exiſtente materiâ propter aceti acrimoniam, quòd tuſſim provocet, cùm tamen ante coctionem materia fieri non debeat: deinde ubi virtus debilis & non ſufficiens ad expellendum exiſtit, ibi fruſtra virtute decreſcente homo irritatur. Vide 3. de ratione victus in morbis [illegible]is cap. 27. & 28. *componendi rationem docet* Gal. 4. Salubrium.

ANIMADVERSIONES.

VA[illegible]ts hujus præparationis in *Animadverſionibus* noſtris ſuper *ſyrupum acetoſum ſimplicem* ſat ſuperque ventilata & diſcuſſa eſt: Nimirùm quod *aqua* ſuperfluè ſaltem & cum detrimento virtutum *ſyrupo* ſive *mellis*, inprimis jam clarificatis & deſpumatis addatur, etenim in diuturniori illa *coctione*, quâ *aqua* tanta copia exhalare debet (debent autem in hac præparatione *quatuor libræ* evapora[illegible]) *aceti* partes penetrantiores, una cum *aqua* rapiuntur in auras, quas tamen ſervare multò eſſet conſultiùs. Neque etiam neceſſum eſt, ut *aqua* ob ulteriorem *mellis* deſpumationem & clarificationem addatur, cùm ipſi *mel* jam *deſpumatum* pro confectione ſumendum eſſe præcipiant; ſupervacaneum itaque eſt, illud ulteriùs deſpumare: E contra verò præſtabit abſque ulla *aqua* affuſione, *acetum mellis* ſtatim addidiſſe, & cum eo *mel* ad debitam conſiſtentiam percoquendo, *Oxymel* paraſſe.

OXYMEL COMPOSITVM MESVE.

℞. Corticum mundatorum & inciſorum radicum
Apii,
Petroſelini,
Ruſci,
Fœniculi,
Aſparagi ana uncias duas,
Sem. Apii,
Fœniculi,
Petroſelini ana unciam unam,
Aceti libram unam ſemis,
Aquæ libras ſex,
Mellis libras tres.

Cortices radicum & ſemina horis viginti quatuor macerentur in vaſe lapideo in aceto & aqua: tum coquantur ad tertiæ partis conſumptionem: colato additur mel, & lento igne percoquitur.

Ef-

Efficacius eſt ſuperiore, ac morbis procedentibus & diuturnis magis opportunum: potentiùs enim materiæ craſſitudinem apparat, incidit, tenuat, facitque ad affectus ex bile craſſa, ac pituita lentore natos: melancholicis malis, quartanæ, & ſplenis duritiei bono eſt, inclinante potiſſimùm morbo, quotidianis febribus ſuccurrit, urinas & ſudores, coctâ jam materiâ, prolectat.

ANIMADVERSIONES.

Hoc ipſum **Oxymel**, ſi dextrè paretur, multum præſtare poſſe, non diffido. Itaque pro hujus legitima præparatione, ſequentem commendo modum:

℞. *Non corticum mundatorum & inciſorum radicum* (curioſitas enim illa in minutiis hiſce planè & inutilis & ſupervacanea eſt) *ſed ipſarumet*
Radicum Apii,
Petroſelini,
Ruſci,
Fœniculi,
Aſparagi ana ℥ ij,
Sem. Apii,
Fœniculi,
Petroſelini ana ℥ j.

Inciſa & contuſa craſſiuſculè, immittantur in cucurbitam vitream, quibus ſuperaffundatur
Aceti deſtillati ℔ j ß,
Fiatque deſtillatio juncturis benè clauſis, in M. B. ferè ad ſiccitatem uſque ſpecierum: *Acetum*, ſive *aqua prolecta*, *odorifera* ſervetur; Remanentes in fundo cucurbitæ *ſpecies*, affuſis de novo *aquæ ſimplicis* ℔ iij, coquantur in olla vitreata ad dimidias, factaque colaturâ & expreſſione forti, expreſſum poſtea *albumine ovorum* clarificetur, ac cum *tribus libris mellis* tamdiu coquatur, donec *mel* denuò ſatis craſſam, imò ordinariâ multo craſſiorem acquiſiverit *conſiſtentiam*, cui tandem *de ſuperiori liquore ſpirituoſo* vel *aceto deſtillato* tantum affundatur, quantum ad juſtam *mellis* craſſitiem ſufficere videbitur.

OXYMEL DIURETICUM

D. AMBROSII JUNG SENIORIS.

℞. Mellis deſpumati uncias quindecim,
Aceti albi acerrimi,
Aquæ fontis ana libras duas,
Rad. Raphani recentium unciam unam,
Fœniculi drach. decem,

Apii,

Apii,
Petroſelini,
Geniſtæ,
Aſari,
Leviſtici ana drach. tres,
Sem. Fœniculi,
Petroſelini,
Aſparagi,
Ruſci ana drachmas duas,
Coriandrorum præparatorum,
...ini ana drachmam ſemis.
Coquantur ſecundum artem.

P*O... ter lotium exigit, ac impeditam urinam, & renum calculos propellit: cujus uſus olim* D. Ambroſio *celebris erat, prout etiamnum noſtris Medicis familiaris exiſtit.*

ANIMADVERSIONES.

PRæſtabit etiam hujus *Oxymellis* præparationem inſtituere ad normam & methodum in prioris *Oximellis compoſiti* confectione à nobis traditam; Tali enim modo, longè meliores & majores ſortietur virtutes, quàm ſi vulgari viâ præparetur, quâ ipsâ tantùm abeſt, ut vires ejus conſerventur, quin ſi non omnibus, ad minimum tamen maximâ, potiori & penetrantiori earundem parte caſtretur.

OXYMEL SCYLLITICUM

Mesue.

℞. Mellis deſpumati libras tres.
Aceti Scyllitici libras duas.
Coquantur ad perfectam conſiſtentiam.

A*D cerebri, pulmonis, ventriculi affectus pituitoſos, aut melancholicos etiam contumaces pollens. Eo utimur in epilepticorum inſultibus, ipſoque paroxyſmo, aſthmaticis quoque plurimum confert, venarum obſtructiones etiam inveteratas reſerat, craſſosque humores potenter incidit.*

Compoſitum fit, ut Oxymel compoſitum ex radicibus.

ANIMADVERSIONES.

PArari poterit ad modum præſcriptum, videlicet per ſimplicem *coctionem*, cùm de *Scyllâ* ſpirituoſi nihil in *coctura* facilè amplius perire queat, utpote quod jam tùm in priori ſua *præparatione* ferè amiſit; de his plura in *aceti ſcyllitici* præparatione.

OXY-

OXYSACCHARUM SIMPLEX.

℞. Succi Granatorum acidorum uncias octo,
Aceti uncias quatuor,
Sacchari albi libram unam.

Saccharum puriſſimum aceto ſolvatur, & ad craſſam conſiſtentiam percoquatur, cui, dum modicè refrixerit, ſuccus Granatorum admiſceatur, ſimulque lege artis in ſyrupi formam reducantur.

H*Umori ferventi refrigerando, craſſo autem incidendo, putredini arcendæ ſiti ſedandæ; nec non viſcerum inflammationi mitigandæ conducit.*

ANIMADVERSIONES.

PAretur juxtà modum præſcriptum, per ſimplicem *cocturam*, lentoque igne, inque *vaſe terreo*, vel *lapideo*.

OXYSACCHARUM COMPOSITUM NICOLAI PRÆPOSITI.

℞. Capillorum Veneris,
Aſpleni, ſeu Phyllitidis, aut Linguæ cervinæ,
Scolopendrii, ſeu Ceterach,
Lichenis, ſeu Hepaticæ,
Violarum,
Polytrichi,
Rad. Fœniculi,
Aſparagi,
Ruſci,
Graminis ana unciam unam,
Succi Granatorum acidorum libras octo ſemis.

Omnia in Granatorum acidorum ſucco triduo macerentur. Deinde cum modica ebullitione exprimantur & colentur: tandem cum ſacchari libris quatuor ad formam ſyrupi percoquantur.

F*Ebribus impuris, & tertianis nothis, omnibuſque affectibus ex ſanguinis ac bilis fervore & craſſitie natis ſubvenit jecoris, lienisque obſtructionibus confert, & concalefacta viſcera juvat.*

ANIMADVERSIONES.

QUia uſus hujus *Oxyſacchari* jam propemodùm eviluit, idcircò de ejuſdem præparatione multus non ero: ſi qua autem exigeretur, præparari poſſet ad modum præſcriptum, cùm pauca ſint *ingredientia*, quæ vel fragrantem ſpirent odorem, aut adeò ſubtilium partium ſint, ut earum vis promptè exhalare poſſit.

JULEP.

JULEP ROSARUM.

℞. Aquæ roſarum odoratiſſimæ libras tres,
Sacchari albiſſimi libras duas.
Fiat cum diligentia.

Cordiale planè medicamentum eſt, totius corporis exæſtuationi confert, vitales ſpiritus reficit, eoſdemque evanidos reparat.

ANIMADVERSIONES.

Uanta fiat virtutum deperditio, ſi *liquores odoriferi* cum *ſacchari* diu percoqui debeant, de eo jam ad ravim uſque in ſuperioribus conqueſti ſumus. Quæ ſi ſaltem per tranſennam denuò inſpiciantur, unuſquiſque facilè videbit, quam turpiter ſe dent, qui hujus *julepi* præparationem, juxta modum præſcriptum moliuntur: Etenim duplicem hi committunt errorem, cùm, quòd fragrantiſſimum *aquæ roſarum* odorem *coctura* penitus expirare ſinant, tùm etiam, quòd hanc ipſam *aquam* in nimis larga quantitate adeò luxuriosè addant. Præcipiunt enim ad *ſacchari* ℔ ij, ſumendas eſſe *aquæ roſarum* ℔ iij, cùm tamen pro *ſacchari libris duabus* ad conficiendum hunc vel ſimilem *Julepum* vel *Syrupum*, ſufficeret *libra una cum tribus vel quatuor circiter unciis aquæ*, quæ itaque reliqua eſt *aqua libra una, cum unciis octo*, totaliter ac inutiliter, & quidem pars ejus fragrantior, ut expiret neceſſum eſt, verùm ad quid perditio hæc? Paretur ergò ſequenti modo:

℞. *Aquæ roſarum odoriferæ* ℔ ij,
Roſarum rub. contuſ. & ſale condit. ℔ j,
Fiatque in cucurbita vitrea ex M. B. deſtillatio vel rectificatio
Aquæ fragrantioris primitùs proiectæ,
℞. ℥ xv, vel ℥ xvj,
quibus adde
Sacchari albiſſimi vel clarificati ℔ ij,
ac ſolâ ejuſdem diſſolutione paretur Julapium.

Ad eundem modum paretur etiam *Julep ſambucinum* ſequens.

JULEP SAMBUCINUM.

℞. Aquæ Sambucinum ex floribus libras tres,
Sacchari albiſſimi libras duas.
Fiat Julep.

Seroſos in corpore humores blandè temperat, calores febriles mitigat, & ſudores elicit; in potu jucundus, noſtratibusque admodum familiaris exiſtit.

JULEP EX VINO ARNOLDI DE VILLA NOVA.

℞. Vini optimi & perquàm odorati libras tres,
Sacchari libras duas.
Fiat Julep.

V*Entriculi & cordis robur tuetur, coctionem promovet, frigidos crudosque humores partim incidit, partim concoquit; ac vanam famem lenit.*

ANIMADVERSIONES.

A*Rnoldum de Villa nova* ſtupidiſſimæ hujus præparationis Authorem extitiſſe, vix ego adduci poſſum ut credam: Etenim longè aliter ejuſdem ſcripta teſtantur, nimirùm quòd fuerit vir ſolidæ doctrinæ, rerumque naturalium exquiſitâ cognitione imbutus, *ipsâ* etiam *Spagyricâ ſcientiâ arteque deſtillatoria* inſtructiſſimus: Adeoque mihi non ſit veriſimile, quòd is tam inſipidam hujus *Julapii* præparationem tradiderit; ſed potiùs crediderim illam ab aliquodam, qui fortè in operationibus ſpagyricis peccaverit nunquam, effictam vel excogitatam eſſe, ſicque demùm huic operi irrepſiſſe. Namque unusquiſque, qui vel leviter ſaltem *arte deſtillatoriâ* imbutus eſt, haud invitus mihi conteſtabitur, quòd, ſi *vinum* deſtilletur, ejusque *pars ſpirituoſa & optima*, etiam ſatis lento igne ab eo prolicìatur, nihil tùm ab eo remaneat, præter *aquoſum ac ingratum vel nauſeoſum phlegma*, omni virtute odore ac ſapore *vini* ſpoliatum: An tu Lector benevole, nunc in præſcripto hujus *Julapii* conficiendi modo, ubi, dum ille ad conſiſtentiam ſuam debitam percoquendus eſt, *vini optimi & perquam odorati libra una cum unciis octo* vapore tenùs reſolvi, & in auram pelli debent, aliter fieri putas? Proinde ne tantam *vini generoſi* facias jacturam, & nihilominùs *julapium* habeas *odore ac ſapore vinoſo*, & eximiis *vini virtutibus* impragnatum, modo ſequenti magis, uti puto, rationi conformi, præparationem inſtituas. Nimirùm

℞. *Vini Malvatici* ℔ *iij*,

à quibus deſtillando prolicias ℔ *ij*, quas denuò *(rejecto phlegmate relicto)* cum *libris totidem vini Malvatici recentis* commiſceas, ac iterum deſtillando ℔ ij evoces: Idem labor addito *vino Malvatico recenti* adhuc ſemel reiteretur, rejecto ſemper *phlegmate relicto inutili*, & quod prodiit *vinum ſummè ſpirituoſum & fragrantiſſimum*, cum *ſacchari ſ. q.* redigatur in *julepum* ſine *coctione* ulteriori, ſed ſolâ diſſolutione: cujus *uncia una* plus præſtabit, quàm vulgariter parati *libra una*.

JULEP VIOLARUM.

℞. Aquæ Violarum ex floribus libras tres,
Sacchari clarificati libras duas.
Coque ut Julep Roſarum.

F*Ebrium incendia reprimit, inſomniam levat: gutturis, faucium, ac aſpera arteria afflictionibus à ſalſi aut acris humoris influxu enatis ſuccurrit; calidis inſuper, ac ſiccis pectoris morbis apprimè convenit, & cordi ſupercalefacto auxiliatur.*

ANIMADVERSIONES.

J*Ulepum* hunc *violaceum* ex *aquâ* conficere *violarum*, minùs proficuum videtur; *Aqua* enim exiguam ſaltem ſpirat *violarum* fragrantiam, & meo quidem judicio magis efficax & laudabile efficeretur *Iulapium*, ſi idipſum ex ſecunda *florum infuſione* (dum in *ſyrupi violarum* confectione occupati ſumus) fieret, uti in *Animadverſionibus* ſuper eundem *ſyrupum* ſuperiùs monuimus: Si tamen præcisè ex *aquâ violarum* parandus eſſet, poſſemus imitari modum in præparatione *Iulepi roſarum* ſub finem *Animadverſionum* à nobis commendatum, quò benevolum Lectorem relego.

MIVA CYDONIORUM SIMPLEX MESUE.

℞. Succi Cydoniorum medii ſaporis depurati libras duodecim.
Coquantur ad medietatem: tum adde
Vini albi veteris libras quinque.
Coquantur lento igne, crebro deſpumando, ad tertiæ partis conſumptionem: poſtquam reſederit, cola & adde
Sacchari libras tres.
Coquantur demum ad juſtam conſiſtentiam.

A*Dverſus alvi profluvia efficax, ventriculum & cætera viſcera firmat, ac vomitionem prohibet.*

ANIMADVERSIONES.

QUæ de *vino veteri* nunc dicenda eſſent, quàm perperam illud confectionibus, ſive illæ ſimplices ſint, ſive aromaticæ, à quibus denuò per evaporationem idipſum propellere neceſſum eſt, addatur, jam ad nauſeam uſque ſuperiùs in *Animadverſionibus* ſuper *Iulepum de vino* dicta ſunt; Præſtat igitur *Mivam hanc Cydoniorum* tali modo conficere:

℞. *Succi Cydoniorum per reſidentiam depurati* ℔ *xij*,
Muſti vini recentis clari ℔ *v*,
Coquantur lento igne ad remanentiam ℔ *iv* circiter, adde tandem
Sacchari albi ℔ *iij*,
Et ad conſiſtentiam Mivæ percoque.

Nota: Si quis loco *muſti vini*, tantum adhuc vellet addere *ſucci Cydoniorum recentis*, ipſi non repugnarem.

MIVA CYDONIORUM AROMATICA NICOLAI.

℞. Succi Cydoniorum acidorum libras viginti,
Vini albi potentis veteris libras decem,
Sacchari aut mellis optimi deſpumati libras ſex.

Coquantur ad perfectionem: poſtea impone ſequentia aromata in ſindone ligata,
Cinamomi electi,
Cardamomi majoris ana drachmas tres,
Caryophyllorum drachmas duas,
Zingiberis,
Maſtiches,
Ligni aloës,
Macis ana drachmam unam ſemis,
Croci drachmas duas.

Omnia, excepto Croco, parum terantur; & nodulo ligata ſuſpendantur, identidem confricando in ipſo medicamento, donec craſſeſcat: deinde ſublatum ab igne, aromatiza cum
Moſchi ſcrupulo uno,
Trochiſcorum Galliæ Moſchatæ veræ drachmis duabus.
Fiat, ut eſt artis.

VEntriculum frigidum & humidum, & à pituitoſis humoribus laxum conſtringit: ob id diarrhœam inde cauſatam refrenat, præcipuè verò lienteriam cohibet, concoctricis facultatis vires plurimum auget, omnemque ventriculi vim frigore ſopitam cauſeſtat, ac ſtomachi exolutiones avertit.

ANIMADVERSIONES.

QVod de *vino veteri* in præcedenti *Miva Cydoniorum ſimplici* innuimus, etiam huc trahatur; Poſſemus etiam de *aromatibus*, quæ demum ad perfectionem *decoctæ Mivæ*, in ſindone ligata, imponi iniſtè jubentur, plura verba facere; aſt ne multi ſimus, cùm jam in præcedentibus errorem hunc excuſſerimus, ad ipſam *Mivæ* hujus dexteriorem præparationem recta progrediamur; quæ talis;

℞. *Succi*

℞. *Succi Cydoniorum recentis* ℔ *xx*,
Muſti vini recentis ℔ *vj*,

Coquantur vel inſpiſſentur per ſe ad conſiſtentiam *Miva* vel *Syrupi craſſioris*; Jam verò

℞. *Aromata ſupradicta in compoſitione*;

Quibus craſſiuſcule incisis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperaffunde

Vini albi potentis veteris ℔ *iiij*,

Et deſtilla in arena vel M. B. apposito capitello, ad remanentiam *duarum librarum*, roſtro capitelli imponendo

Moſchum & *Galliam Moſchatam*,

ut in deſtillatione *odor* & *eſſentia* eorum ab *aqua ſpirituoſa* prodeunte, eliciatur. Hanc *aquam fragrantiſſimam aromaticam* ſeorſim aſſerva: Remanentes in fundo cucurbitæ ſpecies prælo ſubjice, *expreſſum* clarifica, & cum

Sacchari albi vel clarificati ℔ *vj*,

ad conſiſtentiam *Tabulati* percoque.

Tandem illi junge

Succum Cydoniorum unà cum muſto inſpiſſatum & ſuperius aſſervatum,

Nec non

Aquam illam perquam fragrantem, ac ſummè ſpirituoſam, a ſpeciebus aromaticis deſtillatione abſtractam,

tumque ſolâ diſſolutione para *Mivam Cydoniorum aromaticam regiam & praſtantiſſimam*.

Nota: Quod *muſtum vino veteri*, ſi coctioni ſubmittendum aut inſpiſſandum ſit, præferam, non ſine prægnanti ratione fit, cùm inſignis inter illa ſit differentia! Nam *illud immaturum eſt vinum*, & inſtar *ſucci cujuſdam fructus*, deſtillationi commiſſum, *aquam veluti elementarem* præbet *inſipidam*, remanente *ſucco reſiduo inſpiſſato, guſtui grato, ac virtutibus ventriculum roborantibus & modicè adſtringentibus prædito*: *Hoc* verò *maturum eſt*, *fermentatum*, & levi caloris pulſu aut leniſſimo igne deſtillatum *ſpiritum* emittit *ardentem*, & quidem imprimis, remanente in reſiduo, *phlegmate nauſeabundo, ingrato*, ventriculum invertente, & non niſi porcis ſaginandis ferculum conducibile,

DIACARYON, SEU ROB NUCUM GALENI ET MESUE.

℞. Succi corticum viridium Juglandium diebus canicularibus extracti libras quatuor,
Mellis libras duas.
Coquantur, ut eſt artis.

 Sto-

STomaticum eſt medicamentum, admodum efficax ad oris phlegmonas & ſynanchas, deſtillationes tenues in fauces, & alias præfocantes, pueris, mulieribus, naturiſque humidis magnoperè commedatum. Meſue ex Galeno lib. 6. κτ̃ τόπȣς capite 2. *phlegmonarum initiis adſtringentium aliquid vult miſcendum, ut Roſas, Balauſtia: in ſtatu, Crocum, & Myrrham: in declinatione, Nitrum, Salem. Ammoniacum, & ſimilia.*

DIAMORON SIMPLEX

GALENI.

℞. Succi Mororum domeſticorum libras quinque.
Mellis ſibiam unam.

Clarificetur primum ſuccus: deinde cum melle coquatur ad juſtam conſiſtentiam.

PHlegmonarum principiis ſalubre: cujus vires augentur additis repellentibus, & adſtringentibus; qualia ſunt Alumen, Omphacium, Rhus, Roſa, Balauſtia, Malicorium, Cytinus, Galla immatura, Hypociſtidis aut Lentiſci ſuccus.

DIAMORON COMPOSITVM

EJUSDEM.

Præparetur ut priùs jam modò deſcriptum, addendo prædictis,
Myrrhæ,
Croci ana drachmam unam ſemis,
Omphacii ſeu Agreſtæ unciam unam.

Coquatur Omphacium cum ſucco Mororum & Melle. Myrrha verò & Crocus ſub finem adjiciantur, cùm ſcilicet ab igne remotum fuerit medicamentum.

PHlegmonis ad ſtatum provectis, quibus concoquentia & digerentia medicamenta adhibere convenit, maximè prodeſt; etenim privatim concoctoria inflammationum vi præditum eſt.

DIAMORON USITATUM

NICOLAI.

℞. Succi Mororum Batinorum, id eſt, Rubi, libram unam,
Mororum Celſi libram ſemis,
Mellis libram unam,
Sapæ uncias tres.

Succos Mororum priùs depuratos, cum melle & ſapa in vaſe lapideo ſuaviter decoque: coctum percola & ſerva.

Digitized by Google

Ad faucium ardores, ſerpentia oris ulcera, gulæ, columellæ, & tonſillarum inflammationes, anginaque principia efficax exſiſtit, eſtque ejus uſus præ cæteris celeberrimus.

Mora Celſa, ſeu Domeſtica, Noſtris Maulbeer dicuntur. Mora verò ſylveſtria, ſunt Mora rubi Bati, quæ Brombeer & Himbeer vulgari idiomate appellantur.

ROB DE AGRESTA.

℞. Omphacii, ſeu Agreſtæ libras duas,
Sacchari optimi libram unam.
Coque ad ſpiſſitudinem mellis.

Refrigerat & adſtringit, unde fluxus malignos ac colliquantes coërcet, ſitim ſedat, bilioſos ructus compeſcit, & contagioſis morbis opitulatur.

ROB DE BERBERIS SIMPLEX.

℞. Succi de Berberis libras tres, vel quantum volueris.
Coquantur per ſe ad ſpiſſitudinem mellis.

ROB DE BERBERIS COMPOSITUM.

℞. Succi de Berberis depurati libras duas,
Sacchari optimi libram unam.
Coquantur ut eſt artis.

Utrumque valenter refrigerat, ac præter adſtrictionem nonnihil incidentis facultatis habet, bilem ventriculo infeſtam reprimit, inde enata ventris profluvia ſiſtit, & ſitim inexpletam pacat: febribus ob id bilioſis, ac tertianis opportunum.

Compoſitum cum Syrupi ſuperiùs traditi deſcriptione concordat, præterquam quòd Syrupus plus ſacchari admittit: eſt tamen apud nos Rob magis in uſu quàm Syrupus.

ROB CERASORUM SIMPLEX.

Paratur eodem modo, quo proximè antecedens Rob de Berberis ſimplex.

Fervores internos extinguit, ſitim ſedat, cor roborat, ejuſdemque calores præternaturales ſuaviter temperat.

ROB DE CORNIS.

℞. Succi Pulpæ Cornorum libras duas,

Sacchari libram unam.
Coquantur ſecundum artem.

POtenter adſtringit; unde in fluxibus ventris, dyſenteria, lienteria, & cœliaca utiliter exhibetur.

ROB CYDONIORUM.

℞. Succi Cydoniorum artificioſè depurati libras ſex.
Coque ad duarum partium abſumptionem, ſeu ad mellis ſpiſſitudinem.

EIus multiplex uſus eſſe ſolet in diarrhœa biliosa, dyſenteria, alvi profluviis à calidis & acribus humoribus concitatis, vomitiones & ſtomachi ſubverſiones extendat: choleræ morbo medetur, inteſtinorum hæmorrhagiam cohibet, venenatis morbis adverſatur, & ſudores, potiſſimùm tamen in adultis ac ætate provectis, promovet.

NOtandum, ut probè ſuccus depuretur, eundem priùs calefieri, deinde verò ut reſideat, reponi debere. Quod ubi factum, tum demum lento igne coquendus. Adhibenda porrò ſunt vaſa ad ſuccos hos acidos figulina vitreata, vel omninò lapidea, prout ſupra in Prolegomenis monuimus.

ROB CYNOSBATI.

Fit, ut Rob de Cornis ex caliculis Roſarum ſylveſtrium, qui poſt florum defluvium circa finem autumni, vel medio autumno, pulcherrimo rubore matureſcunt.

USurpatur Rob prædictum ex Cynorrhodo Barbari, qui aliis Cynosbatus dicitur, ad renum calculos atterendos, & arenulas eorundem expurgandas, hæmorrhagias etiam uteri, renum ac veſicæ cohibendas: dyſentericis quoque auxilio eſt.

ROB EBVLINVM.

℞. Succi Granorum Ebuli libram unam.
Inſpiſſetur per ſe lento igne, additâ librâ ſemis ſacchari.

BIlem, pituitam, aquasque modestè detrahit, ſudores movet, ac ob prædicta hydropicos adjuvat: leucophlegmatiæ medetur; & podagricis procurato ab ejus ſumptione ſudore benefacit.

ROB JVNIPERINVM.

Eodem modo quo priùs parari conſuevit.

FRigidis ventriculi, uteri, ac inteſtinorum malis magnoperè prodeſt; urinas, menſes, calculosque ejicit, renes & veſicam à mu-

coſitate

coſitate repurgat; flatus ventris diſcutit, venena pellit, ob id plebi adverſus aëris infectionem, & contagioſos morbos antidotum familiare exiſtit, ac pectus à crudo, craſſo, & tenacius infarcto phlegmate expurgat.

ROB PRUNORUM SYLVESTRIUM.

Fit ex pulpa Prunorum ſylveſtrium, ſeu ex fructu ſpinoſi fruticis Acaciæ.

Dyſenteriam, diarrhœam, ac ventris profluvia, præſertim verò ſeroſa & bilioſa potenter adſtringendo retardat, ac retentricem cùm ventriculi, tùm inteſtinorum facultatem confirmat.

ROB DE RIBES UTRUMQUE,

Paratur utrumque, ut Rob de Berberis.

Non intelligimus hoc loco Ribes e Syria montanis allatum, ſed noſtrum. Ad refrigerandum, adſtringendum, & ventriculum, cæteraque viſcera fervoris intemperie diſſoluta recreanda, & confirmanda proficuum, ſitim reſtinguit, partim eam quæ ex ventriculo concalefacto, tùm eam quæ ex cordis omniumque partium intemperie ſicca & calida orta eſt, calorem febrilem mitigat, ventriculum firmat, vomitum bilioſum reprimit, felleas alvi excretiones ſiſtit, cholera medicatur, hæmorrhagiam curat, cardiacis ſuccurrit, peſtilente cælo efficax, undique nata exanthemata ſanat, ac ebrietati reſiſtit.

ROB SAMBUCINUM,

Fit ut Ebulinum.

Ebulino viribus affine eſt, etenim ictericos & hydropicos juvat, ſudoresque potenter prolicit, ac ſerum acre, nec non bilioſi ichoris abundantiam, & eryſipelata ante ſudorem ſumptum ejicit.

ROB VERONICÆ.

℞. Succi Veronicæ libras duas,
Sacchari libram unam.
Fiat Rob.

Utiliter pulmoniacis ac phthiſicis lingendum porrigitur, ſed & urinarios meatus expurgat, renumque calculos atterit, ſanguinem mundificat, ſudores prolicit, & malignis peſtilentibusque febribus adverſatur; datur ſanguinem ſcreantibus, ab alto lapſis, qui vaſis alicujus interni rupturam paſſi ſunt.

ANIMADVERSIONES
In Diacaryon ſeu Rob Nucum Galeni & Meſue, & reliqua ſubſequentia omnia ex ſuccis paranda, exceptis Rob de Cornis, Cynosbati & Iuniperino.

Parentur juxta modos præſcriptos, ſimplici nimirùm *coctione*; Ex ſimilibus enim *ſuccis recentibus fructuum*, vix *ſpirituoſi* quidpiam ſed potius *humiditas* quædam *elementaris* in coctura exhalat.

ANIMADVERSIONES
In Rob de Cornu, Cynosbati, & Iuniperinum.

Haud benè præcipiunt ex *ſuccis* prædictorum *fructuum* enumerata *Rob* conficienda eſſe, cùm nemo *iſtâ* unquam ex *ſuccis* paraverit, aut parare potuerit; Etenim *fructus* illi *ſuccos* non præbent, ſed neceſſum eſt, ut *affuſâ aquâ* aliquandiu coquantur, donec molleſcant, *pulpaſque* vel *decocta craſſa* ſuppeditent, quæ per ſetaceum vel linteum cogenda & trajicienda ſunt; ex quibus tandem inſpiſſatis, & ab humiditate ſuperflua mediante evaporatione liberatis, *Rob* confici poſſunt, cum, vel ſine additione *Sacchari*, prout cuivis libuerit.

De *Rob juniperino* autem ut ſingulariter aliquid addam, moneamque, operæ precium duxi, ne id quod toties inculcavimus, hîc prætereamus. *Grana Iuniperi*, utpotè ex planta vel arbuſcula calida & ſulphurea oriunda, *oleum* præbent efficaciſſimum, ad plurimos, cùm internos, tùm externos humani corporis affectus, maximè proficuum; *Id* inquam, in coctura illa diuturnâ, quam *grana* hæc deſiderant, ſi ex illis *Rob* vel *Pulpam* conficere lubido fuerit, totaliter exſpirat, & in auras evaneſcit, reddetur proinde *Rob* inodorum & inefficax, utpotè virtutibus potioribus *granorum* dictorum diuturnâ coctura deperditis. Cui tamen errori mederi poterimus, ſi jam perfectè cocto & parato *Rob*, aliquantillum *olei* ex iiſdem *baccis juniperinis* deſtillati addamus, maximè ubi tempore peſtis eo uti voluerimus. Fiat autem priùs ex *oleo prædicto*, & *ſaccharo albo pulveriſato* mixtura, quam *Elaoſaccharum* vocant, eamque tandem dicto *Rob* optimè admiſce. Quantitas verò *olei* pro diverſitate affectuum augeri & imminui poteſt; communiter tamen ʒ j ß, vel ʒ ij *olei*, ad ℔ j *Rob*, ſufficient.

MEDI-

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS II.

Continens

SYRUPOS PURGANTES.

SYRUPUS FLORUM ACACIÆ.

Paratur ex multiplici infuſione Florum, ad normam Syrupi roſati laxativi ſimplicis.

Syrupi roſati vires æmulatur: ichores enim ſanguini admixtos, tenueque ſerum leniter expurgat, ac blandè alvum ſubducit.

ANIMADVERSIONES.

Commodiſſimè parari poterit ad normam *Syrupi roſati ſimplicis* præcedentis; Videantur tamen *Animadverſiones* noſtræ ſubſequentes ſuper *Syrupum roſatum ſolutivum ſimplicem.*

SYRUPUS DE CARTHAMO.

℞. Adianthi albi,
Hyſſopi,
Thymi,
Origani,
Chamædryos,
Chamæpityos,
Scolopendrii,
Buglosſi ana manip. ſemis,
Cuſcutæ,
Veſicariæ, ſeu Halicacabi ana unciam ſemis,
Rad. Angelicæ,
Glycyrrhizæ,
Fœniculi,
Aſparagi ana unciam unam,
Polypodii quercini unciam unam ſemis,

Cor-

Corticum Tamariſci unciam ſemis,
Sem. Aniſi,
Fœniculi,
Ammeos,
Dauci ana unciam unam,
Carthami leviter contuſi uncias quatuor,
Uvarum paſſarum exoſſatarum uncias duas.

Decoque in aquâ ad tertias; poſtea colentur, ac colaturæ calenti infunde

Foliorum Senæ repurgatæ unciam unam ſemis,
Agarici Trochiſcati unciam ſemis,
Rhabarbari electi drachmas ſex,
Zingiberis drachmam unam.

Macerentur per noctem, ac ſequenti die poſt validam expreſſionem colentur: poſtmodum adde

Sacchari albiſſimi libram unam,
Syrupi Violati ſolutivi,
Roſati ſolutivi,
Acetoſi ſimplicis ana uncias duas.

Coquantur iterum modicè ad juſtam conſiſtentiam.

Febribus inveteratis, quotidianis, quartanis, & obſtructionibus viſcerum ex humoribus craſſis, ac pituitâ enatis opitulatur: incidit extenuat, aperit, nec non pituitoſos & ſeroſos humores leniter per alvum educit, ac extergit.

SYrupus hic de Carthamo, vel Diacnicu dictus, deſcribitur ab Andernaco Comment. 2. de vet. & nov. Medicinâ Dialog. 7. in cujus ſtructurâ Noribergenſes Thymum ac Polypodium omittunt, ac ſeminis Aniſi, Fœniculi, Ammeos, & Dauci, unciam tantum dimidiam legunt, cùm auctor unciam adſcribat. Vide Editionem Andernaci Baſilienſem Anni 1571.

ANIMADVERSIONES.

QUod inconcinniter, ac ſine omni ratione ſæpènumero plures, quàm neceſſe eſſet, nonnunquam etiam ſibi invicem repugnantes ſpecies, ſaltem ut pompoſas & magnificas efficiant ſuas medicaminum compoſitiones, Medici cùm priſci, tùm moderni, corradant & conſarcinent, de eo jam ſuperiùs ſatis querelarum fuit, quas libentes nunc demùm mitteremus, niſi denuò mox ſub ipſo auſpicio *hujus Claſſis ſecundæ ſyruporum purgantium* ſimiles, imò majores, pluresque ſeſe nobis obviam ſiſterent errores, quos non aliter poſſumus, quàm ut ſub incudem rectæ rationis & judicii aliquantum revocemus, eosque pro virili diluamus. Inter illos autem non minimi ſunt,

ſunt, qui in *ſyrupo hoc de Carthamo dicto*, ſeſe offerunt, mox mox ventilandi. Nimirum apud Philoſophos ſaniores ratum eſt & firmum, quod *omne recipiens recipiat ſaltem ad modum ſuæ receptivitatis, non ad imprimentis*. Hoc ipſum, (ut alia exempla taceam) ſatis manifeſtum eſt & evidens in *Extractionibus Hermeticis*, fientibus beneficio alicujus *liquoris*, quod *Menſtruum Spagirici* appellant. Nam ſi *liquor aliquis* ſive *menſtruum*, rei cuipiam extrahendæ infundatur, ac cum eo ſatis diu digeratur, nunquam plus extrahet vel recipiet, quàm quantum continere poteſt. Exemplo ſit *ſpiritus vini*, qui, ſi *eſſentiâ* vel *tincturâ* alicujus *vegetabilis* vel alterius rei *mineralis* aut *animalis* ſaturatè imbutus, recentibus ſpeciebus pro earundem eſſentia vel tinctura extrahenda ſuperaffundatur, & ſi vel menſes aliquot vel annos etiam cum adjectis ſpeciebus in digeſtione ſervetur, apparèt, quod ne tantillum quidem ampliùs in ſe receperit, quàm quod antea extraxerit, antequam illum aliis ſpeciebus affudiſti; Adeò ut ſi plus de eſſentia illarum rerum, quâ ille impregnatus eſt, deſideres, alium recentem ſpiritum illis affundas neceſſum ſit, ſecùs enim ſi operatus fueris, & oleum, quod dicitur, & operam perdes. Idem etiam in *liquoribus acidis* uſu venit, ſive *vegetabiles* illi ſint, ſive *minerales*; Nunquam enim experière hoſce *liquores*, ſi ſemel E. g. *Corallis*, affuſi, tantùm de ipſis extraxerint vel diſſolverint, quantum extrahere vel diſſolvere potuêre, ulteriùs recentibus *Corallis* vel aliis rebus ſuperaffuſos, extrahere vel elicere quicquam. Sic & *aqua ſimplex* vel *deſtillata* in *infuſionibus* & *decoctionibus* pro *ſyrupis* aut aliis ſimilibus confectionibus, *menſtruum* eſt, cujus ope vires ingredientium ſpecierum elici debent: Hoc ipſum *menſtruum* ſive *aqua*, ſpeciebus extrahendis affuſa, & cum iiſdem cocta vel digeſta tantum in ſe recipit, quantum aptè ſuſcipere & retinere poteſt, & ubi virtute ſpecierum illarum ſufficienter imbuta, iterumque aliis recentibus ſpeciebus affundatur, tum nil amplius ex iiſdem vel elicit, vel elicere poteſt, quia, uti ſuperiùs dictum, *Nihil recipit ultrà ſuum poſſe, ſive modum ſuæ receptivitatis*. Ex dictis jam quilibet facile colligere poteſt, quid quantumque *aqua illa*, cum tanta *ſyrupi* (quem nunc præ manibus habemus) ingredientium farragine, ad tertias decocta, ac ſatis ſuperque virtutibus eorundem imbuta poſſit, reaffuſa aliis recentibus *ſpeciebus purgantibus*, pro *vi cathartica* eorundem extrahenda, unde poſtea *ſyrupus* virtutem & efficaciam *purgandi* ſortiatur: Certè meo judicio vel parùm admodum, vel prorſus nihil. Alter non minùs craſſus error, qui *ſyrupi* hujus confectionem defœdat, eſt, quòd *radicum*, *herbarum*, *ac ſeminum plurimorum ingredientium partes ſubtiliores odorifera & aromatica* in diuturna *coctione* penitùs expirent & dependantur, nec de iis quicquam *ſyrupo* accedat. Reliquos quoad *purgantia* & plurima alia *ingredientia* commiſſos errores lubens taceo, cùm mei inſti-

inſtituti non ſit, compoſitiones traditas in totum evertere, ſed ſaltem veram & genuinam earundem præparandi rationem demonſtrare, quàm & mox hîc ſubjungam, quaque benè intellectâ, præparationes etiam reliquorum cuivis faciliùs innoteſcent.

℞. *Species pro decocto primo, ſuperiùs denominatas,*

Quibus inciſis & contuſis nec non cucurbitæ vitreæ immiſſis, ſuperaffunde

Aqua fontana ℔ *v.*

Deſtillentur appoſito Capitello ad remanentiam trium librarum circiter, *aquâ deſtillatâ interim aſſervatâ:* Species in Alembico relictæ exprimantur, & *expreſſus liquor albumine ovorum clarificetur.* Tum,

℞. *Species purgantes pro ſecundâ infuſione ſuperiùs quoque indigitatas.*

Quibus inciſis, craſſiuſculè ſuperaffunde *decoctum ſuperiùs clarificatum*, ſtentque in infuſione per diem, coquantur poſtea parùm & exprimantur; *Relictis ſpeciebus purgantibus*, affunde *aquam ſuperiùs à primo decocto deſtillatam*, & ut antea digere, ac tandem exprime. *Binas haſce colaturas conjunctas, & albumine ovorum clarificatas*, addita *ſacchari* ℔ *j*, in *ſyrupi* conſiſtentiam percoque; Cui demùm adjungantur *ſyrupi*; utpote,

Syr. Violarum ſolutivus,
Roſatus ſolutivus, &
Acetoſus ſimplex.

Equidem impoſſibile eſt, quin in tantâ ingredientium farragine, & horum reſpectu, tam diminutâ quantitate *ſacchari*, virtutum nonnullarum rerum fiat deperditio; Nihilominus tamen hic *ſyrupus*, ſi noſtro modo præparetur, longe majorem habebit *vim purgandi*, ob duplicem *infuſionem* & *extractionem ſpecierum purgantium*, factam: primò, cum *decocto clarificato*, quod in clarificatione tenuius evaſit, conſequenter etiam aptius magiſque diſpoſitum ad extrahendas *purgantium vires*, quam alioquin craſſum nec clarificatum *decoctum:* Et ſecundò, cùm *aqua deſtillata* propria, utpotè quæ tenuis admodum & præſtantiſſima, virtutes *purgantium* relictas, egregiè elicere poteſt. Si mihi tamen res committeretur, ſi non omnes *ſpecies primæ decoctionis* omitterem, & ſola *aqua ſimplic. ſ. q. purgantes ſpecies* extraherem, ad minimum *odorifera* & *balſamica* arcerem, & loco horum, eorundem *olea deſtillata*, beneficio *ſacchari pulveriſati* in *Elæoſaccharum* redacta. *ſyrupo* ultimo odoris & ſuavitatis gratiâ adderem. Poſſem nec non alios modos præparandi, & quidem paulò artificioſioris adducere, ne tanta rerum ingredientium fieret jactura, ſed ob dictarum ingredientium diverſitatem, intricatiſſimi eſſent, qui vix a quibuſdam Pharmacopœis percipi poſſent, idcircò quan-

quantum poſſibile fuit, ſimplicitati ſtudui, ne habeant quod conquerantur Pharmacopœi, de laborioſâ conficiendi ratione.

Syrupus de Cichorio Cum Rhabarbaro Nicolai Florentini.

℞. Endiviæ domeſticæ,
Sylveſtris ana manipulos duos ſemis,
Cichorii,
Taraxaci ana manipulos duos,
Cicerbitæ, ſeu Sonchi levis,
Hepaticæ, ſeu Lichenis,
Lactucæ domeſticæ,
Fumiterræ,
Lupulorum ana manipulum unum,
Hordei integri uncias duas,
Capillorum Veneris uncias duas, & drachmas duas,
Veſicariæ, ſeu Halicacabi,
Glycyrrhizæ,
Ceterach,
Cuſcutæ ana drachmas ſex.
Adianthi vulgaris, ſeu Rutæ murariæ,
Rad. Fœniculi,
Apii,
Aſparagi ana uncias duas.

Decoquantur in aquæ libris triginta, ad medietatis conſumptionem: deinde cum ſacchari albi clarificati libris decem, fiat ſyrupus. Pro cujus decocti unaquaque libra inter coquendum adjiciantur,

Rhabarbari optimi uncia ſemis,
Spicæ ſcrupuli duo.

Ligato hæc in linteolum rarum, & exprime in decocto, bulliendo parum priuſquam ſaccharum adjiciatur: deinde in percocto ſyrupo ſuſpendantur.

Uſurpatur ad jecoris intemperiem calidam, obſtructionem, fellis ſuffuſionem, ſeu icterum, ſplenicis & melancholicis confert, cachexiam, & viſcerum impuritatem, omnemque materiam venenatam ſolvit, nutritionis inſtrumenta firmat, humoreſque vitioſos per urinam & ſeceſſum educit, peculiariter verò epilepticis ſubvenit, maximè pueris: quem in hoc caſu mirificè commendabat Montanus, *imò aſſerebat* Nicolaum *eundem ad epilepſiam propulſandam compoſuiſſe.*

IN hoc Syrupo, etiam in prioribus Editionibus, conſultò omiſſum fuit, Polytrichum cum Scariolâ: Endiviæ porrò & Capillorum Veneris quantitas non ſine ratione adaucta. Et quoniam Epaticus verè eſt, Rhabarbari etiam doſin augere, ejusque pro unaquaque decocti (non ſacchari ut in prioribus) librâ unciam ſemis ſumere conſultum judicavimus: retinentes interea Spicæ eandem: quòd in majori ſumpta (ut *Petrus Coudenb.* rectè monet) & ſapore & odore Syrupus magis ingratus redderetur. Si qui fortè Rhabarbari doſin adhuc augendam cenſent, prout ex *Nicolai Præpoſiti* ſententia in quibuſdam locis fieri legimus, nec nos quidem improbamus; pro noſtro tamen uſu, hanc quantitatem, plurium aliorum authoritate nixi elegimus. Vide *Renod.* Deſcribitur à *Nicolao Florentino*, *Sermone* 5. *de obſtruct. hepatis.*

SYrupum hunc præparandi magna eſt apud pleroſque diſparitas. Nobis hic modus probatur, ut hordeum cum radicibus & herbis aridis horis viginti quatuor in dicta aqua quantitate infundatur, deinde ſimul omnia decoquantur ad medias. De hoc decocto transcolato portio aliqua reſervetur, quanta ſufficere videbitur, in qua Rhabarbari optimi minutim inciſi unciæ ſeptem ſemis, & ſpicæ drachmæ duæ & ſcrupuli duo, horis ad minimum duodecim infundi poſſint: quæ poſtmodum ſimul bulliant, ac leniter exprimantur, atque hæc ipſa unà cum ſuo hoc liquore priori jam ferè ſufficienter in ſyrupum cocto addita, in perfectum ſyrupum inſpiſſentur, Spicam & Rhabarbarum panniculo illigata, in ſyrupo in poſterum demerſa retinendo, atque ſic Rhabarbari & Spicæ vires ſyrupo facultatem ſuam tradunt, cujus vis ſola in ſyrupum ſuſpenſione poſt additum ſaccharum alioquin vix animadverteretur.

ANIMADVERSIONES.

MUltæ quidem *Animadverſiones*, huic *ſyrupo* adjectæ ſunt, parum autem ad rem facientes, ex quibus tamen ultimam, quæ *Rhabarbarum* in *decocto transcolato* coquere jubet, præ reliquis amplecterer, ſi nodum tangeret, ſed & ipſa manca eſt & mutila: Proinde omnium optimum erit, *ſyrupum* hunc conficere ad modum præcedentis *de Carthamo*, præmiſſa non quidem deſtillatione, ſed duntaxat clarificatione *decocti*, antequam *Rhabarbarum* cum *Spica-nardi* eidem extrahenda committantur: Quod ipſum *decoctum* ſtudiosè defæcatum, *Rhabarbaro* pro meliori ejus extractione, bis affundi, ac denuò colatum & clarificatum cum *ſaccharo*, ad debitam *ſyrupi* conſiſtentiam, percoqui poterit.

SYRU-

SYRUPUS DIASEREOS
Andernaci.

℞. Intybi Latifolii, ſeu Endiviæ,
Cichorii ana manip. tres,
Adianthi albi, ſeu Rutæ Murariæ,
Nigri, ſeu Capillorum Veneris,
Agrimoniæ,
Scolopendrii, ſeu Ceterach,
Lupuli,
Fumariæ ana manipulum ſemis,
Granorum Halicacabi,
Cuſcutæ ana drachmas tres,
Rad. Apii,
Fœniculi,
Aſparagi ana unciam ſemis,
Polypodii quercini unciam unam,
Glycyrrhizæ drachmas ſex,
Sem. Cnici unciam unam ſemis,
Quatuor frigid. majorum ana drachmas duas,
Hordei non excorticati pugillos duos,
Sem. Endiviæ,
Cichorii ana drachmam unam ſemis,
Uvarum Paſſarum unciam unam,
Pruna Damaſcena numero viginti,
Florum Borraginis,
Bugloſſi,
Violarum ana pugillum unum,
Myrobalanorum Citrinorum,
Chebulorum ana unciam ſemis.

Omnia in aqua ad tertias decoquantur, & in hujus decocti ritè colati librâ & ſemiſſe, macerentur ſeorſim per noctem.

Rhabarbari electi unciæ duæ ſemis,
Agarici trochiſcati uncia,
Foliorum Senæ uncia una ſemis,
Zingiberis,
Cinamomi ana drachma.

Expreſſis, colatiſque iterum adde
Sacchari optimi libram,
Syrupi roſati ſolutivi uncias tres.

Mixta omnia rurſus modicè coquantur ad juſtam ſpiſſitudinem.

Ad viſcerum obſtructiones, febres & alia inde provenientia mala efficax, auriginoſos, felle ſuffuſos, cachecticos, hydropicosque

coſque plurimùm adjuvat: renes etiam emungit, ac corpori bonum colorum conciliat.

Cum ſeris medicamenti hujus baſis exiſtat, nimis autem pa: nobis viſa fuerit Intybi & Cichorii quantitas, idcirco earundem herbarum portionem triplicandam cenſuimus, ut ſyrupus evadat efficacior. Deſcribitur ab *Andernaco Comment. 2. Dialogo 7. de vet & novâ Medicinâ.*

ANIMADVERSIONES.

S*Yrupi* hujus præſcripta præpa[illegible]io plures involvit diffic[illegible] Ita quæ tamen maximam partem [illegible]eniunt, ratione exiguæ qua[illegible]tatis *aqua*, tàm ingenti ſpecieru[illegible] [illegible]gredienti[illegible] [illegible]piæ deputatæ, utpotè quâ illæ vix ſufficienter humectari, nedum decoqui, multò minus competenti modo extrahi qu[illegible]t. Hinc adeò fit, ut parùm efficax hic *ſyrupus* in Pharmacopoliis proſtet, quantumvis ipſi Pharmacopœi ſaniores, tàm exiguâ quantitate *aqua*, pro decoquenda tantâ farragine ſpecierum, pro majori parte inutilium, contenti non ſint; nihilominùs tamen nec hi totaliter rem ex debito peragunt: Etenim ſi benè & ex arte hic *ſyrupus* confectus ſit, *unica ejus uncia* integrum conſtituet *Pharmacum*, & in ſe continebit vires *duorum ſcrupulorum ac granorum tredecim rhabarbari; Scrupuli unius agarici trochiſcati, & drachma dimidia foliorum Sena*; taceo, quam inſuper à *ſyrupo roſato ſolutivo* mutuaretur *virtutem laxativam.* Reliquos errores prægrandes non minus, qui circa præſcriptum *ſyrupi* hujus conficiendi modum occurrunt, brevitatis cauſa omitto, genuinam ejus præparationem annectens, quæ tum inſtitui poterit in modum *ſyrupi de Carthamo*, nimirùm deſtillando *decoctum*, priuſquàm illud extrahendis ſpeciebus purgantibus affundatur, (eò enim melius earundem fiet extractio,) vel ſi huic labori parcere animus eſſet, poterit fieri ejuſdem præparatio modo ſequenti: Nimirum

℞. *Species ſupradictas primi decocti,*

Quas inciſas & contuſas, coque in *aqua ſimplicis* ℔ *x*, ad tertiæ partis conſumptionem, ſive remanentiam circiter *librarum ſex*, factâque colaturâ & expreſſione; *decoctum* expreſſum *albumine ovorum* optimè clarificetur. Tùm

℞. *Species ſubſequentes purgantes craſſiuſculè inciſas,*

Quibus affunde *decocti ſuperioris clarificati* ℔ *iij*; ſtent per aliquot horas in digeſtione loco calido, & poſt unam vel alteram ebullitionem fiat, cum expreſſione leni, colatura; *remanentibus ſpeciebus catharticis reſidua tres libra decocti ſuperioris clarificati* affundantur, & iterum poſt digeſtionem aliquot horarum, ac unam vel alteram ebullitionem, lenis inſtituatur expreſſio Tandem etiam ne quidquam virtutis catharticæ *ſpeciebus purgantibus* remaneat, adhuc ſemel iiſdem ſuper-

ſuperaffundantur *aquæ ſimplicis* ℔ ij, reiteratâ ut antea poſt unam vel alteram ebullitionem colatura & expreſſione; Has *extractiones* & *decoctiones* omnes conjunctas, *albumine ovorum* denuò clarifica: Clarificatas cum *ſacchari deſtinato pondere* ad debitam conſiſtentiam *ſyrupi* percoque, cui poſtremò *ſyrupum roſatum ſolutivum* admiſce-re, ſicque uſui reſervare poteris.

SYRUPUS DOMESTICUS,

Seu, De Spina Infectoria, Quam vulgus Spina à Cervinam vocat.

℞. B[illegible]arum fruticis [illegible]ius, quem Spinam Cervinam vocant, circa finem Septembris aut Octobris, initio collectarum quantitatem ſuffic[illegible]entem:

Co[illegible]undantur in pila lapideâ deinde exprimendo colentur: Succus expreſſus coquatur lento igne, donec quarta pars abſumatur, atque iterum coletur.

℞. Hujus colari libras duas,
Sacchari uncias ſedecim.

Coquantur ſimul, donec ſyrupi benè cocti, conſiſtentiam acquirant, adjiciendo in fine,

Aniſi,
Maſtiches ana ℥ iij,
Zingiberis,
Cinamomi,
Caryophyllorum ana drachmam unam ſemis.
Fiat Syrupus.

S*Yrupus Domeſticus ſic dictus, quòd familiariter eo uti poſſimus, bilem, pituitam, & ſeroſos maximè humores purgat; unde ejus uſus præcipuus in cachexiâ, hydrope, ac arthritide. Conſule de eo* Reinerium Solenandrum in Conſiliis.

BAccas ſemicontuſas quatuor diebus in fictili vitreato macerari per ſe in loco calido permittito, & efficacior ſuccus reddetur. Cujus libras duas cum ſacchari vel mellis libra una ſemis decoquunt ad ſyrupi ſpiſſitudinem: demùm linteolo rariore colato addunt Cinamomi, Zingiberis ana unciam ſemis, Caryophyllorum drachmas duas, fiat Syrupus. Hunc ita *Matthiolus, in Dioſcorid. præpar. lib.* 1. *cap.* 102, *de Rhamis*.

Caveant Pharmacopæi, ne pro Cerviſpina baccis ſimilitudine forſan decepti, Alaterni baccas accipiant.

ANIMADVERSIONES.

UNicum in *Syrupi* hujus aſſignata præparatione mihi diſplicet, quòd nimirum perfecto & ad debitam ſuam conſiſtentiam co-cto *ſyrupo*, *ſpecies illæ aromaticæ*, quarum in compoſitione præſcripta, fit mentio, quæque non ſolùm palato gratum & amabilem *ſyrupum* reddere, ſed inſuper etiam eundem (uti quidem exiſtimant) corrigere debent, quò minus ventriculo noxam aliquam inferat, ſub finem demum addantur; nam uti ſuperiùs aliquoties [illegible]ſtravimus, *ſyrupi* jam confecti, tù[illegible] ſuam craſſitiem, tùm e[illegible]n quod jam ante virtutibus ſpecierum [illegible]nibus compoſiti, ſufficien[illegible] imbuti ſint, ad extrahendas quarum[illegible]ue rerum eſſ[illegible]as inepti ac inhabiles ſunt; Quam ob cauſam, diù [illegible]um cogita[illegible] quâ viâ, quâque ratione, hic & ſimiles *ſyrupi purga[illegible]s*, parari poſſent, ut viribus ſpecierum ingredientium, præſertim *aromatum*, quæ illis [illegible] præcipiuntur, ob ſaporis ſaltem & odoris gratiam, penitus imbuerentur, nec iiſdem (uti communiter fit) tantoperè ſpoliarentur; Aſt vix modum hactenus invenire potui, qui votum meum omnimodè explêret, cum tanta ſæpenumero in quamplurimis cùm *ſyrupis*, tùm aliis compoſitionibus, ingredientium non raró inter ſe repugnantium, farrago adſit, ut ſi unum integrè conſervare ſtudeamus, alterum vel inviti eamus perditum. Nec parum ad hoc facit, exigua illa, multoties *ſyrupis* deſtinata *ſacchari* quantitas, quæ parcam etiam exigit liquoris additionem. Hiſce tamen non obſtantibus, adjiciam duos modos, ad quorum imitationem, & huic, de quo nobis nunc ſermo eſt, & aliis conſimilibus *ſyrupis*, *vis aromatica* ingredientium, commodè imprimi poſſit. Quorum primus & quidem facillimus eſt, quemque jam ſuperiùs aliquoties indigitavi, ut *ſpecierum aromaticarum olea deſtillata* (quæ ſunt veluti eſſentiæ illarum) quantitate convenienti & proportionatâ (utpote ad hunc *ſyrupum olei Aniſi* ℈ ß, *olei Maſtichis* ℈ j, *olei Zinziberis & Cinamomi ana gr. v*, *olei Garyophyllorum* ℈ ß) *ſaccharo pulveriſato* exactè commiſceantur, ac inde *Elæoſaccharum* conficiatur, quod demùm *ſyrupo* jam confecto addi poterit: Alter verò modus hic eſt;

℞. *Succi ex gr. Spinæ Cervinæ colati* ℔ ij, ℥ *viij*,

Quæ vel mediante deſtillatione vel coctione, abſtrahantur ad remanentiam ℥ *xj circiter*, quibus junge *aromata*, ſive illa quæ ſub finem compoſitionis, vel quæ in Animadverſionibus ſecundum mentem *Matthioli* in *Dioſcoridem* notata ſunt, ac omnia cucurbitæ vitreæ immiſſa, appoſito capitello, in M. B. deſtilla vel abſtrahe ad dimidias circiter. Reſiduum in fundo cucurbitæ *liquorem* per colaturam à *ſpeciebus aromaticis* ſeparatum, parùm clarifica, & liquori ab eo deſtillato, id eſt, *aqua aromatica* prolect[illegible] denuò junge, additiſque eandem

dem

dem *ſacchari* ℥ *xvj*, unâ vel alterâ ebullitione, aut ſolâ ejuſdem diſſolutione, redige in *ſyrupum* juſtæ conſiſtentiæ.

SYRUPUS EMETICUS

Angeli Salae.

℞. Vitri Antimonii ſubtiliſſimè pulveriſati unciam unam,
Cinamomi electi,
Zedoariæ ana drachmas duas,
Santali rubri unciam ſemis,
Croci Orientalis drachmam ſemis,
Aceti roſati uncias viginti,
Seminis Angelicæ drachmas duas.

Infundantur omnia in Balneo Mariæ per viginti quatuor horas; poſtea balneo refrigerato colentur diligentiſſime, & filtrentur per chartam bibulam: deinde tantum ſacchari, cum aqua roſarum ſolvatur, quantum eſt pondus prædicti liquoris; Coquatur deinque ſaccharum ad conſiſtentiam Tabularum manus Chriſti, & cum prædicto liquore miſceatur.

Fiat Syrupus ſecundum artem.

Vomitorium hoc medicamentum non tantùm vitioſos humores ventriculi evacuat, ſed & ejuſdem tunicis impactos educit; ex aliis etiam partibus peccantem materiam revellit; hinc non ſolum ipſis ventriculi vitiis prodeſt, ſed etiam febribus intermittentibus, aliiſque morbis chronicis conducit.

ANIMADVERSIONES.

Erroribus quibus præcedentes *ſyrupi* ferè ad unum omnes ſcatent, neque hic, de quo nunc agimus *ſyrupus Emeticus*, exemptus eſt, quin plures inſuper continet difficultates, nimiopere ejuſdem laudes deturpantes. Etenim primò male & inutiliter inſtituitur *vitri antimonii* (quod ejuſdem baſis eſt) correctio; adjectione *ſpecierum aromaticarum*, utpotè quæ nullo modo directe vim ejus *emeticam* infringere, ſed ſolummodo ventriculum roborare valent, quò minus ille adeo violenter ab eodem *vitro antimonii* afficiatur, ac quaſi firmior reddatur, ejuſdem conamini reſiſtendo: Quinimo dum hoc agunt, & naturæ & medicamenti operantis conatum invertunt. Etenim ſi *ſyrupus hic emeticus*, qui eam ob cauſam inventus eſt, ut per vomitum vitioſos humores, tum ex ventriculo ipſo, tum etiam partibus adjacentibus evacuet & educat, operationes ſuas, ſcilicet per *ἔμετον* exercere debet, cur tantopere id ſtudent, ut *virtutem ejus emeticam*, partim beneficio *aceti*, partim (uti illi putant) adjectione *aromatum* infringant? Atque ita ab una parte ſtimulum naturæ addant, ad expulſionem noxæ, ab altera verò compedibus

quaſi reſtrictam teneant, eique remoram faciant, quo minus etiam id, quod illi ipſi intendunt, expellere queat, ſicque naturam in ſuis operibus interturbent, faciantque ambiguam? Næ, ſi quis ventriculum intenderet roborare, longè conſultiùs foret id facere, poſteaquam ille ſaburrâ humoris excrementitii exoneratus eſſet, quàm in illo ipſo actu, dum eâdem ſaburrâ gravatum ipſum alleviare ſtudet; Sed mittamus hæc, & unicuique hac de re liberum relinquamus arbitrium; Hoc ſaltem in præſens aſſero & jubeo, ſi quis verè Antimonii vim infringere velit, *aromatum* adjectione id non tenter [illegible] ope ſolius *Nitri* correctionem ejus inſti[illegible]t. Alterum quod heic moneam eſt, quod ex anatica proportion[illegible] *quoris* & *ſacchari*, ſine coctione, (ut illi indigitant) ſyrupus co[illegible]i nequeat; pro[illegible]de neceſſum erit, ut adhuc aliqua portio liquoris [illegible]oquendo ex[illegible], hoc autem ſi fiet, multum de *eſſentia aromatu[illegible]*, correctionis gratiâ *ſyrupo* huic additorum exhalabit; quo minus autem hoc c[illegible]ngat, ſuaſor ſum, ut *ſyrupi hujus aromatiſatio* (ſi neceſſariò fieri debeat) inſtituatur juxtà modum primum, in præcedentis *Syrupi Animadverſionibus* edoctum, *Elæoſaccharis ex oleis ingredientium aromatum* confectis, ſic enim ipſorum *eſſentia ſyrupo* integrè communicabitur.

SYRUPUS DE EPITHYMO

MESUE.

℞. Epithymi uncias duas ſemis,
Myrobalanorum Citrinorum,
Indorum ana drachmas quindecim,
Cuſcutæ,
Fumiterræ ana drachmas decem,
Thymi,
Bugloſſi,
Calaminthæ,
Myrobalanorum Emblicorum,
Bellìricorum,
Glycyrrhizæ,
Polypodii,
Agarici,
Stœchad. ana drach. ſex,
Roſarum,
Fœniculi,
Aniſi ana drachmas duas ſemis,
Prunorum numero viginti,
Paſſularum enucleatarum uncias quatuor,
Tamarindorum uncias duas ſemis,

Aquæ

Aquæ libras decem.

Bulliant ſecundum artem: Colaturæ adde

Sacchari libras quatuor,

Sapæ libras duas.

Coquantur ſecundum artem.

EO utimur in humoribus & affectibus pituitoſis, ac melancholicis à bile aduſta & atra. Occulta vulnera, fiſtuloſa & ſinuoſa curat: fœdam corporis ſcabiem & nigram, capitis areas & impetiginem emendat; pſoram, lepram, cancrum, elephantiam, morbum item Gallicum depellit.

ANIMADVERSIONES.

HIc *Syrupus* in *claſſe ſyruporum purgantium* reponi, vix meretur, eò, quòd pauciſſimæ *ſpecies purgantes* ipſius compoſitionem ingrediantur, unde tùm exigua etiam *vis cathartica* in eundem redundabit; Quod reliquas illius virtutes attinet, in tam ingenti morborum enumeratorum agmine profligando, nimirum *Pſora, Lepra, Cancro, Elephantiaſi* curandis, &c. (quibus morbis afflicti alioquin deſperatæ ſalutis à Medicis cenſentur) de iis valdè dubito, nec ullâ ratione animum meum inducere poſſum, ut credam, à tam inconcinnè conſarcinato *ſyrupo*, tantas virtutes proficiſci poſſe: Quin faciliùs eò adducor, ut pro commento habeam, quicquid tùm de ipſo, tùm de aliis conſimilibus abſque ratione & ordine, conflatis compoſitionibus adeò ſpecioſè effutiunt. Certè tyro nuper Medicinæ ſacris initiatus, ſummæ inſcitiæ & ignorantiæ argui poſſet, ſi ita ἀμεθόδως huic ſimilem aliquam efformaret compoſitionem, utpotè in quâ *Purgantia, Corroborantia, Cephalica, Cardiaca, Epatica, &c. radices, herbæ, flores, fructus, ſemina*, ac omnia quæ ſaltem in buccam venêre, nullo ſervato ordine, nec ullâ etiam ratione, mixtim conglomerantur. Sed hiſce poſt liminio poſitis, redeamus ad propoſitum, tradituri magis concinnam hujus *Syrupi* præparationem, quæ tùm commodiſſimè fieri poterit, in modum alterius cujuſdam *Syrupi* alterantis, utpotè *Syrupi de Abſinthio*, vel *de Betonica ſimplicis*, admiſcendo *Sapam*, ubi demum perfecta coctio peracta fuerit.

SYRUPUS DE FUMARIA

Compositus Mesue.

℞, Myrobalanorum Citrinorum,

Chebulorum ana drach. viginti,

Florum Borraginis,

Bugloſſi,

Violarum,

Abſinthii,
Cuſcutæ ana unciam unam,
Glycyrrhizæ,
Roſarum ana drachmas quatuor,
Epithymi,
Polypodii ana drachmas ſeptem,
Pruna numero centum,
Paſſularum enucleatarum libram ſemis,
Tamarindorum,
Pulpæ Caſſiæ ana uncias duas,
Aquæ fontis libras decem.

Omnia præter Caſſiam & Tamarindos lento igne ſecundum artem coquantur, & colentur; ac in colatura adhuc calente diſſolvantur Caſſia & Tamarindi:

Deinde verò adde
Succi Fumiterræ depurati,
Sacchari albi ana libras tres.

Rurſum coquantur in formam Syrupi.

Purgatorius eſt, à tribus unciis ad quinque vel ſex ſumptus: educit pituitam ſalſam, & bilem utramque uſtam; nec non liberatis obſtructionibus; febres putridas ab his humoribus enatas curat, ventriculum & hepar roborat, humores ſalſos & aduſtos propellit, pſoram, lepram, ſcabiem, impetiginem, ac exanthemata delet, icterum utramque propulſat, utuntur eo quidam in morbo Gallico.

ANIMADVERSIONES.

Eandem hic *Syrupus* cum priore redolet proſapiam, iiſdemque nævis defœdatus eſt, nec ſanè meretur, ut in correctione ejuſdem operam noſtram occupemus: Riſu nimirum & exploſione dignus eſt potiùs, quàm ſeveriori examine. Quis enim Pharmacopœus ex *decoctis craſsis aliquot libris, additis Pulpa Caſsia & Tamarindorum ana unciis duabus, & ſucci Fumiterræ*, nec non *ſacchari ana libris tribus*, elegantem unquam confecerit *ſyrupum*?

SYRUPUS DE FLORIBUS PERSICORUM.

℞. Florum Perſicorum recentium libram unam.

Macerentur horis duodecim in libris tribus aquæ calentis, expreſſo poſtmodum & colato liquori parem florum recentium quantitatem infundendo, idque quater, aut quinquies iteretur. Poſtremæ dehinc colaturæ accipe libras tres,

Sacchari albi libras duas ſemis.

Fiat ſecundum artem Syrupus.

A*Quas & bilem educit, vermes enecat, ac meſenterium infarctu liberans, ſeroſos humores per alvum exturbat.*

Propter defectum florum apud nos parari nequit.

ANIMADVERSIONES.

HIc *Syrupus* ſimpliciter ſaltem, modo præſcripto, confici poterit, nec prolixiori *Animadverſione* indiget.

SYRUPUS DE POLYPODIO.

℞. Polypodii quercini [illegible] unciam unam.

[illegible], ſi recens haberi pote[illegible] incidatur; ſin minus, craſſiuſculè contundatur. [illegible]ndaturque [illegible] viginti quatuor, in libris duodecim aquæ fontanæ. deinde bu[illegible] ad conſumptionem medietatis, ac in fine adde

[illegible]lami aromatici unciam unam,
Sem. Fœniculi drachmas tres.

Iterum leniter bulliant, ac decocto huic colato adde

Muchari, vel infuſionis roſarum ſolutivæ libram unam ſemis,
Succi Borraginis,
Fumariæ,
Lupuli ana uncias ſex.

In his ſuccis & liquoribus coque

Myrobalanorum Citrinorum,
Chebulorum,
Indorum ana unciam unam ſemis,
Paſſularum minorum uncias tres.

Bulliant ſimul ad conſumptionem tertiæ partis, in fine addendo
[illegible]æ Orientalis uncias ſex.

Poſtmodum exprimantur, & colentur, ac colatura cum ſacchari libris tribus coquatur in ſyrupum.

A*Trabilarios humores potiſſimum evocat, ac lienis vitiis opitulatur, unde ſplenetitis & arquato correptis auxilio eſt; ſanguinem depurat, ac atram bilem & adustos humores prolicit, cutemque à ſcabie fœdam eluit.*

ANIMADVERSIONES.

IN *Syrupi hujus compoſitione* acumen ſui judicii author oſtentare conatur, dum tot frequentes ac reiteratas *infuſiones & decoctiones, ſpeciebus ingredientibus*, pro meliori earundem extractione, deſtinat; Quæ tamen ridiculæ [illegible] potiùs, quàm quòd ſingularem aliquam ſapiant ἀκρίβειαν; Etenim quàm ineptum ſit, *decoctis craſſis*, recentibus ſpeciebus reaffuſis, novam rerum moliri extractionē, ex ſuperiori-

rioribus *Syruporum de Carthamo* & *Diaſereos*, aliorumque *Animadverſionibus*, uti ſpero ſuperabundanter patebit. Quam præpoſterè etiam parumque perſpectè *ſem. Fœniculi*, & *Calamus aromaticus* ſub finem primæ *decoctionis Polypodii* addantur, ea nimirum intentione, ut vis earundem aromatica integra ſervetur, exinde eluceſcit, quòd in ſequentibus tribus adhuc diverſis coctionibus, ubi *ſeptem libræ aquoſitatis*, antequam *ſyrupus* perfectam ſuam nanciſcatur conſiſtentiam, exhalare debent, illa nihilominus deperdatur. Sed ne longior ſim in erroribus, quoad *ſyrupi* hujus præparandi modum commiſſis, ventilandis, aggrediar aliam ejus præparationem, quæ talis;

℞. *Polypodii quercini* ℔ j,
Myrobalani Citrinorum,
Chebulorum,
Indorum ana ℥ j ß.
Paſſular. minorum ℥ iij.

Inciſa & contuſa immittantur cucurbitæ, quibus ſuperaffundantur
Aquæ melissæ ℔ vj,
Succi Borraginis,
Fumariæ,
Lupuli ana ℥ viij.

Deſtillenturque appoſito capitello, ad remanentiam *librarum duarum* circiter, *aqua* deſtillata interim ſervatâ: Relictæ in cucurbita *ſpecies* exprimantur; *expreſſum* albumine ovi optimè clarificetur, & ad coctionem *ſyrupi* ſigillatim etiam aſſervetur. Poſtea

℞. *Foliorum Senæ* ℥ vj,

Quæ conſciſſa craſſiuſculè infundantur cum ſuperiùs deſtillatæ *aquæ* parte primùm dimidiâ, & poſt aliqualem digeſtionem, unamque vel alteram ebullitionem, fiat colatura & expreſſio: Relictis *foliis Senæ* reſidua *aqua deſtillata* affundatur, & poſt brevem peractam digeſtionem & coctionem, mediante colaturâ & expreſſione *folia Senæ* viribus omnibus penitùs exhauſta ſegregentur; Colaturæ expreſſæ, *tincturâ & eſſentia foliorum Senæ* impragnatæ, omnes ſimul confuſæ & conjunctæ, addito *albumine ovi* clarificentur, quibus adde *decoctum* ſuperiùs à deſtillatione aſſervatum & pariter clarificatum; nec non

Mucbari roſarum ℔ j ß,
fiatque, additis etiam
Sacchari albi librir tribus,
per coctionem Syrupus; qui demùm
Elæoſacchar. Fœniculi, &
Calami aromat.
ad libitum & ſaporis gratiam aromatizetur.

Si quis tamen ſimpliciori modo ſine deſtillatione perficiendo, contentus eſſe velit, is coquat ſaltem *ſpecies* prædictas, deſtillationi ſuperiùs deſtinatas, & *decoctum* earundem optimè albumine ovorum priùs depuratum, *foliis Senæ* extrahendis affundat, reiteratâ eâdem extractione *aquâ ſimplici* ultimò affusâ, prout in *Syrupo diaſereos* etiam edocuimus, ac tandem ex conjunctis depuratis & clarificatis colaturis, addito *mucharo roſarum* & *ſaccharo*, conficiat *ſyrupum*.

SYRUPUS E POMIS REGIS
SAPOR MESUÆ.

℞. Succi Pomorum dulcium,
Borraginis,
Bugloſſi ana libram unam ſemis,
Folliculorum Senæ uncias duas,
Croci drachmam unam.

Sena contrita horis viginti quatuor in ſuccis maceretur, ac ſemel aut bis fervefiat, & coletur: expreſſum cum ſacchari libris duabus percoquatur in Syrupum. Crocus panno lineo ligatus, inter coquendum infricetur.

H*Ic Syrupus Medorum Regi* Sapor, *à quo captus eſt* Valerianus *Imperator, attribuitur, &* Meſue *adſcribitur. Eo utimur ad omnes affectus melancholicos; maniam, melancholiam, cordis etiam robur plurimùm auget.*

ANIMADVERSIONES.

S*Yrupi* hujus præparatio fiat mediante binâ infuſione & coctione *foliorum Senæ*, cum *ſuccis depuratis*, adjecto etiam *Croco*; Demùm poſt iteratam clarificationem, addito *ſaccharo*, in *vaſe fictili vitreato* vel *ferreo*, percoquatur *ſyrupus* ad debitam conſiſtentiam.

SYRUPUS DE RHABARBARO SOLUTIVUS.

℞. Rhabarbari optimi,
Foliorum Senæ ana uncias duas ſemis,
Florum Violarum manipulum unum,
Cinamomi drachmam unam ſemis,
Zingiberis drachmam ſemis,
Aquarum Betonicæ,
Cichorii,
Bugloſſi ana libram unam,

Fiat

Fiat omnium infuſio per noctem: manè ebullitione & expreſſione facta, colaturæ libræ duæ decoquantur in ſyrupum cum ſacchari albi unciis ſedecim. Adde

Syrupi roſati ſolutivi compoſiti uncias quatuor.

Citra moleſtiam in pueris & delicatulis alvum ſubducit, utramque bilem deturbans, ac pituitam quoque leniter evacuans.

ANIMADVERSIONES.

Quo ſimpliciori modo traduntur *ſyruporum* aliarumque compoſitionum præparationes, eò plurimus ſcatent erroribus, quod in præſenti *ſyrupo* luculenter videre eſt; Igitur pauca duntaxat quoad ejus præparandi modum immutare voluimus. Conſultum autem arbitramur, ut *aquæ*, infuſioni & decoctioni dicatæ, quantitas, paulùm augeatur, quò ſic tota *vis purgatrix ſpecierum catharticarum, Rhabarbari* ſcilicet, & *foliorum Senæ*, repetitis tamen vicibus, eò melius & perfectius extrahi poſſit. Neque etiam pro *extractione ſpecierum, aquis illis deſtillatis* opus eſt, cùm quicquid in ſe continent ſpirituoſi & efficacis, ſub coctura & inſpiſſatione *ſyrupi*, penitùs exhalet; poſſumus igitur ſumptibus parcere, ſubſtituendo illis *aquam pluvialem* vel *fontanam*: *Aromatiſatio* tandem, *ſyrupo* jam perfectè cocto, paucis guttulis *oleorum deſtillatorum, Cinamomi & Zinziberis ſacchara* inſtillatis, commodè peragi poteſt.

SYRUPUS ROSATUS SOLUTIVUS SIMPLEX, Sive MUCHARUM.

℞. Foliorum Roſarum Damaſcen. recentium libras quinquaginta quinque.

Macerentur horis viginti quatuor, in libris ducentis aquæ claræ ferventiſſimæ, in vaſe terreo vitreato, ſtricti oris & benè coöperto. Poſtea facta expreſſione, aqua rurſus calefiat, non tamen ad ebullitionem uſque, & in ea roſarum viridium libræ quinquaginta totidem horis infundantur: expreſſione rurſus factâ, eidem aquæ recalefactæ, libræ quadraginta quinque roſarum tamdiu infundantur, & leniter exprimantur. Abhinc libræ quadraginta eodem modo infundantur ac exprimantur. Tum quoque libræ triginta quinque eodem ordine, rurſus triginta, poſt viginti quinque, demum viginti, ut tandem eidem aquæ libræ trecentæ foliorum roſarum recentium infuſæ ſint. His peractis, infuſionem cola; ſine, ut reſideat quoad clareſcat. Poſtremò adde ſacchari albi libras quinquaginta, & in ſyrupum percoque.

Meſue duas tantùm fieri jubet roſarum infuſiones, ſed præſtiterit feciſſe plures. Quidam eundem paulò aliter præparant: nam

nam aqua libris triginta duabus vigeſies infundunt ſex roſarum libras: demum additis colato ſacchari libris duodecim, percoquunt in ſyrupum. Nos quia inæquali interdum pondere eundem paramus, formulam hanc adjicere voluimus:

Aquæ libras,	100. Integra deſcriptio.
Medietas,	100. Medietas.
Tertia pars,	66. & uncias octo.
Quarta pars,	50.
Medietas quartæ partis,	25.

1. Infuſio roſarum, lib.
- 55.
- 27. ſemis.
- 18. & uncias 4.
- 13. & uncias 9.
- 6. & uncias 10. ſemis.

2. Infuſio roſarum, lib.
- 50.
- 25.
- 16. & uncias 8.
- 12. ſemis.
- 6. & uncias [illegible].

3. Infuſio,
- 45.
- 22. ſemis.
- 15.
- 11. & uncias 3.
- 5. & uncias 7. ſemis.

4. Infuſio,
- 40.
- 20.
- 13. & uncias 4.
- 10.
- 5.

5. Infuſio,
- 35.
- 17. ſemis.
- 11. & uncias 8.
- 8. & uncias 9.
- 4. & uncias 4. ſemis.

6. Infuſio,
- 30.
- 15.
- 10.
- 7. ſemis.
- 3. & uncias 9.

7. In-

7. Infuſio,	25.
	12. ſemis.
	8. & uncias 4.
	6. & uncias 3.
	3. & unciam unam ſemis.
8. Infuſio,	20.
	10.
	6. & uncias 3.
	5.
	2 ſemis.
Sacchari libras,	50
	25
	16. & uncias 9.
	12. ſemis.
	6. & uncias 3.

Syrupus is in uſu creberrimus eſt ad ventriculi incendium, & igneum calorem febrilem, ſitimque inexpletam ſedandam, febribus peſtilentibus præſtantiſſimus, quòd putredini, venenis & aëris vitio, ſubamara & aromaticâ ſuâ qualitate reſiſtat, viſcera nimio calore diſſoluta refrigerando roborat, & ad temperiem reducit, febrium inſomniam levat, ac modicè alvum ſubducit.

ANIMADVERSIONES.

S*Yrupum* hunc juxtà modum præſcriptum, ſatis commodè parari poſſe, non imus inficias, licet laborum & ſumptuum, inſigne compendium fieri poſſet; Sufficeret nimirum ter quatervé ſaltem cum ſ. quantitate & proportionatâ *roſarum* recentium *infuſionem* inſtituere, quod idem præſtaret, ac ſi octies vel novies eadem *infuſio* reïteraretur, ſemel enim ad ſufficientiam aliarum rerum virtutibus imbuta *aqua*, ulteriori extractioni ampliùs inſervire nequit, ob cauſam ſæpiùs in ſuperioribus allegatam. Neque efficacior evaderet *ſyrupus*, ſi ad normam & methodum ſciolorum, quorundam, in Animadverſionibus ipſorum locatam, conficeretur, qui nimirum *centum & viginti libras roſarum vigeſies, cum aqua libris triginta duabus* infundere, & demùm additis *ſacchari libris duodecim in ſyrupum* percoquere jubent, cum ingenti ſanè *Roſarum* profuſione, cùm longè majori compendio, ex multo minori *Roſarum* quantitate, *vim catharticam* ſufficienter elicere & æquè bene acquirere queamus. Quòd ſi verò quis, non adeò *Roſarum vim purgantem* intendat, ſed potiùs reïteratis tot infuſionibus, cum tanta recentium *Roſarum* mole peragendis, vim refrigerantem intenſiorem extorquere nitatur, is certò longè à propoſito ſuo aberrat; quò frequentiùs enim *Roſæ* infunduntur vel *infuſioni* immergantur, eò majori ama-

amaritudine inquinatior *infuſio: Amaritudo* autem non frigoris, ſed caloris ſoboles; ergo illa tantoperè non refrigerabit: Taceo quòd in praxi medica non ſemel obſervatum ſit, calores febriles à propinato hoc *ſyrupo roſarum ſolutivo*, tam frequentibus infuſionibus parato, non tantum non diminutos & refractos, ſed etiam intenſiores redditos eſſe, & ex *ſimplici tertiana intermittente, duplicem factam*, ac in ſatis longum tempus, cum inſigni ægrotantium vitæ diſcrimine protractam fuiſſe; Verùm mittamus hæc, ne litem hanc noſtram faciamus, quin aliis relinquamus, i *purgantia* omnia calida ſeverè pronunciant. Noſtri ſaltem inſ iti propriè eſt, errores quoad præparandi modum indigitare, de liquis alii ſint ſolliciti. Quantum ad ſuavitatem & odoris fragr iam, illa vix ac ne vix quidem, juxtà modum communem præſcriptum, in hoc *ſyrupo* conſervari poterit, neque etiam tantopere eff gitatur.

tiam hic placuit, quod *roſæ* à tot infuſionibus relictæ, fermentationi committendæ ſint, ex quibus poſtea *roſarum ſpiritus* per deſtillationem elici poterit.

SYRVPVS ROSATVS SOLVTIVUS COMPOSITUS HELLEBORATUS MONTANI.

℞. Corticum Myrobalanorum omnium ana uncias quatuor.

Contundantur craſsè & fricentur manibus oleo Amygdalarum dulcium: deinde infundantur in libris duodecim infuſionis roſarum ſuprà ſcriptæ, per horas viginti quatuor; addendo

Foliorum Senæ,
Epithymi,
Polypodii ana uncias ſex,
Seminum Citri,
Glycyrrhizæ ana uncias quatuor,
Caryophyllorum unciam unam,
Corticum rad. Hellebori nigri veri præparati drachmas ſex.

Decoquantur omnia ſimul lento igne, ad quartæ partis conſumptionem: adde poſtea

Sacchari clarificati libras quinque,
Rhabarbari electi in nodulo ligati drach. ſedecim.
Fiat Syrupus ſecundum artem.

Utebatur eo Montanus, *Medicus Patavinus clariſſimus, in affectibus melancholicis, lue Gallica, pſora, leprâ, impetigine, lichenibus, cancro, elephantiâ, & aliis.*

Rhabarbarum ſeorſim coquendum, ut in Syru. de Cichor. compoſito.

ANI-

ANIMADVERSIONES.

PRimum, quod in *ſyrupi* hujus compoſitione & præparatione ſcrupulum movet, eſt, quòd *cortices Myrobalanorum oleo Amygdalarum dulcium* fricari jubeantur; aſt in quem finem, me ignorare ingenuè profiteor; Poſtquam tamen diu mecum meditatus ſum, inveni tandem, quòd cum triturando *Myrobalana pulverem* dent facilè avolantem, uti *fructus alii ſicci non oleaginoſi*, uſus autem obtinuerit, ut ejuſmodi res ſiccæ, in Officinis, ſi triturentur, guttulis aliquot *olei Amygdalarum dulcium* conſpergantur, ne pulveris ſubtiliſſimi, quem *Alcohol* appellant, tantam faciant jacturam, hinc fortitan (re tamen non admodum benè intellectâ) *Myrobalana* à quibuſdam Medicis, qui ultrà modum ſibi ſapere videntur, ſi [illegible] in ſubtilem pulverem (ubi opus eſt, nonnullis guttulis *olei* inſtillandis) redigi, ſive craſſiuſculè ad decocta confringi ea debeant, *oleo amygdalarum dulcium* fricari præcipiantur; Sed me herclè malè agunt, qui decoctioni deſtinata *Myrobalana*, *oleo* affricant, etenim impedit ſaltem *oleum*, quò minùs *aqua* affuſa ſe *Myrobalanis* inſinuare, eorundemque *ſubſtantiam* penitus permeare queat. Alterum, quod correctione ſummoperè indigeret, ſæpiùs jam ventilatum eſt, nimirum quòd *Mucharum roſarum*, utpotè craſſum & per ſe ad extrahendum inefficax, nihilominus magnæ *Myrobalanorum* moli, *unciis ſcilicet viginti* extrahendis deſtinetur, antequam adhuc *purgantium* & reliquarum *ſpecierum* viribus eliciendis adaptetur, ſed quàm benè, judicet is qui mente conſtat. Tertium, riſu dignum eſt, quòd nimirum *radicum Hellebori nigri cortices* ſolummodo, non verò *integra radices, ſubtiles*, filamentis parùm craſſiores ab Authore præſcribantur, & quilibet certò ſibi perſuaſum habeat, quod ſi Author unquam ſeparationem *corticum harum radicum* tentaſſet, nunquam adeò inutilem & indignum laborem Pharmacopœis (qui clanculum ſubrident) impoſuiſſet. Plura quidem dictitat animus veritatis indagandæ cupidus, verùm, ut verba referam ad compendium, attingam ſaltem, quæ dextram *ſyrupi* præparationem concernunt, quæ tùm inſtitui poterit in modum ſequentem;

℞. *Corticum Myrobalanorum omnium ana* ℥ *iv*,
Epithymi,
Polypodii ana ℥ *vj*,
Sem. Citri,
Glycyrrhyzæ ana ℥ *iv*;
Caryophyllorum ℥ ß, *vel* ʒ *ij*.

Inciſa & contuſa craſſiuſculè immittantur in cucurbitam vitream, quibus affundantur *infuſionis roſarum defæcatæ* ℔ *xij*, locenturque in digeſtionem horis viginti quatuor: poſtea appoſito capitello,

tello,

tello, fiat deſtillatio ad remanentiam *trium librarum* circiter; Relictis in cucurbita *ſpeciebus* expreſſis abjectiſque, & colatura albumine ovorum clarificatâ, interimque aſſervatâ, Tum

℞. *Foliorum Senæ* ℥ *vj*,
Rad. Helleb. nigri ʒ *vj*,
Rhabarbari electi ℥ *ij*,

Quæ cuncta inciſa & contuſa ſuperiori *aqua*, à *ſpeciebus* & *muchar oſarum* deſtillata, binâ vel trinâ affuſione, digeſtione, coctione, & expreſſione (uti in præcedentis *ſyrupi* præparatione monuimus) extrahantur; *extractiones* prob[...] clarificatæ, tandem cum *ſuperiori colaturâ aſſervatâ*, additiſque

Sa[...]ri albi clar[...]ati ℔ *v*,

redigantur in *ſyrupum* juſtæ conſiſtentiæ, qui ultimò *Elæoſacchаro Garyophyllorum* aromatiz[...]dus eſt, in quem finem etiam *Garyophyllorum* [illegible] vel ʒ *vj*, primæ *infuſioni* detraxi.

SYRUPUS ROSATUS COMPOSITUS SINE HELLEBORO.

℞. Myrobalanorum omnium ana uncias duas.

Contundantur craſſo modo, & fricentur oleo Amygdalarum dulcium. Infundantur in libris quindecim infuſionis roſarum horis viginti quatuor: cui adde

Rad. Polypodii uncias duas ſemis,
Sem. Carthami unciam ſemis,
Sem. Aniſi,
Fœniculi ana drachmas ſex,
Fol. & folliculorum Senæ,
Epithymi ana unciam ſemis,
Corticum Citri unciam unam,
Caryophyllorum unciam ſemis,
Nucis Moſchatæ drachmas tres.

Fiat rurſus infuſio horis viginti quatuor, quibus elapſis, fortiſſima fiat expreſſio: & adde ad liquoris ſingulas libras duas,

Sacchari libram unam.
Fiat Syrupus.

Modeſtiùs quidem quàm prior purgat, nihilominus tamen bilem utramque, ac pituitam educit, viſceribus robur addens. Atque hic ſyrupus compoſitionem ſyrupi de Rhabarbaro ingreditur.

Paratur & alius quidam Syrupus roſatus cum additione radicum Cichorii, & foliorum Fumariæ, Syrupus roſatus laxativus cum Ambubeia dictus. Is ſic habet.

℞. Rad. Cichorii recentium & mundatarum libras duas,
Herb. Fumariæ recent. manip. ſex.

Infundantur horis duodecim in libris ſex Muchari perfecti, ſeu infuſionis roſarum laxativæ; poſtea colentur & exprimantur: colatura poſthinc cum ſacchari libris tribus coquatur in Syrupum, cui ad juſtam conſiſtentiam ferè percocto, in panno raro lineo immittantur ac poſt perfectam coctionem in eo pendula permaneant ſequentia utpotè

Specierum Diatrion Santal. drachma una,
Diarhodon Abb[illegible]is drachma ſemis.

Fiat Syrupus, ut artis eſt.

Utramque bilem ac ſeroſos hu[illegible]res blandè vacuat, ſalſos itidem ichores leniter educit, ac [illegible]tres emend[illegible], unde aduſtum ſanguinem corrigit, ac jecori obſtructo opitulatur; icterum, ac tertianas ſanat, & venarum meſaraicarum oppilationes expedit; D. Raymundo Minderero, *Collegæ noſtro quondam, præ [illegible], uſu familiaris ac conſuetus.*

ANIMADVERSIONES.

Quamvis & hic *ſyrupus*, æquè uti præcedens, peculiarem correctionem, & ſpeciale ingredientium examen deſideraret, nihilominùs tamen brevitati ſtudens, ejus præparationem perito Pharmacopœo commendare volui, qui ipſam ad normam *ſyrupi* præcedentis inſtituat, & *aromatum* quàm maximam habeat rationem, quorum *Elaoſacchara* vel ſub finem confectionis addere, vel juxtà modum in *Animadverſionibus Syrupi de Spina Cervina* indigitatum, fragrantiam & virtutem *ſpecierum aromaticarum*, eidem conciliare poterit.

Sequens *Syrupus cum radicibus Cichorii de Ambubeia dictus*, ſimiliter præparari poteſt in modum præcedentium, deſtillando primùm *infuſionem roſarum* ad remanentiam *duarum librarum*, poſtea *aquâ à Muchara roſarum* per deſtillationem abſtractâ, *radices Cichorii, herbam fumariam, & ſpecies reliquas* (ceu minus odoratas) ope digeſtionis, coctionis & expreſſionis penitùs extrahendo, & tandem omnibus conjunctis ac unitis, & albumine ovorum priùs clarificatis, additâ *ſacchari* ſ. q. ipſum ad debitam conſiſtentiam percoquendo.

SYRUPUS ROSATUS SOLUTIVUS QUERCETANI.

℞. Succi roſarum pallidarum recenter expreſſi libras ſex; in quibus infunde roſarum pallidarum mediocriter contuſarum libras tres.

Stent

Stent in Balneo Mariæ tepido, per viginti quatuor horas, deinde exprimantur: & ſic reiterentur infuſiones, cum libris tribus roſarum novarum, duodecies; quibus abſolutis, ultima expreſſio reponatur in uno vel pluribus vitris ad digerendum in Balneo Mariæ viginti quatuor horis, uſque dum in fundo vaſis appareat ſedimentum, quod tamdiu clareſiat, donec nullæ ampliùs fæces conſpiciantur:

℞. Hujus ſucci ſummè depurati, à quo humiditas mercurialis aliqua ex parte ſit abſtracta uncias ſedecim,
Sacchari albiſſimi uncias quatuor.
Fiat ſecundum artem Syrupus.

Eiuſdem cum communi ſyrupo roſarum ſolutivo facultatis, niſi quòd hic, ut exquiſitiùs præparatus, ita in minori doſi validioribus viribus præditus iis qui ſunt delicatioris naturæ, commodiùs exhibetur.

ANIMADVERSIONES.

Hic *Syrupus* præ antecedenti *Syrupo roſarum ſolutivo* nihil peculiare habet, quin iiſdem, nec minoribus, nec majoribus pollet virtutibus, eademque ſibi vendicat attributa. Proindè operæ precium non eſt, ut vel in encomiis ipſius deprædicandis, vel erroribus in ejuſdem præparatione commiſſis refutandis diu nos moremur, progrediamur ad alia.

SYRVPVS SPLENETICVS
D. D. DAVIDIS VERBEZII.

℞. Succi Pomorum redolentium libram unam,
Meliſſæ uncias quatuor,
Limonum uncias tres,
Spiritus Vitrioli ab omni phlegmate depurati ſcrupulos duos ſemis,
Foliorum Senæ repurgatorum uncias duas,
Polypodii quercini unciam unam,
Ellebori nigri præparati drachmas tres ſemis,
Corticum Capparum,
Tamariſci ana unciam ſemis,
Foliorum Citrariæ,
Ceterach ana manipulum unum,
Florum Cordialium ana pugillos duos,
Seminum Viticis,
Ocimi Caryophyllati,
Citri ana drachmas duas ſemis,
Croci Auſtriaci ſcrupulum unum,
Cinamomi acuti unciam ſemis.

 Ma-

Macerentur in Balneo Mariæ tepido per biduum, coquantur poſtea parum, & fortiter exprimantur: Colaturæ adde ſacchari candi violacei libram unam.

Fiat ſyrupus mediocriter coctus, circa finem inſpergendo ſeorſim Cremoris Tartari in tenuiſſimum pollinem redacti drachmas tres.

IN omnibus melancholiæ ſpeciebus ſingulari proprietate ſalutaris exiſtit, humores atrabilarios lieni & venis meſaraicis impactos incidit & educit, vapores eorundem ad cerebrum delatos diſpellit.

ANIMADV[illegible]RSIONES.

HIc *ſyrupus* deſiderat paulò ac[illegible]ratiorem dexterioremque præparationem. Præprimis enim [illegible]n ſufficiunt *unc'a illa novemdecim ſuccorum*, pro ſpecierum ingredientium infuſione & extractione, neceſsûm proinde eſt, ut per[illegible]ctâ extractione primâ cum prædictis *ſuccis*, alia iteratò fiat infuſio cum *aqua ſir* [illegible] ſque omnis *virtus ſpecierum* ſit prolecta. Cæterùm cui ſingulari uiui *ſaccharum candum violatum* ab ipſo addatur, augurari nequeo, niſi fortè ut precium illius intendatur; Acceditq́, quòd prædictum *Saccharum candum violatum* ubivis obvium non ſit, ſed rarò admodum in Pharmacopoliis proſtet, ac fortè fortunâ ſaltem in iiſdem reperiatur, ſi nempe *ſyrupus violatus* diutiùs paulò aſſervetur, & aſſignata *ſacchari* quantitas in ejuſdem præparatione nonnihil aucta fuerit: Ob eandem cauſam (penuriam ſcilicet *ſacchari candi violati*) etiam ſit, ut in pauciſſimis Officinis pharmaceuticis *ſyrupus* hic parari poſſit; Præſtabit igitur loco *ſacchari candi violacei*, particulam *infuſionis Violarum* addere, eidemque ſubſtituere *ſaccharum commune album*. Quod *cremorem Tartari* concernit, ille meo judicio non perfectè demum elaborato *ſyrupo*, ſed ipſis *infuſionibus* & *decoctionibus* addendus eſſet. *Spiritum* autem *Vitrioli* quod ſpectat, ejus guttulæ aliquod extra *ſyrupi* confectionem, quoties ille à Medico præſeriberetur, ad libitum addi poſſent, prout nimirum magis vel minus ſive intenſius aut remiſſius obſtructiones viſcerum reſerare, humorumque craſſitiem incidere, eſt animus.

SYRUPUS LENITIVUS

DE TRIBUS.

℞. Foliorum Senæ Orientalium mundatorum uncias ſex,
Spiritus Vitrioli optimè rectificati drachmam unam,
Mucharì roſarum optimi ferventis libras duas.

Indantur in cucurbitam vitream, appoſito cœco alembico, & circumlitis ritè fugis, maneant infuſa in rorido balnei calore, horis viginti quatuor, factâ levi ebullitione, & fortiſſimâ expreſſione; in colatura denuò infunde ut prius

Folio-

Foliorum Senæ mundatorum uncias ſex:

Iterumque facta levi ebullitione, & forti expreſſione, infunde tertiùm minutiſſimè inciſorum

Foliorum Senæ mundatorum uncias ſex,
Rhabarbari ſelectiſſimi,
Agarici albiſſimi ana uncias duas,
Zingiberis acuti,
Caryophyllorum ana drachmas duas,
Cinamomi interioris electi drachmas tres,
Spicæ Indicæ drachma[illegible] unam:

Ubi iterum ſic ſteterint in[illegible], ebullierint leviter, & expreſſa fortiter fuerint, colentur diligen[illegible] ad uſum. Poſtea

℞. Remanentias foliorum Senæ ex infuſione ſuperiori.
Radicum Polypodii quercini,
Glycyrrhizæ ana unciam unam ſemis,
Adianthi utriuſque ana manipulum unum,
Paſſularum majorum exoſſatarum,
Minorum repurgatarum ana uncias tres,
Prun. Damaſcen. dulcium numero triginta,
Aquæ fontanæ libras quatuor ſemis.

Coquantur ſecundum artem ad remanentiam libræ unius ſemis: In ultimam ebullitionem injiciendo

Florum quatuor Cordialium ana pugillos tres,
Corticum Citri recentium drachmas duas:

Expreſſis & colatis diligentiſſimè, adde

Sacchari finiſſimi uncias ſedecim:

Et ubi jam ad conſiſtentiam cocta fuerint,

Infuſionis ex Mucharo factæ libram unam.
Fiat lege artis Syrupus.

Omnes æqualiter humores, pituitam & utramque bilem blandè evacuat, adeòque omnibus viſcerum naturalium obſtructionibus, ac inde natis febribus, tertiana & quartana pellendis, admodum ſalutaris exiſtit, qui multò jucundior & commodior futurus eſt, ſi tres vel quatuor unciæ Mannæ lege artis diſſolutæ, eidem addantur.

Hujus *Syrupi* deſcriptionem, Pannoniæ & Auſtriæ familiarem, uſuque receptam, paucis immutavit, & Pharmacopœiæ noſtræ additam voluit Clariſſimus Vir D. D. *Paulus Ieniſchius*, Collega nobis plurimùm amandus.

ANIMADVERSIONES.

Omni jure hic *Syrupus*, ſi ex ſpeciebus ipſi deputatis debitè conficeretur, inter *catharticos* propriè dictos reponendus eſſet. Etenim ſi accuratam ingredientium, & *Syrupi* ex iiſdem confecti, quan-

quantitatis computationem inſtituamus, deprehendemus, unicam unam hujus *Syrupi* continere debere vires, *ſex drachmarum foliorum Sena: Dimidia drachma, & granorum quinque Rhabarbari*, nec non *drachma dimidia & granorum quinque Agarici*, nec non inſuper habere *virtutem ſolutivam* ab addito *muchare roſarum*, ita u *uncia ejus dimidia*, uſque ad *unciam integram*, ſatis potens conſtituat *Pharmacum*. Verùm enim verò, æquè ut in aliis *Syrupis* præcedentibus, ita & in hoc, ſecundùm morem conſuetum, tot abſurd committuntur errores, ut vix ſciam cui primùm occurrendum ſ: Inprimis autem ſeſe offert idem jam [illegible]ies refutatus error, de *Muchar ro roſarum*, quod, uti jam ſuperiùs m[illegible]uimus, per ſe ſatis craſſum, & abundè *roſarum virtutibus* imbutum [illegible]lteriori infuſioni & extractioni prorſus inſervire nequit, præſertim tot ſpecierum enumeratarum, pro quarum humectatione vix ſuff[illegible]ceret *muchari* illa aſſignata quantitas, ne dum pro perfecta earundem extractione [illegible]tione; Sunt enim omnes ſpecies ſiccæ, quæ vel *ambas* facilè abſorbent *Muchari libras*, utut fortiter ope torcularis, poſt ſingulas infuſiones & ebullitiones exprimantur, quippe nihilominùs humidæ manent ſpecies, & tantùm abeſt, ut omne *Mucharum* preſſurâ ab illis extorqueri poſſit, quin ferè totum cum *ſpeciebus* illis maneat impactum. Præterea *infuſio* & levis *ebullitio*, quæ in rorido balnei calore, inque cucurbita capitello cœco munitâ, & undiquaque firmiter clauſâ, fieri debet, quàm abſurda illa ſit, quivis facilè cernit: Nec minorem abſurditatem involvit *aromatiſatio*, ſive adjectio *aromatum*, maximè ſecundæ *infuſioni* deputatorum: à quorum viribus, ſi fortè aliquid primæ *decoctioni* communicaretur, in ſecunda & tertia utique evaneſceret. Sola item *remanentia foliorum Sena*, ſuperioris *infuſionis*, cum additione nonnullorum *fructuum* & *radicum*, cur illa duntaxat, & non reliqua etiam ſecundæ & tertiæ *infuſionibus*, *Sena folia* relicta, cum *catharticis* plurimis, novâ affuſâ aquâ pariter coqui debeant, non video, cùm minùs ex his quàm ex illis de viribus extractum ſit; Sed hæc leviter ſaltem attingere, & reliqua etiam brevitatis cauſa tranſilire voluimus, progreſſum facturi ad genuinam *Syrupi* prænominati præparationem, quæ talis eſto:

℞. *Foliorum Sena* ℔ j ß,
Rhabarbari electi,
Agarici albi ana ℥ ij,
Polypodii quercini ℥ j ß,
Zinziberis ℥ ij,
Caryophyllorum ℥ j,
Spica Indica ℥ j,

Incisa & contuſa craſſiuſculè infundantur cum
Infuſionis vel Muchari roſarum libris tribus,
Aqua ſimplicis libris duabus,

Steni-

Digitized by Google

Stentque in loco calido per noctem, manè factâ ebullitione, colentur & exprimantur fortiter: Expreſſæ & relictæ *ſpecies* cum *libris tribus vel quatuor circiter aquæ ſimplicis*, iterum infundantur, & poſt digeſtionem unius diei vel noctis, factâ ebullitione exprimantur. Expreſſis *ſpeciebus* denuò, ſi libuerit, *libræ duæ aquæ ſimplicis* affundantur, digerantur, coquantur, & exprimantur: Tandem *colatura* & *expreſſiones* omnes junctim albumin. ovorum, optimè clarificentur.

Jam demùm

℞. *Reliquas craſſiores, minusque ſyrupo convenientes ſpecies, nimirum*

Glycyrrhizæ ℥ j ß

Adianthi utriusque ana M j,

Paſſularum majorum exoſſatarum,

minorum purgat. ana ℥ iij,

Prunorum Damaſcenorum N. xxx,

Florum quatuor Cordial. ana p. iij,

Quæ inciſâ coquantur in *aqua ſimplicis* quantitate ſufficienti, ad remanentiam *circiter libræ unius*, tum fiat colatura & levis expreſſio: *Expreſſum* album. ovi optimè clarificatum, ſuperiori *infuſioni* purganti jungatur, addendo

Sacchari albi clarificati ℥ xvj,

(vel etiam majorem quantitatem, ſi Medico ita viſum fuerit,) & coquendo fiat *ſyrupus*; cui denique poſt perfectam coctionem adde

Elæoſacchari Garyophyllorum,

Cinamomi,

Corticum Citri ana ſ. q.

ad odoris & ſaporis gratiam, ac inſuper etiam

Spiritus Vitrioli rect. ʒ j.

Nota, quòd *ſpiritum vitrioli* ultimò addiderimus, factum eſt pro majori præparandi commoditate; Etenim expreſſiones utplurimùm torcularibus, *decoctiones* verò in *ahenis æneis* perficiuntur, utpotè quæ facilè *ſyrupo*, acri *vitrioli ſpiritu* acuato, ſaporem aliquem æruginoſum impertire poſſent. Nihilominùs tamen hoc modo ſub finem additus *ſpiritus vitrioli* idem corrigendo præſtabit, ac ſi mox inter initia *infuſionibus* additus fuiſſet.

SYRUPUS VIOLATUS

Solutivus,

Fit ut Syrupus roſatus ſolutivus, ex iteratis Violarum recentium infuſionibus.

℞. Hujus infuſionis libras tres,
Sacchari clarificati libras duas.
Coquantur lento igne ad ſyrupi conſiſtentiam.

In febrium aſtibus biliosis & acutis morbis, viſcerum inflammationibus, ac ſiti inexplebili commendatur. Roſato validius refrigerat & humectat, unde & ſomniferus magis exiſtit, gutturis aſperitates lenit, thoracis & pectoris totiusque ventris inferioris affectibus calidis ſuccurrit, ſiccæ tuſſi medetur, ac alvum emolliendo bilis acrimoniam retundit. Alter ex Violarum ſucco Actuarii Ioſacchar exprimit, quo ad thoracis vitia, & bilis acrimoniam utimur, ut & compoſito Meſue. *Solutivus verò ſaluberrimus in febribus æſtuantibus, & biliosō incendio extinguendo.*

MEL ROSATUM LAXATIVUM.

℞. Prædictæ infuſionis multiplicis libras ſex,
Mellis libras tres.
Fiat Mel roſatum.

Eaſdem, quas Syrupus roſatus ſolutivus ſimplex minus tamen refrigerat, ſed potentius abſtergit.

MEL VIOLATVM SOLVTIVUM.

Fit eodem modo quo Roſatum ſolutivum.

Syrupo jam dicto, viribus affine eſt: inditur potiſsimum Enematibus, ubi febres cum alvi adſtrictione moleſta ſunt.

ANIMADVERSIONES

In Syrupum violatum ſolutivum, Mel roſatum laxativum, & Mel violatum ſolutivum.

Parentur juxtà modum præſcriptum in *Animadverſionibus* noſtris, ſuper *Syrupum roſatum ſolutivum*, quas Lector benevolus haud gravatim conſulere velit.

OXYMEL HELLEBORATUM
MAJUS JULIANI.

℞. Foliorum Rutæ,
Thymi,
Dictamni Cretici,
Hyſſopi,
Pulegii,
Praſii albi,
Cardui Benedicti,
Spicæ Celticæ,
Corticum Sambuci interiorum ana manipulum unum,
Calaminthæ Montanæ pugillos duos,
Sem. Aniſi,

Fœniculi,
Ocimi,
Urticæ Romanæ,
Anethi ana drachmas duas,
Rad. Angelicæ,
Althęæ,
Ari,
Scillæ præparatæ,
Turbith,
Ariſtolochiæ rotund.,
Longæ
Iridis vulgaris,
Coſti,
Polypodii ana unciam unam,
Hellebori albi,
Nigri præparat. ana drachmas tres,
Eſulæ præparatæ drachmas duas.

Infundantur triduo in libris ſeptem aceti acerrimi, & ſapæ unciis duabus in vaſe vitreato benè obturato, ad Solem vel ad fornacem; deinde in eodem vaſe, vel lapideo, decoquantur ad medias; ſub finem decoctionis ad conſumptionem aceti, adde

Agarici electi drachmas duas.

Cola, & cum mellis roſati citrati, & ſacchari ana librâ unâ, fiat Syrupus; qui ſub finem aromatiſetur cum pulveriſatis & mixtis aromatibus ſequentibus; utpote

Caryophyllorum,
Croci,
Zingiberis,
Galangæ,
Macis ana drachmâ unâ.

Medicamentum hoc Geſnero *maximoperè quondam celebratum fuit, cujus de hoc ipſo Oxymelle encomion ſubjunximus. Mirificè abſtergit, incidit, aperit, humores omnes, omniaque excrementa è corpore protrudit, omnes meatus intus foriſque reſerat. A centro ad ſuperficiem propellit manifeſtè, ita ut cutim rubificet, ſicut longiore in balneis morâ fieri conſuevit; exanthemata aut puſtulas aliquibus, alioſvé tumores excitat, qui alioqui circa interiora fortè colligerentur, quamobrē in præſervatione à peſte uſum ejus perutilem futurum non dubitaverim; ulcera habentes, vim ejus ſtatim in ipſis ulceribus penetrantem & aperientem ſentiunt. Præcipua ejus vis in epilepſia, aſthmate, & omnibus ferè morbis, à materia frigida, craſſa, tenace, à phlegmate aut melancholia, dependentibus, in capite, ventriculo, thorace, jecore, renibus, liene, utero, & articulis. Incidendi aperiendique cauſa dare ſoleo ante purgationes, ita ut dua treſvè drachmæ per ſe manè*

per tres ferè dies lambantur, vel cum exigua ſapa ad amaritudinem ejus fallendam, & aquâ hyſſopi aliâvè bibantur, vel cum aliquo decocto. Si vomitum ciere libeat, ut ubi veneni ſuſpicio eſt, dari poteſt uncia, cum dimidia Oxymelitis Scillini, & aqua tepida fontanâ, aut deſtillat o aliquo, vel decocto Agarici, cum corticibus aut ſem. Raphani, ſem. Anethi, radicibus Aſari, Malvâ, Ficubus. Movetur autem vomitus tertia ferè hora poſtquam ſumptum eſt, aliis prius, nonnullis tardius, quibuſdam & alvus ſimul movetur. Sic & arthriticis, & iſchiadicis prodeſt: menſes manifeſtè promovet, expellit etiam albos ſi diebus aliquot ſumatur, & poſtea [illegible]ntur pillula convenientes, ut de Hiera cum Agarico, & radicibus [illegible]ſari, urinam & calculos provocat, præſertim cum Syrupo convenienti datum, ut de floribus Perſicorum, ſanguinem concretum ubivis diſſipat, etiam in thorace, inſtante ſuffocationis periculo, epilepſiam non confirmatam curat, lumbricos pellit, ſitim aufert cùm aliis pleriſque, tùm hydropicis [illegible]irationem facilitat, aſthma, & orthopnœam curat, aut mitigat plerumque ſuccò potum, vel ſi lambatur per ſe, vel cum Oxymelite Scillitico, aut Lohoch ſano, aliovè. Sanguinem pellit, quibus abundat per quoſvis meatus, ut nares, vel hæmorrhoidas, vel uterum, & hac ratione, naturâ quod redundat evacuante, à venæ ſectione abſtinere poſſumus, in debilioribus præſertim, ut puerperis, cum pleuritide, aut alio morbo venæ ſectionem requirente laborant, pleuritici id lambant cum bacillo Glycyrrhizæ: admiſto Lohoch ſano, vel ſyrupo Glycyrrhizæ, aut Hyſſopino & Iulep bibant ex aqua ſaccharata cum ſyrupo Glycyrrhizæ. Frigidioribus & hyeme datur utiliter cum aqua ardente & ficu modicè toſta inciſaque, id totum accendi debet, & mox extingui, ac ſumi, vel cum vino aromatico, vel aquâ de radicibus Gentianæ deſtillata, vel alia. Cum decocto conveniente datur cachecticis, ictericis, & febribus pleriſque, potiſſimùm quartanis. Datur à drachmis duabus ad quinque vel ſex: Loco aceti vinum generoſum accipi poteſt, propter illos quos aceti ſapor, odor, aut uſus offendit. Suavius item erit, ſi autumno paretur cum muſto. Hæc omnia nos experiendo obſervavimus, plura autem Medici induſtrii ipſo uſu. Utor & frequentiſſimè, & magno cum ſucceſſu, poſſemque hiſtorias multas recitare, ſed nec vacat, nec opus eſt. Hæc *Conradus Geſnerus.*

ANIMADVERSIONES

PAnaceam, me herclè, ipſamque Divûm adjutricem manum, *Oxymel hoc Iulianum* diceres, ſi vera eſſent, quæ de immenſis ejus virtutibus, in tot tantiſque profligandis morborum monſtris plenis buccis, prædicat *Geſnerus*; Et proh! quam beati eſſent Medici, ſi talis Medicina illis ſuppeteret, quâ ſolâ & unicâ, tot conjuratos noſtræ naturæ hoſtes (quos morbos nuncupamus) promiſcuè pro-

proſternere & debellare poſſent: Nimirum Dii eſſent, & Numine pleni; Aſt facilè corruit tanta hujus medicaminis dignitas, ejusque immenſa laus oppido vileſcit, ſi intimiùs ſaltem inconcinna ejus compoſitio & præparatio conſideretur, & experientia conſulatur teſtis, quàm frequenter illud ſine ullo juvamine, nonnunquam etiam cum detrimento ægrotantium, fuerit adhibitum: Multus autem ne ſim, cum errores in ipſius compoſitione commiſſi facillimè ex prioribus [illegible]onſimilibus, malè conſarcinatis compoſitionibus à nobis ſuperius [illegible]aſtigatis, ſatis eluceſcant, idcircò abſque longiori ſermonis ſyrma[illegible], ipſam famoſi hujus *Oxy*[illegible]*llis* præparationem proponemus, vul[illegible]ari illâ quodammodo con[illegible]uniorem, & uti ſpero, efficaciorem.

℞. *Species ſupradict*[illegible] *unà cum Agarico, & pauculis, ſi libet,*
Aromatibus, in fine alioquin addendis,
(on ßâ radice Althaæ.)

Q[illegible]contuſis, vitreæque cucurbitæ immiſſis, ſuperaffundantur

Aceti deſtillati ℔ *v*,

Stent in digeſtione per diem vel noctem; poſtea per Alembicum abſtrahantur *libra tres*, & in *cucurbita reſidua ſpecies*, unà cum reſtante *liquore* fortiter exprimantur; Expreſſus autem & colatus *liquor* ſeorſim aſſervetur; *Speciebus* ab expreſſione relictis, *acetum* ſuperiori deſtillatione prolectum reaffundatur, quòd ad remanentiam *libra unius* circiter, iterum ab eiſdem deſtillando evocetur, iterumque *ſpeciebus* in fundo relictis, unà cum *reſiduo liquore*, uti ſuperiùs, expreſſis, & colaturâ ſeparatim aſſervatâ. Hæ eædem *ſpecies* expreſſæ tertiâ vice cum deſtillato *liquore* iterato irrigentur, & *libra dimidia* ſolummodo, vel *uncia ſeptem fragrantioris & ſpirituoſioris aceti* ab iiſdem abſtrahantur, ſtudioſeque aſſerventur. *Species* in fundo reſtantes, cum ſupernatante humiditate denuò fortiter exprimantur, & *expreſſum* binis illis prioribus *colaturis* jungatur, quæ junctim albumine ovî optimè clarificentur, & cum *libra una mellis* tamdiu coquantur, donec illud, debitam ſuam conſiſtentiam rurſus acquiſiverit, virtuteque *decocti ſpecierum* ingredientium parte craſſiori imprægnati, ſaturate ſit imbutum. Cui tandem affunde *liquorem illum ſpirituoſum*, ſeorſim aſſervatum, ſive *acetum ultimâ deſtillatione prolectum*, & additâ *librâ unâ ſacchari albi*, ſolâ diſſolutione confice *Syrupum* vel *Oxymel*.

MEDI-

Digitized by Google

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS III.

Continens

PHARMACA ET ELECTUARIA LENIENTIA.

A*Bſolutis binis Claſſibus ſuperioribus, quæ* Sy-ruporum alterantium, Mellium, Juleporum, Mivarum, & Rob: *Altera verò*, Syruporum purgantium *ſeriem complexa eſt*; *Nunc tertiam, quæ de* Electuariis *agit, aggrediamur*. Eſt autem Electuarium medicamentum conſiſtentiâ ſolidius, nec nimis fluidum, nec omninò ſiccum, ſed medium inter utrumque, pulmenti ferè ad inſtar, inventum tùm pro diuturniori ſpecierum conſervatione, tùm etiam ut ægrotantibus, quibus ſolidior medicamentorum forma magis arridet, proſpiceretur.

Duplex autem eſt Electuarium, *vel* ſimplex, *quale eſt, quod duntaxat ex unica re, utpotè* Caſſia, Tamarindis, Paſſulis, Prunis, &c. *conſtat, &* Pulpæ *nomine indigitatur*; *vel* compoſitum, *quod ex pluribus ſpeciebus, iiſque vel* digerentibus, purgantibus, confortantibus, Alexipharmacis, *vel aliis conſimilibus confectum eſt*.

Et quamvis Electuaria lenitiva & purgantia, *de quibus in hâc Claſſe tertiâ & quartâ agitur*; *Item* Confectiones ſolutivæ & ſolidæ, *quæ in Claſſe quintâ continentur, utplurimùm ob ſimplicem præparandi modum, tot tantiſque erroribus non ſcateant, nihilominùs tamen illis prorſus exempta non ſunt, ſuoſque aquè uti Syrupi (de quibus in præcedentibus tractatum fuit) patiuntur manes*; *Inter illa verò maximè, quæ magis compoſita ſunt, & in quibus Authores eximiam ſuam ſcientiam oſtentare, ac ſingulare ejuſdem ſpecimen edere voluerunt*; *Ea ipſa expendenda nunc in me ſuſcipiam, ſed brevioribus quàm in* Syruporum confectionibus, *utpotè quæ vix paucioribus abſolvi potuêre, factum eſt*.

FLOS, SEU PULPA CASSIÆ.

℞. Cannas, ſeu Siliquas Caſſiæ ponderoſas, & quæ concuſſæ non reſonant, aperi, & contentam in eis pulpam, ſeu medullam cum lami-

nis

nis & ſeminibus ſuis diligenter excava; exempta projice ſuper inverſum & anguſtum cribrum ex ſetis equinis contextum: cribrum deinde ſupra bullientis aquæ vaporem ponito, & averſo cochlearis convexo, medullam Caſſiæ hinc inde ducito, ut per cribrum paulatim excernatur, ac id quod excretum eſt, aut penetraverit, confeſtim ſubinde auferto, ne plus quàm deceat de aqueo vapore imbibat: idque tamdiu fac, donec quantum voles, collegeris. Præſtiterit tamen, ubi neceſſitas poſtulat, recentes ſemper Caſſiæ flores educere, cùm diutiùs repoſiti protinùs aceſcant.

PVlpa excalfacit & hu[illegible]ectat primo ordine, ſanguinem depurat, ejus acrimoniam tem[illegible]at, ac ſitim coërcet, ventriculum, bilem & pituitam educen[illegible]undificat, pectus & guttur lenit, ejus abſceſſus reſolvens, renum [illegible]alori cum infuſo Glycyrrhizæ confert, & calculi generationem prol[illegible]ibet, ac in acutis febribus exhibetur: alvum [illegible]it, ac fl[illegible]vam bilem infernè deturbat, atque ex hac [illegible] febres [illegible]tigat.

CAſſia lenitiva, quæ & Siliqua, & Fiſtula dicitur, fructus eſt cujuſdam arboris in Ægypto, Syria, ac India provenientis. Eligenda non admodum craſſa, pellucens, recens, gravis, farcta, & quæ concuſſa incluſis ſeminibus minimè perſtrepet.

CASSIA EXTRACTA.

℞. Violariæ,
Malvæ,
Mercurialis,
Betæ,
Parietariæ,
Florum Violarum ana manipulum unum.

Fiat omnium decoctio in aquá ſufficiente, quo decocto, Caſſia extrahatur, & cannæ ejus laventur: Deinde

℞. Pulpæ Caſſiæ cum hac decoctione extractæ, & ad ſpiſſitudinem coctæ libram unam,
Sacchari libram unam ſemis.
Coque ad perfectionem, ut eſt artis.

HVjus uſus eſt potiſſimùm in Enematibus, non rarò tamen in bolo quoque exhibetur, cùm ipſo flore Caſſia minùs ſit flatulenta, ac magis emolliat, & humectat.

PULPA PRUNORUM.

℞. Prunorum magnorum acidorum & vinoſorum quantitatem quam voles, & exemptis nucleis in fictili vitreato magno percoque: deinde per cribrum ſetaceum exprimito; expreſſam Pulpam denuò lento igne ad perfectam & juſtam ſpiſſitudinem coquito, addendo

dendo Sacchari tertiam circiter partem, vel ad Pulpæ libras decem, Sacchari libras tres: ita enim melius conſervatur, ne ſitu corrumpatur.

V*Entrem mollit, ac alvum facilitat, calorem febrilem extinguit, ſitis que faſtidia permulcet.*

INter Pruna nobis eligenda ſunt Damaſcena, ſeu Hungarica, ut quæ præ cæteris ad medicamentorum compoſitiones requirantur, & ad earundem conſtitutiones expetantur.

PVLPA TAMARINDORUM.

Extrahitur eodem modo, quo Pulpa Caſſiæ.

T*Amarindorum Pulpa refrigerat & ſiccat ordine ſecundo, aut tertio; bilem facilè ſolvit, ac praaſſatos humores lenit, unde arquatis, lienoſis, ſcabiem lepram, vitiligines & [illegible] patientibus commodè exhibetur; namque cutaneas exulcerationes omnes, à ſanguinis aduſtione natas tollit; inſaniam inſuper ac furorem permulcere creditur.*

PRæſtant inter Tamarindos ii, qui in obſcuro rubeſcunt, molles, recentes, & qui nervoſis quibuſdam villis fracti inveniuntur. Sunt autem Tamarindi Palmulæ Indicæ, quæ Græcis *Oxyphœnica* dicuntur.

ANIMADVERSIONES
In Pulpam ſeu Flores Caſſiæ, Caſſiam extractam, Pulpam Prunorum & Tamarindorum.

CIrca harum *Pulparum* præparandi modos, vix quicquam quod correctione dignum (cùm ſimpliciſſimi ſint) occurrit, quippe earum præparatio ſolâ *coctione* perficitur: *Fructibus* autem ejuſmodi ſimplici coctura nihil demitur, præter elementarem quandam humiditatem, maximè ubi recentes vel crudi exiſtunt; Aſt fermentati, quia æque uti alia *vegetabilia* ſpiritum ardentem ſuppeditant, coctionis intenſioris prorſus impatientes evadunt. Circa *ſacchari* admiſtionem tamen difficultas quædam cauſari facilè & error committi poteſt; etenim ſi illud in quantitate ſufficienti *Pulpis* non addatur, (uti in *Pulpa Prunorum* accidit, in qua *decem libris Pulpa, tres libras Sacchari* addere præcipiunt) ætatem ægrè ferunt, & facillimè corrumpuntur; Si verò in debita quantitate illud addatur (v. gr. ℔ j ß, vel ℔ j, & ℥ iij *ſacchari* circiter, pro conſervanda *libra una Pulpa)* illæ nativas ſuas vires, niſi in dupla vel tripla doſi exhibitæ, exerere nequeunt. Præſtat igitur uti bene in præparatione *florum*

Caſſiæ

Digitized by Google

Caſſia monitum eſt, has *pulpas* quoties neceſſitas poſtulat, recentes ſemper extrahere, & ultra unam alteramvé ſeptimanam, præſertim tempore æſtivo, non aſſervare. Cæterùm in præparatione *Caſſia extracta*, ubi ℔ j ß *ſacchari, libra uni pulpa* deſtinatur, obſervandum, quòd, cùm *Caſſia* hoc modo extracta, *Enematibus* potiſſimum dicata ſit, ac rarò interne exhibeatur, accipiendum ſit *Saccharum rubrum*, quod *Thomaum* nominant, pro *Clyſteribus* accommodatiſſimum; magis enim ventrem laxat, quam *Saccharum album*.

DIACASSIA CUM MANNA

INCERTI AUTORIS.

℞. Prunorum Damaſcenorum uncias duas,
Florum Violarum manipulum unum ſemis,
[illegible]uræ uncias decem & octo.

Bulliant ut artis eſt, ad medietatis conſumptionem: cola, & in colatura diſſolve

Pulpæ Caſſiæ uncias ſex,
Tamarindorum unciam unam,
Mannæ optimæ uncias duas,
Syrupi Violati uncias duas,
Sacchari Candi,
Penidii ana unciam unam,
Conſervæ Violarum ex foliolis uncias quatuor.

Confice ut artis eſt.

Medicamentum hoc leniens, mite ac ſuave confert iis, qui duriore ſunt alvo; hanc enim leniter & citra moleſtiam ſubducit, ac flavam bilem ejicit, febreſque inde natas levat.

Monendi hoc loco Pharmacopœi, hoc & ejuſmodi plura ſubſequentia Electuaria, in minori doſi paranda, quia periculum eſt, ne Caſſia Pulpæ Tamarindorum commiſta, ex diuturnitate temporis aceſcat; de quo videatur *Fernelius in methodo medendi.*

ANIMADVERSIONES.

Electuaria in propria ſua conſiſtentia, rarò admodùm inprimis in Germania exhibentur, ubi *boli* illi prægrandes, quos ex ipſis efformare ſolent, & in aliis oris alioquin ſatis frequentes, delicatulis ægris illicò faſtidium pariunt, ut adeò hanc ob cauſam, uſus horum penè eviluerit. Si quis itaque ipſis uti, & ægrotantibus propinare voluerit, neceſſum habet, ut in liquoribus ea diſſolvat, & *potiones* ex iis conficiat, aut *clyſteribus* deſtinet: Veruntamen nec *potionibus*, nec *clyſteribus electuaria*, quorum compoſitionem *flores* contuſ,

tuſi, aut *conſerva* eorundem ingrediuntur, commodè inſervire poſſunt; Vix enim *flores*, quicunque illi ſint, adeò ſubtiliter contundi & comminui poſſunt, ut *potiunculis* miſti, flocculos non præbeant, *clyſteribus* autem additi, inſtrumenti ſive canalis (præſertim ſi foramen parvulũ & anguſtum habuerit) orificium non obſtruant. Et cùm ſatis improvidè etiam, ac inutiliter Author incertus hujus confectionis, peculiares illas differentias *ſacchari*, nec non *ſyrupos* & *conſervas* admiſcere jubeat: Ideo hæc immutare conſultum arbitrati ſumus. Quantum autem ad *ſaccharum candi* & *penidii*, de ipſis jam ſuperiùs in *ſyruporum* confectionibus, præſertim *de Capillis Veneris*, abundè demonſtravimus, quàm iniquè *ſaccharo albo communi clarificato* præferantur, quodque nihil præ illo peculiare habeant, ſed ſaltem precium medicamentorum augeant: Atque huic *electuari* *ſaccharum commune clarificatum* eorum loco ſubſtituere, non immeritò nec ſine ratione ſuademus. Cur verò Author *ſ[illegible] & conſervam florum Violarum*, utpotè quibus nulla purga[illegible]is ineſt, *electuario* huic addiderit, id equidem capere non poſſum, quin longè convenientius eſſe dixerim, ſi loco *conſervæ* aut *ſyrupi prædicti*, *ſyrupus violatus ſolutivus Electuario* permiſceretur, loco autem *ſacchari candi & penidii*, *ſaccharum commune album*: *Manna* verò, [illegible] colata, vel electa, in fine demum & ad conſiſtentiam cocto *electuario* addatur. In reliquis imitari poterunt modum ab Authore incognito præſcriptum.

ELECTUARIUM DIACATHOLICON, Seu ANTIDOTUS CATHOLICA NICOLAI PRAEPOSITI.

℞. Polypodii quercini libram ſemis.

Decoquatur in aquæ communis menſuris noſtratibus quatuor, ad medietatis conſumptionem: cum ejus decocti quantitate ſufficienti, extrahe

Pulp. Caſſiæ,
Tamarindorum ana uncias quatuor.

Inſpiſſentur Pulpæ, donec ad juſtam conſiſtentiam fuerint redactæ: deinde cum reſiduo decocto diſſolve

Sacchari libras quatuor,
Penidiorum,
Sacchari Candi albi ana drachmas duas.

Coquantur ſimul ad ſyrupi conſiſtentiam: ubi paulum refrixerit, adde Pulpam Caſſiæ & Tamarindorum, probè agitando. Poſtremò ſubſequentes pulveres paulatim inſperge, & confice electuarium, ut eſt artis:

℞. Senæ uncias quatuor,

Rhab

Rhabarbari,
Violarum,
Polypodii,
Aniſi ana uncias duas,
Glycyrrhizæ drachmas duas,
Sem. quatuor frigid. major. ana unciam ſemis.
Pulveriſentur ſimul omnia, & miſceantur ut artis eſt.

ELectuarium ſuave ac mite, quod acutis & peracutis morbis confert, emollit, & alterat, robur addit jecinoroſis, lienoſis, & arthriticis; tertianis, quartanis, & quotidianis febribus adverſatur: doloribus item capitis auxilio eſt; univerſos denique corporis humores blandè ac innoxiè educit, multiplici nobis uſu familiare.

Icet varii variè medicamentum hoc præparent, quia tamen iſte modus componendi Pharmacopœis noſtris huculque fuit uſita- qui etiam non nobis ſolum, ſed & aliis omnium optimus eſſe vic ir, idcircò eundem in poſterum quoque obſervari volumus.

Nonnulla quoque Exemplaria addunt Polypodii decoquendi libra ... idia ad tollendam ejus flatulentiam ſeminis Fœniculi unciam unam, verùm flatulentia jam dicta à ſemine Aniſi, cujus unciæ duæ compoſitionem hanc ingrediuntur, facilè corrigitur.

ANIMADVERSIONES.

E*Lectuarii* hujus præſcriptum præparandi modum, non adeò improbo, id ſaltem in eo ridiculum animadverto, quo ipſo etiam Author plurimis ſe deridendum propinat, quòd *libris octo Electuarii*, præter *quatuor illas libras ſacchari communis*, inſuper auctuarii loco, *ſacchari candi & penidii ana drachmas duas* adjicere præcipiat; Quantum enim *doſis* quælibet hujus *electuarii* iſtorum *ſaccharum* capere, aut quid ſingularis emolumenti in ægrotum ex tam exigua ſuperadditione *ſacchari*, tùm *candi*, tum *penidii* redundare poterit; expendat & judicet æquus Lector.

ELECTUARIUM LENITIVUM
FLORENZOLAE.

℞. Paſſularum enucleatarum uncias duas,
Capillorum Veneris, ſeu Adianthi nigri,
Violarum recentium,
Hordei mundi ana manipulum unum,
Jujubas,
Sebeſtes ana numero viginti,
Glycyrrhizæ unciam ſemis,

Prunorum enucleatorum,
Tamarindorum ana drachmas ſex,
Foliorum Senæ,
Polypodii ana uncias duas,
Mercurialis manipulum unum ſemis.

Decoquantur, ut artis eſt, in ſufficiente aqua ad conſumptionem duarum tertiarum; poſtmodum cola, & in colato diſſolve

Pulpar. Caſſiæ,
Tamarindorum,
Prunorum,
Saechari optimi,
Conſervæ Violarum ex foliolis ana uncias ſex,
Pulveris Senæ uncias tres ſemis.
Fiat Electuarium, ut eſt artis.

Bilem, pituitamque, nec non his humoribus [illegible] ſuccu- melancholicum blandè, ac ſine vel noxâ, [illegible]; febrium humoralium materiam ſubtrahit, inteſtina lenit & emollit: pleuritidi quoque, nec non aliis pectoris ac renum morbis præſertim à calore natis, confert.

Jujubæ, Græcis *Zizipha*, Galeno *Serica* dicuntur, fructus cujuſdam arboris peregrinæ, in calid. & humid. ſunt temperati, ad pectoris & pulmonis vitia perutiles. Renum inſuper & veſicæ vitiis proſunt, ac ſanguinem incraſſant. *Matthiolus.*

Sebeſten, *Myxa* Græcis & *Myxaria*, fructus ſunt ex arbore, Pruno propemodum ſimili, prunis parvis haud diſſimiles, caliculo quodam ut glandes, imâ parte colligati, nucleo intus triquetro, guſtu prædulci, lentâ tenacique pulpâ dejectoria facultate pollente. Utiliter dantur ex bile febrientibus, linguæ aſperitatem leniunt, pectori atque tuſſi opitulantur, ventris tineas pellunt, urinæ ardori a bile aut pituitâ ſalsâ contracto medentur. Eligenda ſunt plena, pinguia, & carnoſa, quæque ſitum non redolent, nec teredinem ſenſerunt. Hæc *Matthiolus.*

ELECTUARIUM LENITIVUM DE MANNA NICOLAI ALEXANDRINI.

℞. Prun. Damaſcen. numero viginti,
Violarum unciam unam,
Capillorum Veneris,
Ceterach,
Lichenis ſeu Hepaticæ ana drachmas tres.
Seminum quatuor frigidorum majorum ana unciam unam.

Coquan-

Coquantur in aqua ſufficiente ad medietatis conſumptionem, exprimantur & colentur: In colato diſſolve

Mannæ optimæ & puriſſimæ,
Conſervæ Violarum,
Pulpæ Caſſiæ ana unciam unam,
Sacchari albiſſimi libras quatuor.

Coquantur ad mellis conſiſtentiam: ad extremum ſubſequentes pulveres paulatim inſpergantur,

Seminum quatuor frigid. major. excorticatorum,
Florum Violarum,
    Nymphęæ,
Seminum Lactucæ,
    Scariolæ,
    Portulacæ,
Rhabarbari electi,
Foliorum Senæ ana uncia una.

Pulveriſentur ſimul omnia, & cum prædictis miſceantur: Fiat Electuarium in bonâ formâ.

AD purgandum ſanguinem, flavam & atram bilem reprimendam, jecur calefactum nonnihil refrigerandum, & univerſi corporis purgationem accommodatum exiſtit. De Manna conſule Matthiolum, *&* Donatum *ab alto Mari Tractatu proprio de Manna edito.*

ELECTVARIVM DIAPRVNIS SIMPLEX.

℞. Pulpæ Prunorum ad debitam conſiſtentiam in fictili vitreato decoctæ libras duas,

Sacchari puriſſimi libram unam.

Leviſſimâ coctura redigantur in formam Electuarii, ut artis eſt.

EAſdem, quas Pulpa Prunorum, vires obtinet, cum quâ ferè convenit.

ANIMADVERSIONES In Electuarium lenitivum Florenzolæ, Lenitivum de Manna, & Diaprunis ſimplex.

HÆc *Electuaria* ad modos præſcriptos quidem confici poſſunt; id tamen in iis unicè obſervandum, ut ubi *purgantes ſpecies* cum craſſioribus ac viſcidioribus *fructibus* coqui præcipiuntur, (uti fit in *Electuarii lenitivi Florenzolæ* primâ decoctione cum *foliis Senæ,*) eæ cum his non ſimul, ſed per ſe & ſeparatim in aqua co-

quantur, ac deinceps reliquo *decocto craſſiori fructuum*, itidem ſeorſim facto jungantur. Ratio eſt, quòd hi *fructus* (uti antea quoque in *Syruporum* diverſis præparationibus annotavimus, & ſtudioſè obſervari juſſimus,) viſcidi ſint, & conſequenter mucore & viſcoſitate ſua aquam illis affuſam illicò inquinent, unde ipſa poſtea ad extractionem reliquarum *ſpecierum*, quæ nonnihil duriores ſunt, (ut in hâc compoſitione *folia Senæ*,) prorſus redditur inepta. Quin etiam loco *conſerva violarum*, in prædicto *Electuario lenitivo*, *Syrupum flor. violarum ſolutivum* ſubſtituendum eſſe, vel ipſa dictitat ratio. *Mannam* autem, ubi illa *Electuariis* deſtinatur, colatam vel electam, in fine demùm ipſis jam ad conſiſtentiam coctis, addendam eſſe, jam ante in præparatione *Diacaſſia cum Manna* monuimus. Quæ ratione *ſacchari* in *Electuario Diaprunis* obſervanda ſint, *Animadverſiones* noſtræ præcedentes ſuper *flores Caſſia*, edocebunt.

DIAPRUNIS LENITIVUM, Seu DIADAMASCENON NICOLAI.

℞. Prun. Damaſcen. numero centum.

Coquantur perfectè in aquâ ſufficiente, deinde cribro raro tranſmittantur, & reſervatâ pulpâ decoctioni, affunde

Violarum unciam mediam.

Bulliant ſufficienter, & colentur; colaturæ addantur

Sacchari libræ duæ,
Pulpæ ſupradictæ libra una,
Pulpæ Caſſiæ,
Tamarindorum ana uncia una.

Coquantur lento igne, & addantur ſubſequentes pulveres tenuiſſimè triti, ſemper movendo,

℞. Santalorum alborum,
Rubeorum,
Spodii de Ebore,
Rhabarbari.
Cinamomi ana drachmas tres,
Roſarum,
Violarum,
Seminum Portulacæ,
Scariolæ,
Berberis,
Succi Glycyrrhizæ,
Tragacanthi ana drachmas duas,
Semin. quatuor frigid. majorum ana drachmam unam.

Commiſceantur, ut artis eſt.

Com-

Commendatur ad febres acutas, ardentes, omneſque alias tertianas, continuas, hecticas maraſmodes, lipyrias, cauſum & ſynochum, & ad omnem febrilem affectum in principio, augmento, & ſtatu ægritudinis. Solutivum verò in ejuſmodi morbis vitendum ob Scammonium præparatum, ſeu Diagrydium, in quo in febribus continuis peritiores Medici meritò abſtinent.

PHarmacopœi noſtri paulò aliter, & majore fortè compendio, quàm à *Nicolao* annotatum ſit, hoc medicamentum præparare ſolent. Violarum enim unciam unam ſemis in aquæ puræ unciis [illegible] em & octo ad tertias decoquunt: cum ejus decocti portione liqu[illegible] [illegible]rahunt. Caſſiam & Tamarindos decoquunt ad juſtam con[illegible]entiam: cum reſiduo decocto Sacchari libram unam & ſemis ad [illegible]itudinem decoquunt, addendo Diaprunis ſimplicis, ſeu Pulpæ [illegible]norum ſine [illegible]charo libram unam, Pulpæ Tamarindorum & Caſ[illegible] [illegible]: ubi ad juſtam conſiſtentiam fuerint redacta, [illegible]unt reliquo [illegible]res. Meliùs tamen fuerit, ſi prunorum recen[illegible] [illegible]m pulpa noviter extra[illegible] [illegible]er ſe inſpiſſetur, & tum ad libram unam [illegible]ulpæ ſacchari libræ duæ, & reliqua adjiciantur, & compon[illegible]ur, ut eſt.

ANIMADVERSIONES.

ANimadverſio huic *Electuario* ab Authoribus annexa, intricatam & inconcinnam ejus præparationem quodammodo elucidat & emendat, compendioſiori ſcilicet & meliori præparandi modo: Utinam etiam caſtratio & correctio, in tanta farragine *pulverum* ultimò illi addendorum, inſtituta fuiſſet: quippe quæ efficit, ut hoc *Electuarium* ventri replendo & gravando inſerviat potiùs, quàm ut illum permeare, ac corpus vitioſa humorum peccantium ſaburrâ, ſublevare poſſit.

HIERA PICRA GALENI,

Quam SIMPLICEM vocant.

℞. Cinamomi,
Xylobalſami, aut ejus loco Ligni Aloës, vel Cubebarum,
Aſari,
Spicæ Indicæ,
Maſtiches Chiæ,
Croci ana drachmas ſex,
Aloës non lotæ triplum, ſeu uncias duodecim ſemis,
Mellis deſpumati libras quatuor, uncias tres.
Fiat Electuarium.

Digitized by Google

Medicamentum hoc famoſum, cujus Galenus *Auctor extitit, deſcribitur ab eodem* 7. Methodi med. cap. 9. *&* lib. 2. de tuenda valetudine cap. 10. *quod quam maximè prodeſt vitioſis ſuccis, qui in ventriculi tunicis hærent; utiliter exhibetur iis, qui ſuffuſorum imagines, & alia ſymptomata ex ſtomachi vitio patiuntur, & præterea iis, qui alvo ſunt adſtricta, & mulieribus, quæ non probè purgantur.*

ADvertant Pharmacopœi, ne ſpecies melli deſpumato priùs injiciant, quàm idipſum ab igne fuerit remotum, ac ferè refrigeratum, alioquin enim Aloë rurſus conglobatur, & picis inſtar indurata coit. Obſervandum quoque regulam illam communem, quæ in [illegible]dicamentis purgantibus ſpecies non nimis ſubtiliter terendas eſſe docet, in Hieris, præſertim verò in hac, minimè tenendam, cùm hi (ut *Galenus in octavo de Compoſ. Medic. ſecundùm loca in fine capitis tertii*, de Hiera Themiſonis agens, admonet [illegible] tritarum vis Aloën ad longinquas & magis [illegible] partes deducere debeat.

ANIMADVERSIONES.

QUia hoc *Electuarium* ex paucis, iiſque inter ſe non repugnantibus ingredientibus compoſitum eſt, & ſimplici viâ ejuſdem præparatio inſtituitur, proinde minùs erroribus eſt refertum; & præ cæteris pompoſis compoſitionibus, ceu quibus plerumque quot *ſpecies*, tot σφάλματα inſunt, nobis unicè arridet. Ingratum ſaltem & valdè amarum ob admiſtionem *Aloës* obtinebit ſaporem, cui hoc accidit, quòd in ſatis magna *doſi* exhibendum ſit, ſi quid præſtare debeat. Propterea quoque rarus ejus uſus eſt internus, cùm paulò delicatiores ægroti à rebus intenſe amaris plurimùm abhorreant. Nec tamen eſt, ut ob amaritudinem illam, ſoli gutturi inferiori (quod nonnulli Medicorum faciunt, dum ad *clyſteres* illud uſurpant,) deſtinetur, ſed quoties neceſſitas & morbi hoc *medicamentum* efflagitant, ex ingredientibus ejuſdem, poſthabito *melle*, *pilulæ* efformari poſſunt, ita nimirum amaritudo ejus palatum minùs offendet, & multò lubentiùs etiam à delicatulis ipſis aſſumetur.

ELECTUARIUM HIERÆ CUM AGARICO.

℞. Specierum Hieræ ſimplicis ſine Aloë,
Agarici trochiſcati ana drachmas quatuor,
Aloës non lotæ unciam unam,
Mellis deſpumati uncias ſex.
Miſce, fiat Electuarium.

Bilem,

Bilem, & pituitam citra moleſtiam educit, ut ingredientia teſtantur.

Animadverſiones.

PArari poterit hæc *Hiera* juxta modum præſcriptum, obſervando tamen cùm in hoc, tùm in præcedenti aliiſque *Electuariis*, ne *ſpecies* pulveriſatæ, præſertim quæ *Diagridium* recipiunt, *melli* ferventi aut intenſè calenti, ſed ſemi refrigerato demùm immittantur; aliàs enim *ſpecies* in grumos facilè concreſcunt. Suaſor etiam omni ut qui paraturus eſt hoc & ſimilia *Electuaria*, ne *ſpecies melli* ſemel immittat, ſed *mel ſpeciebus* in alio vaſe vel ſartagine contentis, per vices, continuo agitando, affundat.

Electuarium Lenitivum
Tamarindis.

℞. Foliorum Senæ mundatorum uncias tres ſemis,
Cinamomi electi drachmam unam,
Spicæ Indicæ ſcrupulos duos,
Vini Pucini vel Rheinfalini menſuram unam.

Fiat per noctem maceratio in loco calido, manè fiat una atque altera ebullitio; exprime fortiter, & in ea diſſolve
Pulpæ Tamarindorum uncias tres,
Paſſularum enucleatarum uncias duas,
Mannæ Calabrinæ uncias tres ſemis.
Miſce; ſub finem addendo
Aquæ Cinamomi drachmam unam.
Fiat Electuarium.

B*Landiſſimum hoc medicamentum delicatis & teneræ ætatis feliciter propinatur, facilè aſſumitur, faciliùs retinetur, & faciliùmè operatur.*

Animadverſiones.

MIrabilis hujus *electuarii* componendi modus præſcriptus, vel indignanti etiam riſum extorqueret, utpotè quo ſtrictè obſervato, nec *electuarium* efficies, nec *ſyrupum*, ſed craſſam quandam potionem: Unâ enim atque alterâ illâ aſſignatâ ebullitione, *à menſura integra* (quæ *libras quatuor circiter* continebit) *vini Reinfalini*, vix *uncia aliquot*, ſpirituoſioris quidem exhalabunt; quomodo jam, ſi in *vino illo ſervato laxativo, pulparum Tamarindorum & Paſſularum unciæ quinque, & Mannæ unciæ tres* diſſolvantur, ac tantummodo (uti præſcriptus præparandi modus jubet,) commiſceantur, *electuarium* exinde exſurget? Attamen quiſquis ferè Pharmaco-

macopœus, ratione & artis peritiâ inſtructus, optimè hoc *Electuarium* conficere nôrit, ſed alio magis concinno, nec ita ſtupido & inſipido modo, nimirùm vel *infuſo & decocto foliorum Senæ* ſuperiori, *Tamarindorum & Paſſularum pulpas* extrahendo, iiſdemque jam ad conſiſtentiam debitam coctis, *Mannam* addendo. Vel etiam cùm determinatum pondus *pulparum* adeò exactè, ita ut nil deſit, aut aliquantum ſuperſit, extrahere nequeamus, ex *foliis Senæ* prædictis *vino* parando *extractum*, quod ipſum jam confectis *Pulpis & Mannæ* addi, atque ita *Electuarium* parari poteſt, & quidem in non nimis magna quantitate, cùm durabile non ſit. Cæterùm, omnes *pulpæ* ſive *Tamarindorum*, ſive *Paſſularum*, &c. exoſſatæ & [illegible] ſunt, aliàs enim non *pulpæ* eſſent *fructuum*, ſed *fructus* ipſi, *Tamarindi* ſcilicet, & *Paſſulæ*, ut adeò opus non fuiſſet peculiari admonitione de ſumendis *pulpis* enucleatis.

TRYPHERA PERSIC[illegible] ESUE,

Aut JOANNIS DAMASCENI.

℞. Succ. Endiviæ veræ libras tres,
Apii,
Lupulorum ana libras duas,
Solani uncias novem,
Berberorum uncias tres:
Projiciantur deſuper,
Violarum recentium aut exiccatarum,
Roſarum ana drachmas tres,
Folliculorum Senæ unciæ duæ,
Agarici uncia una,
Prun. Damaſcen. numero quinquaginta,
Cuſcutæ uncia ſemis,
Myrobalanorum Citrinorum,
Chebulorum,
Indorum,
Fricatorum Oleo Amygdalarum dulcium recenter expreſſo ana unciæ duæ,
Spicæ Indicæ drachmæ tres.
Bulliant lento igne, donec ſuperſint libræ duæ: deinde addantur
Epithymi drachmæ quadraginta.
Bulliant leniter, deinde ab igne deponantur, & percolentur, ac in unâ colati parte diſſolvantur
Tamarindorum unciæ tres,
Mannæ uncia una ſemis,
Pulpæ Caſſiæ unciæ quatuor,

Con-

Conſervæ Violatæ libra una.

Colentur, & mundentur à granis & ſordibus, atque in aliam colati partem addantur

Sacchari albiſſimi libræ tres,

Aceti vini libra una.

Coquantur lento igne, deinde projiciatur id ſuper illud, quod diſ- tum eſt in ſuccis, & aggregentur ſimul omnia, & coquantur ad s conſiſtentiam. Poſtremò in pulverem redactæ ſpecies ſequen- ſpergantur:

℞ Rhabarbari optimi unciæ duæ,

Myrobalanorum Citrinorum uncia una ſemis,

Chebulorum,

Indorum ana uncia una,

Belliricorum,

Emblicorum ana uncia ſemis,

Sem. e,

Trochi... odon,

Macis,

Maſtiches,

Cubebarum,

Spodii de Ebore,

Santali Citrini ana drachmæ duæ,

Nucleorum ſemin. quatuor frigid. major. ana drachmæ duæ ſemis,

Sem. aniſi uncia ſemis,

Spicæ Indicæ drachmæ duæ.

Fiat Electuarium ſecundum artem in forma Opiatæ.

V*Alet adverſus acutas febres, & calidam ventriculi & jecoris intemperiem, morbis omnibus ex humorum uſtione natis confert; ſitim reſtinguit, icterum calidum ex obſtructione ſanat, ſuffuſionem à vaporibus biloſis viſus incommodantem diſcutit, ſanguinem purgat, & purum reddit; unde in febribus peſtilentibus & ipſa peſte, magnoperè à* Georgio Agricola, *& aliis, commendatur.*

TRyphera hæc Perſis quondam uſitata, quam m. llem ac delicatam dicere queas, à doctiſſimo Viro Domino Doctor. *Adolpho Occone* Reipublicæ Auguſtanæ quondam Medico, & Officinarum Pharmaceuticarum Viſitatore Ordinario, ſummo ſtudio recognita & reviſa, ac è veteribus *Meſue*, & Monachorum Romanorum codicibus eruta, ſic nobis hactenus in uſu fuit; qui idem *Fuchſii* & *Nicolai* Græci auctoritatem ſecutus, ſic eam reſtituit, quam componendi rationem noſtris Pharmacopœis expertam, ac uſu probatam, omnino retinemus. Cur autem ſuccorum quantitas non

modò aucta, ſed etiam immutata fuerit, ratio in priori editione hujus Diſpenſatorii requiri poterit, ubi quoque Tryp heræ nomenclaturâ plus magis explicata legitur.

ANIMADVERSIONES.

OMnes in hac *Tryphera* tùm compoſitione, tùm præparatione commiſſos craſſos & abſurdos errores, ad unguem enarra enumeratos examinare & corrigere, non unius paginæ ſ opus. Proinde ut ſcriptionis operam compendi faciamus, abſque giori præloquio, præparationem ejus, quæ tamen vix me publicis *diſpenſatoriis* inſeratur, proponemus. Videlicet

℞. *Succorum denominatorum depuratorum* ℔ *iij circiter*,

Quibus mediante coctione extrahe, non *folliculorum Sena*, ſed

Foliorum Sena el. ℥ *ij*,
Agarici albi ℥ *j*,

Factâ ſufficienti extractione, colaturam aſſerv

Jam

℞. *Reliquas ſpecies omnes*; utpotè
Violarum,
Roſarum ana ʒ *iij*,
Prun. Damaſcen. N. L.
Cuſcuta ℥ *ß*,
Myrobal. Citrinor.
Chebulor.
Indorum ana exoſſat. non verò *oleo Amygd. dulc.* ineptè fricat. ℥ *ij*,
Spica Indica ʒ *iij*,
Epithymi ℥ *v*.

Inciſa omnia & contuſa, coquantur cum reliquis *libris quinque ſuccorum depuratorum* ſuperiùs denominatorum, & *aceti vini* ℔ *j*. in vaſe terreo vitreato ad remanentiam *trium librarum*. Quibus duabus *decoctionibus* commiſtis, adde

Sacchari albi ℔ *iij*.

Coquantur ad conſiſtentiam *ſyrupi craſſioris*, cui addantur
Pulpa Tamarindorum ℥ *iij*,
Caſſia ℥ *iv*,
Manna electa ℥ *jß*.

Et pro *conſerva Violarum*,
Syrupi Violati ſolutivi adhuc parùm inſpiſſati ℔ *j*.

Denique, ubi parùm refrixerint, *ſpecies* ſuperiores ordine ſubſequentes in Alcohol redactæ ſ. a. ipſis jungantur, & confectum *electuarium* uſui aſſervetur.

PAS-

PASSULÆ LAXATIVÆ.

℞. Fol. Senæ Alexand. uncias quatuor,
Cinamomi electi,
Zingiberis ana ſcrupulos quatuor,
Aquæ Endiviæ & vini albi ana uncias quatuordecim.

Infundantur per horas ſex, aut octo; deinde ebulliant, ac leniter [illegible]imantur: huic decocto poſt colaturam adde
Sacchari albi uncias quatuor.

[illegible]uantur ſimul ferè uſque ad conſiſtentiam ſyrupi, injiciendo [illegible]huc ſimul leniter bulliant,
Paſſularum minorum repurgatarum uncias duodecim.
Atque [illegible] lege artis poſt juſtam coctionem reponantur.

Eodem modo [illegible] & Zibebæ, & Pruna laxativa noſtris uſi-

ADſtrictam [illegible] [illegible]iunt, feceſque diutiùs detentas expellunt. Dantur p[illegible] delicatulis, & hominibus alias medicinas purgantes reſpuentibus, quamvis à longinquis partibus facilitatem vix quidquam educere poſſint: quotidianus tamen uſus eas indies à nobis poſtulat, utpotè ad ventris obſtructiones reſerandas cunctis expetitas.

EFficaciores, ſed minùs quidem gratæ evadunt hæ Paſſulæ, & Zibebæ, ſi loco aquæ endiviæ & vini, mucharum ſeu infuſionem roſarum ſolutivam ſumpſeris, veruntamen tunc nonnihil amareſcunt.

ANIMADVERSIONES.

HÆ *Paſſulæ laxativa* commodè quidem ad modum præſcriptum præparari poſſunt; meo tamen judicio melius foret, ſi priùs ex *foliis Sena vino vel ſpiritu vini extractum* pararetur, & poſtea ex *unciis duabus cum dimidia vini albi optimi*, in quo *Cinamomi el. & Zinziberis ana ſcrupuli quatuor* aliquandiu infuſi ſteterint, additis *ſacchari albi* ℥ *iv*, ſolâ diſſolutione conficeretur *ſyrupus*; Cui tandem *Paſſula* repurgatæ unà cum ſuperiori *extracto foliorum Sena* jungi, & factâ unâ adhuc vel alterâ ebullitione, confectæ aſſervari poſſent.

MEDICAMENTORUM
PHARMACOPOEIÆ AUGUSTANÆ
CLASSIS IV.

Continens

ELECTUARIA SOLUTIVA MOLLIA.

BENEDICTA SOL

NICOLAI

℞. Turbith electi,
Sacchari ana drachmas decem,
Diagrydii,
Eſulæ præparatæ,
Hermodactylorum,
Roſarum ana drachmas quinque,
Caryophyllorum,
Spicæ Indicæ,
Zingiberis,
Croci,
Saxifragiæ veræ,
Piperis longi,
Amomi veri,
Cardamomi minoris,
Sem. Apii,
    Petroſelini,
    Granorum Solis,
    Fœniculi,
    Aſparagi,
    Carui,
    Ruſci,
Salis Gemmæ,
Galangæ,
Macis ana drachmam unam,
Mellis deſpumati optimi quantum ſatis eſt, ſeu libram unam ſemis.

Fiat Electuarium, ut eſt artis.

Hame-

Humores pituitoſos ad articulos potiſſimùm decumbentes elicit, colicis prodeſt, ad quorum Enemata plurimùm expetitur. A renibus quoque & veſicâ purgat, ſed in calida cauſa ab ejus ſiſtendum.

ulam aliqui omittunt, quam tamen Auctor decem drachmarum ondere in hanc confectionem recipit, prout *Fuchſius* ex *Nicom.* Latino quàm Græco notat. Nobis medietas ſufficere poſſe ır, unde drachmas ſolummodo quinque appoſuimus. Debet :a nequaquam, niſi debito modo priùs præparata, medicamento di. cujus correctionem, præparationemque ſuo loco require.

:momo, qui eo carent, Aſarum ſubſtituant, quod præter cate- quas habet facultates, purgatoria ſuâ vi paulò valentius medi- ntum ſit r. .iturum. Alii Cyperum, aut Calamum aromaticum loco accipiun. od r. c nos improbamus.

MADVERSIONES.

Impliciſſima hæc est præparatio, propterea neque ſingulares illi inſunt errores, poteritque juxta modum præſcriptum commodè perfici. In admixtione *ſpecierum* obſervetur *Animadverſio*, fa- ſuper *Electuarium Hiera Picra cum Agarico.*

DIABALZEMER, Seu ELECTUARIUM SENATUM RENODAEI.

℞. Rad. Cichorii,
Bugloſſi,
Polypodii quercini,
Graminis,
Glycyrrhizæ,
Cort. rad. Capparûm ana unciam ſemis,
Paſſularum Corinthiacarum drach. ſex,
Adianthi,
Hæmionitidis,
Ceterach,
Cuſcutæ,
Artemiſiæ,
Fumariæ,
Agrimoniæ,
Betonicæ,
Meliſſæ,
Florum Geniſtæ,
Violarum ana manipulum ſemis.

Coquantur in libris ſex ad medias: in colaturæ libris tribus in- fonde & coque

Folio-

Foliorum Senæ uncias quatuor,
Ellebori nigri præparati,
Turbith optimi ana unciam unam ſemis,
Caryophyllorum drachmas duas,
Sem. Dauci,
Coriandri ana drachmam unam ſemis.
Bulliant ad conſumptionem tertiæ partis, colaturæ addendo
Sacchari libram unam ſemis.
Coquantur ſupra conſiſtentiam Syrupi, cui permiſce expreſſionem
Unciæ ſemis rhabarbari optimi in aqua chalybeata [illegible]
Senæ pulveriſatæ uncias duas,
Lapidis Lazuli præparati,
Cinamomi unciam ſemis,
Saſſafras unciam unam,
Rad. Pæoniæ,
Cort. Tamariſci,
Epithymi,
Cort. median. fraxini,
Sem. Agni caſti,
Nigellæ Romanæ,
Spicæ Indicæ ana drachmas duas,
Anthos,
Stœchados ana drachmam unam.
Fiat Electuarium.

M*Irum in modum convenit lienoſis, melancholicis, hypochondriacis, maniacis, epilepticis, ſine febre delirantibus, paſſionibus hyſtericis; fœdis viduarum coloribus, elephanticis, ſcabioſis, & Indicâ lue, vel Venereo morbo inveterato laborantibus.*

ANIMADVERSIONES.

IN duobus potiſſimùm autorem hujus compoſitionis erraſſe animadverto. Primò quidem, quòd *decoctum* plurium *ſpecierum* virtutibus jam ſatis ſuperque imprægnatum, ac iiſdem ferè incraſſatum, adeòque ulteriori extractioni ineptum, *ſpeciebus purgantibus* reaffundere, easque hoc ipſo extrahere maleſuadus præcipiat. Huic errori ut obviam eamus, neceſſum eſt, ut affuſâ etiam *aquâ ſimplici, purgantia* mediante coctione extrahamus, aut ad minimum *decoctum* illud primum optimè, antequam *ſpeciebus purgantibus* affundatur, *album ovorum* clarificemus, & inſuper adhuc ſemel particulâ *aquæ ſimplicis* ad omnimodam *virtutis catharticæ* extractionem prædictarum *ſpecierum, infuſionem* & *coctionem* moliamur; Secundus error in eo conſiſtit, quòd ſolummodo expreſſionem *unciæ dimidiæ rhabar-*

ri in aqua chalybeata infuſi, & non *rhabarbarum ipſum in a*, ſive in forma *pulveris*, vel ſaltem particulam ejus *extra-ê chalybeatâ facti*, *ſyrupo* jam pro *electuario* confecto ad-ubeat; hoc enim longè ſatiùs eſſet, quàm ſi *infuſum rha-* :xpreſſum tantummodo adderetur: Etenim ſi *uncia dimi-arbari in aliquot unciis aqua chalybeata* infuſa fuerit, ac in-: expreſſa, *ſyrupo* admiſceatur, liquidus, nimis evadet *ſyru-*iori coctione ad debitam ſuam conſiſtentiam ſummoperè in-i verò *infuſio rhabarbari* prædicta paucâ duntaxat quanti-*a chalybeata* facta fuerit, non poterit *rhabarbari* vires & ..grè extrahere, ergo utrumque malè factum erit. Præſta-...miâ illâ curioſitate miſsâ, *rhabarbarum* vel in ſubſtantia juis *pulveribus electuario* commiſcere, vel illud unà cum *a, rad. ..ibus Hellebori nigri, & Turbith*. junctim ſuperiori ... comm... tere. ..tque ex his liquet genuina hujus *electua-*ra..ic.

[D]IACARTHAMUM ARNOLDI
De Villa Nova.

[S]pecierum Diatragacanthi frigidi unciam ſemis,
[P]ulpæ Cydoniorum unciam unam,
[M]edullæ Carthami unciam ſemis,
[Z]ingiberis drachmas duas,
[D]iagrydii drachmas tres,
[T]urbith albi drachmas ſex,
[M]annæ drachmas duas,
[M]ellis roſati colati,
[S]acchari candi ana unciam unam,
[H]ermod[actylorum] unciam ſemis,
[S]acchari albi in aqua Borraginis diſſoluti, uncias decem ſe-mis.

Fiat Electuarium liquidum.

..a bili ac pituita educenda mirificè prodeſt, & ad omnes ..tus è mixta cum bile pituitâ provenientes efficax eſt, mix-..tidem podagris, hemitritæo, paralyſi, ac cephalalgia ſuc-

..niorum pulpa ſaccharo condiri debet, in cujus uſum Cy-..tum noſtrum rectè ſuccedit, & cum Manna ac Melle ro-..um, colatur per ſtamen: quæ omnia ſaccharo poſtea paulò ..n Electuario convenit, cocto, ſimul trita & colata cum ..s adduntur. Diagrydium tamen per ſe terendum.

ELECTUARIUM CARYOCOSTINUM.

℞. Coſti amari,
Sem. Cymini,
Zinzib. albi,
Caryophyll. ana drachmam unam,
Diagrydii,
Hermodactylorum alborum ſuperiore cortice mundatorum ana drach. duas,
Mellis deſpumati,
Vini odoriferi ana uncias tres.
Fiat lege artis Electuarium.

B*ilem utramque evacuat, cachexiæ, & ex illa provenientibus morbis variis conducit; obſtructiones* [illegible] *ſerat, cordemque duritiem attenuat & emol*[illegible]

ELECTUARIUM DE CITRO SOLUTIVUM.

℞. Cortic. Citri Pomi condit.
Conſerv. Borraginis,
Bugloſſi,
Violarum ana drachm. quinque,
Specier. Diatragacanthi frigidi,
Diagrydii ana unciam ſemis,
Turbith optimi drachmas ſex,
Sacchari albi in aquis cordialibus diſſoluti libram unam.
Fiat Electuarium.

E*Lectuarium hoc à* Guidone de Cauliaco, Tractatu ſeptimo de purgatione *deſumptum, bilem ac pituitam evacuat, idem fermè præſtans, quod Diacarthamum* Arnoldi, *niſi quod gratius ſit. Addit verò* Guido *foliorum Senæ drachmas quinque, ac inde tabellas conficit, pondere unciæ dimidiæ, quæ medicamenti, febribus tertianis, ac hemitritæis, corporis item malo habitui, viſceribusque excrementoſis profuturi, pro virium tamen ratione, doſis eſſe ſolet.*

ELECTUARIUM EPISCOPI, quod ELESCOPH appellatur MESUE.

℞. Diagrydii,
Turbith ana drachmas ſex,
Caryophyllorum,

Cina-

Cinamomi,
Zingiberis,
Myrobalanorum Emblicorum,
Nucis Moſchatæ,
Polypodii ana drachmas duas & ſemis,
Sacchari uncias ſex,
Mellis deſpumati triplum, id eſt, uncias decem, & drachmam unam.

vam bilem, ac pituitam elicit, flatus & excrementa è toto
ore educit, ob id doloribus articulorum & hypochondriorum
.f, colicis item cruciatibus mirificè auxiliatur, ac humores
& veſicam decumbentes expurgāt. Pulvis tamen eſt potius
confec io ſolida, quarum utrumque ſi efficacius haberi, ac
ore doſ. eodem effectu exhiberi queat, efficere volueris, pro
ineris ordo & Coudenbergio *ſacchari drachmas*
tio ſe..

ANIMADVERSIONES

thamum Arnoldi de Villa Nova: *Electuarium item*
oſtinum: Electuarium de Citro ſolutivum, & Eleſcoph.

uaria hæc cùm ſimplicia ſint, nil deſiderant præter unicam
macopœi diligentiam, ut qui in *Electuario diacarthamo*
im cydoniorum, vel ſi lubet, eorundem *gelatinam* ritè diſſol-
aryocoſtino autem *vinum* omittere conducibilius eſt, quàm
ia nihilominùs coctione cum *melle* iterùm exhalare deberet,
ntem *electuarii* expeteres conſiſtentiam. Cętera ſimpliciter
ur, prout textus habet; conſuli tamen etiam poſſunt *Anim-*
es ſuper *Elect. de Hiera cum Agarico*. in claſſe præcedenti.
modo in *Elect. diacarth. Arnoldi*, ratione *ſpecierum diatrag.*
cedendum ſit, conſulantur *Animadverſiones* noſtræ ſubſe-
uper *Elect. roſat. Meſues*, ut & *Diacarthamum ſolidum*.

CONFECTIO HAMECH

Major Mesue.

Myrobalanorum Citrinorum uncias quatuor,
Chebulorum.
Indorum,
Rhabarbari electi ana uncias duas,
Agarici,
Colocynthidis,
Polypodii ana drachmas decem & octo,
Abſinthii,
Thymi,

Senæ ana unciam unam,
Violarum drachmas quindecim,
Epithymi uncias duas,
Seminum Aniſi,
Fœniculi,
Roſarum rubearum ana drachmas ſex,
Succi Fumiterræ libram unam,
Prunorum numero ſexaginta,
Paſſularum enucleatarum uncias ſex.

Macerentur omnia in ſero lactis caprini ſufficiente, in [illegible]aſe vitreato, anguſti orificii, bene obturato, in loco tepido [illegible] [illegible]que. Poſtea ferveant unâ aut alterâ ebullitione, manibus [illegible],& colentur. Colati parte aliquâ ſervatâ pro Mannâ [illegible]endâ & Pul[illegible] extrahendis, reſiduo adde

Sacchari albi libram unam ſemi[illegible]

Diſſolvatur in infuſione fervefactâ & [illegible] juſtam [illegible]ſtentiam decoquatur: deinde adde M[illegible] cum ſuperio[illegible] cocto dilutæ uncias duas,

Pulp. Caſſiæ uncias quatuor,
Tamarindorum uncias quinque.

Redigantur ſimul ad juſtam conſiſtentiam: deinde paulatim [illegible] ſequentes pulveres inſperge, rudiculâ ſemper agitando,

Scammonii præparati ſeorſim in pulverem redacti unciam unam & ſemis,
Myrobalanorum Citrinorum,
Chebulorum,
Indorum ana unciam ſemis,
Belliricorum,
Emblicorum,
Rhabarbari,
Sem. Fumiterræ ana drachmas tres,
Aniſi,
Spicæ Indicæ ana drachmas duas.
Fiat Electuarium, ut eſt artis.

UTramque bilem & pituitam ſalſam purgat, ob id morbis inde natis, impetigini, ſcabiei, elephantia, cancro exedenti, & ſimilibus morbis mirificè confert; unde omni fœditati à bilioſis & aduſtis humoribus procreatæ quàm maximè conducit; in quartanis feliciter datur cum Ellebori decocto, vel infuſo, quorum utriusque deſcriptionem ſubjunximus.

ANIMADVERSIONES.

FAmoſa hæc *confectio* parari quidem poſſet, ad normam in *Animadverſionibus* noſtris ſuper *Trypheram Perſicam* præſcriptam, me-

; tamen informationis gratiâ, præparationem, ad noſtram ſen-
, breviter adjungemus; utpotè

Rhabarbari electi ℥ ij,
Agarici albi,
Colocynthidis,
Polypodii ana ℥ ij, ʒ j,
Foliorum Senæ ℥ j.

a & contuſa, infundantur in *libra una ſucci Fumiterræ*, & *ſe-* *libris tribus*; ſtent infuſa loco calido per unum vel alterum [illegible]tique ebullitione exprimantur: Reſiduis & expreſſis *ſpe-* novo affundantur *ſeri lactis* ℔ ij, & poſt unius vel alte- digeſtionem, factamque ebullitionem iterum exprimantur; *mes* [illegible] junctæ aſſerventur: Jam

Reliqu[illegible] *rimi decocti ſpecie*; utpotè
My[illegible] *norum* ℥ iv,
[illegible]*lorum,*
In[illegible] *ana* ℥ ij,
Abſinthii,
Thymi ana ℥ j,
Violarum ℥ j, ʒ vij,
Epithymi ℥ ij,
Sem. Aniſi,
Fœniculi,
Roſarum rubrarum ana ʒ vj,
Prunor. N. lx,
Paſſular. enucleatar. ℥ vj.

uſa & conſciſſa omnia macerentur, & coquantur in ℔ vj *ʃ* ad dimidias, factâque expreſſione, adde colaturæ ſuperio- *ctionem ex ſpeciebus catharticis*, &

Sacchari albi ℔ j ß,

uantur junctim ad conſiſtentiam *ſyrupi* paulò craſſiorem; ine adde

Pulpæ Tamarindorum ℥ v,
Caſſiæ ℥ iij,
Mannæ elect. ℥ ij,

i parùm refrixerint, etiam *ſpecies ſuperiùs enumeratas in pulverem redactas.*

; Si quis etiam *decoctiones* tùm *purgantium*, tùm reliqua- *terum* albumine ovorum clarificare vellet, antequam illis *n* adderet, is ſanè operam impenderet non pœnitendam, oc ipſo efficeret, quò minùs hæc *confectio* adeò violenter ec alvi tormina excitaret, quod alioquin *colocynthidi*, ceu ſimo cathartico, peculiare eſt.

INFUSUM ELLEBORI.

℞. Corticum rad. Ellebori nigri præparat. drachmas duas,
Sem. Aniſi,
Fœniculi ana drachmam unam,
Cinamomi,
Caryophyllorum ana grana tria.
Fiat infuſio ſ. a. cujus doſis unciæ tres.

ANIMADVERSIONES.

QUæ de curioſa decorticatione *radicum Ellebori n*[illegible] *animadverſionibus ſuper ſyrupum roſatum ſolutivum compoſ.* [illegible] *leboratum Montani* dicta ſunt, hûc etiam co[illegible]nmodè trahi [illegible] ſunt. Cæterùm certa hujus *infuſionis doſis* (℥ *ij*, ſcilicet) adeò [illegible] ſtrictè determinari nequit, niſi quoque deter[illegible] [illegible]antum *liq.* vel *aquæ ſpeciebus* pro earundem infuſione [illegible]ndum ſit.

DECOCTUM ELLEBORI.

℞. Corticum Ellebori nigri ſcrupulos quatuor,
Sem. Aniſi,
Citri,
Caryophyllorum ana drachmam ſemis.
Fiat decoctio, ut eſt artis.
℞. Hujus decocti uncias quatuor,
Hamech unciam ſemis,
Syrupi de Fumoterræ compoſiti unciam unam.
Miſce.

Datur in febribus quartanis, & humoribus aduſtis, ut in Gallico, & aliis.

ARtificioſa eſt medicamenti hujus compoſitio, ideò in ejus præparatione magnâ opus eſt diligentiâ, præſertim cùm multiplex ejus uſus exiſtat, unde à doctiſſimo *Iohanne Baptiſta Montano Aurea confectio* vocari meruit.

Pro infuſione ſimplicium, Pharmacopæi plerumque aſſumunt ſeri caprini libras duodecim, vel etiam paulò plus; videntur tamen duodecim libræ, vel ad ſummum tredecim ſufficere poſſe.

NOtandum quoque nos in hac editione, Abſinthii, Thymi, & Senæ, unciam legendam cenſuiſſe, ita enim habet *Meſue*, licet ſubjungat (in alio drachmas ſex.) Ratio quoque ſic legendum eſſe monſtrat: mox enim in compoſitione ſequitur ſem. Aniſi, Fœniculi, Roſarum rubearum ana drachmas ſex, unde ſine dubio Auctor priora tria ſimplicia, Abſinthium nempe, Thymum, & Senam, æquale cum his

s habitura poſterioribus his conjunxiſſet, & ſic unâ ſerie doſin æqualem definiiſſet, ne eadem ponderis quantitas unâ ditione bis poſita occurreret.

ANIMADVERSIONES.

aret loco *decocti*, *infuſum* ſuperiùs deſcriptum, additâ certantitate *liquoris aſſundendi*, in uſum trahere, vel has ipſas *s* cum determinato quodam *liquore*, ſolùm infundere, diſine decoctione, (ob adjecta *aromata*, quorum fragrantia res partes in coctione exhalant) colaturam uſui reſervare.

IERA COMPOSITA
Nicolai.

Cinamo,
picæ I
roci,
choenanthi,
ſari,
Xylocaſſiæ, aut Cinamomi exquiſitiſſimi,
Xylobalſami, aut Ligni Aloës,
Carpobalſami, aut Cubebarum,
Violarum,
bſinthii,
pithymi,
garici,
oſarum,
Turbith,
Colocynthidos,
Maſtiches ana drachmam unam, ſcrupulum unum,
Aloës non lotæ quantum reliquorum omnium, id eſt, uncias duas, drachmas quinque, ſcrupulum unum,
Mellis deſpumati libram unam ſemis.
Miſce, fiat Electuarium.

a hac, quæ & magna, & Hiera ex ſedecim rebus dicitur, Mel enim & Aloë in compoſitionibus hiſce non numerantur) Enematum uſus valdè eſt ſolemnis: probè enim pituitam aſſam & frigidam inteſtinis adhærentem eluit, jecoris obliberat, lienis duritiem emollit, denſitatem expedit, renibus humoris deturbatione proficit, uteri intemperiem emendat; am affectus, oculorum & aurium gravedines à magno pire ortas juvat, ventriculo demum benefacit.

HIERA LOGADII NICOLAI MYREPSI.

℞. Pulpæ Colocynthidos,
Polypodii ana drachmas duas,
Euphorbii,
Polii Montani minoris,
Sem. Thymelææ, vel Coccognidii ana drachmam unam ſemis, grana ſex,
Abſinthii,
Myrrhæ ana drachmam unam, grana duodecim,
Centaurii minoris,
Agarici,
Ammoniaci,
Folii, vel ejus loco Macis,
Spicæ Indicæ,
Scillæ præparatæ,
Diagrydii ana drachmam unam,
Aloes,
Comarum Thymi,
Chamædryos,
Caſſiæ ligneæ,
Bdellii,
Marrubii ana ſcrupulum unum, grana quatuordecim,
Cinamomi,
Opopanacis,
Caſtorii,
Ariſtolochiæ longæ,
Trium Piperum,
Croci,
Sagapeni,
Petroſelini Macedonici ana drachmam ſemis,
Ellebori nigri,
Albi ana grana ſex,
Mellis deſpumati triplum, ſeu uncias decem.
Miſce, fiat Electuarium.

Mala melancholica diuturna partim propulſat, partim transmutat, appetitum inſtaurat, hilaritatem ac robur corpori inducens; epilepticis, vertiginoſis, ſubitò concidentibus, ſpumantibus, linguam mordentibus, & convulſis auxilio eſt, biliosis ac elephantiacis inter initia convenit; feris item impetiginibus, lethargicis, jecinoroſis, & iis qui venena lethalia hauſerunt, utilis eſt, ac menſes potenter movet; iſchiadicis & lumborum dolore vexatis admodum

*mpetere creditur, diuturnis morbis à vitioſis humoribus ob-
mùm conferens. Expetitur potiſſimùm in Enemata, ubi
:raſſos, lentos, & tenaces humores evocare neceſſe eſt; rarò
rnè exhibetur, licet aliqui nimis forſan audacter ejus doſin
is duabus uſque ad quatuòr ad ſummum ſeſe extendere poſ-
; qua de re perito cuique Medico valorem validorum pur-
Hiera hujus compoſitionem ingredientium conſideranti, ſuum
ım.*

'ulpa Colocynthidis non in hac ſolummodo compoſitione, ·c ·mbus aliis Trochiſcos Alhandali ſubſtituimus.

.cæ ſeu Coccognidii ſemina ubi defuerint, quæ tamen :acilè haberi poſſunt, his commodè ſubſtitui queunt ſemina Germa·icæ, quæ planta noſtris Zeilandt dicitur, eaſdem melææ, ·amelææ, ac Lathyris vires habens.

ERA· ·CHII EX NICOLAO ALEXANDRINO, Quæ & DIACOLOCYNTHIDOS.

ſtœchadis,
Aarrubii,
Chamædryos,
Agarici,
Colocynthidos ana drachmas decem,
Opopanacis,
agapeni,
'etroſelini,
Radicis Ariſtolochiæ rotundæ,
'iperis albi ana drachmas quinque,
Cinamomi,
picæ Nardi,
Myrrhæ,
'olii,
Croci ana drachmas quatuor,
Mellis deſpumati triplum, id eſt, libras duas, uncias novem, & drachmas quinque.

onius Largus de compoſit. Med. cap. 97. *Hieram hanc ad ium autorem refert, & mirificis laudibus in cœlum effert. igitur tanta efficacia ſit, & alii etiam qui eâ uſi ſunt, ejus int experti, in noſtris quoque Officinis hanc conſtructam & ſſe voluimus. Sanat enim morbo comitiali correptos, furio-gine laborantes, ac diuturno capitis dolore infeſtatos: facit lateris dolores, aſthmaticos juvat, vocem amiſſam reſtituit:*

 ſubitas

ſubitas præfocationes, incubum, convulſionem cynicam, ſeu caninæ dictam aufert. Datur iis qui ex alto lapſi, aut nervorum tenſiones reſolutionesque paſſi ſunt. Prodeſt iiſdem articulari morbo, ſpinæ, ac lumborum doloribus, item podagræ mirificè auxiliatur; durities in mulierum mammis cum dolore conſiſtentes levat, & interdum ex integro ſanat; ſtomachicis mirum in modum confert: remedio eſt iis, quibus cibus in ventriculo aceſcit, quique nauſea aſſiduè infeſtantur, ac ſalivâ abundant; melancholicis autem præcipuè benefacit, carcinomata & cacoëthe curat.

ANIMADVERSIONES

In Hieram compoſitam Nicolai, & Hieram Logadii Nicolai Myrepſi; item Hieram Pachii, ex Nicolao Alexandrino.

PLures ſatisque egregiæ *præfatas compoſitiones* [illegible]bilitant *ſpe*[illegible] quas gutturi inferiori (cui tamen ign[illegible]ili[illegible] uſui *prima* & *ſecunda* potiſſimùm à plurimis deſtinantu[illegible]re nefas, & à ſonum eſſet; Plures etiam additæ ſunt [illegible]miſſe longè meliu[illegible] fuiſſet, præſertim in *Hiera Logadii*, quam etiam ob violentam, mordacem & exurentem ſuam qualitatem, ad interiores uſus ferè ineptam ac inhabilem reddunt; Sed hæc aliis, qui ipſis frequentiùs utuntur, conſideranda relinquo; Id ſaltem in præſens innuere volo, quòd *ſpecies primæ Hieræ*, nimirùm *compoſitionis Nicolai*, dempto *melle*, commodiùs *pilulis* ex iis conficiendis inſerviant, quàm *electuario*. Cæterùm in confectione horum & ſimilium *electuariorum*, quæ diverſa *gummata*, aliaſque res ſolubiles recipiunt, conveniet imitari præparationem *theriaces*, ſcilicet *gummata* (utpotè in *Hiera Logadii*, *Opopanacum*, *Sagapenum*, *Myrrham*, *Bdellium*, & *Ammoniacum*) in *liquore* aliquo convenienti ſtudiosè priùs diſſolvendo, ac ſoluta demùm *ſpeciebus* reliquis admiſcendo.

ELECTUARIUM INDUM

MAJUS MESUE.

℞. Cinamomi,
Caryophyllorum,
Spicæ Indicæ,
Roſarum,
Caſſiæ ligneæ veræ,
Macis,
Cyperi rotundi ana unciam ſemis,
Santalorum Citrinorum drachmas duas ſemis,
Turbith optimi uncias ſex, drachmas duas,
Ligni aloës,
Nucis Moſchatæ ana drachmas duas,

Sac-

acchari,
enidiorum ana drachmas viginti,
ialangæ,
Cardamomi majoris,
Minoris,
ſari,
Maſtiches ana drachmam unam ſemis,
iagrydii unciam unam ſemis.
a terantur, & cum oleo Amygdalarum dulcium fricentur,
oſequenti ſyrupo conficiantur.
orum depuratorum Apii,
Fœniculi,
Cydoniorum,
Granatorum ana libram ſemis.
Mellis d... ati optimi libras quatuor ſemis.
uantur ... cum melle ad ſpiſſitudinem juſtam, ut eſt ar-
le miſce...

dorum humorum, maximè verò pituitoſorum excrementa à triculo, & aliis partibus nutritioni ſervientibus educit, ac los in iis flatus diſcutit, unde etiam vitia hinc nata, infla- npe ventriculi, coli, renum, & aliorum viſcerum perſanat.

ANIMADVERSIONES.

volenti erit denominatos *ſuccos*, ne quicquam ab iis pereat, *ationi* committere, & *aquam ſpirituoſiorem* ab ipſis pro- n peculiariter aſſervare, tandemque *inſpiſſatos melli & ele-* ommiſcere, ipſi liberum eſto. *Fricatio* autem omnium & n *ſpecierum ingredientium oleo amygdalarum dulcium*, ceu nutilis repudianda eſt. *Diagrydium* (quod ſigillatim ſem- rizandum) *oleo dicto* nonnihil aſpergi, vel ſaltem morta- quo tunditur, aliquantillum ipſo humectari poterit, quò naciter illi adhæreat, aut alcoholizatum avolet. Reliqua- *ſpecierum* plures, ſi ſeparatim ſepoſitis quibuſdam *oleagino-* è *Macere*, *Garyophyllis*, *Nuce Moſchata*, *&c.* contunderen- ninus aſperſione aliquot guttularum præfati *olei* indigerent, contritione *pulvis ſubtiliſſimus*, ſive *alcohol* earundem in lleretur. Si verò cum his mixta contundenda ſunt, pecu- additione opus non habent, quippe prædictæ *ſpecies oleagi-* vices ſupplent ac impediunt, quò minus multum de iis ab-

DIAPHOENICON MESUE.

Dactylorum Citrinorum enucleatorum, ac tribus diebus in aceto

aceto maceratorum, ante infuſionem ponderatorum uncias ſex, & drachmas duas,

Penidiorum uncias tres & drachmam unam,
Amygdalarum dulcium drachmas quindecim,
Turbith electi drachmas ſeptendecim ſemis,
Diagrydii drachmas ſex,
Zingiberis,
Piperis longi,
Foliorum Rutæ ſiccatorum,
Cinamomi,
Macis,
Ligni Aloës,
Aniſi,
Fœniculi,
Dauci,
Galangæ ana ſcrupulos quatuor,
Mellis deſpumati libras tres, unci[illegible]decim & drachm[illegible] quinque.

Fiat Electuarium.

Electuarium hoc, quod (ut Meſue *refert) deſcripſit filius* Z zar, *febribus compoſitis & diuturnis auxiliatur, bilem namque flavam & pituitam ſine moleſtia educit, ventriculi item doloribus, & id genus vitiis ex crudis humoribus ortis confert; ventris inflationes tollit, nec non obſtructiones expedit.*

DIAPHOENICON FERNELII.

℞. Pulpæ Palmularum mundatarum ex Hydromelitæ coctæ, & cribro cretæ,
Penidiorum recentium ana libram ſemis,
Amygdalarum expurgatarum uncias tres ſemis.
Contuſis & permixtis omnibus, adde
Mellis exſpumati libras duas:
Paulùm coquantur, ac deinde inſperge
Zingiberis,
Piperis,
Macis,
Cinamomi,
Foliorum Rutæ ſiccatorum,
Sem. Fœniculi,
Dauci ana drachmas duas,
Turbith tenuiſſimè triti uncias quatuor,
Diagrydii unciam unam ſemis.
Fiat Electuarium.

poſitionem Electuarii Diaphœnici ob Dactylos in aceto in-
is, alioquin parum gratam doctiſſimus, & ob praſtita in
npubl. Medicam beneficia non ſine magna laudis præfatio-
ndus Vir D. D. Fernelius *in hanc formam transtulit: ac*
almulas in Hydromelite coctas ob jucundiorem, ſed etiam
, imò ferè duplicatam Turbith ac Diagrydii quantitatem
ciorem reddidit, unde & minori doſi exhibita, priore po-
um ſolvit. Quæ quoniam Medicis noſtris uſitata exiſtit,
ic Pharmacopœia inſerendam eſſe cenſuimus.

.APRUNIS SOLUTIVUM
Nicolai.

iapruni s lenitivi adhuc recentis & calidi libras quatuor,
ammo: ii præparati, ſeu Diagrydii uncias duas.
Miſce

:rt mort. — 'e genitis, in febribus tamen, maximè verò
nu.., ab ejus u. u...vendum.

ANIMADVERSIONES
)iaphœnicon Meſue, & Fernelii, nec non Diapru-
nis ſolutivum Nicolai.

ec *Electuaria* ex *Dactylis* confecta *Fernelii compoſitio*, præ *ſues*, nobis arridet, eò quòd in *Ferneliana præparatione*, *ı* abſque *aceto* in *Pulpam* redigantur: Etenim non video, ngularem cauſam *Meſue Dactylos aceto* priùs macerare & præceperit, uti nec adeò perplacet, quòd hi & conſimiles potè *Amygdala*, nec non cætera precioſa ingredientia in- itur, cùm neutiquam vim *purgantium* directè infringere :re poſſint, ſed doſin ſaltem & precium augeant, & invicem ingrati ſaporis & odoris efficiant medicamentum. De *ſcc-Penidii* quid ſentiam, ex *Animadverſionibus* noſtris ſu- *im Capillorum Veneris* abundè patebit. Cæterùm, hæc *Ele-* xtà modos præſcriptos confici poſſunt. Quæ leviora alio- præparationem eorundem monenda eſſent, peritus Phar- s ipſus antea norit: ſin minùs, conſulantur *Animadver- !uarii Hiera cum Agarico.*

ECTUARIUM DE PSYLLIO
Montagnanae, In Consiliis
fol. 226. in Antidot. cap. 19.

olypodii recentis libram unam,

Senæ,
Violarum,
Prunoru.n,
Tamarindorum,
Paſſularum ana uncias tres,
Aq ıæ fontis libras decem.

Macerentur horis viginti quatuor, poſtea decoquantur ad medietatem, colentur & exprimantur: colaturæ libra una ſemis reſervetur pro diſſolutione Caſſiæ & Tamarindorum. Reſiduo adde

Sem. Pſyllii uncias tres:

Macerentur rurſus totidem horis, ſemper agitando: pu[illegible] mucilaginem, cui adde

Sacchari libras quatuor.

Decoquantur iterum lento igne, & adde

Pulpæ Caſſiæ,
Tamarindorum diſſolutorum cum p[illegible]tâ decoctione a. libram ſemis,
Diagrydii uncias quatuor,
Spodii de Ebore,
Rhabarbari,
Santali albi,
Rubei,
Roſarum rubearum,
Violarum,
Sem. Papaveris albi,
quatuor frigid. minor.
Fœniculi,
Aniſi,
de Berberis,
Fumiterræ,
Tragacanthi,
Amyli,
Gummi Arabici,
Raſuræ Eboris,
Glycyrrhizæ ana drachmas tres,
Myrobalanorum Indorum,
Emblicorum ana drachmas quinque ſemis.

Miſce, fiat Electuarium.

FLavam bilem educit, ejus fervorem temperat, & febribus ardentibus auxiliatur: dolori capitis & vertigini àillioſorum humorum evaporationibus procreatæ, morbo regio, ac jecori ſupra modum calefacto ſuccurrit.

Diagry-

Diagrydium per ſe tritum, ac Spodium, & raſura Eboris tenuiſſimè pulveriſata, reliquis ſimul conterendis miſceantur, & cribro transmiſſa, decocto ad juſtam conſiſtentiam redacto, paulatim inſpergantur, fiatque Electuarium, ut eſt artis.

ANIMADVERSIONES.

Ex conglomeratâ & malè conſarcinatâ tot huic *compoſitioni* deſtinatorum ingredientium farragine, quàm delicatum ſcilicet parari queat *Electuarium*, quivis qui penitiùs paulò eam introſpexerit, ne dum qui ipſam ejus præparationem tentaturus eſt, ad nauſeam uſque videbit. Et ut cætera cuncta miſſa faciamus, ſolùm *ſemen Pſyllii* attingere libet, utpotè quod in ſatis largâ quantitate, huic *Electuario* additur, unde etiam nomen habet; Ex quo, ut Author ipſe jubet, *Mucilago* tota extrahenda, & cum *Sacchari* ℔ *iv* decoquenda eſt; Quale autem exindè evadat ferculum, is ſolus optimè novit, qui *Electuarium* hoc ſuis manibus antea confecit. Nil dicam de cæteris plurimis aliis, quæ *embammatis huic viſcido & mucilaginoſo*, gratiæ conciliandæ ergo, æquè tamen inconcinnè, adjecta ſunt. Non mirùm ſanè, quòd ægrotantes ab uſu medicamentorum tantopere abhorreant, ac emori ſæpenumerò malint, quàm tali inſulsâ medicinâ uti; Culpa autem hujus rei nulli alii imputanda eſt, quàm ſolis *Medicis*; illis nimirum quibus religio eſt à *Veterum* quorundam præſcriptis vel latum unguem recedere, ac eum iiſdem delirare volunt potiùs, quàm juxtà *Divini Senis Hippocratis* monitum, *citò, tutò*; & *jucundè* curare. Aſt habeant illi ſibi opipara hæc ſua *embammata*, & quæ intrivere ipſi exedant; Nos verò ob talia nil morabimur, quin alia meditabimur meliora. Qui proindè paulò potiorem hujus Pharmaci deſiderat præparationem, is ſe gerat tali pacto; nimirùm juxtà modum noſtrum, jam in præcedentibus pluries indigitatum: *Folia Senæ*, & ſi libet, etiam *Polypodium* ſigillatim infuſione vel coctura extrahat; deindè reliquas *ſpecies* vel *fructus* etiam ſeorſim; Ulteriùs *decoctis* vel *infuſionibus* hiſce ſimul junctis *ſemen Pſyllii* nonnihil extrahendum, & addito *Saccharo*, decoquendum eſt, neſcio tamen ad quam conſiſtentiam, utpotè quæ ob ingentem *mucilaginem & viſcoſitatem* deſcribi nequit, ſed Pharmacopœo peritiori committenda erit, qui ſtudioſè obſervare debet, ne à *mucilagine* decipiatur, quò minùs durabile efficiat medicamentum; Commiſcendæ tandem *Pulpa fructuum* confectionem hanc ingredientium, ac ubi parùm refrixerint, *ſpecies* etiam ſubſequentes in pulverem redactæ, obſervando interim *Animadverſiones* noſtras præcedentes, in *Electuarium de Hiera cum Agarico.*

ELECTUARIUM ROSATUM
MESUE.

℞. Succi Roſarum rubearum perfectarum libras quatuor,
Sacchari optimi libram unam ſemis.
Coquantur lento igne ad Mellis conſiſtentiam; deinde adde
Mannæ electæ ſucco Roſarum dilutæ uncias ſex.
Ferveant ſimul pauluſùm: deinde benè tritis, & per cribrum tranſmiſſis, adde
Diagrydii unciam unam ſemis,
Trochiſcorum de Spodio unciam unam,
Trochiſcorum de Berberis unciam ſemis,
Galliæ Moſchatæ veræ,
Croci ana drachmas duas.
Fiat Electuarium, ut eſt artis, quod in vaſe vitreo repoſitum ſervetur.

Cholagogum hoc ſalubre eſt bilioſis affectibus, arthritidi calidæ, cephalalgiæ, vertigini, oculorum dolori, ictero, ſanguinis quinque fervorem bilioſum expurgat.

Paratur etiam Medicamentum hoc ſine Galliâ partim, pro pauperibus, partim pro iis, qui Galliæ odorem non ferunt.

ANIMADVERSIONES.

Simpliciſſima hujus *Electuarii* præparatio vituperium non meretur; *Animadverſio* facta etiam ratione *Galliæ Moſchatæ*, nullâ ratione improbanda, quin ſeriò notanda eſt; Neque enim ſtercora *Moſcho, Ambrâ*, & *Ligno Aloës* (utpote ex quibus *Gallia Moſchata* conſtat.) condienda ſunt. Cæterùm *Trochiſcos de Spodio* & *de Berberis* quod attinet, valdè imprudenter mihi videtur compoſita compoſitis cumulare, quaſi verò *ſpecies* illæ, quæ prædictos *Trochiſcos* ingrediuntur, æquè commodè huic *confectioni* in debitâ quantitate addi non potuiſſent, ſed neceſſariò *Trochiſci* addendi fuerint, qui alioquin raro vel nunquam à Medicis præſcribuntur, deberent ideò proſtare ratione ſolius hujus *Electuarii*; Proh! quam ſtupidum hoc eſt! Næ hoc modo valdoperè gravantur Pharmacopœi, tot ac tantis compoſitis præparandis, quæ vel ſpatio aliquot annorum ne ſemel quidem præſcribuntur, quæque tandem ubi vetuſtate conſumpta, vel quovis modo tractu temporis corrupta fuerint, abjicere neceſſum eſt. Unde tùm non leve diſpendium Pharmacopœo accedit, quòd tandem etiam in ægrotos redundat, qui ægerrimè poſtea ſuo ære damnum hoc reſarciunt, & Pharmacopœo ſumptus ſive impenſas ſuas refundunt, hinc demùm illæ lachrymæ! Huic incommodo

modo jam ut obviam eamus, conabimur poſthac illas *compoſitiones*, quæ *compoſita* ingrediuntur (licet haud exiguo noſtro labore) exactiſſimâ & diligentiſſimâ computatione reſolvere, tantùm de *ſpeciebus* ſingulas *compoſitiones* ingredientibus, aliisque *compoſitis* additis, unicuique *compoſitioni* addendo, quantùm alioquin vel ad unum aut alterum granum *compoſiti* integri additum fuerit, facto initio ad hoc *Electuario*, quòd jam præ manibus habemus, ubi *ſpecies* omnes *Trochiſcorum de Spodio & de Berberis*, quæ hanc *compoſitionem* ingrediuntur, in debito & accuratiſſimè computato pondere, addemus, ut adeò in poſterum non neceſſum ſit prædictos *Trochiſcos*, vel plura ſimilia ſu[illegible]a *compoſita* conficere, ſed ut *ſpecies* ipſas recentes ſemper addere queamus: Utpotè,

℞. *Sacchari albi opt.* ℔ j ß,
Succi Roſarum ℔ *iv.*

Coquantur lento igne ad conſiſtentiam *Syrupi* multò craſſiorem, [illegible]ibus adde

Mannæ elect. & colatæ ℥ *vj*,

ac ubi parùm refrixerint, *ſpecies* etiam ſubſequentes in pulverem redactas, ſcilicet

Roſarum rubrarum ʒ *iij* ß, *gr. vj*,
Spodii ʒ j, ℈ *ij*,
Sem. Acetoſæ ʒ j, *gr. xxiv*,
Berberum ʒ ß, *gr. j*,
Coriandri,
Portulacæ,
Sumach ana ℈ j, *gr. vij*,
Amyli,
Florum Balauſtiarum ana ℈ j, *gr. iv*,
Gummi Arabici ʒ j, *gr. ij*,
Ligni Aloës,
Maſtichis,
Galliæ Moſchatæ,
Nardi Indicæ ana gr. xvj,
Diagrydii ℥ j ß,
Croci ʒ *ij*.

Nota; *Galliæ Moſchatæ* ʒ *ij*, ſtudiò omiſimus, ob rationem ſuperiùs dictam; poſſunt nec non *grana illa ſedecim dictæ Galliæ Moſchatæ*, quæ ex *compoſitione Trochiſcorum de Berberis* huc tranſlata ſunt, ſimiliter omitti.

ELECTUARIUM E SUCCO ROSARUM NICOLAI.

℞. Succi Roſarum rubrarum,

Sacchar[illegible]

Sacchari albi ana uncias ſedecim,
Scammonii præparati unciam unam ſemis,
Santali rubri,
Albi,
Citrini ana drachmas ſex,
Spodii de Ebore drachmas tres,
Camphoræ ſcrupulum unum.

Succus Roſarum cum Sacchar o ad juſtam conſiſtentiam coquatur, deinde tritæ ſpecies adjiciantur.

Commendatur ad omnes affectus, in quibus bilis flava redundat, aut bilioſi ichores peccant; convaleſcentes ex [illegible] tudine, quotidianarios & tertianarios ſine moleſtia purgat, malignorumque humorum reliquias potenter educit; tertiana ſimplici, duplici, febribus bilioſis, maliſque omnibus à calore natis prodeſt; p[illegible]e- ſur in calidis capitis affectibus, ad purgand[illegible]m materiam calida & bilioſam.

Modus confectionis hic eſt, ut ſuccus Roſarum cum Sacch[illegible] in Syrupi conſiſtentiam percoquatur, cui poſtmodùm inſpergantur Santala in pulverem redacta, itemque Spodium tritum; poſtremò addantur Diagrydium & Camphora, quorum utrumque per ſe ac ſeorſim pulveriſatum, prædictis admiſceatur: & fiat ex lege artis Electuarium.

ANIMADVERSIONES.

Animadverſio Authorum ſuper hoc *Electuarium* facta, ſimplicem bonamque ejus præparationem edocet; in eo autem ſolummodò Authores hallucinantur, quòd *Camphoram* per ſe pulverizare jubeant, quàm per ſe & abſque ulla additione in pulverem redigere impoſſibile eſt: Proindè conſultius eſt, *Camphoram* in mortario aliquot guttulis *olei Roſarum*, vel *ligni Rhodii*, aut etiam *Amygdalarum dulcium* humectatam, terere, & *Spodium* uti rem ſiccam tandem illi addere, ſic enim ſimul in pulverem ſubtilem redigi poſſunt.

ELECTUARIUM DIASEBESTEN

BARTHOLOMAEI MONTAGNANAE.

℞. Sebeſten ſine nucleis,
Prunorum ſiccorum enucleatorum,
Pulpæ Tamarindorum ana uncias quinque,
Aquæ Violarum libram unam,
Ireos,
Succi Anguriæ ana uncias ſex,
Succi Mercurialis depurati uncias quatuor,

Penidiorum uncias octo,
Sem. quatuor frig. major. excorticatorum ana uncias duas;
Diagrydii drachmas tres.

Coquantur Tamarindi, Sebeſten, & Pruna, in aquis ſtillatitiis, & diſſoluta commiſceantur cum ſuccis, addendo pulpæ Prunorum libram unam ſemis. Poſtea addantur Penidia, & his diſſolutis Diagrydium, & reliqua commiſceantur, ac fiat Electuarium.

Confert febribus bilioſis interpolatis, ac continuis exquiſitis, quarum vehementiam ſedat, ſitim extinguit, vigilias arcet, & acres humores per urinam educit.

Angur..., quæ Hetruſcorum eſt Cucumis in ventrem creſcens, (quæ alioquin *Albateca*, *Bateca*, & *Melon* Indus dicitur) nobis deeſt: pro ejus igitur ſucco aquam Melonum ſtillatitiam ſubſtituin..s.

...iqui, nec ſine ratione, ex ſeminibus frigidis Electuarium hoc ingr...entibus emulſionem parant, quam cum Penidiis decoctam comp... tioni poſtmodùm induunt, ac cum cæteris ad juſtam Electuarii ...nſiſtentiam reducunt.

ANIMADVERSIONES.

Ut inconcinna eſt hujus *Electuarii* ingredientium ſpecierum congeries, atque inde emergens inſulſa *confectio*, ita inſipidæ etiam ſunt auctarii loco adjectæ *Animadverſiones*, omni ratione & judicio deſtitutæ, quæque vel primo ſaltem intuitu, illis, qui artem pharmaceuticam vix à limine ſalutârunt, riſum moverent, nedum in eadem aliquantùm exercitatis. Quarum ultima tamen videtur quodammodo propinquiùs ad ſcopum acceſſiſſe, ſed & ipſa manca eſt & mutila: Ut autem ſine prolixiori examine, *pulmenti* hujus aliam addamus præparationem, en cape ſequentem:

℞. *Sebeſten ſine nucleis, Pruna iisdem enucleata, & Tamarindos*; affuſiſque *aquis ſtillatitiis*, *Violarum*, *Ireos*, ac *ſuccis Anguriæ* & *Mercurialis*; decoque ad conſiſtentiam pulmenti, quod trajice per ſetaceum; Cui adde loco *penidiorum ſaccharum commune album*, nec non *pulpam prunorum*; coquantur invicem ad conſiſtentiam *electuarii*: huic tandem admiſce, *ſemina quatuor frigida majora excorticata*, in mortario, cum particula *aquæ* minutiſſimè contuſa; ac ſi *emulſionem* conficere velles, & per cribrum etiam vel ſetaceum transmiſſa; ac ubi quodammodo refrixerit, ultimò *Diagrydium* adde, ſic paratum erit ferculum, quo is, cujus palato hoc arridet, ad libitum & ſufficientiam, exſaturari poterit.

DIASENA NICOLAI.

℞. Senæ unciæ tres,

Avellanarum toſtarum numero quinquaginta,
Serici toſti drachmas duas,
Lapidis Armeni loti drachmam unam,
Lazuli loti drachmas tres,
Sacchari uncias ſex,
Cinamomi unciam unam,
Caryophyllorum,
Galangæ,
Piperis,
Spicæ Indicæ,
Seminis Ocimi,
Folii aut Macis, vel Caſſiæ ligneæ veræ,
Cardamomi,
Croci,
Zingiberis,
Zedoariæ,
Florum roriſmarini,
Piperis longi ana drachmas duas,
Mellis deſpumati libras duas.
Miſce, fiat Electuarium.

M*elancholicis, maniacis, triſtitia ac mærore affectis, lienoſis, ſcabie, elephantiaſi, & quartanâ laborantibus, atque inſuper omnibus noxis ex atra bile natis medetur.*

PRo lapide Armeno, de quo magna eſt inter Autores controverſia, lapis Cyaneus vel Cæruleus, vulgariter lapis Lazuli dictus, rectè hîc noſtrâ opinione ſubſtituitur, ut qui magnam cum Armeno cùm ratione originis, tùm virium affinitate cognationem habeat. Eligendus eſt autem lapis Lazuli aureis maculis diſtinctus, ſeu in cujus fracturis radiantes quædam ac ſplendentes aureæ ſtellæ ſcintillant, unde à Meſueo *Lapis ſtellatus* vocari meruit: cujus, prout & Serici præparatio, infra & ſuo loco tradetur.

ANIMADVERSIONES.

HOc *Electuarium* ſolâ ac ſimplici ingredientium mixturâ confici poteſt, uti alia, ſimplici viâ parata *Electuaria*. De *ſacchaſro* verò notetur, quòd ſi *mel* quodammodo craſſum ſit, priùs diſſolvi, ſicque diſſolutum *melli* permiſceri debeat; ſi verò liquidius *mel* extiterit, in pulverem redactum vel ſaltem contuſum illi admiſcendum ſit. De *ſerico toſto* multa quidem dicenda eſſent, quàm inutiliter illud non ſolùm huic *Electuario*, ſed etiam aliis plurimis *compoſitionibus* addatur, ex quibus tamen ceu inutilis carbo meritò exulare deberet; ſed hæc nobis reſervabimus, donec de ejuſdem *præparatione* verba ſumus facturi.

MEDI-

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS V.

Continens

CONFECTIONES SOLUTIVAS

In Forma Solida.

Pauca in hac Claſſe Confectionum ſolidarum *occurrunt emendanda, tum ob ſimplicem earum componendi modum, tùm etiam quòd major illarum pars, jam in præcedenti* Claſſe *reviſa & caſtigata fuerit. Operæ precium ſaltem nunc eſt, ut quid per* Confectionem ſolidam *Medici & Pharmacopæi propriè intellectum velint, breviter explicemus. Nimirum;*

Confectio ſolida dicitur medicamentum ſiccum in forma orbiculari vel oblongâ aut quadratâ, factum ex ſaccharo priùs aliquo liquore convenienti diſſoluto, iterumque ad omnimodam aquoſitatis exhalationem, ſive ejus conſiſtentiam ſicciorem cocto, cui demùm, dum adhuc liquidum & calidum eſt, aut antequam priſtinam ſuam duritiem prorſus indipiſcatur, ſpecies vel purgantes, vel aromaticæ, vel etiam Conſervæ, Condita, Fructus, vel Olea ſtill. aut alia res in debita & convenienti quantitate commiſceantur. Inventum ut eodem modo, quo in *Syrupis*, *Electuariis*, &c. beneficio *ſacchari* (quod uti ſuperiùs diximus, tanquam Pharmacopœorum *ſal* eſt) ſpecies ingredientes, quæcunque illæ ſint, ad tempus integris viribus conſervari poſſint, utque variæ medicinarum formæ, ad uniuſcujuſque delectum accommodatæ, in Officinis proſtent.

ANISUM LAXATIVUM.

℞. Sem. Aniſi mundati uncias ſex,
Diagrydii uncias tres, & drachmas ſex,
Maſtiches electæ unciam ſemis,
Spec. de Gemmis frig. drachmas duas,
Diamargarit. frigid.
Cinamomi acuti,

Digitized by Google

Caryophyllorum,
Nucis Moſchatæ ana drachmam unam,
Sacchari albiſſimi libras quinque & uncias quatuor.
Fiat ſecundum artem confectio.

Aniſo hoc ſolutivo plurimi adſtricta alvo laborantes ad eam facilitandam ante cibum utuntur: nonnulli autem qui medicamenta purgantia alioquin reſpuunt, hujus confectionis jucunditate illecti, eâ aſſumpta repurgantur. Veruntamen in medicamento hoc cùm ſolum Diagrydium vires ſuas exerat, iis tantùm, quibus hoc ipſum convenit, eſt exhibendum.

DIACARTHAMU SOLIDUM.

Species ingredientes Electuarii Diacarthamu Arnoldi cum ſaccharo conficiantur, ut eſt artis, ſeu ad normam Eleſcoph.

Iiſdem viribus quibus liquidum pollet, & gratius quàm illud aſſumitur.

CONFECTIO ADVERSUS LUMBRICOS.

℞. Sem. Cinæ drachmam unam,
Rad. Filicis,
Graminis,
Dictamni ana ſcrupulos duos,
Cornu cervi uſti,
Rhabarbari ana ſcrupulos quatuor,
Sacchari diluti aqua graminis uncias ſex.

Vermes & animalia ex humorum corruptione in inteſtinis nata enecat, & ejicit. Datur puerulis, quos lumbricorum frequens morſus infeſtat, aut eorundem roſio vellicat.

ANIMADVERSIONES
In confectionem Aniſi laxativi, Diacarthami ſolidi, & confectionem adverſus lumbricos.

HÆ enumeratæ *confectiones* poſſunt quidem juxtà modum præſcriptum præparari, aſt rationi non conſonum eſt, *ſpecies cordiales purgantibus* immiſcere, utpotè quæ in hiſce nihil amplius præſtare poſſunt, quàm quòd precium ſolum augeant, & quandoque etiam ſaporis gratiam immutent & diminuant; In reliquis peritus Pharmacopœus ſtudioſè obſervabit, ut *ſpecies ſaccharo* nonnihil refrigerato & induraeſcenti, ſub finem immiſceat; ſecus ſi fiat, *Diagrydium* grumeſcit, aut in priſtinam reſinoſam formam abit, quod ita in con-

in corpus aſſumptum vix quicquam operatur. Nec per ſe ſolum *Diagrydium* dictum, *ſaccharo* immiſcendum eſt, ſed aliis *ſpeciebus* permixtum, quæ ejus coagulationem vel conglobationem impedire quodammodo poſſint.

In *Diacarthamo ſolido*, quod ad normam *Eleſcoph* (in quo ℥ *vj ſpecierum uni libræ ſacchari deſtinantur*) parare præcipiunt, hoc monere volui, quòd quantitas *ſpecierum* aſſignatum pondus *ſacchari* excedat, ac ob id difficiles paratu ſint hæ & conſimiles *confectiones*, ac ori & oculis ingratæ evadant; accedit quòd *ſpecies* jam adhuc intensè calenti *ſaccharo* immiſceri jubeantur, quo ipſo facillimè contingit, ut ob *Diagrydium* (uti jam ſuperiùs commemoratum) præſertim ſi in operationibus pharmaceuticis non multùm exercitatus & expeditus, *confectionem* moliatur, tota *confectio* deſtruatur: Suaderem igitur, ut ſaltem *tres*, vel ad ſummum *quatuor unciæ ſpecierum ad* ℔ *j ſacchari* ſumerentur. Præterea in præparatione hujus *confectionis*, non opus eſt vel *melle roſato*, vel *ſaccharo candi*; poſſet etiam *pulpa cydoniorum* omitti, (quæ tamen ſi admiſcenda eſt, præſtat, ut ſtatim atque *ſaccharum* ab igne removetur, illi adhuc ferventi addatur, in eoque diſſolvatur,) ſimiliter etiam *Manna*. Atque hac ratione *quantitas ſpecierum* multùm diminueretur, & nihilominùs *confectio* hæc, quantumvis ad *ſacchari libram integram*, *tres* ſolummodò *unciæ ſpecierum* ſumantur, ad operandum ſatis efficax erit. Ut autem de legitimo præparandi modo, eò certiùs conſtet, integram præparationem heic ſubnectam. Utpotè,

℞. *Specierum Diatrag: frigidi,*
Medullæ Carthami ana ℥ ß,
Zinziberis ʒ *ij*,
Diagrydii ʒ *iij*,
Turbith albi ʒ *vj*,
Hermodactylorum ℥ ß.
Miſce, fiat pulvis.

Poſtea

℞. *Sacchari albi in aquâ roſarum diſſoluti* ℔ *j.*
Coquatur ad conſiſtentiam debitam & notam, quam *Tabulati* vocant, cui ſtatim adhuc ferventi injice, in eoque diſſolve
Gelatinæ Cydoniorum, ſi libet, ℥ *j*,
Mannæ electæ ʒ *ij*,
Et ubi parùm refrixit, aut condenſationis notam præbet, *ſpecies* etiam *ſupradictas* confeſtim immiſce, ac in aptum & conforme receptaculum effunde, dividendo poſtea cultro in *morſulos*, quorum quilibet habeat pondus *duarum* vel *trium drachmarum* circiter.

Nota: Si *ſpecies Diatragacanthi frigidi*, jam paratas (quæ utplurimùm in promptu ſunt) accipere lubet, per me licet; ſin minùs, accipiantur *ingredientia dictæ compoſitionis recentia*, & quidem pro qua-

 libet

libet *uncia una* ejus *decima ſexta pars*, ſive ℨ ß, & pro qualibet *drachma una*, *grana tria cum dimidio* circiter.

DIACYDONIUM LAXATIVUM.

℞. Foliorum Senæ el. uncias duas ſemis,
Sem. Aniſi drachmas tres.

Infundantur in libris duabus vini Malvatici per horas duodecim, poſtea coquantur levi igne ad medias, colenturque. In colatura hac infunde per noctem loco calido

Rhabarbari electi drachmas ſex: manè colen , & colatura ſervetur.

Deinde

℞. Zingiberis albi unciam unam,
Cinamomi acuti drachmas ſex.

Infundantur ſeorſim per noctem in ſucci Limonum & Citri ana unciis quatuor: manè colentur & exprimantur.

Poſtea

℞. Pulpæ Cydoniorum lege artis paratæ libras duas ſemis,
Sacchari clarificati libram unam ſemis.

Coquantur cum ſuperiore expreſſione, continuè agitando ad juſtam conſiſtentiam, in fine addendo infuſionem Zingiberis, ſuprà cum ſuccis paratam, & inſuper

Diagrydii unciam ſemis.
Fiat Diacydonium in ſcatulis.

QUi lucidum ac tranſparens hoc medicamentum parare voluerit, *Rhabarbarum* omittat. Aliqui *Mechoacam* ejus loco addunt, unde minùs tingitur: *Diagrydium* verò cum *ſpiritu vini* ſolutum, ut lucidius evadat Pharmacum, ſæpiùs transcolant, & per chartam emporeticam trajiciunt: Nonnulli *Antimonii* infuſum quandoque addidêre. Verùm ventrem turbandi multæ ſunt artes, attamen electivè purgantibus non temerè abutendum, præſertim verò in delicatulis ac infantibus, cavendumque ne vulgus, nomine *Diacydonii* deceptum, *Diagrydiatum* hoc promiſcuo ac inconſiderato uſu quibuſvis id temerè exhibendo in ſui noxam porrigat.

ANIMADVERSIONES.

D*Iacydonium* hoc, ſi ex *Pulpa cydoniorum* conficiendum, ſive *Rhabarbarum* ipſum, ſive ejus loco *Mechoacannam* acceperis, lucidum ac tranſparens illud non effeceris: accedit quod *Extractum foliorum Sena* æquè craſſum nigriuſque ipſo *Extracto Rhabarbari* ſit: ſi verò ex *mucilagine* ſive *gelatinâ* conficere ipſum libuerit,

buerit, tranſparens quidem juxtà modum ſequentem evadet, aſt ex flavedine nigricans. Nimirùm,

℞. *Foliorum Sena* ℥ ij ß,
Rhabarbari elect. ʒ vj.

Fiat ex illis junctim *ſpiritu vini extractum* ſatis ſpiſſum; vel ſi laboribus parcere volueris, cùm aliàs *extracta* hæc in Officinis utplurimùm proſtent;

℞. *Extracti foliorum Sena* ℥ j,
Rhabarbari ʒ iij, *vel* ℥ ß,
Scammon. (loco Diagrydii) ʒ iij, *vel* ℥ ß.

Diſſolvantur iterum in ſ. q. *ſpiritus vini rectificatiſſimi*, & filtrata aſſerventur. Poſtea confice ex *Cydoniis* fruſtulatim inciſis, affuſâ ſ. q. *aqua mucilaginoſum decoctum*, ut moris eſt pro conficienda *gelatina*, cujus

Gelatina accipe ℔ iij,
Sacchari albiſſimi ℔ j ß,

Coquantur ad debitam *gelatina* conſiſtentiam: Huic ab igne remotæ, paulatim admiſce *ſolutionem prædictam extractorum ſpiritu vini rectificatiſſimo* factam, ſuperiusque aſſervatam: ſic enim *ſpiritus vini*, utpotè ſummè volatilis protinus auras petet, & *gelatinam* relinquet *extractis* imprægnatam; cui tandem, antequam jam jam in ſcatulas vel formas effundere lubido fuerit, aromatiſationis gratiâ

Olei Cinamomi guttas viij,
Aniſi guttas vj, &
Olei Zinziberis guttas vij

inſtillare poteris; Hoc modo *Diacydonium* conficies ſimplici modo parato longè gratiùs.

DIACYDONIUM LAXATIVUM PELLUCIDUM.

℞. Extracti Scammonii leviter ſaltem inſpiſſati, ſed ab omni liquore ſeparati, ut inſtar reſinæ cujuſdam liquidæ appareat, uncias quatuor.

Hoc ſolvatur iterum, affuſo pauco ſpiritu vini optimè rectificato, & permiſceatur diligentiſſimè agitando, cum gelatinæ cydoniatæ jam perfectè coctæ libris tribus ſemis. Infundatur in ſcatulis.

Bilem & pituitam ſatis potenter educit; pro delicatis & iis qui pharmaca catera averſantur, ac reſpuunt, concinnatum, attamen febribus continuis inidoneum.

In Diacydonio hoc laxativo pellucido, ad hominum potiùs ſaporem delectandum, quam medicamenti intentionem promoven-

dam, plurimi hucuſque & Medici & Pharmacopœi laborârunt, quorum cuilibet pro ſuo invento ſua quoque rependitur gratia. Nobis autem ſupraſcriptus compoſitionis noſtræ modus omnium commodiſſimus, & ſecuriſſimus eſſe videtur quia Scammonium perfectè diſſolutum, & liquidum, continuâ agitatione univerſæ maſſæ cydoniatæ ſuperfuſum æqualiter communicatur & permiſcetur.

ANIMADVERSIONES.

EX ſuperiori præparatione *Diacydonii*, & adjunctis *Animadverſionibus* noſtris ſuper ipſum factis, etiam hujus præparatio facilè eluceſcit, propterea benevolum Lectorem eò remittimus. Solent etiam ſolertes & curioſi Pharmacopœi unicè in id eſſe intenti ut oculis delectabile, nec minus ori gratum illud conficiant, & hujus gratiâ varios excogitavêre præparandi modos, quos tamen heîc recenſere & annectere ſupervacaneum eſſe exiſtimo, ſufficiat genuinum indigitaſſe præparandi modum.

ELECTUARIUM EPISCOPI,

Seu ELESCOPH SOLIDUM.

Fit juxta deſcriptionem *Meſue*, ſpeciebus addendo pro unciis ſex Sacchari libram unam.

EAſdem vires præſtat quas vel ſpecies, vel liquidum Electuarium poſſidet, vulgò tamen in hac forma magis expetitur.

ANIMADVERSIONES.

COnſulantur *Animadverſiones* noſtræ ſuper *confectionem Diacarthami ſolidi*, inprimis ratione improportionatæ quantitatis *ſpecierum* reſpectu *ſacchari*, & ſecundum illarum ductum, inſtituatur etiam hujus *confectionis* præparatio. Neque enim opus eſt enumeratis *ſpeciebus*, præſcriptas & deputatas *ſex uncias ſacchari pulveriſati* addere, & denuò loco *mellis* cum tripla quantitate *ſacchari* in *confectionem ſolidam* redigere, quinimò ſufficient *unciæ tres* circiter *ſpecierum*, pro *libra una ſacchari.*

HOLIPPÆ PURGANTES.

℞. Turbith albi gummoſi, & ab exteriori cortice mundati drachmas quinque,
Cremoris Scammonii vel Pulveris Syrii drachmas duas,
Zinziberis albiſſimi ab exteriori cortice mundati,
Cinamomi acutiſſimi ana drachmam unam ſemis,

Hermo-

Hermodactylorum electorum & mundatorum drachmam unam.

Fiat Pulvis ſubtiliſſimus; cui admiſce

Farinæ triticæ candidiſſimæ,

Sacchari albiſſimi ana uncias quatuor.

Cum ſufficienti quantitate aquæ Roſarum,

Fiant ſecundum artem Holippæ.

Pituitoſos bilioſoſque humores educunt, nec non ſeroſa excrementa evacuant; uſui ſunt iis potiſſimùm, quibus appetitûs per- ver... aliorum Medicamenti ſumptionem diſſuadet, quique ob ſaporis offenſam aliequin tolerandam ſic ſtudioſè falli deſiderant.

PASSULÆ LAXATIVÆ SICCÆ

D. D. Emmanuelis Didymi.

℞. Paſſularum minorum unciam unam,

Radicum Eſulæ præparatæ,

Ellebori nigri præparati ana drachmas duas.

Bulliant in libra una aquæ ad medias; colentur, fortiterque exprimantur.

℞. Paſſularum minorum pinguium optimè mundatarum uncias ſex: quibus affunde in vaſe vitreato colaturam ſuperiorem; ſtent aliquandiu in infuſione: deinde igne lentiſſimo bulliant ad humoris conſumptionem; cùm pauliſper refrixerint, ſuperaſperge pedetentim

Pulveris Diagrydii optimè præparati unciam unam.

Deinde Paſſulæ extendantur ſeparatim in patina, & propè fornacem exiccentur.

Pverulis trium vel quatuor annorum, 12, 15, *ad* 18. *Verùm adultioribus,* 60, *vel* 65, *uſque ad* 70 *iſtiuſmodi Paſſularum exhibentur.*

ANIMADVERSIONES

In Holippas purgantes, & Paſſulas laxativas.

Parentur tantummodò ad normam præſcriptam, cùm nihil iis inſit, quod peculiarem *Animadverſionem* mereatur.

DIAPHOENICON SOLIDUM.

℞. Dactylorum triduo aceto maceratorum numero ſex,

Cardamomi drachmas duas,

Pinearum.

Amygdalarum dulcium ana drachmas quindecim,

Turbith drachmas duodecim,
Diagrydii drachm. undecim,
Sacchari candi uncias duas,
Piperis longi,
Zingiberis,
Foliorum Rutæ ſiccatorum,
Cinamomi,
Macis,
Sem. Fœniculi,
Anisi,
Dauci,
Galangæ,
Ligni Aloës ana drachmam unam.
Sacchari libram unam.

Fiat confectio ſolida ut eſt artis, æqualiter pulveres miſcendo.

Viribus affine eſt liquido, altero tamen longè gratius, cùm pro ſemine Libiſtici quod nauſeam movere ſolet, non minore effectu Cardamomum ſubſtituatur.

ANIMADVERSIONES.

SI tyro medicinæ, aut alius aliquis, qui praxin medicam hodiernâ die primitùs inchoavit, *compoſitionem* hanc præſcriberet, veniam vix mereretur: Sed quòd toties hæc *compoſitio* reformata, ac à tot tantiſque Medicis reviſa, denuoque impreſſa ſit, id demùm ingenti dedecori eſt. Etenim eam paratu prorſus impoſſibilem eſſe, quis non videt? Et quis unquam *uncias undecim ſpecierum ad libram unam ſacchari*, pro *confectione* tali paranda auſus eſt præſcribere? Ne itaque in vanum labores, vel *Dactylos*, *Pineas*, *Amygdalas*, *Saccharum candi*, huic *compoſitioni* tanquam ſuperflua detrahere, vel etiam *ſacchari pondus* duplicare ſuadeo, & ſic tandem abſque ulteriori informatione præparatio hujus *confectionis* feliciùs ſuccedet ſub manu.

ELECTUARIUM E SUCCO
ROSARUM SOLIDUM.

℞. Specierum ingredientium Electuarium de ſucco Roſarum Nicolai, quantum deſcribitur ſuprà.

Cum ſacchari unciis ſedecim fiat confectio in ſolido, recipiendo tantùm ſucci roſarum libram unam.

Idem præſtat quod liquidum, & quidem paulò potentiùs: minor enim eſt hic ſucci roſarum, quàm in liquido quantitas.

ANIM-

ANIMADVERSIONES.

IN hac *compoſitione* quod ſingulariter moneam, non invenio; etenim præparatio hæc *Animadverſionibus* noſtris antecedenter factis uſque quâque reſpondet; nam *ſpecierum unciæ quatuor & drachma una*, ad noſtram ſententiam, *unciis ſedecim ſacchari* deſtinantur.

DIATURBITH CUM RHABARBARO BARTHOL. MONTAGNANAE.

℞. Rhabarbari drachmas decem,
Turbith albi & gummoſi,
Hermodactylorum ana unciam unam,
Diagrydii unciam ſemis,
Zingiberis,
Santali albi,
Rubri,
Violarum ana drachmam unam ſemis,
Maſtiches,
Aniſi,
Cinamomi,
Croci ana drachmam ſemis,
Sacchari albi libram unam, uncias duas, drachmas duas.

FLavam bilem & pituitam educit, atque aqua inter cutem laborantibus mirificè confert; ad vermes etiam efficaciſſimum eſt medicamentum, & valdè idoneum: nam rheum vermes maximè enecat, & Turbith pituitam ipſam vermium verum fomitem ejicit.

ZINGIBER LAXATIVUM.

℞. Zingiberis drachmas duas,
Cinamomi,
Caryophyllorum ana drachmam unam,
Nucis Moſchatæ,
Galangæ ana ſcrupulum unum,
Croci grana quatuordecim,
Turbith ſcrupulum unum ſemis,
Diagrydii drachmas tres,
Sacchari uncias quatuor.
Fiat confectio ſolida.

DAtur adultis à drachmis tribus ad quatuor, ſed cautè hoc medicamento utendum, præſertim cùm vulgus promiſcuè eo abutatur, ad quoſcunque affectus indiſcretè ac præpoſterè id adhi-

adhibens, bilem tamen & pituitam evacuat, verùm in febrium ſuſpicionibus ab ejus uſu cavendum: humores enim nimium fundit & liquat, unde Hypercatharſis de facili metuenda foret, ac medicamenti ipſius caliditas calidos affectus plus magis irritat, incendit, & inflammat.

ANIMADVERSIONES
In Diaturbith cum Rhabarbaro, & Zingiber laxativum.

HArum ambarum *confectionum* præparationes ſatis dextrè ab Authoribus præſcribuntur; proinde ipſis ſuas lau[illegible] non detrahere, necquicquam in iiſdem immutare volui.

MEDICAMENTORUM
PHARMACOPOEIÆ
AUGUSTANÆ
CLASSIS VI.
Continens
PILULARUM COMPOSITIONES.

K*αταπότια*, *ſive* Pilulæ, *à parva* Pilæ *ſimilitudine*, *ſive commoda deglutitione ita dictæ*, ſunt medicamenta in formam globulorum redacta, facta & efformata ex diverſis ſpeciebus, purgantibus potiſſimùm, Narcoticis, Diureticis, & ſimilibus, eum præcipuè ob finem inventa, ut inſuavitas & amaritudo quorundam ſimplicium (Aloës præſertim, quæ veluti corpus & baſis exiſtit omnium ferè Pilularum purgantium,) minùs guſtu percipiatur; & ut plura medicamenta ad ſatis diuturnum tempus ob Aloën illis admixtam, ceu verum à putredine præſervativum, ſub hac forma, ſcilicet Pilularum, vel earundem maſſæ, commodiùs aſſervari poſſint.

Inſignis autem in hac Claſſe adeſt Pilularum *luxuries & inutilis abundantia, quæ meritò diminuenda eſſet, ne tot tamque ingentes* compoſitiones, *quæ vel rariſſimè, vel nunquam à Medicis præſcribuntur, fruſtrà in* Officinis *proſtarent; addo, quòd pars maxima ipſa-*

rum

rum in operationibus & virtutibus (ſi Animadverſionibus *Authorum habenda fides) conveniunt, ut non videam, ad quid tantâ diverſarum* pilularum *farragine opus ſit: Poſſemus ſanè* tempori, chartæ & ſumptibus *parcere, & paucioribus ac ſelectioribus ſex vel ſeptem earundem præſcriptis formulis contenti eſſe.*

PILULÆ DE AGARICO

Mesue.

℞. Agarici drachmas tres,
Iridis,
Marrubii ana drachmam unam,
Turbith drachmas quinque,
Specier. Hieræ picræ Galeni drachm. quatuor,
Colocynthidos,
Sarcocollæ ana drachmas duas,
Myrrhæ drachmam unam,
Sapæ quantum ſatis eſt.
Fiat Maſſa.

Thoracem à pituita putri & craſſâ repurgant, ob id antiquâ tuſſi & aſthmati, aliisque thoracis vitiis à craſſis ac pituitoſis humoribus ortis auxiliantur,

Agaricus in compoſitionibus Pilularum à nobis ſemper ſumitur trochiſcatus; Trochiſci itidem Alhandali pro Colocynthide à nobis ſubſtituuntur, prout in Annotationibus ad Hieram Logadii monuimus.

PILULÆ AGGREGATIVÆ

Majores Mesue.

℞. Myrobalanorum Citrinorum,
Rhabarbari ana drachmas quatuor,
Succorum inſpiſſatorum Eupatorii, id eſt, Agerati,
Abſinthii ana drach. tres,
Diagrydii drachmas ſex,
Myrobalan. Chebulorum,
Indorum,
Agarici,
Colocynthidos,
Polypodii ana drachmas duas,
Turbith,
Aloes ana drachmas ſex,
Maſtiches,
Roſarum,

Salis Gemmæ,
Epithymi,
Aniſi,
Zingiberis ana drachmam unam,
Syrupi Roſati ſol. & elect. Roſati partes æquales, aut dicti Electuarii ſolius unciam unam.

Polychreſta catapotia dicuntur, quòd ad multos affectus corporis præter naturam ſint utilia, ac omnes humores purgent: ad varios enim capitis, ventriculi, jecoriſque affectus ſunt efficaces; nam purgant ex iis, & ſenſoriis pituitam & bilem utramque, quapropter ad diuturnas febres & complicatas, vitia capitis, ventriculi, ac jecoris plurimùm faciunt.

Quidam Diagrydii drachmas tantummodò quinque legunt; potior tamen Medicorum pars ſex drachmas adſcripſit. Ubi ſuccus Abſinthii in pilulis ſumendus eſt, vulgaris ſive noſtratis Abſinthii ſuccum ſtatuimus intelligendum.

PILULÆ AGGREGATIVÆ
MINORES MESUE.

℞. Myrobal. Citrinorum,
Indorum,
Emblicorum ana drachmas tres,
Maſtiches,
Aniſi,
Succorum inſpiſſatorum
Eupatorii, ſeu Agerati,
Abſinthii,
Roſarum ana drachmas duas,
Rhabarbari drachmas quinque,
Specierum Hieræ picræ Galeni drachmas duodecim.
Cum ſucco Apii formetur Maſſa.

Pituitam & bilem utramque à ventriculo & capite purgant, obſtructiones hepatis liberant, ipſumque cum ventriculo roborant, febres antiquas, pruritum, & ulcera maligna juvant.

Melichius in Diſpenſatorio ſuo, non aquarum tantùm, ſed etiam ſuccorum uſum in conficienda maſſa pilulari planè excludit, eorundemque loco Mel, aut Syrupum aliquem tenuioris conſiſtentiæ ſubſtituit: Nos cum Sacchara parùm coquendos eſſe ſuccos, conſultum ducimus.

ANIM-

ANIMADVERSIONES
In Pilulas de Agarico, Aggregativas majores Meſue, & minores ejuſdem.

IN præfatis *Pilularum formulis*, pauca quoad præparandi modum invenio, quæ cenſurâ & correctione ſingulari indigerent; id ſaltem monebo, ut *Gummata*, pleraſque *Pilularum compoſitiones* ingredientia, reliquis *ſpeciebus* non confeſtim, ſed ſigillatim priùs, vel *vino*, vel *alio liquore convenienti* diſſoluta, demùm addantur, neque tamen multum vel penitùs non coquantur, ne ſubtilior eorum ſubſtantia avolet in auras. Exemplum ſuppeditant hæ *Pilulæ de Agarico Meſue*, quas *Myrrha* & *Sarcocolla gummata* (communiter loquendo) ingrediuntur, quæ ipſa electa priùs & pulveriſata, cum pauca quantitate *Sapa* vel *vini* infundantur, & in leni calore digerantur, donec in pulmentum veluti diluta ſint, quibus tandem *reliquæ ſpecies* imprimantur, undè denique *maſſa* formetur non nimis dura, utpotè quæ tractu temporis ſpontè indureſcit. In *Pilulis* verò *Aggregativis majoribus & ſimilibus*, ubi *Aloë* corpus quaſi *maſſa* exiſtit, is ſervetur parandi modus. Nimirùm *Aloë* per ſe primò in mortario tepido cum *ſuccis inſpiſſatis*, *Syrupo* vel *Electuario roſato* (aut in aliis compoſitionibus liquore determinato, quo *ſpecies* in maſſam redigi jubentur,) nonnihil diſſolvatur, poſtea reliquæ *ſpecies* addantur, ſicque tandem *maſſa* paretur non nimis dura.

In *Pilulis* etiam *Aggregativis minoribus Meſue*, idem ferè modus ac in præcedentibus obſervetur: nempè *ſpecies Hieræ Picræ Galeni* cum *ſuccis inſpiſſatis*, &, ſi opus fuerit, *ſucco Apii* aliquantùm in mortario tepido diſſolvantur, vel ſimul agitando parùm liqueſcant, & reliquis denique *ſpeciebus* additis, *maſſa* effingatur.

Obſervetur hic, quòd certa quantitas *liquoris addendi*, exactè determinari nequeat: Prout enim *ſucci* plùs minusvé inſpiſſati ſunt, ita etiam eorum pondus in additione variat pro *maſſa* ad juſtam conſiſtentiam redigendâ. Melichii excluſionem *ſuccorum & aquarum* pro *pilulis* efformandis, tanquam ſine ſingulari ratione factam, in omnibus *compoſitionibus* indiſcriminatim non admittimus: *Syrupi* enim, quos eorum loco ſubſtituendos præcipit, nil ampliùs poſſunt, quàm quòd efficiant, ut *ſpecies*, quibus vel parùm aut nihil pro maſſa efformanda *Aloës*, vel ejus loco *ſuccorum inſpiſſatorum* vel *extractorum* additum eſt, cum illis citiùs in maſſam redigi poſſint: Aſt leve hoc emolumentum, meo judicio, vix reſarcire poterit damnum inde exurgens; nimirùm quòd *Syrupis*, neque *Aloë*, quæ intimè *ſpecies* tanquam corpus complecti debet, neque *Gummata*, quæ vicem *Aloës* quandoque ſupplent, exactè diſſolvi queant. Accedit, quòd *maſſa pilularum* ex eorum additione in quantitate & pondere ſenſibiliter incre-

incrementum capiant, ac per conſequens etiam *pilularum doſes* non parum augeantur, quæ tamen quantò exiliores, tantò ægrotantibus gratiores ſunt. Quibus rationibus ventilatis, quilibet ſibi eligat, quod maximè ad commodum & gratiam ægrotorum facere poſſit.

Nota; quod *ſpecies Hieræ Picræ Galeni*, *Pilulas de Agarico*, & *Aggregativas minores* ingredientes, non reſolverim, & unicuique *compoſitioni* prædictarum *ſpecierum* ingredientia ſigillatim computata, in determinato pondere non addiderim, factum eſt ob ſimplicitatem earundem ſpecierum, utpotè quæ facili negotio (ſi fortè in promptu non eſſent) parari, tùm etiam à quovis levite ſaltem artis pharmaceuticæ fundamentis inſtructo, reſolvi poſſunt; Nihilominùs tamen, ut Pharmacopœos hoc onere & labore ſublevem, eas reſolutas heîc ſub finem addam, factâ ſupputatione pro *uncia dimidia*, & *unciâ integrâ cum dimidia* conjunctim.

Primò quidem pro *uncia dimidia*,

℞. *Cinamomi*,
Cubebarum,
Radicum Aſari,
Spicæ Indicæ,
Maſtichis,
Croci ana ℈ ß,
Aloës Succotrinæ ʒ iij,
Miſce, fiat Pulvis.

Secundò, pro *uncia una* & *dimidia* conjunctim,

℞. *Cinamomi*,
Cubebarum,
Radicum Aſari,
Spicæ Indicæ,
Maſtichis,
Croci ana ʒ ß,
Aloës Succotrinæ ℥ j, ʒ ij.
Miſce.

PILULÆ ALOEPHANGINÆ,

Seu Aromaticae Mesue.

℞. Cinamomi,
Cubebarum,
Ligni Aloës,
Calami Aromatici,
Nucis Moſchatæ,
Macis.
Cardamomi,

Caryo-

Caryophyllorum,
Radicum Aſari,
Maſtiches,
Schœnanthi,
Spicæ Indicæ,
Galangæ ana unciam unam.
Abſinthii ſicci,
Roſarum rubearum ana drachmas quinque.

Craſſiuſculè contuſa, infundantur in aquæ libris duodecim; coquantur lento igne in duplici vaſe, ad duarum partium conſumptionem, deinde exprimantur fortiter, & colentur. In colaturæ libris duabus diſſolve Aloës ſoccotrinæ multoties in vitreo vaſe cum aquâ pluviâ elotæ & ſiccatæ libram unam. Agitentur continuè in Sole, vel loco calido: deinde adde pulveris

Myrrhæ,
Maſtiches ana drachmas quinque,
Croci drachmas tres:

Reſiduum cŏlati decocti ex aromatibus affundito, & exiccetur ad Solem, ſeu in loco calido, admiſcendo ſubinde quod denſatum eſt liquido: & linteo puro vas contegatur adverſus incidentium muſcarum & ſordium injurias, atque ita reponatur Maſſa.

Conficiantur hæ pilulæ menſe Majo, Junio, aut Julio.

Ventriculum, cerebrum, & ſenſoria omnia ab humoribus craſſis, putribus, & pituitoſis mundificant, ac inde natos dolores tollunt, ſtomachi robur augent, coctionem promovent, appetitum inſtaurant, cruditates abolent, ac nutritorias partes pleraſque à noxiorum humorum, frigidiorum præſertim accumulatione tuentur.

Medicamentum hoc, quod *Meſue* à *Lampone Peluſiota* mutuatus eſſe videtur, ut apparet ex *Galeno lib. 8. de compoſ. Medic. ſecund. loc. cap. 2.* utpote quod cum Hiera Lamponis ferè concordet, ab Auctore potiùs ad corroborandum ventriculum & cerebrum, quàm alvum ducendam eſt inſtitutum, unde Aloën toties lotam, ad ejus compoſitionem requirit. Inſignes id porrò vires obtinet, ac communiter in pilulas efformatum porrigitur. Dicuntur autem hæ Pilulæ aromaticæ, eò, quòd multis conſtent aromatibus, itemque Pilulæ Solis, quod in Sole ſeu inſolando perficiantur.

Cùm aromatum vis coctura facilè evaneſcat, ideò noſtri Pharmacopœi aliam compoſitionis formulam nobis hactenus uſitatam noſtro hortatu in poſterum quoque ſequuntur. Aromatum enim medietatem craſſo modo tritã aquæ puræ libris octo ad dimidias incoquunt, cujus colati medietati, ſeu libris duabus aloën priùs debito modo elotam &

ſiccatam lege artis diligenter indunt: reſiduis porrò duabus libris tenuiſſimos pulveres Myrrhæ, Maſtiches, & Croci admiſcent, atque his cum Aloë prædicta conjunctis, reliquam aromatum medietatem ſubtiliſſimè tritam ſuperaddunt, & ſic omnia permiſcendo ac exiccando in maſſam cogunt uſui reſervandam.

Easdem ferè vires obtinent, aut ſaltem modò dictarum pilularum vires æmulantur pilulæ illæ ſine cura dictæ, Clariſſimi quondam Viri D. D. Cyriaci Weberi, *quarum deſcriptio hæc eſt:*

℞. Xylocaſſiæ,
Cinamomi acuti,
Nucis Moſchatæ,
Maſtiches electæ,
Cubebarum,
Ligni aloës,
Liquiritiæ ana drachmam unam,
Roſarum rubearum drachmas duas,
Rhabarbari optimi drachmam unam ſemis;
Spicæ Indicæ drachmam ſemis,
Aloës ſucco roſarum lotæ uncias tres.
Redigantur in maſſam pilularem.

ANIMADVERSIONES.

Variæ in hac *compoſitione* occurrunt difficultates: Primò quidem ratione ingentis copiæ *Aromatum adjectorum*, reſpectu exiguæ quantitatis *Aloës*, quam tamen non adeo vehementer improbo, ſi corroborando *ventriculo* & *capiti* ſolùm, non verò *alvo* ſimul nonnihil ſubducendæ, *hæ pilulæ aloephanginæ* deſtinatæ ſint, alioquin enim tanta *Aromatum* copia impedimento foret, quò minùs *Aloë* vim ſuam laxativam exſerere poſſit, niſi fortè in ſatis magna quantitate *hæ pilulæ* aſſumerentur. Secundò, perquam ſiniſtrè hæ ipſæ *pilulæ aromaticæ*, menſe *Majo, Junio* aut *Julio* conficiendæ, inſolando perfici, ac in *Sole* exſiccari præcipiuntur, eò quod *Sol* nequicquam iis amplius communicare, quin potiùs eaſdem ſubtilioribus ſuis *virtutibus aromaticis* omnimodè ſpoliare poſſit. Nec minùs vituperatione dignum, quod Author *aloën* toties *aquâ pluviali* lavare jubeat, quid enim virium *aloe ſuccotrina*, quæ per ſe ſatis pura eſt & pellucida, accedere poteſt ab *aquâ ſimplici*, quâ toties reiteratis vicibus diſſolvi debet, iterumque exſiccari? Id equidem fateor locum haberet ſi *Aloë* impura ſit, variiſque ſordibus inquinata, ut hac ratione diſſoluta & colata partes heterogeneas, quibus permixta eſt, deponat, nitidiorque evadat; ſufficiet autem tunc ſemel ſaltem illam diſſolvere, & colatam inſpiſſare: Etenim reiteratis illis ſolutionibus & inſpiſſationibus, ſive id fiat calore ignis, ſive calore *Solis*, peragan-

agantur, non melioratur *aloë*, ſed deſtruitur potiùs, more *cathartiкорum vegetabilium omnium*. Reliqui errores, qui inprimis quoad *decoctionem aromatum* occurrunt, ex inferiùs annexo præparandi modo luculenter patebunt. Cùm etiam, ut ipſi fatentur, *aromatum* vis in coctura facilè evaneſcat, illa autem vis in oleaginoſa eorundem ſubſtantiâ conſiſtat, ideò hand iniquè ſuaderem, ut loco enumeratarum *ſpecierum aromaticarum*, ipſarum *olea deſtillata*, quæ ex illis in Officinis haberi poſſint, *pilulis*, vel earum *maſſæ* in debitâ quantitate ſub finem admiſcerent. Quarum autem *olea deſtillata* non proſtarent, utpotè *ligni Aloës*, *Cardamomi*, *radicum Aſari*, *Schœnanthi*, *Spicæ Indicæ*, *Galanga*, &c. ab his priùs *affuſâ aquâ ſimplici* vel *vino*, mediante deſtillatione *aquam ipſarum ſpirituoſam & odoriferam* prolicerent, quâ poſtea *Myrrha*, *Crocus*, & *Maſtiche* nonnihil diſſolvi vel dilui, & tota *maſſa* denique ſine ulteriori exiccatione ad debitam conſiſtentiam redigi, *remanente* verò à deſtillatione illarum ſpecierum *decocto*, *aloë* ante admixtionem *oleorum* & *ſpirituoſioris aquæ* inſuccari poſſet, iterumque exſiccari. Utpote,

℞. *Ligni aloës*,
Calami aromatici,
Cardamomi,
Radicum Aſari,
Schœnanthi,
Spicæ Indicæ,
Galangæ ana ℥ j,
Abſinthii,
Roſarum ana ℥ v;

Quæ contuſa & inciſa, immitte *cucurbitæ vitreæ*, ac ſuperaffunde *vini albi generoſi* ℥ v, vel vj, appoſitoque *capitello*, & junctutis glutine probè munitis, excipe deſtillando per M. B. *aquam ſpirituoſam*, quoúſque aliquid prodeat. *Hanc prolectam aquam ſpirituoſam* quò magis *ſpecierum ſubtiliores partes & virtutes* elicias, ſi libet, dictis *ſpeciebus* in cucurbita reaffunde, iterumque eandem ad ſiccitatem ferè abſtrahe, & diligenter aſſerva. *Relictas in cucurbita ſpecies*, affuſâ *aquâ* ſ. q. coque, & *decocto colato*.

Aloës ſuccotrinæ ℔ j,

diſſolve, quam ſi impura ac ſordibus inquinata fuerit, per linteum vel ſetaceum priùs cola, tùm leni calore penitus iterum exſicca. Jam quoque *ſuperiori ſpirituoſâ aſſervatâ aquâ aromaticâ* dilue

Pulv. Myrrha,
Maſtichis ana ℥ v,
Croci ℥ iij,

Et cum dicta *aloë* in juſtam *maſſæ* conſiſtentiam redige; cui demùm ſub finem admiſce

Ol. ſtillat. Cinamomi ℈ ß,

Cula-

Cubebarum ℈ j,
Nucis Moſchatæ,
Macis,
Garyophyllorum,
Maſtiches ana ʒ ß, *vel* ℈ ij,
Abſinthii ℈ ß:

Ex quibus omnibus ſecundùm artem permixtis, fiat *maſſa pilularum præſtantiſſima*. Et hoc modo necquicquam ingredientibus detrahitur, nec tantâ *aromatum* quantitate, quæ impedimento eſſe poſſet, quò minùs alvum laxare queat, *aloë* gravatur.

SECUNDA PRÆPARATIO
talis eſſe poteſt.

℞. *Specierum aromaticarum, prout in compoſitione recenſentur partem dimidiam*;

Quibus inciſis, & craſſiuſculè contuſis, ac *cucurbita vitrea* immiſſis, affunde *vini albi* (vel, ſi mavis, *aquæ ſimplicis*) ℥ viij, appoſitoque *capitello*, & juncturis optimè clauſis, deſtillando per M. B. eliciatur tota *aqua ſpirituoſa*, ad ſiccitatem *ſpecierum*. *Aqua prolecta relicti in fundo ſpeciebus*, reaffundatur, & ut antea tota ferè per deſtillationem denuo evocetur, *ſpirituosâ & odoriferâ primùm prodeunte aqua* ſtudioſe aſſervatâ. *Reſidua in cucurbita ſpecies aquâ ſimplici* [illegible] affusâ coquantur ad remanentiam *duarum librarum*; *Decocto hoc colato*, diſſolve *aloën*, ſolutam, ſi lubet, per ſetaceum cola, iterumque calore cinerum leniter exſiccare ſine. Jam,

℞. *Myrrham*,
Maſtichen, &
Crocum,

Eaque *ſuperiori aquâ deſtillatâ odoriferâ aſſervatâ*, nonnihil diſſolve vel dilue: diluta inſuccatæ iterumque exſiccatæ & pulveriſatæ *aloë* junge; hiſque in mortario tepido probè invicem mixtis, adde *reliquam ſpecierum aromaticarum in ſubtilem pulverem redactarum dimidiam partem*, & exactè cum *aqua ſpirituoſa ſuperiori* permixta, redige in *maſſam pilularum* juſtæ conſiſtentiæ.

Pilulæ ſequentes, *ſine cura dictæ*, juxtà modum ſimplicem ab Authore indigitatum parari poſſunt; an verò præcedentibus juxta modum noſtrum præſcriptum paratis æquiparari poſſint, de hoc unicuique liberum relinquo judiciam.

PILULÆ DE ALOE LOTA
INCERTI AUTHORIS.

℞. Aloës cum ſucco Roſarum lotæ unciam unam,
Agarici trochiſcati drachmas tres,

Maſti-

Maſtiches drachmas duas,
Specierum Diamoſchi dulcis drachmam ſemis.
Cum vino Chio, vulgò Malvatico ex Candia, fingatur Maſſa.

V*Entriculum, cerebrum, uterum, & alia viſcera à putridis humoribus expurgant, concoctionem augent, ac pituitam ſtomacho infarctam ſiccando tergendoque elidunt.*

PILULÆ DE ALOE ROSATA.

℞. Aloës optimæ & pellucidæ quæ ſuccum roſarum tertiò vice imbiberit, atque reſiccata fuerit, unciam unam.
Cum vino formentur pilulæ pro drachmâ, quot voles.

M*Inùs quidem purgant, magis tamen roborant, cruditates abſumunt, adſtrictam alvum ſolvunt, ac humorum putredinem arcent.*

PILULÆ DE ALOE ET MASTICHE NICOLAI MYREPSI.

℞. Aloës unciam unam,
Maſtiches unciam ſemis,
Caryophyllorum,
Roſarum rubrarum ana drachmam unam,
Croci,
Diagrydii ana ſcrupulos duos.
Cum ſucco Abſinthii aut Fœniculi formetur Maſſa.

V*Entriculum ſine moleſtia repurgant, ex eoque bilem & pituitam eliciunt, ac nutritionis partibus robur præſtant.*

ANIMADVERSIONES

In Pilulas de Aloë lota incerti Authoris: de Aloë roſata; & de Aloë & Maſtiche.

PAuca hiſce *compoſitionibus* inſunt, quibus ſpongiam admovere neceſſum ſit: In *pilulis* quidem de *Aloë lotâ* animadvertere, *Aloën cum roſarum ſucco lotam* præſcribi, quæ ipſa nil aliud eſt, quàm *Aloë ſucco roſarum diſſoluta, & iterum exſiccata.* Si igitur ejus loco *Aloëm roſatam*, ſive quæ ſæpiùs *ſucco* vel *infuſione roſarum* humectata vel diluta, iterumque leni calore cinerum exſiccata fuerit, ſubſtitueris, neutiquam errabis: poſſet meritò improprium illud nomen, *lavari*, de *Aloë* dicendo abrogari; nam *Aloës* propriè loquendo, lavari nequit, niſi *ſuccum ſubtiliorem* abluere, & craſſiores ejuſdem partes retinere velis. De *ſpeciebus Diamoſchi dulcis*, quarum *drach.* ß, harum *pilularum compoſitionem* ingreditur, notetur,

 quòd

quòd cùm in omnibus Officinis proſtent, jam paratæ huic *compoſitioni* addi poſſint: Si verò in procinctu non eſſent, *ſexageſimam quartam* ſingularum has *ſpecies* ingredientium *partem*, vel pro qualibet *drachmâ unâ*, *granum unum* circiter huic *compoſitioni* jungere neceſſum foret. Cæterùm in his & reliquis præparationibus obſerventur *Animadverſiones* præcedentes de *Aloë*, antequam illi jungantur *ſpecies*, diſſolvendâ, & *Croco* diluendo.

PILULÆ DE AMMONIACO
QUERCETANI.

℞. Balſami aloëtici uncias quatuor,
Gummi Ammoniaci in aceto ſcillitico diſſoluti, & per ſetaceum trajecti drach. ſex,
Myrrhæ præparatæ unciam ſemis,
Maſtiches,
Specierum Diatrionſantal. ana drachmam unam ſemis,
Croci,
Salis Fraxini,
Abſinthii ana ſcrupulos duos.
Cum ſyrupo de Stœchade, vel de ſucco roſarum
Fiat Pilularum Maſſa.

AD omnem totius corporis feculenta materia abundantiam educendam, cachexiam expurgandam, febres inveteratas, & diuturnas tollendas, maximè conducunt, citra omnem etiam moleſtiam & perturbationem exhibentur.

ANIMADVERSIONES.

SI *Gummi ammoniacum in aceto*, & *Myrrham electam ac pulveriſatam*, in paucula quantitate *vini* diſſolveris, non indigebis ulterius *ſyrupo* pro *maſſa pilularum* efformanda: Proinde *Gummi ammoniaco* & *Myrrhâ* diſſolutis, non tamen nimium dilutis, ſtatim junge *Aloën ſuccotrinam*, vel ejuſdem *Extractum*, quod *Balſamum aloëticum* appellant, ac in mortario calido probè ſubigendo, admixtis *ſpeciebus reliquis*, effinge *pilularum maſſam* juſtæ conſiſtentiæ. *Species Diatrionſantalon*, cùm in omnibus Officinis proſtent, jam paratæ addi poſſunt; ſecùs *trigeſimam ſecundam partem dictarum ſpecierum* parare neceſſum erit, ubi pro qualibet *drachmâ unâ* ſingularum ſpecierum ingredientium, *grana duo* accipienda ſunt.

PILULÆ ANGELICÆ. Seu
DE ALOË ET RHABARBARO.

℞. Aloës ſoccotrinæ libram unam.

Succorum depurat. Cichorii,
Endiviæ,
Buglosſi,
Borraginis,
Lupulorum,
Fumariæ ana uncias quatuor,
Roſarum Damaſcen. libram unam.

Evaporent lento igne, agitentur diligenter uſque ad conſumptionem ſuccorum: in fine addatur infuſio ſequens:

℞. Pulveris Rhabarbari electi unciam unam,
Agarici trochiſcati unciam ſemis,
Cinamomi electi drachmas duas,
Vini Cretici uncias quatuor:

Fiat infuſio horis 24; factâ fortiſſimâ expreſſione, addatur
Mellis roſati ſolutivi uncia una;

Infuſio cum Aloë inſuccata ſupraſcripta, coquatur in formam maſſæ pilularis.

Virtus harum pilularum admiranda, & nunquam ſatis laudanda exiſtit, quoniam ad omnium viſcerum nobiliorum corroborationem commendantur, pravorum inſuper humorum correctionem, & blandiſſimam evacuationem promovent, ut nullum planè ſit dubium, quin citâ, tutâ, & jucundâ ſuâ operatione omnibus abundè ſint ſatisfactura.

EX variis & quidem diverſis pilularum Angelicarum deſcriptionibus, hanc correctam, collectam, & in poſterum noſtram eligi voluimus, & Officinis noſtris omni ſtudio & diligentiâ parandam commendavimus.

ANIMADVERSIONES.

MAlè in harum *pilularum* præparatione, *tot libræ* (tres nimirùm) *ſuccorum depuratorum*, cum *Aloës librâ unâ* inſpiſſari, ac denuò ad ſiccitatem abſtrahi præcipiuntur, quibus tamen omni jure & optimâ ratione *Rhabarbarum* & *Agaricus* (pro quorum extractione inſufficientes ſunt *quatuor unciæ vini Cretici*) ampliùs extrahi potuiſſent, nec ulteriùs pro illorum extractione *vino* opus fuiſſet. Aſt forſitan objicis, *vinum* non ſolius extractionis gratiâ, ſed ut *pilulæ* majoribus nobilioribuſque virtutibus imbuerentur, additum fuiſſe; verùm neque hoc ſalvâ ratione admitti poterit. Nam etiamſi non *Creticum* ſolùm, ſed vel ab extremis Indis deportatum *vinum*, pro extractione uſurparetur, ac poſtea inde viciſſim vel per evaporationem, vel per decoctionem abſtrahi deberet, nihilominùs tota illius ſpirituoſitas, in qua generoſiores & potiſſimæ ejuſdem virtutes reſident, exhalarent, relictâ *pilularum maſſa* inutili vappâ.

 Si ita-

Si itaque rationis ducem ſequi velis, ſequenti modo compendioſiſſimo harum *pilularum* præparationem inſtituas: nempè *ſuccis hiſce omnibus depuratis*, repetitâ affuſione, digeſtione, levi coctione, ſive ebullitione & expreſſione, extrahe *Rhabarbarum* & *Agaricum*, quibus ita *Agarici* & *Rhabarbari* eſſentiâ impregnatis, ac ſi lubet, denuò clarificatis, admiſce *Aloën ſuccotrinam*, & invicem permixtis, lenique cinerum calore inſpiſſatis vel exiccatis, ultimò, ubi juſtam *maſſæ pilularum* conſiſtentiam acquiſiverint, aliquot guttulas *olei cinamomi* inſtilla, & his malaxatam *maſſam* reſerva uſui.

PILULÆ ARABICÆ NICOLAI.

℞. Aloës optimæ uncias duas,
Radicis Bryoniæ,
Myrobal. omnium,
Maſtiches,
Diagrydii,
Aſari,
Roſarum ana unciam ſemis,
Caſtorei drachmam unam ſemis,
Croci drachmam ſemis,
Succi Fœniculi quantum ſatis eſt.
Formetur Maſſa.

Omnes humores mirificè purgant, lætitiam generant, triſtitiamque depellunt, mentis vigorem conſervant, viſum acuunt, auditum amiſſum reparant, memoriam firmant, vertigini, hemicrania, ac dolori capitis ſuccurrunt.

PILULÆ ARTHRITICÆ NICOLAI.

℞. Hermodactylorum,
Turbith,
Agarici ana drachmas duas,
Caſſiæ ligneæ veræ,
Spicæ Indicæ,
Xylobalſami, ſeu Ligni Aloës,
Carpobalſami, vel Cubebarum,
Galangæ,
Caryophyllorum,
Macis,
Aſæ fœtidæ,
Zingiberis,
Maſtiches,

Semi-

Sem. Fœniculi,
Aniſi,
Saxifragiæ,
Aſparagi,
Ruſci,
Milii Solis,
Roſarum,
Salis Gemmæ ana grana quindecim,
Diagrydii unciam ſemis,
Aloës optimæ ad pondus omnium, id eſt, drachmas quatuordecim ſemis,
Succi Fœniculi quantum ſufficit.
Fiat Maſſa.

AD Arthriticos dolores & podagræ inſultus, nec non frigidorum humorum in articulos procubitus, aut defluxiones adhibentur.

HÆc compoſitio ex *Nicolai Antidotario* deſumpta, aliter à pleriſque deſcripta proſtat. Nonnulli enim Galangam, Macin, Aſam, imò & Scammonium ſeu Diagrydium omittunt: alii pro Aſa Fœtida Aſarum, aut Piper longum ſubſtituunt; verùm quia ſic nobis hucuſque uſui fuit, eam haud immutandam cenſuimus.

Notandum, ex Aſparagi & Ruſci ſeminibus Pulpam ſolùm carnoſam abjectis corneis granis in meditullio contentis ſumi debere, cùm in iis vix ulla vis huc expetita reſideat. Idem judicium eſto de Berberis ac ſimilibus.

PILULÆ ASSAIERET
AVICENNAE.

℞. Specierum Hieræ picræ Galeni drachmas quatuor,
Maſtiches,
Myrobalanorum Citrinorum ana drachmas duas,
Aloës optimæ unciam unam.
Cum Syrupo de Stœchade, aut aqua Majoranæ formentur pilulæ,

BIlem flavam & pituitam modeſtè purgant, eam præſertim quæ ventriculo inſidet, ideoque ventriculi affectibus, quibus Hiera remedio eſſe ſolet, & capitis doloribus à vitioſis ſtomachi ſuccis obortis, auxiliantur.. Propinantur in tenuibus & acribus capitis fluxionibus, ut liquidam materiam facilè decumbentem ſiſtant. Deſcribuntur ab Avicenna, Fen. 1. lib. 3. cap. 29.

PILULÆ AUREÆ NICOLAI.

℞. Aloës,
Diagrydii ana drachmas quinque,
Roſarum rubearum,
Sem. Apii ana drachmas duas ſemis,
Sem. Aniſi,
Fœniculi ana drachmam unam ſemis,
Maſtiches,
Pulpæ Colocynthidos,
Croci ana drachmam unam,
Mellis roſati ſolutivi, aut Mucilaginis Tragacanthi, quantum ſatis eſt.
Fiat Maſſa.

Caput expurgant, ſenſus omnes, præcipuè oculorum aciem excacuunt, flatus ventriculi & inteſtinorum diſſolvunt, ac citra moleſtiam alvum dejiciunt; ad ſtomachicos, colicos, nephriticos, & inflatos valdè probantur.

PILULÆ DE BDELLIO

MAJORES MESUE.

℞. Bdellii drachmas duodecim,
Myrobal. Chebulorum,
Indorum,
Belliricorum,
Emblicorum,
Concharum Venerearum uſtarum,
Charabe ana drachmas duas ſemis,
Ammeos parùm toſti drachmas tres.
Maceretur Bdellium in ſucco foliorum Porri, & formetur Maſſa.

Ad fluxum hæmorrhoidum, & ulcera ex eis provenientia, nec non menſes immodicos utiliter exhibentur.

Concha Venerea deſcribitur & depingitur à *Geſnero* de Cruſtatis, ordine XV. Fol. 254. Tota intus candida eſt, foris varietate colorum & macularum inſperſarum inſignis, auribus adhibita reſonantis aquæ ſpeciem aliquam præ ſe fert: cortex ei levis, adeò ut mulieres ornamenta quædam ſua linea in amylo aquâ multâ diluto tincta, deinde exiccata poliant, adeò ut ſplendeant, unde Germanis Gletemuſchlen dicuntur. Italis & Gallis *Porcellana* nomine generis. Vide *Geſnerum*.

Anim-

ANIMADVERSIONES

In Pilulas Arabicas Nicolai, Arthriticas ejuſdem, Aſſajeret Avicennæ, Aureas Nicolai, & de Bdellio majores Meſuæ.

UT legitima fiat prænominatarum *pilularum* præparatio, conſulantur *Animadverſiones* noſtræ priores, ſupra *Pilulas de Agarico Meſuæ*, & *Aggregativas*. In iiſdem etiam *Animadverſionibus*, facta à nobis eſt computatio *ſpecierum Hiera Picra Galeni*, pro illarum unciâ dimidiâ. De *mucilagine Tragacantha* in præſens notatum velim, quòd ipſa nec pro aurearum nec aliarum *pilularum maſſis* efformandis accommodata ſit, quin ejus loco *mel roſatum*, vel *infuſionem roſarum* accipias; nam promptè citóque nimis dureſcunt *pilularum maſſa*, *mucilagine Tragacantha* permixtæ, & cum illa ad conſiſtentiam redactæ.

PILULÆ DE BENEDICTA.

Fiunt ex ſpeciebus Benedictæ laxativæ incorporatis cum melle roſaceo.

HUmores pituitoſos potiſſimùm ad articulos decumbentes eliciunt; à renibus quoque & veſica purgant.

PILULÆ DE CASTOREO AVICENNAE.

℞. Caſtorei,
Doronici,
Zedoariæ,
Nucis Moſchatæ ana drachmam unam,
Sem. Apii,
    Anethi,
Margaritarum ana ſcrupulos quatuor,
Hyoſcyami grana tria.
    Formetur maſſa cum aquâ Artemiſiæ.

UTerinis doloribus hæ pilulæ conferunt, craſſos flatus diſſipant, ac impeditas menſtruas purgationes eliciunt.

ANIMADVERSIONES

In Pilulas de Benedicta, & de Caſtoreo Avicennæ.

EX hiſce & conſimilibus *ſpeciebus* ſine *corpore*, ſcilicet *Aloë*, vel aliis *ſuccis inſpiſſatis* aut *extractis*, ſolo *melle pilulæ* efformari ne-

nequeunt, vel ſaltem difficillimè; propterea non multum in illis immorabimur; Cùmque *ſpecies*, ex quibus componi jubentur, aſſarorem nullum habeant, haud difficulter in alia aliqua formâ propinari poſſunt, ſi qua neceſſitas earundem uſum efflagitaret. Idem de *pilulis de Caſtoreo* ſentiendum eſt; niſi enim *corpus quoddam* illis addideris, *maſſam tenaſcem* neutiquam exindè efformabis, ſed vel pultem aliquam effeceris, aut friabilem quandam compagem, ipſo etiam attritu, ubi malaxari debet, ſub digitis fruſtulatim concidentem.

PILULÆ COCHIÆ RHASIS.

℞. Specierum Hieræ picræ Rhaſis drachmas decem,
Pulpæ Colocynthidos drachmas tres, ſcrupulum unum,
Diagrydii drachmas duas ſemis,
Stœchadis.
Turbith ana drach. quinque,
Syrupi de Stœchade quantum ſatis eſt.
Fiat maſſa.

Cephalicæ rectè dicuntur, eò, quòd caput magnâ efficaciâ expurgent, ideoque a nervis craſſos, pituitoſos & frigidos humores evacuent. Deſcribuntur à Rhaſe 9. ad Almanſorem cap. 1

HIERA PICRA RHASIS.

℞. Roſarum rubearum,
Spicæ Indicæ,
Maſtiches,
Xylobalſami,
Carpobalſami,
Cinamomi,
Xylocaſſiæ veræ,
Rad. Aſari ana ſcrupulum unum, grana ſex,
Aloës drachmas ſex, ſcrupulos duos.

Terantur exactiſſimè, & per cribrum decuſſa, in uſum ſeponantur.

Differt ab Hiera Galeni hâc tantùm ratione, quod in hac loco Croci ponantur Roſæ.

Pro Xylobalſamo ſubſtituimus lignum Aloës: alii Macis & Cyperi ana partes æquales, id eſt, ſingulorum ſcrupulum dimidium, & grana tria. Pro Carpobalſamo aſſumimus Cubebas.

Pro Xylocaſſia, Caſſiam ligneam veram, quam Autor nomine Xylocaſſiæ intelligit; quæ ſi defuerit, ſubſtituatur odoratiſſimum & acutiſſimum Cinamomum.

Pilula Cochia Rhaſis cum Pilulis Cochiis à Galeno lib. 5. Methodi cap. 14. *in cura catarrhi ſalſi deſcriptis ferè concordant. Galenica deſcriptio ſic ſeſe habet:*

℞. Aloës

℞. Aloës drachmas tres,
Agarici drachmam unam,
Colocynthidos drachmam ſemis,
Diagrydii ſcrupulum unum,
Bdellii ſcrupulos duos,
Tragacanthi,
Gummi Arabici ana grana quindecim.
Excipiuntur Syrupo de Stœchade, & in maſſam coguntur.

PILULÆ DE COLOCYNTHIDE

MESUE, Seu JOAN. DAMASCENI.

℞. Pulpæ Colocynthidos drachmas ſex,
Myrobalanorum Indorum,
Citrinorum,
Sagapeni,
Bdellii,
Sarcocollæ ana drachmas quinque,
Aloës drachmas ſeptem,
Nigellæ,
Cumini Carmeni Orientalis,
Origani Cretici,
Naſturtii albi ſativi,
Salis Gemmæ,
Abſinthii Romani ana drachmam unam,
Succi porri quantum ſatis eſt.
Fiat Maſſa.

Articulorum doloribus proſunt; pituitoſos quoque & melancholicos affectus profligant, unde etiam alphos curatu difficiles ad ſanitatem perducunt: cautè tamen iis utendum, magna enim colocynthidis quantitas compoſitionem hanc ingreditur, unde ad alias ſolùm pilulas acuendas quandoque adhibentur.

Lachrymæ, ſeu Gummata ad conſtitutionem harum pilularum requiſita, in ſucco porri ſeorſim diſſolvantur, ac tum demum reliquis ſpeciebus addantur, & cum additione ſufficientis quantitatis ſucci porri jam dicti, lege artis in maſſam cogantur.

ANIMADVERSIONES

In Pilulas cochias rhaſis, Hiera picra ejuſdem; & Pilulas de Colocynthide.

Numeratæ *compoſitiones omnes* juxtà *Animadverſiones* Authoris adſcriptas, obſervatis nihilominus antecedentibus noſtris

Anim-

Animadverſionibus ſuper *Pilulas de Agarico, &c.* factis, de diſſolutione *Gummatum* & *Aloës* patari poſſunt.

Specierum Hieræ Picræ Rhaſis, Pilulas Cochias ejuſdem ingredientium determinatum pondus, quantitas ipſarummet *ſpecierum* exactè exæquat.

PILULÆ DE CYNOGLOSSO

NICOLAI PRÆPOSITI.

℞. Rad. Cynogloſſi aridi,
Sem. Hyoſcyami albi,
Opii ana unciam ſemis,
Myrrhæ drachmas ſex,
Thuris drachmas quinque,
Caryophyllorum,
Cinamomi,
Styracis Calamitæ ana drachmas duas.

Cum Syrupo Violarum ex ſucco, aut ſucco Cynogloſſi, vel aqua Roſarum formetur maſſa.

Has Nicolaus à Meſue *mutuatus eſt, qui eas ſub titulo Pilularum ad omnes morbos catarrhoſos hoc modo deſcripſit.*

℞. Opii,
Cynogloſſi,
Hyoſcyami ana unciam ſemis,
Myrrhæ puræ drachmas ſex,
Olibani drachmas quinque,
Croci drachmam unam ſemis.
Fiat maſſa.

Quod verò Nicolaus *Crocum omiſerit, è contra verò Cinamomum & Caryophyllos addere voluerit, quorum attenuandi & rarefaciendi vis; compoſitionis intentionem remorari magis, quàm eandem corrigere poſſe videtur, miramur haud immeritò; inde ex iſtis duabus præparationibus ſequentem tertiam, ſecundum mentem* Fernelii & Renodæi, *additione Caſtorei genuini, ob ſingularem in malignitate Opii emendandâ virtutem, compoſitam, hoc loco inſerere volumus.*

PILULÆ DE CYNOGLOSSO

CUM CASTOREO.

℞. Opii,
Radicum Cynogloſſi,
Seminum Hyoſcyami ana unciam ſemis,

Myrrhæ puræ drachmas ſex,
Olibani drachmas quinque,
Styracis Calamitæ drachmas duas,
Croci Auſtriaci,
Caſtorei genuini electi ana drachmam unam ſemis,
Cum ſucco Cynogloſſi, & Syrupo Violarum è ſucco ana partibus æqualibus.
Fiat maſſa.

Catarrhos tenues ſiſtunt, ac tuſſim inde natam ſedant: omnibus quoque deſtillationum morbis, ſive in thoracem fluxu feratur, ſive in pulmones, dentes, aut alia procumbat, conferunt. ſomnum conciliant, ac omnis generis dolores placant.

Pilulis iſtis *Benedictus Faventinus*, Medicus Bononienſis celeberrimus, in catarrho ſalſo magno ſucceſſu cum ſucco Glycyrrhizæ & Aloë lotâ ſecundum hanc deſcriptionem utebatur.

℞. Succi Glycyrrhizæ drachmas duas,
Aloës lotæ drachmam unam,
Pilul. de Cynogloſſo drachmam ſemis.
Cum Syrupo Violato fiat maſſa.

ANIMADVERSIONES

In Pilulas de Cynogloſſa Nicolai Præpoſiti; & de Cynogloſſa cum Caſtoreo.

Poſſunt hæ *Pilulæ* ſecundum modos præſcriptos parari, diſſolutis tamen prius juxta *Animadverſiones* noſtras ſuperiores, *Opio, Myrrhâ & Styrace*, quæ *corpora* ſuppeditant pro *pilularum maſſis* efformandis. Si quoque libuerit *Opium* nonnihil corrigere, priuſquam illud reliquis *ſpeciebus* commiſceas, quò minus intenſâ ſuâ vi narcoticâ noxam inferat, non malè feceris. Correctio autem & præparatio *Opii* fiat modo ſequenti; Nimirum *Opium* fruſtulatim & in tenues lamellas conſciſſum collocetur ſuper *laminam ferream*, quam ſuper carbones accenſos leniter incaleſcere, & *Opii ſulphur Narcoticum* ſenſim exhalare ſine, quouſque non amplius fumum vel vaporem emittat: cavendo tamen, ne comburatur, ſed ut ſolummodo torrefiat; Et hæc facilis eſt & compendioſa, genuina tamen *Opii* præparatio: Hac viâ enim ipſius immoderata & nociva vis Narcotica, in ſulphure vaporoſo, fœtido ac venenato deliteſcens exhalat, peritque.

PILULÆ DE EUPATORIO

MAJORES MESUÆ.

℞. Myrobalanorum Citrinorum,

Succ. inſpiſſat. Eupatorii Meſue ſeu Agerati,
Abſinthii ana drachmas tres,
Maſtiches drachmam unam,
Rhabarbari electi drach. iij ſemis,
Croci drachmam ſemis,
Aloës drachmas quinque,
Succi Endiviæ quantum ſatis eſt.
Fiat Maſſa.

Viſcerum obſtructionibus, ac ictero medentur; febribus periodicis complexis, autumnalibus, diuturnis, & antiquis perutiles; lienis & jecoris obſtructiones reſerant, bilioſos, tenues ac craſſos humores educunt.

PILULÆ DE EUPHORBIO

MESUÆ.

℞. Euphorbii,
Colocynthidos,
Agarici,
Bdellii,
Sagapeni ana drachmas duas,
Aloës drachmas quinque.
Cum ſucco porri fiat Maſſa.

Pituitam craſſam è partibus remotiſſimis potentiſſimè educunt: nervorum item reſolutioni, ſiderationi, paralyſi, articulorum malis à nimia humiditate profectis, ac hydropicis conferunt; lumborum quoque doloribus, iſchiadi, & podagræ à frigidis ac pituitoſis humoribus ortæ poſtulantur; ſed in morbis tantum contumacibus uſurpanda, nec niſi robuſtis exhibenda.

Modus componendi hic eſt; ut Euphorbium accuratè tritum cum Agarico trochiſcato & Trochiſcis Alhandali in pulverem redactis, Gummis vino priùs diſſolutis jungatur, cum quibus in mortario tepefacto piſtillo calido tamdiu ſubigatur, donec in maſſam coëant: Cui Aloës unà cum ſufficienti quantitate ſucci porri addita permiſceatur, ac probè ſic cuncta ſimul unita pilularis paſtæ formam lege artis adipiſcantur.

PILULÆ FOETIDÆ

MAJORES MESUÆ.

℞. Sagapeni,
Ammoniaci,
Opopanacis,

Bdel-

Bdellii,
Colocynthidos,
Harmel, ſeu ſeminis Rutæ agreſtis, vel Hortenſis ſiccæ,
Aloës,
Epithymi ana drachm. quinque,
Hermodactylorum,
Eſulæ præparatæ ana drachmas duas,
Scammonii drachmas tres,
Cinamomi,
Spicæ Indicæ,
Croci,
Caſtorei ana drachmam unam,
Turbith drachmas quatuor,
Zingiberis drachmam unam ſemis,
Euphorbii ſcrupulos duos,
Succi Porri depurati quantum ſatis eſt.
Fiat Maſſa.

Pituitam craſſam, lentam, ac tenacem evacuant, ob id affectibus inde natis arthritidi, podagræ, genagræ, ſpinæ quoque ac juncturarum, nec non ventriculi & coli doloribus proſunt, elephantiam & cutis vitia emendant, menſes movent, ac impurum uteri mucemungunt. Cùm autem ſint admodum valentes, ob effrenem eorum vim, conſideratè eorum uſus incundus erit, unde in morborum principiis crudâ adhuc exiſtente materiâ vix unquam, nec niſi robuſtis exhibenda: purgantium enim vis minimè in iis ſuppreſſa, non modò ſuſpectas, verùm etiam parùm tutas eas reddit.

Nota: Lachrymæ, ſeu Gummi in ſucco Porri calefacto ſolvantur, quibus abhinc Euphorbium per ſe tritum, unà cum cæteris addatur, ut lege artis in paſtam pilulareus abeant.

PILULÆ DE FUMARIA
Avicennae.

℞. Myrobal. Citrinorum,
Chebulorum,
Indorum ana drachmas quinque,
Aloës drachmas ſeptem,
Scammonii drachm. quinque,
Succi Fumiterræ quantum ſatis eſt.

Omnia in pulverem redacta ſucco Fumiterræ jam dicto comprehendito, ſiccarique poſtea ſinito: dehinc rurſus trita novo ſucco excipito, rurſúsque ſiccato, & ſic tertiùm iterato, ac poſtmodùm in maſſam formato.

P*ituitam ſalſam, bilioſos itidem, acres ac aduſtos humores, à quibus pruritus & ſcabies oriuntur, ſolvunt, & ſanguinem mundificant. Deſcribuntur ab* Avicenna lib. 4. Fen. 7. in cura pruritus & ſcabiei.

PILULÆ DE HERMODACTYLIS

MAJORES MESUE.

℞. Hermodactylorum,
Myrobalanorum Citrinorum,
Aloës,
Turbith,
Colocynthidos,
Bdellii mollis,
Sagapeni ana drachmas ſex.
Caſtorei,
Sarcocollæ,
Euphorbii,
Opopanacis,
Sem. Rutæ ſylveſtris, vel ſativæ,
Apii ana drachmas tres,
Croci drachmam unam ſemis,
Succi Braſſicæ, ſive Caulium quantum ſatis eſt.
Formetur maſſa.

C*raſſos, viſcidos, & frigidos humores ex remotiſſimis partibus educunt, quo nomine articularis morbis & arthritidi conveniunt.*

Modus confectionis eſt; ut liquores concreti, ſeu gummi in ſucco calefacto, Braſſicæ ſive Caulium diſſolvantur, atque his per ſetaceum trajectis, Euphorbium & Caſtorium ſimul trita jungantur; his deinde addantur reliqua, & cum ſufficienti quantitate ſucci Braſſicæ vel Caulium jam dicti priùs diligenter depurati, fiat maſſa.

Hermodactylorum bulbi veri eligendi ſunt. qui reſiccati ad nos feruntur, albidi, non rugoſi, modicè duri, qui contuſi in candidum pulverem abeant. Cavendum Colchicum ſtrangulatorium, cujus radices ſeu bulbi ſiccati rugoſi evadunt, & foris intusque nigricant, vel obſcurè rubeſcunt.

Quidam SIMPLICIUS ſic componunt.

℞. Hermodactylorum benè purgatorum & pulveriſatorum,
Diagrydii ana drachmas decem,
Cumini,

Caryo-

Caryophyllorum,
Zingiberis,
Coſti ana drachmas quinque,
Aloës hepaticæ drachmas tres.
Fiat maſſa cum aqua Fœniculi.

Pilulæ hæ non minoris ſunt efficaciæ quam priores, quarum deſcriptionem Clariſſimus Vir Dn. D. Georg. Heniſchius *Collega noſter honorandus, fideliſſimè nobis communicavit.*

ANIMADVERSIONES

In Pilulas de Eupatorio majores Meſue: de Euphorbio ejuſdem: item fœtidas majores ejuſdem: De Fumaria Avicennæ: De Hermodactylis majores Meſue: & de Hermodactylis ſimplices.

HArum *pilularum* præparationes ut dextrè fiant, diligenter obſerventur *Animadverſiones Authorum* ſuper eaſdem factæ, ſecundùm quas omnes ac ſingulæ ſatis commodè parari poterunt.

PILULÆ DE HIERA PICRA GALENI.

℞. Specierum Hieræ Picræ Galeni uncias duas,
Mellis roſati quantum ſatis eſt.
Fiat maſſa.

V*Entriculi noxis, ex humoribus bilioſis & pituitoſis natis, proſunt.*

ANIMADVERSIONES.

HArum *pilularum* & ſequentium legitima præparatio, in modum ſubſequentem ſe habet;

℞. *Species, recentes ſcilicet,*
Cinamomi,
Cubebarum,
Aſari,
Spicæ Indicæ,
Maſtiches,
Croci ana ℈ ij,
Aloës ſuccotrinæ ℥ j ß,

Cum *infuſione roſarum* fiat *pilularum maſſa*, juxta *Animadverſiones* noſtras primas in compoſitionem *pilularum de Agarico*, diluendo

nimirùm primò *Aloën cum infuſionis roſarum ſ. q.* antequam reliquæ *ſpecies* addantur.

PILULÆ DE HIERA CUM AGARICO.

℞. Specierum Hieræ Picræ Galeni,
Agarici trochiſcati ana unciam ſemis,
Aloës unciam unam,
Mellis roſati quantum ſatis eſt.
Fingatur Maſſa.

S*Tomathicis, aſthmaticis, aliisque ventriculi & thoracis vitiis, à craſsis & pituitoſis humoribus ortis, ſubveniunt.*

ANIMADVERSIONES.

℞. *Cinamomi opt.*
Cubebarum,
Aſari,
Spica Indica,
Maſtichis,
Croci ana ℈ ß,
Agarici trochiſc. ℥ ß,
Aloës ſuccotrin. ℥ j, ʒ iij.

Diſſolvatur priùs *Aloë* juxtà *Animadverſiones* noſtras priores, in mortario tepido in *infuſione roſarum*: poſtea addantur *reliqua ſpecies in pulverem redacta*, fiatque *maſſa pilularum* juſtæ conſiſtentiæ.

PILULÆ DE HIERA COMPOSITA NICOLAI MYREPSI.

℞. Cinamomi,
Spicæ Indicæ,
Croci,
Schœnanthi,
Xylocaſſiæ,
Xylobalſami, ſeu Macis & Cyperi ana partes æquales,
Carpobalſami, aut Cubebarum,
Violarum,
Rad. Aſari,
Abſinthii,
Epithymi,
Agarici,
Roſarum,

Tur-

Turbith,
Colocynthidos,
Maſtiches ana ſcrupulos duos,
Aloës optimæ ad pondus omnium, hoc eſt, drachmas decem, ſcrupulos duos.
Fiat Maſſa cum ſucco Endiviæ.

Capitis & nervorum vitiis à pituitoſis humoribus natis, opem ferunt, ac noxios ventriculi humores, frigidos præſertim & tenaces exturbant.

Quidam pro Xylobalſamo Lignum Aloës ſubſtituunt, quod nec nos improbamus, ut qui in Hierâ picrâ Galeni id ipſum pro Xylobalſamo ſubrogamus.

PILULÆ HYDROTICÆ.

℞. Aloës electæ,
Diagrydii,
Caryophyllorum ana ſcrupulos duos ſemis,
Colocynthidis,
Foliorum Senæ,
Gummi Arabici ana ſcrupulum unum, grana quinque,
Euphorbii præparati,
Nucis Moſchatæ ana grana quindecim,
Succi cort. median. Sambuci & Abſinthii ana quantum ſatis eſt.
Fiat Maſſa.

Hydropicorum aquas, ac tenue ſerum evacuant. Earum deſcriptio à Clariſſimo Domino D. Tobia Cneſlino *Collegâ quondam noſtro communicata, nobis hucuſque inſervit, olim quoque Medicis ejus veſtigia ſectantibus pluſquàm familiaris.*

PILULÆ IMPERIALES
INCERTI AUTHORIS.

℞. Cinamomi,
Amomi,
Aniſi,
Maſtiches,
Cardamomi minoris,
Zingiberis,
Zedoariæ,
Macis,
Nucis Moſchatæ,

Caryophyllorum,
Croci,
Cubebarum,
Ligni Aloës,
Turbith,
Tereniabin, ſeu Mannæ,
Agarici,
Foliorum Senæ,
Spicæ Indicæ,
Myrobal. omnium ana ſcrupulum unum,
Rhabarbari unciam unam,
Aloës uncias duas.
Cum Syrupo roſaceo fingatur maſſa.

Parùm admodùm purgant, ſed plurimùm roborant ventriculum, & omnia viſcera refrigerata calefaciunt, ac conſervant: facultatis naturalis robur tuentur & augent, ac ſanguinem ſpiritusque purificant.

PILULÆ INDÆ HALY

Ex Mesue.

℞. Myrobalanorum Indorum,
Ellebori nigri præparati,
Polypodii ana drachmas quinque,
Epithymi,
Stœchadis ana drachmas ſex,
Agarici,
Lapidis Lazuli loti,
Colocynthidos,
Salis Indi aut Gemmei ana drachmas quatuor,
Succi Eupatorii inſpiſſati,
Spicæ Indicæ ana drachmas duas,
Caryophyllorum drachmam unam,
Hieræ Picræ Galeni drachmas duodecim.
Fiat maſſa cum ſucco Apii.

Perutiles ſunt ad Cancrum, Elephantiaſim, Alphos nigros curatu difficiles, & adverſus complura alia vitia ab humore melancholico procreata, unde etiam melancholiam indeque natum inanem metum, mæſtitiam, ac timorem propulſant; quartanariis, & ictero nigro fœdatis auxilio ſunt, lienis quoque tumorem ac dolorem auferunt.

Ellebori & Lapidis Cyanei præparatio, ſuo loco, ubi de Simplicium præparatione agetur, requirenda.

PILVLÆ DE LAPIDE LAZVLI,

Sive CYANEO MESUE.

℞. Lapidis Lazuli abluti drachmas ſex,
Epithymi,
Polypodii ana drachm. octo,
Scammonii præparati,
Ellebori nigri præparati,
Salis Gemmæ ana drachmas duas ſemis,
Agarici drachmas octo,
Caryophyllorum,
Aniſi ana drachmas quatuor,
Specierum Hieræ Picræ Galeni drachmas quindecim,
Succi Endiviæ quantum ſatis eſt.
Formetur maſſa.

Vitia ex melancholico & aduſto humore nata, cancrum nimirum, elephantiaſim & quartanam profligant, arquato conferunt, lienis obſtructiones, infarctus, tumoresque reſolvunt.

PILVLÆ LVCIS MAJORES,

Seu OPTICAE MESUE.

℞. Roſarum,
Violarum,
Abſinthii,
Colocynthidos,
Turbith,
Cubebarum,
Calami Aromatici,
Nucis Moſchatæ,
Spicæ Indicæ,
Epithymi,
Carpobalſami,
Xylobalſami,
Sem. Seſeleos, id eſt, Sileris montani,
Rutæ,
Aniſi,
Fœniculi,
Apii,
Schœnanthi,
Maſtiches,
Rad. Aſari,
Caryophyllorum,

Cinamomi,
Caſſiæ ligneæ veræ,
Croci,
Macis ana ſcrupulum unum,
Myrobal. omnium,
Rhabarbari ana ſcrupulos duos,
Agarici,
Senæ ana ſcrupulos duos ſemis,
Euphragiæ drachmam unam,
Aloës ſuccotrinæ ad pondus omnium, id eſt, unciam unam ſemis, drachmas tres.
Excipe ſucco Fœniculi, & formetur Maſſa.

Excrementa pituitoſa è cerebro & oculis evacuant: viſum conſervant & firmant, nervos opticos obſtructione viſcidi humoris liberant, ac ob id oculorum aciem intendunt.

PRo Carpobalſamo cùm alioquin Cubebæ ſubſtituantur; hæ autem per ſe compoſitionem hanc ingrediantur, opportunè hic Cardamomum minus accipi poterit: Xylobalſami verò, locum lignum Aloës aut Cyperus ſupplebit.

PILULÆ MASTICHINÆ CONCILIATORIS, Sive PETRI APONENSIS.

℞. Maſtiches, drachmas quatuor,
Agarici optimi drachmas tres,
Aloës electæ drachmas decem.

Agaricus infundatur per diem naturalem in Oxymelle ſimplici, poſtea cum ſufficienti quantitate Mellis roſati formetur Maſſa.

Ventriculum ab omni morbo frigido & humido præſervant, ejuſque dolorem à frigidâ cauſa ortum tollunt, cerebrum quoque, oculos, & reliqua viſcera a noxiis ſuccis ſana præſtant, præcipuè verò uterum à putridis humoribus liberant & tuentur, nec non alvum modeſtè ſubducunt.

NOnnulli (ut *Caleſtanus* refert) pilulas has magis efficaces reddere volentes, addunt prædictis Rhabarbari ſelectiſſimi drachmas duas, & loco Aloës Pilulas Alephanginas recipiunt.

PILULÆ DE MEZEREO MESUE, Seu JOAN. DAMASCENI.

℞. Foliorum Mezerei aceto per noctem maceratorum & ſiccatorum drach. quinque,

Myrobal. Citrinorum,
Chebulorum ana drachmas quatuor,
Cum Mannâ & Tamarindis aquâ Endiviæ diſſolutis formetur Maſſa.

Seroſum excrementum, ſeu aquas valenter expurgant, ob id hydropem aſcitem, & anaſarcam juvant.

PILULÆ DE QVINQVE GENERIBUS MYROBALANORUM NICOLAI ALEXANDRINI.

℞. Quinque generum Myrobalanorum,
Agarici,
Diagrydii,
Colocynthidos,
Senæ ana drachmas duas ſemis,
Epithymi,
Turbith,
Aniſi,
Marathri, ſeu Fœniculi,
Maſtiches,
Lapidis Lazuli ana drachmam unam, grana undecim,
Rhabarbari ſcrupulos quatuor,
Aloës drachmas quatuor.
Cum ſucco Fœniculi formetur Maſſa.

Pituitam, & bilem utramque evacuant, podagricos, ſplenicos, ſtomachicos, & melancholicos juvant: cerebrum purgant, viſionem acuunt, ſanguinemque purificant.

PILULÆ DE NITRO, ALEXANDRO TRALLIANO DIACOLOCYNTHIDOS dictæ.

℞. Aloës,
Colocynthidos,
Scammonii,
Bdellii,
Ellebori nigri præparati,
Gummi Arabici ana drachmas duas,
Euphorbii præparati,
Nitri ana drachmam unam.
Cum ſucco Braſſicæ, & Melle roſato ſolutivo,
Fiat Maſſa.

Pilulæ hæ (quas Alexander Trallianus *ſub nomine pilularum Diacolocynthidos* lib. 1. cap. 12. de Hemicraniâ *deſcribit) efficaces ſunt ad craſſos, frigidos, lentos, & glutinoſos humores è remotioribus partibus educendos: frigidis nervorum affectibus ſuccurrunt, & humores ex alto evocant; quo nomine cerebri & capitis pertinacibus, affectionibus, articularis morbis, comitiali, ac reſolutioni conveniunt, Eas* Manardus lib. 13. Epiſt. 6. in Epilepſia, *mirificè commendat, ſtomachicis & iſchiadicis auxiliantur, Hiera vires æquant, vertiginoſos juvant, pituitæ lentitiam diſſipant, utramque bilem deturbant, unde earum uſus celebris in humoribus aduſtis, & morbo Gallico, qui non niſi vitioſorum ſuccorum pituitæ & melancholiæ vehementi purgationi cedit. Vide* Fæſii Pharmacopœiam fol. 240.

Monendi hic rurſus ſunt Pharmacopœi, ut quotieſcunque vocabulum Colocynthidis in compoſitionibus occurrit, Trochiſcos ſemper ſumant Alhandali: Scammonii verò loco Diagrydium, ſeu Scammonium præparatum: ſimiliter etiam Elleborum, Eſulam & Euphorbium medicamentis non indant, niſi lege artis præparata hæc priùs fuerint; quorum prout & aliorum quorundam Pharmacorum ſimplicium correctionem loco ad id deſtinato perquirere licebit.

PILVLÆ DE OCTO REBVS,
Seu OCTOMERAE NICOLAI PRAEPOSITI.

℞. Aloës,
Diagrydii ana drachmas duas,
Epithymi,
Colocynthidos,
Agarici,
Maſtiches,
Dauci Cretici,
Myrobalanorum Chebulorum,
Abſinthii ana drachmam unam.
Cum ſucco Solani formetur maſſa.

Craſſos humores à capite purgant, viſum acuunt, & ſuffuſiones oculorum arcent.

Aloë in formandis pilulis numerum non tenet, ut neque mel, neque ſaccharum in Electuariis; aliàs ex novem conſtarent rebus, prout *Fæſius* & *Fuchſius* notarunt.

PILV-

PILULÆ DE OPOPANACE
Mesue.

℞. Opopanacis,
Hermodactylorum,
Sagapeni,
Bdellii mollis,
Ammoniaci,
Colocynthidos ana drachmas quinque;
Croci,
Caſtorei,
Myrrhæ,
Zingiberis,
Piperis nigri,
Longi,
Caſſiæ ligneæ,
Myrobal. Citrinorum,
Emblicorum,
Belliricorum ana drachmam unam;
Scammonii drachmas duas,
Turbith drachmas quatuor,
Aloës drachmas duodecim.
Infunde Lachrymas in aquâ Caulium, & forma in maſſam.

Pituitam craſſam, bilem, & melancholiam à cerebro nervoſiſque partibus vacuant. Efficaces ſunt in articulorum doloribus à pituita creatis: reſolutionem nervorum, & incontinentiam, ſpaſmum cynicum, gonagram, podagram, articulorum dolores, morboſque partium nervoſarum frigidos levant; ſunt tamen rarò apud nos in uſu, cùm aliis æquipollentibus gaudeamus.

PILULÆ PESTILENTIALES
Avicennae, Seu Communes.

℞. Aloës electæ unciam unam,
Myrrhæ,
Croci ana unciam ſemis,
Confice cum vino claro odorifero.

Adverſus peſtiferæ luis contagiones populariter graſſantes miræ ſunt efficaciæ: internas putredines fugant, & humores ventriculo infarctos extergunt, eorundemque corruptionem prohibent,

PILULÆ PESTILENTIALES

RUFFI.

℞. Aloës,
Ammoniaci ana unciam unam,
Myrrhæ unciam ſemis.
Cum ſucco Limonum fiat Maſſa.

M*Edicamentum hoc, cujus antiquiſſimus ac famoſus Medicus* Ruffus *inventor extitit, petitum eſt ex* Paulo Ægineta lib. 2. cap. 36. *Fuiſſe tamen id* Ruffi *temporibus potionis forma propinatum conſtat, quod componebatur ex Aloës & Ammoniaci ana partibus duabus, & Myrrha parte una, omnibus in ſufficienti quantitate vini albi odoriferi diſſolutis; verùm quia amara nimis hæc erat potio, idcò ut faciliùs Medicamentum hoc aſſumeretur, poſteritas id in pilularum formam non minorem effectum habituram, effinxit.*

SUnt qui Rhabarbarum, Agaricum, Bolum, Terram Lemniam, & Theriacam addant, ideoque valentiores putant, ſed componendorum pharmacorum modus eſt infinitus.

PILULÆ PESTILENTIALES

D. D. FELICIS PLATERI.

℞. Aloës drachmas tres,
Rhabarbari pulveriſati & aquâ Cinamomi aſperſi drachmam unam ſemis,
Agarici trochiſcati drachmam unam,
Myrrhæ electæ,
Gummi Ammoniaci in aceto diſſoluti ana drachmas duas,
Croci drachmam ſemis,
Camphoræ ſcrupulum unum,
Olei Zedoariæ guttas tres.
Cum Syrupo Scordii fiat Maſſa.

E*Iuſdem cum ſuperioribus ſunt efficacia, & tempore graſſantis peſtis feliciſſimè uſurpantur.*

PILVLÆ DE RHABARBARO

MESUE.

℞. Rhabarbari drachmas tres,
Succi Glycyrrhizæ,
Abſinthii,
Maſtiches ana drachmam unam,

Myrobalanorum Citrinorum drachmas tres ſemis,
Sem. Apii,
Fœniculi ana drachmam ſemis,
Trochiſc. Diarhodon Rhaſis drachmas tres ſemis,
Specierum Hieræ Picræ drachmas decem,
Succi Fœniculi & Mellis ana quantum ſatis eſt.
Fiat Maſſa.

Humores educunt craſſos, lentos, multùm putres, & inde ortas febres diuturnas, ac ex aliis humoribus natas tollunt: jecoris item dolorem, obſtructionem, duritiem ac hydropem incipientem ſanant. Manardus *iis utebatur in tertianarum exitu:* Muſa *in febribus pituitoſis. Vide* Fœſium.

PILULÆ DE SAGAPENO

Mesuæ.

℞. Sagapeni,
Ammoniaci,
Opopanacis,
Bdellii ana drachmas duas ſemis,
Sem. Apii,
Sem. Ammeos,
Aniſi,
Rutæ agreſtis ana drachmam unam,
Acori, ſeu Calami Aromatici,
Lepidii, ſeu Iberidis,
Calaminthæ,
Folii, vel ejus loco Spicæ Indicæ,
Centaurii minoris,
Polii,
Coſti,
Salis Gemmæ ana drachmam ſemis,
Colocynthidos drachmas quinque,
Aloës drachmas ſex.
Excipiantur ſucco Porri, Marrubii, aut Matricariæ,
Fiat Maſſa.

Ad podagram, iſchiadem, & reliquorum articulorum, quinimo & uteri dolorem faciunt, menſes evocant, viſcera emolliunt, eorundemque obſtructiones reſerant, ac inveteratas ſplenis oppilationes tollunt.

Lepidium noſtrum, Piperitis eſt, pro quo aliqui Caſſiam ligneam ſubſtituunt.

Digitized by Google

PILULÆ DE SARCOCOLLA

MESUE.

℞. Sarcocollæ drachmas tres,
Turbith drachmas quatuor,
Colocynthidos,
Zingiberis ana drachmam unam ſemis,
Salis Gemmæ drachmam unam,
Syr. Roſarum ſimplicis quantum ſatis.
Fiat maſſa.

Pituitam lentam evacuant, atque ob id pituitoſis affectibus plurimum commodant: earum tamen uſus evluit, cùm aliæ uſitatiores eundem effectum præſtantes proſtent.

PILULÆ SINE QUIBUS ESSE

NOLO NICOLAI.

℞. Aloës lotæ drachmas quatuordecim,
Quinque generum Myrobalanorum,
Rhabarbari,
Maſtiches,
Abſinthii,
Roſarum,
Violarum,
Senæ,
Agarici,
Cuſcutæ ana drachmam unam,
Diagrydii drachmas ſex ſemis,

Succi Fœniculi, quantum Diagrydio per pannum colando & cæteris pulveribus comprehendendis, ac in maſſam cogendis ſatis ſit, quæ manibus oleo Amygdalino recenti inunctis, pro artis præcepto formentur.

Efficaciſſimæ ſunt hæ pilulæ ad purgandos omnes humores partium ſuperiorum, quo nomine ſuffuſionibus oculorum, caliginibus, ac viſioni conferunt; aurium dolorem ſanant, caputque à pituita, bile flava & atra mirè purgant, iliacos denique juvant.

Hodie dexteriùs Pharmacopœi pulveres tritos cum ſucco Fœniculi miſcent, adjecto ſub finem Scammonio per ſe trito: alii melle, cum quo ſuccus Fœniculi ſit conſumptus, excipiunt.

PILU-

PILULÆ STOMACHICÆ
Alkindi.

℞. Myrobalanor. Citrinorum,
Indorum,
Chebulorum ana drachmas tres,
Roſarum,
Maſtiches ana drachmas duas,
Cardamomi,
Ligni Aloës,
Santali Citrini,
Cubebarum,
Caryophyllorum,
Schœnanthi,
Nucis Moſchatæ ana drachmam unam,
Rhabarbari unciam ſemis,
Turbith drachmas ſeptem,
Aloës ad pondus omnium.
Fiat maſſa cum Syr. de Abſinthio.

Bilioſos ac pituitoſos humores, eos præſertim qui caput, jecur, & ventriculum obſident, vacuant: præterea ventriculum firmant, coctionem juvant, & appetentiam excitant.

PILULÆ DE SUCCINO
D.D. Johannis Cratonis.

℞. Pulveris Succini præparati,
Maſtiches ana drachmas duas,
Aloës ſuccotrinæ drachm. quinque,
Agarici trochiſcati drachmam unam ſemis,
Ariſtolochiæ rotundæ veræ drachmam ſemis.
Cum Syr. de Betonica formentur pilulæ.

Bilioſos & pituitoſos humores è capite protrahunt & expellunt; ad deſtillationes & catarrhos, & inde provenientes oculorum, aurium, & dentium dolores propulſandos feliciter uſurpantur.

ANIMADVERSIONES
In Pilulas de Hiera Compoſitas Nicolai, & reliquas ordine ſubſequentes, uſque ad pilulas de Succino Cratonis.

Compoſitiones *pilularum* omnes, *pilulas de Hiera Nicolai* ordine inſequentes, uſque ad has *de ſuccino Cratonis*, poſſunt juxtà earundem & noſtras ſuperiores *Animadverſiones* facillimè parari,

parari, cùm pauca in iis occurrant, quæ ſingulari notâ & correctione indigeant, maximè quoad præparandi modum. Itaque ſupradictæ Animadverſiones, tùm Autorum, tùm noſtræ diligenter re[illegible]vantur.

PILULÆ DE TARTARO QUERCETANI, à D. D. DANIELE SENNERTO correctæ.

℞. Polypodii quercini uncias duas,
Radicum Aſari,
Seminum Geniſtæ ana unciam ſemis,
Paſſularum minorum unciam unam ſemis,
Fumariæ,
Scolopendrii ana manipulum unum,
Tartari albi drachmas ſex,
Florum Bugloſſi,
Borraginis ana manipulum ſemis:

Coquantur in aquæ puræ ſufficienti quantitate ſecundum artem: Decocti clarificati libris duabus, adde ſucci Pomorum libram unam. In his infunde

Foliorum Senæ uncias duas,
Folliculorum Senæ unciam unam,
Turbith electi & gummoſi,
Radicum Ellebori nigri,
Styracis præparati ana unciam unam ſemis,
Macis,
Caryophyllorum,
Cinamomi,
Epithymi ana unciam ſemis.

In vitro clauſo macerentur, & digerantur per quatriduum in Balneo Mariæ, poſtea colentur; colaturæ adde

Cremoris vel Cryſtallorum Tartari uncias tres,
Aloës præparatæ ſeu extractæ uncias quatuor,
Myrrhæ in vino ad ignem diſſolutæ & percolatæ unciam unam.

Omnia iterum diebus tribus vel quatuor in Balneo Mariæ digerantur, & hinc inſpiſſentur, & coagulentur ad lentum ignem. Sub finem, dum materia ferè refrigerata eſt, adde

Specierum Diarhodon Abbatis,
Lætificantis Rhaſis,
Trochiſcorum de Lacca ana drachmam unam,
Salis Abſinthii,
Fraxini ana drachmas duas,
Eſſentiæ Croci ſcrupulos duos.

Reducantur in maſſæ pilularis conſiſtentiam. Si libet, & res poſtulat,

Bulat, Scammonii, Rhabarbari, Trochiſcorum Alhandali extractum, & Ammoniacum addi poſſunt.

UTramque bilem purgant; omnes humores craſſos, tartareos, ſalſos, & mucilaginoſos radicitus à partibus profundiſſimis eliciunt; totam maſſam ſanguinis purificant, humorem atra-ium contumaciſſimum educunt, inde maniacis, & melancholicis affectibus opitulantur.

ANIMADVERSIONES.

QUamvis hæc *pilularum Tartarearum Quercetani* compoſitio à Doctiſſimo *Sennerto* quoad ingredientia correcta ſit, reſtant tamen quoad præparationem nonnulla, quæ emendationem ſummoperè efflagitant, quæque luculenter ſatis ex noſtra ad mentem Clariſſimi *Sennerti* (ratione ingredientium) inſtitutâ & ſubjunctâ præ[illegible]atione cuivis patebit: Utpotè,

℞. *Species primi decocti, ſuperiùs in compoſitione denominatas*; Quas *affuſa aqua ſ. q.* coque ad remanentiam *duarum librarum*; *decocto* optimè albumine ovorum clarificato, extrahe *ſpecies purgantes*, videlicet

Foliorum Senæ ℥ *iij*.
Turbith elect. gum.
Rad. Helleb. nigri ana ℥ *j ß*,
Epithymi ℥ *ß*.

[illegible] cùm non ſufficiant hæ *duæ libræ decocti* pro extractione prædictarum *ſpecierum*, proinde factâ primâ *extractione ſpecierum*, præfatarum cum *decocto* per digeſtionem, coctionem & expreſſionem, poſſunt eædem *ſpecies* adhuc ſemel vel bis *aquâ ſimplici* affuſâ, digerendo, coquendo, & exprimendo extrahi, prout ſæpiùs in *Syruporum purgantium* confectionibus dictum & edoctum eſt; *extractiones* omnes interim junctim aſſerventur. Tum

℞. *Styracis Calamitæ* ℥ *j ß*,
Macis,
Caryophyllorum,
Cinamomi ana ℥ *ß*.

Craſſiuſculè contuſa immitte *cucurbitæ vitreæ parvæ*, & ſuperaffuſis *vini albi generoſi* ℥ *iv*, appoſitoque capitello, & juncturis probè circumlitis, deſtillando per M. B. univerſa evocetur *humiditas*, quæ, ſi libet, iiſdem *ſpeciebus aromaticis* in cucurbita relictis, reaffundatur, & ut antea *humiditas tota*, ſive *aqua ſpirituoſa* proliciatur, quæ ſtudioſè poſtea reſervetur: Relicta à deſtillatione *Aromata* poſſunt, affuſâ *aqua ſimpl. ſ. q.* (vel quod meliùs eſt, *vino albo*, propter *Styracem*, quæ *vino* meliùs quàm *aqua* diſſolvitur vel diluitur.) adhuc ſemel parumper coqui ad ℔ ß circiter, & ſuperiori *Ex-*

tracto liquido, ex *ſpeciebus purgantibus* facto, addi; Quo *extracto liquido*,

Aloës ſuccotrina, vel ejus loco
Extracti ejuſdem ℥ *iv*, &
Cremoris Tartari ℥ *iij*,

diluendæ ſunt, & poſtmodum leni calore cinerum penitùs iterum ſiccandæ:

Jam demùm,

℞. *Myrrha electa* ℥ *j*,

quam pulveriſatam in leniſſimo calore, *ſuperiori ex ſpeciebus aromaticis, deſtillatâ & aſſervatâ aquâ ſpirituoſâ*, diſſolve; Similiter *eâdem aquâ* diſſolve, vel dilue ruſus *Aloën* & *Cremorem Tartari ſuperiùs inſuccatum & exſiccatum*, additiſque *ſpeciebus reliquis*; nimirum,

Spec. Diarhodon Abbatis,
Lætificantis Rhaſis,
Trochiſcorum de Lacca ana ʒ *j*,
Salis Abſinthii,
Fraxini ana ʒ *ij*,
Eſſentia Croci ℈ *ij*.

Fiat *pilularum maſſa* juſtæ conſiſtentiæ.

Nota: Si *unciam unam Styracis Calamita* ſuperiùs detraheres, loco ejus ℥ ß, vel ʒ *vj reſina ejuſdem*, quæ facilis eſt paratu, per expreſſionem aut extractionem cum *ſpiritu vini* (uti inferiùs in *confectione Theriaca* docebimus,) ad *Aloën* adderes, longè meliùs eſſet, Nam *reſina Styracis* in decoctum migrare nequit, neque per deſtillationem tota ejus virtus abſtrahi vel elici poteſt. Quod *compoſitas ſpecies & trochiſcos* concernit, quæ *pilularum harum compoſitionem* ingrediuntur, illa poſſunt jam parata addi, ſi tantoperè neceſſaria ſint, cùm in omnibus Officinis proſtent; nam exigua eorum quantitas, quæ huic *compoſitioni* deſtinata eſt, prohibet, quò minùs illorum ingredientium exacta ſupputatio commodè inſtitui queat. Nihilominùs ſi alicui arrideret, ingredientia omnia dictarum *ſpecierum compoſitarum, Diarhodonis* ſcilicet, & *lætificantis Rhaſis*, nec non *Trochiſcorum de lacca*, recenter huic *compoſitioni* adjicere, illum oporteret de *compoſitione ſpecierum Diarhodon*, prout huic diſpenſatorio inſerta eſt, *trigeſimam ſecundam partem* circiter ingredientium, nempè pro *qualibet uncia, grana quindecim*, & pro qualibet *drachma una, grana duo*: De *compoſitione ſpecierum lætificantis Rhaſis* itidem, prout huic diſpenſatorio inſerta eſt, *ſexageſimam quartam partem* ingredientium, nimirum pro qualibet *uncia una, grana ſeptem*, & pro qualibet *drachma una, granum unum* circiter: Et de *compoſitione*

Tro-

Trochiſcorum de lacca, duodecimam partem ingredientium, pro qualibet nimirùm *drachmâ unâ, grana quatuor* huic compoſitioni addere.

Nota ſecundò, quòd *folliculis Senæ* ipſa *folia*, non ſine prægnanti causâ ſubſtituerimus, quippe cum *folliculis* vel *foliculis dictis*, parùm modum vel nihil virtutis catharticæ inſit, ideò etiam eos *compoſitionis* parùm nihilvè efficaciæ communicare poſſe, arbitrati ſumus.

PILULÆ TURBITH AUREÆ

Mesue.

℞. Turbith drachm. ſedecim,
Aloës drachm. duodecim,
Myrobalan. Citrinorum drachm. decem,
Maſtiches.
Roſarum ana drachmas ſeptem,
Croci drachmas tres.
Cum ſucco Abſinthii fiat Maſſa.

Stomachicis, colicis, nephriticis ac inflatis proſunt; valentiores verò ſunt propter magnam turbith copiam, attamen raro ſunt uſui.

ANIMADVERSIONES.

Arari poſſunt juxta modum ab Authore præſcriptum, nec peculiari *Animadverſione* indigent.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS VII.

Continens

EXTRACTORUM FORMULAS.

Plurima quidem de Extractis, *eorum uſu, & in quem finem inventa ſint; nec non* menſtruis, *quibus illa communiter parari ſolent, dicenda & præmittenda eſſent; Sed cùm de his ſatis prolixè & luculenter alii Authores tractent, inprimis excellentiſſimus* Sennertus *in ſuis* Inſtitu-

ſtitutionibus libro 5. part. 3. ſect. 3. cap. 9. *de* Tinctutis & Extractis; *Idcircò brevitati ſtudens; benevolum Lectorem eò remitto: In ipſis tamen præparationibus datâ occaſione quadam de his, licet breviter, dicturus.*

EXTRACTUM AGARICI.

℞. Agarici albi & levis quantum volueris. Huic affunde ſpiritûs vini tantam quantitatem, ut is duos vel tres digitos emineat: Stent ſic ſimul in vaſe vitreo arctiſſimè clauſo, juncturis probè obturatis, ac circumlitis, in loco calido vel ſaltem tepido dies tres. Poſtea colentur, & leviter exprimantur: expreſſum & colatum in balneo mariæ, abſtracto rurſus lenta deſtillatione vini ſpiritu, in craſſamentum cogatur, & quod in fundo cucurbitæ mellis ſpiſſitudine reſidebit, id ad commodos uſus ſervetur.

Pituitam lentam & craſſam ex ventriculo maximè & meſenterio, nec non jecore, liene, pulmonibus, ac utero expurgat; à cerebro quoque, nervis & artubus eandem, licet debilius, prolicit: vermes inſuper enecat, & expellit.

Alii loco ſpiritûs vini, aquam Aniſi, cui oleum ademptum ſ[illegible] uſurpant; correctivi loco id forſan adhibentes. Verùm corri[illegible]tur ejus extractio pro re & conditione ægri, aut morbi, addend[illegible] ſingulas doſes guttulam unam olei Macis, Nucis Moſchatæ, [illegible]culi, Caryophyllorum, aut alterius ſimilis.

ANIMADVERSIONES.

Diverſa *menſtrua*, varioſque *liquores* Chymici excogitârunt, quibus cùm ex *mineralibus*, tùm *vegetabilibus*, & ipſis etiam *animalibus*, eſſentiam, virtutem & efficaciam, aut quocunque nomine appellare libeat, elicere poſſint, relictis inutilibus & viribus exhauſtis craſſamentis: Et quidem pro extractione *vegetabilium* (cum quibus nobis ex inſtituto in hac *Claſſe* res eſt,) inprimis *ſpiritum vini, vinum ipſum, acetum* cùm *ſimplex*, tùm *deſtillatum*, *ſpiritus ipſorum vegetabilium ardentes*, item *ſpiritus eorundem acidos*, & *aquas deſtillatas*, ipſam etiam *aquam ſimplicem*; ex quibus jam pro uniuſcujuſque intentione eligi poſſunt, quæ maximè ad propoſitum faciant, atque exindè *menſtrua* parari unicuique rei accommodata.

Nunc autem ſeſe nobis ſiſtit extrahendus *Agaricus*, fungus nimirùm albicans, trunco *Laricis* adnatus, qui cùm nonnihil reſinoſus ſit, præſtat ipſi *menſtruum* adhibere analogum, quod polleat vi & efficaciâ *reſinam* diſſolvendi & extrahendi: Inter cætera verò ſuperiùs commemorata *menſtrua* nullum ad hoc aptius magiſque conveniens

veniens eſt, quàm ipſe *ſpiritus vini*, aliique ex quovis alio *vegetabili*, utpote *Frumento, Tritico, &c.* beneficio fermentationis & deſtillationis, prolecti *ſpiritus ardentes*, qui cùm ſint de *natura ſulphurea*, proinde *res ſulphureas* (quales ſunt reſinoſæ,) non ſolùm extrahere, ...iam quandoque totaliter diſſolvere apti nati ſunt; uti manifeſtum fit in *reſinis* omnibus, quas totaliter, in proportionata tamen quantitate affuſi diſſolvunt; Ideò benè factum, quod in præparatione hujus *Extracti*, *ſpiritus vini* adhibitus ſit, rejectâ *aquâ Aniſi*. Prudentiſſimè etiam correctionis loco *olea deſtillata* jam confecto *Extracto*, pro conditione morbi & ægroti addi præcipiuntur, hoc tamen in hac *Agarici* extractione obſervandum eſt, quòd ille unicâ ſaltem vice *ſpiritu vini* ad eminentiam duorum vel trium digitorum affuſo, totâ ſuâ efficaciâ & reſinosâ ſubſtantiâ neutiquam exui poſſit, ſed oportet, ut bis tervé ad minimum *recentis ſpiritus reaffuſio* fiat. Neceſſum quoque eſt ut peractæ extractioni, colaturæ & expreſſioni filtratio ſuperaddatur, cujus beneficio plurimarum partium terreſtrium & craſſiorum fiet ſeparatio: Nam *Agarici Extractum ſpiritu vini* paratum, ſi paulò calidius coletur, aut per colatorium exprimatur, non adeò defæcatum transfluit, ſed plures terreſtriores *Agarici* ...rtes unà in expreſſione permeant, unde poſtea fit, ut colatura illa ...eſſa, in frigore denuò veluti concreſcat. Hoc ipſum autem be...io filtrationis, præſertim ſi illa frigidè, vel ad minimum tepe...ulè fiat, prohibetur, tumque ſola ſaltem ſubtilior *Agarici* eſſentia per filtrum tranſmittitur, quæ non ita, ut prior colatura denuò concreſcit, nec turbida evadit, ſed liquida & clara perſiſtit. Cæterùm quæ de *reſina ejus* monenda eſſent, videantur in *Animadverſionibus* ſubſequentibus.

EXTRACTUM Seu BALSAMUS ALOES.

℞. Aloës ſuccotrinæ quantum volueris: Redigatur in pulverem: huic affunde ſpiritus vini rectificati, vel (ſi malueris) aquæ Endiviæ, vel acetoſæ, quantum ſatis: Maceretur in loco calente, diligenter quotidiè agitando, donec liquor coloretur: qui deinde relictis exactè fæcibus, per inclinationem eximatur, & recens rurſus affundatur, tantiſper id reïterando, quoad nullum amplius colorem liquor affuſus extrahere videbitur. Tandem omnis humor congregatus, diligenterque transcolatus, in juſtam ſpiſſitudinem lentâ coctione vel deſtillatione redigatur.

INternas putredines arcet, ventriculum mundat, ac roborat: cruditates abolet, & ventrem lubricum reddit.

 Eodem

EOdem planè modo parantur omnia alia Extracta ſimplicia, & compoſita, præterquam quod quædam eorum etiam exprimuntur: affuſo nimirum medicamentis, ex quibus vim ac energiam omnem prolicere mens eſt, vini ſpiritu, aut aquis appropriatis ad id præſtandum idoneis, & additis interdum corrigentibus. Sic Extract. Rhabarbari commodè parari poteſt cum aqua Agrimoniæ, additâ modicâ Spicâ & Cinamomo. Extractum Senæ cum aqua Lupuli, Scolopendrii, Borraginis, aut Fumariæ, addita portione aliqua Caryophyllorum, Zingiberis, vel ſem. Fœniculi, &c.

Notandum tamen, aquas non ex omnibus medicamentis ſimplicibus vires elicere poſſe, ſed potiſſimùm ex herbis & radicibus non gummoſis aut reſinoſis, vel inſignem duritiem non habentibus, ibi enim (ut in Turpetho & Mechoaca) vini ſpiritu opus eſt: Sic etiam Gummi ſeu Lachryma, ſingularem in extrahendo dexteritatem requirunt: hæc enim in aceto reſolvi, ac per ſetaceum, ut terreſtreitas omnis ſeparetur, transmitti poſtulant: acrimonia poſtmodùm aceti reiteratis aquarum affuſionibus eluatur; tum demum in vini ſpiritum demergantur, qui vim gummi prolectet, inde perficiatur, ut artis eſt. Verùm hæc diligentem ac ſedulum Pharmacopœum noſſe oportet, ut quod cuique commodè & ex artis uſu affine ac applicabile ſit, inter præparandum adhibere ſciat, & pro ſuâ diſcretione dignoſcat. No. autem inter Extracta ſimplicia præter jam dicta, in uſu ferè ſunt ſequentia:

EXTRACTUM

Abſinthii,
Agallochi,
Angelicæ,
Calami aromatici,
Capparum,
Cardui Benedicti,
Centaurii minoris,
Croci,
Cucumeris Aſinini,
Dictamni albi,
Ellebori nigri,
Enulæ,
Eſulæ,
Euphorbii,
Galbani,
Gentianæ,
Guajaci,
Hieræ picræ,

Liqui-

Liquiritiæ,
Mechoacæ albæ,
Nigræ,
Meliſſæ,
Myrrhæ,
Opii Thebaici,
Opopanacis,
Pæoniæ,
Rhabarbari,
Sagapeni,
Scammonii,
Senæ,
Turbith,
Zedoariæ,

ANIMADVERSIONES.

ALoë ſuccus eſt nonnihil reſinoſus, qui *ſolâ aquâ* vix totaliter & verè diſſolvi poteſt: Proindè optimum & conſultum eſſe arbitror, ut, ſi *Extractum* vel *Balſamus Aloes* dextrè confici debeat, *ſpiritu vini* ejuſdem fiat extractio, quò ſimul etiam *partes* [illegible]*ës reſinoſa* diſſolvi queant; Nec eſt, quòd cum Clariſſimo *Schrö*-[illegible] reſinoſam illam *Aloës* partem purgationi inutilem eſſe putemus; [illegible]rarium enim aliorum purgantium. utpote *Scammonea, Ialappa, Turbith, Gummi Gotta*, & ſimilium reſinæ manifeſtè evincunt.

Reliqua *Extracta ſimplicia*, quorum in adjuncta Animadverſione fit mentio, & quæ notata ſubſequuntur, quod concernit, ea ſanè ſedulum (uti benè monent,) & peritum requirunt Pharmacopœum, qui unicuique rei, quod ipſi affine & homogeneum eſt, adhibere nôrit. Pauci autem talium hodiè reperiuntur, & numero

vix totidem ſunt,
Quot Thebarum porta, aut divitis oſtia Nili.

Præſtitiſſet itaque, ut, cùm in aliis hujus Diſpenſatorii vix caſsâ nuce dignis compoſitionibus, & nugaciſſimis earundem præparationibus Authores plùs nimiò multoties ſe torſerint, etiam in his, quæ ſanè expertum & induſtrium Philoſophum naturalem, qui quid & quantum in re quâque ſit contentum vel reconditum, quidque unumquodque pati, & quid ferre recuſet, optimè ſciat, requirunt, paulò magis ſolertes ſe dediſſent, nec ita negligenter cuncta Pharmacopœorum aut eorundem miniſtrorum (qui frequentiſſimè nihil minùs ſciunt; quàm quid unicuique rei affine ſit & applicabile) diſcretioni reliquiſſent; memores, quod φάρμακα ſive medicamenta, ſi rectè, id eſt, convenienti modo præparata fuerint, Deorum manus ſint: (ita enim *Herophilus* ea appellare ſolitus eſt, eò, quòd quaſi

Numine & ſanandi celeritate ægros ab interitu vindicent.) Siniſtrè verò præparata *φάρμακα*, ſæpenumerò evadant, ſive toxica lethiferaque venena. Sed ut redeamus ad extractiones reliquorum *purgantium*, ex his *Extracta Rhabarbari*, & *foliorum Senæ ſpiritu vini* optimè fieri poſſunt, habent enim ſaltem aliquid reſinoſi, & ob id lon. ſubtiliùs extrahuntur *ſpiritu vini*, quàm *aquâ aliquâ deſtillata*: Addo, quòd omnia *purgantia à ſpiritu vini* in ſua virtute exaltentur, maximè quæ reſinoſa ſunt. Quàm frivolè autem *menſtruis*, quibus pro extractione tùm horum, tùm aliorum *purgantium* communiter utuntur, *Aromata*, utpotè *Spica Nardi*, *Cinamomum*, *Garyophylli*, *ſemina Fœniculi*, & ſimilia addantur, quiſquis nôrit, qui ſuperiores plurimas noſtras *Animadverſiones*, maximè in *Syrupos*, perlegerit, ubi ad nauſeam uſque inculcavimus, quòd *Aromatum* illorum *partes balſamicæ*, *ſpirituoſæ* & *odoriferæ*, in decoctionibus & evaporationibus penitùs avolent, nec quicquam virtuoſi de illis remaneat; Taceo, quòd ipſimet non recordentur ſuperioris ſui moniti in præparatione *Extracti Agarici* traditi, ubi repudiatâ *aquâ Aniſi* apertè innuunt, meliùs eſſe ſub finem jam paratis *Extractis*, & quidem ſingulis eorundem *doſibus*, pro conditione ægri & morbi, *olea deſtillata aromatum enumeratorum*, loco correctivi addere. Quod ipſum eorum monitum, non ſolùm in extractione *Agarici*, ſed æquè aliis omnibus extractionibus locum habere poſſe, omninò exiſtimo, & firmiter aſſero.

Gummata quod concernit, vel *Lachrymas*, ea inprimis diſtinguenda ſunt, antequam pro illorum extractione conveniens aliquod *menſtruum* determinari poſſit. Etenim *gummata* vel *reſinoſa* ſunt, vel *mucilaginoſa*; (quæ tanquam aqua & ignis inter ſe differunt,) quædam verò medio modo ſe habent. *Gummata reſinoſa* ſunt, *Galbanum*, *Storax*, *Calamita*, *Tacamahaca*, *&c.* *Mucilaginoſa* ſunt, *Tragacanthum*, *Gummi Arabicum*, *Bdellium*, *&c.* Medio modo ſe habentia, uti *Olibanum*, & *Hedera*, *&c.* Quæ ex his *reſinoſa*, nullo alio *menſtruo* convenientiùs extrahi & diſſolvi poſſunt, quam *ſpiritu vini*, vel alio aliquo ardenti ex quodam *vegetabili* per fermentationem & deſtillationem profecto, utpotè ex *Roſis*, *Ceraſis*, *&c.* cujus rei experiundi exemplum habemus in *Storace* & *Benzoe*, quæ hoc ipſo *ſpiritu roſarum ardente* elegantiſſimè pro coſmetico extrahuntur, ut adeò neceſſum non ſit ſupradicta *gummata reſinoſa* priùs *aceto* reſolvere, (uti jubent.) & tandem relictam ab *aceto* acrimoniam, reiteratis tot aquarum affuſionibus eluere, quod ipſum & ridiculum eſt & impoſſibile. Concedo equidem, quod *gummata reſinoſa aceto* dilui & quaſi diſſolvi poſſint, pro præparatione *emplaſtrorum*, *unguentorum*, & aliorum expetita; non tamen æquè genuina ſolutio hæc eſt, atque illa quæ *ſpiritu vini* peragitur; lacteſcit enim illicò, quæ *aceto* facta eſt, ſolutio: contra verò, quæ *ſpiritu vini* peracta

eſt,

Digitized by Google

eſt, clareſcit, & limpida perſtat: Eluere autem reiteratis *aquarum* affuſionibus, acrimoniam *aceti* quod impoſſibile ſit, id ex eo patet, quia *aqua* ſemper in quacunque abſtractione, quæ vel mediante deſtillatione vel exhalatione perficitur, ſe habet in modum phlegmatis, quod *acetum* in deſtillatione præcedit, reſiduo manente ejuſdem *ſpiritu acido fixiori.* Similiter nec aliâ aliquâ ablutione eadem edulcorare poteris, niſi fortè non tàm abluere, quàm eluere totum libido fuerit, quod reipsâ experiêre, ubi hujus rei experimentum feceris.

Gummata mucilaginoſa quod attinet, illa *aquâ ſimplici* vel *deſtillatâ*, aliiſque contimilibus aquoſis liquoribus commodè diſſolvi queunt; *ſpiritus* autem *vini* ea non attingit.

His itaque præmiſſis, aſſero, reliqua ordine ſubſequentia *Extracta*, optimè *ſpiritu vini*, vel alio aliquo ardenti, parari poſſe, præſertim quæ ex *lignis* & *radicibus reſinoſis*, item *gummatis* & *ſuccis inſpiſſatis* confici debent. Nec tamen inficias ibo, quòd nonnulla ex *herbis* & *radicibus quibuſdam minùs reſinoſis*, *aquâ ſimplici* & *deſtillatâ*, vel etiam *vino* & *aceto deſtillato* perfici poſſint. Ut autem benevolus Lector exemplum habeat, quomodo *radix reſinoſa aliqua*, aut alia res *reſinam* continens extrahenda ſit, ut etiam *reſina Extracto* permixta maneat, addam hic formulam, ſecundùm quam omnes ſimiles extractiones inſtitui poſſunt, præſertim compoſitæ, in quibus magna ſæpè diverſitas ingredientium occurrit. Ex. gr. ℞. *Radices Ialappa vel Mechoaca nigra aut alba, Turbith, Lignum ſanctum, &c. vel rem aliam quamcunque nonnihil reſinoſam*; quam inciſam & contuſam, infunde in *ſpiritus vini rectificati ſ. q.* & cucurbitâ benè clauſâ, fiat extractio vel digeſtio horis circiter 48; coletur poſtea, vel ſeparetur *ſpiritus tinctus*, & eſſentiâ rerum prædictarum impregnatus, *ſpecies in fundo reſtantes* exprimantur, aſſervato *ſpiritu tincto*: *Relicta ſpecies* denuò *recenti ſpiritu* ſuperfundantur, digerantur, colentur, & exprimantur; idque tertiâ vice, ſi lubet, repetendum: Poſtea *colatura* & *expreſſiones omnes* ſive *ſpiritus tincti*, junctim per chartam emporeticam filtrentur, & in M. B. ultrà remanentiam quartæ partis abſtrahantur: Refrigeratâ cucurbitâ, *relictum Extractum liquidum* in vitrum amplum effunde, cui vel innatantem, vel in fundo hærentem invenies *reſinam*, quam exemptam, & *aquâ frigidâ* aliquoties lotam, ſi libet, in leni calore exicca, ut pulveriſari queat: & hoc modo habebis *magiſterium*, vel *reſinam ſiccam*. *Extractum* autem *liquidum* leni calore ad conſiſtentiam craſſam evaporare ſine, cui, ſi libet, *propriam reſinam pulveriſatam*, aliquot *Amygdalis* contuſam vel ſubactam junge; aut ſi multum *Extracti* & parùm *reſina* fuerit, diſſolve illam, antequam exiccata & pulveriſata fuerit in *rectificatiſſimo vini ſpiritu q. ſ.* & *Extracto jam craſſo* & *confecto* adde.

P 5 *Nota;*

Nota; Equidem me non latet, haud paucos eſſe Medicorum, tùm Galenicorum, tùm Hermeticorum, qui *ſpiritum vini* pro extractione *purgantium*, ceu inutilem damnent, quem tamen nos ad eliciendam enumeratarum *ſpecierum vim catharticam*, ceu convenientiſſimum ſuperiùs commendatum voluimus. Ratio autem illorum in contrarium hæc eſt, quòd *vis cathartica* conſiſtat in *eſſentia rerum ſalina: Spiritus vini* autem, utpotè *naturæ ſulphureæ* ad diſſolutionem *ſalium* ineptus ſit, & per conſequens appropriatum ſive homogeneum pro *purgantibus* extrahendis, *menſtruum* eſſe non poſſit. Sciant autem boni illi viri, quòd inter *ſalia* ingens detur differentia: Quædam enim eorum *volatilia* ſunt, quæ inſtar *ſpirituum* levi ignis calore concitata ſublimia petunt: Quædam *eſſentialia*, ex *ſuccis vegetabilium* educi nata, mediæ quaſi naturæ inter utraque, *volatilia* ſcilicet & *fixa*: Quædam verò *fixa* per calcinationem & totalem Vulcani violentiâ rerum deſtructionem parati ſolita. Jam ſi de *ſalibus volatilibus* ſermo erit, utique *ſpiritus vini* ea promptè diſſolvit, imò nonnunquam etiam cum iiſdem familiariter ſe conjungit & coagulatur. Quod ad *ſalia eſſentialia* attinet, etiam illa, ſi realiter talia ſint, à *ſpiritu vini* reſolvuntur: ſimiliter etiam *vitriola metallorum*: *Salia* autem *fixa*, (quibus propriè *ſalis* nomen competit) quod concernit, de his fateor, quòd *ſpiritus vini* (præſertim ſi ſummè dephlegmatus, ſive ab omni aquoſitate liberatus fuerit,) illa ſimpliciter & immediatè non attingat, nec diſſolvat, niſi prius ... ſentificata fuerint. Quod ipſum tamen hanc noſtram (ſalvo t... ſemper rectiùs ſentientium judicio,) de legitima *ſpiritu vini purgantium* extractione ſententiam, nullatenus infringit, cùm vis *purgatrix* non tàm in *ſale fixo*, quod ex verè & legitimè combuſtis aut in cinerem redactis eruitur, quàm in *ſale rerum eſſentiali*, quod propriè *vegetabilibus* non crematis ineſt, fundata ſit; is autem optimè *ſpiritu vini*, aliiſque *ſpiritibus* ipſi homogeneis, & quidem longè meliùs, quàm *aquâ communi*, (quæ contrà *ſalia fixa* & vera faciliùs & promptiùs diſſolvit,) reſolvuntur. Proindè adhuc apud nos ratum & firmum manet, quòd *ſpiritus vini*, optimum & convenientiſſimum ſit, ad virtutem catharticam ex *purgantibus* rebus eliciendam, *menſtruum*.

Interim heîc notandum eſt, quòd dum *ſpiritum vini* pro extractione rerum catharticarum commendamus, non illum intelligamus, qui ſummè alcoholiſatus, frequentioribus rectificationibus ad talem volatilitatem redactus eſt, ut è vitro deſuper in terram de illo nonnihil effuſus, ipſam non attingat, ſed auræ ſubtiliſſimæ inſtar in ſublime feratur, ipſoque quaſi momento ad æthera evehatur; neutiquam ſanè: Sed illum heîc intellectum volumus, qui à ſuperflua & immodica aquoſitate aliquatenus liberatus ſit; ita enim eò meliùs penetrat, citiùſque virtutem rerum, quibus ad extrahendum af-

funditur, elicere vel extrahere potis eſt: Addo etiam, cujus in ſuperiori reſponſione obliti ſumus, quòd *ſpiritus vini* ſecundum noſtram ſententiam non ſolius *natura ſulphurea* (uti quidem illi ſibi imaginantur, fortè quia φλόγεος) particeps ſit, ſed potiùs *natura ſalinoſulphurea* ſummæ volatilis exiſtat, quam ipſam *ſalinam*, volatilem ejus naturam ſubdulcis & penetrantiſſimus ejus ſapor, maximè ubi probè dephlegmatus fuerit; *ſulphuream* autem facilis conceptio flammæ, luculentiſſimè evincunt; Eandem hanc ipſius naturam, ſcilicet *ſalino ſulphuream* apertè etiam confirmant *ſalia illa volatilia*: Ex. gr. *ſuccini, viperarum, &c.* nec non *eſſentialia ex herbis* aliisvé *vegetabilibus* parata, de quibus ſuperiùs dictum; utpotè quæ promptiſſimè illum admittunt, & ab eo ſe diſſolvi patiuntur, nimirùm ob mutuam naturæ affinitatem & ſymbolicas proprietates; Etenim, uti Philoſophi loquuntur, *in ſymbolum habentibus facilis eſt tranſitus*; ſicque jam penitùs corruit, ſuperiùs in contrarium noſtræ opinioni adductum argumentum, primâ quidem fronte ſatis ſpecioſum apparens, quo ipſo plures hactenus deceperunt, plurimique decepti ſunt.

Sequuntur Extracta Composita.

EXTRACTUM AGARICI
Compositum.

℞. Agarici Alpini leviſſimi & candidiſſimi libram ſemis,
Rhabarbari interioris uncias tres,
Seminis Aniſi,
Zinziberis,
Macis ana drachmam unam ſemis.

Incidenda incidantur, contundenda contundantur; affundantur ſpiritus vini rectificati menſuræ duæ: ſtent in infuſione vitro benè clauſo per triduum, pòſt fiat ſecundum artem Extractum.

Hanc Extracti compoſiti deſcriptionem nobis communicavit *Vir Clariſſimus D. D.* Urbanus Schlegelius, *Decani Collegii Medici Vicarius perpetuus, Collega noſter plurimùm dilectus.*

ANIMADVERSIONES.

Paretur juxta modum antecedentem, binâ vel trinâ ſpecierum infuſione, diſſolvendo ultimò quod *reſinoſum* eſt rectificato *ſpiritu vini*, & *extracto* jam ad conſiſtentiam craſſam *inſpiſſato* adjungendo: *Aromata* extractione fruſtrà & perperam adduntur, & longè meliùs foret, ut jam confecto *Extracto*, de ipſorum *oleis deſtillatis* nonnihil adderetur.

EXTRACTUM CATHOLICUM.

℞. Colocynthidos drachmas ſex,
Agarici optimi,
Diagrydii,
Ellebori nigri ana unciam ſemis,
Aloës electæ unciam unam,
Specierum Diarhodon Abbatis unciam ſemis.

Species Diarhodon in ſufficiente quantitate ſpiritus vini per dies aliquot macerentur, qui deinde relictis fæcibus ſupra prædicta medicamenta purgantia fuſus in loco calido, vaſe probe clauſo, vires eorum imbibat: poſtea leviter omnibus expreſſis, liquor transcolatus levi balnei vapore evocetur, ut Extracti ſpiſſamentum in fundo cucurbitæ reſideat.

M*Edicamentum eſt Catholicum ſeu univerſale, omnes in univerſum humores exturbans. Aliud Catholicum, magis tamen operoſum, deſcribitur à* Quercetano *in* Pharmacop. Dogmat. reſtituta.

ANIMADVERSIONES.

EQuidem hujus *Extracti* præparandi modus, ex ſuperioribus noſtris *Animadverſionibus* ſuper *Extracti Aloës* præparationem factis, ſatis diſpaleſcit; nihilominus tamen melioris informationis ergò, dilucidiorem ejus præparationem addam. Primò autem neceſſarium non eſt, ut *ſpecies Diarhodon* correctionis loco huic *Extracto* addantur: etenim ſuperiùs abundè demonſtratum eſt, has & ſimiles *ſpecies* vix quicquam corrigere poſſe. Si tamen Medicus aliquis ſtrictè illas addi deſideret, ſuaderem, ut dictarum *ſpecierum Diarhodon* ingredientia recentia, nec in pulverem redacta, ſed ſaltem craſſiuſculè contuſa vel conquaſſata, huic extractioni adderentur, omiſſis tamen quæ vel à *ſpiritu vini* non diſſolvi vel extrahi poſſunt, ut ſunt *Perla, Saccharum Candum, Tragacanthum, Gummi Arabicum, &c.* quæ dicta *ſpiritus vini rectificatus* non attingit; Vel quorum *eſſentia*, licet extrahatur, nihilominùs in abſtractione *Extracti* avolat, ut ſunt *Cinamomum, Garyophylli, Moſchus, Gallia Moſchata, ſemin. Aniſi & Fœniculi, Camphora, &c.* Secundò, *Aloë* per ſe ſigillatim extrahatur, impediret enim alioquin, quo minus ex reliquis *ſpeciebus virtus cathartica* elici poſſet; quia *Aloë ſuccus inſpiſſatus eſt*, citò in *ſpiritu vini* reſolubilis, quem ideò ſtatim ita imprægnat, ut minus ad ulteriorem extractionem habilis eſſe poſſit. *Diagrydium* etiam ſeorſim extrahere non inconſultum foret, quia totum reſinoſum eſt, cujus *extracta reſina* tandem *extracto*

tracto jam perfecto, aut pulveriſata, aut *ſpiritu vini rectificatiſſimo* reſoluta addi poteſt. Quin & *Agaricus* in extractione, uti ſuperiùs dictum, *reſinam* præbet, quæ ſimiliter *novo ſpiritu vini rectificato* diſſolvi, & extracto jam perfectè inſpiſſato commiſceri poſſet: Non ego tamen omnia & ſingula ſimul & conjunctim extrahi poſſe, ſed longè majori quantitate *ſpiritûs vini*, & minori efficaciâ futuri *Extracti*, præſertim ſi imperitus Pharmacopœus, (non omnes enim, de quo jam ſuperiùs conqueſti ſumus, quod cuique affine & ex artis uſu applicabile eſt, cuivis adhibere nôrunt,) præparationem tentet, & *reſinam* ingredientium à reliquo *Extracto* ſtudioſè non ſeparet, aut ſeparare ſciat, utpotè quæ novo *ſpiritu vini rectificato* iterùm diſſoluta, aut penitùs exſiccata & pulveriſata, jam parato & ſpiſſo *Extracto* commiſcenda & addenda eſt. De *ſpeciebus Diarhodon* plura inſuper etiam dicenda eſſent, quæ tamen brevitatis causâ, parùm ſaltem ſuperiùs attacta relinquo, tranſiturus ad alia.

EXTRACTUM DIACARTHAMI, Seu Cnicopharmacum Andernaci.

℞. Medullæ ſem. Carthami uncias quatuor,
Turbith albi,
Foliorum Senæ ana unciam unam ſemis,
Diagrydii drachmas quinque,
Rhabarbari optimi unciam unam,
Agarici trochiſcati drachmas ſex,
Mannæ Granatæ uncias duas ſemis,
Myrobalanorum Chebulorum uncias tres,
Polypodii uncias duas,
Zinziberis albi drachmas duas.

Minutim incidantur, vel craſſiùs conterantur, & in vini ſpiritum (in quo pulveris confectionis Diambræ uncia per dies octo macerata fuerit) ponantur, ſtentque ſimul in loco calidiore diebus quatuordecim: deinde ſacculo indantur, & ſub prælo validè exprimantur: poſtea id quod expreſſum eſt, ampullæ infundatur, ac operculo impoſito extilletur, donec ad mellis ſpiſſitudinem pervenerit.

Pleroſque humores, ſeroſos tamen præ cæteris expurgat: caput, ventriculum, & reliqua viſcera mundificat, & noxios ſuccos blandè ac ſine moleſtiâ educit. Datur vel per ſe, in pilulas efformatum, vel boli ſpecie. Hujus Extracti nobiliſſimi, & ad omnes vitioſos humores evacuandos accommodatiſſimi uſus apud nos quotidia-

ſidianus eſt: ejus enim virtutem multimodâ experientiâ comprobatam habemus, proinde Officinis noſtris omni ſtudio & diligentiâ parandum commiſimus.

ANIMADVERSIONES.

Non minores, imò majores etiam, quàm præcedens, præſens de quo nunc agimus *Extractum*, continet difficultates: Ecquid enim *unciæ integræ ſpecierum Diambræ*, quæ ingens alioquin huic *compoſitioni* precium addunt, illi communicare poteſt: utpotè quarum fragrantia & *eſſentia aromatica*, dum *Extractum* ad conſiſtentiam debitam abſtrahitur, omninò exhalare debeat. Addo, quòd unâ impediant, quò minùs *menſtruum* ſive *ſpiritus vini* ab ipſis jam ſaturatè imbutus, ac abundè imprægnatus, à reliquis *ſpeciebus catharticis* eſſentiam ſufficienter extrahere queat; cùm uti ſuperiùs in ſecundâ Claſſe demonſtratum eſt, *Nullum receptivum recipiat ultrà modum ſuæ receptivitatis*, niſi fortè quiſpiam, ulteriorem illarum *ſpecierum*, ſcilicet *purgantium*, extractionem, reiteratâ recentis *ſpiritus vini* affuſione, tentaturus ſit; Cæterùm, *Turbith, Diagrydium*, & *Agaricus reſinam* præbent, quæ niſi exactè à reliquo *Extracto* priùs ſeparetur, & vel exſiccatâ pulveriſataque, aut *recenti ſpiritu vini rectificato* diſſoluta, jam perfectè inſpiſſato *Extracto* addatur, minus efficax parabitur *Extractum*, duplex incommodum involvens; Primò, quòd in liquoribus illud totaliter reſolvi non queat, quin flocculos vel grumos quaſi præbeat, piſtillo adhærentes, qui ſtudioſiſſimè removendi ſunt, niſi ægrotanti nauſeam conciliare velis: Secundò, quòd ſi vel *integram drachmam*, aut plus etiam ejuſdem *reſinæ, liquidæ* nimirùm, ſive *Scammoneæ* vel *Galappæ* cuidam propines, nil ferè operetur, quod tot experimenta jam teſtatum fecêre. Hinc monendi anſam capio, quòd ſi quis *reſinas*, in mixturis purgantibus, cùm ſiccis, tùm liquidis, præſcripturus ſit, ut eas priùs *Amygdalis dulcibus*, vel *ſemine Melonum* nonnihil contundere vel ſubigere Pharmacopœis præcipiat, ſecùs enim parùm aut nihil operabuntur. De *Manna Granatâ* hoc inſuper notare velim, quòd illa jam confecto *Extracto* demùm addenda, non verò extractioni ipſi committenda ſit, eſt enim materia, quæ tota reſolubilis eſt.

EXTRACTUM CHOLAGOGUM
QUERCETANI.

℞. Rhabarbari uncias ſex,
Folliculorum Senæ uncias quatuor,
Diagrydii unciam unam,
Spicæ Nardi Indicæ,

San-

Santali Citrini,
Cinamomi ana unciam ſemis,
Trochiſcorum de Berberis drachmas duas,
Succi Roſarum pallidarum optimè depurati quantum ſatis.

Poſt juſtam digeſtionem omnia calidè exprime, ac diligenter coaacque lege artis Extractum in conſiſtentia Sapæ: cui adde æquale pondus Extracti ſeu Balſami Aloëtici. Miſce, & decoque ad ignem lentum uſque ad debitam conſiſtentiam.

B*Enignè ac ſufficienter omnes humores ſeroſos calidos & bilioſos expurgat.*

ANIMADVERSIONES.

LAbitur nimiopere *Quercetanus*, dum *ſuccum roſarum* extrahendis enumeratis *ſpeciebus* ſingulis, abſque diſcrimine deſtinat, parùm memor, quod ſucci prorſus inhabiles ſint ad extractiones rerum, quæ *reſinam* in ſe continent; quale inprimis ex prædictis *ſpeciebus Diagrydium* eſt, utpotè quod totum ferè nil niſi *reſina*, nec ullum, vel exiguum ab impuritatibus admixtis, *Extractum* præbet. Fruſtrà etiam & præpoſterè *Cinamomum & reliqua odorifera compoſitionem Trochiſcorum de Berberis* ingredientia adduntur, ob rationes ſæpiùs in præcedentibus adductas; & longè ſatiùs eſſet, eorundem *olea deſtillata* jam parato *Extracto* demùm admiſcere. Reliqua quod concernit, prædictorum *Trochiſcorum* ingredientia, nimirum *Gummi Arabicum* & *Spodium*, ex his illud nil niſi *meram mucilaginem* huic *Extracto* communicat, & nequicquam ipſum corrigere, quin mage vires & efficaciam ejuſdem infringere & obtundere valet: Hoc autem, *Spodium* ſcilicet, utpote omni ſuâ virtute per calcinationem orbatum (uti ſuo loco demonſtrabimus,) nihil efficaciæ eidem impertire poteſt. Aſt ne nimiùm hæc exaggeremus, cùm propriè noſtri inſtituti non ſit, *compoſitiones* quoad ingredientia immutare, quod quidem valdoperè neceſſarium eſſet, ſaltem ejus meliorem præparandi modum paucis hiſce innuere libet; videlicet,

℞, *Species hujus Extracti compoſiti, excepto Diagrydio & Cinamomo, partemque octavam ingredientium Trochiſcorum de Berberis,* (quæ ℨ ij conſtituunt,) *exceptâ Galliâ Moſchatâ, Gummi Arabico, & Spodio*; eaque inciſa & contuſa more ſolito, reiteratis affuſionibus, digeſtionibus, expreſſionibus & filtrationibus, *ſucco Roſarum* (cujus vix octo vel decem libræ ſufficiunt,) extrahantur; *Tinctura ſpeciebus enumeratis ſaturatè imbutâ*, abſtrahatur in M. B. ad conſiſtentiam craſſam *Extracti*, cui adde *reſinâ Scammoneæ pulveriſatæ, & Amygdalis dulcibus, melioris permixtionis causâ nonnihil ſubactæ* ℨ *vj, vel* ℨ *vij*, nec non *Extracti Aloës pondus æquale*; tandem

dem etiam *olei Cinamomi guttas vj, vel viij*; & ſi lubet, *Galliæ Moſchatæ à Trochiſcis de Berberis huc tranſlata, gr. vij ß*, fiatque lege artis *Extractum*.

EXTRACTUM DIACITRI

Dn. D. HIERONYMI REUSNERI.

℞. Pulpæ Pomorum Citri expreſſi,
Sacchari albiſſimi ana libram ſemis.

Coque lento igne ad ſpiſſitudinem: in fine adde ſpiritum ex ſequentibus Extractis cum liquore:

℞. Scammonii optimi uncias duas,
Mechoacæ albæ,
Turbith electi ana unciam unam,
Rhabarbari electi,
Cinamomi acuti ana unciam ſemis,
Galangæ,
Nucis Moſchatæ,
Caryophyllorum ana ſcrupulum unum, grana duo.
Miſtis omnibus, fiat ſecundum artem Extractum.

AD humores bilioſos & ſeroſos expurgandos in cachexia, hydrope, ictteritia, obſtructionibus hepatis & lienis, in febribus etiam omnis generis feliciter uſurpatur.

ANIMADVERSIONES.

OEdipo ſanè conjectore hîc opus eſt, qui mihi interpres ſit, acutoque ingenio diſſolvat & explicet primò, quâ ratione ad mentem & voluntatem Authoris, compoſitionis hujus ſatis ænigmaticæ, *pulpa pomorum Citri expreſſi* (hæc enim propria Authoris verba ſunt,) cum *ſacchari anatica quantitate* coqui poſſit & debeat, & ad qualem etiam conſiſtentiam vel ſpiſſitudinem? Etenim *pulpa Citri prædicta expreſſa*, non ampliùs ſucculenta eſt, licet parumper humida, ac proindè diſſolutioni *ſacchari* multò magis coctioni prorſus inepta; Et poſito, aſt non conceſſo, illam tantâ adhuc gaudere humiditate, quæ pro *ſaccharo* diſſolvendo ſufficeret, qualis tamen ex fibris ejuſdem inutilibus hujus *Extracti*, (quod aliàs reſolubile eſſe debet totum,) exurgeret conſiſtentia? Secundò, qualem *ſpiritum ex ſequentibus Extractis cum liquore, ſuperiori pulti addere* debeam? Debeamne ex ſequentibus rebus, ſcilicet *Scammoneâ, Mechoacâ, Turbith, Rhabarbaro, &c.* (uti quidem litera & ſenſus ſuppeditare videntur,) *Extractum* priùs parare, & ex *Extracto ſpiritum* deſtillare cum liquore, eundemque ſuperiori *pulmento* vel *conſervæ* addere? Aſt ne diutiùs nugis illis me torqueam, quæ certè in

in dedecus Authoris potiùs, quàm ullius ægri emolumentum huic Diſpenſatorio inſertæ ſunt, adjiciam præparationem paulò dilucidiorem, atque etiam omni dubio meliorem ; Nimirùm,

℞. *Succi pulpa pomorum Citri depurati,*
Sacchari albi ana ℔ ß.

Coquantur in vaſe terreo, in *ſyrupum* conſiſtentiæ craſſioris ; poſtea

℞. *Scammonii optimi* ℥ ij,
Mechoaca alba,
Turbith electi ana ℥ j,
Rhabarbari electi ℥ ß,
Galanga ℨ ß.

Fiat ex iis omnibus beneficio *ſpiritûs vini* reiteratâ affuſione extractio, quam in M. B. propemodum ad remanentiam quartæ partis abſtrahe, & *reſinam* reſiduo *extracto* innatantem (quæ ſi non ſatis benè præcipitata eſſet, affundatur illi adhuc parùm *aqua frigida)* probè ſepara, exſiccatamque in pulverem redige. *Relictum* autem *Extractum liquidum* ad craſſam conſiſtentiam leniter exhalare ſine; cui pulveriſatam & nonnihil *Amygdalis* ſubactam *ſuam reſinam* adde, atque eunita, cum ſuperiori parato *Citri ſyrupo* exactè permiſce; Poſtremò denique

Ol. ſtillat. Cinamomi gutt. vj, vel *viij,*
Nucis Moſchata, &
Garyophyllorum ana gutt. iv, vel *vj,*

aromatizando, fiat *Extractum* uſui aſſervandum.

EXTRACTUM GUMMI GAMANDRAE D. D. HADRIANI à MYNSICHT.

℞. Gummi de Peru, ſive Gamandræ optimè pulveriſati unciam unam,
Aquæ Cichorii unciam ſemis,
Spiritûs Vitrioli rectificati drachmam unam.

Hæc benè commixta tabulæ vitreæ, vel vaſi Indico ſuperilline, loco calido, (ſed non nimiùm tamen, aliàs nigreſcit, & deperit) evaporare ſine, donec materia terreum colorem induat: hanc poſtea pulveriſa, & adde

Pulveris Florum Roſarum rubearum unciam unam,
Santali rubri drachmas duas.

Spiritûs vini ſufficientem quantitatem affunde, per horas viginti quatuor circula, tum quando refrixit, per chartam filtra; & paulatim, uſque dum ſiccetur, evaporare ſine; & ſic habebis Extractum rubicundum.

A Seroſis humiditatibus totum corpus humanum ſine omni periculo & difficultate purgat: unde ingenti cum fructu & commodo in cathexia, hydrope, arthritide, podagra, ſimilibusque affectibus; uti etiam in ſcorbuto, & morbo virgineo, inſtar ſingul experimenti, uſurpatur.

ANIMADVERSIONES.

AN *liquores*, vel *ſpiritûs minerales acidi*, quales ſunt *vitrioli, ſulphuris*, & ſimiles, nec non quæ ex *vegetabilibus* parantur *aceta*, vera & legitima *rerum catharticarum* corrigentia eſſe poſſint, non ſine ratione quiſpiam dubitaret: Anſam autem dubitandi non levem præbent *mineralia*, eò quòd nonnulla eorum licet violentiſſima ſint *cathartica*, nihilominùs tamen *ſpiritibus acidis prædictis*, vel ſolo etiam *aceto vegetabili* extracta, & aliquandiu cum ipſis digeſta, non ſolùm vim illam purgantem deponant, ſed etiam aliam prorſus naturam induant, & ex *purgantibus* non rarò *diaphoretica* evadant, quòd nemo, qui in laboribus Chymicis ſe ſolertem dedit, ibit inficias; Nimirum *liquores acidi*, quicunque illi ſint, res quaſlibet cùm *minerales*, tùm *vegetabiles*, quæ ipſis imbuuntur, pro ratione majoris vel minoris quantitatis additæ, figunt & ligant quodam modo; Atque eò fit, ut ipſe nativas ac genuinas ſuas virtutes minùs, quàm aliàs, ubi liberæ ſunt, nec peregrinis additamentis præpeditæ exſerere poſſint. Hoc modo autem non rarò in Extractionibus *re[illegible] catharticarum*, ingentem jacturam facimus ſumptum & laborum; nam quòd exigua quantitas alias præſtaret rei alicujus, levi negotio & exiguo precio habendæ, id tali modo præparatæ, majoribusque ſumptibus acquiſitæ, ſatis magna *doſis* vix effecerit. Ob id etiam *doſis* talium rerum fixatarum interdum in duplo, triplo, vel quadtuplo nonnunquam augenda eſt, prout plùs minusvè de *liquoribus acidis* ſupradictis ipſis admixtum fuerit. Experiundi evidens exemplum hujus rei, nobis ſuppeditat præſens *Extractum Gummi Gamandræ*, ut opus non ſit exempla aliunde petere, & multis rem exaggerare. Præſtaret itaque meo judicio, *cathartica* in viribus ſuis & effectibus illis, ad quos à naturâ deſtinata ſunt, non impedire, vel etiam (uti communiter fit,) deſtruere, ſed potiùs purum ab impuro ſeparare, & heterogenea ſequeſtrare, quæ demùm vera eſſet correctio. Et cùm tantoperè non arrideat *Extracti hujus è Gummi Gamandræ à Mynſichtio* tradita præparatio, idcircò binas ali[illegible]s addere libuit, quarum prima ſimpliciſſimè ſaltem, ad mentem noſtram facta, eaſdem ne dicam majores taliter paratum *Extractum* virtutes habebit, etiam in minori doſi adhibitum; Altera verò ad mentem Authoris, concinnior tamen, tradita eſt. Utpote:

℞. *Gummi Gamandræ* ℥ j, *plùs minusvè*.

Extra-

Extrahatur vel diſſolvatur cum *ſpiritu vini*, vel, ſi libet, *Iuniperino*, aut *Granorum Acles*, quouſque totum *Gummi* extractum vel diſſolutum ſit: *Tinctura* mediante filtratione, per chartam empo-
...iam à fæcibus liberata, ad quartæ partis remanentiam abſtraha-
... *Reſina* à liquore reſiduo ſeparetur, lavetur, & in leni calore ex-
... t, ſervetur uſui. Atque hæc ſimplex præparatio, quâ purum ab impuro ſegregatur, ſine ulteriori alterius rei admiſtione, ad uſum medicum ſufficere poſſet; Si quis tamen eâ ipsâ contentus eſſe nolit, is ulteriùs procedat, & ad mentem Authoris recipiat

Florum Roſarum rub. ℥ j,
Santali rubri ℥ ij,

Quibus ſuperaffundatur *ſpiritus vini*, vel *Granorum Acles* ℔ j,
Spiritus Vitrioli ℥ j,

Fiatque in leni calore extractio, & colatura, quæ tinctura ad dimidias circiter abſtrahatur, *remanente verò eſſentiâ acidâ*, humectetur vel inſuccetur ſæpiùs

Reſina Gummi Gamandræ ſimpliciter ad modum ſuperius traditum, parata, ℥ j,

Quæ denique leni calore cinerum iterum exſiccata pulveriſataque, ad ſuos uſus aſſervetur.

EXTR TVM HOLAGOGVM

NDERNACI.

℞. Specierum ıbræ unciam unam ſemis,
Spiritus Vi ıbras duas ſemis,
Aquæ Ci omi libram unam.

Macerentu r per dies aliquot in vaſe probè oblito, ne quid expiret: inde ve fæcibus in fundo relictis, liquor omnis ſequentibus ſpeciebus affundatur:

℞. Colocynthidis drachmas ſex,
Turbith albi drachm. ſeptem,
Agarici albi & optimi drachmas quatuor,
Veratri nigri drachmas tres,
Eupatorii Meſue,
Foliorum Senæ ana drachm. quinque ſemis,
Diagrydii drachmas quinque,
Rhabarbari electiſſimi drachmas ſeptem.

Omnia inciſa macerentur in liquore ſupradicto diebus quatuordecim, deinde ſacculo lineo injecta, ſub prælo exprimantur. Liquor excolatus in ampullam imponitur, ac in balneo humiditas extillatur, donec id quod in fundo ſubeſt, Syrupi acquirat ſpiſſitudinem.

Tunc in hoc Aloës præparatæ, rurſusque in pulverem redactæ, drachmæ decem reſolvantur, ſimulque agitando uniantur, quoad craſſamentum mellis inſtar appareat.

GEnerale eſt medicamentum, cunctos in univerſum humo... ...alenter à remotis partibus evocans ac expurgans; febribus ... men continuis, ac morbis acutis haudquaquam ſecurum.

ALoës ſic præparatur. Accipe Aloës optimæ libram unam, Aceti roſacei partes duas, aquæ Roſarum odoratiſſimæ partem unam. Amborum horum liquorum hac proportione junctorum, ſumatur quantum ſatis eſt. Bulliant ſimul bis, vel ter, colenturque ac exprimantur, & id quod percolatum eſt, lento igne rudiculâ ſemper agitando, coquatur ad priſtinam Aloës ſpiſſitudinem, ac uſui reſervetur.

ANIMADVERSIONES.

QUæ de *ſpeciebus Diambra* jam ſuperiùs in *Animadverſionibus Extracti Diacarthami* dicta ſunt, hùc quoque merito referri debent: Nam quid opus eſt tantam dictarum *ſpecierum pretioſarum* facere jacturam, cùm illæ necquicquam *cathartica fortiora* corrigere, nec violentiam eorundem retundere, vel directè infringere valeant, niſi fortè indirectè aliquantum præſtare poſſint; nimirum quatenus imprimis prohibent, ne *ſpiritus vini* à dictis *ſpeciebus* ſufficienter imbutus, conſequenter ad ulteriorem & quidem plenariam *ſpecierum catharticarum* extractionem quodammodo debilis vel inhabilis reddatur: Secundò, quòd *extractum hoc catharticum*, ratione partium craſſiorum ac terreſtrium *ſpecierum aromaticarum* (nam ſubtiliores & penetrantiſſimæ earum partes, unà cum *ſpiritu vini* in abſtractione *Extracti* avolant,) in ſua quantitate manifeſtè augeatur, ac ob id ejus *doſis* poſtmodum augenda ſit. Vellem proinde, ut paululum in mentem revocarent, quæ in præcedentibus *Animadverſionibus ſuper Extractum Agarici* annotârunt, quæque in ſubſequentibus *Extracti Hellebori nigri* innuunt: Cæterùm *libram unam aquæ Cinamomi* quod concernit, quæſo, dicat mihi quis, in quem uſum & ipſa addita ſit? debet enim ad extremam guttulam uſque in abſtractione *Extracti*, ad debitam ſuam conſiſtentiam exhalare, ut adeò nil quicquam de virtute, vel *eſſentia Cinamomi*, aut *aqua ejuſdem ſpirituoſa & aromatica*, cum *Extracto* remaneat. Et quis tam ſtupidæ mentis eſt, qui aſſerere auſit, quòd *aqua Cinamomi ſemel deſtillata ſpirituoſa & aromatica eſſentia*, reiteratâ deſtillatione, cum *aliis ſpeciebus* factâ, denuò non elevetur, ſed iiſdem quaſi compacta remaneat? Igitur ne nimium iniqui ſimus in proximum, relinquamus has opiparas, ac nihilominùs inutiles correctiones, ſimpliciſſimâ & rationi magis conformi præparatione contenti, inſtituenda ad nor-

mam

Digitized by Google

mam *Extracti Catholici ſuperioris*. vel, ſi libet, juxta modum ſequentem:

℞. *Deputatas huic Extracto ſpecies omnes (omiſſis tamen ſpeciebus Diambra,)*

Quarum *ſpiritu vini* reïteratis recentis *ſpiritus* affuſionibus extra- . . tractionem filtra, & ultra remanentiam quartæ partis in M. B. abſtrahe: Huic *liquori* reſtanti innatantem *reſinam* ſepara, quam lotam ac le calore exſiccatam pulveriſa; *Extractum verò liquidum reſiduum*, ad debitam ſpiſſam conſiſtentiam evaporare permitte, cui propriam ſuam *reſinam*, *amygdalis* aliquot contritam, pulveriſatamque, pariter etiam *Aloën ſuccotrinam*, vel ejus loco *Extractum Aloës* ex arte conjunge, & ſi opus, additâ particulâ *ſpiritûs vini rectificati*, in juſtæ conſiſtentiæ *Extractum* redige. Quod ipſum ſi aromatizare velis, eidem aliquot guttulas *oleorum deſtillatorum*, *nonnullorum aromatum ſpecierum diambra compoſitionem ingredientium*, adde.

EXTRACTUM MAROCOSTINUM MINDERERI.

℞. Gummi Ammoniaci ſelectiſſimi unciam unam ſemis, diſſolve in unciis quatuor aceti ſcillitici,

Myrrhæ ſelectæ rubræ drachmas ſex, diſſolve in unciis duabus aceti rutacei,

Aloës ſuccotrinæ libram unam, diſſolve in libris duabus Muchari roſarum, & unciis ſedecim ſucci Limonum,

Agarici trochiſcati drachmas ſex, irroretur drachmis duabus aquæ Cinamomi, diſſolve in
Succi Apii,
Fœniculi,
Abſinthii ana unciis tribus,

Rhabarbari ſelectiſſimi uncias tres: irroretur aquæ Cinamomi drachmis ſex; diſſolve in
Succi Cichorii,
Pimpinellæ,
Fumariæ ana unciis octo,

Croci orientalis unciam ſemis,
Coſti Arabici drachmas ſex,
Ligni Aloës optimi drachmas duas,
Mari veri unciam ſemis; Diſſolvantur in ſucci Citri unciis quatuor, & aquæ roſarum quantitate ſufficienti.

Miſceantur omnia ſimul diligentiſſimè; ultimò adde
Aquarum Lupuli,
Borraginis,
Betonicæ,

Cardui Benedicti,
Agrimoniæ,
Ivæ artheticæ,
Centaurii minoris,
Roriſmarini,
Ceraſorum nigrorum ana uncias ſedecim, vel quantum ſatis.

Stent in infuſione probè tecta loco calente, vel in Balneo Mariæ rorido per triduum; poſtea per inclinationem ſeparentur, filtro diligenter tranſmittantur, ac cucurbitæ indantur, abſtrahaturque in balneo omnis humiditas, donec extracti ſpiſſitudo in fundo craſſioris mellis inſtar reſideat, quæ leniter poſtmodùm exili calore penitùs exſiccetur, ut in pilulas effingi queat: ſervetur pro uſu.

CUm præſtantiſſimum hoc excellentiſſimi Medicorum Aloëdarium, ad omnes univerſi corporis humani morbos tàm præſervandos quam curandos accommodatum, ab ipſo Auctore publicatum ſit, & in omnium ferè manibus verſetur, ejuſdem virtutes hoc loco recenſere ſupervacaneum duximus.

ANIMADVERSIONES.

SPecioſa hujus *Extracti Marocoſtini* tot tantorumque virorum applauſu & ſuffragiis ſtipati, ipſius etiam Authoris peculiari Tractatu encomiaſtico, quem *Aloëdarium* nuncupavit, confirmati præparatio, me herclè magnifici aliquid primâ fronte polliceri videtur; quam tamen ſi quis intimiùs inſpexerit, & penſiculatè ruminaverit, apertè deprahendet, ipſam nè tantillum ſalis vel acuminis in ſe reconditam habere, tantoque viro, ex cujus cerebello profecta eſt, prorſus indignam eſſe. Namque primùm, quem in finem tot diverſæ *aquæ herbarum ſtillatitiæ* huic compoſitioni aſſignatæ ſunt, utpote quæ necquicquam quâ corrigendo, quâ extrahendo præſtare poſſunt ampliùs, quàm *aqua aliqua ſimplex, aut pluvialis deſtillata?* Si quid enim ſpirituoſi *præfatæ aquæ ſtillatitiæ* à ſuis herbis contraxère, illud, dum *Extractum* ad conſiſtentiam ſuam inſpiſſatur, evaporare penitùs neceſsè eſt: Addo, quòd *aquæ deſtillatæ ſimplices*, qualeſcunque etiam illæ fuerint, ad extractiones *reſinoſarum rerum* ſiunt inhabiles. Secundò, *Gummi Ammoniacum*, & *Myrrha*, licet juxta modum ab Authore præſcriptum, *aceto* nonnihil diluantur, nihilominùs tamen illa ipſa, affuſis ſuperioribus *aquis deſtillatis*, iterum præcipitantur, & vix quicquam ab iis diſſolvitur, quod verè diſſolutum dici mereatur, & per chartam emporeticam tranſeat. Tertiò, quantumvis etiam *Aloë* à *Mucharo roſarum* quodàmmodo diſſolvatur, addito tamen *ſucco Limonum*, & ipſa denuò plurimum præcipitabitur. Præterea neque *Agaricus trochiſcatus*, utpote qui *reſinoſus* eſt,

eſt, *ſuccis expreſſis herbarum* perfectè extrahi poteſt: Inſuper quid ex *ligno Aloës*, ſi genuinum illud ſit & gummoſum, *deſtillata aqua* extrahere poſſunt, ſimiliter etiam ex *Coſto vero?* Quid particu- l: illa *aqua Cinamomi in Agarico & Rhabarbaro* corrigere pote- t . penitùs iterum exhalare debet? Et quomodo *Marum verum* j. *Citri & aquâ roſarum* diſſolvi poteſt? Herba enim eſt extra- ctioni, non diſſolutioni apta; Utque verum fatear ac ſummatim di- cam, quot ingredientia, tot craſſos & abſurdos etiam hæc *compoſitio* comprehendit errores. Aſt ne in hiſce excutiendis nimius ſim, aliam illi ſubſtituam præparationem & magis concinnam, magiſque effica- cem, paratuque faciliorem. Nimirùm

℞. *Pro aquis deſtillatis ipſarum*
Herbarum vel florum Lupuli,
Betonicæ,
Borraginis,
Carduibenedicti,
Agrimoniæ,
Ivæ arthetica,
Centauri minor.
Roriſmarini ana M ij.
Nucleorum ceraſorum M j, vel ℥ ij:

Inciſa & contuſa craſſiuſculè, immittantur cucurbitæ vitreæ, quibus peraffundantur

Muchari roſarum ℔ *ij,*
Succor. Limonum vel Citri ℥ *xx,*
Apii,
Abſinthii ana ℥ *iij,*
Cichorii,
Pimpinellæ,
Fumariæ ana ℥ *viij,*

Stent in loco calido horis 24, appoſito capitello; poſtea deſtillentur ultra dimidias, prioris tamen *aquæ magis ſpirituoſæ & odoriferæ* ℥ *iv* circiter, ſigillatim aſſerventur, & *reliqua, quæ ſequitur, etiam ſepa- ratim ad* ℔ *iij* circiter. Relictæ in fundo cucurbitæ *herbæ* expri- mantur; expreſſum clarificetur, & ad conſiſtentiam *Extracti* inſpiſ- ſetur: Si quoque volupe fuerit, poterunt *herbæ expreſſæ*, affuſâ *aquâ recenti*, adhuc parùm coqui, ita enim quæ adhuc reliqua eſt virtus, penitùs ex ipſis elicietur; quam *extractionem ſecundam* cum *primi extractione* conjungere, & conjunctim inſpiſſare fas erit. Tum

℞. *Gummi Ammoniaci* ℥ *j ß,*
Myrrhæ ſelectæ ℥ *vj;*

Quibus contuſis, ſuperaffundatur *ſpiritus vini rectificati q. ſ.* pro omni-

omnimoda ipſorum extractione, repetitis vicibus tamen, *Extractis filtrata* reſervetur. Similiter ſigillatim cum *ſpiritu vini* reiteratis vicibus affuſo extrahe

Agarici trochiſcati ℥ vj,
Rhabarbari ſelecti ℥ iij,
Croci Auſtriaci ℥ ß,
Coſti Arabici ʒ vj,
Ligni Aloës opt. ʒ ij,
Mari veri ℥ ß;

Extractio pariter filtrata aſſervetur: Poſtremò ſeorſim etiam *Aloës* ℔ j *ſuperiori aquâ ſecundâ per deſtillationem ex enumeratis herbis prolectâ*, extrahe vel diſſolve, (poterunt etiam, ſi totaliter *Aloë* à prædicta *aqua* non diſſolvatur, quæ ſuperſunt ejus reliquiæ *unâ* vel *alterâ librâ ſpiritûs vini* ulteriùs diſſolvi,) & colaturam in M. B. ferè ad ſiccitatem uſque abſtrahe. Cui *Extracto Aloës*, propemodum exſiccato, adde

Extractionem adhuc liquidam Gummi Ammoniaci & Myrrhæ,

Item

Extractionem liquidam Rhabarbari, Agarici, &c. ſeparatim aſſervatam;

Nec non

Extractum ſuperiùs inſpiſſatum ex herbis & ſuccis;

Ac in M. B. deſtillando abſtrahe vel evoca *ſpirituoſam humiditatem totam*, donec omnia probè unita, Extracti acquirant conſiſtentiam, quam expetis; Hanc *maſſam*, ſi lubet, aliquot guttulis *olei cinamomi* & *roſarum*, loco *aquæ cinamomi*, quæ alioquin addenda fuiſſet, aromatizare, ſicque ad uſum reponere poteris.

Nota; *Aquæ illius ſpirituoſæ ſuperiùs aſſervatæ* aliquot unciæ, poſſunt pro humectatione *maſſæ*, quoties *pilulæ* ex ea formari debent, adhiberi, & hunc in uſum ſigillatim aſſervari.

EXTRACTUM MELAMPODII,

Seu ELLEBORI NIGRI ejuſdem Authoris.

℞. Radicum Ellebori nigri mundatarum quantum volueris.

Macerentur in aquâ pluviali calente vaſe tecto; Hæc ubi per horas aliquot in infuſione ſteterit, ac vires radicum prolectaverit, transcolata ſeorſim aſſervetur, & prioribus radicibus alia rurſus aqua pluvia fervens affundatur, idque ſic ter iteretur. Tandem omnis aqua vim radicum Ellebori habens, juncta ac diligenter colata ampullæ vitreæ indatur, extillet urque inde omnis humiditas, donec Extracti ſpiſſitudo mellis inſtar in fundo cucurbitæ reſideat.

MElancholicum ſuccum, & alios humores aduſtos ſolutu contumaces potenter evacuat, elephantiaſi, lepra, ſcabiei, arquato, aqua intercute, epilepſia, ac aliis id genus affectibus fert; vermes necat, & animalia in ventre nata propellit: morbis inveteratis ac chronicis, qui levioribus pharmacis non cedunt, medicamentum auxiliare.

NOnnulli ad Extractum hoc parandum aquam Aniſi recipiunt, alii alia addunt corrigentia. Nos ſimpliciſſimo hoc perſæpe contenti fuimus, quando Ellebori malitiam, Aromatum pro ejus correctione ſibi jungi ſolitorum admixtione augeri ac fortificari, purgantemque ejus exorbitantem vim ab his ipſis intendi notavimus. Alias autem deſcriptiones aut modos Ellebori extrahendi qui ſcire voluerit, *Quercetanum, Weckerum, Heurnium*, & alios conſulat.

ANIMADVERSIONES.

SI extractio rerum fit veluti puri ab impuro ſegregatio, convenit etiam, ut hujus *radicis Extractum* paulò accuratius fiat. Laudo autem in ipſius præparatione inprimis, quòd *aquâ ſimplici pluviali*, pro cruda *radicum* extractione contenti ſint, rejectis *aquis Aniſi*, & *aliorum aromatum*, pro fucata rerum correctione alioquia addi ſolitis, & jam antè à nobis exploſis. Ut autem *Extractum* hoc ſubtilius evadat & efficacius, extrahe illud, ita juxta modum præſcriptum, *aqua ſimplici* paratum, adhuc ſemel *ſpiritu vini rectificato*, quouſque *ſpiritus* colore rubro tingatur; Videbis enim magnam prioris extractionis partem fæculentam à *ſpiritu vini* intactam relinqui nec diſſolvi, quâ proinde rejectâ, hanc *ſpiritu vini* denuò paratam extractionem filtratam in M. B. abſtrahendo, redige in formam *extracti* juſtæ conſiſtentiæ.

Quercetani præparatio, ceu nimis intricata & prolixa, tædio afficit Lectorem, ne dum Pharmacopœum, cui ad ejuſdem modum *Extractum hoc* elaborandum eſt. Neque veriſimile fit, quòd juxta ipſius aſſertionem in *ſale Hellebori fixo* (quem ex fæcibus *radicum extractarum* igne reverberii ſecundum artem in cinerem redactis, parare jubet,) *præcipua Hellebori vis purgatrix* reſideat, quin hoc ipſum pro commento habendum eſſe cenſeam: Etenim ex *centum libris radicum Hellebori* vix *unam atque alteram unciam ſalis fixi* per incinerationem elicere poteris, & conſequenter ex *libra una* vix *ſcrupulum dimidium*, hinc inde in præparatione vaſorum lateribus adhærentem; careretne itaque *Extractum Hellebori nigri* omni vi catharticâ, prædicto ſuo *ſale fixo* (quod inſuper inſtar *ſalium fixorum omnium* non catharticâ, ſed diureticâ virtute præditum;) deſtitutum? neutiquam.

Nota; quòd in decoctione *radicum Hellebori* cum *aqua ſimplici*, ſi in

ſi in Alembico illa fiat, *aqua* tranſeat, acrimoniâ manifeſtâ imbuta, cujus uſus adhuc me latet; Id ſaltem hâc *Animadverſione* in præſens innuere volui, quòd uti ſuperiùs dictum, parùm *ſalis fixi* ex hiſce *radicibus* elici poſſit, forſitan *ſalem* contineant *volatilem* & *acrem* in illarum decoctione pereuntem. Exiſtimem igitur radicibus ipſis contuſis, vel in pulverem redactis, aut ſaltem in vino infuſis, Mi-cos plus præſtare poſſe, quàm iiſdem multoties decoctis vel extractis; Aſt cuique hâc de re liberum ſuum relinquo judicium, ac cauſam tantummodò præbeo ulterius inquirendi. Multoties enim fit, ut noſtris nimiùm artificioſis & laborioſis præparationibus ſubjectum, vel medicamentum aliquod per ſe ſatis efficax, virtutibus ſuis privemus potiùs, quàm ut illud exaltemus. Poſſet itaque ſi alicui ita voluntas eſſet, *eſſentia liquida* ex illis ipſis *radicibus* parari ad modum ſequentem, in *Animadverſionibus* ſuper *Extractum* ſequens edoctum; neque enim dubito, quin ipſa ſingulares editura ſit operationes, præſertim ſi *vino*, vel *menſtruo* aliquo appropriato conficeretur.

EXTRACTUM DIAPÆONIAS

D. D. MINDERERI.

℞. Radicum & ſeminum Pæoniæ excorticatorum ana unciam ſemis,
Oſtrutii;
Enulæ,
Zedoariæ ana drachmas duas,
Dictamni albi,
Calami Aromatici,
Corticum Citri ſiccatorum,
Seminis Dauci Cretici ana drachmam unam ſemis,
Apii,
Nucis Moſchatæ,
Radicis Doronici,
Caſtorei ana drachmam unam,
Specierum Diambræ incompletarum ſcrupulos duos,
Foliorum Rutæ ſiccorum,
Meliſſæ hortenſis ana manipulum ſemis,
Florum Liliorum convallium pugillos duos,
Viſci quercini drachm. unam ſemis,
Ungulæ alcis ſcrupulos duos,
Spiritûs vini rectificati quantum ſufficit.

Infundantur per triduum, vel quatriduum, vaſe vitreo probè clauſo, & ſtent ſimul in infuſione loco calente; poſtea colentur, ſed ſine forti expreſſione, quæ poſtmodùm in B. M. leni igne extilletur, uſque

uſque dum Extracti ſpiſſitudo juſtæ conſiſtentiæ in fundo reſideat, quæ in pilulas effingi poſſit.

Valet *in affectibus uterinis & cerebri, maximè ſi hi complicati ſunt, ut ſunt epilepſia ex utero, item in frigidis capitis morbis, qui ſopores, catalepſin, epilepſiam, & apoplexiam cauſant; item in ſuffocatione uterina, vertigine ex utero, &c.*

ANIMADVERSIONES.

Singula propemodum (paucis exceptis) hujus *Extracti* ingredientia, balſamicum & aromaticum habent odorem & ſaporem, qui illis, dum tinctura ad *Extracti* vel *pilularum maſſa*, uti Author vult, conſiſtentiam abſtrahitur, ferè totaliter adimitur, atque unà cum *ſpiritu vini* evaneſcit in auras, relicto *Extracto ſpirituosâ & balſamicâ ſuâ eſſentiâ* (in qua tamen, uti mea fert opinio, *cephalicorum* & *hyſtericorum medicamentorum* potiſſima virtus repoſita eſt;) penitùs orbato. Ne autem hoc fiat, ſuadeo ut potiùs loco *Extracti craſſioris*, ex prædictis *ſpeciebus nobiliſsimis eſſentiam liquidam* conficiamus, quæ imprægnata ſit virtute earum inſigniter penetrante, & nervoſum omne genus egregiè roborante: Quæ commodiſſime hunc in modum parari poſſet;

℞. *Species omnes & ſingulas huic Extracto deputatas:*

Quibus inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperaffunde *ſpiritûs vini rectificati* ℔ *j*, appoſitoque capitello & circumlitis juncturis, locentur in digeſtionem per unum vel alterum diem; poſtea in M. B. deſtillando, totus proliciatur *ſpiritus affuſus*, qui *prolectus relictis in cucurbita ſpeciebus*, denuo reaffundendus, & juncturis optimè clauſis, uti antea, totus abſtrahendus ac ſtudioſè aſſervandus eſt. *Relicta verò in cucurbita ſpecies recenti vini ſpiritu*, repetitis tamen vicibus ſuperfuſæ denuò extrahantur, quouſque ab affuſo *menſtruo* tinctura manifeſtè eliciatur: Hæ ultimæ extractiones poſtea filtratæ in M. B. lento igne ad *Extracti* conſiſtentiam ſpiſſam abſtrahantur: Cui *Extracto inſpiſſato libram illam ſuperioris aſſervati ſpiritûs fragrantiſſimi* junge, & leniſſimo calore digere, ut totum *Extractum* veluti diſſolvatur, relictis paucis craſſioribus fæcibus, quæ juxta artem ſeparandæ ſunt: Sic demùm habebis *eſſentiam cephalicam* & *hyſtericam efficaciſſimam*, omnes *aquas cephalicas* & *hyſtericas*, quocunque etiam magnifico & pompoſo titulo inſignitæ ſint, multis paraſangis ſuperantem: Quam pro libitu ulterius *oleis nonnullis deſtillatis* aromatizare, aut *Syrupo de Cinamomo* ad noſtrum modum confecto, edulcorare poteris.

EXTRACTUM PILULARUM.

Arthriticarum,

Aq-

Aurearum,
Cochiarum,
Fœtidarum,
Fumariæ,
Sine quibus.

ANIMADVERSIONES.

POſſent equidem enumeratarum *Pilularum Extract.* ſecundum *Animadverſiones* noſtras antecedentes *Extractorum Holagogi* & *Marocoſtini* parari, verùm ſuaderem, ut quilibet contentus eſſet *ipſarum Pilularum maſſis crudis*, præſertim *Arthriticarum, Aurearum*, *Cochiarum*, *Fœtidarum*, quarum *compoſitiones* multa ingrediuntur, quorum virtutes (quæ tamen meritò conſervandæ eſſent) in abſtractione *Extractorum* penitùs exhalant, niſi fortè lubido fuerit *ſpeciebus aromaticalibus* in extractione omiſſis, ultimò demum *Extractis jam confectis, olea earundem* pro aromatiſatione addere.

LAUDANUM OPIATUM.

℞. Opii Thebaici optimi uncias duas,
Succi radicum Hyoſcyami menſe Auguſto collectarum, expreſſi & inſpiſſati unciam unam.

Macerentur in ſufficienti quantitate aceti roſacei per quatriduum, deinde rurſus exiccentur:

His affunde ſpiritûs vini rectificati eam quantitatem, ut digitis tribus aut quatuor ſuperemineat, ſæpiùs in die agitando: ubi ſic per octiduum loco calente infuſa ſteterint, per chartam diligenter transcolentur, & evocetur ſpiritus vini lege artis lento igne, ut in fundo vaſis craſſamentum remaneat; interim ex ſpecierum Diambræ completarum unciis duabus extrahatur cum ſpiritu vini tinctura, cujus tertia pars affundatur craſſamento dicto, ſtent in digeſtione per menſem, dum graveolentia Opii expiret, agitentur ſæpius, paulatim inſpiſſando, ubi ſpiritus vini maximâ ex parte exhalârit; ſenſim miſce & adde

Salis Coralliorum rubeorum,
Margaritarum,
Succini albi præparati ana ſcrupulos duos,
Eſſentiæ Croci Auſtriaci ſcrupulum unum,
Ligni Aloës reſinoſi drachmam ſemis:

Ubi ſic per triduum loco tepido ſteterint, addatur ſucceſſivè reliqua tinctura ſpecierum Diambræ, paulatimque lento igne exſiccando cogatur ad Extracti conſiſtentiam:

Hujus medietati adde
Moſchi Orientalis ſcrupulum ſemis,

Ambræ gryſeæ grana ſeptem.
Miſce ad uſum.
Alteram partem reſerva ſine Moſcho & Ambra.

Hoc Divinum remedii genus, quod à laude meritò nomen accepit, ob effectus ſtupendos in mitigandis acutiſſimis totius corporis doloribus, etiamſi à variis varios præparationis modos ſortitum ſit, nos tamen ex probatiſſimis & optimis hinc inde ſtudiosè collectis & examinatis conficiendi Laudani modis, hunc novum & multâ jam experientiâ comprobatum, Pharmacopœia noſtra inſerendum judicavimus, ſalvo tamen omnium melius forſitan nobis ſentientium judicio, noſtrique in poſterum Laudani opiati titulo publicavimus, quod tamen non niſi ſingulari ſolertiâ præparandum, & maximâ cum cautelâ ægris propinandum ſeriò monemus.

Hæc Extractorum Claſſis meritò Pilularum Claſſem ſubſequitur, quoniam Extracta ſæpiùs ex Pilulis, & vice versâ Pilulæ ex Extractis formantur & commiſcentur. Et quamvis Anteceſſores noſtri plurimùm venerandi, Balſamis artificialibus, ſalibus item ex vegetabilibus confectis, tum Metallicis medicamentis variis chymicè præparatis, in hac Claſſe locum dederint, quia tamen hoc tempore multò major uſus eorundem apud nos invaluit, & omne punctum in verâ & legitimâ præparatione conſiſtit, illorum numerum & verum parandi modum ad Mantiſſam Diſpenſatorii hujus noſtri Hermeticam, cui propriè debetur, reſervavimus.

ANIMADVERSIONES.

Neque hæc *Laudani* tantoperè laudati *confectio* ſuis caret difficultatibus, quarum potiſſimas ordine & ſuccinctâ brevitate recenſebo. Harum prima & omnium ſtupidiſſima eſt, quod *Opium* in *Aceto roſaceo* macerare, rurſusque exſiccare, hinc illi *ſpiritum vini rectificatum* ad trium digitorum ſupereminentiam affundere, & ubi ſic per quindecim dies infuſum ſteterit, eundem denuò lento igne evocare, ut craſſamentum in fundo remaneat, atque huic craſſamento de novo *ſpiritum*, *ſpeciebus Diambræ eſſentificatum*, ſuperaffundere, iterumque exſiccare præcipiant. Nam præterquam quòd *Opii* cum *Aceto roſato* maceratio & reſiccatio, vera & genuina ejus correctio non ſit, (licet vis narcotica additione *liquorum acidorum* ſaltem tantillum infringatur,) ſed illa potiùs, quàm in *Pilulis de Cynogloſſa* annotavimus; ſtupiditatem etiam auget, quòd craſſamenta & impuritates, quibus *Opium* quàm maximè ſcatet, neque in *prima maceratione* cum *aceto*, neque in *ſecunda infuſione* cum *ſpiritu vini rectificato*, neque denique in *tertia digeſtione* cum *ſpiritu vini Diambrato*, per colaturam vel filtrationem ſeparare

ullo modo juſſerint, in qua tamen ſegregatione puri ab impuro, maxima & potiſſima *Opii* poſita eſt correctio & præparatio. Secundò; quid *ſpiritus vini Diambratus* communicare poteſt *Opio*, aut quid in ipſo corrigere, cùm in abſtractione vel inſpiſſatione *Laudani*, u[illegible] cum graveolentia *Opii* ejus balſamica fragrantia omnino exſ[illegible] & exhalet, relictâ particulâ extracti inutilis, *doſin* ſaltem *Laudani* [illegible] modum augente? de quo jam dum ſuperiùs in *Animadverſionibus Extracti Diacarthami* & *Holagogi* conqueſti ſumus. [illegible] nil dicam de *ſucco Hyoſcyami inſpiſſato*, huic *Laudano* addito, quem meo judicio longè conſultiùs eſſet omittere, cùm experientia toties comprobaverit, illum non adeò prudenter *Laudanis* fuiſſe permixtum, & infelici ſucceſſu pluriumque ægrotantium damno, in multorum celebrium Medicorum infamiam ceſſiſſe. Præſtaret autem ejus loco quantitatem *Opii benè correcti* auctam ſubſtituere, & *Laudani* hujus præparationem inſtituere juxta modum noſtrum ſequentem, in quo ne latum unguem ab ingredientium ſerie recedo, niſi quod *Mumiam*, tanquam rem inutilem ac nocivam, & dictum *ſuccum Hyoſcyami* omittam, ejusque loco ipſum *Opium*, & vice *ſpecierum Diambra jam paratarum*, *ipſamet earundem ingredientia*, vel in ſubſtantia, vel eorundem *olea deſtillata* in quantitate huic *Laudano* proportionatâ ſubſtituam; utpotè,

℞. *Radicum Doronici*,
Galangæ ana ʒ j ß,
Spicæ Indicæ,
Cardamomi majoris ana ʒ ß;
Zinziberis ℈ ij, *gr.* v,
Croci ʒ j,
Santali Citrini,
Piperis longi ana ʒ j.

Quibus contuſis ſuperfundantur *ſpiritus vini rectificati* ℔ ij plus minusvé; digerantur aliquandiu, poſtea *ſpiritus tinctus* per filtrationem ſeparatus, aſſervetur; jam ulteriùs

℞. *Opii Thebaici* ℥ iij.

Quod fruſtulatim conſciſſum & præparatum, uti in *Animadverſionibus ſuper Pilulas de Cynogloſſa* edocuimus, extrahe cum *ſpiritu vini ſuperiùs aſſervato*, & aliquot *ſpecierum Diambra*, item *Croci eſſentiis* imbuto; *Extractionem* poſt unius alteriusvé diei digeſtionem per filtrum ſepara, *novumque relicto Opio*, *ſpiritum* ſuperaffunde, ut tota ejuſdem eſſentia eliciatur. Relictum ab *Opio* ſufficienter extracto, craſſamentum inutile rejice, & *extractiones* omnes in M. B. ad *Extracti* ſpiſſioris conſiſtentiam abſtrahe; cui adde

Salis Corallorum,
Margaritarum,

Suc-

Succini albi præparati ana ℈ ij,
Ligni Aloës opt. gummoſi pulveriſati ʒ j,
Pulv. Cardamomi minoris ʒ ß,
Caſſia lignea vera ʒ j ß.
Ambra in oleis ſubſequentibus ſoluta ʒ ß, gr. iij ß,
Moſchi in particula aqua Cinamomi ſolut. gr. xxv,
Oleor. ſtillat. Cinamomi ℈ ß,
Caryophyllorum,
Macis,
Nucis Moſchat. ana ℈ j.

Miſce, fiat *Laudanum Opiatum*, omnibus ingredientium virtutibus, quantum fieri potuit, imprægnatum.

Nota: Poſſet etiam portio aliqua hujus *Laudani* abſque *Moſchi* & *Ambra* præparari, & pro iis aſſervari, qui ipſa ferre nequeunt.

EXTRACTUM MELANAGOGUM
QUERCETANI.

℞. Folliculorum Senæ uncias ſex,
Radicum Ellebori nigri præparati uncias duas,
Turbith,
Myrobalanorum omnium ana unciam unam ſemis,
Trochiſcorum Alhandali drachmas ſex,
Florum Violarum,
Roſarum rubearum,
Epithymi ana pugillos duos,
Specier. Lætificantis Galeni drachmas duas,
Succorum optimè depuratorum
Fumariæ,
Pomorum redolentium,
Seri lactis ana quantum ſatis eſt.

Inciſæ & contuſæ ſpecies ſupradictæ, lege artis in ſuccis & liquoribus jam dictis macerentur, & digerantur in balneo per octiduum: poſtea colentur, exprimantur, depurentur, ac in Extractum reducantur.

Atram bilem, ac ſalſos, aduſtos & retorridos humores evocat: pſoræ, ſcabiei, ac elephantiaſi medetur.

ANIMADVERSIONES.

SI *reſinam*, quam aliàs *Turbith*, *ſpiritu vini* Extractum præbet, non deſideras, *Extractum* hoc modo præſcriptum, *indigitato menſtruo* parare poteris; pro *ſpecierum lætificantis Galeni drachmis duabus*, (ſi præparatas & pulveriſatas accipere nolles, vel ſi pa-

ratæ

ratæ in Officinis non proſtarent) accipiatur ſingulorum ingredientium dictæ *compoſitionis Lætificantis, trigeſima ſecunda pars*, vel pro qualibet *drachma una* eorundem *grana duo* circiter.

EXTRACTUM PANCHYMAGOGUM.

℞. Specierum Diambræ unciam unam ſemis.

Macerentur in ſpiritûs vini libris quinque, commiſſ...is vaſis arctiſſimè clauſis per dies quatuordecim, materiam hanc ſubinde agitando; tunc ubi ſpiritus vini rubicundiſſimus evaſerit, à ſpeciebus jam dictis ſeparetur, ſuperfundaturque ſequentibus:

℞. Scammonii recentis unciam ſemis,
Rhabarbari electi,
Seminis Ebuli ana drachm. tres,
Colocynthidos drachmas quinque,
Agarici optimi drachmas tres ſemis,
Turbith albi,
Hermodactylorum ana drachmas duas ſemis,
Veratri nigri drachmas duas,
Foliorum Senæ unciam unam.

Stent ſimul in infuſione loco tepente vel calido per dies decem, poſtea colentur & exprimantur, ac in expreſſo diſſolve Aloës ſoccotrinæ drachmas duodecim, & prælo exprime: expreſſum rurſus per triduum in Balneo Mariæ macera: deinde liquorem exhala, ut mellis craſſitudinem Extracti ſpiſſitudo in fundo reſidens adipiſcatur.

Omnes in univerſum humores expurgat, ac è longinquis partibus potenter educit.

ANIMADVERSIONES.

Quæ de *ſpeciebus Diambræ*, hoc *Extractum* in ſatis larga quantitate ingredientibus dicenda eſſent, jam ante in ſuperioribus annotatis, præſertim ſuper *Extractum Diacarthami* & *Halagogi* ſufficienter dicta ſunt. Ne itaque memorem immemorem faciamus Lectorem, ipſum eò relegamus. Cæterum operæ precium foret, ut *Reſinæ*, quas *Scammonium*, *Agaricus* & *Turbith* præbent, exactè, prout in præcedentibus etiam innuimus, maximè verò in *Animadverſionibus ſuper Extractum Aloës & Diacarthami, &c.* huic *Extracto* commiſcerentur. Reïteratâ affuſione *ſpiritûs vini* hîc opus eſſe, ex antecedentibus ſatis etiam pateſcit, propterea benevolus Lector illa pro libitu revolvere poterit.

EXTRACTUM PHLEGMAGOGUM QUERCETANI.

Agarici trochiſcati uncias quatuor,
Hermodactylorum,
Turbith,
Sen.
Medullæ Carthami ana uncias tres,
Rad. Eſulæ præparatæ unciam unam,
Trochiſcorum Alhandali unciam ſemis,
Salis Gemmæ,
Macis ana drachmam unam ſemis,
Specierum Aromatici roſati drachmas duas,
Cum aquâ Cinamomi fiat Extractum.

M*Orbis omnibus pituitoſis, & à frigidis humoribus ortis convenit, hydropicos, arthriticos, podagricos, & epilepticos juvat.*

OB quam cauſam in fine hujus Claſſis Balſami artificiales cum ſalibus omiſſi, & in Claſſem præparatorum reſervati fuerunt, Benevolus Lector paginam antecedentem conſulat.

ANIMADVERSIONES.

QUid quantumque *aqua Cinamomi*, quâ extrahendo, quâ corrigendo in *Extractis medicamentorum purgantium* poſſit, jam ſuperiùs in *Animadverſionibus Extracti Holagogi* indigitavimus. Si itaque cuipiam tanta copia *aquæ Cinamomi* ſuperſit, & *Extractum hoc Phlegmagogum*, *Turbith* & *Agarici reſinâ* deſtitutum eſſe velit, per me licet, ut præparationem ejus ſecundum medium præſcriptum inſtituat; Minùs tamen efficax *Extractum* erit, ac longè debilius, quàm ſi cum *ſpiritu vini* extractio peracta eſſet, nec tamen propter *aquam Cinamomi* omiſſam minùs correctum. *Species* etiam *aromatici roſati*, quàm eximiam virtutem huic *Extracto* addere, quidvé corrigere in ipſo poſſint, ex præcedentibus *Extractis*, quorum compoſitionem *ſpecies Diambræ* ingrediuntur, facilè colligi poteſt. Si quis autem huic *Extracto* dictas *ſpecies* addere vellet, iſtæ autem præparatæ non proſtarent, is ſingula ingredientia *aromatici roſati*, prout in hoc Diſpenſatorio extat, in debito pondere, & quidem eorundem *vigeſimam quartam partem*, pro qualibet ſcilicet *uncia una*, *ſcrupulum unum*; & pro quavis *drachma una*, *grana tria*, huic extractioni recenter addere poſſet.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS VIII.

Continens

SERIEM DECOCTORUM ET INFUSIONUM.

DECOCTI *nomine in hac* Claſſe *varia occurrunt. Nimirùm* primò *& quidem abuſivè* ſpecies ipſæ compoſitæ, *ex radicibus, herbis, floribus, &c. craſſiuſculè inciſis & contuſis (ex quibus alioquin* decocta *parari debent) quæ in uſum hunc jam parata, plerumque in Officinis proſtant.* Decoctiones itidem, ex præfatis ſpeciebus cum aquâ, vino, aut hydromelle, ſuccis, ſero lactis, &c. *facta & clarificata, pro vehiculis utplurimùm aliorum medicamentorum inventa: interdum etiam per ſe adhiberi ſolita.* Infuſiones etiam ex ſimilibus ſpeciebus & liquoribus *ad eundem uſum parata: Nec non* Hydromella, cùm purgantia, tùm roborantia; *& tandem etiam* Potus Hippocratici ex meris ſpeciebus aromaticis & vino *parati, utplurimùm ob ſaporis gratiam, uti & ventriculum ſpiritusque vitales reſtaurandos adinventi.*

DECOCTUM APERITIVUM Majus.

℞. Endiviæ.
Cichorii,
Fumiterræ ana manipulum unum,
Eupatorii,
Borraginis,
Bugloſſæ,
Cuſcutæ,
Scolopendrii veri ana manipulum ſemis,
Glycyrrhizæ raſæ,
Rad. Fœniculi,
Apii,

Petro-

Petroſelini,
Paſſularum ana unciam ſemis,
Sem. Aniſi,
Fœniculi ana drachmas duas,
Comarum Thymi,
Epithymi ana drachmam unam ſemis,
Cort. Tamariſci,
Capparum ana drachmas duas,
Foliorum Senæ uncias duas,
Polypodii quercini unciam unam,
Agarici electi unciam ſemis.

Incidenda incidantur, & quæ contundi debent, craſſiuſculè terantur, & miſceantur omnia ſimul, ac uſui ſerventur.

Decocta Officinis plurimùm ſunt conſueta; etenim ad Medicamenta tam lenientia quàm purgantia diſſolvenda, ut plurimùm expetuntur, præſertim ubi liquoribus ſtillatitiis uti non libet. Aperitivo hoc porrò in viſcerum obſtructionibus & contumacibus eorundem affectibus utimur: diuturnos enim jecoris, lienis, & venarum meſaraicarum infarctus permeat ac expedit, ictero & febribus antiquis, nec non hydropi opportunum.

ANIMADVERSIONES.

Non eſt, ut in hac & ſimilibus *decoctis* vel *ſpeciebus pro decoctionibus* præparandis diû moremur, cùm unuſquiſque, qui vel hodiè artem pharmaceuticam auſpicatus eſt, has & ſimiles *ſpecies* præparare, incidere & contundere queat, tranſeamus ergo ad alia.

DECOCTUM APERITIVUM
Majus Cum Rhabarbaro.

℞. Specier. decocti aperitivi majoris & minoris ana uncias tres.
Decoquantur in aquæ libris ſex ad conſumptionem duarum librarum. Colaturæ fervidæ infunde

Rhabarbari electi unciam ſemis,
Cinamomi drachmas duas,
Salis Gemmæ ſcrupulum unum,
Spicæ Indicæ ſcrupulos duos,
Specierum Diarhodon Abbatis ſcrupulos quatuor,
Sacchari uncias duodecim.
Miſceantur pro uſu.

Priore longè efficacius: ad contumaces & inveteratas oppilationes adhibetur: hydropi, morbiſque frigidis, præſertim pituitoſis, aut ex bile mixtâ natis confert.

HOc decoctum planè apud nos in uſu eſſe deſiit, quibus infuſiones particulares, pro re nata, in quotidiano uſu magis receptæ exiſtunt.

ANIMADVERSIONES.

PLurima, de hoc inconcinni & ridiculè conſarcinato *decocto* dicenda eſſent, ſed cum uſus ejus, uti ipſimet in *Animadverſione ſua* aſſerunt, jam eviluerit, judicium meum de ipſo ſuſpendam, & cuicunque, qui *Animadverſiones* antecedentium ſtudioſè perlegerit, relinquam, ac ulterius progrediar.

DECOCTUM APERITIVUM, LENITIVUM MINUS.

℞. Herb. Agrimoniæ,
Lupulorum,
Cichorii,
Cuſcutæ,
Betonicæ,
Ceterach,
Endiviæ,
Fumiterræ ana uncias duas,
Rad. Apii,
Fœniculi,
Petroſelini,
Acori,
Glycyrrhizæ ana uncias quatuor,
Aſari unciam ſemis,
Sem. Aniſi,
Fœniculi ana unciam unam,
Polypodii quercini uncias duodecim,
Prunorum Damaſcenorum,
Ficuum pinguium ana numero triginta duo,
Paſſularum uncias quatuor,
Senæ Alexand. unciam unam,
Flor. Borraginis,
Bugloſſæ,
Violarum,
Roſarum rubearum ana unciam unam.
Incidantur & contundantur, ac miſceantur omnia ſimul.

OMnes in univerſum humores ad expulſionem præparat: incidit enim, tenuat, concoquit, aperit & abſtergit; capiti, pectori, ventr[i]culo, jecori, nec non lieni familiaris.

Pro

PRo Acoro Calamum aromaticum ſumiendum eſſe cenſemus: Palũſtris enim alter, ſeu vulgaris plus adſtrictionis quàm apertionis habet.

Voniam non tantùm in hoc, nobis quidem familiariſſimo decocto, verùm etiam in aliis numerus Prunorum nimis exiguus ponitur, ita ut unica doſi vix medietas unius Pruni tribuatur, proinde unicuique doſi decocti Prunorum numero tria vel quatuor addere, vel pro majore laxandi facultate, etiam duas vel tres foliorum Sena mundatorum drachmas, in ultimam ebullitionem injicere hactenus ſoliti ſumus.

ANIMADVERSIONES.

ANimadverſio Authorum ſuper hoc *decoctum* quoad *Prunorum* & *foliorum Sena* quantitatem augendam, non adeò conveniens mihi videtur, eò, quòd *Pruna* ſaltem *decoctum*, quod alias à reliquis ingredientibus in decoctione ſatis craſſum viſcidumque evadet, adhuc craſſius efficiant ác ineptum, quo minùs *vis catharctica foliorum Sena*, ſive eorum quæ antea *ſpeciebus decocti* addita, ſive quæ *ſingulis doſibus* addi debent, elici vel extrahi poſſit, quod ipſe effectus demonſtrat: Nam ℥ ij *foliorum Sena*, ſi ſaltem *ſolo vino puro*, nec aliis antea *ſpeciebus* imbuto *in tribus circiter unciis* uſdem infuſæ ſteterint, *catharticum* præbent ſatis efficax; E contrà verò hoc decoctum ex farragine tot ingredientium conflatum, ſecundùm eorum attributa, humores ſolummodò incidere, concoquere, & ad expulſionem præparare debet. Hinc jàm manifeſtum fit, cur ſæpènumero tanta purgantium quantitas, ex quibus quatuor vel plures *doſes* ſufficientes parari poſſent, vix illud præſtet, quòd aliàs exigua ſæpè eorundem quantitas legitimè infuſa, imò interdum vix ac ne vix quidem, aut omninò leviter ſaltem alvum ſubducat, quod ſanè ob nullam aliam cauſam contingit, quàm quòd *decocta* vel *infuſiones*, nimiâ quantitate *ſpecierum decoquendarum* graventur; quibus extrahendis impoſſibile eſt, ut liquor deſtinatus par eſſe poſſit. Memores proinde ſint Medicorum plurimi, noſtri aliquoties jam in ſuperioribus traditi moniti, quòd *nullum recipiens recipiat, vel recipere poſſit ultra modum ſuæ receptivitatis*. Quam regulam ſi probè obſervarent, multò leviori negotio ægrotorum corpora peccantium humorum ſaburrâ ſublevarent, nec eorundem crumenam tantoperè laxarent & exinanirent.

DECOCTUM CAPILLORUM VENERIS MESUE.

℞. Capillorum Veneris unciam unam ſemis,

Summitatum Fumiterræ,
Lupuli,
Violarum ſiccat. ana unciam unam,
Prun. Hiſpan. aut Damaſcen. numero quadraginta,
Sebeſtes numero decem,
Jujub. numero viginti,

Coquantur in libris tribus aquæ lento igne ad conſumptionem duarum librarum:

Infunde tandem
Pulpæ Caſſiæ fiſtulæ uncias tres,
Tamarindorum uncias duas,
Rhabarbari optimi drachmas tres.

Frigidum manibus frica, frigefactum cola, & repone.

B*ilis flava ardorem compeſcit, ſanguinem purificat, ejuſdemque fervorem attemperat.*

ANIMADVERSIONES.

EQuidem muneris mei nunc eſſet, hujus *decocti* aut nauſeoſi Embammatis potiùs, præparationem & correctionem tradere: Præſtat autem tacere, quam de inſulſa *hac compoſitione*, quam vel unusquiſque Pharmacopœorum diſcipulus pro ludibrio habet, multa diſſerere. Et quæſo, Lector benevole, perpendas ſaltem, quàm oculis & ori gratum & jucundum, quàm ſtomacho & ventri acceptum & delicatum effeceris pulmentum, ſi ad præſcriptam formulam *decocti craſſi & ferè mucilaginoſi libræ uni, Pulpæ Caſſiæ fiſtulæ* ℥ iij, *Pulpæ Tamarindorum* ℥ ij, *& Rhabarbari optimi* ʒ iij, addideris, præſertim ſi hæc ipſa frigida, uti jubent, manibus fricata probè commiſcueris, & in pultem ſimilem illi, quâ porci ſaginari ſolent, ſecundùm artem redegeris: Proh quàm non invidendæ dapes!

DECOCTUM CARMINATIVUM.

℞. Sem. Aniſi,
Dauci,
Cumini,
Carui,
Fœniculi ana drachmas tres,
Glycyrrhizæ unciam ſemis,
Florum Chamæmeli manipulum ſemis,
Paſſularum unciam unam ſemis.
Inciſa miſceantur.

Elatum

Flatus potenter diſcutit, ob id colicos dolores mitigat. Inditur potiſsimum enematibus, ubi frigida pituita, aut craſsi flatus negotium faceſſunt.

DECOCTUM EPITHYMI

Mesues.

℞. Myrobalanorum Indorum,
Sto[illegible]adis Arabicæ,
Paſſularum,
Epithymi ana unciam unam;
Myrobal. Chebulorum,
Fumiterræ ana drachmas quatuor;
Folliculorum Senæ unciam unam,
Polypodii quercini drachmas ſex,
Turbith albi drachmas quatuor,
Eupatorii drachmas quinque,
Seri Caprini libras tres.

Bulliant omnia ſimul, præter Epithymum, ad conſumptionem [illegible]arum librarum; tunc adde Epithymum, & ſemel ferveſac: tolle [illegible] igne, & adde

Ellebori nigri drachmam unam,
Agarici ſcrupulum unum ſemis,
Salis Indi drachmam unam ſemis.

Stent per horas octo, vel decem macerata, facta deinde optimâ expreſſione, colentur.

Bilem atram ac pituitam ſalſam vacuat, ob id affectibus melancholicis, ut cancro, elephantiaſi, ac fœda ſcabiei medetur.

DECOCTUM FLORUM

et Fructuum.

℞. Caricarum numero quinque,
Prun. Damaſcen. numero quindecim,
Jujub.
Sebeſtes ana numero viginti.
Tamarindorum unciam unam,
Florum Roſarum,
Violarum,
Borraginis,
Bugloſſæ ana drachmam unam;
Capillorum Veneris,
Lupulorum,
Endiviæ ana manipulum ſemis;

Glycyrrhizæ drachmas duas.

Incidantur & contundantur pro uſu.

Moderatè refrigerat, lenit & humectat: cor, jecur, & pectus recreat, humores quoque ad commodam evacuationem parat.

DECOCTUM FUMARIÆ

MESUE.

℞. Succi Cichorii,
Endiviæ,
Lupuli,
Porraginis ana uncias quatuor,
Fumiterræ uncias octo.
Quibus coctis & purgatis, adde
Myrobal. Citrinorum,
Indorum ana drachmas duas,
Paſſularum mundatarum unciam unam,
Tamarindorum uncias tres.
Coque iterum modicum, frica, cola, & ſerva.

Sanguinem à bile flavâ & aduſtis humoribus repurgat, hepatis obſtructiones aperit, ac inde natum icterum ſanat.

DECOCTUM PECTORALE.

℞. Paſſular. minor. mundat. unciam unam,
Sebeſten,
Jujub. ana numero quindecim,
Dactyl. numero ſex,
Caric. pingu. numero quatuor,
Hordei purgati unciam unam,
Glycyrrhizæ unciam ſemis,
Capillorum Veneris manipulum ſemis,
Hyſſopi drachmas duas.
Incidantur & miſceantur.

Pectoris vitiis, utpote catarrho, tuſſi, aſthmati, pleuritidi, & id genus aliis noxis pectus aſſicientibus utile exiſtit; thoracem lenit, & ab humoribus eidem impactis repurgat.

DECOCTUM SENÆ D. GEREONIS.

℞. Folliculorum Senæ unciam unam ſemis,
Foliorum Senæ unciam unam,

Zingi-

Zingiberis drachmam unam,
Seminis Aniſi drachmas duas,
Florum Borraginis,
Violarum,
Roſarum rubearum,
Arantiorum ana drachmas duas,
Polypodii quercini unciam ſemis,
Paſſularum purgatarum uncias duas,
Sebeſten,
Prun. ana numero duodecim,
Aquæ fontis libras quatuor.

Fiat decoctum ſecundum artem, ita ut Sena parùm ebulliat, & vas optimè obturatum, per ſex horas dimittatur, deinde exprimatur.

Affectibus melancholicis, quartanis, cancro, lui venerea, & ſimilibus idoneum.

Plura alia decocta, utpote decoctum Eupatorii, Galli veteris, cujus in Colica uſus eſt, Myrobalanorum, Stœchadis, Cephalicum item & Cordiale, qui noſſe eorundemque uſum inire voluerit, videat *Meſuaum*, *Andernacum*, *Iohannem Iacobum Weckerum in Antidotario ſpeciali lib. 2. Florentinos*, & alios, explicatam horum doctrinam fusè tradentes. Nos uſitatiora ſolum ac magis conſueta huc appoſuimus; cætera namque ad prudentis cujuscunque Medici præſcriptum quotidie parari poterunt.

INFUSUM SERI LACTIS

Mesue.

℞. Foliorum Roſarum recentium completarum mundatarum uncias duas,
Rhabarbari electi drachmas duas, grana duodecim,
Nardi Indicæ drachmam unam ſemis.

Rhabarbarum & Roſæ, ſimiliter & Spica minutim incidantur, macerenturque per noctem in Seri lactis caprini libris duabus: deinde colentur, ac leviter exprimantur.

Sanguinem depurat, bilem quoque flavam, tenues & calidos ichores eidem admixtos clementer ac ſine moleſtiâ educit, & eriſypelata juvat.

INFUSUM ALIUD SERI

Lactis.

℞. Florum Borraginis,
Buglosſæ,

Fumiterræ,
Epithymi ana manipulum ſemis,
Polypodii quercini drachmas ſex,
Fœniculi drachmas duas,
Folliculorum Senæ unciam ſemis,
Aquæ lactis libras tres.
Fiat decoctio ad tertiæ partis conſumptionem, & addantu
Mellis roſati unciæ duæ.

Aduſtos humores temperat & expellit, cutem à ſcabie ac pru- rigine mundificat.

INFUSUM HIERÆ MESUE.

℞. Hieræ ſimplicis,
Aloës ana drachmas quinque.

Macera decocto Epithymi ſupraſcripto ad libram unam in vaſe vitreo, & inſola dies decem.

Ventriculum & caput expurgat, proinde amborum doloribus aſſiduis, ac hemicrania confert, nec non febribus antiquis, & morbis melancholicis auxilio eſt.

ANIMADVERSIONES.

In Decocta Carminativum, Epithymi Meſue, Florum & Fructuum, Fumaria Meſue, Pectorale, Sena D. Gereonis, Infuſum ſeri lactis Meſue, Infuſum ſeri lactis aliud, & Infuſum Hiera Meſue.

Pauca, quoad præparandi modum, ventilatione digna circà haſce *compoſitiones* occurrunt, excepto unico, quod ad diſquiſitionem vocare libet. An nimirùm, ubi *decoctio ex diverſis ac pluribus ſpeciebus* fieri debet, *ſpecies ingredientes omnes & ſingula una & ſimul coquenda ſint, & quid prius quidve poſterius, item quanam facilioris difficiliorisque coctura ſint?* Scio equidem tritum illum Pharmacopœorum præceptum, quòd primò *radices*, ſecundò *ſtipites*, tertiò *folia*, quartò *fructus*, quintò *ſemina*, ſextò *flores*, &c. (ſi hæc omnia uni compoſito ſimul deputata ſint) coctioni committi debeant. Verùm hæc generalis regula inſignem patitur exceptionem, ac omninò inſufficiens mihi videtur, cùm magna ſit diverſitas *radicum*, major *ſtipitum*, maxima *foliorum, florum, fructuum*, ac *ſeminum*, quæ enumeratorum non exigua varietas, hujus præcepti inſufficientiam, apertè demonſtrat. Ego, ut hîc ſententiam meam exponam, exiſtimo illud primùm coquendum eſſe, quòd veluti *baſis eſt, & fundamentum totius compoſiti*, à quo nimirùm illud majores

ſuas

ſuas virtutes mutuari debet. Nam cùm tot tàmque diverſæ *ſpecies* extrahendæ vel decoquendæ, ut plurimùm pauco *liquori*, ſive is *aqua* ſit, ſive *ſerum*, vel etiam *Hydromel*, aut quid aliud ab Authoribus ...ius Diſpenſatorii, vel horum compoſitionum, communiter parcè ...s deſtinentur: quodlibet autem *menſtruum* vel *liquor aſſuſus*, ...uum poſſe, modumque ſuæ receptivitatis extrahere vel reci... e nequeat, proindè remanent *ſpecies decocta* potioribus ſuis vi... ...us adhuc turgidæ, parùmque exinanitæ, quibus ſi totaliter ſpo... liari deberent, diverſis affuſionibus & decoctionibus opus foret. Cùm autem iterata illa *liquoris novi* ſuprà *ſpecies ſemel coctas* affuſio, neque à Medicis præcipiatur, neque communiter à Pharmacopœis fiat; itaque ſuaderem, ut *ſpecies*, quæ baſis veluti ſunt *decocti*, præſertim ſi *cathartica*, (non enim loquor hic de *Aromatibus* vel *odoriferis*, quæ alium modum efflagitant, quique clarè ſatis in *Animadverſionibus* noſtris ſuper præparationem *Extracti Diapaonias Mindereri* indigitatur) *ſpecies inodora* decoquendæ ſint, primò, *liquori extrahenti* injiciantur, & cum eo aliquandiu coquantur, donec earum *vis cathartica* vel quævis alia maximâ parte extracta ſit, tandem ...iam reliquæ craſſiores *decocto deſtinata ſpecies* addantur, quæ vel... ...ti non primariò ſed ſecundariò *compoſitioni* inſunt, vel adduntur. Hujus rei exemplum exhibere poteſt *decoctum Epithymi*, & *decoctum Sena*, quorum in illo *folia Sena*, *Turbith*, *Helleborus niger*, *Agaricus*, & *Epithymum*, primò coquenda, reliqua autem deinde adjicienda ſunt. In hoc autem *folia* & *follicula Sena*, & *Polypodium* priùs; ſecundò, *reliqua craſſiora*; & poſtremò demùm ſub finem coctionis *odorifera* & *flores*, utpotè *Aniſum*, *flores Roſarum* & *Arantiorum* immittenda ſunt. Sed quæris forſitan, quâ ratione multarum *ſpecierum* vires totaliter elici, & nihilominùs in exili quantitate *liquoris* aſſervari queant, ut eò jucundius patienti vel ægrotanti propinari poſſint? Habes Lector benevole exemplum hujus ſufficientiſſimum in *Animadverſionibus noſtris ſuper Extractum Diapaonias*, ſecundùm quod varias & ſimiles effingere poteris eſſentias, decocta, potiunculas, &c. ſi ſaltem quodammodò cognitione rerum inſtructus ſis, nec in decoctionibus ineptas, mucilaginoſas, & inter ſe repugnantes *ſpecies* conglomeres, ſed ſemper unitati quantum poſſibile eſt, ſtudeas.

HYDROMEL COMPOSITUM.

℞. Aquæ fontis libras viginti,
Mellis deſpumati libram unam,
Salviæ,
Origani ana pugillum ſemis,
Aniſi,
Coriandri ana drachmam unam,

Glycyrrhizæ drachmas duas,
Cinamomi drachmam unam ſemis.
Bulliant ad conſumptionem quartæ partis & colentur.

ANIMADVERSIONES.

Conſtat hoc *Hydromel* ex ſolis *aromaticis* & *odoriferi bus*, quarum fragrantia in aſſignata coctura ad quartæ pa conſumptionem totaliter expirat peritque: Suadeℓem igitur u minori quantitate *aqua affuſâ*, digeſtioni vel fermentationi ſolùm committeretur, aut in cucurbita vitrea coctio peragеretur. ut *humiditas illa fragrans*, quæ per Alembicum tranſit, relicto *Hydromelli* denuò jungi poſſet.

HYDROMEL PURGANS.

℞. Hydromellis menſuram unam, ſeu uncias triginta duas,
Caricarum pinguium numero octo,
Fol. Senæ electæ,
Polypodii quercini ana unciam ſemis,
Sem. Aniſi drachmam unam,
Cinamomi drachmam ſemis,
Zingiberis ſcrupulum unum.
Coquantur ad medias: colaturæ adde
Sacchari candi rubei uncias duas,
Miſce, ut artis eſt.

Datur iis qui Medicamenta cætera reſpuunt, ac interim alvi levatione indigent. Eccoproticon felix pueris, ſenibus, ac iis quos ſedes remorantur, familiare, maximè cum aliquo Diagrydii ſtimulo addito.

Aliqui Aniſum & Zingiber omittunt, doſin Cinamomi duplicantes.

ANIMADVERSIONES.

Ex *Animadverſionibus noſtris ſuperioribus* ſuper *decoctâ Carminativa*, *Epithymi*, *&c.* ubi quid priùs, quidque poſteriùs coquendum ſit, indigitavimus, hujus *Hydromellis* præparationem facili negotio haurire poteris. Neque etiam nocebit in memoriam revocare, quæ in proximè antecedentibus *Hydromellis compoſiti Animadverſionibus*, ratione adjectorum *Aromatum*, monuimus. Et ut paucis præparationem hujus *Hydromellis purgantis* comprehendamus, coque prius *folia Sena* & *Polypodium*, poſtea adde *Caricas*, tùm *decoctum* cola & clarifica: In colaturâ hac clarificatâ infunde *Aniſum*, *Cinamomum*, *Zinziber*, factâque digeſtione vel ebul-

ebullitione, in cucurbita ſuo capitello munita, *infuſionem* denuò colatam uſui reſerva.

HYDROMEL LAXATIVUM TARTARISATUM ANTIMELANCHOLICUM.

℞. Aquæ pluvialis deſtillatæ libras decem,
Tartari albi optimè contuſi libram unam.
Coque ad caſum duarum tertiarum, poſtea adde
Foliorum Senæ mundatorum uncias quatuor,
Epithymi,
Polypodii quercini anà drachmas ſex,
Herbarum Scolopendrii,
Fumariæ,
Meliſſæ ana manipulum unum,
Florum Borraginis,
Violarum,
Geniſtæ,
Stœchados Arabicæ ana pugillos duos,
Seminum Aniſi,
Fœniculi ana drachmam unam:
Coque iterum ſecundum artem; poſtea ubi refrixerunt, adde colaturæ
Mellis deſpumati libras duas,
Coque denuò leviter; ſub finem addendo
Salis nitri purgati drachmas ſex:
Tandem addito Fermenti pauxillo, ſtent in fermentatione loco calido, immittendo in petiâ
Foliorum Roriſmarini recentium pugillos duos,
Cinamomi interioris acuti drachmam unam,
Galangæ drachmam ſemis.
Poſt fermentationem reponatur ad uſum.

Virtute ſingulari præditum eſt in humore melancholico & atrabilario præparando & evacuando, in obſtructionibus lienis, venarum item meſaraicarum, & exinde progenitâ melancholiâ hypochondriaca.

ANIMADVERSIONES.

Antecedentes *Animadverſiones* pro *Hydromellis hujus* dextrâ præparatione quidem ſufficerent, ſed libet clariùs eandem adhuc præſcribere; videlicet, *Tartarum* (cujus meo judicio uncia una vel altera ſufficeret, quia impoſſibile eſt, ut tanta quantitas *Tartari* in aſſignato liquore diſſolvi queat,) in aqua parum coque; adde poſtea

poſtea *folia Sena*, quæ optimè percoque, ut virtus cathartica ipſorum extrahatur, & *decoctum* eadem ſufficienter imbuatur; quibus optimè coctis, adde *reliquas radices*, *herbas*, *flores* } exceptis *ſeminibus* & *meliſſa*, & adhuc ampliùs coque; poſtea *decocto colato*, & *albumine ovorum clarificato*, adjunge *mel deſpumatum*, *ſemina* [illegible] *ſi*, *Fœniculi*, *Meliſſam*, *folia Roriſmarini*, *C*[illegible]*namomum*, *Galangam nitrum*, quæ junctim denique addito *fermenti pauxillo* ad menti Authoris, fermentationi committe, & peractâ fermentatione co[illegible] uſuique reſerva.

POTUS HIPPOCRATICUS.

℞. Cinamomi unciam unam ſemis,
Zingiberis unciam ſemis,
Caryophyllorum drachmam ſemis,
Cardamomi,
Macis,
Granorum Paradiſi ana drachmam unam,
Galangæ drachmam unam ſemis,
Seminis Aniſi drachmam ſemis,
Vini libras decem,
Sacchari albi libram unam ſemis.
Fiat Potus ſecundum artem.

Cerebrum & ventriculum roborat, ſpiritus auget, vitales facultates fulcit, amiſſas vires reparat, ac infirma coctioni opem præſtat.

JUCUNDIOR POTUS HIPPOCRATICUS ſic aliter paratur.

℞. Cinamomi electi uncias duas,
Zingiberis,
Galangæ ana ſcrupulos duos,
Nucis Moſchatæ ſcrupulum unum,
Sacchari albiſſimi uncias ſedecim,
Vini albi potentis ac odoriferi libras quinque.

Macerando probè tecta per horas octo, vel decem; poſteaque ſæpè ſæpius percolando redigantur in Potum Hippocraticum, transcolatum liquorem Aromatibus in manicâ Hippocratis contentis ſemper reaffundendo;

Fiat ut artis eſt.

Plures deſcriptiones ac formulas Potûs Hippocratici, qui perquirere voluerit, *Evonymum*, *Arnoldum*, *Alexandrum Benedictum*, *Ioannem Langium*, *Felicem Platerum*, & alios conſulat.

PO-

Potus Hippocraticus

Extemporaneus Simplex Joannis Heurnii.

Cinamomi electi unciam unam ſemis,
Zinziberis acuti drachmas tres,
Caryophyllorum,
Nucis Moſchatæ ana drachmam ſemis,
Granorum Paradiſi ſcrupulos duos,
Piperis ſcrupulum unum.

Pulveriſentur craſſiuſculè ac macerentur in libra una ſemis Aquæ vitæ optimæ, probeque obturato vaſe cum luto ex farina & aqua facto, fiat infuſio per ſex dies, quæ repoſita in cella vinaria quotidiè ſæpius agitetur, ad perfectiorem miſturam.

Nova hac atque eleganti ratione ex Aromatibus, ſpirituoſa & vivida illa fragrantia per Aquam vitæ elicitur, quæ miram vim ad ſpirituum inſtaurationem, præſertim in frigidis morbis, obtinet.

Cremor Ptissanæ.

℞. Hordei mundi excorticati libram unam,
Aquæ quantum ſufficit.

Ebulliat ſemel; factâ ebullitione, removeatur prima aqua, & affundatur recens, quæ iterum coquatur ad conſumptionem medietatis, ac per pannum coletur.

Tabidis ex uſu eſt, hecticis, conſumptis, & à prolixo morbo extenuatis idoneus ac perutilis.

Monendi ſunt Pharmacopœi, ne decocta in magnâ quantitate parent. Præſtiterit enim ſpecies pro decoctis in promptu habere, ut ex iis confeſtim pro Medici præſcripto decoctum recens parari poſſit, cùm aliàs & mox quidem corrumpantur, & aceſcant.

Animadversiones

In Potus Hippocraticos omnes, & Cremorem Ptiſſanæ.

Potus Hippocratici ad delectum potiùs & guſtum mulierculārum adinventi, diverſimodè parari poſſunt; In aliquibus locis ubi pro potu matutino divenduntur, ſimpliciter conficiuntur modo ſequenti. Nimirùm accipiunt *vinum*, idque in *aheno* igni ardenti admoto, citiſſimè cum *ſacchare* ebullire ſinunt; cui ſtatim in prima ebul-

ebullitione *Aromata* injiciunt, ac inſuper etiam *albumen ovi conquaſſatum*, ſi *vinum* aut *ſaccharum* non adeò clarum aut purum ſit, ſuperaddunt, factâque unicâ ebullitione, ſtatim ab igne remotum per *manicam Hippocratis* ſæpiùs colant, clarumque reddunt. Si tan in minori quantitate & ad nobiliores uſus *vinum* hoc parandum e ſuaderem, ut *in cucurbita, capitello ſuo munitâ vel tectâ*; coi tur, id ipſum permittendo ut leviter ebulliat, & quod per cum prolectum, *liquori in cucurbita reſtanti* reaffundendo, ti colando & filtrando: Vel, ſi lubet, etiam *albumen ovi conquaſſata* ante ipſius in *cucurbita* peragendam coctionem addendo, quo eo clarius magiſque tranſparens & perſpicuum evadat.

Cremorem Ptiſſanæ mulierculis & coquis commendamus, quem u ſale condiant, non obliviſcantur.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS IX.

Continens

PULVERUM MEDICATORUM COMPOSITIONES.

PULVIS SENÆ PRÆPARATÆ MONTAGNANAE.

℞. Foliorum Senæ unciam unam ſemis,
Zingiberis,
Macis ana drachmas tres,
Cinamomi,
Tartari ana drachmam unam ſemis.
Fiat pulvis.

ADuſtos & retorridos humores, melancholicumque ſuccum hoc pulvere purgamus: ſeroſam aquarum colluviem exhaurimus, pituitam ſalſam & putrilaginem jam conceptam deturbamus,

mus, eoque nomine cutis fœditatem, ſcabiem, lepram, cæteraque ejus generis ſordes eluimus.

Quidam Aniſum addunt drachmæ pondere, alii Tartarum augent: prudenti cuique ſuum ſit hac de re judicium. Nos huic ... æ aſſueti, felix medicamentum experti ſumus.

PULVIS TARTARI CRYSTALLINI SOLUTIVUS.

℞ Cryſtallorum Tartari,
Foliorum Senæ ſelectiſſimæ ana unciam unam,
Cholagogi ſimplicis drachmas duas,
Seminis Aniſi electi,
Cinamomi acuti,
Galangæ minoris ana drachmam unam,
Caryophyllorum drachmam ſemis.
Fiat Pulvis.

Priore longè valentior: pituitam & bilem, ſuccumque melancholicum, & aduſtos ac retorridos humores purgat.

PULVIS SOLUTIVUS DE TRIBUS.

℞. Foliorum Senæ drachmas ſex,
Turbith drachmas quatuor,
Rhabarbari drachmas duas,
Glycyrrhizæ,
Sem. Aniſi,
.. Fœniculi ana drachmam unam,
Spicæ Indicæ ſcrupulum ſemis.
Fiat Pulvis.

Inſcribitur hic Pulvis de Tribus, ob tria Simplicia purgantia, quæ ejus compoſitionem ingrediuntur, Rhabarbarum nempe, Turbith, & folia Senæ. Confert autem hepatis & venarum meſaraicarum obſtructionibus, hydropi incipienti, ac ventris inflationibus, crudorum quoque humorum frigidorum maximè collectionem è ventriculo & meſenterio ejicit, & diaphœnici vires æmulatur.

PULVIS SOLUTIVUS MAGISTRALIS STOCKSTALDI.

℞. Foliorum Senæ Alexand.
Diagrydii,
Hermodactylorum,

Turbith electi ana unciam ſemis,
Cinamomi,
Zingiberis ana drachmas duas,
Sem. Aniſi drachmam unam;
Cardamomi,
Galangæ,
Maſtiches ana drachmam ſemis,
Sacchari uncias tres.
Fiat pulvis.

Ydropicis ac veteri ictero fœdatis opitulatur, pituitam namqu & bilem purgat, eſtque Medicis frequenti uſu familiaris. I ſcriptionem ejus vide in Valeſco.

CHOLAGOGUM SIMPLEX,

Seu DIAGRYDIUM SULPHURATUM.

℞. Scammonii electiſſimi uncias tres, aut quantum vis.

Raſſiuſculè tere, & ſupra chartam bibulam tenuiter ac aqu. liter expande, mox ſuperimpone crati, ſub quo carbo ſit viv in quem injice ſulphur, ſuffumigetur Scammonium, & chart. tamdiu teneatur ſupra fumum uſque dum Scammonium liqueſieri, & charta adhærere incipiat: Cave ſolùm ne comburatur, ideoque à fumo remove, & calcinatum ſerva.

CHOLAGOGUM INSUCCATUM,

Seu DIAGRYDIUM ROSATUM.

Hoc Scammonium modo dicto præparatum, infunde in Muchaго Roſarum bis, & exicca.

PULVIS COMITIS DE WARWICH,

Seu DIAGRYDIUM ANTIMONIATUM.

℞. Cholagogi ſimplicis uncias duas, drachmas duas,
Antimonii præparati unciam unam ſemis,
Cremoris Tartari Cryſtallini unciam ſemis,
Fiat Pulvis.

Pulvis hic etiamſi mole parvus ſit, virtute tamen maximus exſiſtit, citò, tutò, & jucundè operatur, humores peccantes blandè educit, vitia ventriculi, nauſeam, anorexiam corrigit, biliosos affectus curat, febris inprimis fomiti expurgando perquam idoneus; in Italia inter Catholicos receptus, & à Marco Cornachino *Profeſſore Medico Piſano Commentar. docliſſ. in lucem productus eſt.*

PUL-

PULVIS AD SUPPOSITORIA COMMUNIA.

℞. Aloës drachmas duas,
Cumini,
Salis Gemmæ,
Rutæ ana drachmam unam.

Fiat Pulvis, qui ſubigatur cum ſufficienti quantitate mellis, & redigatur in glandes.

ALIUS ACUTIOR.

℞. Aloës unciam ſemis,
Ellebori albi,
Granorum Colocynthidos,
C taurii,
Ru ,
Cumini ana drachmam unam.

Fiat Pulvis, qui melle ſubactus effingatur in glandes, ſeu ſuppoſitoria.

PULVIS AD SUPPOSITORIA SICCA.

℞. Specierum Hieræ Picræ unciam unam ſemis,
Colocynthidos pulv. drachmas ſex,
Ellebori albi pulv. unciam unam,
Salis communis uncias tres,
Farinæ frumenti uncias decem & octo.

Cum vitellis ovorum, & melle deſpumato quantum ſufficit, fiant ſuppoſitoria.

Notandum, tametſi Suppoſitoria hæc alvum ſollicitent, ac ſedes remorantes evocent, ea tamen mulieribus gravidis haudquaquam tuta exiſtere, prout nec iis quibus hæmorrhoïdes moleſtæ eſſe ſolent; his enim vel leviſſima ex ſolo melle, vitello ovi, ac modico ſale confecta ſufficiunt: quibus acuendis nonnulli muſcerdam paucâ quantitate indunt.

PULVIS AD VERMES Seu Lumbricos.

℞. Sem. ſancti uncias quatuor,
Foliorum Senæ unciam unam,
Coriandrorum præparatorum,

Cornu Cervi ana drachmam ſemis.
Fiat Pulvis.

IS eſt Officinis noſtris uſitatus; aliis alii ſunt in uſu, Venetorum Ferrarienſium. Nurſini, & aliorum qui requirit, conſulat *Pharmacop. Sect. 9. de Pulveribus.*

Semen ſanctum, eſt ſemen Abſinthii Seriphii, quod ...micum dicitur. Officina ſemen hoc paſſim vocant Semen Lumbrorum, *quod ipſum vulgus* Wurmſamen *appellat, eò, quod id vermes & lumbricos evocare ac expellere ſit edoctum.*

PULVIS CONTRA ABORTUM.

℞. Granorum Chermes drachmam unam,
Santali rubri drachmam ſemis,
Caryophyllorum ſcrupulum unum,
Nucis Moſchatæ ſcrupulos duos,
Rad. Torment. drachmam ſemis,
Margarit. præparat.
Corallii utriusque præparati ana ſcrupulum unum,
Folia auri numero tria,
Manus Chriſti perlatæ drachmas tres.
Fiat Pulvis.

D*Atur gravidis ad præcavendum abortum ex ovo ſorb[illi], vel vino odorifero, idque non unâ tantùm vice, ſed ſæpius [p]ondere ſcrupuli dimidii, vel etiam unius; aut admiſce[tur] Tragæis, prægnantibus uſui futuris.*

CLariſſimus Vir D. D. *Ioannes Vdalricus Rumlerus,* Collega noſter obſervandus, ex priorum Medicorum Auguſt. traditione ſequentem Pulveris contra abortum deſcriptionem in hanc Pharmacopœiam fideliter contulit. Ea ſic habet.

℞. Roſarum rubearum,
Maſtiches,
Ligni Aloës,
Margarit. præparat.
Corall. rub. præparat. ana ſcrupulum ſemis,
Spicæ Indicæ,
Macis,
Beën utriusque,
Cinamomi electi,
Santali Citrini,
Cardamomi minoris,
Succini albi ana grana quindecim,
Fiat Pulvis.

Ir

Ex hoc additis Sacchari albiſſimi unciis tribus Tragema paratur, quod gravidis à paſtu magnâ utilitate exhibetur.

Pro ſaccharo communi ſaccharum roſatum tabulatum nonnunquam mitur, aut confectio Manûs Chriſti perlata.

PULVIS ADSTRINGENS
GALENI.

℞. Aloës,
Mannæ Thuris,
Corticum Pini,
Terræ Lemniæ,
Boli Armenæ,
Lapidis Hæmatitis,
Succi Hypociſtidis,
Croci,
Gallæ Omphacit. ana drachmam unam.
Fiat Pulvis.

PVLVIS ANONYMVS.

℞. Sem. Papaveris albi drachmas duas,
Portulacæ,
Cydoniorum,
Malvæ,
Bombacis ana drachmam unam ſemis,
Quatuor frig. major. excort. ana drachmam unam,
Gummi Arabici,
Tragacanthi,
Amyli ana drachmas duas,
Hypociſtidis,
Boli Armenæ orientalis præparatæ,
Cornu Cervi uſti,
Raſuræ Eboris,
Cicerum rubrorum ana drachmam ſemis,
Cinamomi drachmas duas,
Penidiorum unciam unam ſemis,
Sacchari Canarii uncias ſex.
Miſce, fiat Pulvis.

Tabidis Phthiſicisque prodeſt; ulcera enim pulmonum lenit, abſtergit, & glutinat: tenues ac ſalſos catarrhos ſiſtit & incraſſat, faucium aſperitatem mitigat, ac defluxiones acres ad pulmones devolvi prohibet.

NOnnulli huic Liquiritiam, Roſas, ſemen Althææ, Corallia, ſpecies Diatragacanthi frigidi, aut Pulmonis Vulpis præparati nonnihil addunt; verùm hæc pro varia Medici prudentis intentione quocunque tempore adjici poſſunt.

Similis ferè Pulvis extat deſcriptus apud Valeſcum, Pulvis *dictus, eaſdem vires cum priore obtinens; cujus deſcriptio hæc.*

℞. Sem. Papaveris albi drachmas quinque,
Gummi Arabici,
Amyli,
Tragacanthi ana drachmam unam ſemis,
Sem. Portulacæ,
Goſſypii,
Althææ,
Malvæ ana drachmas duas ſemis,
Quatuor frigid. major. excorticatorum,
Cydonior. mundator. ana drachmas tres ſemis,
Spodii præparati,
Succi Liquiritiæ, vel potiùs pulveris ejus ana drachmam unam ſemis,
Penidiorum ad pondus omnium.
Miſce, fiat Pulvis.

Notandum; Pulverum horum ſemina frigida continentium, non nimiam unâ vice quantitatem præparari debere, ne Pulvis diuturniore ſitu evadat rancidus.

PVLVIS BEZOARDICVS
D. NICOLAI PRAEPOSITI.

℞. Boli Armen. cum aceto præparatæ uncias tres,
Terræ ſigillatæ,
Coriandri præparati,
Specierum Diamarg. frig.
Rad. Tormentillæ,
Dictamni vulgaris,
Angelicæ,
Scabioſæ ana drachmas duas,
Sem. Acetoſæ,
Citri mundati,
Rutæ,
Cardui Benedicti,
Cornu Cervi uſti,
Doronici,
Charabe ana ſcrupulos quatuor,

Roſa-

Roſarum rubearum,
Corallii utriusque,
Ligni Aloës,
Serici crudi,
Santalorum omnium,
Margaritarum perforatarum,
Oſſis de cordi Cervi ana drachmam unam,
Smaragdorum,
Ambræ ana ſcrupulos duos,
Moſchi ſcrupulos quatuor,
Croci grana quindecim,
Camphoræ grana decem.
Fiat Pulvis, vel cum Syrupo è Ribes fiat in modum Opiatæ.

Adverſus peſtiferæ luis inſultus efficax, cordis vires eximiè tuetur, ſpiritus vitales fulcit, internas putredines abolet, & contagioſis quibuslibet morbis adverſatur.

PVLVIS ELECTUARII
De Bolo.

℞. Boli Armen. præpar. aquâ roſarum unciam ſemis,
Rad. Tormentillæ,
Angelicæ ana drachmas duas,
Corallii rubri,
Raſuræ Eboris,
Cornu Cervi,
Roſarum rubrarum ana drachmam unam ſemis,
Sem. Melonum,
Acetoſæ,
Citri mundati,
Juniperi,
Bombacis mund. ana drachmam unam,
Aniſi,
Fœniculi,
Cinamomi,
Xyloaloës, aui Santali Citrini,
Macis ana drachmam ſemis.
Fiat Pulvis.

Simplicior *à nonnullis ſic paratur.*

℞. Boli Armen. unciam ſemis,
Rad. Tormentillæ drachmas duas,
Angelicæ drachmam unam,

Sacchari ad pondus omnium.
Fiat Pulvis.

Uterque febribus malignis, peſtiferis, ac contagioſis potenter reſiſtit, eorumque inſultus reprimit, ſpiritus extingui prohibet, eoſdemque evanidos reparat: ſudores evocat, ac peſtis luis noxas diſjicit.

PULVIS CACHETICUS
QUERCETANI.

℞. Limaturæ chalybis cum ſulphure calcinatæ unciam unam,
Feculæ radicum Aronis drachmam unam ſemis,
Ambræ gryſeæ drachmam unam,
Eſſentiæ Coralliorum,
Margaritarum ana drachmas duas,
Cornu Cervi Philoſophicè præparati,
Succini præparati,
Cinamomi ana ſcrupulos quatuor,
Sacchari ad pondus omnium.
Fiat Pulvis.

In curanda omnis generis cachexia, & depravatorum humorum colluvie educenda, præſentaneum eſt remedium; leucophlegmatiam, & morbum virgineum feliciter curat, pallorem vitioſ... ...que colorem tollit, maſſam ſanguineam utriuſque ſexus purificat, & variis corruptionibus tutam præſtat.

PULVIS AD CALCULUM.

℞. Radicum Saxifragiæ albæ,
Petroſelini,
Pimpinellæ,
Liquiritiæ,
Ononidis ana drachmas duas,
Baccarum Alkekengi unciam ſemis,
Juniperi drachmam unam,
Sem. Milii Solis,
Fœniculi,
Erucæ,
Dauci Cretici,
Violar. purpurear. ana drachmam unam,
Lactucæ,
Papaveris albi,
Quatuor frigid. major. excortic.
Hyoſcyami albi ana drachmam ſemis,

Her-

Herniariæ Hollerii drachmam unam,
Gummi Ceraſorum nigrorum drachmas duas,
Tragacanthi drachmam unam,
Terebinthinæ ad duritiem in aqua Malvæ coctæ drachmas duas,
Magiſterii oculorum Cancri.
Salis ſuccini ana ſcrupulum unum,
Lapidis Judaici.
Spongiæ,
Nephritici ſingulorum præp. ana drachmam unam.
Cantharidum grana ſex,
Sacchari Candi uncias duas.
Miſce.

Compoſitionem hanc, Pulveris ad calculum multa ſibi experientiâ probati, Vir excellentiſſimus D. D. Marcus Banzerus *Facultatis Medicæ in Illuſtri Academia* Wittenbergenſi *Profeſſor, Collegii Medici Decanus & Senior, Collega noſter plurimum honorandus, nobis communicavit, quem etiam ſuo merito hic inſerendam duximus.*

PULVIS AD CALCULUM
Alius.

℞. Sem. Milii Solis,
Saxifragiæ ana drachmam unam,
Lactucæ,
Hyoſcyami,
Papaveris albi ana ſcrupulos duos ſemis.
Quatuor frigid. major. ana ſcrupulos duos,
Glycyrrhizæ ſcrupulos quatuor,
Trochiſc. de Halicacabo drachmam unam ſemis,
Rad. Pimpinellæ,
Sem. Geniſtæ ana drachmam ſemis,
Sacchari uncias duas.
Fiat Pulvis.

Datur nephriticis & calculoſis ad renum arenulas exturbandas, & ureterum obſtructiones levandas ex aqua Malvæ, aut Ononidis.

PULVIS AVICENNÆ E
Cineribus.

℞. Cinerum Vitri.
Scorpionum,

Rad. Braſſicæ,
Leporis,
Putamin. ovorum, è quibus pulli fuerint excluſi,
Lapidis Spongiæ,
Sanguinis Hirci præparati,
Lapidis Judaici,
Gummi Juglandis,
Acori ana drachmam unam,
Petroſelini,
Dauci,
Pulegii,
Gummi Arabici,
Sem. Althææ,
Piperis nigri ana drachmam unam ſemis.
Terantur, & ſimul miſceantur.

PRiore longè validior, urinas magis promovet, & cal[illegible]os potentius elidit, nec niſi conſideratè uſurpandus: qui t[illegible]en, ut & prior, noſtris raro eſt uſui.

PRo Gummate Juglandis quod vix ullibi proſtat, Gummi Ce[illegible]aſorum commodiſſimè ſubſtituitur, etenim calculis vexatos cum vino potum adjuvat, & ei tenuium partium magna facultas ineſt.

PVLVIS AD CASVM.

℞. Terræ ſigillatæ, aut Boli Armenæ,
Sanguinis Draconis,
Mumiæ ana drachmas duas,
Spermatis Ceti drachmam unam,
Rhabarbari drachmam ſemis.
Miſce, fiat Pulvis.

PRopinatur præcipitatis, ruptis, contuſis, fractis, ex vino aſtringente, vel cui incoxerint quæ ſtringendi vim habent, ut Roſæ, Balauſtiæ, Cytini, Malicorium, Myrti & Rubi cacumina, Sumach, & id genus alia. Hoc vino intincta lintea & expreſſa, calida parti laboranti circumvoluta, omnem ex ictu & præcipitio offenſionem mirificè curant, eſtque celebre Hiſpanis nec contemnendum remedium. Quidam reliqua ſimplicia ex Avicenna ſubdupla Rhabarbaro faciunt, etſi æqualia quoque eſſe poſſint.

PVLVIS AD DENTIFRICIA MOSCHATUS.

℞. Lapidis Pumicis uncias duas,

Oſſis

Oſſis Sepiæ drachmas ſex,
Corallii rubri præparati drachmam unam,
Radicis Ireos unciam unam,
Moſchi,
Zibethi ana ſcrupulum ſemis,
Olei ligni Rhodii,
Nucis Moſchatæ deſtillatæ ana guttas quatuor,
Caryophyllorum guttas tres.
Miſce lege artis.

Mucoſos dentes à ſordibus purgat, eosque dealbat ac mundificat, gingivas quoque ſtringit, & dentium radices obfirmat.

PULVIS DYSENTERICUS

D. D. Johannis Langii.

℞. Maxillarum Lucii cum dentibus,
P[illegible] i Cervi,
Corticum Granatorum,
Cornu Cervi uſti,
Boli Armenæ,
Seminum Lapatii acuti ana unciam unam.
Fiat Pulvis.

Ad omnes alvi fluxus diarrhœam, lienteriam, & inprimis dyſenteriam magna eſt efficacia.

PULVIS PRO EPITHEMATE

Cordis.

℞. Florum Buglosſæ,
Borraginis,
Meliſſæ ana manipulum ſemis,
Santalorum omnium,
Roſarum rubearum ana drachmas duas,
Corticum Citri,
Sem. Acetoſæ,
Ligni Aloës,
Caryophyllorum ana drachmam unam ſemis,
Fragmentorum Lapidum prætioſorum omnium ana drachmam unam,
Doronici,
Beën utriusque,
Succini,
Oſſis de corde Cervi ana ſcrupulos quatuor,
Margaritarum præparatarum,

Corallii utriuſque,
Spodii ana drachmam ſemis,
Croci ſcrupulum ſemis,
Camphoræ grana ſex,
Moſchi grana tria.
Trita omnia probè uſui reſerventur.

Mira eſt ejus efficacia in affectibus cordis, ejuſque pa[illegible]ne, ſyncope, & dejectis propemodum vitalibus facultatibus nobiliſſimum enim viſcus ſopitum, & veluti tenebris ac caligine occæcatum excitat, melancholicis, ſplenicis, triſtibus & deſperantibus ſuccurrit, in peſtilitate cordis ſpiritus refocillat.

PULVIS PRO EPITHEMATE
HEPATIS.

℞. Santali rubri,
Albi,
Citrini ana unciam ſemis,
Roſarum,
Corallii,
Spodii ana drachmam unam,
Camphoræ ſcrupulum unum.

Hepatis inflammationi confert, ejuſque exæſtuationem [illegible]mperat: Adhibetur cum Aqua Endivia, Roſarum, Acet[illegible], & Aceti parte aliqua.

PULVIS GRISEUS CÆSARIS
CONTRA PESTEM.

℞. Rad. Pimpinellæ,
Gentianæ,
Tormentillæ,
Serpentariæ,
Foliorum Rutæ,
Abſinthii,
Nucum Juglandium, ſeu Regiarum,
Granorum Juniperi,
Aceti Roſati.
Theriacæ electæ ana unciam unam.
Miſceantur omnia ſimul.

In præſervatione & curatione peſtis plurimum valet.
Quidam addunt Caſtorei unciam ſemis,

PUL-

PULVIS HYSTERICUS.

℞. Rad. Dictamni albi drachmas tres,
Zedoariæ drachmam unam,
Cort. Citri ſicci,
Sem. ejuſdem ana ſcrupulos duos,
Fragment. lapid. pretioſor. omnium ana grana duodecim,
Specier. Diamargariti calidi drachmas duas,
Sacchari albi unciam unam.
Fiat Pulvis.

UTerinos dolores placat, ejusque expurgat illuviem, menſes quoque retardantes & ſecundinas moram trahentes propellit, animi defectiones ob vapores ab utero ſublatos ortas arcet, ac matricis ſuffocationem abigit.

PUlverem hunc multæ utilitatis, & experti in muliebribus morbis præc[illegible]s juvamenti, Clariſſ. Vir D. D. *Ioan. Vdalricus Rumlerus* Collega noſter obſervandus, ex prædeceſſorum noſtrorum Pragmaticorum celebri uſu fideliſſimè nobis tradidit.

PULVIS MARCHIONIS,

Seu Epilepticus.

℞. Rad. Pæon. maris decreſcente Luna effoſſar. unciam ſemis,
Viſci quercini,
Raſuræ Eboris,
Ungulæ Alcis,
Spodii,
Unicornu, vel ejus loco cornu Cervi ex apicibus deſumpti,
Coralliorum rubeorum,
Alborum,
Margaritar. præparatar. ana drachmam unam,
Fol. Auri puri numero viginti.
Fiat Pulvis.

PRodeſt hic Pulvis apoplecticis, epilepticis, ac incubo laborantibus; intemperiem cerebri humidam corrigit, & nocturnos terrores fugat.

PULVIS AD NASALIA.

℞. Calaminthæ,
Majoranæ,
Rad. Ireos,
Caſtorei,

Sem. Nigellæ,
Staphiſagriæ ana ſcrupulum unum,
Ellebori albi,
Pyrethri,
Nucis Moſchatæ,
Myrrhæ rubeæ,
Euphorbii ana ſcrupulos duos.

Conterantur ſingula, deinde cum Ladani drachmis ſex & ſ modico formentur Naſalia.

Sternutationem potentiſſimè cient, ac craſſa per nares phlegmata evocant, lethargo ac epilepſia proſunt, catalepticos & attonitos juvant; ſed cautè iis utendum, præſertim in corporibus nondum purgatis, ne ſubita humorum per irritationem tàm fortem præcipitatio, ſuffocationis repentinæ periculum inferat.

PULVIS PARTUM PROVOCANS.

℞. Cinamomi drachmam unam,
Croci drachmam ſemis,
Caſſiæ ligneæ veræ ſcrupulos duos,
Succini albiſſimi ſcrupulum unum.
Fiat Pulvis.

Ad partûs labores facilitandos utiliter exhibetur, eoſdemque accelerat, & fœtus excluſionem promovet. Datur ex aquâ Liliorum alborum, Conſolidæ regalis, aut alterius conſimilis.

ALIUS HELIDEI DE PADUANIS.

℞. Cinamomi,
Croci ana ſcrupulum unum,
Boracis ſcrupulos quatuor,
Detur ex aqua Artemiſiæ.

Uſitatiſſimus ac expertiſſimus quondam erat hic Pulvis Helideo de Paduanis, *Medico Bononienſi eximio, qui eundem ſecretum ſibi adeò habebat, ut non niſi fidiſſimis amicis aut prædilectis diſcipulis eum communicaret.*

Augetur horum pulverum efficacia, ſi eis teſticulorum equinorum aridorum, aut julorum Nucum Juglandium pulvis admiſceatur, quod pro prudentis Medici arbitrio & exigentis neceſſitatis occaſione fieri poterit.

PUL-

PULVIS AD DYSTOKIAM.

℞. Pulveris Cinamomi unciam unam,
Succini albi præpar. unciam ſemis,
Boracis,
Hippoſorcheos ana unciam unam,
Croci ſcrupulos octo.
Omnia in tenuem pollinem redacta miſceantur.

PRadictis duobus ad partum proficuis pulveribus, etiam hunc tertium apud nos experientia & multiplex uſus, in expellendis præſertim ſecundinis addidit.

PULVIS PLEURITICUS.

℞ Mandibularum Lucii præparatarum,
Dentis Apri uſti præparati ana drachmas duas,
Lapidum Percarum,
Talorum Leporis,
Oculorum Cancri præparatorum,
Lucii piſcis præparatorum,
Seminum Cardui Benedicti,
Artemiſiæ rubræ ana drachmam unam.
Miſce, fiat Pulvis.

Contra omnes laterum puncturas in pleuritide, tàm ſpuria, quàm exquiſita, etiam in epidemia illa, quâ doloris vehementiâ multi jugulantur, ad dolores mitigandos, inflammationes reſolvendas, ſudoreſque eliciendos, ſingulare eſt remedium,

PULVIS RUBEUS CÆSARIS
Contra Pestem.

℞. Myrrhæ electæ,
Croci ana drachmam unam,
Oſſis de corde Cervi ſcrupulos duos,
Cornu Cervi drachmas duas,
Dictamni Cretici,
Tormentillæ,
Pimpinellæ,
Gentianæ ana drachmas duas, ſcrupulos duos,
Zedoariæ,
Zingiberis ana drachmas tres,
Sulphuris vivi,
Boli Armen. veræ ana drachmas quatuor,
Camphoræ ſcrupulos quatuor,

The-

Digitized by Google

Theriacæ Andromachi,
Mithridatii optimi ana drachmas ſex
Fiat omnium Pulvis, aſpergendo Aquæ vitæ modicum, ut eſt artis

IS Anno Chriſti 1572, quo Peſtis invaluit, nobis fuit frequentiſſimus, & D. Achilli Gallaro *noſtro, p. m. familiaris. Sunt aliæ compoſitiones plurimæ Pulverum Alexipharmacorum, hîc conſule* Fœſium.

PULVIS RVBEVS PANNONICUS.

℞. Boli Armen. cum Aqua roſar. & Acet. præp. uncias tres,
Terræ Lemniæ veræ præpar. uncias duas,
Coralliorum rubeorum præparatorum unciam dimidiam
Alborum præp. drachmas ſex,
Lapidum prætioſorum, ſcilicet
Smaragdi,
Rubini,
Saphyri,
Hyacinthi ana drachmas quatuor,
Margarit. præpar. drachmas quinque,
Cinamomi electi drachmas duas,
Caryophyllorum drachmam unam,
Seminis Acetoſæ drachmas duas,
Corticum Citri,
Santali albi ana drachmam unam ſemis,
Santali rubri drachmas duas,
Spodii præpar. drachmas quinque,
Raſuræ Eboris drachmas tres,
Croci Orientalis drachmam unam,
Unicornu, aut ejus loco, oſſis de corde Cervi drachmas quatuor,
Fol. Auri puriſſimi numero quinquaginta.
Fiat omnium Pulvis.

ADverſus peſtilentium febrium noxas, & contagioſorum ac venenatorum morborum invaſiones maximè potens eſt. Datur puerulis & infantibus, ubi variolarum aut morbillorum ſuſpicio adeſt, eos namque efficaciter expellit, ac cor à putridi vaporis aut humoris contaminatione tutum reddit. Medicamentum planè regium, unicuique ætati ac ſexui familiare & accommodum. Præbetur cum Syrupo Limonum, & Aqua Cardui, Acetoſa, vel Borraginis.

MOnendi ſunt Pharmacopœi, quoties Margaritæ, Corallia, Lapides prætioſi occurrunt, ut præparata ſumantur.

PUL-

PULVIS RUBEUS PANNONICUS ALTER.

℞. Boli Armen. orientalis præpar. uncias duas,
Terræ ſigillatæ veræ uncias ſex,
Lapidum prætioſorum, ſcilicet
Hyacinthi,
Saphyri,
Rubini,
Smaragdi ana unciam unam,
Margarit. præparat. drachmas decem,
Spodii præparati,
Raſuræ Eboris ana drachmas quinque,
Coralliór. rubeor. præpar. drachmas octo,
Alborum præpar. unciam unam ſemis,
Rad. Tormentillæ,
Dictamni ana uncias quatuor,
Unicornu, aut ejus loco Cornu Cervi drachmas ſex,
Santali albi drachmam unam,
Radicis Doronici drachmas ſex,
Seminis acetoſæ drachmas duas,
Corticum Citri drachmam unam, & ſemis,
Camphoræ drachmas duas.

Pulveriſentur ſingula per ſe & miſceantur, addendo Fol. Auri numero quinquaginta, & fiat Pulvis.

Si Electuarium velis in formâ ſolidâ, ita parandum erit:

℞. Specier. ſupradict. unciam unam cum dimidia,
Sacchari albiſſimi uncias duodecim.

Diſſolvatur Saccharum cum aquâ roſarum, & conficiantur rotulæ.

Eaſdem quas prior jam dictus vires obtinet, imò valentiores, ob Tormentillæ, Dictamni, Doronici radices, & Camphoram, quorum quidem occaſione ſumentibus minùs gratus exiſtit, ſed plus magis efficax.

PULVIS SAXONICUS.

℞. Rad. Valerianæ unciam ſemis,
Vincetoxici,
Urticæ ana unciam unam,
Polypodii quercini,
Althææ,
Angelicæ ſylveſtris ana uncias duas,
Angelicæ ſativæ recentis uncias quatuor,

Cortic, rad. Laureolæ Germanicæ, quam **Kellerßhals** appellant, unciam unam ſemis.

Radices illæ omnes effodiantur eo tempore, quod xv Auguſti, & xiii Septembris intercidit: illæ inciſæ reponantur in ollam vitream tam, affuſo aceto acerrimo, quod duobus digitis radices excedat, tùm ollâ operculo clauſâ, rimæ omnes albo ovi cum farina diligenter oblinantur, & ſic in olla ad lentum ignem leniter bulliant: poſtea ollâ opertâ, abjecto quod redundat aceto, radices exiccentur quoad teri poſſint: denique contritis omnibus, addantur acini herbæ *Paris* dictæ, numero viginti ſex, & fiat Pulvis.

Pulvis hic in Saxoniâ *primùm uſurpari cœptus, peſti ac venenis quoque aſſumptis egregiè adverſatur, & deleteriorum vires frangit. Vide* Moibani Parabilia in Dioſcor. lib. 2. cap. 143. *ibidem* Varias deſcriptiones, *& uſum reperies.*

PULVIS STEGNOTICUS D. D. CASPARI GUTMANNI.

℞. Lapidis Ætitis nuclei interioris drachmam unam,
Hæmatitis præparati,
Carneoli præparati,
Cornu Cervi uſti præparati,
Terræ ſigillatæ veræ ana drachm. ſemis,
Coralliorum rubeorum reſolutorum drachmas duas.
Omnia in tenuiſſimum pollinem redacta miſceantur.

AD omnes fluxus ſanguineos narium & hepatis ſiſtendos, inprimis menſtruam mulierum purgationem ſuperfluam, dyſenteriam, diarrhœam, alvi & uteri profluvia alba curanda, ſingularis efficaciæ exiſtit, à Chirurgis etiam noſtris in ſupprimendo vulnerum ſanguine plurimùm commendatur.

PULVIS STERNUTATORIUS.

℞. Majoranæ drachmam unam ſemis,
Betonicæ,
Pyrethri ana drachmam ſemis,
Ellebori utriusque ana drachmam unam,
Pulegii ſcrupulum unum.
Fiat Pulvis.

LEntam pituitam, ac phlegma craſſum, naribus inſufflatus vel iiſdem affrictus provocat: cerebrum à tenacibus humoribus purgat, & oſſis ethmoidei obſtructiones expedit.

PUL-

PVLVIS STERNVTATORIUS
Alius.

Pulv. Tabaci Anglici optimi ſcrupulos quatuor,
Oſiorum florum Liliorum convallium ſcrupulos duos,
Moſchi Orientalis optimi grana quatuor,
Ambaræ gryſeæ grana tria,
Spiritus roſarum guttas quatuor.
Fiat Pulvis.

Etiamſi Pulvis hic poſterior delicatior ſit priore, certum tamen eſt, ſi ſtimulis antecedentis pulveris careat, quod parvum vel planè nullum effectum habeat, tum pluriмi nec Tabaci, nec florum Lilii convallium uſu ad ſternutationem commoveantur.

PULVIS STOMACHICUS
D. D. Birckmanni.

℞. Pulv. rad. Aronis præparat. uncias duas,
Acori vulgaris,
Pimpinellæ ana unciam unam,
Oculorum Cancri unciam ſemis,
Cinamomi drachmas tres,
Salis Abſinthii,
Juniperi ana drachmam unam,
Sacchari roſati ad pondus omnium.
Conficiatur Pulvis guſtui gratus.

Hic Pulvis ad varia ſtomachi vitia & dolores conducit, cardialgia ſive oris ventriculi à ſuccis mordentibus afflictis, & cardiaca, à virulentis & venenoſis humoribus producta medetur; & quia os ventriculi acutiſſimo ſenſu præditum, cum corde, cerebro, & primariis corporis partibus conſpirat, earundem etiam partium per conſenſum læſionibus prodeſt.

PVLVIS AD STRVMAM ARNOLDI DE VILLA NOVA.

℞. Spongiæ combuſtæ,
Pilæ marinæ toſtæ,
Oſſis Sepiæ,
Piperis longi,
Nigri,
Zingiberis,
Cinamomi,

Salis Gemmæ,
Pyrethri,
Gallarum,
Lapidis Spongiæ ana unciam unam.
Pulveriſentur, & miſceantur.

Botium reprimit, ac incipientes colli ſcrophas non tame diſcutit, ad ſtrumas inſuper abolendas, reiteratâ ſæpius ejus ſumptione, feliciter exhibetur.

PULVIS VIOLARUM ODORATUS.

℞. Iridis Florentinæ uncias ſex,
Roſarum rubrarum uncias quatuor,
Cyperi drachmam ſemis,
Majoranæ,
Caryophyllorum,
Styracis ana unciam unam,
Benionin aut Benzoi,
Santali Citrini ana unciam ſemis,
Violarum drachmas tres,
Moſchi drachmam unam.
Fiat Pulvis.

Pulvis hic tametſi ad odoramenta præſtanda potiſſimum expetitur, caput tamen extrinſecus adhibitus eximiè roborat ... non cordis palpitationi medetur.

ALIQUI EUNDEM SIC COMPONUNT.

℞. Florum Violarum unciam ſemis,
Roſarum rubrarum uncias tres,
Benzoini unciam unam ſemis,
Styracis Calamitæ,
Santali Citrini,
Albi ana unciam ſemis,
Rad. Cyperi rotundi,
Majoranæ ana unciam unam,
Caryophyllorum drachmas duas,
Cinamomi electi drachmas tres,
Rad. Ireos Florent. uncias tres,
Moſchi Alexandrini,
Ambræ veræ ana ſcrupulum ſemis.
Fiat Pulvis craſſiuſculus.

PUL-

PVLVIS PRO ULCERIBUS
GUTTURIS.

℞. Sulphuris vivi uncias quatuor,
Myrrhæ rubeæ,
Aluminis ſaccharini ana uncias duas,
Maſtiches,
Thuris ana unciam unam,
Pyrethri drachmas ſex.
Fiat Pulvis.
℞. Hujus pulveris unciam unam,
Vini ſublimati libram unam.
Miſce.

Pulvis hic noſocomio Gallico à multis annis familiaris, felici ſucceſſu gutturis antiqua ac fœda ulcera repurgat, & perſanat. Utebantur eo quondam D. D. Adolphi *Occones Auguſt. Medici, ac ſubſequentes Illuſtrium ac Generoſorum D. D. Comitum Fuggerorum Xenodochiis præfecti, quibus in locis ex piâ & munifica præfati ſtemmatis fundatione plurimi Syphilide laborantes uſque ad plenam ſanationem ſuſtentantur.*

ANIMADVERSIONES
Univerſam hanc Claſſem concernentes.

MAgnam hæc Claſſis complectitur ſeriem *pulverum medicatorum* cùm *ſimplicium*, tum *compoſitorum*, in quorum præparatione vix quicquam occurrit, quod ſingulari correctione aut peculiari animadverſione indigeret. Periti enim Pharmacopœi antea nôrunt, quid priùs aut poſteriùs, quæ per ſe quæque mixta, contundi aut pulveriſari poſſint & debeant, quorum ſolertiæ totum hoc negotium relinquo. Speciales quorundam *ſimplicium*, utpotè *Cornu Cervi*, *Spodii*, *Goſſypii*, & ſimilium præparationes, ſuo loco examinare ſtat ſententia. *Folia auri* quam inutiliter *pulveribus* aliisvé compoſitionibus addantur, Authores hujus Diſpenſatorii ipſimet in *Aurea Alexandrina Nicolai* fateri coguntur, utpotè quod ſanè ob nullam aliam cauſam illis commiſcetur, quàm ut oculis blandiamur, & conceptam vulgi ingentem in *aurum* fiduciam collocantis opinionem ſtabiliamus. Quod ad *Ambram* attinet, quæ ſi cuidam *pulveri* commiſcenda eſt, ejus diſſolutio non *ſpiritibus* vel *aquis deſtillatis*, neque etiam *vino*, ſed potiùs *guttulis aliquot olei appropriati & deſtillati* perficienda eſt. Præparationes *radicum cum aceto*, præſertim pro *pulvere Saxonico*, non uſque quaque nobis arrident, ſuo loco etiam ventilandæ. In præſens hoc ſaltem aſſero, quod ſi *Laureolam*,

vel *ejuſdem radicum cortices* exceperis, *reliquæ radices* pro prædicto *pulvere Saxonico* præparatione illa cum *aceto*, in modum, uti illi ſiniſtrè ſatis præcipiunt, inſtituendâ, nullatenus indigeant. Si tamen omninò eas cum *aceto* præparare velis, ita te geras, nimirùm *radi[illegible] aceto imbutas & humectatas*, leniter iterum exiccare ſine, nec quam de *aceto* effunde. Cæterùm *Scammonii* vel *Diagryd[illegible]* rationem quod concernit, in eo quidem omnes, quotqu[illegible] præparatione legi, ὁμόψηφοι ſunt, quòd nimirùm *Scammonium* [illegible]pra chartam bibulam expanſum, crati, ſub qua carbo vivus ſuper imponi, ac *fumo ſulphuris* tamdiu ſuffumigari debeat, quoad illud ſupra prædictum fumum liqueſiat, atque ita præparatum, vel, ut appellant, *calcinatum Scammonium* ſtudiosè aſſervare jubent. Verùm enim verò, quod pace eorum dixerim, genuina præparatio *Scammonii* nullâ ratione in eo conſiſtit, ut illud ſuprà *fumum ſulphuris* vel ignem liqueſiat, ſed potiùs ut abſque liquefactione lentiſſi[illegible] ig[illegible] cum illo ſuffumigetur; quò diutius enim *Scammonium [illegible]mo ſulphuris* imbueris, eo meliùs iſtud præparabis, & vulga[illegible]r quidem corriges; Id ſaltem unicè cavendo, ne liqueſiat, alias enim *fumus ſulphuris* ipſum penetrare nequit; quod tum ex parte etiam pr[illegible]a-vetur, ſi in cribro parvo ſupra chartam bibulam collocatum, co[illegible]nuò ſpatulâ agitetur & commoveatur: Sic namque non facilè liqueſit, præſertim ſi ignis ſit leniſſimus, ita quidem ut is *ſulphur* tantummodò incendere, non autem flammam eructare queat; Etenim à *ſulphuris fumo*, non verò intenſo ignis calore, *Scammonium* pr[illegible]para-tur, & (licet vulgariter) corrigitur.

MEDICAMENTORUM
PHARMACOPOEIÆ AUGUSTANÆ
CLASSIS X.

Continens

ECLEGMATA, SAPAS, LINCTUS, ET LOHOCH.

Diacodia Linctus *ſunt ad* Electuarii *formam vel conſiſtentiam propemodum accedentia, paulò tamen liquidiora; craſſiora vel viſcidiora* Syrupis. *Parantur ut plurimùm*

ex

ex decoctis & ſuccis *nonnihil mucilaginoſis, quibus Medici materiam tenacem, ſalſam & acrem aut tenuem nimis ad aſperam arteriam, pectus & pulmones cum impetu delabentem, inhibere & incraſſare, nec non ad faciliorem expectorationem præparare & diſponere*

DIACODION JOAN. BAPTIST. Montani, Aliàs, SYRUPUS DE SILIQUIS.

℞. Capitum Papaveris albi cum ſeminibus numero viginti,
Siliquarum dulcium uncias tres.
Glycyrrhizæ raſæ uncias duas,
Aquæ fontis libras duodecim.

[illegible]antur è ſiliquis grana, poſtea decoquantur ad remanentiam librarum [illegible]ium, deinde exprimantur & colentur: poſtea adde
Sa[illegible]ari candi rubri libram ſemis,
Penidiorum libram unam.
Decoquantur ad mellis conſiſtentiam.

E*O utimur in tenuibus & acribus rheumatiſmis, pulmones, & aſperam arteriam fluxione tentantibus, & continenti tuſſi pervigilium excitantibus. Nobiliſſimum inter Arteriacas compoſitiones medicamentum, & ex Linctuum genere magnoperè à* Montano *celebratum.*

DIACODION SIMPLEX Galeni.

℞. Capitum Papaveris albi mediocris magnitudinis, nec nimiùm viridium, nec nimium maturorum numero viginti,
Aquæ pluviæ aut fontanæ libras tres.

Macera horis viginti quatuor, poſt coque, donec capita contabuerint; cola, & adde
Mellis libras duas.

Coque ad juſtam conſiſtentiam.

Fit cum Sacchare eodem modo, item cum Sapâ, hâc ratione:

℞. Decoctionis prædictæ libras duas,
Sapæ Vini dulcis tantundem,
Succi Glycyrrhizæ uncias duas.
Coquantur ad juſtam conſiſtentiam.

U*Sus ejus eſt in deſtillationibus tenuibus è capite in aſperam arteriam, ex perpetua tuſſi inſomniam parientibus. Quod ſi magna humoris copia ex capite circa pulmones conſtiterit, con-*

fectio ex melle melior eſt, quemadmodum ſomno opus habentibus ea, qua ex Sapa conſtat. Eſt autem Sapa vinum muſtum, ad Rob perfecti conſiſtentiam decoctum.

ANIMADVERSIONES
In Diacodion Montani, & Simplex Ga...

POſſunt equidem hæc *Diacodia* juxta modum ab Authori præſcriptum parari: meo tamen judicio meliùs foret, ſi in *Diacodio Montani*, prius *decoctum* parares ex ſolis *capitibus Papaveris*, (exemptis eorum ſeminibus) *ſiliquis* & *liquiritiâ*, illudque priùs clarificatum ad ℥ x circiter, exhalare permitteres, & cum ipſo, ut in præparatione *emulſionum* moris eſt, *ſemina præfatorum capitum Papaveris* optimè & diu in mortario ad pultis formam contunderes, ita ut ferè totum *ſemen*, unà cum *ſupradicto decocti* per ... taceum vel colatorium rarum cogi & exprimi poſſit. H... *emulſioni craſſæ* & *albiſſimæ*, lactis cremoris inſtar, poſtmodum ... de *ſacchari albi* ℔ j ß, & ſolâ diſſolutione confice *Diacodion*.

Diacodion ſimplex ad eundem modum parari poteſt, facto ni... rùm prius *decocto ex capitibus Papaveris ſeminibus ſuis caſtratis*, quo clarificato ex *ſeminibus contuſis*, *emulſionem* conficias craſſiorem, quam *melli* vel *ſaccharo* uti ſuperiùs factum, artificiosè addas.

Nota; de *Sacchari Candi* & *Penidii* quid ſentiam, *Animadverſiones noſtra* in *Syrupum Capillorum Veneris* demonſtrabunt.

DIACODION ACTUARII.

℞. Capita Papaveris, magnitudinis mediocris, non nimium humida, nec omnino arida numero tredecim,
Roſarum rubearum drachmas duas ſemis,
Croci orientalis,
Acaciæ,
Glycyrrhizæ ana drachmam unam,
Boli Armen. unciam ſemis,
Cinamomi electi,
Rad. Conſolidæ majoris,
Hypociſtidis,
Balauſtiorum ana drachmam unam,
Myrti,
Dauci ana unciam unam,
Corallii utriusque,
Sumach,
Sanguinis Draconis,

Flo-

Florum Althææ ana drachmas duas,
Sem. Portulacæ drachmam ſemis.

Capita Papaveris in aquâ pluviali aut fontanâ duobus diebus macerato; poſtridie ad tertias coquito, & decoctum expreſſum cum ...is optimi libris duabus ad juſtam conſiſtentiam bulliat: poſtre... ab igne vaſe ſpecies ſubtiliſſimè tritas adjicito, ac benè ... Quod ſi ſolidiorem compoſitionem efficere volueris, deco... expreſſum prius jam dictum, cum ſufficienti quantitate Sacchari decoquito, accipiendo ad libram unam Sacchari, ſpecierum ingredientium únciam unam. Fiat confectio in rotulis.

Cœliacis, dyſentericis, lævitati inteſtinorum ac alvi profluviis prodeſt: ſanguinis ſputo medetur, & acres tenuesque fluxiones ad thoracem devolvi prohibet.

A...ctor in Textu legit *Hali*. Eſt autem *Halus*, *Halum*. ſive ...m herba, quæ *Symphytum petræum*, aût *Conſolida ſaxatilis* dicitur, i... cujus defectu radices *Conſolidæ majoris* rectè ſubſtituuntur.

ANIMADVERSIONES.

JUxta modum ſuperiùs indigitatum, ratione *capitum Papaveris*, eorumque *ſeminum*, & hoc *Diacodion* confici poteſt, nimirum ex *capitibus Papaveris* exemptis *ſeminibus*, parando *decoctum*, ac cum illo priùs clarificato, & ad libram dimidiam circiter per evaporationem abſtracto, ex eorum *ſeminibus*, exactiſſimè & ſubtiliſſimè ...ontuſis, conficiendo *emulſionem craſſiorem*, aut quaſi *pulpam liqu...am*, quæ deinceps *melli jam ad paulò craſſiorem conſiſtentiam cocto* ...ungatur, & his demùm optimè permixtis, *reliquæ ſpecies ſubtiliſſimè pulveriſatæ* inſpergantur. Quod ſi etiam *ſuccos Acatiæ, Glycyrrhizæ* & *Hypociſtidis* ſeparatim in ſ. q. *decocti Papaveris* nonnihil diſſolutos ultimò adderes, efficacius *Diacodion* efficeres. Sin autem *Diacodion ſolidum* ex iiſdem ingredientibus parare lubido eſſet, procedatur hunc in modum:

℞. *Sacchari pulveriſati* ℔ j,

Quam cum prædicta *emulſione ſeminum Papaveris* abſque coctione ſupra ignem diſſolve, in modum ac ſi *Tabulas* vel *Morſulos* ex *ſucco Citri* vel *Berberûm* conficere velles, cui ſub finem adde *ſpecierum ingredientium pulveriſatarum* ℥ j, vel ℥ j ß; Fiantque l. a. *Morſuli*, vel *Confectio ſolida*.

DIACODION SOLIDUM.

℞. Capita Papaveris albi, mediocri magnitudine, nec nimis viridæ, neque prorſus ſicca numero viginti,
Aquæ pluviæ aut fontanæ libras tres.

Macerentur horis viginti quatuor, deinde coquantur donec contabuerint capita & colentur: ad extremum adde Sacchari ſufficientem quantitatem, & coquatur ut eſt artis.

SUmenda ſunt capita Papaveris flaccida inter recentia & arida medio modo ſeſe habentia, qualia ferè ſunt pridie collecta.

ID jam ferè in uſu eſſe deſiit, cùm multò jucundius Pharmacopœis noſtris ſoleat in modum ſequentem.

DIACODION IN SOLIDO

USITATUM.

℞. Sem. Papaveris albi unciam ſemis,
Aquæ Farfaræ,
Roſarum ana unciam unam ſemis,
Fiat emulſio, in qua diſſolve
Sacchari albiſſimi uncias quatuor.
Fiat confectio in rotulis.

C*Reberrimus hujus confectionis uſus ad tenues, ſalſos & acres catarrhos inhibendos ac incraſſandos: tuſſim ſedat, faucium aſperitatem lenit, & raucedinem à calidis deſluxionibus obortam aufert.*

ANIMADVERSIONES

In Diacodion Solidum, & Diacodion in Solido uſitatum.

EX ſuperioribus *Animadverſionibus* horum *Diacodiorum*, exquiſitum parandi modum, (quem quidem & illi quodammodo in *Diacodio ſolido* uſitato indigitant,) exactè haurire poteris, obſervando unicè ne *emulſionem* cum *ſaccharo* coquas, ſed ſolummodo eam ſupra ignem diſſolvas, prout in *confectione Morſulorum ex ſucco Citri* vel *Berberum* fieri aſſolet. Poterit igitur minor quantitas *aqua* vel *decocti* pro *emulſione* elicienda accipi, ac *ſemen* diutiùs & exactiùs contundi, ut ejus major pars cum *aquis* vel *decocto* diluta, per ſetaceum vel colatorium rarum tranſeat.

LOHOCH DE CAULIBUS

GORDONII.

℞. Succi Caulium rubeorum libram unam,
Croci drachmas duas,
Sacchari,
Mellis ana libram ſemis.
Miſce ut decet, & fiat Lohoch.

Rau-

R*aucedini, & vocis ablationi medetur, ac pectus ab humoribus vitioſis repurgat, nec non ſpiritum facilitando thoracis levat anguſtias, priſcis forſan magis quàm nobis uſitatum medicamentum, ut qui Braſſicæ plurimùm tribuentes, ex ea ſingulis in corpore* [illegible]*bris ſingula comparârunt remedia, nunc noſtris raro eſt uſui.*

A[illegible]ter in *Pract. cap. de tuſſi humida* præparat. Recipit [illegible] enim ſucci Caulium libras quinque; hunc, ſpumam auferen[illegible], lento igne coquit ad libras duas: deinde addit ſapæ vini, & mellis ana libram unam, atque ſic coquendo ad juſtam perducit conſiſtentiam.

ANIMADVERSIONES.

L*ohoch hujus* genuina præparatio inſtitui poteſt hunc in modum; videlicet,

℞. *Crocum*, quem cum *ſucci Caulium rubeorum particulâ* dilue; *re*[illegible]*um ſuccum* cum *ſaccharo* & *melle* ad conſiſtentiam ſatis craſſam co[illegible]que, cui, ubi parùm refrixerit, in fine demùm *Crocum* dilu[illegible]m adde, atque ita *Lohoch* confice.

LOHOCH DE FARFARA.

℞. Radicum Farfaræ ſeu Tuſſilaginis libram unam.
Coquantur in aquâ donec diſſolutæ fuerint; poſtmodùm contundantur, & colentur, addendo
Mellis libras duas;
Coquantur ad juſtam conſiſtentiam.

T*abidis prodeſt, pulmonis ulcera glutinat, faucium ac aſperæ arteriæ aſperitates lenit, inter Arteriaca medicamenta haud poſtremum: quod ſtudio huc appoſuimus, ut ejus normam, ex aliis ejuſmodi ſimplicibus Lohoch præparari poſſent, utpote Lohoch ex Althææ, Enula, Liquiritia, & ſimilibus, quibus interdum aromata adjiciuntur, atque inprimis Crocus pectori conveniens.*

ANIMADVERSIONES.

P Aretur utcunque libuerit, vel ex *decoctione radicum*, vel è *ſucco ipſo ex herba & radicibus Tuſſilaginis ſimul ſive ſeorſum expreſſo*, & addito *melle*, fiat *Lohoch*.

LOHOCH DE PAPAVERE
Mesue.

℞. Sem. Papaveris albi drachmas viginti quinque,
Amygdalarum dulcium mundatarum,

Nu-

Nucleorum pineorum,
Gummi Arabici.
Succi Glycyrrhizæ ana drachmas decem,
Amyli drachmas tres,
Sem. Portulacæ,
Lactucæ,
Cydoniorum ana drachmas quatuor,
Croci drachmam unam,
Penidiorum alborum uncias quatuor,
Syrupi de Papavere uncias tres.

Omnia inciſa & contuſa Syrupo de Papavere excipiantur, cujus hæc eſto formula.

℞. Capitum Papaveris albi & nigri recentium ana uncias ſex,
Sem. Lactucæ.
Florum Violarum ana unciam unam ſemis.

Coquantur dum intabuerint capita in aquæ cucurbitæ lib. ... octo. Expreſſum & colatum cum Sacchari libris quatuor, aut Sacchari & Penidiorum ana libris duabus, percoque ad Syrupi craſſitudinem.

Efficax eſt in deſtillationibus tenuibus, quæ acrem, ſalſam, tenuem, & liquatam materiam in thoracem demittunt, fauces aſperant, inſomniam ac febrem pariunt; confert etiam febribus, ardentibus, dolenti thoraci, & pleuritidi.

ANIMADVERSIONES.

EX enumeratis hujus *Lohoch Papaverini ſpeciebus*, maximè verò ex inſigni illa quantitate *Gummi Arabici*, *ſeminis Cydoniorum* & *Amyli*, egregium *gluten* & *viſcum* confici poſſet, præſertim ſi *prædictum Gummi* debitè prius (uti quidem fas eſſet,) diſſolveretur, & *ſemen Cydoniorum* etiam extraheretur. Nec ſanè operæ precium eſt, ut in hac & aliis conſimilibus nugaciſſimis & rudi minervâ conſcriptis compoſitionibus emendandis, diutius calamum conteramus. Nihilominùs tamen ſi citra labores, & glutinoſo hoc edulio appetitum ſedare velis, conficias ex *Papaveris capitibus, ſeminibus* exemptis, *decoctum*, quod clarificatum *ad* ℥ iij circiter evaporare ſinas, quo cum *eorundem capitum ſemina*, *Amygdalas dulces* & *nucleos Pineæ* exactè & optimè contundas, ut veluti *pulpam liquidam*, vel *emulſionem craſſam* acquiras, per colatorium rarum vel ſetaceum transmittendam, cui loco *Penidii, Saccharum album*, nec non *Syrupum de Papavere* junge, & tandem etiam reliqua ſolummodò pulveriſata, quæ tamen meritò ſigillatim diſſolvi deberent, uti *Gummi Arabicum, ſuccus Glycyrrhizæ*, &c. Quinimò omnium optimum eſſet, hanc & ſimiles compoſitiones ex Diſpenſatoriis radicitùs extirpare, utpotè quæ ipſa valdoperè defœdant & conſpurcant.

LO-

LOHOCH PASSVLARVM.

℞. Radicum Pæoniæ drachmas quatuor,
Hyſſopi,
Meliſſæ,
Scolopendrii, ſeu Ceterach ana manipulum ſemis,
Glycyrrhizæ unciam ſemis

Fiat omnium decoctio in ſufficienti aquâ pluviâ; factæ colaturæ cum forti expreſſione, adde

Paſſularum minorum in mortario benè contuſarum, prius mundatarum à gigartis & arillis libram unam.

Decoquantur, & per pannum lineum fortiter exprimantur; expreſſioni adde

Sacchari libram unam.
Fiat Lohoch, ut eſt artis.

F*Requenti uſui eſt noſtris ad tuſſim & pectoris vitia, maximè in puerulis, iisdemque epilepticis, propter Pæoniæ radices ingredientes.*

LOHOCH DE PINO MESUE.

℞. Nucleorum Pineorum drachmas triginta,
Amygdalarum dulcium,
Avellanarum aſſatarum,
Tragacanthi,
Gummi Arabici,
Glycyrrhizæ,
Succi ejuſdem,
Amyli,
Capillorum Veneris,
Ireos ana drachmas quatuor,
Dactylorum drachmas triginta quinque,
Amygdalarum amararum drachmas tres,
Mellis Paſſularum,
Sacchari albi,
Butyri recentis ana uncias quatuor,
Mellis optimi libras tres, uncias duas.

Terenda terantur, & incidenda minutiſſimè incidantur, ac melle excipiantur.

Modus confectionis hic eſt, ut Gummi & Tragacanthum diu macerentur in libris tribus aquæ Capillorum Veneris, donec prorſus molleſcant; deinde cribro ſetaceo transmittantur, & libris duabus mellis optimi miſceantur ad lentum ignem, ac rudiculâ ligneâ diu moveantur, poſtea ei inſpergantur pulveres tenuiſſimi radi-
cum

cum Iridis, Capillorum Veneris, Glycyrrhizæ, Sacchari & Amyli, & optimè miſceantur. Demum utrumque Gummi miſſum in melli Paſſularum, in quo priùs fuerit diſſolutus ſuccus Glycyrrhizæ, vaſe ab igne depoſito addatur, & diutiùs omnia agitentur, donec uniatur, addito Butyro recenti, ſi ſtatim eo utendum ſit; ſin verò diutiùs fuerit aſſervandum, paretur abſque Butyro, ne rancedinem contrahat.

D*iuturnæ tuſſi, difficultati ſpirandi, & aſthmati ſuccurrit, humores in thorace craſſos incidit & attenuat, ſenibus maximè familiare; peripneumoniam quoque ac pleuritidem, inclinante jam febre, juvat.*

PRo Melle Paſſularum aliqui Sapam non ineptè ſubſtituunt.

ANIMADVERSIONES

In Lohoch Paſſularum, & Lohoch de Pino Meſuæ.

L*ohoch Paſſularum* paretur juxtà modum præſcriptum; De *Lohoch de Pino* ſanè quid inferam, omninò anceps hæreo, & propemodum obſtupeſco, quoties ejus præparationem omni prorſus judicio & ratione carentem mente revolvo, & penſiculatè mecum rumino, quod ipſum etiam prudenti Lectori accidet, ſi ſaltem ingredientia ejuſdem diligenter perlegat relegatque, poſtea etiam modum confectionis, in *Animadverſionibus* ſuper eandem factis fundatum perluſtret. Nam primò, ſi *Gummi Arabicum & Tragacanthum in tribus libris aqua Capillorum Veneris* macerari, & diſſoluta per cribrum ſetaceum transmitti, (quod nil niſi *craſſa* & *viſcida mucilago* erit) nec non *libris duabus mellis* immiſceri debeant, qualis quæſo inde exurget hujus *Lohoch* durabilis conſiſtentia? Secundò, *ſi utrumque Gummi duabus libris mellis* modo commiſtum ſit, & *pulveres tenuiſſimi radicum Iridis, Capillorum Veneris, Glycyrrhizæ, Sacchari* & *Amyli* pariter etiam illis additi & inſperſi ſint, quomodo *Melli Paſſularum*, in quo *ſuccus Liquiritiæ* diſſolutus ſit, ea denuò ſeparatim commiſcere debeo? Et tertiò, rebus hiſce jam unitis, ſcilicet *libris tribus mucilaginis Tragacanthi & Gummi Arabici, duabus libris mellis, & Melle Paſſulato cum ſucco Liquiritiæ, pulvere radic: Ireos, Capillorum Veneris, Glycyrrhizæ, Sacchari & Amylo*, addito etiam *Butyro*, (ubi ſtatim hoc *Lohoch* utendum erit.) quid deinceps faciendum cum *Nucleorum Pineorum unciis tribus drachmis ſex, Amygdalarum dulcium Avellanarum aſſatarum ana unciâ dimidiâ, Dactylorum unciis quatuor drachmis tribus, Amygdalarum amararum drachmis tribus, & reliquâ librâ unâ cum unciis duabus mellis?* Sunt ne hæc omnia omittenda, vel in qua forma addenda? Verùm ne diutiùs in his nugis ventilandis te-

ram tempus, utpotè quæ multum chartæ & temporis requirerent, ſi accuratiùs excutiendæ eſſent, addam aliam rationi magis congruam, & quodammodò concinniorem (quantum in hac *ſpecierum farragine* fieri poterit,) præparationem. Utpotè

℞. *Dactylorum* ℥ *iv*, ʒ *iij*,
Glycyrrhizæ.
Herbæ Capillorum Veneris ana ℥ ß;
Aquæ ſimpl. q. ſ.

Fiat *decoctio ad* ℔ j ß circiter; *Decoctum colatum* clarificetur, & in *colatura hujus clarificata unciâ unâ*, diſſolve ad pultis formam,
Succi Glycyrrhizæ ℥ ß,

Tum etiam in *prædicti decocti unciis duabus* vel *tribus* diſſolve
Pulv. Tragacanthi,
Gummi Arabici ana ℥ ß, ſimiliter ad conſiſtentiam pultis.

Jam

℞. *Nucleor: Pineorum* ℥ *iij*, ʒ *vj*,
Amygdalarum dulcium excort.
Avellanarum aſſat. ana ℥ ß,
Amygdalarum amar. ʒ *iij.*

Contundantur diù multumque in mortario cum *prædicto ſuperiori decocto*, ut potior pars illorum cum ℥ *vij* vel *viij decocti*, per ſetaceum cogi vel transmitti queat, in qua *emulſione* ſupra ignem diſſolve *ſacchari albi* ℥ *iv*, quibus adde *ſuccum Glycyrrhizæ diſſolutum* ſuperiùs, item *Gummi Arabici* & *Tragacanthi mucilaginem*; nec non
Pulveris Ireos,
Amyli ana ℥ ß:

Ac omnibus exactè permiſtis (ne grumi à *mucilagine* remaneant,) junge tandem
Mellis Paſſularum ℥ *iv*,
Mellis ſimpl. opt. clarificati & craſſi ℔ *iij*, ℥ *ij*,

Fiatque *Lohoch.* Quod ipſum, ſi libet, etiam alio modo confici poteſt, ſcilicet ex *Dactylis* priùs cum *aquâ* vel *decocto* parando *pulpam*, quæ ita in ſubſtantia *Lohoch huic* addatur; vel etiam cum *decocto ſuperiori* in paulò majori quantitate facto, *mel* coquatur & clarificetur, quibus tum reliquæ *ſpecies* admiſceantur.

LOHOCH E PORTVLACA.

℞. Succi Portulacæ libras duas,
Trochiſc. de Terra Lemnia drachmas duas,
de Charabe,

Gummi

Gummi Arabici,
Sanguinis Draconis ana drachmam unam,
Lapidis Hæmatitis,
Pilorum Leporis uſtorum ana ſcrupulos duos,
Sacchari albi libram unam.
Fiat Lohoch, ut eſt artis.

Sputum ſanguinis cohibet; ac ruptis opitulatur pulmonibus: exeſa vaſa cruorem fundentia glutinat, & anhelitûs vias ab exulceratione tutas reddit.

LOHOCH E PULMONE VULPIS MESUÆ.

℞. Pulmonis Vulpis ſiccati & præparati,
Succi Glycyrrhizæ,
Capillorum Veneris,
Sem. Aniſi,
Fœniculi ana unciam unam,
Sacchari clarificati uncias quindecim.

Omnia trita tenuiſſimè Sacchuro excipiantur, & ad debitam formam redigantur.

Edicamentum hoc ex Meſue Cap. de Phthiſi *deſumptum, prodeſt magnoperè tabidis, conſumptis, ac ulceratos pulmones habentibus. Ejus loco aliqui ſolum pulverem Pulmonis Vulpini cum Sacchoro roſato exhibent.*

Pulmo recens ex Vulpe juvene venatu capta, ſanguine, venis & arteriis purgatur, vino albo odorato tepido ſæpè abluitur, in clibano ſiccatur, exſiccatus pulvere Abſinthii reponitur.

ANIMADVERSIONES

In Lohoch de Portulaca, & de Pulmone Vulpis.

In hiſce *Lohoch*, quod ſingulariter moneam, non invenio; Quoad *Lohoch de pulmone Vulpis*, qualis *liquor* & quantum de ipſo pro diſſolutione *Sacchari* addi debeat, quilibet peritus Pharmacopœus facilè nôrit, & quidem ſi pro diſſolutione *Sacchari albi* ℥ *xvj*, *octo uncias aquæ Aniſi* addiderit, meo judicio, non aberrabit.

LOHOCH SANUM ET EXPERTUM.

℞. Cinamomi,
Hyſſopi,
Glycyrrhizæ ana drachmas quatuor,

Jujub.
Sebeſt. ana numero triginta,
Paſſularum enucleatarum,
Ficuum ſiccarum,
Dactylorum pinguium ana uncias duas,
Capillorum Veneris manipulum unum,
Fœnugræci drachm. quinque,
Sem. Lini,
Aniſi,
Fœniculi,
Ireos,
Calaminthæ ana drachmas quatuor.

Coquantur omnia in libris quatuor aquæ puriſſimæ ad medietatis conſumptionem: colaturæ expreſſæ adde
Penidiorum libras duas.

Coquantur ad perfectionem; poſtea inſperge ſubſequentia minutiſſimè inciſa, & contuſa,
Pinearum mundatarum drachmas quinque,
Amygdalorum dulcium,
Glycyrrhizæ,
Tragacanthi,
Gummi Arabici,
Amyli ana drachmas tres,
Ireos drachmas duas.

Miſceantur, ſubiganturque omnia celerrimè, donec albeſcat medicamentum.

Tuſſi, vocis aſperitati & raucedini à frigiditate nata, auxilio eſt; craſſos itidem in thorace & pulmone humores incidit, & extenuat; morbis tamen calidioribus, ut & tuſſi calidæ ſuſpectum.

LOHOCH E SUCCO SCILLÆ

Galeni.

℞. Succi Scillæ diebus canicularibus excepti libram unam,
Mellis libram unam ſemis,
Coque ad formam Lohoch.

Incidit, tenuat, & expulſioni apparat materiam craſſam, quæ thoracis cavo continetur, veterem tuſſim cum ſuſpirio ſanat, ſuppuratis, aſthmaticis, difficulter ſpirantibus in magna puris & lentæ pituitæ copiâ, ſpiritus vias opprimente, ſuccurrit, promptéque hujuſmodi obſtructa liberat, ſenibus perpetuò ejuſmodi morbis conflictatis valdè neceſſarium.

SCillas plenas ac nitidas cultello eburneo in partes incidito, ejuſque laminas puriores in mortario lapideo contuſas exprimito, ac utitor.

Galeni *deſcriptio à* Meſue *non differt, niſi quod* Meſue *ſucci Scilla, & mellis ana partes aquales ponit.*

LOHOCH E SCILLA COMPOSITUM MESUE, Aliis, LOHOCH AD ASTHMA.

℞. Scillæ præparatæ drachmas quatuor,
Marrubii,
Hyſſopi ana drachmam unam,
Iridis drachmas duas,
Myrrhæ,
Croci ana drachmam ſemis,
Mellis quantum ſufficit,
Fiat Lohoch.

P*Radicta omnia valentius praſtat; anhelam tuſſim ac ſenum levat ſuſpiria; pectus à frigida, craſſa, tenaci & impacta iis locis pituita potenter expurgat.*

CUm varia Linctuum genera ab Autoribus paſſim deſcripta legantur, nos uſitatiores ſolùm formulas appoſuimus: Unde Lohoch de Braſio Pauli, itemque Lohoch de Pſyllio Tragacantho, ſemine Lini, Fœnugræci, & alia mucilagines recipientia, utpote quorum uſus ferè evaluit, ſtudioſè prætermiſimus.

ANIMADVERSIONES In Lohoch ſanum, & expertum: De Succo Scilla, & de Scilla compoſitum.

SCio quòd Pharmacopœi multùm ſe torqueant, ut ad mentem Authorum ori & oculis gratum *Lohoch*, ex præſcripta *Lohoch ſani compoſitione* efficiant, præſertim cùm illud plurimis in locis in frequenti uſu ſit. Ea propter nonnulli ad gratiam & candorem huic medicamento conciliandum, *ſpecies alioquin decoctioni deſtinatas, affuſa aqua ſ. q. deſtillant; cum aqua deſtillatione protecta, ex Pineis & Amygdalis emulſionem* conficiunt, inque ea *ſaccharum* diſſolvunt, & tandem reliquos addunt *pulveres*. Per me quidem liceret, ut & deinceps ſimili ratione conficeretur, licet de *fructibus*, utpotè *Jujubis, Sebeſten, Paſſulis, Ficubus, Dactylis*, nil quicquam in deſtillatione virtutis proliciatur. Neque tamen ſi *decoctum* pararent, minorem imò majorem etiam ſubtiliorum & ſpirituoſorum partium, vide-

videlicet *Cinamomi*, *Hyſſopi*, *ſeminum Aniſi* & *Fœniculi*, *radicum Ireos*, *Calamintha*, faciunt jacturam, ac inſuper etiam *Lohoch* ingratum conficiunt ex *decocto illo mucilaginoſo*, quale efficiunt *ſemen Fœnugræci*, *Lini*, *Sebeſten*, &c. Igitur ex duobus malis minùs eligendum eſſe exiſtimo; Ut *Lohoch ingrato & mucilaginoſo*, *partibus ſubtilioribus aromatum deſtituto* contenti ſint, vel *magis delicatum*, *fragrans oculis*, *& ori gratum*, *mucilagine tamen & viribus prædictorum fructuum deſtitutum* efficiant & acquirant *medicamen*. Hoc ſi arridebit, non neceſſum erit, ut *dicti fructus*, deſtillationi inutiliter committantur, ſed ſine illis *exiguâ quantitate aquæ* affusâ (℔ *j* circiter, vel ℥ *xv*) deſtillationem inſtituere præſtabit. Cæterum, *Lohoch* è *ſucco Scillæ*, & de *Scilla compoſitum*, poſſunt ſecundùm artem & Pharmacopœorum judicium præparari.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS XI.

Continens

CONFECTIONUM Seu SPECIERUM AROMATICARUM FORMULAS.

HUic Claſſi confectionum aromaticarum *plures & diverſæ ſpeciei*, *formæ aut conſiſtentiæ* compoſitiones *inſertæ ſunt*: *Etenim ſub nomine* confectionum pulverum, *ſive* ſpecierum aromaticarum, *ex diverſis & multifariis ingredientibus conflatarum*, *magna hic adeſt medicinarum ubertas*. Species aromaticas *dictas*, *ſequuntur* Morſelli, confectiones *ſcilicet in forma oblonga & quadrata*; *Item* Rotulæ, *ut* Tabulæ *in forma orbiculari*, *quæ ipſa* confectiones *maximè familiares & communes ſunt*, *ac ex omnibus præcedentibus*, pulveribus *ſive* ſpeciebus, *addito* ſaccharo *in debita quantitate* (librâ unâ videlicet ſacchari ad unciam unam communiter, vel unciam unam cum dimidia, aut uncias duas ſpecierum prædictarum) *confici poſſunt*, *prout etiam* Electuaria, *ſi* mellis *vel* ſacchari duplum vel triplum *in debita conſiſtentia addas*. *Poſt hac* Paſtæ Regiæ, *ſive* Panis

Marcius: Pignolatæ *itidem*, Morſelli, *grandiores ſcilicet : Item* ſpecies inciſæ & groſſæ, *ac* Trageæ aromaticæ *in forma etiam* pulveris. *Et ultimò demum* confectiones *propriè dicta* ſeminum, fructuum, radicum, corticum ac aromatum ſacchato obductorum: *Quæ cuncta ad delectum & ſaporis gratiam adinventa ſunt, ex quibus tùm Medicus, tùm Patiens ipſe, eligere poſſunt, quæ maximè arrident, & in uſu ſunt.*

AROMATICUM CARYOPHYLLATUM MESUE.

℞. Caryophyllorum drachmas ſeptem,
Macis.
Zedoariæ,
Galangæ,
Santali Citrini,
Trochiſcorum Diarhodon,
Cinamomi,
Ligni Aloës,
Spicæ Nardi Indicæ,
Piperis longi,
Cardamomi ana drachmam unam,
Roſarum rubearum drachmas quatuor,
Galliæ Moſchatæ veræ,
Glycyrrhizæ ana drachmas duas,
Folii, aut Macis,
Cubebarum ana ſcrupulos duos,
Ambræ drachmam unam,
Moſchi ſcrupulum ſemis.

Cor, ventriculum, & reliqua nutritionis membra roborat: nauſeam & vomitum reprimit, flatus diſſipat, putredinem humorum in ventriculo arcet, ac infirmæ concoctioni opitulatur.

Notandum, Confectiones has aromaticas, Ambram, & Moſchum, ac Galliam, vel etiam Camphoram recipientes, etiam ſine his odoratis in uſum mulierum, quæ uterinis ſuffocationibus obnoxiæ ſunt, ac fragrantiam vel odorem horum medicamentorum non ferunt, commodè parari poſſe, ſicque in Officinis noſtris dupliciter, completas nimirùm & incompletas, extare debere.

Quod ſi quis ex his confectionem in formâ ſolidâ parare voluerit, ad ſingulas drachmas ſpecierum pro earundem conditione (cùm aliæ plùs, aliæ minùs ſacchari exigant) ſacchari optimi unciam unam, vel drachmas decem adjiciat, paretque ut artis eſt: quam regulam pro ſpeciebus in univerſum notandam ſubjecimus.

AROMATICUM ROSATUM GABRIELIS.

℞. Roſarum rubearum drachmas quindecim,
Glycyrrhizæ raſæ drachmas ſeptem,
Ligni Aloës,
Santali Citrini ana drachmas tres,
Cinamomi electi drachmas quinque.
Caryophyllorum,
Macis ana drachmas duas ſemis,
Gummi Arabici,
Tragacanthi ana drachmas duas, ſcrupulos duos,
Nucis Moſchatæ,
Cardamomi minoris,
Galangæ ana drachmam unam,
Spicæ Indicæ,
Ambræ cineritiæ ana ſcrupulos duos,
Moſchi ſcrupulum unum.

FRequentiſſimus ejus uſus in magno humidorum excrementorum ventriculi proventu, coctionem juvat, putredinem prohibet, ſtomachi mollitiem corrigit, imbecillitatem firmat, ventrem inferiorem totum, & nutritionis inſtrumenta roborat, ventriculum diſtendentes flatus diſſipat, appetentiam collapſam excitat, nauſeam ſedat, & ſtomachicis mirum in modum confert: convaleſcentes inſuper ac è diuturno morbo emergentes plurimum recreat.

DIAMBRA MESUE.

℞. Cinamomi,
Doronici,
Caryophyllorum.
Macis,
Nucis Moſchatæ,
Folii, aut Caſſiæ ligneæ,
Galangæ ana drachmas tres,
Spicæ Indicæ,
Cardamomi majoris,
Minoris ana drachmam unam,
Zingiberis drachmam unam ſemis,
Ligni Aloës,
Santali Citrini,
Piperis longi ana drachmas duas,
Ambræ drachmam unam,
Moſchi drachmam ſemis.

Ad omnem corporis imbecillitatem & noxam à frigida cauſa efficax eſt, viſcera omnia calefacit & roborat, frigidoque ſopita reficit ac recreat: vertiginem abolet, cerebri humiditates abſumit, ſpiritus cùm vitales, tùm animales adauget, & concoctionem adjuvat; affectibus item uterinis ex frigida & humida intemperie natis prodeſt, ſenibus ob id & mulieribus ſalubre medicamentum.

Nonnulli pro folio Nardum Celticam ſubſtituunt.

DIANISU MESUE.

℞. Sem. Aniſi uncias duas ſemis,
Glycyrrhizæ raſæ,
Maſtiches ana unciam unam,
Sem. Carui,
Fœniculi,
Galangæ,
Macis,
Zingiberis,
Cinamomi ana drachmas quinque,
Trium Piperum,
Caſſiæ ligneæ veræ,
Pyrethri,
Calaminthæ ana drachmas duas,
Cardamomi,
Caryophyllorum,
Cubebarum,
Spicæ Indicæ,
Croci ana drachmam unam ſemis.

Ventriculo frigido & humido ſuccurrit, ac cruditates à lenta pituita natas abſumit: flatus quoque craſſos in ventre collectos diſſipat, quin etiam pectus à tenacibus humoribus repurgat, ac ob id diuturnæ tuſſi medetur.

SPECIES CONTRA APOPLEXIAM.

℞. Succini albi drachmam unam ſemis,
Margaritarum,
Smaragdi ana drachmas duas,
Ligni Aloës,
Cornu Cervi præparati,
Rad. Pæoniæ ana drachmam unam,
Corr. Citri drachmam ſemis,

Sem.

Sem. ejuſdem ſcrupulum unum,
Ambræ veræ ſcrupulum ſemis,
Moſchi Alexandrini grana quinque,
Tabulati de Extracto Ligni Aloës,
Manus Chriſti perlatæ cum oleo Cina. ana unc. unam ſemis.
Redigantur in pollinem.

Animalis vitaliſquè facultatis robur eximiè tuentur ac reficiunt, unde diuturnis capitis affectibus, præſertim frigidis opitulantur; ſpiritus redintegrant, obſtructiones meatuum cerebri recludunt, vertiginem auferunt, ac paroxyſmos tàm epilepticos, quàm apoplecticos antevertunt; ſenibus ac infirmam ætatem degentibus familiare & conſuetum medicamentum.

Aliàs legebantur Sacchari albiſſimi unciæ tres, pro quibus Tabulata Manus Chriſti perlat. cum Oleo Cinamomi, & id quod ex Agallochi Extracto parari conſuevit, æquali pondere ad medicamenti vim ac efficaciam augendam, ſubſtituenda cenſuimus.

DIANTHON NICOLAI.

℞. Florum Roriſmarini unciam unam,
Roſarum,
Violarum,
Glycyrrhizæ ana drachmas ſex,
Caryophyllorum,
Spicæ Indicæ,
Nucis Moſchatæ,
Galangæ,
Cinamomi,
Zingiberis,
Zedoariæ,
Macis,
Ligni Aloës,
Cardamomi,
Sem. Anethi,
Aniſi ana ſcrupulos quatuor.

Præter rationem triſtibus ſubvenit, animo enim lætitiam auget, item cardiacis, elephantiacis, animi defectionibus, & cordis ſyncopi auxilio eſt; prodeſt etiam deſtillatione affectis, & in univerſum omni cordis ac corporis imbecillitati.

DIACALAMINTHES MESUE.

℞. Calaminthæ fluviatilis, ſeu Mentaſtri,
Campeſtris,

 Seſe-

Seſeleos, id eſt, Sileris montani,
Petroſelini Macedonici,
Liguſtici ana drachmas ſex,
Zingiberis drachmas tres,
Sem. Apii,
Comarum Thymi ana drachmas duas,
Piperis nigri unciam unam ſemis.

T Enaces & viſcidos humores attenuat, flatus craſſos diſsipat, indeque natum ſingultum ſolvit: coctionem, & alimenti in corpus diſtributionem juvat, affectus ventris frigidos ſanat, & urinam ac menſes promovet.

C Alamintha Campeſtris, Germanis dicitur, wilde Feld oder Kornmüntz.

DIACALAMINTHES GALENI.

℞. Piperis uncias ſex,
Cardamomi uncias duas,
Cacuminum Thymi,
Semen Apii ana unciam ſemis,
Seſeleos Maſſilienſis,
Pulegii montani,
Sem Petroſelini Macedonici,
Calaminthæ montanæ ana drachmas duas.

F *Amoſum* hoc Galeni *medicamentum (quo potiùs, quàm eo, quod ſecundum* Meſue *deſcriptionem paratur, utimur) deſcribitur ab Auctore* lib. 4. de tuenda valetudine, *quo is utebatur in ulceroſo ſenſu, cùm crudorum ſuccorum copia extra venas in corporis habitu recepta erat: utile enim eſt medicamentum ad thoracis & ſtomachi vitia, tuſsim à frigido excitatam, ac præcordiorum & pectoris refrigerationem, ſenibus & quartanariis confert, difficulter coquentes adjuvat, craſſos & lentos humores tenuat, flatus craſſos diſcutit, urinam ac menſes movet, qui præcipuè ex vaſorum a craſsis & lentis humoribus ortâ obſtructione retinentur.*

DIACINAMOMU MESUE.

℞. Cinamomi tenuis drachm. quindecim,
Caſſiæ ligneæ,
Rad. Enulæ ana unciam ſemis,
Galangæ drachmas ſeptem,
Caryophyllorum,
Piperis longi,
Zingiberis,
Cardamomi utriusque,

Macis,

Macis,
Nucis Moſchatæ,
Ligni Aloës ana drachmas tres,
Croci drachmam unam,
Sacchari Tabarzeth drachmas quinque.

Concoctionem juvat, pituita putredinem prohibet, ac alimenti in corpus diſtributionem promovet.

Nonnulli compoſitioni huic Moſchi ſcrupulos duos addunt: nos verò ſic eam hucuſque ſine Moſcho parare conſuevimus, ut qui pro cujuſlibet Medici arbitrio quovis tempore adjici queat.

CONFECTIO CORDIALIS

Alexandri Benedicti.

℞. Margaritarum,
Granatorum Orientalium,
Spodii de Ebore,
Cinamomi,
Tormentillæ,
Boli Armen. ana drachmas tres,
Terræ Lemniæ ſcrupulos octo,
Santalorum omnium,
Raſuræ Eboris,
Unicornu ana drachmas duas,
Hyacinthi,
Saphyri,
Corallii utriusque,
Charabe, ſeu Succini albi,
Valerianæ veræ,
Dictamni,
Zedoariæ,
Ligni Aloës ana drachmam unam,
Serici crudi toſti ſcrupulos duos,
Oſſis de corde Cervi drachmam ſemis,
Been utriusque ana ſcrupulos duos,
Fol. Auri num. quinque,
Ambræ,
Moſchi ana grana decem.

Febribus peſtilentibus & malignis adverſatur, humores putreſcentes corrigit, aut eos corrumpi prohibet: ſpiritus vitales plurimum reficit, ac cordis vires tuetur, unde etiam nomen confectionis Cordialis obtinuit, ut quæ omnem penè noxam cordi adverſam disjiciat & expellat.

PRo Unicornu duplum hic pondus Cornu Cervini uſti & præparati ex Apicibus deſumpti; pro oſſe verò de Corde Cervi, ſicut in aliis quoque ejuſmodi compoſitionibus, Margaritas præparatas ſubſtituimus.

SPECIES CORDIALES
TEMPERATAE.

℞. Ligni Aloës,
Spodii ex Ebore ana drachmam unam,
Cinamomi,
Caryophyllorum,
Oſſis de Corde Cervi,
Doronici,
Beën utriusque ana drachmam unam ſemis,
Margaritarum drachmas ſex,
Serici crudi toſti,
Corall. rubeorum,
Alborum ana drachmas duas,
Hyacinthi,
Smaragdi,
Saphyri ana drachmam ſemis,
Croci ſcrupulum unum,
Ambræ,
Moſchi ana drachmam ſemis,
Fol. Auri,
Argenti ana numero decem.

C*Orroborant, animi deliquio medicantur, nec non in peſtilente lue commendantur.*

NOs Auguſtani pro Corallio albo rubeum ſemper ſubrogamus, cùm adulteratio in iſto facilè committi poſſit, ob Oſtracodermorum quorundam ſimilitudinem, quam rubrum Corallium non admittit.

DIACVMINVM NICOLAI.

℞. Cumini priùs per diem naturalem in aceto infuſi, & rurſus exiccati, unciam unam, ſcrupulum unum.
Cinamomi,
Caryophyllorum ana drachmas tres, ſcrupulos duos,
Galangæ,
Thymbræ ſeu Satureiæ,
Calaminthæ,
Zingiberis,

Piperis

Piperis nigri ana drachmam unam, ſcrupulos duos,
Ammeos,
Liguſtici ana drachmam unam, ſcrupulum unum, grana ſex,
Piperis longi drachmam unam,
Spicæ,
Nucis Moſchatæ,
Cardamomi ana ſcrupulos duos ſemis.

THoracis, præcordiorum, ventriculi & viſcerum imbecillitati à frigida cauſa nata, ac oxyregmia opitulatur, ſtomachicis convenit, inteſtinorum flatus diſſipat, hypochondriorum diſtenſionem à nimia cruditate & flatibus profectum aufert; viſcera calefacit, & concoctionem mirè juvat, arteriacis itidem, difficultati ſpirandi, & tuſſi ex frigidis craſſiſque humoribus orta, auxilio eſt. nec non [illegible]acis, colicis, & quartanariis plurimùm prodeſt.

DIACURCUMA MESUE,

Seu DIACROCU.

℞. Croci,
Aſari,
Sem. Petroſelini Macedonici,
Dauci,
Aniſi,
Apii ana unciam ſemis,
Rhabarbari,
Meu,
Phu, ſeu Valerianæ majoris,
Spicæ Indicæ ana drachmas ſex,
Scolopendrii, ſeu Ceterach drachmas duas ſemis,
Coſti,
Myrrhæ,
Caſſiæ ligneæ,
Schœnanthi,
Carpobalſami, ſeu Cardamomi minoris,
Rubiæ,
Succi Abſinthii,
Eupatorii Meſuę, ſeu Agerati,
Olei Caryophyllorum ana drachmas duas,
Calami Aromatici,
Cinamomi ana drachmam unam ſemis,
Scordii veri,
Succi Glycyrrhizæ ana drachmas duas ſemis,
Tragacanthi drachmam unam.

Medi.

Digitized by Google

Medicamentum hoc, quod nonnullis διὰ κρόκου, aliis, διὰ ἐρυθροδάνου inſcribitur, viſcerum internorum, ventriculi nempe, hepatis & lienis morbis frigidis ac diuturnis ſubvenit. Vſurpatur ad cachexiam & hydropem; obſtructiones enim internas reſerat colorem corporis fœdum & totum ejus habitum frigidiorem corrigit, frigidam item & humidam ſtomachi intemperiem emendat, flatus craſſos diſſipat, humorumque corruptionem prohibet, renum quoque vitiis ab obſtructione craſſorum & viſcidorum humorum natis, opem fert, urinam prolicit, ac frigidis veſicæ affectibus medetur.

NOtandum, in compoſitione hac pro radicibus Meu radices Angelicæ aut Oſtrutii, pro Phu radices Valerianæ, pro Carpobalſamo Cubebas, Cardamomum, aut grana Juniperi, pro Opobalſamo Oleum Caryophyllorum, rectè ſubſtitui poſſe.

DIOSPOLITICON GALENI.

℞. Cumini aceto macerati & toſti,
Piperis longi vel nigri,
Fol. Rutæ ſiccat. ana unciam unam,
Nitri unciam ſemis, vel æquale cum reliquis pondus, ſi movere ventrem velis.

Medicamentum hoc à Dioſpoli Ægypti oppido denominationem ſortitum, deſcribitur à Galeno *δι' ὑγιεινῶν ι. Flatus potenter diſſipat, & ventriculo infarctam pituitam efficaciter detergit.*

CUminum pridie macerari aceto acerrimo debet, & in vaſe fictili probè cocto frigi, deinde tundi.

ELECTUARIUM DUCIS EX NICOLAO.

℞. Sem. Aniſi drachmas duas, grana ſedecim,
Glycyrrhizæ,
Maſtiches ana ſcrupulos duos, grana quinque,
Chamædryos.
Cinamomi,
Zingiberis albi,
Galangæ,
Sem. Fœniculi,
Carui ana ſcrupulum unum, grana quindecim,
Caſſiæ ligneæ,
Calaminthæ,
Pyrethri,
Piperis albi,

Longi,

Digitized by Google

Longi,
Cyperi rotundi,
Schœnanthi,
Rad. Ireos,
Folii,
Aſari,
Sem. Dauci,
Amomi ana ſcrupulum unum,
Spicæ Indicæ,
Croci,
Gummi Arabici,
Tragacanthi,
Calami Aromatici,
Cubebarum,
Caryophyllorum,
Carpobalſami,
Cardamomi,
Baccarum Juniperi,
Rad. Pentaphylli,
Acori,
Rhabarbari,
Nucis Moſchatæ,
Xyloaloës,
Baſilici Caryophyllati,
Sem. Anethi,
Liguſtici,
Petroſelini Macedonici & noſtratis,
Seſeleos,
Aſparagi,
Citri.
Ammeos,
Milii Solis,
Saxifragiæ, ſeu Pimpinellæ,
Scariolæ,
Nucleorum quatuor ſeminum frigid. majorum,
Beën utriusque,
Styracis Calamitæ ana ſcrupulum ſemis, grana quinque,
Penidiorum drachmas quatuor, ſcrupulos duos ſemis,

Cruditatem, inflationemque ventriculi & inteſtinorum corrigit, colicos etiam, ac iliacos curat; præterea calculos elidit, & urinam remorantem potenter promovet.

Aliam compoſitionem habet Rhaſis, quam Cantharides ingrediuntur, Vide *Fumanellum de urin. difficult. fol.* 190.

DIAGALANGA MESUE.

℞. Galangæ,
Ligni Aloës ana drachmas ſex,
Caryophyllorum,
Macis,
Liguſtici ana drachmas duas,
Zingiberis,
Piperis longi,
Albi,
Cinamomi,
Calami Aromatici ana drachmam unam ſemis.
Calaminthæ ſiccæ,
Menthæ ſiccæ,
Cardamomi majoris,
Spicæ Indicæ,
Sem. Apii,
Aniſi,
Fœniculi,
Carui ana drachmam unam.

VEntriculi & jecoris intemperiem frigidam ſanat, ob id coctionem juvat, ructus acidos compeſcit, flatus craſſos, atque ab eis natas inflationes diſſipat, oris halitum commendat, ac ejuſdem fœtorem gigni vetat.

PRo Liguſtico Cardamomum minus odoris gratiâ hîc ſubſtituitur.

ELECTVARIUM DE GEMMIS
CALIDUM MESUE.

℞. Trochiſcorum Diarhodon,
Ligni Aloës ana drachmas quinque,
Margaritarum albarum,
Zedoariæ,
Doronici,
Corticum Citri,
Macis,
Sem. Ocymi Caryophyllati,
Ambræ veræ ana drachmas duas,
Corallii rubri,
Succini albi,
Raſuræ Eboris ana ſcrupulos quinque,
Saphyri,

Hyacin-

Hyacinthi,
Sardæ,
Granatorum,
Smaragdi, aut Turchitis,
Cinamomi,
Galangæ,
Zurumbeth (id eſt, Zedoariæ rotundæ) ana drachmam unam ſemis,
Beën utriusque,
Caryophyllorum,
Zingiberis,
Piperis longi,
Spicæ Indicæ,
Folii,
Croci,
Cardamomi majoris ana drachmam unam,
Foliorum Auri numero viginti,
Argenti numero decem,
Moſchi drachmam ſemis.

AD frigidos affectus cerebri, cordis, ventriculi, hepatis, & uteri efficaciſsimum, melancholicos, triſtes ſine cauſa manifeſta timidos, ſolitarios juvat, exhilarat, ac ad mores probos invitat: cordis tremorem & ſyncopen emendat, ventriculum à frigida intemperie imbecillum roborat, & coctione cùm ejuſdem, tùm hepatis meliore reddità, corpus εὔχυμον præſtat, univerſi habitus refrigerationem corrigit, imbecillitatem reficit, hypothymias & uteri præfocationes ſanat.

NOta hic in Smaragdi defectu Turchitem ſumi poſſe, cùm apud *Meſuen* legatur Peruzegi, quo nomine Turchitem aliqui ſignificari volunt.

Probantur Saphyri, & Smaragdi, qui in ignem conjecti flammam non edunt; alii enim illegitimi ſunt, & ex argenti fodinis eruuntur crudiores, Sulphuris aut alterius cujuſdam mineralis haud quaquam nobilis naturam ſapientes. Vide Prolegomena.

ELECTUARIUM DE GEMMIS FRIGIDUM.

℞. Margaritarum præpar. drachmas tres,
Spodii de Ebore,
Raſuræ Eboris,
Corallii utriusque ana drachmas duas,
Flor. Roſarum rubrarum drachmam unam ſemis,

Hyacin-

Hyacinthi,
Smaragdi,
Saphyri,
Sardæ,
Granati,
Santali albi,
Rubri,
Citrini,
Florum Borraginis,
Bugloſſi,
Sem. Acetoſæ,
Baſiliconis,
Beën utriusque ana drachmam unam,
Oſſis de corde Cervi drachmam ſemis,
Fol. Auri,
Argenti ana numero quindecim.

MAgnis febrium inflammationibus confert, ac jecineroſis prodeſt; inſuper appetentia dejecta, ſyncopi, cordis palpitationi, tuſſiculoſis & aſthmaticis auxiliatur.

CONFECTIO DE HYACINTHO.

℞. Hyacinthi præparati,
Corallii rubri,
Boli Armen. Orientalis,
Terræ ſigillatæ ana drachmam unam ſemis,
Granorum Chermes,
Rad. Tormentillæ,
Dictamni albi,
Sem. Citri mundati,
Acetoſæ,
Portulacæ,
Croci,
Myrrhæ,
Roſarum rubearum,
Santalorum omnium,
Oſſis de corde Cervi,
Cornu Cervi uſti,
Raſuræ Eboris ana ſcrupulos quatuor,
Saphyri,
Smaragdi,
Topazii,
Margaritarum,

Serici crudi toſti ana ſcrupulos duos,
Folia Auri numero viginti,
Argenti numero decem,
Ambræ veræ,
Moſchi ana ſcrupulum unum,
Camphoræ grana quinque.

Opitulatur cardiacis & lypothymias patientibus, viribus exſolutos ſibi ipſis reſtituit; ſyncopas arcet, animi defectiones ſanat, peſtiferos morbos præcavet, eoſdemque jam factos expellit, putredinem humorum corrigit, ac in malignis febribus, cor à tetrarum fuliginum & pravorum vaporum inſultu tuetur.

Compoſitio hæc longè alia eſt, quàm quæ in luminari majore ex *Avicenna* deſumpta proſtat. Nos hanc communi alioquin voce celebratam ex *Iouberti Animadverſionibus* ſic reſtituimus; apud quem alia quoque deſcriptio legitur in *Pharmacop. Sect. tertia de conf. Alcher. mollis:* itemque alia in *Tract. ejuſdem de Peſte*, capite ultimo.

Notandum, in defectu Topazii, Smaragdi, aut Saphyri, ſubſtitui commodiſſimè hic poſſe Hyacinthos præparatos ex mente ejuſdem Jouberti: *Præterea nobis folia Auri numero viginti, Argenti verò decem ſufficere videntur, cùm tamen ille ana ſcrupulos duos poſuiſſet. Quod idem etiam ſupra in* Electuario de Gemmis calido *obſervavimus.*

Servatur hæc Confectio partim ſub forma pulveris, ſpecies exactè tritas confusè miſcendo, partim etiam Electuarii mollis conſiſtentiâ, exceptis nimirum pulveribus Syrup. de Limonibus, aut Julep roſati ſufficienti quantitate, & ad formam Opiatæ permixtis.

DIAHYSSOPU NICOLAI.

℞. Hyſſopi,
Ireos,
Thymi,
Piperis ana drachmas quindecim,
Pulegii,
Thymbræ, ſeu Satureiæ,
Rutæ,
Cumini ana drachmas decem,
Carnium Dactylorum,
Glycyrrhizæ,
Caricarum.
Paſſular. major. enucleatar.
Fœniculi ana drachmas quinque,
Zingiberis,

Sem. Aniſi,
Carui,
Liguſtici ana drachmas duas ſemis.

Capitis vitiis frigidis conducit; columellam à frigidi humoris procubitu elongatam vel pratumefactam exiccat, arteriam aſperam expurgat, omnia frigida thoracis & ſtomachi vitia emendat, & coctionem promovet: rariſsimè tamen in uſum venit.

Tragacanthum per ſe terendum; ſi enim cæteris mixtum teratur, inæqualitatem mixturæ faciet, id in reliquis etiam compoſitionibus obſervandum.

SPECIES IMPERATORIS.

℞. Cinamomi optimi drachmas decem,
Zingiberis unciam unam,
Caryophyllorum unciam ſemis,
Galangæ,
Macis,
Nucis Moſchatæ ana drachmas duas,
Moſchi optimi ſcrupulum ſemis.

Species hæ induntur potiſsimùm Tragematibus, cor & ventriculum frigidum humidum, ac flatulentum confortantibus, aut addito ſaccharo in Morſellos aptantur, qui ad ſtomachi ſegniter cibum concoquentis vires augendas, & ad robur ventriculo conciliandum comparantur.

DIAIRIS SALOMONIS EX
NICOLAO MYREPSO.

℞. Iridis unciam unam,
Pulegii,
Hyſſopi,
Glycyrrhizæ ana drachmas ſex,
Tragacanthi,
Amyli,
Cinamomi,
Zingiberis,
Piperis,
Amygdalorum amarorum,
Nucum Pinearum ana drachmas tres,
Caricarum,
Paſſular. enucleatar.
Carnium Dactylorum ana drachmas tres ſemis,
Styracis Calamitæ rubeæ drachmas duas, ſcrupulum unum.

Fan-

F*aucibus exaſperatis, & columellæ fluxione tentatæ prodeſt; diſpnoicis item, arteriacis & tuſsiculoſis auxilio eſt, nec non frigidæ capitis intemperiei & deſtillationi in fauces irruenti conducit, ac vocis jacturam frigore contractam reſarcit.*

HÆc compoſitio quia valdè ingrata eſt, parùm frequens eſſe ſolet, cùm ſequentes magis in uſu ſint.

DIAIRIS SIMPLEX.

℞. Ireos unciam ſemis,
Sacchari candi,
Specier. Diatragacanthi frigidi ana drachmas duas.

A*D omnem faucium deſtillationem, idque initio nondum invaleſcente impetu feliciter adhibetur.*

DIAIREOS USITATA.

℞. Specier. Diatragacanthi frigidi unciam unam,
Radicum Ireos uncias duas,
Gummi Arabici,
Tragacanthi ana unciam ſemis.

H*ujus in deſtillationibus ad fauces ac aſperam arteriam ruentibus, præ cæteris crebrior uſus eſſe ſolet, cùm quòd gratior ſit reliquis, tum quòd guttur probè leniat; expectoratum facilitet, nec non acres deſtillationes contemperet.*

ELECTUARIUM JUSTINUM
NICOLAI.

℞. Cinamomi,
Folii,
Coſti,
Spicæ Indicæ,
Caſſiæ ligneæ,
Ariſtolochiæ rotundæ,
Longæ,
Enulæ,
Pentaphylli,
Hyſſopi,
Pulegii,
Artemiſiæ,
Leucopiperis,
Baccarum Juniperi,

 Lauri,

Lauri,
Orobi veri,
Sem. Petroſelini,
Leviſtici,
Oluſatri,
Urticæ,
Milii Solis,
Saxifragiæ,
Aſparagi,
Sileris montani,
Apii,
Anethi,
Rutæ,
Citri,
Fœniculi,
Aniſi ana drachmam unam ſemis.

AD dolorem renum minuendum haud incommodum, calculos atterit, ac urinæ difficultati ſuccurrit.

DE Orobo magna eſt inter doctos controverſia. *Fuchſius* Ciceris nigri ſemen ejus loco ſumendum eſſe arbitratur, ſed id amaritudine caret. Nos Dictamni albi, ſeu Fraxinellæ radices, prout etiam in Trochiſcis ſcilliticis, ſubſtituimus.

DIALACCA MAJOR MESUE.

℞. Laccæ lotæ,
Rhabarbari ana drachmas tres,
Spicæ Indicæ,
Florum & ſtipitum Schœnanthi.
Maſtiches,
Myrrhæ,
Coſti, ſeu Zedoariæ,
Cinamomi,
Croci,
Caſſiæ ligneæ veræ,
Bdellii,
Hyſſopi,
Sabinæ,
Amygdalorum amarorum excorticatoſ.
Succi Abſinthii,
Eupatorii Meſue, id eſt, Agerati,
Rad. Rubiæ tinctorum,
Ariſtolochiæ rotundæ veræ,

Gen-

Gentianæ,
Aſari,
Sem. Ammeos,
Apii,
Fœniculi,
Aniſi ana drachmam unam ſemis,
Piperis nigri,
Zingiberis ana drachmam unam.

Uſurpatur ad ventriculi & jecoris frigidam intemperiem, hepatis obſtructiones, inflationes & duritiet, aqua inter cutem medetur, menſes ciet, ſcirrhum diſſolvit, cachexiam depellit, urinas promovet, renum ac veſicæ durities diſſipat, & calculos atterit.

LAccæ præparatio in fine libri inter reliquas medicamentorum quorundam præparationes requirenda.

LÆTIFICANS GALENI EX NICOLAO PRÆPOSITO.

℞. Sem. Ocymi Caryophyllati, aut florum ejuſdem,
Croci,
Zedoariæ,
Xylobalſami, aut Xyloaloës,
Caryophyllorum,
Corticum Citri,
Galangæ,
Macis,
Nucis Moſchatæ,
Styracis Calamitæ ana drachmas duas ſemis,
Raſuræ Eboris,
Sem. Aniſi,
Thymi Cretici,
Epithymi ana drachmam unam,
Oſſis de corde Cervi, vel Cornu Cervini optimi,
Margaritarum,
Camphoræ,
Moſchi ana drachmam ſemis,
Folia Auri numero quinquaginta,
Argenti numero viginti quinque.

Hæc compoſitio Galeno *quidem falsò adſcripta, ſed magis ex* Nicolai Præpoſiti Antidotario *excerpta, plurimùm valet ad cordis affectus, ejuſque palpitationem, ventriculi & hepatis intemperiem frigidam & humidam corrigit, coctionem adjuvat, &* corpo-

corporis malum habitum emendat, colori gratiam reddens, oris quoque odorem ac halitum gratum efficit: vires debiles inſtaurat, melancholiam ſanat, ac involuntarios fletus compeſcit.

EXemplar habet foliorum Auri & Argenti ana ſcrupulum unum, pro quo notandum, cùm ægrè hæc ponderari queant, nos numerum appoſuiſſe. Quinquaginta enim Auri folia propemodum ponderant ſcrupulum, prout Argenti folia viginti quinque; ſunt enim Auri foliis plus duplo majora.

LÆTIFICANS RHASIS.

℞. Meliſſæ,
Corticum Citri,
Caryophyllorum,
Galliæ Moſchatæ Meſue,
Maſtiches,
Croci,
Cinamomi,
Nucis Moſchatæ,
Cardamomi majoris,
Sem. Pæoniæ,
Beën albi,
  Rubri,
Zedoariæ,
Doronici,
Sem. Ocymi Caryophyllati ana unciam ſemis,
Moſchi ſcrupulum unum,
Folia Auri numero quinquaginta,
  Argenti numero viginti quinque.

D*Eſcribitur à* Rhaſe 9. *ad* Almanſorem, cap. 13, de Melancholia. *Plurimùm verò facit ad affectus cordis, ventriculi & jecoris, quas partes etiam roborat, palpitationem cordis abigit, valenter exhilarat, infirmæ concoctioni opem affert, coloremque corporis vividum efficit.*

HÆc compoſitio priori præfertur, utpote magis jucunda & minùs ſumptuoſa, cui etiam majorum exemplo, folia Auri & Argenti addere voluimus.

CONFECTIO LIBERANTIS
INCERTI AUTHORIS.

℞. Rad. Tormentillæ,
Sem. Acetoſæ,

Endi-

Endiviæ,
Coriandri præparati,
Citri ana drachmam unam ſemis,
Santalorum omnium,
Dictamni albi ana drachmam unam,
Boli Armen. præparatæ,
Terræ Lemniæ ana drachmas duas,
Margaritarum,
Corallii utriusque,
Succini albi,
Raſuræ Eboris,
Spodii ex Ebore, ſeu Eboris uſti,
Oſſis de corde Cervi,
Been utriusque,
Doronici,
Cardamomi,
Cinamomi,
Macis,
Ligni Aloës,
Caſſiæ ligneæ,
Croci,
Zedoariæ ana drachmam ſemis,
Penidii,
Sacchari Candi,
Serici crudi totti pulveriſati,
Smaragdi,
Hyacinthi,
Granati ana ſcrupulos duos,
Florum Nymphææ,
Bugloſſi,
Roſarum ana ſcrupulum unum,
Camphoræ grana ſeptem,
Moſchi,
Ambræ ana grana tria.

EIus uſus multiplex eſt in febribus malignis, ipſaque peſte, cor namque à veneni labe tuetur, præterea ſudores movet, & à peſtilentis luis contagione præſervat, atque etiam liberat. Cordiale planè medicamentum omni ferè naturâ, ætati ac ſexui accommodatum.

ALium Antidotum cordialem ab hoc non ita diverſum, deſcribit *Fuchſius 2. comp. Meditam. ſectione quartâ*, quæ talis eſt;
℞. Dictamni albi,
Zedoariæ,

Herbæ Tunicæ,
Tormentillæ ana unciam ſemis,
Pimpinellæ drachmas tres,
Dictamni Cretenſis,
Scordii,
Trifolii odorati,
Ligni Aloës ana drachmas duas,
Sigilli Lemnii,
Boli Armenæ,
Corticum Citri,
Croci,
Santalorum rubeorum,
Alborum,
Ramentorum Eboris ana drachmam unam,
Corallii utriusque,
Charabe,
Unicornu,
Phu,
Margaritarum,
Granatorum,
Hyacinthorum ana ſcrupulos duos,
Serici toſti,
Antheræ,
Maſtiches ana drachmam ſemis,
Oſſis de corde Cervi ſcrupulum unum,
Moſchi,
Ambræ ana ſcrupulum ſemis.
Fiat Pulvis.

LITHONTRIBON NICOLAI.

℞. Spicæ Indicæ,
Zingiberis,
Xylobalſami, aut Xyloaloës,
Acori, aut Calami Aromatici,
Cinamomi,
Rad. Peucedani,
Meu, aut Seſeleos Cretici,
Trium Piperum,
Saxifragiæ ana drachmas duas ſemis,
Opobalſami, aut Olei Juniperini ex granis confecti,
Caryophyllorum,
Coſti,
Rhapontici,
Glycyrrhizæ,

Cyperi

Cyperi rotundi,
Tragacanthi,
Chamædryos,
Sem. Oluſatri,
Apii,
Ammeos,
Aſparagi,
Ocymi,
Urticæ,
Citri ana drachmam unam, grana quindecim,
Amomi,
Liguſtici,
Milii Solis,
Petroſelini Macedonici,
Seſeleos,
Sinoni, vel ſem. Dauci Cretici,
Anethi,
Cardamomi,
Folii, aut Macis,
Croci,
Schœnanthi,
Caſſiæ ligneæ,
Bdellii,
Maſtiches,
Ireos,
Euphorbii præparati,
Lapidis Lyncis, aut Judaici,
Olei Nardini compoſiti Meſue,
Olei Moſchellini ana ſcrupulum unum, grana quatuor.

Nephriticis, nec non ſtranguriæ, & dyſuriæ ſuccurrit, iliorum, lumborum, & renum gravitates ac obſtructiones à frigidis & craſſis ſuccis ortas, expedit; veſicæ & renum calculos potentiſſimè elidit ac expellit, miram calculoſis utilitatem exhibens.

DIAMARG. CALIDUM AVICENN.

℞. Margaritarum Orientalium.
Pyrethri ana drachmam unam,
Zingiberis,
Maſtiches ana drachmas quatuor,
Doronici,
Zedoariæ,
Apii,
Capſici, id eſt, utriuſque Cardamomi,

Nucis Moſchatæ,
Macis,
Beën utriuſque,
Piperis nigri,
Longi ana drachmas tres,
Cinamomi drachmas quinque.

AD univerſi corporis refrigerationem perutile, cardiacos, animo deficientes, mulieres uterum ferentes, praefocationes uteri, cordisque ſyncopen patientes juvat, omnium virium imbecillitatem firmat; his qui animo deficiunt, & ſupra modum triſtibus mirificè auxiliatur, ac omnium vitalium partium noxam diſcutit; aſthmaticis, tuſſientibus, tabidisque ſubvenit, ventriculi faſtidia tollit, ejusque coctionem juvat, uterinos meatus aperit: longo morbo dejectos & debilitate languentes recreat, & ad priſtinum robur reducit, privatim verò imbecillitati ſtomachi & cruditati ejuſdem, corporis ac cordis exolutioni medetur.

ALiam deſcriptionem ponit *Fœſius*, Lutetiæ uſitatam; aliam item Lugdunenſes, quæ *Actuario* adſcribitur; aliam deniq́ue *Melichius* ex *Nicolao* petitam, quarum quamcumq́ue ſuis intentionibus curativis idoneam futuram quilibet eligere poterit.

DIAMARGARITON FRIGIDUM

INCERTI AUTORIS.

℞. Seminum quatuor frigidorum majorum excorticatorum,
Portulacæ,
Papaveris albi,
Roſarum rubearum,
Florum Nymphææ albæ,
Borraginis,
Baccarum Myrti.
Santali albi,
Citrini,
Ligni Aloës ana drachmam unam,
Corallii albi,
Rubri ana drachmam ſemis,
Margaritarum drachmas tres.

OMnem virium imbecillitatem firmat, ſyncopen juvat, & aſthmaticos, tabidos, tuſſientes, longo morbo extenuatos ac imbecillitate languentes reficit, & priſtino recuperando robori conducit.

ZIngiber in hac compoſitione ſtudio omiſimus, ne medicamenti intentio mutaretur, ut quod refrigerando cordi ac reliquis viſceribus propriè ſit deſtinatum.

DIA-

DIAMOSCHVM DULCE MESUE.

℞. Croci,
Doronici,
Zedoariæ,
Ligni Aloës,
Macis ana drachmas duas,
Margaritarum albarum,
Serici crudi toſti,
Charabe,
Coralliot. rub. ana drachmas duas ſemis,
Galliæ Moſchatæ veræ,
Ocymi Caryophyllati,
Zingiberis,
Cubebarum,
Piperis longi ana drachmam unam ſemis,
Beën albi,
Rubri,
Folii, aut Caſſiæ ligneæ,
Spicæ Indicæ,
Caryophyllorum ana drachmam unam,
Moſchi ſcrupulos duos.

Commendatur ad cerebri affectus frigidos, vertiginem, comitiales, melancholicos, cordis palpitationem, tumultuoſa inſomnia, paralyſin, convulſionem, pulmonis noxas, & ſpirandi difficultatem, ſopitum calorem nativum recreat, cachexiam emendat; lienoſis, jecinoroſis, ac ſtomachicis ſuccurrit.

DIAPENIDION NICOLAI.

℞. Penidiorum uncias duas,
Nucum Pinearum,
Amygdalorum dulcium,
Seminis Papaveris albi ana drachmas tres, ſcrupulum unum,
Cinamomi,
Caryophyllorum,
Succi Glycyrrhizæ,
Tragacanthi,
Zingiberis,
Gummi Arabici,
Amyli candidiſſimi,
Sem. excortic. quatuor frigid. major. ana drachmam unam ſemis,
Camphoræ grana ſeptem.

Tuſſi-

TUſſiculoſis, pleuriticis, peripneumonicis confert: omnem thoracis noxam, faucium aſperitatem, vocis raucedinem & jacturam ex frigido & ſicco contractam emendat: tabidis & purulenta rejicientibus opem fert: craſſos humores attenuat, eoſdemque expulſioni aptos reddit.

ELECTUARIUM CONTRA PESTEM FERDINANDI IMPERATORIS.

℞. Boli Armenæ præparatæ unciam ſemis,
Cornu Cervi præparati,
Sem. Citri,
Arantiorum,
Limonum ana drachmas tres,
Coriandri præparati,
Perforatæ ana drachmam unam ſemis,
Aniſi,
Perfoliatæ ana drachmam ſemis,
Dictamni albi,
Cinamomi electi ana drachmas duas,
Caryophyllorum,
Roſarum rubearum,
Raſuræ Eboris ana drachmam unam ſemis,
Xyloaloës,
Nucis Moſchatæ,
Majoranæ,
Granorum Juniperi,
Oſſis de Corde Cervi,
Rad. Tormentillæ,
Scabioſæ,
Buglosſi,
Santalorum omnium ana drachmam ſemis,
Saphyri,
Hyacinthi,
Smaragdi,
Rubini,
Granati præparati ana ſcrupulum unum.

ADverſus peſtilentis luis malignarumque febrium contagia remedium præſtans ac efficax, cordis vires tuetur & auget, veneni malitiam ſudoris provocatione disjicit, ac tàm in curatione, quàm in præſervatione peſtis morborumque contagioſorum plurimùm valere creditur.

DIA-

DIATRION PIPEREON
Galeni.

℞. Trium piperum ana drachmas ſex, grana quindecim,
Aniſi,
Thymi,
Zingiberis ana drachmam unam.

Eſcribitur hoc Medicamentum à Galeno, 4. de tuendâ valetudine: *commendat id autem in crudorum ſuccorum & flatuum copiâ à cruditate, dandum iis, qui ob recens frigus malè concoxerunt, & ſuccum plurimum pituitoſum in primis venis coacervârunt; ſtomachi refrigerationes, ructus acidos & jecinoroſos juvat, nec non inflationes diſcutit.*

DIATRION PIPEREON MESUE.

℞. Trium piperum ana drachmas quinque,
Zingiberis,
Thymi,
Aniſi ana drachmas duas,
Spicæ Indicæ,
Amomi ana drachmam unam,
Caſſiæ ligneæ,
Radicum Aſari,
Enulæ,
Sem. Apii,
Seſeleos ana drachmam ſemis.

Ventriculi refrigerationibus, acido ructui, quartanariis, jecinoroſis, & inflationibus auxiliatur, ac fluxionibus quæ à capite ad thoracem deſcendunt, conducit.

PLERES ARCHONTICON NICOLAI PRÆPOSITI.

℞. Cinamomi,
Caryophyllorum,
Ligni Aloës,
Galangæ,
Spicæ Indicæ,
Nucis Moſchatæ,
Zingiberis,
Spodii,
Schœnanthi,

Cype-

Cyperi,
Roſarum,
Violarum ana drachmam unam, grana quindecim,
Folii, ſeu Macis,
Glycyrrhizæ,
Maſtiches,
Styracis Calamitæ,
Majoranæ,
Balſamitæ, ſeu Menthæ aquaticæ,
Ocymi,
Cardamomi,
Piperis longi,
Baccarum Myrti,
Corticum Citri ana ſcrupulos duos, grana quinque,
Margaritarum ſplendidarum,
Beën albi,
Rubri,
Corallii rubri,
Serici toſti ana ſcrupulum unum, grana duo ſemis,
Moſchi grana ſeptem ſemis,
Camphoræ grana quinque.

Cardiacis, triſtibus, melancholicis, cibum vomentibus, pulmonariis, ac epilepticis ſuccurrit, cerebri ſenſationes interceptas liberat, ſenſum deperditum & memoriam reſtituit, imbecillo ventriculo & animi deliquio à corde nato confert: præterea eos, qui ex diuturno morbo penitùs extenuati ſunt, plurimamque inde imbecillitatem contraxerunt, admodum corroborat, aſthmaticis prodeſt, omnemque cerebri debilitatem aufert.

DIAPRASSIUM NICOLAI.

℞. Praſſii drachmas quinque ſemis,
Pinearum repurgatarum,
Amygdalorum dulcium,
Piſtachiorum,
Carnium Dactylorum,
Caricarum pinguium,
Paſſularum majorum,
Tragacanthi ana drachm. tres ſemis,
Cinamomi,
Caryophyllorum,
Nucis Moſchatæ,
Macis,
Ligni Aloës,

Galan-

Galangæ,
Spicæ Indicæ,
Zingiberis,
Zedoariæ,
Glycyrrhizæ,
Rhapontici,
Anacardii,
Styracis Calamitæ,
Galbani,
Terebinthinæ,
Maſtiches,
Myrrhæ rubeæ,
Rad. Ireos,
 Ariſtolochiæ rotundæ,
 Gentianæ,
Cort. radicis Capparis,
Piperis nigri,
Sem. Aniſi,
 Fœniculi,
 Anethi,
 Apii,
 Petroſelini Macedonici,
 Saxifragiæ ana drachmas duas,
Hermodactylorum,
Origani,
Peucedani,
Schœnanthi,
Cardamomi,
Piperis albi,
Carui,
Liguſtici,
Vincetoxici ana drachmam unam ſemis, grana duo,
Balſamitæ,
Pulegii,
Dictamni Cretici,
Coſti,
Pyrethri,
Thymbræ,
Sem. Baſiliconis,
 Pæoniæ,
 Amomi,
 Sinoni, ſeu Seſeleos Cretici,
 Orobi veri,
Piperis longi ana drachmam unam, grana duo,

Xylo-

Xylobalſami,
Caſſiæ ligneæ,
Corallii rubri,
Raſuræ Eboris,
Carpobalſami,
Dauci Cretici ana drachmam ſemis,
Oſſis de corde Cervi,
Ambræ,
Moſchi ana grana duodecim.

Confert tabidis, tuſsientibus, & iis qui defluxionibus deſtillationibusque frigidis è capite obnoxii ſunt, item hebetudini oculorum, & palati noxis, oris putredinibus, ac in univerſum omnibus affectis frigidis tuſsim afferentibus opitulatur, calculos atterit, ac iis qui difficulter mingunt, commodè exhibetur; ventriculi quoque & hepatis dolorem, ventriſque inflationes & torſiones ſedat, menſes elicit, ac pallidum corporis colorem crebro uſu vividum reddit; inſuper etiam typos quotidianarios & quartanarios reprimit.

DIARHODON ABBATIS
NICOLAI,

℞. Santali albi,
Rubri ana drachmas duas ſemis,
Tragacanthi,
Gummi Arabici,
Spodii ana ſcrupulos duos,
Succi Glycyrrhizæ,
Aſari,
Maſtiches,
Spicæ Indicæ,
Cardamomi,
Croci,
Ligni Aloës,
Caryophyllorum,
Cinamomi,
Galliæ Moſchatæ veræ Meſuë,
Rhabarbari electi,
Sem. Berberis,
Quatuor frigidorum majorum,
Aniſi,
Fœniculi,
Baſiliconis,
Papaveris albi,
Intybi, id eſt, Scariolæ,

Portulacæ,
Lactucæ ana ſcrupulum unum,
Margaritarum,
Oſſis de corde Cervi ana ſcrupulum ſemis,
Roſarum,
Sacchari candi ana unciam unam, drachmas tres,
Camphoræ grana ſeptem,
Moſchi grana quatuor.

Hepaticis, ictericis, cardiacis, phthiſicis, & cœliacis prodeſt; defectionibus item animi è corde natis ſuccurrit; ventriculum humidum deſiccat, ac cerebro robur addit. Datur ſalubriter iis, qui è morbis diuturnis ac febribus emergunt.

Dupliciter hæ ſpecies apud nos paratæ proſtant, completæ nimirum, quibus nihil ingredientium commemoratorum deeſt, & incompletæ quibus Aſarum, Gallia Moſchata, Moſchus, & Camphora ſubtrahuntur, ob eas perſonas, quæ odorem harum rerum non ferunt, quod ſupra in Aromatico caryophyllato monuimus.

ROSATA NOVELLA EJUSDEM.

℞. Sacchari roſati tabulati,
Roſarum,
Glycyrrhizæ ana unciam unam, ſcrupulos duos ſemis,
Cinamomi drachmas duas, ſcrupulos duos, grana duo,
Caryophyllorum,
Spicæ Indicæ,
Zingiberis,
Galangæ,
Nucis Moſchatæ,
Zedoariæ,
Styracis Calamitæ,
Cardamomi,
Sem. Apii ana ſcrupulum unum, grana octo.

Ad ventriculi & cordis imbecillitatem efficax eſt, his præſertim, qui diuturno morbo conflictantur, uſu familiaris, vomitum, ſtomachi ſubverſiones, & nauſeas compeſcit, cardiacis quoque & pulmonariis ſubvenit, diſſolutas & relaxatas ventriculi vires reſtaurat, ac prolixa ægritudine extenuatos plurimum reficit.

DIATRION SANTALON NICOLAI MYREPSI, Sect. 1. Cap. 213.

℞. Trium Santalorum ana drachmas duas, ſcrupulos duos,

Rhabarbari,
Spodii ex Ebore,
Succi Glycyrrhizæ,
Sem. Portulacæ ana drachmas duas,
Amyli,
Gummi Arabici,
Tragacanthi,
Sem. quatuor frigid. major.
Intybi, ſeu Scariolæ ana ſcrupulos quatuor,
Camphoræ ſcrupulum unum,
Violarum unciam ſemis,
Roſarum quantum reliqua omnia ponderant, id eſt, uncias tres, drachmas tres.

Febrium bilioſarum ardoribus, & viſcerum fervoribus commodat; hepaticis, cardiacis, ictericis, phthiſicis auxiliatur, & intemperiem omnem calidam emendat. Præcipuus ejus uſus eſt in febrium declinationibus materiâ jam evacuatâ, ad reſiduum calorem febrilem extinguendum, & viſcerum tonum conſervandum.

DIATHAMARON NICOLAI.

℞. Anthophyllorum, id eſt, grandium Caryophyllorum,
Zingiberis ana drach. quinque, ſcrup. unum, grana ſedecim,
Cinamomi,
Caryophyllorum,
Carnium Dactylorum ana drachmas quatuor, ſcrupulum unum, grana ſedecim,
Galangæ,
Spicæ Indicæ,
Zedoariæ,
Coſti albi & aromatici,
Pyrethri,
Corallii rubri,
Tragacanthi,
Rhapontici,
Spicæ Celticæ,
Anacardii,
Oſſium Dactylorum,
Carpobalſami, ſeu Cubebarum,
Aniſi,
Baccarum Juniperi,
Trium piperum ana drachm. unam, ſcrup. duos, grana octo,
Margaritarum ſcrupulos quatuor,
Blattæ Byzantiæ ſcrupulos duos,

Folior.

Folior. Auri centum viginti quinque,
Argenti ſeptuaginta quinque,
Oſſis de corde Cervi legitimi ſcrupulos duos ſemis,
Raſuræ Eboris,
Ambræ ana ſcrupulum unum, grana ſeptem,
Moſchi grana tria.

Tabidis, tuſſientibus, ſtomachicis, difficulter ſpirantibus, & aſthmaticis prodeſt, ac ad omnem corporis imbecillitatem levandam facit; renum præterea impotentiæ & debilitati ſuccurrit.

DIATRAGACANTHUM CALIDUM NICOLAI.

℞. Tragacanthi uncias duas,
Hyſſopi unciam ſemis,
Pineatum,
Amygdalorum amarorum,
Sem. Lini ana drachmas tres,
Fœnugræci,
Cinamomi ana drachmas duas,
Glycyrrhizæ raſæ,
Succi Glycyrrhizæ,
Zingiberis ana drachmam unam.

Confert pectoris affectibus frigidis, ægrè tuſſientes, aſthmaticos & ſuſpirioſos relevat.

Hæc compoſitio ab eâ, quæ in Græco Codice habetur, longè diverſa, ex *Faſio* eſt deſumpta; verùm ejus uſus ferè eviluit, cùm alia proſtent remedia eaque jucundiora, eundem effectum præſtantia.

DIATRAGACANTHUM FRIGIDUM NICOLAI, Sect. I. Cap. 28.

℞. Tragacanthi candidi uncias duas,
Gummi Arabici unciam unam, drachmas duas,
Amyli unciam ſemis,
Glycyrrhizæ,
Sem. quatuor frigid. major. ana drachmas duas,
Papaveris albi drachmas tres,
Penidiorum uncias tres,
Camphoræ ſcrupulum ſemis.

Uſus ejus frequens eſt in omnibus pectoris & pulmonum noxis à calida & ſicca cauſa ortum trahentibus; thoracis gravitatem allevat, & tuſſiculoſis ab intemperie calida opem fert;

 ple-

pleuriticis, peripneumonicis, tabidis & macie confectis, lingua itidem & faucium aſperitati ſuccurrit, ac ſiti immodica, quàm pulmonum calor invexit, confert.

DIAXYLO ALOES MESUE.

℞. Ligni Aloës crudi,
Roſarum ana unciam unam,
Caryophyllorum,
Spicæ Indicæ,
Macis,
Nucis Moſchatæ,
Galliæ Moſchatæ Meſue,
Cubebarum,
Cardamomi utriusque,
Cinamomi,
Maſtiches,
Cyperi rotundi,
Schœnanthi,
Zedoariæ,
Beën utriusque,
Folii, aut Caſſiæ ligneæ,
Serici crudi toſti,
Margaritarum,
Corallii rubri,
Charabe,
Foliorum Citri,
Corticum Citri,
Ocymi caryophyllati,
Balſamitæ,
Menthæ ſiccæ,
Majoranæ,
Piperis longi,
Zingiberis ana unciam ſemis,
Ambræ drachmam unam ſemis,
Moſchi boni ſcrupulum unum.

VEntriculi cordis, & jecoris malis frigidis, animæ defectioni, concoctionique auxiliatur; oris fœtorem abigit, lætitiam parit, & ſpiritus plurimùm exhilarat.

DIAZINGIBER NICOLAO

ADSCRIPTUM.

℞. Zingiberis,
Galangæ,

Caryophyllorum,
Cinamomi,
Nucis Moſchatæ,
Cardamomi utriusque,
Piperis longi,
Macis,
Spicæ Indicæ,
Rhabarbari,
Roſarum rubearum ana grana quindecim,
Sem. Aniſi,
Fœniculi,
Glycyrrhizæ,
Croci ana drachmam ſemis,
Piſtachiorum drachmas duas,
Pinearum mundatarum unciam ſemis.

Ventriculum frigidum roborat & confirmat, nec non craſſos in eo flatus diſſolvit.

CONFECTIO AD VERMES.

℞. Seminis ſancti unciam unam ſemis,
Farinæ Lupinorum unciam unam,
Dictamni albi,
Cretici ana unciam ſemis,
Cornu Cervi uſti,
Scordii veri ana drachmam unam ſemis,
Croci drachmam ſemis, grana ſex,
Sacchari albi aquâ Abſinthii diluti quantum ſatis eſt.
Fiat confectio, ut eſt artis.

Vermes & interaneorum animalia expellit & enecat, ac ea gigni prohibet, putredinemque humorum ex quibus hæc naſcuntur, arcet ac emendat.

CONFECTIO ZINGIBERIS COCTI.

℞. Cinamomi electi drachmas duas,
Nucis Moſchatæ drachmam unam,
Caryophyllorum ſcrupulos duos,
Macis ſcrupulum unum.
Incidantur omnia craſsè, adde
Zingiberis tenuiſſimè pulveriſati drachmas ſex,
Sacchari aquâ roſarum diluti uncias ſedecim.
Fiat confectio in Morſellis.

Frigidis ventriculi noxis ſuccurrit, ejuſque concoctionem languidam reparat ac reſtaurat.

MANUS CHRISTI SIMPLEX,

Et Cum Margaritis.

℞. Sacchari clarificati libram unam,
Aquæ roſarum libram ſemis.
Coquantur ut eſt artis.
Quòd ſi Margaritas addere volueris, injice ſub finem,
Margaritarum præparat. unciam ſemis.

Viribus dejectis, febribus ardentibus, & deliriis medetur; falſas etiam imaginationes abolet.

Paratur etiam Manus Chriſti perlata, adjectis ſub finem coctionis guttulis aliquot Olei Cinamomi, jucundiſſimum ſanè ad omnem virium lapſum medicamen, ſi modò febris aut calor aliquis præternaturalis non ſubſit.

MORSELLI IMPERATORIS

Cum Fructibus.

℞. Pinearum mundatarum,
Piſtaciorum decorticatorum,
Amygdalorum dulcium ana unciam ſemis,
Specier. Imper. parùm inciſarum & contuſarum drach. tres,
Aromatici roſati Gabriëlis,
Cinamomi inciſi & contuſi ana drachmam unam,
Conſervæ Roſarum Damaſcen. unciam ſemis,
Sacchari in aqua roſarum diſſoluti uncias octo.
Fiant Morſelli.

PASTA REGIA, Seu PANIS

Marcius.

℞. Amygdal. dulcium contuſ. libram ſemis,
Sacchari tenuiſſimè pulveriſati libram unam.
Cum aqua roſarum fiat Paſta.

PASTA REGIA COMPOSITA.

℞. Pinearum mundatarum,
Piſtachiorum præpar. ana uncias quatuor,
Sacchari albiſſimi uncias octo,
Quinque lapid. pretioſor. ana ſcrupulos duos,

Corall.

Digitized by Google

Corall. rub. præpar. drachmam unam ſemis,
Cinamomi acuti drachmam unam,
Specierum de gemmis frigidis drachmas duas,
Nucis Moſchatæ drachmam ſemis,
Macis grana quinque,
Corticum Citri conditorum,
Conſervæ Borraginis ana unciam unam ſemis,
Margarit. præparat. drachmam unam ſemis.

Cum aqua Bugloſſi inciſis craſſiuſculè incidendis, Aromatibus reliquis contuſis, fiat Paſta, Sacchoro & Cinamomo incruſtanda.

PLurimùm nutrit ac roborat, eá, qui è diuturnis morbis emerſerunt, & macilenti, commodè reficiuntur.

CONFECTIO POST PASTUM.

℞. Sem. Aniſi,
Fœniculi,
Carui,
Coriandri,
Zingiberis albi ana drachmam unam ſemis,
Calami Aromatici,
Nucis Moſchatæ ana drachmam unam,
Cinamomi electi drachmas duas,
Sacchari albiſſimi libram unam ſemis.

Semina maneant integra, reliqua verò diligenter incidantur, & cum ſufficienti quantitate aquæ roſarum fiant Morſelli, qui aromatiſentur

Moſchi orientalis granis duobus.

TArdam infirmamque ventriculi coctionem promovet, & craſſos ejuſdem flatus diſſipat, ructus quoque acidos compeſcit, & oris halitui gratiam conciliat. Ejus deſcriptio à Clariſſimo Viro Dom. D. Mart. Holzapfelio *Collega noſtro, ac Officinarum Pharmaceuticarum Viſitatore Ordinario, nobis communicata huc acceſſit.*

CONFECTIO PECTORALIS.

℞. Pulveris radicum Ireos Florentinæ drachmas tres,
Liquiritiæ drachmam unam,
Cinamomi acuti drachmas duas,
Nucis Moſchatæ drachmam unam,
Caryophyllorum ſcrupulos duos,
Macis ſingulorum groſſo modo inciſorum ſcrup. unum,
Specier. Diaireos ſimplicis,
Diatragacanthi frigidi ana drachmas duas,

Pulveris Zinziberis albi drachmas tres,
Croci ſcrupulum ſemis,
Sacchari albi in aqua Farfaræ diſſoluti uncias viginti.
Fiant Tabulæ aut Morſelli.

Usitatum ad tuſſim ac pectoris vitia medicamentum vulgò exſiſtit, unde etiam Confectionis Pectoralis nomen, ſive Bruſtzucker *obtinuit.*

PINEOLATUM ALBUM.

℞. Pinear. in furno ſiccatar. & mundatar. libram unam,
Sacchari albiſſimi in ſucco Limonum crudo diſſoluti, & albuminibus ovorum clarificati tantundem.
Fiat ut artis eſt.

PINEOLATUM VIRIDE.

℞. Piſtachiorum præparatorum unciam unam,
Pinearum mundatarum uncias duas,
Cinamomi acuti unciam ſemis,
Zingiberis drachmam unam,
Caryophyllorum,
Nucis Moſchatæ ana drachmam ſemis,
Macis ſcrupulos duos,
Sacchari albi in ſucco Betonicæ diſſoluti libram unam.
Fiat ſecundum artem.

PINEOLATUM VULGARE.

℞. Sacchari clarificati & nondum perfectè cocti libram unam,
Eidem poſtquàm optimè igne remoto agitatum ac dealbatum fuerit, adde
Nucum Pinearum uncias quatuor.
Rurſus probè miſceantur; poſtea perfectè coquantur, & in vocatos Morſellos redigantur.

Pineolata hac uſui ſunt tabidis, conſumptis, extenuatis, & corporis refectionem exigentibus, plurimùm enim roborant, ac nutriunt.

SACCHARUM ROSATUM
TABULATUM.

℞. Florum Roſarum rubearum mundatarum drachmas duas.
Pulveriſentur ſubtiliſſimè, & irrorentur ſpiritus Vitrioli guttis duodecim; adde

Sacchari

Sacchari albi in aqua Roſarum diſſoluti uncias quatuor.
Fiat confectio in Tabulis vel Morſellis.

SPECIES INCISÆ SACCHARO OBDUCTAE.

℞. Cinamomi electi drachmas ſex,
Zingiberis drachmas quinque, ſcrupulum unum,
Calami Aromatici drachmas quatuor,
Macis,
Nucis Moſchatæ ana drachmas duas, ſcrupulos duos,
Galangæ,
Caryophyllorum ana drachmas duas,
Cubebarum ſcrupulos quatuor,
Sem. Aniſi uncias quatuor,
Carui,
Fœniculi,
Coriandrorum præparatorum ana uncias duas.
Conficiantur omnia cum Sacchato, ut eſt artis.

SPECIES INCISÆ, Sive TRAGEA GROSSA, ut vocant.

℞. Aniſi confecti libram unam,
Confect. ſem. Fœniculi,
Carui,
Coriandrorum præparat.
Zingiberis albi ana uncias octo,
Cinamomi electi uncias duas,
Calami Aromatici unciam unam,
Nucis Moſchatæ unciam ſemis.
Concidantur groſſo modo, & miſceantur.

Speciebus his inciſis, adduntur ſubinde Tabulata ſpecierum Aromatici roſati, Diambra, de Extracto Ligni Aloës, Manus Christi perlata, cum Oleo Cinamomi in fruſtula confracta, pro variâ prudentis Medici intentione. Manduntur præſertim manè ad cerebrum & ventriculum roborandum, ejuſque inediam tollendam, itemque poſt cibum ad ventriculi flatus diſſipandos, & oris halitum commendandum.

TRAGEA GROSSA CUM TABULATIS.

℞. Confect. ſem. Aniſi,
Fœniculi,

Coriandri,
Carui ana drachmas ſex,
Aquilegiæ,
Erucæ ana drachmas quinque,
Cubebarum drachmas tres,
Tabul. Aromat. roſati drachmas ſex,
Contra Apoplexiam drachm. quinque,
De Extracto Ligni Aloës unciam ſemis,
Ex Oleo Cinamomi drach. ſex,
Caryophyllorum drachmas tres,
Aniſi,
Fœniculi ana drachmas duas ſemis,
Cort. Citri condit. ſiccorum unciam unam,
Nucis Moſchatæ Luſit. major. condit. ſiccæ,
Specierum Imperatoris ana unciam ſemis.
Craſſiuſculè conciſa miſceantur.

TRAGEA AROMATICA,

USITATA.

℞. Cinamomi acutiſſimi drachmas ſex,
Nucis Moſchatæ drachmam unam,
Macis drachmam ſemis,
Galangæ,
Caryophyllorum ana drachmam unam ſemis,
Zinziberis albi ſcrupulos quatuor,
Seminis Coriandri præparati drachm. ſemis,
Florum Roſarum rubearum ſcrupulos duos,
Sacchari albi libras duas.
Miſce, fiat Tragea tenuis.

SEMINA USITATA SACCHARO

OBDUCTA.

Sem. Agni caſti,
Aniſi,
Angelicæ,
Aquilegiæ,
Baſiliconis,
Carui,
Citri,
Coriandri,
Cumini,
Dauci,
Erucæ,

Fœni-

Fœniculi,
Majoranæ,
Papaveris,
Santonici.

FRUCTUS USITATI, RADICES, Cortices, & Aromata Saccharo Obducta.

Amygdalæ,
Caryophylli,
Cinamomi,
Cortices Arantiorum,
Citri,
Cubebæ.
Piper album,
Nigrum,
Pineæ,
Piſtachia,
Radices Angelicæ,
Contrayervæ,
Pimpinellæ,
Rhabarbari,
Scorzoneræ,
Zingiberis.

ANIMADVERSIONES Integram hanc Claſſem concernentes.

SI ab inſtituto non liceret declinare, vix haberem, quod ſingulariter in hac Claſſe corrigerem, cùm quoad *ſpecies* ſive *pulveres* diſpenſandos & contundendos, nullo ferè artificio hîc opus ſit, & quilibet in Pharmaceuticis vel leviter ſaltem inſtructus, talia peragere poſſit, quidquid etiam ſigillatim vel junctim contundendum ſit, nullus Pharmacopœorum, ex artis uſu ignorat, quem neque *ſelectiorum ſimplicium nota & adulteria* latent. Occurrunt tamen nonnulla, quorum mentionem ut hîc injiciam, vel maximè mihi incumbit: Primò quidem valdoperè diſplicet *prodigioſa ubertas tot tantarumque compoſitionum*, quarum, vel paucæ merentur, ut publicis Diſpenſatoriis inſerantur, quin longè ſatiùs eſſet, eas penitùs ex illis elidere. Namque ex tanta ingredientium inter ſe repugnantium farragine, ſine omni ratione & judicio conglomeratæ ſunt, ut vel utenti nauſeam moveant, vel penitiùs perluſtranti, riſum extorqueant; quippè *integra & prolixa ſatis compoſitioni* aliquando *ingredientis cujuſdam drach-*

drachmam unam vel *alteram* adjiciunt, à qua totum *compoſitum* vel *refrigerandi*, *calefaciendi*, *ſiccandi* vel *humectandi virtutes* mutuari debet, cujus tamen vel libra à quovis homine comeſta, vix ullam in dictis qualitatibus cauſabit alterationem. Si quoque exacta computatio inſtitueretur, quantum de *uno* vel *altero ingredienti*, in quod illi ingentem ſpem vel *refrigerandi*, vel *calefaciendi*, aut *roborandi* collocant, in *quamvis doſin* redundaret, certò inveniremus, quòd aliquando vix *granum, ne dicta quarta vel decima pars unius grani doſin* ingrederetur, cujus tamen vel *uncia integra*, vel *drachma de aliquibus* plùs minusvé, cum emolumento ægri, propinari poſſet. Vidi non ſemel *integras drachmas lapidis Bezoar* & *Perlarum Orientalium*, pro *doſi* à Mercatoribus quidem, non Medicis, inſigni cum emolumento ægrotantibus porrectas eſſe; Ecquis autem Medicorum auſit *ſcrupulum dimidium dictorum medicamentorum* tranſcendere? Item quoties in febribus incipientibus & confirmatis, diuturnis, Diarrhœa, & conſimilibus morbis, *unciam dimidiam*, *etiam drachmas ſex vel amplius Theriacæ*, ipſemet aſſumpſi, aliiſque propinavi, nunquam non feliciter & ſummo cum fructu: è contrà verò, nunquam vidi Medicos *ultrà drachmam unam Theriacæ*, aſcendiſſe. Quam inconcinnum etiam ſit & abſonum, ſi quis æquâ lance perpendere velit, compoſita compoſitis cumulare, quilibet qui ingredientia *compoſitionum* hujus Claſſis, ad computationem reducere non gravabitur, haud difficulter agnoſcet: Exemplo in præſens eſto *Confectio Pectoralis*, quam ultra *ſpecies ſimplices ipſi deſtinatas*, *ſpecies Diatragacanthi frigidi*, & *ſpecies Diaireos*, hasque iterùm *ſpecies Diatragacanthi frigidi* ingrediuntur, ita ut *radices Liquiritiæ*, *Saccharum*, *Tragacanthum*, & *Gummi Arabicum* ter, *radices Ireos Florentinæ* verò bis, *huic confectioni* diſtinctim addi debeant; Sit igitur magno cum labore ad calculum revocata *hujus Confectionis Pectoralis* reſolutio talis; utpotè,

℞. *Pulveris Radicum Ireos Flor.* ʒ *iv*,
Liquiritiæ ʒ *j*, *gr. v*,
Cinamomi acuti ʒ *ij*,
Nucis Moſchat. ʒ *j*,
Caryophyllorum ℈ *ij*,
Macis ℈ *j*,
Zingibris ʒ *iij*,
Croci ℈ ß,
Tragacanthi ℈ *ij*, *gr. xiij*,
Gum. Arabici ℈ *j*, *gr. xviij*,
Sacchari Penidii ʒ ß, *gr. xvj*,
Candi ʒ ß,
Sem. quatuor frigid. major. ana gr. iij ß;
Amyli gr. viij,

Cam-

Camphora partem tertiam unius grani,
Sacchari albiſſimi in aqua Farfara diſſolut. & ad conſiſtentiam Tabulati cocti ℥ *xx.*
Fiat confectio Rotularum.

Hujus *compoſitionis* nunc ſummatim erunt ℥ *xxij*, poſitâ jam *unciâ dimidiâ* etiam pro *doſi*, (licet Medici ultra *duas* vel *tres Rotulas* pro unaquaque *doſi* aſſumere non præcipiant) quantum jam *hac doſis* in *uncia dimidia* hujus *confectionis pectoralis* continebit in ſe *Camphora ? Quadrageſimam ſcilicet quartam partem, tertia partis unius grani :* Quantum *Sacchari Penidii ? granum unum :* Quantum de *quatuor ſeminibus frigidis majoribus ? duodecimam circiter partem unius grani de quolibet ſemine :* Quantum *Amyli ? tertiam circiter partem grani unius*, & ſic ulterius. Sed quæſo, nonne infantes, *Sacchari Penidii unciam dimidiam* ſæpiſſimè, & unicâ vice ſine nocumento lambunt, nihil enim aliud ipſum eſt, quàm *Saccharum puriſſimum*, nullâ re permiſtum, ac ſaltem manualibus operationibus friabile redditum, quæ ℥ ß continet 240 *gran. : Amylum* autem, quid aliud eſt, quàm *farina tritici puriſſima*, quam infantes quotidie ſat largiter, cum *lacte* in pulticulam redactam aſſumunt. Alterius exempli locum ſuppleat *Tragea Aromatica groſſa cum Tabulatis*, quam inter cætera *Tabular. Aromatici roſati* ℨ *vj* ingrediuntur, quæ ipſæ ℨ *vj Tabularum* continebunt *viginti quinque circiter grana ſpecierum aromatici roſati* ; Illa autem *xxv grana*, erunt ferè *centeſima pars totius compoſiti*, ſcilicet *Aromatici roſati*, prout huic Diſpenſatorio inſertum eſt : Igitur hæc *compoſitio* ſcilicet *Tragea*, pro qualibet *drachma una* ingredientium, *dimidium granum cum dimidio quadrante unius grani ſpecierum Aromatici roſati* continebit : Jam ſi ulterius hæc *Tragea* (quæ ℥ *viij*, & ℨ *v* habet) in *doſes* dividenda eſſet, & pro qualibet *doſi uncia dimidia* computanda ſit (quæ erit *decima ſeptima pars integra hujus Tragea)* quantum quæſo de *Aromatico roſato* pro *drachma una* ſingulorum ingredientium hanc *doſin Tragea* intrabit ? *Decima ſeptima nimirùm pars dimidii grani & dimidii quadrantis unius grani.* Taceo reliqua minutiora, quæ hanc *Trageam* pariter ingrediuntur, quantus enim exigeretur labor, ſi quis exactè omnia excerpere, & computationem ſuper *ſingulas doſes* inſtituere vellet ? Hæc & ſimilia maximè admiranda, paſſim in hac Claſſe occurrunt, indigna ſanè ut prolixè de iis diſſeramus. Quoties etiam *fructus*, utpotè *Paſſula majores, Dactyli, Carica, pulveribus* vel *ſpeciebus* immiſceri debent, videlicet *Diaireos Salomonis, Diahyſſopu Nicolai*, & *Diapraſin* ejuſdem, quorum ſi pariter exacta computatio fieri deberet, *quot granis* putas enumerati *fructus*, quamlibet *doſin* ditarent ? Anne melius foret, *fructus illos*, ceu palato ſatis gratos, ita per ſe recenter eſſe, quam exſiccatos ac indutatos, demumque in pulverem

contu-

contuſos, nec non rebus aliis commixtos, ægrotantibus propinâſſe. Non minùs etiam mirari ſubit, quòd tantas tàmque eximias virtutes rebus tam leviſſimis attribuerint, quæ loco alimenti vel cibi paſſim aſſumuntur, & in centupla majori quantitate, quam communiter his *ſpeciebus* permixtæ, pro doſi propinentur. Præparatio itidem *ſeminis Cumini cum aceto*, pro *Diacymino* & *Diaſpolitico Nicolai*, planè deſtructoria eſt & illegitima, cùm nullius veneni, aut alterius qualitatis nocivæ, correctione indigentis, particeps ſit; utuntur enim illo frequentiſſimè plurimis in locis, inque ſatis larga quantitate, in cibis, juſculis potiſſimùm, aliisque eduliis, ita per ſe, nulloque *aceto* caſtigato, ſed integrâ ejus *virtute Carminativâ* vigente: Quid enim præſtare poteſt illâ deſtitutum, præſertim ſi in tàm exigua quantitate, uti ſolet, propinetur? De *Gemmis & Lapidibus precioſis duriſſimis* plurimis *compoſitionibus* additis quid ſentiam, paucis dicam. Notum eſt, quòd *Adamas duriſſima Gemma*, quàm ſubtiliſſimè etiam teratur & levigetur, prout & *vitrum*, nihilominùs ventriculum & inteſtina (quibus tenaciter adhærent, & in eorundem mucorem minutiſſimis ſuis aculeis ſeſe inſinuant) ſucceſſu temporis terebrare, aut ad minimùm exulcerare, connatumque eorum mucorem abradere, & conſequenter vel mortem ipſam, vel ſaltem malum corporis habitum, ob vitiatam exindè ventriculi coctionem, inducere poſſint: An non igitur quid ſimile ab aliis quibuſdam *Gemmis & precioſis Lapidibus durioribus*, nimirùm *Cryſtallo, Smaragdo, Saphyro, Rubino, &c.* quæ digeſtioni penitus ſubjecta non ſunt, & caloris noſtri nativi imperium omnimodè reſpuunt, metuendum ſit, cuivis prudenti diligentiùs expendendum relinquo. Ego ſanè à ſimilibus *durioribus precioſis Lapidibus*, communi modo præparatis, ſummoperè mihi caveo, & quàm maximè abſtineo: Non tamen ob id exiſtimo, quòd prædicti *Lapides* in Medicina prorsùs inutiles ſint, nec eximiis ſuis viribus polleant, præſertim ſi ritè & debito ſuo *menſtruo*, in liquorem reſoluti, ægris propinentur, aut externè *Periaptorum* inſtar adhibeantur, de quorum virtutibus conſulantur Authores, inter illos autem inprimis *Calceolarius in ſectione tertia*, & *Boëtius de Boodt in Tract. de Gemmis & Lapidibus*.

De reliquis nonnullis *rebus præparatis*, compoſitiones quaſdam ingredientibus, utpotè *Cornu Cervi uſto, Spodio, Serico toſto*, & quæ ſunt de genere hoc, ſuo loco agemus. His ita propoſitis, & quodammodo ventilatis, nunc qui adhuc in hac Claſſe ſuperſunt plurimarum *compoſitionum errores*, vel penitùs eliminandos, aut ſaltem caſtigandos, vel ad minimùm ſedulo perveſtigandos, aliis relinquo, propoſiturus *nonnullas ſpecies Aromaticas magis concinnas & neceſſarias*, in ſubſequenti Diſpenſatorio novo.

MEDI-

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS XII.

Continens

TROCHISCORUM COMPOSITIONES.

C*omprehendit Claſſis hac* medicamenta *pariter* compoſita, Trochiſci *nomine indigitata, formâ orbiculari, effigie placentularum, non tamen more* Rotularum, *aut* Tabularum *parata, ſed manuum duntaxat operâ, in orbiculos efformata, majores minoresvè pro libitu; quibus ad majorem elegantiam, utplurimùm ſigilla vel aſteriſci imprimuntur, ſicque ſiccata priùs in pyxidibus repoſita, ad diuturnos uſus aſſervantur.*

AGARICUS TROCHISCATUS

Mesue.

℞. Agarici electi uncias quatuor,
Vini Cretici, aut Malvatici infuſionis Zingiberis quantum ſufficit.
Formentur Trochiſci.

P*ituitam craſſam bile permixtam, & craſſos viſcidosque humores expurgat, ac viſcerum obſtructiones tollit.*

Agaricus ſelectiſſimus per incerniculum tranſmiſſus cum Vino Cretico aut Malvatico infuſionis Zingiberis in mortario lapideo in paſtillos cogatur, qui in umbra ſiccentur ut evadant candidi, cùm aliquando facilè nigreſcant.

TROCHISCI DE ABSINTHIO

Mesue.

℞. Roſarum,
Abſinthii Pontici,
Aniſi ana drachmas duas,

Rha-

Rhabarbari,
Succi Eupatorii Meſue,
Aſari,
Seminis Apii,
Amygdalorum amarorum,
Spicæ Indicæ,
Maſtiches,
Folii, ſeu Spicæ Romanæ ana drachmam unam,
Succi Endiviæ quantum ſufficit.
Fiant Trochiſci.

Longis & diuturnis febribus ſunt ſaluberrimi, obſtructiones ventriculi, hepatis, & dolores eorundem levant, partes naturales omnes roborant, dejectamque appetentiam ſuſcitant.

TROCHISCI DE AGARICO

MESUE.

℞. Agarici electi uncias tres,
Salis Gemmæ unciam unam,
Syrupi Acetoſi ſimplicis quantum ſufficit.
Formentur Trochiſci, qui reponantur in loco calido & ſicco.

Hi ſunt communes illi Trochiſci de Agarico, ſolennior tamen & magis correcta eorum componendorum ratio pluribus videtur ea, quæ ſequitur:

℞. Agarici albi & levis uncias tres,
Salis Gemmæ unciam ſemis,
Zingiberis drachmas tres,
Oxymellis ſimplicis quantum ſufficit.

Antiquorum mos in corrigendo Agarico hic erat, ut ei Salem Gemmeum tres potiſſimum ob cauſas adderent, quarum prima eſt, ut is jam dictum Agaricum ob levitatem ſuam os ventriculi alioquin petiturum, ac vomitum vel ſtomachi ſubverſionem citaturum, ad ventriculi fundum deprimeret. Deinde verò, ut cùm Agaricus tardè ac ſegniter purget, Sal Gemmeus magis irritet, mordicet, ſtimulet, ac excretionem promoveat. Tandem quoque ut abſtergat & mundificet, unde Priſcos omnibus ferè medicamentis purgantibus ſaltem indidiſſe notavimus. Oxymel porrò adjiciebant, ne Agaricus inteſtinis adhæreret, ſed protinus abſtergeretur, cùm aliàs vitium hoc ei peculiare exiſtat; unde Avicenna eundem Colicis non exhibendum eſſe docet, ne levitate ſua inteſtinis adhærens, novos dolores procreet. Inſuper etiam Oxymel craſſos ac lentos humores incidit, prout & Zingiber, quod tenacem pituitam liquat attenuatque, & Agarici infirmam vim in altum & ad longinquiores partes

partes deducit, cùm interim calore ſuo aromatico eaſdem confortet.

Confert Agaricus ſic præparatus, antiquis capitis doloribus, viſcerum obſtructionibus à craſſa, tenaci ac pituitoſa materia creatis vel obortis, ſtomachum, renes, lienem ac hepar mundificat, præſertim verò mulierum matrices repurgat, epilepſiam & vertiginem abolet, vermes enecat & expellit, prodeſtque ut plurimum partium naturali facultati dicatarum, unde forſan eum Doctus Medicinam familiæ dixit; venenis quoque reſiſtit, aſthma ducit, & ſpiritum facilitat.

TROCHISCI DE AGNO CASTO RHASIS.

℞. Sem: Agni caſti drachmas quinque;
Endiviæ,
Portulacæ ana drachmas duas ſemis,
Cort. Tamariſci drachmas quinque.
Formentur Trochiſci cum aqua decoctionis Scolopendrii.

Profluvio ſeminis medentur, & gonorrhœam ſuppriment; morbis itidem ſplenis auxiliantur.

TROCHISCI ALHANDALI MESUE.

℞. Pulpæ Colocynthidos albæ & levis à ſeminibus purgatæ uncias decem.

Incidatur Pulpa hæc minutiſſimè, & fricetur per ſpacium trium dierum, ex intermiſſione tamen, cum parte aliqua unciæ unius Olei Amygdal. dulc. recentis: Deinde

℞. Tragacanthi,
Gummi Arabici,
Bdellii ana drachmas duas.

Macerentur in aqua roſacea donec liqueſcant & diſſolvantur, & cum parte iſtius mucilaginis formentur Trochiſci, qui in umbra ſiccentur: ſiccati iterum minutiſſimè conterantur, & cum reliqua mucilagine rurſus formentur Trochiſci.

Pituitam, & humores alios craſſos glutinoſos è profundis longeque diſtantibus partibus, utpote cerebro, nervis, muſculis, juncturis, pulmonibus, ac thorace extrahunt, quo nomine in cephalalgia, hemicrania, apoplexia, inveterato capitis dolore, epilepſiâ, vertigine, aſthmate, diuturnâ tuſſi, diſpnœâ, thoracis anguſtia, iſchiade, morbiſque articularibus frigidis uſurpantur. Exhibentur in dolore

lore colico flatulento ad vitream & viſcidam pituitam ex inteſtinis deturbandam.

TRochiſci hi nihil aliud ſunt, quàm Colocynthis præparata, qui injici poſſunt in omnes compoſitiones Colocynthidem recipientes, ſicut etiam mos noſter huc uſque obtinuit, ut in ſingulis compoſitis pharmacis Colocynthidem deſiderantibus, pro crudâ Colocynthide Trochiſcos hos hucuſque ſubſtituamus, quorum quoq... uſus Catapotiis acuendis apud nos creber eſſe ſolet.

Colocynthidis autem pulpa in formandis his Trochiſcis fo... inciſa tenuiſſimè multumque teri debet, ne aſpera ejus partes in... adhærentes, ea exulcerent.

TROCHISCI DE ALKEKENGI,

Seu DE HALICACABO MESUE.

℞. Fructum Halicacabi drachmas tres,
Sem. Citrulli,
Anguriæ,
Cucurbitæ ana drachmas tres ſemis,
Boli Armenæ,
Gummi Arabici,
Thuris maſculi,
Sanguinis Draconis,
Amygdalorum amarorum,
Succi Glycyrrhizæ,
Tragacanthi,
Amyli,
Pinearum mundatarum,
Sem. Papaveris albi ana drachmas ſex,
Apii,
Hyoſcyami,
Charabe, ſeu Succini albi,
Terræ ſigillatæ,
Opii ana drachmas duas,

Cum ſucco Halicacabi, vel cum aqua roſacea, in qua ejuſdem fructus ſicci fuerint macerati, aut Julep roſato vel violato, fiant Trochiſci.

DIcuntur etiam Diaphyſſalidon, & de Veſicaria. Ad urinæ ardorem, fiſtulâ urinariâ, veſicâ, renibus & ureteribus exulceratis feliciter exhibentur, ulcera detergent, glutinant, & cicatrice tegunt; lotii acrimoniam mitigant, ejusque ſtrigmenta mucoſa, aſpera & dolorifica complanant & leniunt, indeque urinæ tarditatem & dyſuriam natam tollunt.

TROCHISCI ALIPTÆ MOSCHATÆ NICOLAI.

℞. Ladani puriſſimi uncias tres,
Styracis Calamitæ unciam unam ſemis,
Styracis rubeæ unciam unam,
Ligni Aloës veri drachmas duas,
Ambræ drachmam unam,
Camphoræ drachmam ſemis,
Moſchi ſcrupulum ſemis,
Aquæ roſarum quantum ſufficit.
Formentur Trochiſci.

Conferunt hi Trochiſci infantibus ac puerulis aſthmaticis & pectoris anguſtia vel anhelitûs difficultate preßis; ventriculum eorum laxum ac imbecillum roborant, unde lactis à nutrice prabiti evomitiones compeſcunt, nec non ad precioſos ſuffitus expetuntur.

Per Styracem rubeam intelligitur hoc loco Styrax optima & selectißima, qua in grana confluxit, qualem Theriaca indere conſuevimus.

PArandi modus hic eſt, ut Ladanum & Styrax, utraque in patina vitreata tenui linteolo tecta, diebus canicularibus tamdiu Soli exponantur, dum omnia ſimul molleſcant; tùm verò in calido mortario, piſtillo calido validè contuſa commiſceantur, donec tota hæc maſſa nigreſcat, deinde Lignum Aloës in tenuem pollinem attritum inſpergatur, ac prædictæ maſſæ admiſceatur, cui quoque Camphora & Ambra ſimul trita jungantur, & Moſcho unciis tribus Aquæ roſaceæ odoratiſſimæ diſſoluto in Paſtam cogantur, quæ in paſtillos aut teretes orbiculos efformari queat, qui ſupra calidum marmor, aut aſſerculum quernum, vel ex Pyro aut Ebeno confectum, & Aqua roſacea, ne ei adhæreſcant, aſperſum rotari, ac in vitreo vaſe diligenter clauſo, aſſervari debent.

TROCHISCI DE ANISO MESUE.

℞. Aniſi,
Succi Eupatorii Meſue inſpiſſati ana drachmas duas,
Sem. Anethi,
Spicæ Indicæ,
Maſtiches,
Folii, aut Macis,

Foliorum Abſinthii,
Radicum Aſari,
Apii,
Amygdalorum amarorum ana drachmam ſemis,
Aloës drachmas duas,
Succi Abſinthii quantum ſufficit.
Fiant Trochiſci.

Obſtructiones hepatis reſerant, flatus diſcutiunt, ſtomacho litantur, ac prolixos frigidos morbos, febresque diuturnant.

TROCHISCI BECHICI ALBI.

℞. Sacchari albiſſimi libram unam,
Candi optimi,
Penidii ana uncias quatuor,
Ireos unciam unam ſemis,
Amyli uncias duas ſemis,
Mucilaginis Tragacanthi albiſſimi cum aqua roſarum factæ, quantum ſatis.
Formentur Trochiſci parvi.

Faucium aſperati proſunt, ac tuſſientibus & difficulter ſpirantibus opem ferunt.

TROCHISCI BECHICI NIGRI.

℞. Succi Glycyrrhizæ inſpiſſati uncias quatuor,
Styracis Calamitæ unciam unam ſemis,
Sacchari Candi uncias duas ſemis,
Specierum Diaireos Salom.
Lohoch ſani ana unciam ſemis,
Sacchari Penidii libram ſemis,
Sacchari albiſſimi libras duas, uncias tres,
Mucilaginis Tragacanthi cum aqua Hyſſopi factæ, quantum ſatis.
Fiant Trochiſci.

Tuſſi ſicca à materia acri & calida profecta conferunt, guttur ac fauces leniunt, difficiles excreationes promovent, & ablata vocis jacturam reſarciunt.

Hos minori Diſpendio alii ſic parare conſueverunt.

℞. Succi Liquiritiæ inſpiſſati uncias octo,

Saccharis libras duas,
Pulv. Liquiritiæ unciam unam.

Cum mucilagine Tragacanthi fiant Trochiſci, in mortario calido maſſam miſcendo.

TROCHISCI BECHICI RUBRI.

℞. Spec. Trochiſcos Bechicos albos conſtituentium uncias duas,
Boli Armenæ Orientalis præparatæ drachmas duas, & ſcrupulos duos.

Cum infuſione Tragacanthi facta in aqua roſarum, fiant Trochiſci.

Catarrhos tenues intercipiunt, leniter enim aſtringunt & exiccant, ac ſputum ſanguinis inhibent.

TROCHISCI DE BENZOI.

℞. Benzoi uncias ſex,
Ligni Aloës optimi uncias octo,
Styracis Calamitæ uncias tres,
Moſchi drachmam ſemis,
Ireos uncias duas,
Sacchari Candi libras tres.

Pulveriſatis omnibus, fiant Trochiſci cum aqua roſarum.

Caput & pectus confirmant & ſiccant, nec non ad ſuffitus ac odoramenta expetuntur.

TROCHISCI DE BERBERIS

Mesue.

℞. Berberorum drachmas duas,
Spodii,
Ligni Aloës,
Seminis acetoſæ,
Maſtiches,
Galliæ Moſchatæ,
Nardi Indicæ ana drachmam unam,
Gummi Arabici drachmas tres,
Roſarum rubearum drachmas quinque,
Aquæ roſarum quantum ſufficit.
Fiant Trochiſci.

Ingrediuntur Elect. Roſatum Meſue, in eumque uſum parantur, licet uſurpari poſſint ad intemperiem calidam, febrium ardores, linguæ ariditatem, & ſitim ſedandam.

TROCHISCI DE CAMPHORA

MESUE.

℞. Roſarum rubearum drachm. quatuor,
Sacchari albi,
Mannæ ana drachmas tres,
Santali Citrini drachmas duas ſemis,
Glycyrrhizæ,
Spodii ana drachmas duas,
Sem. quatuor frigid. major.
Gummi Arabici,
Tragacanthi,
Nardi Indicæ,
Croci ana drachmam unam,
Ligni Aloës,
Cardamomi majoris,
Amyli,
Camphoræ ana ſcrupulos duos.

Cum mucilagine ſem. Pſyllii, extracta cum Aqua roſacea, formentur Trochiſci.

AD febres ardentes, bilis & ſanguinis fervorem, ventriculi & hepatis intemperiem calidam, & ab his ſitim inexpletam, icterum quoque, phthiſim, & hecticam utiliter adhibentur.

TROCHISCI DE CAPPARIBUS MESUE.

℞. Cort. radicum Cappar̂um,
Sem. Agni caſti ana drachmas ſex,
Nigellæ,
Naſturtii.
Calaminthæ,
Succi Eupatorii Meſue,
Acori, ſeu Calami aromatici,
Amygdalorum amarorum,
Foliorum Rutæ,
Ariſtolochiæ rotundæ veræ,
Ammoniaci ana drachmas duas,
Cyperi rotundi,
Scolopendrii veri, ſeu Ceterach ana drachmam unam.

Trita omnia cum Ammoniaco in aceto diſſoluto, formentur in Trochiſcos.

Iis

Iis utimur ad lienis & hepatis obſtructiones à craſſa & melancholica materia profectas; potenter enim humores diſſecant & attenuant, natamque inde viſcerum duritiem emolliunt, ac flatus hypochondriacos, cæterarumque partium ſolvunt.

TROCHISCI DE CHARABE

Mesue.

℞. Charabe drachmas ſex,
Cornu cervi uſti,
Gummi Arabici aſſati,
Corallii rubri uſti,
Tragacanthi,
Succi Acaciæ,
Hypociſtidis,
Balauſtiorum,
Maſtiches,
Laccæ,
Papaveris nigri aſſati ana drachmas duas,
Thuris,
Croci,
Opii ana drachmam unam, grana quindecim,
Mucilaginis Pſyllii quantum ſatis eſt.
Formentur Trochiſci.

Sanguinem excreantibus, tabidis, purulenta expuentibus, cœliacis & dyſentericis auxiliantur, ſanguinem undecunque emanantem ſiſtunt ac ſupprimunt.

TROCHISCI DE CORALLIO

Nicolai.

℞. Corallii rubri,
Cinamomi,
Myrrhæ,
Amomi,
Sem. Papaveris ana unciam ſemis,
Schœnanthi,
Croci ana drachmas duas,
Calami aromatici,
Xylobalſami,
Caſſiæ ligneæ,
Folii, aut Macis,
Maſtiches,
Folior. Polii Montani,
Pedis Columbini.

Rad. Phu,
Aſari ana drachmam unam,
Vini quantum ſufficit.
Formentur Trochiſci.

Sanguinolenta excreantibus, dyſentericis, cœliacis, & cibum faſtidientibus mirè ſubveniunt.

Pes Columbinus eſt altera Geranii ſpecies, habens Malvæ. Vide *Fœſium* fol. 210.

TROCHISCI DIACORALLIU GALENI.

℞. Corallii rubri,
Terræ Samiæ aut Boli Armenæ ana unciam unam,
Lemniæ,
Balauſtiorum,
Terræ Lemniæ unciam ſemis,
Amyli ana unciam ſemis,
Hypociſtidis,
Sem. Hyoſcyami,
Opii ana drachmas duas,
Succi Plantaginis quantum ſufficit.
Formentur Trochiſci.

Iiſdem affectibus probè tollendis, quibus præcedentes ſuccurrunt.

TROCHISCI DE CROCO NICOLAI.

℞. Croci drachmas tres,
Roſarum rubearum,
Ammeos,
Myrrhæ ana drachmam unam ſemis,
Ligni Aloës ſcrupulos duos.
Cum aqua roſacea fiant Trochiſci.

Lienis & hepatis obſtructiones aperiunt, flatus diſſipant, humorum putredinem arcent, ac cordi vires addunt.

CROCOMAGM. DAMOCRATIS Ex GALENO.

℞. Croci drachmas viginti quinque,
Myrrhæ,
Roſarum ana drachm. duodecim ſemis,
Amyli,
Gummi Arabici ana drachm. ſeptem ſemis,

Vini

Vini Chii quantum ſufficit.
Fiant Trochiſci.

TROCHISCI CYPHEOS DAMOCRATIS EX GALENO.

℞. Uvarum paſſarum pinguiſſimarum, ſeu Cybebarum,
Terebinthinæ coctæ ana uncias tres,
Myrrhæ,
Schœnanthi ana unciam unam ſemis,
Calami Aromatici drachmas novem,
Cinamomi drachmas quatuor,
Unguis odorati, ſeu Bdellii unguinoſi,
Spicæ Indicæ,
Caſſiæ ligneæ veræ,
Cyperi.
Baccarum Juniperi ana drachmas tres,
Aſpalathi drachmas duas ſemis,
Croci drachmam unam,
Mellis quantum ſufficit,
Vini Cretici modicum.

Bdellium, Myrrha & Terebinthina cocta in vino diſſoluta, redigantur ad craſſitiem mellis, & carnibus Paſſularum ex melle diu tritis miſceantur: deinde reliqua in tenuiſſimum pulverem redacta adjiciantur, ac ſimul agitando commiſceantur, formenturque Trochiſci, qui in umbrâ ſiccentur.

D*Eſcribitur à* Galeno 2. de Antidotis in Mithridatio Damocratis, *cujus compoſitionem ingrediuntur. Quanquam per ſe quoque commodè iis dantur, qui jecur, aut pulmones, vel renes, aut aliud aliquod viſcus exulceratum habent.*

PRo Aſpalatho, qui tamen nobis jam innotuit, Lignum Aloës, aut Santalum Citrinum ſubſtitui poteſt. Pro Ungue odorato, rectè Bdellium unguinoſum ſeu electiſſimum ſubſtituitur; ita enim Romanum quoque Antidotarium legit, in cujus defectu Bergomates Ammoniacum Thymiama ſumunt, licet nonnulli Blattam Byzantiam, aut Conchylia, quibus Margaritæ innaſcuntur, pro Ungue odorato compoſitioni huic injiciant.

Terebinthina coquenda modus in fine libri, inter præparationes Medicamentorum requirendus.

TROCHISCI DE EUPATORIO MESUE.

℞. Mannæ.

Succi Eupatorii ana unciam unam,
Roſarum unciam ſemis,
Spodii ex Ebore drachmas tres ſemis,
Spicæ Indicæ drachmas tres,
Rhabarbari,
Aſari,
Aniſi ana drachmas duas ſemis.

Cum aqua Cuſcutæ fiant Trochiſci, qui in umbra ſiccati ſe[rvantur].

Efficaces ſunt ad omnem lienis & hepatis obſtructionem, tumoremque præter naturam, febres antiquas, earumque rigores ſanant; morbo regio & hydrope incipienti ſuccurrunt; ſtomachicos juvant, & corporis flatus diſcutiunt.

TROCHISCI DE GALLIA MOSCHATA MESUE.

℞. Ligni Aloës crudi drachmas quinque,
Ambræ drachmas tres,
Moſchi drachmam unam,
Mucilaginis Tragacanthi extractæ cum aqua roſarum quantum ſufficit.
Fiant Trochiſci.

Cerebrum, cor, ventriculum, & reliqua viſcera roborant, vomitum reprimunt, pectoris anguſtias & anhelationes juvant, oris halitum commendant, & ad varias compoſitiones expetuntur, ſuffitu ac vaporatione gratiſſimi, nec non ad delicias odoris ſuavitate quàm maximè accommodati.

TROCHISCI GORDONII.

℞. Quatuor ſem. frigid. majorum mundatorum,
Papaveris albi,
Malvæ,
Bombacis,
Portulacæ,
Cydoniorum,
Baccarum Myrtillorum,
Tragacanthi,
Gummi Arabici,
Pinearum mundatarum,
Piſtachiorum,
Sacchari candi,
Penidii,

Liqui-

Liquiritiæ mundæ,
Hordei mundi,
Mucilaginis Pſyllii,
Amygdalorum dulcium ana unciam unam,
Boli Armenæ,
Sanguinis Draconis,
Spodii,
Roſarum,
Myrrhæ ana unciam ſemis.
Ex Hydromelite fiant Trochiſci.

D*Eſcribuntur* à Gordonio, de Paſſionibus renum, Particula ſexta, cap. 10. *Renum exulcerationes ſanant, ſanguinis mictum inhibent, diabeti & gonorrhœa conferunt, ac ſtranguriam levant. Propinantur ſi abſterſio expetitur ex Hydromelite, aut decocto Liquiritia vel Hordei: ſin verò conſolidandi intentio prævalet, ex Lacte aut Aqua chalybeata cum Syrupo vel ſucco Plantaginis; ac ſi exulceratio in veſica extiterit, lacte diſtemperati per ſyringam injiciuntur. Aliam deſcriptionem ſimilium Trochiſcorum ponit idem præfatus Auctor eodem loco* cap. 11. *qua Ambram, Succinum, Spicam, Squinanthum, & alia recipit, verùm hæc quam appoſuimus, uſitatior extitit.*

TROCHISCI HEDYCHROI ANDROMACHI EX GALENO.

℞. Mari,
Aſari,
Amaraci,
Aſpalathi ana drachmas duas,
Schœnanthi,
Calami odorati,
Phu Pontici,
Xylobalſami,
Opobalſami, aut Olei Caryophyllorum,
Cinamomi,
Coſti ana drachmas tres,
Myrrhæ,
Folii,
Nardi Indicæ,
Croci,
Caſſiæ ligneæ ana drachmas ſex,
Amomi drachmas duodecim,
Maſtiches drachmam unam,
Vini Falerni quantum ſufficit.

Fiant

Fiant Trochiſci, qui in umbra exiccati, Oleo Caryophyllorum inungantur.

D*Eſcribuntur à* Galeno 1. de Antidotis cap. 10. *ad Theriaces compoſitionem expetiti. In his cum quadam requirantur Succedanea, pro Maro, ſi id defuerit, (quod tamen ad nos jam deferri cœpit,) Dictamni Cretici folia; pro Aſpalatho, Santalum Citrinum; pro Xylobalſamo, Lignum Aloës; pro Opobalſamo Oleum Caryophyllorum; pro Coſto, Angelicam; pro Polio Macis & Cyperi ana partes aquales; pro Amomo, Citri ſemina; ac denique pro Falerno, Creticum vinum aſſumere licebit.*

OLeum Caryophyllorum, quod pro Opobalſamo hîc ſubſtituitur, apud nos in compoſitione Trochiſcorum horum omittitur, adjicitur autem in Theriacam ſub finem ipſius mixtionis.

TROCHISCI DIAJON, Seu DE VIOLIS NICOLAI ALEXANDRINI.

℞. Flor. Violarum purpurearum viridium drachmas quinque,
Amyli drachmas tres,
Sem. Papaveris albi drachmas duas ſemis,
Rhabarbari ſcrupulos quinque,
Sem. Plantaginis drachmam unam,
Balſami, ſeu Olei Caryophyllorum ſcrupulum unum.

Trita ſubigantur, & cum aqua roſarum formentur Trochiſci.

T*Horacis anguſtias levant, guttur leniunt, ac alvum emolliunt; raro tamen ſunt uſui.*

TROCHISCI DE LACCA

MESUE.

℞. Laccæ mundatæ,
Succi Glycyrrhizæ,
Eupatorii,
Abſinthii,
Berberorum.
Rhabarbari,
Ariſtolochiæ longæ;
Coſti,
Aſari,
Amygdalorum amarorum,
Rubiæ,
Aniſi,
Apii,
Schœnanthi ana drachmam unam,

Cum

Cum decocto Ariſtolochiæ & Schœnanthi, vel ſucco Eupatorii, aut Abſinthii, fiant Trochiſci.

Icterioſos, lienoſos, & hydropicos adjuvant, febreſque ex viſcerum obſtructione natas propulſant, ac urinas potenter movent, quo nomine aſcitem pellunt.

TROCHISCI DE MYRRHA

RHASIS.

℞. Myrrhæ drachmas tres,
Lupinorum drachmas quinque,
Foliorum Rutæ,
Mentaſtri,
Pulegii Cervini,
Cumini,
Rubiæ,
Aſæ fœtidæ,
Sagapeni,
Opopanacis ana drachmas duas.

Diſſolvantur Gummi in Aceto ſcillitico, & cum ſucco Artemiſiæ fingantur Trochiſci.

Deſcribuntur à Rhaſe 9. ad Almanſorem *in menſtrua purgationis retentione: tarditatem enim menſtruam ſollicitant, quæ ex craſſorum & frigidorum copia aut ſanguine concreto ortum duxit: attenuant, incidunt, & infarctos meatus aperiunt, fœtum mortuum, ſed præcipuè ſecundinam tardantem præſenti remedio expellunt. Exhibentur è decocto granorum Iuniperi.*

Pro Pulegio cervino quidam vulgare capiunt, ejus enim maxima vis eſt in ciendis menſtruis.

TROCHISCI PECTORALES.

CUM AMBRA.

℞. Specierum Diaireos uſitatæ ſcrupulos octo,
Diambræ completæ,
Pulveris radicis Ireos Florentinæ ana ſcrup. quatuor,
Amyli unciam ſemis,
Trochiſc. Gall. Moſchatæ veræ ſcrup. quatuor, grana octo,
Ambræ gryſeæ veræ ſcrupulum unum, grana octo,
Sacchari albiſſimi uncias ſex,
Candi albi,
Penidii ana uncias tres,
Mucilag. Tragac. cum aqua roſar. factæ, quantum ſatis.
Fiant Trochiſci.

In

In catarrho & defluxionibus è capite variis ad aſperam arteriam & cavitatem pectoris in primis utiles ſunt, lenterem catarrhi incidunt, ſputum promovent, & expectorationi humoris influxi conducunt.

TROCHISCI RAMICH MESUE.

℞. Succi Acetoſæ uncias ſedecim,
Roſarum unciam unam,
Baccarum Myrti uncias duas.
Semel ferveſiant, & colentur: adde colato
Gallarum recentium accuratè tritarum uncias tres.
Coquantur iterum aliquantulum, deinde inſpergatur ſequentium
ſpecierum minutiſſimus & optimè commixtus pulvis.
℞. Roſarum unciam unam,
Santali Citrini drachmas decem,
Gummi Arabici unciam unam ſemis,
Sumach,
Spodii ana unciam unam,
Omphacii, ſeu Agreſtæ drachmas ſeptem,
Granorum Myrti uncias quatuor,
Ligni Aloës,
Caryophyllorum,
Macis,
Nucis Moſchatæ ana drachmas quatuor.

Miſce omnia ſimul, & extende in ſcutella lapidea dum ſiccentur. Exiccata rurſus in tenuiſſimum pulverem terantur, & formentur Trochiſci parvi cum Camphoræ aureo ſeu denario uno, hoc eſt, drachma una & ſeptima ejuſdem parte, & ſufficientia aqua Roſarum, ac in umbra libera exiccati reponantur.

Hos Trochiſcos aliquot compoſitiones recipiunt, eoſdem tamen uſurpamus in inteſtinorum & alvi totius lævitate, acriumque humorum per ſedem profluvio. Infuſo enim acrimoniam obtundunt, & impetum refrenant, eoque nomine cholera morbo ſuccurrunt, hæmorrhagiam omnem ſiſtunt naribus immiſſi, aut medicamentis admoti, viſcerum languores, ventriculi, hepatis, & cordis imbecillitates firmant.

Sunt qui ſucci Oxalidis loco ſuccum Cydoniorum ſumant immaturum, Trochiſcoſque aromatiſent Moſchi drachmæ unius quarta parte. Præterea pro Myrti granis ſuccum baccarum Myrti *Fuchſius* legit, qui in compoſitione hac maximè probandus eſſet, ſi modò apud nos extaret, aut commodè haberi poſſet.

Ramich mixturam ex Gallis & Uvis paſſis ſignificat.

TRO-

TROCHISCI DE RHABARBARO MESUE.

℞. Rhabarbari optimi drachmas decem,
Succi Eupatorii,
Amygdalorum amarorum ana drach. quatuor,
Roſarum drachmas tres,
Spicæ Indicæ,
Aniſi,
Rubeæ radic.
Abſinthii,
Aſari,
Sem. Apii ana drachmam unam,
Aquæ Cuſcutæ quantum ſufficit.
Fiant Trochiſci.

H*Orum uſus celebris eſt in febrium prolixarum declinatione, impendente malo corporis habitu, plurimùm namque proſunt ictericis, hydropicis, hepaticis, & cachecticis, tumoribus dolorisque ventris inferioris medentur, obſtructiones reſerant, forma corruptionem ac fœditatem emendant, nec non affectus jecoris inveteratos aquei, acris ac ſeroſi humoris dejectione tollunt.*

TROCHISCI DIARHODON NICOLAI.

℞. Roſarum viridium drachmas tres,
Spodii drachmas duas,
Santali rubri drachmam unam ſemis, grana ſeptem,
Albi drachmam unam, grana duodecim,
Croci ſcrupulos duos ſemis,
Camphoræ ſcrupulum ſemis.

Roſas recentes contunde in mortario lapideo ſine intermiſſione, tùm reliqua in pulverem redacta adde, & cum aqua roſacea ſub finem Camphoram addendó formabis Trochiſcos, quos in umbra ſiccatos uſui reſerva.

D*Yſenteritis, cœliacis, jecinoroſis, & ſtomachicis conferunt.*

TROCHISCI DE ROSIS RHASIS.

℞. Roſarum rubearum unciam ſemis,
Ligni Aloës drachmas duas,
Maſtiches drachmam unam ſemis,
Cinamomi,

Ab-

Abſinthii Pontici,
Nardi Indicæ,
Caſſiæ ligneæ veræ,
Schœnanthi ana drachmam unam.

Cum vino veteri, & decocto quinque radicum aperientium formentur Trochiſci.

Efficaces ſunt ad jecoris obſtructionem, ac febres antiqu... ...rum, & aquam intercutem, ventriculi & nutritivarum partium imbecillitatem corrigunt.

HI ſunt Trochiſci de Roſis, qui Pilulas de Rhabarbaro ir... diuntur. *Podidis* autem, ſeu Roſei Paſtilli alii deſcribuntur *Dioſcoride lib. 1. cap.* 113. ab his facultatibus non multùm differ... ...tes, quibus Myrrham inſuper addit.

TROCHISCI DE SANTALIS

MESUE.

℞. Trium Santalorum ana unciam ſemis,
Roſarum drachmas tres ſemis,
Berberorum, aut *ſucci eorundem inſpiſſati.* drachmas tre...
Boli Armenæ,
Sem. Cucumeris,
Cucurbitæ,
Citrulli,
Portulacæ,
Spodii ana drachmas duas,
Camphoræ drachmam ſemis.

Cum aqua Portulacæ fiant Trochiſci.

Ad febrem ardentem, ventriculi & hepatis intemperiem calidam, & ſitim levandam uſurpantur.

TROCHISCI DE SCILLA

GALENI.

SCillam initio Julii collectam, mediæ magnitudinis, plenam, candidam, cortice primo detracto, & parte duriore cui radiculæ adhærent abjectâ, farinâ ſubactâ involves, & eò uſque in clibano coques, donec farina probè ſiccata ſit, & eâ perforatâ, ſtylo ligneo tentabis, num Scilla undique tenera ſit. Ex exempta, partem interiorem diligenter teres, cui admiſcebis farinæ Ervi tenuiſſimè cribratæ uncias octo ad ſingulas libras; formabis Trochiſcos ponderis duarum drachmarum, & ſiccabis, in ſuperiore parte ædium meridiem ſpectante, ſæpiùs obvertendo donec probè ſiccati ſint, deinde repone.

Deſcri-

Deſcribuntur à Galeno 1. de Antidotis, & in Theriaca ad Piſonem, ejus enim compoſitionem ingrediuntur.

PRo farina Orobi ſeu Ervi, rectè hic à nobis ſubſtituitur pulvis radicum Dictamni albi, ſeu Fraxinellæ.

TROCHISCI DIASPERMATON GALENI.

℞. Sem. Apii,
Ammeos ana unciam ſemis,
Aniſi,
Fœniculi ana drachmas duas,
Opii,
Caſſiæ ana drachmam unam.
Cum aqua pluvia formentur Trochiſci.

Dantur ex paſſo, aut aqua, ad omnes internos affectus dolorificos, ſanguinem rejectantibus apprimè conferunt, ac ſomnum conciliant.

TROCHISCI DE SPODIO CUM SEMINE ACETOSÆ MESUÆ.

℞. Roſarum rubearum unciam unam ſemis,
Spodii drachmas decem,
Sem. Acetoſæ drachmas ſex,
Portulacæ,
Coriandr. præparator.
Sumach ana drachmas duas ſemis,
Amyli uſti,
Balauſtiorum,
Berberorum ana drachmas duas,
Gummi Arabici aſſati drachmam unam ſemis,
Omphacii ſeu Agreſtæ quantum ſatis.
Fiant Trochiſci.

IN febribus bilioſis cum alvi fluore præſtantes ſunt; inflammationem ventriculi & hepatis, ac ſitim continuam ſedant.

TROCHISCI SUBLINGUALES COMPLETI CONTRA PESTEM.

℞. Extracti ligni Aloës grana decem,
Specier. cordialium Alexandri Benedicti drachm. unam,
Diamoſchu dulcis drachmam ſemis,
Radicum Iridis Florent. ſcrupulos duos.

Olei corticis Citri guttas tres,
Zedoariæ guttas duas,
Sacchari albi uncias octo,
Ambræ gryſeæ grana quatuor,
Moſchi grana duo,
Zibethi granum unum,
Mucilag. tragacant. cum aqua roſar. factæ, quantum ſatis.
Fiant Trochiſci.

TROCHISCI SUBLINGUALES INCOMPLETI.

℞. Pulv. radic. Angelicæ unciam ſemis,
Pimpinellæ,
Seminis Angelicæ,
Corticis Citri ſicci,
Pulveris Zedoariæ ana ſcrupulos duos ſemis,
Sacchari albi uncias ſeptem.
Cum mucilagine Tragacanthi ex aqua roſarum facta, quantum ſatis.
Formentur Trochiſci parvi.

TROCHISCI DE TERRA SIGILLATA MESUÆ.

℞. Sanguinis Draconis,
Gummi Arabici aſſati,
Trochiſcorum Ramich,
Roſarum rubearum,
Amyli exiccati,
Acaciæ,
Hypociſtidis,
Lapidis Hæmatitis,
Balauſtiorum,
Boli Armenæ,
Terræ ſigillatæ,
Corallii rubri,
Charabe ana drachmam unam,
Spodii de Ebore,
Margaritarum præparatarum,
Tragacanthi,
Sem. Papaveris nigri ana drachmam unam ſemis,
Roſarum drachmam unam,
Portulacæ,

Cornu Cervi uſti,
Thuris maſculi,
Conorum Cupreſſi,
Croci ana drachmas duas,
Aquæ plantaginis quantum ſufficit.
Fiant Trochiſci.

Sanguinem undecunque manantem & ſputa cruenta cohibent, ac varii generis hæmorrhagias ſiſtunt; fœminarum menſtruam purgationem immoderatiùs fluentem, morantur; intus ſumpti, [illegible] ſucco Polygoni aut Plantaginis ac ovi albumine coxis & pubi[illegible]s, aut cum conveniente liquore utero immiſſi, cruento item lotio medentur, ac dyſentericas diarrhœas, & alvi profluvia compeſcunt. Potentiùs id præſtant, ſi eis addatur Opium, quod aliqui compoſitioni huic drachmarum duarum pondere in univerſum adjiciunt.

TROCHISCI DE SULPHURE ET TUTIA.

℞. Sulphuris vivi,
Camphoræ,
Tragacanthi ana drachmam unam,
Tutiæ præparatæ unciam ſemis.
Cum infuſione Tragacanthi, ex aqua roſarum facta, quantum ſatis.
Fiant Trochiſci.

Ad varia ſuperficiei corporis vitia, impetiginem, phlogoſin, herpetem, phlyctenas, rhagades, eryſipelata, conducunt, ſi cum aqua appropriata diſſolvantur, & parti dolenti ſæpius imponantur.

TROCHISCI DE VIOLIS SOLUTIVI MESUÆ.

℞. Violarum nigrarum mediocriter exiccatar. drachmas ſex,
Turbith drachmas quatuor,
Succi Glycyrrhizæ,
Scammonii præparati,
Mannæ ana drachmas duas.
Cum Syrupo violato fiant Trochiſci.

Uſurpantur in expurganda pituita lenta & viſcida, quæ thoracis vias intercipit & ſuſpirioſos facit, bileq; vitellinâ permixtâ deturbandâ.

TROCHISCI E VIPERA
GALENI.

℞. Carnis viperinæ anetho, ſale, & aquâ coctæ uncias octo,
Panis triticei puriſſimi, aut bis cocti, triti & cribrati, uncias duas.

Fermentur Trochiſci cum jure, in quo decoctæ fuerin[illegible]s viperinæ, & inungantur oleo Caryophyllorum, quod proximè acce[illegible]dit ad naturam Balſami. Siccentur in loco umbroſo, libero, vento[illegible]que perflabili, per dies quindecim, aut eò ampliùs. Sæpè autem [illegible] convertendi, donec probè exiccati fuerint; deinde in pyxid[illegible] [illegible]tream, aut figulinam vitreatam benè obturatam reponendi. A[illegible] integrum perſeverant, quanquam longè meliùs fuerit; haud multo poſt, quàm ipſos confeceris, Theriacam adornare. Qui porrò diutiùs conſervare volet, ſubinde eos à pulviſculo abſtergat, qui illis obnaſci conſuevit: nam ſi diutiùs inhæreat, paſtillos exedere & carioſos reddere ſolet. Hoc autem modo ad tertium annum uſque conſervari poſſunt.

Trochiſci hi ſunt baſis Theriacæ. Cutaneis morbis, viperarum morſibus & febribus peſtilentialibus conveniunt, elephantiacos juvant oculorum caliginem atque obſcuritatem emendant, nec non viſum ipſum acuunt.

De Viperarum delectu, & Trochiſcorum horum præparatione, vide plura apud Fœſium, Bartholomæum Marantham, Baldum Angelum Eugubinum, & Galenum ipſum.

TROCHISCI DE XYLOALOE
MESUÆ.

℞. Ligni Aloës,
Roſarum rubearum ana drachmas duas,
Maſtiches,
Cinamomi,
Caryophyllorum,
Galliæ Moſchatæ.
Spicæ Indicæ,
Macis,
Nucis Moſchatæ,
Cubebarum,
Cardamomi utriuſque,
Paſtinacæ,
Corticum Citri ana drachmam unam ſemis,
Moſchi,

Ambræ ana ſcrupulum ſemis.
Cum melle Paſſulato fiant Trochiſci.

VEntriculum, cor, & hepar, ac membra alia debilia roborant, oris fœtorem abigunt, cordis palpitationem & ſyncopas auferunt, hydropicis auxiliantur, ac peſtilenti conſtitutioni ſunt medendo.

ANIMADVERSIONES

Cunctas hujus Claſſis Compoſitiones concernentes.

Ex variis & diverſæ ſpeciei ingredientibus, è tribus Regnis depromptis, hi ſimiliter *Trochiſci*, de quibus in hac claſſe nobis ex inſtituto ſermo eſt, conficiuntur, ità ut non niſi formâ externâ, à *ſpeciebus* vel *confectionibus* prioris claſſis diſcrepent, proindè etiam cuncta, quæ de illis ſuperiùs annotavimus, meritò & hîc locum habere poſſunt; cùm tot ac tantæ huic, atque ſuperiori claſſi inconcinnæ ſint inſertæ *compoſitiones*, quæque proindè non minùs, uti ipſæ, exploſionem merentur, paucis ſaltem exceptis, *Trochiſcis nimirùm ſublingualibus, Bechicis albis, rubris* & *nigris*, uſui medico interno deſtinatis, & quæ *ſuffumigiis* inſervire poſſunt, *De Benzoë* & *Alipta Moſchata Nicolai*; Reliquæ autem *compoſitiones omnes*, ob quam ſingularem rationem, in hanc formam *Trochiſcorum* ſcilicet, redactæ ſint, non video; cùm ſi in uſum trahi debeant, neutiquam ſub hac forma aptæ ſint, ut ægrotantibus exhibeantur; Sunt enim *Trochiſci* duriſſimi à *Tragacantho* (cujus beneficio in hanc formam utplurimum coagmentantur) adeò compacti & indurati, ut poſtmodum difficillimæ triturationis ſint piſtillo etiam & mortario tenaciſſimè adhæreant, quod quidem aliter fieri nequit; nam ubi tot *diverſæ inter ſe repugnantes ſpecies*, ope alicujus *mucilaginis* in unam maſſam cogendæ ſunt, non poſſunt non ad ulteriorem triturationem inhabiles reddi, præſertim ſi *reſinoſa gummata* vel *ſucci concreti*, iis immiſta ſint, quæ ut alioquin moris eſt, ſemper ſigillatim pulveriſata aut diſſoluta, *compoſitionibus* coadunari debent. Si itaque neceſſum ſit, hoſce *Trochiſcos* (exceptis ſuperioribus denominatis) quoties in uſum trahi debent, priùs pulveriſare (integri enim, nunquam vidi, quod exhibiti fuerint, neque ità exhiberi poſſunt, cùm ab humiditate oris vel ſalivâ tam promptè diſſolvi nequeant, nec etiam deglutiri uti *pilulæ*) cur non in forma *pulveris* relicti, aut in aliam aliquam formam uſui non repugnantem redacti ſunt? Accedit & hoc incommodum, quòd plures *Trochiſci*, maximè qui vi adſtrictoriâ pollent, quando ægrotis, utut iterum in pulverem redacti, propinentur, vires ſuas propter *mucilaginem Tragacanthi*, quâ obducti ſunt, & quæ tenaciter illis impacta eſt, commodè exſerere nequeant, ac magnoperè ab adhærente illa *mucilagine* impediantur.

Quin etiam *Trochiſci de aniſo*, in qua forma & quomodo illi ægris exhibendi ſint, libenter ſcirem? *Trochiſci* item *Cypheos* & *Hedychroi*, cur ſigillatim pro *Theriaca* & *Mithridatii confectione* proſtent, cùm ferè omnia horum *Trochiſcorum* ingredientia, *Theriacam* & *Mithridatium* ipſa ingrediantur? de quibus plura in eorundem, *Theriaca* nimirùm & *Mithridatii confectionibus*, nobis diſſerenda erunt? Cæterùm *Trochiſci pectorales*, ex quot *compoſitis* illi conſarcinati ſunt? Et ſi exacta ipſorum *compoſitorum* inſtitueretur computatio, & quantum ſingula doſis de hoc vel illo eorum ingredientium gauderet, accuratiori examine trutinaretur, ſimili divi ſione granorum impoſſibili heic opus foret, illi quæ in *Animad-verſionibus præcedentis Claſſis*, inprimis ſuper *confectionem pectoralis* & *trageam groſſam*, non ſine magno noſtro labore, & accurata diligentiâ facta eſt. Inſuper *Trochiſci de Violis ſolutivi*, dic amabo, quomodo iſti adhibendi, & ægrotantibus propinandi ſint, vel quomodo commodè denuò in pulverem redigi queant? quaſi verò ſub nulla alia forma commodiori, *cathartica medicamenta* proſtarent, ægris exhibenda? Et cur *Trochiſcis de Xyloaloë* etiam ſigillatim *Trochiſci Galliæ Moſchatæ* addi debent, cùm tamen *lignum Aloës*; *Moſchus* & *Ambra*, utpotè ex quibus ſolis & non aliis ingredientibus *Gallia moſchata* conſtet, & hos ipſos etiam *Trochiſcos*, ſcilicet *de Xyloaloë* ingrediantur? Nonnè ſatiùs fuiſſet, *Ambræ*, *Moſchi*, & *Ligni aloës*, recentium quantitatem in *compoſitione* augere, quàm *Galliam moſchatam*, ſive præfatas, ex quibus illa componitur, *ſpecies* priùs eum *glutine Tragacanthi*, in *Trochiſcos* compactas, demùm addidiſſe?

Tandem ne *Trochiſcos de Viperis* prætercam, & quid de eorundem præparatione ſingulariter ſentiam, ingenuè ut aperiam, horum plurimæ quidem proſtant *compoſitiones*, attamen in nullo alio diſcrepantes, quàm in ſola quantitate *panis* addendâ. Maneamus jam in præſcripta formula, neque enim opus habemus, ut denominatos in adjuncta animadverſione Authores, de *delectu viperarum* aut horum *Trochiſcorum* præparatione conſulamus, vel ipſorum authoritatem emendicemus, ſufficiet ea huc adducere, quæ hiſce noſtris oculis uſurpavimus, & manibus perfecimus; Itaque quòd præparationem inprimis & *compoſitionem illorum Trochiſcorum* concernit, dico & aſſero, ipſam omni experientiâ & ratione deſtitui; Etenim impoſſibile eſt, ut ℥ *viij carnis viperinæ coctæ & humidæ cum duabus unciis panis* in maſſam cogantur, undè poſtea *Trochiſci* efformandi ſint, multò minùs de *jure ejuſdem carnis viperinæ* (in quo tamen potiſſimæ *viperarum* vires reconditæ ſunt, ipſaque earundem *eſſentia* veluti, non ſecùs quam in *gelatinis caponum*, eorundem vis reſtaurativa deliteſcit, adeòque vel maximè neceſſarium & conſultum eſſet, ut vel totum adderetur,) quicquam addi poteſt; eo enim admixto, liquidiſſimam quandam pultem, non verò maſſam ullam unquam

quam efficeres. Scire autem forſitan deſideras, Lector benevole, quo pacto & quâ ratione *Trochiſci hi Viperini* in Italia conficiantur, utpotè ex qua magnis ſumptibus & impenſis in Germaniam, reliquasque regiones ſpecioſis teſtimoniis ornati & muniti tranſportantur; Id ſanè longâ ſerie, prout ipſe ſæpiùs hujus confectionis ſpectator fui, & accuratè illam obſervavi, verbotenùs deſcripſiſſem, niſi ſingularia quædam me deterrerent, ac quaſi ſufflaminarent: Quin potiùs, amice Lector, exoptarem, ut ipſus hujus rei experiundæ exemplum faceres, accipiendo nimirùm *aliquot ſerpentes Germanicos*, eosque capitibus & caudis detruncatis, exemptisque interaneis in *ſ. q. aqua ſale & anetho* coqueres, donec *caro* ab *oſſibus* ſive *ſpinis* tædioſo labore (qui labor in Italia utplurimùm mulierculis commendatur) ſeparari queat. Hinc accipienda *caro illa humida diffluens*, nec non *juſculum* in quo *viperæ* decoctæ ſunt, quibus addatur *panis biscocti pulveriſati quantum ſufficerit, ad maſſam tenacem efficiendam*, ut ex illa exactè & diu in mortario contuſâ, *Trochiſci* efformari queant, ac reipsâ experière, quàm inſigni quantitate *panis* opus fuerit, pro *unica uncia carnis viperinæ*, in maſſam redigendâ cum ſuo *brodio*. Næ ſi mihi fidem adhibere velis, *unciæ quinque, ſex, ſeptemvè* vel *octo* etiam, prout plùs minusvè *juſculi liquidioris* habueris, vix ac ne vix quidem ſufficient, pro *uncia una carnis*; Tali, in rei veritate baſi & fundamento gaudet noſtra *theriaca*; Nec tibi perſuadeas velim, juxta præſcriptum modum, meliores *Trochiſcos* confectos ex oris illis ad nos transferri, licet vel centum teſtimoniis confirmati nobis commendentur. Differentiam *viperarum* ratione ſexûs quod attinet, ſcilicet an maſculi eſſe debeant, vel fœminæ (quæ poſtremæ à Galeno, & aliis plerisque ad imitationem quidem dicti Galeni commendantur,) ex quibus hi *Trochiſci* conficiantur, meherclè parùm refert, modò ex montanis ceu locis ſalubrioribus, oriundis, non verò paludoſis inſalubribus, in quibus quidem locis copioſior earundem proventus, *prædicti trochiſci* parentur; Et hæc quoad modum præparandi vulgarem.

Nunc quædam diſquiſitione digna circa dictum præparandi modum occurrunt; *primò*, cur Galenus (quem etiamnum moderni Medici ſequuntur) ex ſola *carne viperarum*, non verò ſimul ex *oſſibus & ipſis illarum cordibus ac jecinoribus*, prædictos *trochiſcos* parare præceperit, eaque unà cum interaneis, ceu quibus *cor* & *hepar* annexa ſunt, tanquam inutilia abjecerit, cùm tamen ex ipſis aliàs egregia & efficaciſſima conficiantur *Bezoardica* & *Alexiteria*; Id ſanè ſine experientia & inſigni ratione factum eſſe arbitror; Nam ſi *caro viperina* tàm eximiis pollet virtutibus, cur non iiſdem vel majoribus etiam *cor* & *hepar*, quæ ipſarum principaliora viſcera ſunt, quibus nimirùm vivunt, & in vita conſervantur, item *ſpinæ* vel *oſſa*, quibus radicalis ſubſtantia maximè impacta eſt, prædita eſſe deberent.

rent. *Secundò*, ecquid ſibi vult *additio panis*, quidque *coctio cum ſale & anetho?* Quod ad *panem* ſpectat, non autumo ullum fore, qui virtutes ſingulares vel Alexipharmacas vel correctivas ab ipſo *Trochiſcis* impertiri poſſe, pertinaciter aſſeuerit, ergò duntaxat conſervationis gratia, vel propter formam illam, *Trochiſcorum* ſcilicet, faciliùs acquirendam, additus erit? Sed ſi conſervationes gratiâ, ſive ut eò diutiùs in integritate perſiſtant, additus ſit, præpoſterè id ipſum factum eſſe arbitror, tum quòd per ſe *vipera exſiccatæ & ſale nonnihil aſperſa*, aut earum *pulvis* diutius aſſervari poſſit, quàm ipſi *Trochiſci*, tùm quòd admiſtione tantæ quantitatis *panis*, præterquam quòd virtus earum nihil prorsùs intendatur, inſuper etiam [illegible] mùm diminuatur. Si verò gratiâ formæ, *Trochiſcorum* ſcilicet [illegible] acquirendæ *panis* additus eſt, revera nec operæ precium, nec rectæ rationi conſonum apparet, ut ob tam levidenſem cauſam, medicamenta nobiliora in virtutibus ſuis diminuantur; & eò magis abſurdum hoc eſt, cùm in hac forma nullius uſui eſſe poſſint, ſed neceſſum ſit, ut iterùm in pulverem redigantur, ſi uſui Medico inſervire debeant. Adjectio autem *ſalus & anethi*, utrum illa genuina ſit, *animalium venenatorum, viperarum* ſcilicet, quas illi ſummè venenatas proclamant (cujus contrarium tamen ipſa experientia nos edocuit,) correctio, nullo modo rationabiliter admitti, neque experientia confirmari poteſt. Id equidem concedo, *ſali* ineſſe virtutem conſervatricem putredini reſiſtentem; non ſimplicem autem putrefaciendi vim, ſed occultam qualitatem naturæ noſtræ adverſam venenis ineſſe, nemo eſt qui ignorat: Addo etiam, quòd *anethum ſali ſcilicet addendum*, inter *Alexipharmaca* minimè numeretur, ac ideircò neutiquam illud ipſum virulentiam *viperarum*, ſi quâ illæ ſcaterent, corrigere poſſet. Coctio itidem, in tanta *aqua copia*, quâ mediante forſitan venenatas viperarum partes expelli exiſtimant, & illa planè inepta eſt; *veneni* enim nil ſpirant, dum pro *pulvere*, vel etiam pro *ſale viperæ in M. B.* exſiccantur; nec *earum aqua per deſtillationem in dicta exſiccatione copiosè prolecta*, ullatenus aliquâ qualitate noxiâ infecta, ſed potiùs ſalutifera eſt, præſertim *ſi vivæ viperæ optimè mundatæ*, Alembico immiſſæ fuerint. Accedit præterea & hoc abſurdum, quòd *juſculum illud*, in quo *viperæ* ſufficienter decoctæ ſunt, & cui potior *viperarum virtus* jam impacta vel impreſſa eſt, vel abjici, vel ſi unà cum *carne* in *Trochiſcos* (licet ad Gelatinam uſque exhalet.) redigendum, magna *biſcocti panis* quantitas addi debeat, utrumque autem malum & abſonum eſſe, quis non videt? Porrò, quòd *viperæ* non tam ab antiquis, ſed quod mirari ſubit, etiam à modernis Scriptoribus & Medicis, tantoperè venenatæ proclamentur, earum tamen uſum ſummè ſalutarem, in morbis etiam aliàs incurabilibus, Leprâ videlicet, aliiſque complurimis commendant, (*vide Quercetanum capit. de*

Tro-

Trochiſcis viperarum,) illa ipſa directè oppoſita ſunt, & contradictionem involvunt; nam *venena* alioquin, ceu naturæ noſtræ toto genere infeſta, vitæ fontem deſtruere ac demoliri, vitamque ipſam exterminare potiùs, quàm eandem inſtaurare ſolent: Sed hæc neutiquam eveniunt, ſive à ſanis, ſive leproſis *Vipera, vel cocta, vel in pulverem redacta, vel etiam in vino extincta* aſſumantur; Ergò.

Sunt inſuper inter modernos Medicos plurimi, qui cùm vera *veneni viperarum* cognitio eos lateat, aliquas ſaltem earundem par-[illegible]nenatas, quaſdam verò ſalutiferas eſſe, firmiter aſſerant: Sed [illegible] *vipera integra* in *vino* extincta, leproſos reſtituat, *(quod teſtatur Galenus & Quercetanus loco ſupra citato,)* nec non ſi fœminæ quædam nobiliores Anglicæ (uti ex fida relatione Anglorum habeo,) de *vino tali viperino*, ſive in quo *viperæ* extinctæ ſunt, quaſi interno Coſmetico ad pulchritudinem corporis, vultûſque & univerſæ cutis formoſitatem comparandam, abſque ullo damno ac ſanitatis detrimento, bibant; corruet etiam aſſertio *partium viperarum venenatarum, fellis* ſcilicet, *caudæ* & *capitis*; (iſtæ enim ſunt, quæ communiter pro venenatis habentur,) uti nec ego ipſe in illis venenoſitatem aliquam deprehendere potui, ut ut multa millia *viperarum* mactaverim, & *abſciſſa capita, veſiculas felleas & caudas earundem*, aliâ carne involutas, *felibus* & *canibus* devoranda objecerim, quæ etiam abſque ullo vitæ diſcrimine, vel noxa aliqua, conſumpſére, nec vel tantillum damni, quoad corporis incolumitatem inde paſſa ſunt. Quotieſcunque autem *vipera iracundia æſtro percita*, canem morſu ſauciaverit, intra decurſum aliquot horarum, vel citiùs interdum, ſubſecutus eſt effectus miſerabili ſpectaculo ſatis calamitoſis, ità ut in *ſolo earum morſu, imagine iræ veneno mortifero imbuto, Viperarum & Serpentum venenum* conſiſtere, cum ſubtiliſſimo Philoſopho Helmontio, & Doctiſſimo Poterio, aſſerere neceſſè habeam; quam noſtram aſſertionem luculentiſſimis ſuis ſuffragiis comprobant Viri alii Celeberrimi, qui de iratorum animantium, *hominis* præcipuè, *canis, equi, lupi, felis, muſtelæ*, & ſimilium morſibus, tanquam ſummè venenaris ac lethiferis, obſervationes publicis ſcriptis commendârunt: Inter illos autem inprimis *Celeberr. Guilhel. Fabricius Hildanus*, *in ſuis Operibus chirurgicis*, ut adeò opus non ſit, ſuperiùs allatam noſtram rationem in dubium vocare. Quòd autem hujus vel iſtius animalis morſus, morſu alterius pernicioſior, magiſque lethalis ſit, ex. gr. *Viperarum* magis quàm *Serpentum*, hujus cauſam; cùm in iracundia magis vel minus intenſâ, tùm etiam in acumine dentium, ſive cuſpide eorundem acutiſſimâ ſitam eſſe, planè mihi perſuadeo; Nam ſi dentes illos falcatos, quorum aliquæ *viperæ* duos tantum, præſertim maſculi,

aliquæ quatuor, & quidem utplurimùm fœminæ habent, ipſius eruas, deinceps morſus earum, eò, quod nec profundè dentes reliquos obtuſiores & breviores ſeu minutiores partibus demorſis infigere, nec nervos majuſculos puncturâ ſauciare valeant, ſed ſolummodò aut maximam partem ſaltem epidermidem lædant, non æquè exitialis exiſtit. Quam artem probè callent circumforanei, qui hoc Pacto ſpectatoribus ſuis egregiè imponunt, utpotè qui non aliter credunt, quàm quòd hi graviter à *viperis* demorſi ſint, cùm tamen parùm admodum ipſos ſauciare potuerint.

Cæterùm quæ ſuperſunt Theorica de *viperis* & *ſerpentibus* ſcitu neceſſaria, eorum tractandi anſam arripiam in *appendice Claſſis .. ecima quarta*, ubi benevolus Lector pleniorem capiet informat- nem. Nunc verò ventilatâ præparatione *Trochiſcorum*, & corre- .one inutili *carnis viperinæ* rejectâ & exploſâ, præmiſſo itidem diſcurſu, quid de putativa *viperarum venenoſitate* ſentiendum ſit, ulteriùs jam diſquiritur, quâ ratione hi *Trochiſci Viperarum*, ſi qua ſtrictè expeterentur, parandi ſint; & an eorum loco *pulvis ex puris putis viperis* paratus, ſubſtitui poſſit, ut hâc ratione *viperæ* jure baſis & fundamentum *theriaces* dici mereantur; Item quomodo *eſſentiæ* ex iis præparari queant? Hac de re ſatis prolixè quidem, aſt minùs ingenioſè & acutè, nec non æquè inconcinnè, ut reliqui Authores, qui de *Viperis* ſcripſêre, diſſeruit *Quercetanus, loco ſuperiùs citato*, cujus ſententiam & præparandi modos, ceu minus appoſitos, haud iniquè rejicimus, propoſituri præparationes aliàs genuinas, magiſque rationi conſentaneas, quæ tales eſſe poſſunt. Nimirum

℞. *Viperarum in locis montanis ſummo Vere captarum, recentium, nec diu poſtquam captæ ſunt, aſſervatarum numero xxx, vel L*, aut *q. ſ.* quarum abſciſſis caudâ & capite, ſpoliiſque detractis, interanea exime, & ab ipſis *cor* & *hepar* ſepara, ac unà cum *corpore excoriato*, nonnihil per ſpinam cultro confracta viventia adhuc, ſtatim cucurbitæ vitreæ immitte, ſuper inſpergendo *ſalis Nitri optimè purificati*, vel quod meliùs eſt, *ſalis Viperini fixati, ex aliis Viperis antea parati*, & ſuo loco edocendi, aut, ſi mavis, *ſalis Armoniaci ſublimati vel optimè purificati particulam*, appoſitoque capitello, fiat in M. B. igne lento deſtillatio, liquore ſatis copioſè prodeunte ad ſuos peculiares in *Theriaca* uſus, ſtudioſè aſſervato: Deſtillatio illa per duos tresvè dies leniter continuanda eſt, donec *Viperæ* totaliter exſiccatæ in ſubtiliſſimum *pulverem* redigi queant. Quod ipſum, quò commodius fiat, poſſunt poſt unius diei peractam deſtillationem, detracto parùm à cucurbitæ capitello, *Viperæ* ſemel atque iterum bacillo ligneo vel immiſſâ manu, inverti, ne ubi in unam maſſam conglobatæ fuerunt, earum integra impediatur exſiccatio; utque hâc ratione prohibeamus, quò minus fundo & lateribus cucurbitæ vitreæ tenaciter adhæreant, difficulter tandem à vitro ſine rupturâ ſepa-

ſeparabiles, Secùs ſi in clibano, prout álii Authores præcipiunt, & uti ubivis locorum ferè conſit, *Viperæ* exſiccentur, *non ſubtilem & friabilem, ſed floccis totaliter refertum, nec non raucorem facilè contrahentem pulverem* acquires.

Hic *pulvis Viperarum ſimplex*, nec ullâ re peregrinâ permixtus, poteſt pro intentione Medici & conditione ſubjecti vel affectûs aromatizari *Ambrâ, Moſcho, Elæoſaccharis, confortantibus Alexipharmacis*, aut ſimilibus aliis, qui tùm in *ſua propria aqua* in exſiccatione Viperarum ſuperiùs per Alembicum prolectâ, etiamſi lubido fuerit, cum aliquo *Syrupo* vel *Cinamomi* vel *corticum Citri* edulcorata, commodiſſimè ægrotantibus ſine nauſea *à* ʒ ß *ad* ʒ j, tempore neceſſitatis propinari poteſt. Et jure meritò hic *pulvis* loco *Trochiſcorum Theriacæ* admiſceri deberet, id quod à me primò Anno 1649. in Inclyta Patavina, præſentibus diverſarum Nationum Doctiſſimis Viris, magno cum applauſu, tentatum eſt. Et ſi forſan, Lector benevole, formulas aliquot *pulverum ex Viperis* more prædicto confectorum deſiderares, jungo horum ſequentes: utpotè,

PULVIS VIPERARUM CONFORTANS.

℞. *Ambræ gryſeæ* ʒ j.
Diſſolvatur in mortario vitreo cum
Ol. ſtillat. Cinamomi,
Citri cortic. recent.
Macis ana ʒ ß,
Roſarum veri ℈ j.
Quibus adde
Pulveris viperini, ſimpliciter modo ſuperiùs edocto præparati ℥ iij,
Sacchari Candi pulveriſati ℥ iij.

Fiat omnium *pulvis ſubtiliſſimus* & præſtantiſſimus corroborans, cui, ſi quis *Moſcho* delectetur, ejuſdem ℈ ß, addi poteſt. *Doſis* ℈ j, *ad* ℈ ij, in juſculo caponis & vino.

PULVIS VIPERARUM ALEXIPHARMACUS.

℞. *Pulv. viperini ſimpliciter parati* ℥ iij,
Pulv. Florum Sulphuris ℥ j,
Myrrhæ opt. ʒ vj,
Ol. ſtillat. Angelicæ,
Rutæ,
Succini ana ℈ j,

Miſce,

Miſce, fiat *pulvis ſubtiliſſimus*; cujus *doſis à* ℈ j, *ad* ℥ ß, vel etiam urgente neceſſitate *ad* ℥ j, in aqua aliqua Alexipharmaca.

PULVIS VIPERINUS ALEXIPHARMACUS ALTER.

℞. *Pulveris viperini ſimpl.* ℥ iij,
Sacchari albiſſimi ℥ ij,
Salis viperini volatilis in appendice claſſis xiv. edocendi ℥ ß,
Ol. ſtillat. Myrrhæ,
Angelicæ,
Citri cort. recent. ana ℥ ß.

Miſce exactè, fiat *pulvis ſubtiliſſimus*, cujus *doſis* & utendi modus ut ſupra.

His ſimiles & quidem efficaciores *pulveres, ex ſolis cordibus & hepatibus Viperarum* confici poſſunt, uti ſequitur.

BEZOARDICUM ANIMALE, Sive PULVIS EX SOLIS CORDIBUS ET HEPATIBUS VIPERARUM.

℞. *Corda & jecinora ex mactatis & vivis adhuc Viperis excepta numero L*, vel *C*, eaque conſperge, dum adhuc vivunt, *ſale proprio Viperarum fixato*, (vel *ſale Theriacali* quodam, quorum præparationes vide in *animadverſionibus claſſis decimæ quartæ ſuper appendicem*,) & ſtatim immiſſa Alembico vitreo ſuo capitello munito, in Balnei calore exſicca, *aquâ, quæ prodit, ſtudioſè ſeorſim aſſervatâ*. Exſiccata in Alembico *corda & jecinora* in pulverem redige ſubtiliſſimum, quem ad lubitum *Ambrâ gryſeâ* vel *oleis deſtillatis* cùm Alexipharmacis, tùm aliis confortantibus, ad normam *pulveris Viperarum ſimplicis* aromatizare poteris, vel alterius conſiſtentiæ ex eodem conficere medicamenta, ut ſi exoptares *Trochiſcos*, qui adhuc longiori forſitan tempore, propter conſiſtentiam ſuam compactam, integris viribus conſerventur, ii commodiſſimè ex *hoc* vel *ſimplici Viperarum pulvere*, cum *aquâ ejuſdem propria* addito *Gummi quodam appropriato*, vel portiunculâ cujuſdam *Elæoſacchari*, efformari poſſent; Aut ſi pro ſola *Theriaca* expetantur *Trochiſci*, poteſt *pulvis Viperarum prædictus ſimplex*, cum particula *Myrrhæ* in *vino* diſſolutæ, vel *eſſentiâ Viperarum*, (quam mox edocebo,) in maſſam & *Trochiſcos* efformari laudabiles, omni jure pro *baſi Theriacæ* habendos; Si verò ad alium uſum, confortantem puto, adhibendi eſſent hi *Trochiſci*, non abs re foret, illos (uti paulò ante monui) ex *pulvere Viperarum* cum quodam *Elæoſaccharo*, & propriâ earundem *eſſentiâ*, additâ etiam *Ambrâ*, conficere modo ſequenti:

TRO-

TROCHISCI VIPERINI CONFORTANTES, ET ALEXIPHARMACI.

℞. *Sacchari albiſſimi aquâ viperinâ in exſiccatione earundem proſecta ſoluti* ℥ ix.
Redigatur coquendo ad *conſiſtentiam Tabulati*, in quo remoto ab igne & nonnihil refrigerato eliqua,
Ambræ griſea ʒ j vel ʒ jß,
addendo
Bezoardici animalis ſuperius traditi ℥ ij,
vel loco hujus
Pulv. viperini ſimplicis ℥ iij,
Ol. ſtillat. Cinamomi,
Macis ana ℈ ij.
Fiat *pulvis*, qui additâ ſ. q. *eſſentia viperina ſequentis*, cogatur in maſſam tenacem, ex qua formentur *Trochiſci* delicatiſſimi.

TROCHISCI ALII ALEXIPHARMACI ET CONFORTANTES.

℞. *Sacchari albiſſimi pulveriſati*, ℥ x,
Solvatur ſupra ignem cum ſ. q. *ſucci ex corticibus Citri extimis expreſſi*, ſine coctione vel ebullitione, ac ſi *Tabula ex ſucco Citri* confici deberent, cui ſtatim ab igne remoto, adde
Bezoardici animalis ſupradicti ℥ ij,
vel ejus loco,
Pulveris viperini ſimplicis ℥ iij:
& cum refrixerint,
Olei Citri ex cortic. recentibus non putrefactis deſtillati ʒ j.
Fiatque *pulvis*, qui additâ ſ. q. *eſſentia viperina* ſequentis, vel ſi illa deſit, *ſucci illius ex corticibus Citri expreſſi*, cogatur in maſſam, ex qua formentur *Trochiſci delicatiſſimi confortantes & Alexipharmaci.*

Sequitur nunc prænominata *eſſentia viperina*, quæ ſi diutiùs ad futuros uſus aſſervanda eſt, cum *ſpiritu vini* paretur, ſin minùs, & pro confectione *Theriaca* duntaxat expetatur, cum *vino, vel Malvatico, aut alio generoſo & potenti* ipſius inſtituatur præparatio, ut potè

ESSENTIA VIPERINA ALEXIPHARMACA.

℞. *Viperarum in locis montanis captarum, vel* (ſi lubet, & quod meo judicio idem eſſet, æquè benè etiam pro *pulvere*, quàm *Trochiſcis* efformandus.) *Serpentum Germanicorum in montibus locisque*

ſanis

ſanis degentium Numero xxx, ad centum uſque vel *quot libuerit*, quos (uti ſuperiùs innuimus) repurgatos & exuviis ſpoliatos, cum ſuis *cordibus* & *hepatibus*, citiſſimè dum adhuc vitâ integrâ gaudent, in *ſpiritum vini* vel *vinum Malvaticum (x*, vel *xv, aut xx Viperas* recipiendo pro *menſura una* vel ℔ *iv, unciis ſcilicet quadraginta octo vini* vel *ſpiritus vini)* in cucurbita oblonga, ſuo capitello poſtmodum munienda, contentum immerge & in eodem emori ſine; Poſtea in M. B. ad dimidias deſtillando, *ſpiritum vini* evoca, iterumque affuſum ſecundâ vice ad dimidias abſtrahe, & reſiduo junge; tandem reſiduo redditum & conjunctum exprime, & per filtrum aut manicam Hippocratis *colatum* vel *clarificatum ſpiritum* aut *vinum impregnatum* aſſerva. Tùm ex *relictis* & *expreſſis Viperis* deſtillando *ſalem*, juxtà modum noſtrum, quem in *animadverſionibus ſuper appendicem claſſis decimæ quartæ* edocebo, confice *volatilem*, ac *eſſentiæ* jam *factæ* junge, quæ invicem in phiola probè munita loco tepido per diem unum vel alterum digere, uſuique tandem aſſerva, addendo etiam, ſi lubet, *ol. ſtillat. Cinamomi*, vel *corticum Citri recentium ſ. q.* ſi illa cum *ſpiritu vini* ſit parata. Hæc *eſſentia*, an benè vel malè confecta ſit, quivis facilè judicare poterit, ubi illam penitùs inſpectam, æquâ rationis & judicii lance, probè ponderaverit.

Aliam *eſſentiam ex cordibus & hepatibus Viperarum ſiccis cum ſuo ſale proprio fortificatam*, tradit *Clariſſimus Schröderus in Pharmacopœia Medico-chymica, cap. de Viperis lib. 5.* quæ ipſa ex meis Collegiis Chymicis Patavii habitis profecta eſt, cui tamen illam, quam nunc deſcripſimus, ceu longè efficaciorem meritò præferendam eſſe judicamus.

Suppetit nobis alia *eſſentia viperina ex cordibus & hepatibus Viperarum vivis* præparata, quæ ſe habet in modum ſequentem.

ESSENTIA VIPERINA ALIA.

℞. *Centum circiter corda Viperarum & jecinora totidem*, eaque recentia & viva in *libras tres ſpiritus vini optimi* immerge, & in eodem emori ſine, ac ulteriùs modo in *præcedenti eſſentia* indigitato extrahendo, deſtillando & ſeparando procede, cui tandem junge

Salis Viperarum volatilis ℨ *ij*,
Ol. ſtillat. Cinamomi
Citri ex cort. recent. ana ʒ *j*,
Ambræ gryſeæ in prædictis oleis deſtillatis prius ſoluta ʒ *j*, vel ʒ *ij*,

Tum mixta digere aliquandiu, & acquires *eſſentiam nobiliſſimam*, cujus *doſis* ʒ ß, *ad* ʒ *j*, in *vino* vel alio vehiculo convenienti.

Si

Si quod inſuper ulli Magnati arrideret *vinum viperinum* pro reſtauratione virium totius corporis, potuque ordinario, poſſet illud parari modo ſequenti. Nimirùm,

Viperæ XL. vel *L.* ſtatim atque mactatæ ſunt, modoque ſupradicto in eſſentiam præparatæ, unà cum *cordibus & jecinoribus tribus* vel *quatuor menſuris vini optimi* cucurbitæ vitreæ oblongæ capitello muniendæ infuſis, immergantur, in eoque emori permittantur, à quo poſt unius alteriuſvé diei digeſtionem, tertia ferè pars per M. B. deſtillando evocetur, ac reſiduo iterùm affundatur; qui labor, abſtractio ſcilicet & reaffuſio *tertiæ partis vini*, ut eò meliùs ·ctiusque *virtus viperarum* illi communicetur, denuò reiteretur. ·n *Viperæ* exprimantur, & *vinum earundem eſſentiâ impragnatum*, coletur, colatum filtrando per chartam emporeticam vel manicam Hippocratis clarificetur, ac *uni urnæ alterius vini generoſi* commiſceatur; Cui ſi inſuper odorem & ſaporem aromaticum conciliare velis, facilè illud factu erit, addendo ſaltem nonnulla *Aromata, Moſchum, Ambram*, & ſimilia.

Tandem ne quicquam intactum, quod ad *Viperas* ſpectat, & uſui Medico inſervire poſſit, ſilentio prætereamus: è re fore judicavi, dum de iiſdem nobis adhuc ſermo eſt, ut paucis tantam ubivis gentium deprædicatam *caponum & gallinarum viperinis carnibus factam ſaginationem* attingamus: Quomodo nimirùm illa (cum nonnulli magni Germaniæ Principes, *eâdem saginâ nutritis caponibus & gallinis*, non ſine inſigni emolumento veſcantur) legitimè peragenda ſit: Ne, ſi fortè quidam nauſeâ detineantur, & propterea medicamenta ex *Viperis* parata, in ſubſtantiâ aſſumere abhorreant, *Viperarum* præclaris virtutibus penitùs deſtituantur.

Quanquam verò vulgò receptam *capones jam adultos & gallinas* ſaginandi conſuetudinem non improbem; attamen ratio & experientia multò conſultiùs ſuadent, ut qui intenſiores *Viperarum* facultates per hujuſmodi ſaginationem ſibi comparare ſatagit, *gallum & aliquot gallinas* in chorte, ovis pariendis deſtinatas, *viperinâ* enutriat ſubſtantiâ. Quæ ſic enutritæ mirum eſt, quàm evadant fœcundæ & ſalaces. Hinc *ova* taliter epulantium conjugum excluſioni ſubjicienda, & *pulli*, quamprimum è teſtis eruperint, *eſcâ è Viperis paratâ* ſunt educandi.

Modus autem prædicta animalia ſaginandi, hic eſt: *Viperæ* ut ſuperiùs dictum *mundatæ* in fruſtula conſcindantur, ac in vaſe idoneo affuſâ ſ. q. *aquæ fontis*, decoquantur, adjecto modico *ſalis communis*, uſque dum ſufficientur *carnes* emollitæ ſint: Hinc cochleari perforato eximantur *Viperæ* in mortario contundendæ, ut *oſſa* comminuantur; quibus ſic contritis, adde *farinæ ſaginationi aptæ, & juſculi decoctionis Viperarum q. ſ.* miſce, fiant *paſtilli*, quibus *gallinæ, capones & adultiores pulli* ſaginentur. Sed cum recenter

center excluſi *pulli*, *paſtillis* hiſce paſci non poſſint, aliâ viâ eos cibare oportet: *Caro* videlicet *cocta*, & *ab oſſibus ſeparata* minutim conſcindenda, *ovis* ad duritiem coctis & ſimiliter inciſis permiſcenda, & *pullis nuper excluſis* in eſum porrigenda eſt. Atque *hoc cibo* tam diu ſunt *pulli* paſcendi, donec ſaginationem præſcriptis *paſtillis* celebrandam ſuſtenere tandem queant; Quibus deinde ultrò ſuſtententur, donec partim pingues & jugulationi accommodati; partim fœcundi pariendis *ovis*, & ex iis aliis excludendis pullis apti videantur; denique toto vitæ tempore ſimili pabulo alantur, ut quantum fieri poteſt, *tota gallinaceorum natura*, tùm quaſi per ſenem in ipſa generatione, tùm per alimentum in vitæ decurſu, *Viperarum* viribus alteretur & imbuatur.

Habes hîc, Lector benevole, *ſingularia ex Viperis medicamenta*, hiſce meis manibus ſummâ diligentiâ, elaborata, & experientiâ non ſemel confirmata, ut meliora vix confici queant, quæ ut grato & benevolo animo accipias, & ſi his meliora nôris, illa publici juris facias, amicè rogo.

Supereſt nunc, redeuntes unde digreſſi ſumus, ut etiam de reliquis hujus *claſſis compoſitionibus*, *Trochiſcis* ſcilicet aliis paulò concinnioribus & magis neceſſariis pauca diſſeramus, ac tandem huic claſſi colophonem imponamus. Dixi ſuperiùs, paucas hujus *claſſis compoſitiones* nobis arridere, propterea nec operæ precium duxi, ſingulas *Trochiſcorum formulas*, ſeparatim ſub incudem revocare. Neque enim multum artis requirit, ingredientia ſimpliciter contundere, contuſa cum *mucilagine*, vel *ſucco quodam concreto* in maſſam redigere, utpotè quæ levia unicuique Pharmacopœo trita ac notiſſima ſunt, adeoque principaliores duntaxat, (quarum in hac claſſe fit mentio) *compoſitiones* ritè parare edocebo.

Primùm autem ſe offert *Agaricus Trochiſcatus*, qui qualiter parandus ſit, quilibet peritus Pharmacopœus non ignorabit; Nimirum *Agaricus* radulâ priùs comminuendus, non verò contundendus, ut per incerniculum tranſmitti poſſit, poſtmodum cum *infuſo dicto Zinziberis* & *vino Cretico* in maſſam & *Trochiſcos* redigendus, ac intenſiſſimo frigore tempore hyemali exſiccandus eſt.

Sequuntur hanc *Trochiſci Alhandal*, qui & ipſi parùm artificii pro ſua præparatione requirunt; In hoc ſolummodò Pharmacopœus intentus ſit, ut *Colocynthidem à ſeminibus* repurget, repurgatam optimè *aqua Roſarum*, in qua *Gummi Arabici* particula diſſoluta ſit, humectet, inque cucurbita vitrea calore balnei deſtillando quaſi denuò exſiccet; ita enim facilè poſtea in pulverem redigi poteſt, neque opus habet, ut per ſpacium trium dierum, ex intermiſſione tamen fricetur. *Pulvis* demùm ità confectus, cum *Gummatibus*, ſcil. *Tragacantho*, *Arabico*, *Bdellio*, in *aqua Roſarum* diſſolutis in *Trochiſcos* efformari poteſt.

Tro-

Trochiſcos Aliptæ moſchatæ ad precioſos ſuffitus potiùs accommodatos eſſe, quàm infantulis ac puerulis aſthmaticis conferre exiſtimo, cùm in hac forma juxtà modum præſcriptum præparati, ne adultis quidem, ne dum infantibus præberi queant, quin dentibus & ori inſtar *reſinæ* adhæreant nauſeabundi; Itaque ſi vel *paſtillos* pro infantibus, vel *Trochiſcos* pro adultis, aut etiam *pretioſum ſuffitum* ex hac *compoſitione* exoptes, hos ſequentes ſequere modos; utpotè

℞. *Reſinæ Styracis Calam.*
Ladani ana drach. vj,
Pulv. ligni aloës ℥ ß,
Ambræ drach. j,
Moſchi ℈ ß,
Sacchari albiſsimi pulveriſati ℔ j.

Ambra prius diſſolvatur in *ſ. q. olei Nucis Moſchat. deſtillati* & cum prædicto *ſaccharo* iterùm in pulverem convertatur: Similiter etiam *Moſchus* in *aliquot guttulis ſpiritûs roſarum* vel *vini* diſſolvatur, & cum *pulveriſato ſaccharo* dicto, in pulverem redigatur; Deindè *reſinæ* in mortario calido nonnihil cum *ſaccharo* commiſceantur, quibus *Ambra* & *Moſchus* jam ante diſſoluta, & tandem etiam *lignum aloës* addantur, fiantque (ſi non ſuffecerint *reſinæ*) cum *mucilagine tragacanthi*, vel *paſtilli* pro puerulis, vel *Trochiſci* pro adultis laudabiles, & quidem ad uſum internum.

Vel

℞. *Sacchari albiſſimi* ℔ j,
Solvatùr in *aqua roſarum* vel *ſimplici*, & coquatur ad conſiſtentiam *Tabulati*, cui remoto ab igne, & nonnihil refrigerato, immiſce & in eo liquefac

Reſin. Styracis Calam.
Ladani ana drach. vj.
Ambr. gryſ. drach. j.

Et cùm penitus refrixerint, adde

Ligni aloës opt. & pulveriſ. ℥ ß,
Moſchi in aqua roſar. ſol. ℈ ß,
nec non
Mucilag. tragacanthi q. ſ.

ad maſſam tenacem efformandam, ex qua poſtea *Trochiſci* vel *paſtilli* efformentur.

Ad ſuffitum verò ſequentem imitare modum,

℞. *Reſin. Styracis Calam.*
Ladani ana ℥ j,
Ambræ drach. ß,
Moſchi ℈ j,

Pulv. Benzoës ſ. *Aſſa dulcis* ℥ iiij,
Carbonum q. ſ.

Diſſolvatur priùs *Ambra* in *oleo roſarum deſtillat*, ſi haberi poteſt, vel *Caryophyllorum* aut *Cinamomi*, v... *i Rhodii*, quocunque horum placuerit, & cum *pulveriſatis carbonibus q. ſ.* iterum in pulverem convertatur; ſimiliter etiam cum *Moſcho in ſpiritu roſarum*, ut antè, diſſoluto procede, ſcilicet cum *pulveriſatis carbonibus q. ſ.* commiſcendo, & in pulverem redigendo.

Poſtmodum *reſina* in mortario calido nonnihil liqueſiant, quibus adde *pulverem Benzoës*, *Ambram & Moſchum antea ſolutu* ultimò quoque *pulveris carbonum*, quantum illis adhuc imp... poſſit, ita ut *maſſa refrigerata* duriſſima evadat inſtar *ceræ Hi... nicæ*: Fiantque, dum adhuc *maſſa* nonnihil calet, *Paſtilli* vel *Trochiſci*, qui omnes *ſuffitus*, ac vel ipſos etiam *Paſtillos Hiſpanicos*, qui ex tam longinquis oris in Germaniam tranſvehuntur, multis paraſangis ſuperant; Id unicè circa uſum ipſorum obſervandum, ne *prunis candentibus* immediatè injiciantur, ſed ſupra *ferream aut aliam metallicam laminam*, *vel vitrum ipſum* collocati igni carbonum lentè admoveantur.

Præparationem *Reſinæ*, *Styracis Calam.* & *Ladani*, vide in Animadverſionibus noſtris ſupra *Theriacam Andromachi*.

His *Trochiſcis* quodammodo affines ſunt *Trochiſci de Benzoë*, qui ſimpliciter juxta præſcriptum modum præparari poſſunt; Si tamen ad *ſuffitus* expetantur, nec *ſaccharo* nec *radicibus Ireos* hîc opus eſt. Neque etiam *lignum aloës* ſi comburatur, adeò fragrantem & ſuavem ſpirat odorem, præſertim ſi non ſummè reſinoſum illud ſit, quod tamen in ſatis largâ quantitate his *Trochiſcis* ſive eorum compoſitioni additur; Pariter etiam *ſaccharum* igne crematum ingratum fœtorem exhalat, nec minus etiam *radices Ireos* uſtulatæ; quorum enumeratorum empyreüma reliquorum precioſorum odoramentorum omnium gratiſſimam fragrantiam omninò obtundit. Et quanquam hoc frequentiſſimè in præſenti Diſpenſatorio eveniat, ut tot tamque *diverſæ ſpecies odoratæ non reſinoſæ* ſuffumigiis addantur, nihilominùs tamen hoc & præpoſterè & ſine omni ratione fit, ac Authores talium ſuffumigiorum nimium ſe dant turpiter, dum non meliùs rationem mixtionis expendunt, nec conſiderant, quòd non quidlibet cum quolibet æquè benè commiſceatur. Aliam equidem horum *Trochiſcorum* præparationem addere erat animus; ſufficere tamen mihi videntur antecedentes *paſtilli* & *Trochiſci Aliptæ Moſchatæ*, qui vices omnium ſupplere poſſunt, ne tot ac tàm variis *compoſitionibus*, quæ quidem ingentes requirunt expenſas, in baſi tamen & fundamento parùm aut nihil diſcrepant, Pharmacopœi graventur; ſecùs vel plures addere haud difficile foret.

Sequuntur jam in ordine *Bechici albi*, *nigri* & *rubri*, quos omnes inta-

intactos relinquo; poſſunt enim ſecundum modos præſcriptos parari, & confecti in ſua forma uſurpari, licet plures *ſpecies pectorales* tantæ illis aſſignatæ quantitati *ſacchari* addi poſſent; quod negotium tamen prudentibus Medicis relinquo, qui pro libitu & dextro ſuo arbitratu, congrua addere & demere queunt. Locum etiam in his *Trochiſcis* habere poſſunt *Saccharum Penidii*, & *Saccharum Candi*, utpotè quæ non diſſolvi, aut in priſtinam formam redigi debent, & facilè concesſerim, ea in leniendâ aſperitate faucium, majoribus pollere virtutibus, quàm *ſimplex Saccharum*, præſertim ſi paulatim & ſenſim, non verò confertim deglutiantur.

Prædictis *Trochiſcis* non abſimiles ſunt *Trochiſci pectorales*, qui & ipſi juxta modum præſcriptum parari poſſent, modò ex tam diverſis *ſpeciebus compoſitis* non eſſent cumulati & conglomerati; è quibus *ſpecies Diambra* ingratum potiùs totum compoſitum, quàm gratum reddunt, proindè conſultiùs eſſet prædictas *ſpecies* omittere, utpotè quod affectibus pectoris, ſingulariter appropriatæ non ſint; earum autem loco *guttulæ aliquot oleorum ex ſpeciebus ingredientibus deſtillatorum*, addi poſſent. Subjungam itaque primò horum *Trochiſcorum* deſcriptionem & præparandi formulam, magis rationi & naturæ rerum congruam, ſervatis & auctis ſecundum proportionem potioribus ingredientibus, omiſſis aliis levioribus & minutulis. Tandem hanc ipſam *compoſitionem* magno meo labore reſolutam, in conſpectum ponam, ut videas, Lector benevole, quam ridiculum ſit, *compoſitiones* aliorum compoſitorum farragine cumulare; Utpotè

℞. *Pulv. rad. Ireos albiſſ.* ℥ j ß,
Gummi Arabici ℥ ß,
Tragacanth. ʒ iij,
Amyli ℥ ij,
Ligni Aloës opt. drach. ij, vel *drach. iij*,
Ambra ℈ ij,
Moſchi ℈ j,
Ol. ſtillat. Cinamomi,
Caryophyllorum,
Nucis Moſchat.
Macis ana ℈ ß.
Pulv. Sacchari albiſſimi ℔ ß,
Candi,
Penidii, ana ℥ iij.

Parentur ſecundum artem in modum ſequentem; ſcilicet

Tragacanthum diſſolvatur in *aquâ roſarum*, in mucilaginem ſpiſſam, *Ambra* ſolvatur in *ol. deſtil. prædictis*, *Moſchus* autem in *portiunculâ ſpir. roſar.*; Tandé omnia commixta redigantur cum dictæ *mucil. tragac. ſ. q.* in maſſam, ex qua formentur *Trochiſci ſuaviſſimi*:

 Nota,

Nota, quod *Lignum aloës*, imò *Ambra* & *Moſchus*, item *olea deſtillata* omitti poſſent, aut ſaltem eorum quantitas diminui, ut etiam pauperibus venales proſtent, quæ cuncta libero Medici judicio commendantur, qui ſtudioſè ægrotorum fortunas, nec non medicamentorum precium conſiderare debet, ſecundum quæ ſuas dirigere poteſt præſcriptiones.

Sequitur nunc exactè computata reſolutio reliquorum *Trochiſcorum*, quæ talis eſt:

℞. *Tragacanthi* ℈ j ß.
Gummi Arabici ℈ j, *gr. vj* ß,
Amyli ʒ ß, *gr. iij*,
Glycyrrhiz. gr. j ß,
Sem. quatuor frig. major. ana gr. j ß,
Papaveris albi gr. ij,
Rad. Ireos drach. ij, ℈ *ij*,
Camphor. duodecimam partem unius grani, & unius quadrantis grani,
Ligni aloës ℈ *ij* ß, *gr.* ß,
Moſchi opt. gr. ix,
Ambr. gryſ. ℈ *ij* ß, *gr. vij*,
Cinamomi,
Doronici,
Caryophyllorum,
Macis,
Nucis Moſchat.
Folii, aut Caſſ. lign.
Galang. ana gr. vij ß,
Spic. Indic.
Cardamomi majoris,
minoris ana gr. ij ¼,
Zingiberis gr. iij,
Santali citrini,
Piperis longi ana gr. iiij ß,
Sacchari albiſſimi ʒ *vj*,
Candi albi,
Penidii ana ʒ *iij*, *gr. xv.*
Fiant Trochiſci.

Continebit hæc *compoſitio* ʒ *xiij cum dimidiâ*, ponamus jam ʒ ß etiam pro *doſi*, quæ erit *vigeſima ſeptima pars integræ compoſitionis*. Quantum cogita de quolibet ingrediente aliquis capiet pro *ſingulâ doſi*; quantâ opus eſſet, & quàm minutiſſimâ diviſione atomorum? ſi quis exactè ad calculum reducere vellet, etiam leviſſima hujus *compoſiti* ingredientia? Vides ergò, quàm inconcinnum ſit *compoſita*

ſita compoſitis aggravare: Conſtat enim iſta *compoſitio* ex *quinque diverſis compoſitis*, nimirùm ex *ſpeciebus Diatragacanthi frigidi*, quæ *ſpecies Diaireos uſitatas* ingrediuntur, ex *ſpeciebus Diambræ*, *Trochiſcis*, *Gal. Moſc*[illegible] ipſa ſua *propria compoſitione*.

Trochiſcos de Scilla quod attinet, libet etiam illos, ob *theriacam*, quam ingrediuntur, paulò penitiùs conſiderare; Quoad præparationem *Scillæ*, ferè omnes quotquot ſunt, conveniunt Authores, quæ an tantoperè neceſſaria ſit, *Lohoch de ſucco Scillæ Galeni* (qui *ſuccum Scillæ diebus canicularibus exceptum* recipit, non verò *ſuccum Scillæ aſſatæ*) declarabit. Id equidem novi, quod *paſta*, in qua *ſcilla a*[illegible]*ta*, venenata non ſit, ſed multoties ab animalibus illam ſine no[illegible] comeſtam vidi: utut ſit, non loquar in præſens de *præparatione ſcillæ*, ſed potiùs de *Trochiſcis ipſis*, qui in ſatis larga quantitate *theriacæ* adduntur, ſed minùs prudenter; Etenim expertus ſum, quod ſi accipiatur *libra una ſcillæ aſſatæ*, & addantur *farinæ Ervi*, ſive *pulveris Dictamni albi* ℥ *viij*, ac ex ipſis mixtim (quod tamen propter ingentem humiditatem difficilè fieri poterit, niſi maſſa vel pulmentum liquidum potiùs diu & validè percoquatur, ut potiſſima ejus humiditas in coctura ſupra, ignem evaporet, tandemque diu, in mortario lapideo contundatur,) conficiantur *Trochiſci*, vix ℥ *ix* poſt exſiccationem eorum remaneant: Et ſi exactè obſervabis pondus omnium cùm ante inchoatam, tùm poſt peractam præparationem, & *Trochiſcorum* exſiccationem, videbis parùm de *ſcilla cum Trochiſcis* tibi ſupereſſe; Ita ut *Trochiſci* hi non ex *ſcilla*, ſed potiùs *re addita* conſtent. Ex quo liquidò patet, quòd ſi *ſcillæ* nativa ſua humiditate ſpolientur, (ſolidi enim parùm inſtar reliquarum ceparum continent,) etiam ſuâ totali priventur eſſentiâ & ſubſtantiâ, ut nil niſi viribus exhauſtæ membranulæ remaneant. Longè igitur conſultiùs foret, ſi *ſcillæ* ad *Theriacæ compoſitionem* neceſſariò expetantur, ut earum *ſuccus* (quo nonnulla *theriacam* ingredientia diſſolvi poſſent) vel earum *pulpa* per ſetaceum tranſmiſſa, *theriacæ* commiſceretur.

Reſtant adhuc *Trochiſci ſublinguales*, qui ipſi etiam admitti poſſent, præſertim *compoſitionis ſecundæ*, incompleti dicti. Prima enim formula propter *ſpecierum cordialium drachmam unam*, *Diamoſchi dulcis drachmam dimidiam*, & *decem grana extracti ligni Aloes*, non minùs quàm *Trochiſcorum pectoralium compoſitio* ridicula appareret, ſi exacta ingredientium computatio & reſolutio inſtitueretur. Si tamen cuipiam modus ille præſcriptus perplaceret, & nugis iſtis impenſè delectaretur, illi liberum erit, juxta eundem, ipſorum præparationem inſtituere; ſin minùs, ſequatur has noſtras formulas ſubſequentes; utpotè

℞. *Rad. Angelicæ*,
Pimpinellæ,

Zedoariæ ana ℥ ß,
Sem. Angelicæ,
Citri excort. ana ʒ ij,
Sacchari albiſſimi pulver. ℔ j,
Ambræ gryſeæ,
Moſchi Orient. ana gr. vj,
Ol. Citri cort. recent.
Myrrhæ,
Zedoariæ,
Rutæ,
Angelicæ ſtillat. ana ℈ j, *vel drach.* ß.

Miſce, fiant *Trochiſci* ſecundum Animadverſiones noſtras antecedentes, qui tempore peſtis vel infectionis uſurpari poſſunt.

Vel pro pauperibus

℞. *Myrrhæ pulveriſatæ, & cum ſ. q. vini, in quo radices Scorzoneræ maceratæ ſint, in pulticulam dilutæ* ℥ j,
Pulv. uncum Vomicarum ℥ ß,
Croci Auſtriaci ʒ iij,
Camphoræ ʒ ij, ſolutæ in
Ol. ſtillat. baccar. Iuniperi ʒ j ß,
Sacchari albi pulveriſati ℥ vj, vel *viij.*

Fiant additâ ſ. q. *Tragacanthi* in *ſucco* vel *decocto Scordii ſoluti*, *Trochiſci ſublinguales optimi.*

Sequuntur hos *Trochiſci ſublinguales odoriferi Moſchati*, utpotè

℞. *Pulv. rad. Iridis Florent. albiſſ.* ℥ j,
Moſchi Orient.
Ambræ gryſeæ ana ℈ j.
Zibethi gr. vj,
Sacchari albiſſimi pulveriſati ℔ j,
Ol. ſtillat. Cinamomi,
Citri cortic. recent. ana ℈ j,
Caryophyllorum,
Nuc. Moſchat, ana ʒ ß.

Fiant (ſecundum modum in præparatione *Trochiſcorum pectoralium* dictum,) cum *mucilagin. Tragacanthi*, *Trochiſci odoriferi* & *delicati*, qui etiam cum minori quantitate *oleorum*, *Ambræ* & *Moſchi* ad libitum parari poſſunt.

Cæterùm quæ admonenda levia ſuperſunt, utpotè quoad diſſolutionem *Gummatum*, *ſuccorum concretorum*, &c. illa ex præcedentium Claſſium Animadverſionibus, uti etiam ex ſubſequentibus, peti poſſunt.

MEDI-

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS XIII.

Continens

COLLYRIORUM SICCORUM, Sief Arabibus dictorum, Pastarum, Item Odoratarum, nec non aliorum ſuffituum generum parandi rationem.

SIEF ALBUM, Cum & ſine OPIO.

℞. Gummi Arabici,
Tragacanthi,
Amyli ana drachmas quatuor,
Ceruſſæ lotæ drachmas ſex,
Sarcocollæ nutritæ drachmas tres,
Opii drachmam unam,
Cum albumine ovi fiat Sief.

Paratur etiam ſine Opio, ut utrumque tempore neceſſitatis in promptu ſit.

Ad oculorum rheumatiſmos, lippitudines ſubacres, & ophthalmicos dolores leniendos efficax, & idem ferè eſt cum Collyrio albo Rhaſis 3. ad Almanſorem, quod Ceruſſa pondus auctius habet, nimirum ad drachmas decem, cui & Thus addit Meſue, unde inſſatu magis prodeſt, ſicut hoc initio vehementis doloris à cauſa calida.

SIEF ALBUM GALENI.

℞. Cadmiæ lotæ, id eſt, Tutiæ præparatæ, drachmas ſedecim,
Ceruſſæ lotæ,
Amyli,
Gummi Arabici,
Tragacanthi ana drachmas quatuor,
Opii drachmas duas.

 Exci-

Excipiantur cum aquâ pluviâ vel roſaceâ, & fiat Collyrium ſiccum, quod etiam ſine Opio parari poteſt.

Collyrium hoc à Galeno τεαφερὸν dictum, deſcribitur ab eodem 4, de compoſ. med. ſecundum loca cap. 7. idem ferè præſtat, quod Cygnus Galeni, qui paulò aliter deſcribitur, & ſuccum Acaciæ recipit: præcipuè verò facit ad oculorum uſtiones, puſtulas, & chimoſes, maximè in his, qui nullam acrimoniam aut mordacitatem ferre queunt.

SIEF CITRINUM MESUÆ.

℞. Cadmiæ uſtæ & in lacte mulieris extinctæ ac lotæ unc. unam,
Ceruſſæ lotæ uncias duas,
Croci unciam ſemis,
Opii drachmam unam,
Tragacanthi drachmas duas,
Aquæ pluviæ quantum ſufficit.

Deſcribitur hoc Collyrium à Meſue in capite de Ophthalmiâ; vehementiſſimis enim oculorum doloribus ulceribusq́ plurimùm commodat.

Si lac muliebre defuerit, ſubſtituatur in ejus locum lac aſininum, caprillum, vel ovinum.

SIEF DE PLUMBO MESUÆ.

℞. Plumbi uſti & loti,
Æris uſti,
Antimonii,
Tutiæ lotæ,
Gummi Arabici,
Tragacanthi ana drach. octo,
Opii drachmam ſemis,
Aquæ pluviæ quantum ſufficit.
Fiat Sief.

Vlnera & ulcera oculorum replet, & conſolidat.

SIEF DE ROSIS EJUSDEM.

℞. Foliorum Roſarum drachmas quindecim,
Gummi Arabici,
Croci ana drachmas octo,
Opii,
Nardi Indicæ ana drachmas duas.

Ad doloris moleſtias, fluxum uberem ac tenuem, puſtulas & prolapſus oculorum efficax.

SIEF

SIEF DE THURE RHASIS.

℞. Cadm.
Pompholyg.
Thuris ana drachmas decem,
Ceruſſæ drachmas quadraginta,
Opii,
Gummi ana drachmas ſex,
Aquæ pluviæ quantum ſatis.
Fiat Collyrium.

Tumores oculorum reprimit, eorundemq́; exulcerationes ſanat, ac cohibet.

SIEF VIRIDE ANTÆI.

℞. Cadmiæ,
Croci ana drachmas tres,
Gummi,
Myrrhæ,
Opii ana drachmam unam ſemis,
Plumbi uſti & loti ſcrup. unum, grana quindecim,
Squamæ Æris,
Nardi Indicæ,
Acaciæ ana ſcrupulum unum, grana decem.
Cum aqua pluvia fiat Collyrium.

Celebratur ad doloris moleſtias, puſtulas, inuſtiones, prolapſus & contuſiones oculorum.

POMUM AMBRÆ.

℞. Styracis Calamitæ,
Styracis liquidæ,
Benzoi,
Galliæ Moſchatæ veræ,
Aliptæ Moſchatæ,
Ladani ana unciam ſemis,
Cinamomi electi,
Caryophyllorum,
Santali citrini ana drachmas duas,
Roſarum rubearum,
Nucis Moſchatæ.
Macis,
Ligni Aloës,
Cyperi rotundi,

Majoranæ,
Gummi Elemi,
Roriſmarini,
Iridis Illyricæ ana ſcrupulos duos, g[illegible]que,
Mucilaginis Tragacanthi factæ cum aqua roſarum, quantum ſufficit.
Fiat maſſa.

COr ac cerebrum odoris ſuavitate ac fragrantia reficit, ſpiritus cùm vitales, tùm animales recreat & fulcit, vertiginoſos juvat, ac capiti à frigida & humida intemperie affecto opem præſtat.

PRo majori ſimplicium compoſitionem hanc conſtituentium unione, quandoque nonnihil Terebinthinæ Cypriæ admiſcetur, ac ob odoris gratiam pauxillum olei Caryophyllorum additur. Divitibus Ambra, & Moſchus vel Zibethum pro conſulentis Medici judicio, aut expetiti odoris optatu adjiciuntur.

In hac compoſitione pro Santalo albo Citrinum utpote odoratius, ſubſtituimus, pro Cardamomo verò Cyperum, pro ſemine Nigellæ Roriſmarini folia, ac denique pro Zedoaria Iridem Illyricam aſſumimus.

ALIUD.

℞. Santali Citrini drachmas ſex, ſcrupulos duos,
Ligni Aloës unciam ſemis,
Roſarum rubearum,
Baſiliconis,
Lavendulæ,
Anthos,
Majoranæ ana drachmas tres, ſcrupulum unum,
Corticum Citri drach. ſeptem,
Cinamomi,
Nucis Moſchatæ,
Macis,
Caryophyllorum,
Coriandrorum præparatorum,
Cardamomi ana drachmas tres, ſcrupulum unum,
Ladani puri uncias octo,
Styracis Calamitæ drachmas ſex, ſcrupulos duos,
Liquidæ drachmas tres,
Aſæ dulcis drachmas decem,
Ceræ citrinæ unciam unam ſemis,
Terebinthinæ Cypriæ uncias quatuor,

Aquæ

Aqua Roſarum uncias duas ſemis,
Moſc[illegible] Alexandrini,
Ambr[illegible] ana ſcrupulos duos ſemis.
Fiat m[illegible]

ODore ſpiritus inſtaurat, & cordi robur addit. Vſui eſt maximè cum aliqua aëris inquinati ſuſpicio viget, cui tunc temporis Angelica, Zedoaria, Ruta, & præſertim Camphora rectè adjicitur.

SUFFITUS CEPHALICUS.

℞. Benzoi unciam unam ſemis,
Styracis Calamitæ,
Succini citrini,
Maſtiches ana unciam unam,
Olibani,
Myrrhæ ana drachmas ſex,
Ligni Aloës,
Caryophyllorum ana drachmam unam ſemis,
Florum Roſarum rubearum drachmas ſex,
Lavendulæ drachmas tres,
Corticis Citri ſicci drachmas tres,
Contundantur groſſo modo,
Miſce.

SUFFITUS DELICATUS.

℞. Benzoi electi unciam unam ſemis,
Styracis Calamitæ drachmas ſex,
Ligni Aloës drachmas duas.
Fiat pulvis groſſiuſculus.

SUFFITUS COMMUNIS.

℞. Baccarum Juniperi,
Raſuræ Succini citrini ana uncias tres,
Flor. Roſar. rubear. unciam unam ſemis, drachm. duas,
Styracis Calamitæ unciam unam ſemis,
Ligni Juniperi drachmas undecim,
Maſtiches,
Sandaracæ ana drachmas decem,
Olibani drachmas ſeptem.
Miſce, fiat pulvis groſſus.

CANDELÆ PRO SUFFITU.

℞. Aſæ dulcis, id eſt, Benzoi,

Styracis Calamitæ ana uncias quatuor,
Thymiamatis,
Olibani ana uncias duodecim,
Ladani uncias decem & octo,
Caryophyllorum unciam unam ſemis,
Sem. Nigellæ unciam unam,
Coriandrorum præparatorum,
Granorum Juniperi ana unciam ſemis,
Styracis liquidæ uncias ſex,
Terebinthinæ unciam ſemis,
Carbonum Tiliæ vel Salicis uncias triginta.
Cum infuſione Tragacanthi factâ in aqua Roſar. fiant Candelæ.

ALITER SIC PARANTUR.

℞. Styracis Calamitæ,
Carbonum Salicis ana uncias duas,
Benzoi unciam unam,
Caryophyllorum unciam ſemis,
Ladani drachmas ſex.

Terebinthinæ Cypriæ & mucilaginis Tragacanthi cum aqua Roſarum factæ q. ſ. fiant Candelæ, quibus pro delicatioribus Galliam Moſchatam, aut Ambram addere licebit.

TÆDA AROMATICA.

℞. Benzoi,
Styracis Calamitæ,
Maſtiches,
Olibani,
Ladani ana unciam unam,
Caryophyllorum,
Cinamomi,
Santali Citrini,
Succini albi ana drachmas duas,
Ceræ libram unam.
Fiat Tæda ad craſſitiem unius digiti.

Istiuſmodi tædis nos Medici Loimodochiales in Laſaretho utebamur, pro diſsipando venenato aëre, & corrigendo conclavium infectorum fætore, in magna illa peſte Auguſtanorum, Anni milleſimi ſexcenteſimi vigeſimi ſeptimi & octavi.

PASTILLI PRO FUMO USITATI.

℞. Benzoi electi uncias duas ſemis,
Styracis Calamitæ drachmas decem,

Ligni

Ligni Aloës drachmas tres,
Caryophyllorum drachmas ſex,
Cinamomi electi drachmas duas,
Ligni Cu[illegible] unciam unam ſemis,
Sacchari albi uncias quatuordecim.
Cum infuſione Tragacanthi ex aqua Roſarum facta,
Fiant Paſtilli.

SAPO MOSCHATUS.

℞. Saponis Veneti libras quatuor.
Incidantur minutiſſimè, adde pulveris
Caryophyllorum,
Santali albi ana uncias duas,
Benzoi unciam unam,
Moſchi ſcrupulum unum.
Diſtemperentur in aqua Roſacea.

Aliqui addunt olei de Spicâ guttas aliquot, ſed melius fuerit oleum Caryophyllorum, aut Macis, vel Roſarum. Quidam radices Iridis Illyricæ addunt, cuilibet ſuum hac de re eſto judicium.

SAPO MOSCHATUS VENETUS.

℞. Pulveris radicum Iridis Florentinæ unciam ſemis,
Styracis Calamitæ,
Aſæ dulcis ana drachmam unam,
Caryophyllorum,
Ladani ana drachm. ſemis,
Santali albi,
Ligni Aloës ana ſcrupulum unum,
Tenuiſſimè pulveriſata agitentur in mortario calido, adde
Saponis Veneti in aqua Roſarum fragrantiſſima decies loti libram unam,
Olei Tartari per deliquium facti unciam unam ſemis,
Ligni Rhodii ſcrupulum unum,
Moſchi ſcrupulum ſemis.
Fiant Globuli.

ALIUS ALBI COLORIS.

℞. Saponis Veneti uncias decem,
Lavetur cum aqua Roſarum optima aliquoties, adde
Pulveris radicis Iridis Florentinæ odoratæ drach. quinque,
Agitetur optimè in mortario calido,
Adde porrò

Olei

Olei Tartari per deliquium facti drachmas decem.

In fine

Olei ligni Rhodii ſcrupulum unum.

Formentur Cylindri.

ANIMADVERSIONES

Hanc Claſſem in univerſum concernentes.

DIverſæ ſpeciei medicamenta, & quidem externo uſui tantummodò inſervientia, in hac claſſe habentur; quarum prima *Collyria ſicca* ſive *Sief* Arabibus dicta, ex variis ſimplicibus & pulveribus, oculorum inflammationibus, visûsque imbecillitati ſuccurrentibus conflata, & in formam oblongam, vel etiam *Trochiſcis* ſimilem efficta ſunt: de quibus multa diſſerere operæ precium non eſt; cùm ſint medicamenta in ſua forma planè inutilia, nec ullo uſui inſervire poſſint, niſi denuò in pulverem redigantur; quod autem in facili non eſt, prout fuſiùs in præcedentis claſſis animadverſionibus hac de re diſſeruimus: Præſtaret igitur ob laboris compendium *pulveres ipſos* reſervare, nec *paſtillos* exindè efformare, cùm, uti dictum, quotieſcunque hos in uſum trahere neceſſe eſt, opus habeant, ut denuò magno labore & difficulter pulveriſentur.

Collyria ſequuntur *Poma Ambræ*, quæ ob odoris fragrantiam excogitata ſunt, & ex diverſis *ſpeciebus odoriferis, cum mucilagine Tragacanthi*, vel quod melius, *reſinâ aliquâ*, vel *Styracis*, vel *Ladani*, in ſimplicem maſſam redactis, conficiuntur quæ ipſa, quò ex paucioribus *Gummatis* & *reſinis fragrantibus*, itemque *oleis deſtillatis odoriferis* parata fuerint, eò gratiora ſunt. His adjunguntur *Suffitus*, qui pulveres ſunt groſſi, ex iiſdem *Gummatis* & *reſinis fragrantioribus* ruditer contuſis compoſiti, quibus *pulveribus* vel *ſuffitibus*, nec non *candelis* & *paſtillis*, quandoque adduntur nonnulla, quæ prunis inſperſa tantùm abeſt, ut fragrantiam aliquam redoleant, quin inſignem fœtorem ſpirent, à carbonibus vivis ambuſta, quamtumvis antea & per ſe odorata fuerint, utpotè *Cinamomum*, *Caryophylli*, *ſem. Coriandri*, *ſem. Nigellæ*, *Roſæ*, &c. Imò & *Moſchus* ipſe, ſi vivis carbonibus immiſſus citò comburatur, malè olere ſolet. Proindè niſi Medicus quid aliud intendat cum ſimilibus adjunctis, præſtat ea omittere, quàm reliquorum odoriferorum fragrantiam unà deſtruere.

In compoſitione *candelarum pro ſuffitu, tædarum aromaticarum* & *paſtillorum pro fumo*, præcedens admonitio ſimiliter obſervanda eſt; præſertim in *paſtillis pro fumo*, quibus ſine ulla ratione magna *Sacchari albi* quantitas additur, quod ipſum jam ante in *animadverſionibus præcedentis claſſis*, ſupra *Trochiſcos de Benzoë* rejeci, quò benevolum Lectorem remitto. Hoc ſaltem in præſens

monco,

moneo, ſa[illegible]is eſſe loco *Sacchari pulverem carbonum* addidiſſe, & pro *Styrac*[illegible] *Calamita* ejus *reſinam*, cui reliqua tandem immiſceri poſſunt: Si [illegible] *ligna Aloës* & *Cupreſſi*, item *Cinamomum* ac *Caryophylli* omitte[illegible], [illegible]ragrantiores efficerentur *paſtilli*.

Claudunt tandem hanc claſſem *Sapones Moſchati*, qui & ipſi, quò paucioribus rebus, iiſdem tamen gratis & odoriferis, utpotè *Moſcho Ambrâ*, *Z*[illegible]*ho*, vel *oleis quibuſdam deſtillatis*, videlicet *Roſarum*, *Caryop*[illegible]*um*, *Benzoës*, *Majoranæ* vel *Lavendulæ* permixti fuerint, eò gratiores & fragrantiores exiſtent.

Cæterùm quæ diverſorum horum *medicamentorum præparandi modos* concernunt, illa gnarus Pharmacopœus ipſemet abundè nôrit; ſin minùs, conſulantur noſtræ compoſitiones, & earundem parandi dexterrimi modi *ſequentis Diſpenſatorii novi*; qui ſi diligenter obſerventur, aliâ animadverſione heîc ulteriùs opus eſſe, non cenſeo.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS XIV.

Continens

CONFECTIONUM ANTIDOTALIUM, NARCOTICARUM, ſeu OPIATARUM, aliarumque conſimilium CONDITARUM & CONSERVARUM deſcriptiones.

THERIACAM, quam omnium planè medicamentorum Reginam meritò dicere queas, ob promiſſionum certitudinem & actionum efficaciam ſingulari multorum ſeculorũ encomio celebratam, ſolis olim Regibus Imperatoribuſque magnis ſumptibus ſimplicia ad ejus confectionem requiſita comparantibus, uſui fuiſſe conſtat, cujus præparatio non niſi Medicis Cæſareis ob fidem peculiari privilegio credebatur. Notum namque eſt, Antidotorum inveniendorum ſtudium, priſcis

priſcis ſemper magnatibus curæ fuiſſe, unde factum, ut hac in re, tot tantique viri maximè laboraverint, præcipuè verò Damocrates, Antipater, Ælius Gallus, Euclides, Palatianus Socratis diſcipulus, Zenon, Claudius Appollonius, Antiochus R[illegible] Xenocrates, Platonis auditor, Eſdra, Scribonius Largus, ac Nicolaus uterque, præcipuè verò Mithridates & Attalus, omnium ferè medicamentorum venenis adverſantium vires particulatim experti, quorum quidem diverſa, eaque plurima Mithridates conjungens, ea in famoſam tandem redegit Antidotum, quâ ſuam à venenis incolumitatem tutatus eſſe legitur. Subſecutus autem multis pôſt annis Andromachus, inter Neronis Medicos primus, nonnullis additis, quibuſdam demptis, belluas ſeu viperas ei admiſcuit, cùm jam antè citra ferarum additionem confectum medicamentum præclarè contra toxica faceret, atque ſic Theriacam aſtruxit, cujus uſus ſub maximis Imperatoribus, (ut Galenus libr. de Theriaca ad Piſonem teſtatur) in publicum prodiit, primatibus ac exercituum ducibus opportunus futurus. Ad nobilem autem hanc Antidotum parandam, idem Galenus libr. 1. de Antidot. ſibi ex magna Syria, Palæſtina, Ægypto, Cappadocia, Ponto, maximè verò ex Macedonia, & ex provinciis ad Occidentem ſitis, quas Galli habitant & Hiſpani, ac oppoſitas oras incolentes Mauri, medicamenta ad ejus compoſitionem neceſſaria allata fuiſſe ſcribit. Unde nullis hic ſumptibus diligentiæ, aut labori parcendum, ac difficultas propter utilitatem ſuperanda. Cùm autem neminem eam rectè paraturum putaverit Galenus, niſi benè parantem priùs viderit, ideo ejus componendæ veram ac ſecuriſſimam normam multo nobis uſu compertam, lucidiſſimè, ne error obrepere poſſit, ſubjunximus. Ea autem ſic habet.

THERIACA ANDROMACHI
SENIORIS EX GALENO.

ά, περὶ Ἀντιδότων.

℞. Trochiſcorum Scilliticorum uncias ſex,
Trochiſcorum de viperâ,
Piperis longi,
Opii, ſeu ſucci Papaveris,
Magmatis Hedychroi ana uncias tres,
Roſarum rubearum exiccatarum,
Iridis Illyricæ, aut Florentinæ,
Succi Glycyrrhizæ,
Seminis Buniadis dulcis, ſeu Napi agreſtis,
Comarum Scordii Cretici,

Opo-

Opo[illegible]ſami, ſeu Olei ex Nuce Moſchatâ expreſſi,
Cinam[illegible]ni,
Agarici[illegible] unciam unam ſemis,
Myrrhæ,
Coſti odorati, ſeu Zedoariæ,
Croci Orientalis Corycii,
Caſſiæ ligneæ veræ,
Nardi Indicæ,
Schœnanthi, ſeu Junci odorati,
Thuris maſculi pellucidi,
Piperis nigri,
Albi, ſeu Aglaiæ,
Fol. Dictamni cretici,
Comarum Marrubii,
Rhabarbari, ſeu Rhei,
Stœchadis Arabicæ ex Cycla,
Sem. Petroſelini Macedonici,
Nepetæ, ſeu Calaminthæ montanæ odoratæ,
Terebinthinæ Chiæ, aut acris Lybicæ,
Zingiberis,
Rad. Pentaphylli, ſeu quinquefolii racemoſi ana drachmas ſex,
Polii cretici,
Chamæpityos ramorum,
Styracis Calamitæ rubeæ,
Meu, ſeu Angelicæ,
Amomi racemoſi, aut ſem. Citri & Hyperici ana partes æquales,
Acori, ſeu Calami aromatici,
Nardi celticæ,
Terræ Lemniæ veræ,
Phu Pontici, aut Valerianæ noſtræ,
Chamædryos cretici comarum,
Fol. Malabathri, aut ejus loco Macis & Caryophyllorum ana partes æquales,
Chalcitidis toſtæ,
Radicis Gentianæ,
Aniſi torrefacti,
Succi Hypociſtidis,
Carpobalſami, aut Cubebarum,
Gummi Arabici ſplendidi, vermiculati,
Sem. Fœniculi cretici,
Cardamomi minoris,
Seſeleos fragilis Maſſil.

Succi Acaciæ,
Thlaſpios,
Comarum Hyperici Cretici,
Ammeos,
Sagapeni ana drachm. quatuor,
Caſtorei,
Ariſtolochiæ tenuis, ſeu longæ,
Sem. Dauci Cretici,
Bituminis Judaici, ſeu Aſphalti,
Opopanacis,
Centaurii minoris comarum,
Galbani ana drachmas duas.
Mellis deſpumati triplum, id eſt, libras quatuordecim, uncias quinque, & drachmas duas.

Conficitur hoc modo ſecundum Galenum.

HErbæ, flores, fructus, ſemina, radices, cortices, Trochiſci, terra Lemnia, Chalcitis, Bitumen, diligentiſſimè teruntur piſtillò ferreo in mortario æneo, & cribro ſubtiliſſimè trajiciuntur, ſem. Thlaſpios, Napi ſylveſtris & Croco exceptis, quæ per ſe teruntur, vinoque rigantur, ne mortario interiori hæreant, & ut commodiùs conterantur. Gummi, Succi & Caſtoreum per ſe terantur, affuſo vino, ut commodiùs teri poſſint. In ipſo compoſitionis tempore omniumque rerum mixturâ, Terebinthina in duplici vaſe cum modico mellis primùm liquefiat, deinde Opopanax, Galbanum, Sagapenum, exactè prius trita, affuſo pauculo melle, ut meliùs uniantur, compoſitionem ſubintrent; poſtea in duplici vaſe coquuntur cum Terebinthina, donec ad juſtam conſiſtentiam redacta fuerint; his admiſcetur pars aliqua contritorum, vino etiam diſſolutorum, donec mellis conſiſtentiam conſequantur; deinde in mortarium vaſtæ magnitudinis effunduntur in hunc modum. Primùm, pars aliqua eorum, quæ in duplici vaſe liquata ſunt eaque tepida, probè agitentur rudiculâ, & ſic conſequenter de reſiduo faciendum, donec omnia probè unita ſunt, & hæc quidem ad Solem aut tepidum calorem ut faciliùs uniantur, continuò agitando & tundendo pilâ ferreâ in[illegible]tâ oleo Nucis Moſchatæ, ut commodiùs agitari poſſunt, & oleum [illegible]ſiduum reliquis admiſceatur, alioquin facilè piſtillo medicamentum adhæreret, & difficilior fieret agitatio. Hæc per quatuor aut quinque dies continuos agitanda ſunt, & rurſus elapſis ſex aut ſeptem diebus, iteranda agitatio per duos menſes; deinde reponitur medicamentum in vaſculis plumbeis aut terreis benè coctis & vitreatis. Chalcitis, quæ hoc medicamentum ingreditur, ſic præparanda eſt. Illius bona quantitas drachmarum non pauciorum quàm quadraginta, in ollam crudam operculatam conjiciatur, ac ſuccenſis carbonibus

nibus coquatu[illegible] eâque liquatâ ubi bullas emiſerit, partem ſupernam in marmor eff[illegible]des, atque illic in umbrâ permittas, donec frigeſcat. Inde ſolummo[illegible]od supernè ſpumeum fuerit, quodque cinerei eſt coloris, aut pra[illegible], non quod flavum eſt; Theriacam enim colore flavo non nigro tingeret: ea porrò drachmarum quatuor pondere vino trita & diluta, medicamento admiſcetur.

Nobiliſſima hæc Antidotus (quam Andromachus Neronis Medicus primùm compoſuit) à Galeno 1, de Antidotis & de Theriaca ad Piſonem deſcripta, quæ ante à tranquillitate, quam ægris præſtabat, Γαλήνη dicta eſt, cùm variè à variis parari ſoleat, & noſter eam conficiendi modus à veterum normâ longè ſit diverſus; ut in ejus ſtructura uniformis ſervaretur æqualitas, eum jam dictæ Theriacæ præparandæ modum hîc ſubjicere voluimus, quem Reipubl: noſtræ Auguſtanæ Pharmacopœi hoc in negotio verſatiſſimi, ut qui ſæpiùs ac ferè quotannis hanc Antidotum & quidem in magnâ quantitate conficiunt, ſequuntur, quemq; commodiſſimum & omnium præ cæteris dexterrimum multo uſu ac experientiâ ſunt edocti.

SImplicia igitur ad Theriacæ conſtitutionem expetita, eaque omnium ſelectiſſima & perfectiſſima, quæ conteri poſſunt, in ſex Claſſes dividunt, quarum ſingulas ſeorſim tundunt, in pulverem redigunt, ac anguſto cribro tranſmittunt.

CLASSES AUTEM HÆ SUNT.

I. CLASSIS.

℞. Iridis Illyricæ,
Scordii Cretici,
Seminis Buniadis ana unciam unam ſemis;
Aniſi,
Seſeleos Cretici,
Polii Cretici ana unciam ſemis,
Zedoariæ electæ drachmas ſex.

endit hæc Claſsis in univerſum libram ſemis, drachmas ſex.

II. CLASSIS.

℞. Gentianæ,
Chamædryos,
Fœniculi Cretici,
Amomi aut ſuccedanei ejus ana unciam ſemis,
Pentaphylli,
Marrubii,

Calaminthæ montanæ ana drachmas ſex.

Pendit hæc claſſis in univerſum uncias quatuo- . drachmas duas.

III. CLASSIS.

℞. Rad. Meu, ſeu Angelicæ,
Phu Pontici,
Nardi Celticæ,
Chamæpityos,
Seminis Thlaſpios ana unciam ſemis,
Ariſtolochiæ longæ drachmas duas,
Dictamni Cretici drachmas ſex.

Pendit hæc claſſis in univerſum uncias tres ſemis.

IV. CLASSIS.

℞. Roſarum rubearum unciam unam ſemis,
Flor. Hyperici unciam ſemis,
Centaurii minoris,
Sem. Dauci ana drachmas duas,
Petroſelini Macedonici,
Schœnanthi cum flore ana drachmas ſex,
Trochiſc. de Vipera uncias tres,
De Squilla uncias ſex.

Pendit hæc claſſis in univerſum uncias tredecim.

V. CLASSIS.

℞. Sem. Ammeos,
Acori, ſeu Calami aromatici ana unciam ſemis,
Cinamomi optimi unciam unam ſemis,
Caſſiæ ligneæ,
Rhabarbari,
Spicæ Indicæ ana drachmas ſex,
Piperis longi,
Trochiſcorum Hedychroi ana uncias tres.

Pendit hæc claſſis in univerſum uncias decem, drachmas ſex.

VI. CLASSIS.

℞. Stœchadis Arabicæ,
Zingiberis albi,
Piperis nigri,
Albi ana drachmas ſex,
Macis,

Caryo-

Caryophyllorum ana drachmas duas,
pro Folio,
Cubebarum pro Carpobalſamo,
Cardamomi ana drachmam ſemis.

Pendit hæc claſſis in univerſum uncias quatuor ſemis.

Sequentia autem ſingula per ſe terantur;
Utpotè,

Myrrhæ,
Thuris albi,
Croci Orientalis ana drachmæ ſex,
Agarici trochiſcati uncia una ſemis,
Caſtorei,
Bituminis Judaici ana drachmæ duæ,
Terræ Lemniæ veræ,
Chalcitidis toſtæ ana uncia ſemis.

NUnc verò Gummi & Reſinæ, Terebinthinâ Cypriâ & Styrace exceptis; utpote, Sagapeni uncia ſemis, Opopanacis drachmæ duæ, Galbani drachmæ duæ, Gummi Arabici uncia ſemis, per ſe vino Cretico diſſoluta ac eliquata per ſetaceum tenuis pulticulæ formâ exprimantur: hoc facto, ad permixtionem ſic accedes. Primò ſex claſſes medicamentorum in tenuem pollinem redactas, unà cum iis, quæ per ſe terenda monuimus, terrâ Lemniâ, Croco & Chalcitide exceptis, in aheno magno commiſcebis, diligenter pulveres hos per horam vel amplius agitando, ut ſic probè coëant, ac accuratè & ad extremum uſque permixti, paulatim poſtmodùm melli & reliquis liquidioribus miſceri queant, eo planè modo, quem jam jam tradituri ſumus.

His igitur ita ritè diſpoſitis, in ahenum quoddam magnum quatuor aut ſex mellis deſpumati, ac modicè calentis unciæ infundendæ, eaq; piſtillo magno ligneo ita hinc inde diducenda, ut cacabi jam dicti circumferentia melle hoctenuiſſimè obducta, & quaſi peruncta ſemollita videatur. Tunc omnium primò Terebinthina Cypria ſuper prunis modeſto calore liquata, addito pauco melle & vino Cretico, eidem aheno indenda, quam mox Gummatum (ut paulò antea commemoravimus) per ſetaceum expreſſus, quaſi cremor identidem vino Cretico modicè dilutus, & ad prunas leniter calefactus ſubſequatur. Abhinc ſucci & liquores concreti, nempè ſuccus Acaciæ, Glycyrrhizæ, Hypociſtidis, ipſumq; Opium compoſitioni jungantur, quæ omnia ac ſingula vino Cretico diſſoluta, unà cum prioribus aheno inditis, nimirum Therebinthinâ & Gummis, continua ac indeſinenti agitatione probè permiſceantur. Hoc facto mellis deſpumati mediocriter calentis libræ aliquot in ahenum hoc dimittantur, ac factâ prius

diligenti omnium jam dictoru adinvicem (ut antea monu paulatim inſpergantur, com ceantur, ne quid grumeſcat nera, atque ſic alternis vicib. ... ... aſſundenda, modò pulveres inſpergendi, donec omnis pulverum quantitas melli unita fuerit. Tunc verò terra Lemnia, & poſ... ... Chalcitis, utraque priùs vino Cretico diluta, adjicienda; abhinc Styrax Calamita, addito modico vino Cretico ad prunas liqueſiat, ac oleo Nucis Moſchatæ addito artificioſè, ne grumeſcat, diſſolvatur, & ad teneritudinem eliquetur, compoſitionique addatur. Quæ ubi probè unà cum cæteris omnibus mixta fuerint, Crocus eodem vino Cretico dilutus, ac tenuiter diductus Theriacam ſubintret, & poſtremò oleum Caryophyllorum, quod Trochiſcis Hedychroi, in quorum ſtructura Opobalſami vices ſupplere debebat, ſubtraximus; qua de re vide Scholion ad Trochiſcos jam dictos loco proprio adjectum, medicamentumq́ diu ac ſtrenuè agitandum, ut omnium eo perfectior fiat mextio, idq́ in vaſe mundo reponendum, cujus tertia vel ad minimum quarta pars vacua ſuperſit, ut Theriaca fermentando in ampliorem molem accreſcens & inſurgens, commodè per dies aliquot in eo agitari queat. Eſt enim ad dies ad minus octo continuos quotidiè commovenda, deinde verò ſingulis hebdomadibus, ac tandem ſingulis menſibus agitanda, donec anni unius ætatem attigerit, ſemper eam diligenter contegendo, & ab externis injuriis muniendo, eritq́ ſic Theriaca omnibus ſuis numeris abſoluta, eos effectus præſtans, quos vetus ſeculum atque etiam modernum, de tàm nobili ac pretioſo medicamine pollicetur.

Alii parum à jam dicta methodo declinantes, Styracem unà cum Therebinthina omnium primò liqueant, deinde Gummata reſoluta, ſuccosq́ vino dilutos, abhinc pulveres claſſium prius diſtributarum, benè prius (ut ſupra monuimus) permixtos unà cum melle Theriaces confectioni jungunt; ultimo loco oleum Nucis Moſchatæ, terram Lemniam, Crocum, & tandem Chalcitidem admiſcent, eſtque ſ Theriacam componendi modus à priore parùm diverſus, niſi co Styrax in diſſolutione periculum aliquod pariat; ea enim ſi frig tu tractetur in grumos abire, ſin verè calidius, evaporare ſoleat. & re prior modus nobis ut probatior, ſemper magis arriſit.

THeriacæ vires ex Galeni monumentis ſic decerpunt Actuar & Alexandrinus. Ipſa adverſus maxima mala medicam tum alexitrium eſt expertum. Datur in venenatis morbis, aut nen torum plagis, Nucis Ponticæ magnitudine cum vino, capiti lores diuturnos, vertigines, auditus graves, hebetudines oculor guſtus inſtrumentum debilitatem, comitialem morbum, orthopn

cum mulsa p[illegible] sanat, diſſecans, attenuas, & eductu faciles reddens humores. [illegible]uccurrit etiam recenti & veteri tuſſi, & in quibus thorax dolet. [illegible]venit ſanguinem expuentibus, ſive à thorace, ſive à pulmone eductio [illegible]dem recens eductio ſit cum poſca, inveterata verò cum aqua decocti radicum Symphyti manè & veſperè, ſtomachi vitia, ventriculi difficilem concoctionem & imbecillitatem emendat, inflationes ſtomachi, & inteſtinorum cruciatus ſedat, colicos & ileoſos placat. Valet etiam in cardiacis, & iis qui animo linquuntur, & cholericis, lumbricorum omne genus mirabiliter exigit; cùm ſucco Menthæ data, hepaticos affectus, itemque morbo regio laborantes, ſtrenuè curat; induratos lienes liquefacit ſordes in iis conſumens cum Oxymelite data. Deterit, & lapides renum cum decocto Apii & Petroſelini, aut ſemine Dauci, aut quorundam aliorum, & difficilem mictionem veſicæ, & in ipſa exulcerationes interdum ſanat cum decocto Chamæmeli febre carentibus data, aut cum vino dulci. Præbetur in omnis generis rigoribus diuturnis, maximè verò quartanis, ſi quis ea artificioſè utatur, hoc eſt, poſt inclinationem. Datur etiam hydropicis cum Aſari decocto & ſimilibus malis, potiſſimùm verò iis, qui anaſarcâ laborant, elephantiâ quoque correptis ſæpè auxiliatur, & partium corporis reſolutiones in potu accepta ſæpè ſanat, mulierum purgationes movet, & mortuos fœtus ejicit; data cum paſſo aut aqua mulſa, Rutâ tamen aut Dictamno prius in iis liquoribus in coctis faba magnitudine, podagrâ afflictis, & articulorum defluxione infeſtatis, conducit; poſt inclinationem non ſemel tantùm, ſed multoties pondere drachmæ unius pota, pro viribus & ægri temperamento, opitulatur dolentibus etiam impoſita. Admirari verò oportet hanc Antidotum, quod non modo corpori, verùm etiam animo malè affecto medetur. Ex atra enim bile natas diverſas imaginationes, hoc medicamentum exhibitum ſedat, è vaſis lienis atram bilem veluti eluens & exhauriens, quemadmodum etiam ex ferarum ictu illatum venenum, & aquæ formidinem (hydrophobiam vocant) peſſimum ſanè & curatu difficilem morbum, aut potiùs incurabilē, aſſiduè data, ſæpè ſuſtulit. In peſtilentibus ſi[illegible]liter conſtitutionibus præſumentes ipſam hoc malo corripi prohibet. [illegible]emis tempore iter facientibus conſulimus, ut ex ipſa parum ſu[illegible]nt; eſt enim veluti bonum viſcerum integumentum, quod plurimùm iis, qui eam ſumpſerunt, calorem exhibeat. Dare oportet hoc medicamentum cùm probè coxerit, qui ipſum accepturus eſt, neque cibis refertus ſit. Bibat autem jejunus, & jube, ut ſufficienti tempore à cibis abſtineat, quò medicamentum concoqui poſſit. Inſpicere verò etiam oportet tempus & ætatem ejus, qui ſumpturus eſt. Æſtate enim neque omninò dabis, neque in vigore ætatis exiſtentibus, ut qui plurimùm habeant caloris, neque ſæpius medicamentum exhiben[illegible]um eſſe monemus, iis verò qui jam vitæ declinationem attigerunt,

 pitui-

pituitoſis, nauſeabundis & cruditate laborantibus, [illegible] qui cibum non appetunt ex melancholia aut frigiditate, hanc ſ[illegible]us & plurimùm exhibere convenit. Similiter etiam iis, qui [illegible]nchi inflatione laborant, & uterimalis, cum vino bono a [illegible]ſulmis frequenter ſumendam. In biliosis verò, febricitantibus & pueris omninò ejus exhibitionem vitare oportet; major enim ejus eſt facultas, quàm vires eorum tolerare poſſint, eò, quod illorum corpora [illegible] diſſolvat, & innatum ſpiritum celeriter extinguat.

ANIMADVERSIONES.

UNius equidem conſiſtentiæ medicamenta hæc Claſſis complectitur, ***Electuaria*** nempè, eaque magni nominis & æſtimationis, ac ad diverſorum morborum agmina profliganda decantati usûs, nec minùs tamen, ſi rectâ rationis bilance eorum compoſitiones & præparationes librentur & expendantur mendis innumeris ſcatentia, ac proindè maximâ reformatione & caſtigatione ſummoperè indigentia.

Inter hæc ipſa verò primas tenet, illa omnium planè medicamentorum Regina dicta, ac tanti hactenus ubivis gentium æſtimata, tot tantorumque virûm encomiis celebrata THERIACA, quam in præſens exquiſitiori rectæ rationis & judicii examini ſubjicere, atque paulò minutiùs, quàm hactenus ab aliis factum eſt, perveſtigare ſtat ſententia.

THERIACA undè dicta ſit, quis magni hujus remedii inventor extiterit, & quibus ægritudinibus potiſſimùm inſerviat, de his non eſt ut multum diſſeramus; libet ſcriptionis & laboris operæ compendium facere, & ad Authores, qui de encomiis magnæ & pompoſæ hujus confectionis ubertim loquuti ſunt, benevolum Lectorem relegare. Neque tamen antiquiſſimæ huic ***Antidoto***, ad quam omnis orbis ferè in morbis, deploratiſſimis, inprimis autem diræ illius luis peſtiferæ, nulli parcentis, Tros Rutiluſvè ruit, ferociſs coërcendis, veluti ad ſacram anchoram confugit, laudes ſuas detrah re, vel ipſam evertere, nobis propoſuimus, utpotè cui rei eti prorsùs impares eſſemus, cùm immenſarum ejuſdem virtutum comia, jam tùm in mente non plebeiorum ſolùm, ſed etiam magnatum, ac ipſorummet etiam Medicorum, iſtorum autem præcipuè, quibus modernorum inventa ſordent, & quîs antiquorum authoritas adeò ſancta eſt, ut piaculum cenſeant, ab eorum dictis & præceptis vel latum unguem recedere, altas & firmas radices egerint, imisque infixa ſint medullis, atque ſi daretur optio, citiùs clavam ex manu Herculis extorquere, quàm conceptam hanc de THERIACA ingentem fiduciam ex animis multorum elidere anniteter. Interim tamen nemo, cui veritas cordi eſt, nobis vitio verte

ubi

ubi non Qu , ſed Quid loquatur ſeriò attendentes, Ratione etiam & Experient adducti, nec non Authoritate præclariſſimorum Virorum (*vide* *ret redív. in ſua Pharmacopæia Dogmatica fol.* 475.) quibus ja , ingens hæc Theriacæ ex tam immenſa & incongrua prorſus, tot ingredientium farragine conſarcinata compoſitio ſuſpecta fuit, ſuffulti, ab antiquorum placitis, non dicam erroribus pauxillum declinaverimus, nec ubique in omnibus pro dextra hujus præparatione efformanda, eorundem veſtigiis inſtiterimus. Præ cæteris autem rationi minùs conforme videtur, quòd ex indiſtincta vel potiùs infrunita, tantâque tot diverſarum rerum, nonnunquam apertè ſibi repugnantium conglomeratione, tam nobile ac præcellens, (quale quidem Theriaca vulgò æſtimatur) Alexipharmacum exſurgere vel emergere queat; taceo quòd Alexipharmacorum ſive ſpecierum virtute aliquâ Bezoardicâ præditarum, vel minimus huic prolixæ *compoſitioni* inſit numerus, quarum inſuper vis & efficatia à plurimis adjunctis aliis incongruis ingredientibus, partim ipſorum qualitate, quâ alterum alteri infeſtum eſt, partim verò nimiâ copiâ obruitur & obtunditur, fereque annihilatur. Et ut paucis abſque fuco meam de Theriaca proferam ſententiam, experientiâ crebrâ confirmatam, certò ſtatuo illam, ſi legitimè præparata ſit, in intemperie ventriculi frigidâ corrigendâ ejuſdemque, uti & inteſtinorum diris ſymptomatibus utpotè *nauſeâ, vomitu, diarrhæâ, dyſenteria, colica paſſione, &c.* ſi in debita doſi propinetur, ac vel externè etiam applicetur, compeſcendis, aliiſque quamplurimis reliquis *vitiis ventriculi* (à quo tanquam ſcaturigine, plurima fluunt morborum, inprimis verò febrium genera) corrigendis plurimùm poſſe; In morbis autem malignis ac peſtilentibus, nec non peſte ipſa, an tantum præſtare queat, quantum illi ſatis glorioſè attribuitur, equidem hactenus nondum experiri, nec unquam ex illius ſolitario uſu tam proſperos effectus videre licuit. Et ſanè ſi quid ſingulariter in *peſte* valeat, idipſum non tam ratione inſignis virtutis Alexipharmacæ (utpotè quam exiguam ſaltem ob rationem ſuperiùs allatam à nonnullis ingredientibus, iiſdemque ex rte ſummoperè adulteratis mutuatur,) quàm ratione *Opii* fieri ſtimo; hoc enim præter vim Narcoticam, etiam peculari vi quaſi mentatrice pollet, quâ ipsâ imprægnata Theriaca, ægrotantibus, ac etiam ſalubriter adhuc degentibus, qui ratione præſervationis illâ utuntur, ac firmam fiduciam in illam collocant, veluti animoſitatem quandam, ceu tempore infectionis ſummè neceſſariam, addit, ſicque nonnullos quandoque immunes conſervat; quantum enim timor *tempore peſtis* noceat, quantumque è contra impavida mens & animus intrepidus poſſit, præter obſervationes vulgares etiam apud *acutiſſimum illum Philoſophum Helmontium in* *mulo peſtis*, eleganter videre eſt.

Præmiſſo hoc generali diſcurſu de THERIACÆ ejuſdem virtutibus, progrediamur nunc ad ſpecialius nonnullorum ejus ingredientium examen: Et quidem quantum *Agaricum*, *Rhabarbarum* & *Chalcitidem* concernit, quem ob [illegible] ſingularem illa (tanquam cathartica, & corroſiva, nec ullâ vi Alexipharmacâ prædita) addita ſint, nemo ſufficientem rationem, quæ animum veritatis avidum ſatiare poſſet, protulit; quin multis, Viris etiam præclariſſimis res ſuſpecta fuerit, inprimis *Quercetano*, *qui fuſius cap.* 30. *de præp. Theriac.* de his tractat, quò, ne multis ſim, Lectorem remitto. *Trochiſci item Hedychroi*, quorum ſingula propemodùm ingredientia, etiam *Theriacæ compoſitioni* inſerta ſunt, quòd illi adhuc ſeparatim adjiciantur, planè inconcinnum & abſurdum, cum eodem *Quercetano cap. citato*, mihi videtur: Idcircò ne labor & compoſitiones fruſtra heîc cumulentur, *ſpecies omnes hos Trochiſcos ingredientes*, ipſi huic *compoſitioni Theriaces* in debito & exactè computato pondere adjiciam. *Trochiſci de Viperis* quales illi ſint, qui prolixæ huic *compoſitioni* à ſeculo jam adulterati & præpoſterè additi, & quales eſſe debeant, quidvé eorum loco ſubſtituendum ſit, quod meritò baſis & fundamentum THERIACÆ eſſe, majoremque vim Alexipharmacam addere poſſit, fuſiùs in *animadverſionibus claſſis duodecimæ* explicavimus; In iiſdem etiam *prædictæ claſſis animadverſionibus* mentionem fecimus *Trochiſcorum de Scilla*, qui tantum abeſt, ut ex *Scilla*, quin potiùs ex rebus adjectis conſtent, quod quivis qui ſolummodo *Cepam* aliquam vel *Allium* ſemel exſiccare voluerit, reipſa experiri poterit; Idcircò brevitates causâ ad præfatas noſtras animadverſiones ſuperiores revolvendas, Lectorem relegamus. Nos jam ipſam, quæ reliqua eſt, *Theriacæ præparationem*, aggrediamur, in qua quidem à veterum componendi modo, utpotè à tot annorum ſerie recepto, non nimiùm declinabimus, nihilominus tamen concinniorem ejus mixturam, exactioremque nonnullarum rerum præparationem indigitaturi ſummis: utpotè

℞: *Succi vel pulpæ Scillæ,*
Radicum Dictamni albi, (harum enim pulvis ad Trochiſ de Scilla expetitur,)
Pulveris viperini ritè præparati, vel etiam hujus loco Trochiſcorum de Viperis noſtro modo confectorum,
Piperis longi,
Opii præparati ana ℥ iij.
Opobalſami ſive olei ex Nucibus Moſchatis expreſſi,
Cinamomi acuti ana ℥ j. ʒ j.
Roſarum rub. exſiccatar.
Iridis Illyricæ aut Florentinæ,
Succi Glycyrrhizæ,

Sem.

ſive Napi agreſtis,
tici, vel potius noſtratis,
na ℥ j ß,

Myrr.
Croci An,
Amomi racemoſi aut ſem. Citri excorticati,
Caſſiæ ligneæ veræ,
Nardi Indicæ ana ℥ j,
Schœnanthi,
Coſti odorati ſive Zedoariæ ana ʒ vij,
Thuris maſculi pellucidi,
Piperis nigri,
Albi,
Fol. Dictamni Cretici,
Comarum Marrubii,
Rhabarbari,
Stœchadis Arabicæ,
Nepetæ, ſeu Calaminthæ montanæ odoratæ,
Sem. Petroſelini Macedonici,
Terebinthinæ Chiæ,
Zinziberis,
Rad. Pentaphyllis ana ʒ vj,
Acori, ſeu Calami Aromatici,
Fol. Malabathri, aut eorum loco Macis & Caryophyllorum
ana partes æquales,
Phu Pontici, aut Valerianæ noſtræ ana ʒ v,
Comarum Chamædryos noſtratis,
Polii Cretici,
Chamæpityos,
Nardi Celticæ,
Comarum Hyperici,
Meu, ſeu quod melius, Angelicæ,
Radicum Gentianæ,
Aniſi non torrefacti,
Sem. Fœniculi Cretici,
Ammeos,
Seſeleos ſragilis Maſſilienſis,
Thlaſpios,
Cardamomi minoris,
Carpobalſami aut Cubebarum,
Succi Hypociſtidis,
Acaciæ,
Gummi Arabici ſplendidi,
Reſinæ Styracis Calamitæ,

Saga-

Sagapeni,
Chalcitidis,
Terræ Lemniæ veræ ana ℥ ß,
Ariſtolochiæ tenuis ſeu longæ,
Comarum centaurii minoris,
Sem. Dauci cretici,
Bituminis Iudaici,
Opopanacis,
Galbani,
Caſtorei ana ℥ ij,
Xylobalſami ℥ j,
Aſpalathi,
Aſari,
Amaraci,
Mari veri ana ℈ ij,
Maſtichis ℈ j,
Mellis deſpumati, &, *ſi haberi poteſt, Cretici triplum, id eſt,* ℔ *xiv,* ℥ *v,* ʒ *ij.*

Modus conficiendi primus hujus *compoſitionis* ab Authoribus annexus, maximè obſcurus, imò inconditus & ſtolidus eſt, qui ut concinnè tradatur, præſtat etiam *ſpecies* primùm in ſuas claſſes diſpenſare, quibus poſtmodum vel contuſis, vel diſſolutis, aut alio convenienti modo præparatis, minùs difficilem earundem moliemur præparationem.

CLASSIS I.

℞. *Iridis Illyricæ,*
Scordii cretici, vel noſtratis,
Sem. Bunіadis ana ℥ j ß,
Aniſi,
Seſeleos cretici,
Polii cretici ana ℥ ß,
Zedoariæ electæ ʒ vij,
Mari veri,
Amaraci,
Aſari ana ℈ ij.

CLASSIS II.

℞. *Gentianæ,*
Chamædryos,
Fæniculi cretici,
Amomi, aut ſuccedan. ejus ana ℥ ß.
Pentaphylli,

Mar-

Mar. ... bii,
Cala... ntha montana ana ℥ *vj.*

CLASSIS III.

℞. *Rad. Meu, vel Angelicæ,*
Phu Pontici,
... celticæ,
Chamæpityos,
Sem. Thlaſpios ana ℥ ß,
Rad. Dictamni albi ℥ *iij,*
Ariſtoloch. longæ ℥ *ij,*
Dictamni cretici ℥ *vj.*

CLASSIS IV.

℞. *Roſarum rubearum* ℥ *j* ß,
Florum Hyperici ℥ ß,
Centaurii minoris,
Sem. Dauci ana ℥ *ij,*
Petroſelini Macedonici ℥ *vj.*

CLASSIS V.

℞. *Sem. Ammeos,*
Acori, ſeu Calami aromat. ana ℥ ß,
Cinamomi opt. ℥ *j* ß,
Caſſia lignea,
Rhabarbari ana ℥ *vj,*
Piperis longi ℥ *iij,*
Macis & caryophyll. loco Folii, ana drachm. ij.

CLASSIS VI.

℞. *Stœchadis Arabicæ,*
Zinziberis albi ana drachm. vj,
Agarici Trochiſcati ℥ *j* ß,
Caſtorei drachm. ij,
Cubebarum, loco carpobalſami,
Cardamomi ana ℥ ß.

SEQUENTIA PER SE SINGULA
Teri Poſſunt.

℞. *Croci Auſtriaci,*
Thuris albi ana drach. vj,

Xyle-

Xylobalſami ℥ j,
Aſpalathi ℈ ij,
Bituminis Iudaici drachm. ij,
Terra Lemnia ℥ ß.

Squinanthum & *Nardus Indica* omnium difficillimè in pulverem ſubtilem redigi queunt, ità ut quandoque neceſſum ſit potiorem ipſorum partem abjicere, ſi pulverem ſubtilem pro *Theriaca* expetamus; Et licet cum aliis pulveribus continuò multumque contérantur, nihilominùs ſi per cribrum, quàm anguſtum etiam illud ſit, tranſmittantur capillacea tamen tranſeunt pulveremque totum pilis veluti minutiſſimis inficiunt, vel ad finem uſque villosâ vel aculeata remanent; ſique diutiùs etiam contundantur, ſquammulæ à mortario in copia abraduntur, iiſque permiſcentur; Propterea conſultiùs eſſet, ut loco dictorum *Squinanthi* & *Nardi Indica* ſcilicet, eorundem *extractum* & *eſſentia Theriaca* commiſcerentur quæ modo ſequenti pari poſſunt; utpotè,

℞. *Nardi Indica*, &
Squinanthi ana drachm. vj.

Quibus minutim conciſis affunde *vini Malvatici* ℔ j ß, & in M. B. ad ſiccitatem uſque abſtrahe: *Aqua ſpirituoſa & odorifera à prædictis rebus abſtracta* (loco *vini Malvatici ſimplicis*,) pro diſſolutione rerum *Theriacam* ingredientem, adaptetur; *Remanentia* verò in fundo cucurbitæ cum *aqua ſimplici* vel alia deſtillata q. ſ. coquantur, & exprimantur, *expreſſum decoctum* ad *extracti* conſiſtentiam leniter abſtrahatur, & *Theriaca* tandem etiam commiſceatur.

Quòd ſi verò *extractum* & *eſſentia deſtillata* non arriderent (cùm tamen mehercle meliori modo res prædictæ *Theriaca* jungi nequeant,) neceſſum erit, ut illæ ſigillatim per ſe modoque peculiari, in pulverem ſubtilem redigantur; quod fieri poteſt, ſi ambo minutiſſimè forcipe priùs conciſa, cum *vino Cretico* humectentur, de *Gummi* quoque *Arabico*, antea *ſoluto*, illis nonnihil addatur, tandem in cucurbita vitrea, ſuo capitello munitâ, inque M. Bal. collocatâ, totaliter iterum exſiccentur; *Aqua odorifera* vel *vin. deſtillatum* ab illis prodiens, cum reliquo *vino Cretico* adhibeatur pro diſſolutione aliorum quorundam ingredientium, aut hæc ipſa hoc modo parata, ubi in pulverem ſubtilem tandem redacta ſunt, ſique de *Gummi Arabico* illis aliquid additum ſit, *hâc aquâ odorifera prolectâ* iterùm dilui poſſunt.

His omnibus *ſpeciebus*, quæ in claſſes diviſæ ſunt, iiſque quæ ſigillatim contundi debent, ſubtiliſſimè contuſis, & per cribrum anguſtum aliquoties trajectis, ſequentia ſigillatim in appropriatis ſuis *menſtruis* diſſolvantur. Inprimis autem *reſina Styracis Calamita*

mita (qua[illegible] non immeritò *granis* longè præfero, cùm *grana Styracis* quàm [illegible]ra etiam ſint, nihilominus *reſinæ* puritatem non adæquant.; tace[illegible] quòd *grana* utplurimùm adulterata, aliorumque *Gummatum gra[illegible]* permixta ſint; Idcircò longè ſecuriùs eſt, ut loco *granorum Styracis* ejus *reſinam expreſſam* vel *extractam*, prout poſtea edocebo, accipiamus,) nec non *Olibanum* ſive *Thus pulveriſatum*. ([illegible] ipſum tamen nonnullas partes habet mucilaginoſas) item *Bitumen Iudaicum* & *Maſtiche*, optimè in *Terebinthina* liquentur, ſi *Terebinthina* clara ſit & liquida, non verò nigra aut ſpiſſa, qualis plerumque illa, quæ communiter Venetiis tranſportatur, quæque nullatenus mihi arridet, & ſatiùs eſſet pro eadem, ſi pura & limpida haberi non poſſit, noſtratem Germanicam ſelectam ſubſtituere. *Myrrha*, *Gummi Sagapenum*, *Opopanacum*, *Galbanum*, in *vino Cretico*, vel (quod meliùs eſt) in *eſſentia viperina* cum *vino Cretico* facta, & in *animadverſionibus claſſis duodecimæ ſuper Trochiſcos de Viperis* edoctâ, diſſolvi vel dilui, & per colatorium ſetaceum colari & exprimi poſſunt. *Opium* verò juxta modum in præparatione *pilularum de Cynogloſſa* indigitatum, priùs præparari, poſtea in *vino cretico* vel prædictâ *eſſentiâ viperinâ*, vel etiam, ſi haberi poteſt, *aquâ viperinâ*, in præparatione *pulveris viperini* aſſervatâ diſſolvi, ac per colatorium ſetaceum colari ac tranſmitti poteſt. Similiter etiam in prænominatis liquoribus diſſolvi queunt, *ſuccus Liquiritiæ Hypociſtidis* & *Acaciæ*, nec non *Gummi Arabicum*. Et ſi loco *Trochiſcorum de Scilla*, ipſius *Scillæ ſuccus* ſubſtitutus fuerit, cum eodem quoque nonnulla ex prædictis *ſpeciebus*, utpotè *crocus* vel *Gummi Arabicum* diſſolvi poſſent aut dilui. Quòd ſi ipſum *Opobalſamum*, non verò ejus ſuccedaneum, ſcil. *oleum Nuciſtæ* accipiatur, poſſet quidem illud cum *Terebinthina* commiſceri, æquè tamen commodè etiam cum *melle* diſſolvitur, aliiſque *ſpeciebus* ſuperius diſſolutis, per vices tamen nec confertim admiſceatur, prout jam in ultimata omnium *ſpecierum* commixtione dilucidiùs edocebo. Si verò *oleum Nuciſtæ* loco *Opobalſami* accipiatur, poteſt illud ſimiliter ſucceſſivè reliquis rebus diſſolutis artifi[illegible]sè jungi, pari, quem mox aperiam, & explanabo modo. Nimirùm

Præ manibus inprimis habeas *mel quàm optimè clarificatum*, & ſatis craſſum, vel ad craſſam conſiſtentiam inſpiſſatum, in competenti pondere; Deinde *ahenum* magnum, quantitati *Theriacæ* conficiendæ proportionatum, collocatumque ſupra ignem lentiſſimum, cui mox particula *mellis* injici poteſt, nec non aliquid de *pulveribus*, & continuò agitari.

Interim in alia *patella* habeas *Gummata*, *pulticulæ inſtar diluta* & *colata*, ſcilic. *Myrrham*, *Sagapenum*, *Opopanacum* & *Galbanum*, quibus ſupra ignem lentiſſimum collocatis inſperge & inſtilla guttatim

tatim ſub continuâ agitatione mox de *Terebinthina* (qua jam *reſina ſtyracis*, & , ſi lubet , *Olibanum pulveriſatum* & *aſtichæ* etiam liquata ſint ,) mox de *oleo Nuciſtæ* liquato vel *Opobalſamo*, mox particulam de *pulveribus* inſperge , vel alternatim etiam de *melle* hocque tamdiu continuandum , donec tota *Terebinthina* , & quæ in illa diſſoluta vel liquata ſunt , unà cum *oleo Nuciſtæ* vel *Balſamo Indico* verò & aliquot libris *mellis* ac *pulverum* , prædictis *Gummatibus* indiſſolubili nexu & exactè immiſta & commixta ſint , quæ invicem aliquandiu agitentur in calore leni , vel , quod meliùs eſt , in diplomate , collocando nimirùm vel nonnihil immergendo patellam , in qua res jam dictæ permixtæ ſunt , in aquam calidam (optimum enim eſt ſimiles *mixturas Gummatum* in diplomate veluti liquefacere, & liquefactas diu multumque agitare , quippè incredibile eſt , quàm exactè ad hunc modum , rerum aliàs difficulter coëuntium , ſcilicet *reſinarum* , *oleorum* , *Gummatum* & *liquorum* , *&c.* ſic fiat unitio & commixtio , quæ nullo modo tam benè & abſque periculo ſupra ignem apertum , etiam ſatis lentum , perfici poteſt , quin *Gummata* grumeſcant , ſive in grumos coëant) ſicque hoc pacto optimè unita & exactè commixta , paulatim & per vices etiam immittantur in *ahenum illud capax* , in quo , ut antea dictum , jam *mellis* & *pulverum* portio indita ſit , & alternatim de *pulveribus* pariter exactiſſimè invicem commixtis , per cribrum aliquid inſpergatur , mox de *melle calefacti* particula , nec non ſucceſſivè *reliqui ſucci* , modo ſuperiùs indigitato diſſoluti ; utpotè *Opium* , *ſuccus Liquiritiæ ſuccus Acaciæ* & *Hypociſtidis* , item *Chalcitis ſoluta*, *Crocus*, *terra Lemnia Gummi Arabicum* diluta addantur , quoad omnia inſperſa & immiſſa ſint , quæ ſat diu adhuc , quò meliùs cuncta uniantur , agitari poſſunt , eritque ſic exactè peracta *Theriacæ præparatio* , quæ aliquoties adhuc in vaſe illo , in quo recondita eſt & aſſervata , agitari & ſubigi debet.

Nota , quòd *Chalcitis toſta* nihil peculiare ac diverſum ſit à Vitriolo ad colorem cineritium calcinato ; Nec eſt quod ſpumam in ejuſdem calcinatione vel coctione ſupernatantem duntaxat accipiamus ; præſtat enim *ipſum Vitriolum* leviter ſaltem ſive ad flavedinem ſive rubedinem (parùm enim in colore ſitum eſt , & quocunque modo leniter calcinatum Vitriolum addas , non calore vel flavo vel rubro , ſed nigro Theriacam & alia compoſita Electuaria , quæ *Roſas* , *Crocum* & ſimilia capiunt , imbuet ;) calcinatum addere. Neque tamen *quodvis Vitriolum magnificæ huic compoſitioni Theriaces* , vel etiam ad *Chalcitidem* hanc præparandam æquè accommadatum eſt, ſed illud potiſſimùm quod eſt de *natura* vel *vena Chalybis* , *Martiale* dictum , non verò è fontibus vel *venis cupreis* ſive *Venereum* ; Etenim *Martiale Vitriolum* quod colore viridi præditum eſt , ſapore ſubdulci gaudet , reſolventibus virtutibus maximâ ex parta præditum,

Digitized by Google

ditum , nec valdè nocivum, ſi intra corpus in parva doſi ſumatur; *Venet*[illegible] è contrà, quod colore cæruleo imbutum eſt, ſaporem habet inſigniter [illegible]ringentem, nauſeam, vomitumque in pauca etiam quantitate commovens, ut ingens ſuſpicio ſit, venenum quoddam huic vitriolo commixtum eſſe, atque ob id hoc ipſum minimè aptum cenſeo, ut huic *compoſitioni* jungatur, ſed *Martiale* illud, (ſi quà neceſſariò vel Chalcitis, vel Vitriolum ad *Theriaca* compoſitionem expetatur,) ſtudioſè electum accipiatur.

Reliqua adhuc eſt præparatio *reſina ſtyracis*, quæ dupliciter inſtitui poteſt, per expreſſionem videlicet & extractionem. Si per expreſſionem illam elicere lubido eſt, tunc

℞. *Styracem Calamitam optimam & reſinoſam*, quam in mortario groſſo modo confractam, in patella affuſo *vino* vel *aqua roſarum* ſupra ignem unicâ ſaltem ebullitione diſſolve; poſtea per prælum vel torcular calefactum fortiter exprime, ſeparata denique ab aquoſitate *reſina* ſtudioſè aſſervetur. Quod ſi extractio magis arrideat, utpotè quâ tota *reſina* elici poteſt, remanentibus ligneis ac inutilibus ſegmentis, *ſtyraci* permixtis, quæ alioquin per expreſſionem ſufficienter ſeparari nequeunt; Tum

℞. *Styracem optima nota, confractam*, cui cucurbitæ vitreæ immiſſe, ſuperaffunde *ſpiritum vini rectificatum*, ad eminentiam quatuor vel quinque digitorum, & in tepore vel leni calore digere per diem, coletur *ſpiritus tinctus*; Et *ſi reſinoſa* adhuc *ſtyrax* apparet, adhuc ſemel *ſpiritus vini* affuſionem reitera, ac ut antea digere, cola, exprime: *Tincturas* ſive *extractiones* confuſas & conjunctas in cucurbita vitrea ad remanentiam quartæ vel ſextæ partis, in M. B. leniter abſtrahe: Remanenti in cucurbita *ſpiritui* nonnihil aquoſo innatabit *reſina*, quæ ſi non totaliter præcipitata ſit, affunde adhuc particulam *aqua roſarum*, poſtea ſeparatam atque aliquoties *aquâ roſarum* lotam, ceu pulcherrimam, puram *granisq*; longè præferendam, diligenter uſui aſſerva. Hæc ipſa *reſina ſtyracis* ſi exſiccetur, (quod tamen non conſultum arbitror,) clara & perſpicua evadit rubini inſtar.

[illegible]odem planè modo, ſi volupe fuerit, per extractionem parabis *reſ[illegible]am Ladani*, cujus mentionem feci in *animadverſionibus Tro[illegible]ſcorum Alipta Moſchata*.

Cæterum quod *Schema* concernit, quo præcedens *Theriaca compoſitio* ornata eſt, ſuperfluum duxi etiam illud hîc adjicere; quilibet enim Pharmacopœus vel leviter ſaltem in Arithmeticis inſtructus, pondus ingredientium ad libitum multiplicare, & ex uncia vel drachma una, quotquot libuerit uncias & drachmas efficere poterit; quapropter hoc ceu ſupervacaneo labore ob operis compendium, lubens ſuperſedeo, & ad alia, quæ ſuperſunt, celeri pede tranſeo.

De exoticis plurimis *Theriacam* ingredientibus, hoc inſuper monere volui, quòd non adeò ſtrictè opus ſit, his ſe alligare in illis oris, ubì *Theriaca* conficienda eſt, rerum conſimilium ac ejuſdem generis ſit proventus; Etenim *herba ex natali ſolo evulſa*, ad ægritudines locis illis Endemias propulſandas, majorem utplurimum habent efficaciam, quàm quæ ex terris aliis, alio ſub Sole calentibus, advehi ſolent. Exemplo ſit *Scordium noſtrum*, quod æqualibus, ſi non majoribus & longè excellentioribus hiſce in locis pollet virtutibus, quàm quod ex Creta aliiſque longinquis oris ad nos tranſportatur: Ita etiam de aliis conſimilibus reverà ſe res habet; Atque hac ratione, multis inutilibus Pharmacopœorum expenſis parcere, & ipſorum etiam ægrotantium rebus, maximè verò eorum, qui non ſunt in tam benè aucta parte, non parùm conſulere poſſemus.

THERIACA AUCTA
A Medicis Romanis & Bononienſibus.

Noluimus hoc loco præterire, quin Theriaces Andromachi compoſitionem à Medicis Romanis & Bononienſibus olim auctam, & multis in locis mutatam, nec non à Clariſſimo Viro Domino D. Luca Stengelio, Nobili itidem & multâ experientiâ præclaro Viro D. D. Adolpho Occoni A. F. A. N. Collegæ quondam noſtro honoratiſſimo communicatam huc inſereremus, quæ ſic habet;

℞. Trochiſcorum Scilliticorum uncias ſex,
De Viperis,
Hedychroi,
Piperis nigri ana uncias tres,
Trochiſc. de Camphora,
Opii,
Succi infuſionis Roſarum inſpiſſati,
Scordii Cretici, & noſtri,
Sem. Napi Sylveſtris,
Iridis Florentinæ,
Succi Glycyrrhizæ,
Agarici,
Cinamomi;
Fol. Cardui Benedicti,
Balſami Indici,
Croci Orientalis ana unciam unam ſemis;
Myrrhæ,
Zingiberis,
Rhapontici veri,
Rad. Pentaphylli,
Tormentillæ,

Cala-

Calaminthæ montanæ,
Comarum Marrubii,
Stœchados,
Rad. Coſti,
Zedoariæ,
Piperis albi,
Longi,
Dictamni Cretici,
Thuris maſculi,
Sem. Petroſelini Macedonici,
Smyrnii, id eſt, Oluſatri, non Hipposelini,
Florum Schœnanthi,
Myrobalanorum Emblicorum, vel
Chebulorum,
Terebinthinæ Cypriæ,
Caſſiæ ligneæ,
Spicæ Indicæ ana drachmas ſex.
Gentianæ,
Comarum Polii montani,
Styracis Calamitæ,
Sileris montani,
Abrotani,
Sem. Thlaſpios, ſeu Iberidis, vel Naſturtii albi,
Sem. Ammeos,
Chamædryos,
Chamæpityos,
Succi Hypociſtidis,
Lentiſci,
Fol. Malabatri, ſeu Macis,
Nardi Celticæ, ſeu Spicæ Romanæ,
Sem. Aniſi,
Fœniculi,
Rad. Meu, vel Imperatoriæ,
Terræ Lemniæ veræ,
Chalcitidis ſemiaſſatæ,
Amomi, vel Caryophyllorum, aut Galangæ majoris, vel
Calami Aromatici,
Rad. Phu minoris,
Carpobalſami, ſeu Granorum Juniperi,
Cubebarum,
Comarum Hyperici,
Acaciæ, vel ſucci lentiſci,
Gummi Arabici, vel Juniperi,
Cardamomi minoris,

Rad. Angelicæ optimæ,
Imperatoriæ,
Vincetoxici,
Ariſtolochiæ rotundæ,
Aſari,
Succiſæ,
Dictamni albi,
Serpentariæ,
Roriſmarini,
Salviæ minoris,
Scabioſæ,
Cornu cervi uſti,
Enulæ campanæ,
Pimpinellæ,
Origani Cretici ana unciam ſemis,
Sem. Dauci Cretici, vel ſem. Pimpinellæ,
Galbani,
Opopanacis,
Sagapeni,
Aſphalti, vel Succini albi,
Rad. Cruciatæ,
Caſtorei,
Ariſtolochiæ longæ,
Baccarum Lauri ana drachmas duas,
Mellis duplum,
Vini Cretici quantum ſatis eſt.
Conficiantur ſecundum artem.

THeriacâ Andromachi haudquaquam inferior, eadem præſtans, quæ in morbis malignis & intoxicatorum periculis Andromachi Theriaca Alexandrina vocata efficere poteſt. Etenim venenorum vires deſtruit, ac morbis viſcerum internis, præſertim verò frigidis, colicæ, iliacæ, uteri affectibus & ventriculi noxis à craſſis flatibus ortum ducentibus, ac aliis à putredine natis, opitulatur.

MOrdax vulgi vox fidem medicamini huic tàm antiqu. praclaro infirmam reddere, ac honori ipſius detrahere c pions, eidem nævum hunc affinxit, quod ritè parari ni queat, eò quòd multa in ejus compoſitione ἀντιβαλλόμενα ſeu Succedanea requirantur, cum veris ſimplicibus ad ejus conſtitutionem requiſitis vix gaudeamus. Veruntamen quia labor improbus omnia vincit, Pharmacopæorum noſtrorum ſtudio & impenſis effectum eſt, ut pauca nunc deſiderentur; unde Georgius Melichius Auguſtanus, Pharmacopæus Venetus, meritò gloriatur in aſtruenda Theriaca, Anno Chriſti 1573. ſibi non niſi quatuor legitima defuiſſe, quorum tamen

tamen def[illegible]um æquivalentibus ad ſufficientiam reſarciebat, pro Opoba[illegible]mo oleum Nucis Moſchatæ, pro Carpobalſamo Iuniperi baccas, pro Amomo verò, Amomum racemoſum, ac pro Folio Folium Officinis uſitatum, ſeu Macim ſubſtituens: cùm de Calamo nullum ſit dubium, quin is verus ſit Acorus, Folium verum à Folio Officinarum viribus non diſcrepet, Cubeba verò aut Baccæ Iuniperi Carpobalſamum æquent, atque inſuper Oleum Nucis Moſchatæ, vel Caryophyllorum, Opobalſamo parùm cedat, ac vix minoris conditionis exiſtat; de quibus plura in Prolegomenis.

VIdeant Pharmacopœi Theriacam paraturi ea, quæ Proſper Alpinus lebr. 4. de Medicina Ægyptiorum ſcripſit: Similiter Johannem Baptiſtam Sylvaticum, Melichium, Nicolaum Monardes, Petrum Bellonium, Cluſium, & alios, qui de Exoticis probè ſcripſerunt, adeant.

ANIMADVERSIONES.

IN [illegible]ucta hac *Theriacæ compoſitione* ventilandâ, non eſt quòd diu [illegible] moremur, cùm quoad præparandi modum cum *Theriaca* præcedenti conveniat, ac parùm etiam in reliquis ab ipſa diſcrepet, niſi quòd plures diverſæ ſpecies adhuc ſuperadditæ ſint, ſed haud benè: Neque enim artificioſa res eſt, tantam ac innumeram ferè ſpecierum farraginem ſine ulla ratione congerere; nullum enim ingrediens integras ſuas virtutes ita poteſt exſerere, quin à multis impediatur, unumque aliud veluti deſtruat: Accedit, quòd tam exigua quantitas de his vel illis *ſpeciebus doſin* aliquam ingrediatur, ut ſi ad calculum reducerentur, certò minutiſſimâ non granorum, ſolùm, ſed ipſarum etiam atomorum, quotquot ipſam intrarent, diviſione opus foret; cujus ſpecimen jam in ſuperioribus, in conſimili ſimplicium inconcinnâ congerie, edidimus, idcircò miſſam faciamus hanc nimis auctam *compoſitionem*, ſimpliciori aliquâ cum Medicis ſanioribus contenti.

THERIACA DIATESSARON

MESUÆ.

℞. Gentianæ,
Baccarum Lauri,
Myrrhæ,
Ariſtolochiæ rotundæ ana uncias duas,
Mellis deſpumati libras duas.

 Cra-

GRæcorum hæc eſt compoſitio, ut ex nomine patet qu[illegible] [illegible]rabes mutuati ſunt. Deſcribitur ab Avicenna & Meſue. [illegible]d venenatos morſus & potus efficax, omnesq́ cerebri frigidos affectus, convulſionem, reſolutionem, morbum comitialem, ſpaſmum cynicum, ventriculi inflationem, ac coctionis tarditatem, venenatis ictibus admota & epota benefacit. Hanc paſſim agyrtæ & circumforanei circumferunt, & pro magna Theriaca venalem exhibent.

THeriaca hæc licet jumentis communiter exhibeatur, hominibus tamen identidem ſalutaris exiſtit. Valebit autem plurimùm contra peſtilentis luis infectionem, aliorumque morborum malignorum contagia, ſi ei terram Lemniam aut Bolum Armenam, Dictamnum album, Tormentillam, Scordium, Carlinam, Zedoariam vel Angelicam, aucto mellis pondere junxeris. Notabis autem vulgares illas radices pro Ariſtolochiæ radicibus venundari ſolitas, Piſtolochiæ radices eſſe, vulgò Holwurtz dictas. Ariſtolochiæ verò vera radix eſt longè major & tuberoſa, intus ſolida, colore Buxi flavo, odorem & ſaporem Ariſtolochiæ longæ noſtratis referens.

THERIACA COMMUNIS,
Seu AUGUSTANA.

℞. Rad. Enulæ libram ſemis, uncias quinque, drachmas ſeptem,
Ariſtolochiæ rotundæ veræ libram ſemis, unciam unam ſemis,
Longæ, unciam unam ſemis, drachmas duas,
Gentianæ,
Dictamni albi,
Tormentillę,
Spicæ Romanæ,
Calami aromatici ana unciam unam ſemis,
Meu,
Phu,
Pimpinellæ ana drachmas ſex,
Zedoariæ uncias duas, drachmas ſex,
Zingiberis drachmas tres,
Fol. Scordii,
Chamędryos,
Chamępityos ana uncias tres, drachmas ſex,
Scabioſæ,
Sabinæ ana unciam ſemis, drachmas duas,
Betonicæ,
Salvię domeſticæ,

Praſii

...na unciam unam ſemis,
...illæ hortenſis,
Menthę rubeæ ana drachmas ſex,
Abſinthii,
Calaminthæ montanæ ana drachmas tres,
Comarum Hyperici unciam unam ſemis, drachmas duas,
Corticum citri ſiccorum uncias tres, drachmam unam,
Sem. Rutæ unciam unam ſemis, drachmas duas,
Ammeos,
Carui ana drachmas ſex,
Baccarum Lauri unciam unam ſemis,
Granorum Juniperi uncias tres, drachmas ſex,
Nucum Juglandium numero ſexaginta,
Santali rubri,
Succini citrini,
Macis ana drachmas ſex,
Piperis nigri,
Caſtorei ana drachmas tres,
Cupreſſæ pręparatæ unciam unam ſemis,
Boli Armenæ Orientalis præparatæ libram ſemis,
Opii Thebaici,
Sulphuris vivi pręparati ana uncias tres, drachmam unam,
Cornu cervi pręparati unciam unam ſemis, drachmam ſemis,
Olei Juniperi è baccis uncias tres,
Oxymelitis Scillitici libram unam,
Succi corticum fraxini uncias tres,
Vini Cretici libram unam,
Mellis optimi deſpumati triplum.

Simplicibus ſingulis ſuo tempore collectis, & artificiosè præparatis, fiat Theriaca in bona forma.

Theriacam hanc communem omnium Medicorum totius Collegii noſtri conſenſu ad hunc modum hucuſque præparavimus, & in poſterum quoque parandam cenſemus. Hæc autem vulgus ad præproperos morbos ac ſubitas adorſiones, ubi contagii alicujus ſuſpicio ſubeſt, commodè utitur: Sudores enim potenter prolicit, humorum putredini adverſatur, eorumq; corruptionem emendat, colicos, inflatos, ex ventre, veſicâ, ſtomacho, aut utero dolentes adjuvat, venenis reſiſtit, malignarum febrium primos inſultus reprimit, cordis tædia è putridorum ſuccorum halitu ortum ducentia diſcutit, coctionem adjuvat, frigidam viſcerum intemperiem corrigit, ac contra venenati aut contaminati aëris noxas, quas potenter evincit, ſaluberrimè aſſumitur.

ANIMADVERSIONES
In Theriacam Diateſſaron Meſuæ, & Theriacam communem Auguſtanam.

Facilis eſt *Theriaca hujus Diateſſaron* præparatio, cujus etiam *compoſitio*, præ cæteris mihi arridet, ac facilè adduci poſſem, ut crederem hanc cùm in præſervatione, tùm curatione luis peſtiferæ, ipſam *Andromachi theriacam*, uti communiter fit, multis paraſangis ſuperaturam, præſertim ſi loco *Ariſtolochiæ rotundæ, Angelica* vel *Zedoaria*, aut nonnihil etiam de *Nucibus Vomicis* ſubſtitueretur.

Quin etiam *Theriaca Auguſtana* ſuas mereretur laudes, propter *Alexipharmaca* in ſatis competenti quantitate ipſi adjuncta, niſi inſuper etiam minus utilibus quibuſdam ſcateret, utpotè *Cornu Cervi uſto præparato*, *Cuperosâ*, *Santalo*, & aliis nonnullis; In ejuſdem autem confectione, debita *Opii præparatio* & *ſolutio* ſedulò obſervanda eſt; Uti etiam *oleum Iuniperi è baccis, ſpeciebus* demùm ſubtiliſſimè tritis inſtillandum, & cum iiſdem ante additionem *mellis* exactè commiſcendum eſt; Quòd ſi pro *Oxymelle ſcyllitico, ſuccus* vel ipſa *Scyllæ pulpa* adderetur, conſultum illud fore exiſtimarem, quin ſi n bitrii hæc res eſſet, ego loco *Scyllæ Allii pulpam* vel *ſuccum* non une ratione prægnanti ſubſtituerem.

MITHRIDATIUM DAMOCRATIS
Ex Græcis Versibus.

℞. Myrrhæ Arabicæ troglodyticæ,
Croci,
Agarici,
Zingiberis,
Cinamomi,
Spicæ Nardi,
Thuris electi,
Thlaſpios ana drachmas decem,
Seſeleos,
Opobalſami,
Schœnanthi,
Stœchadis,
Coſti veri aromatici, aut ſuccedanei,
Galbani,
Terebinthinæ,
Piperis longi,
Caſtorei Pontici,
Succi Hypociſtidis,
Styracis rubeæ,

Opo-

[illegible]panacis,
[illegible]ii ana unciam unam,
Caſſiæ ligneæ,
Polii,
Piperis albi,
Scordii,
Sem. Dauci Cretici,
Caryobalſami,
Cypheos Trochiſcorum,
Bdellii ana drachmas ſeptem,
Nardi Celticæ purgatæ,
Sem. Petroſelini,
Gummi,
Opii,
Cardamomi,
Sem. Fœniculi,
Gentianæ,
F[illegible]liorum Roſarum,
Dict[illegible] Cretici ana drachmas quinque b. p.
Aniſi,
Ariſtolochiæ rotundæ,
Acori,
Phu,
Sagapeni ana drachmas tres,
Meu Athamantici,
Succi Acaciæ,
Ventris Scinci veri,
Summitatum Hyperici ana drachmas duas ſemis,
Vini quantum ſatis eſt,
Mellis deſpumati triplum, id eſt, libras novem, uncias octo, drachm. duas.

Modus confectionis, hic eſt, ut ingredientia ad compoſitionem, hujus tam famoſi medicaminis in ſex claſſes diviſa in tenuem pulverem redigantur. Claſſium porrò ſeries hæc eſt.

I. CLASSIS.

℞. Sem. Aniſi drachmas tres,
Zingiberis drachmas decem,
Macis,
Caryophyllorum ana unciam ſemis,
Gentianæ drachmas quinque.

Pendit hæc claſſis in univerſum uncias tres, drachmas duas.

II. CLASSIS.

℞. Scordii Cretici drachmas ſeptem,
Nardi celticæ,
Sem. Petroſelini Macedonici ana drachm. quinque,
Piperis longi unciam unam.

Pendit hac claſſis in univerſum uncias tres, drachmam unam.

III. CLASSIS.

℞. Polii montani drachmas ſeptem,
Stœchadis unciam unam,
Sem. Fœniculi drachmas quinque,
Phu Pontici drachmas tres.

Pendit hac claſſis in univerſum uncias duas ſemis, drach. tres.

IV. CLASSIS.

℞. Cinamomi,
Spicæ Indicæ ana drachm. decem,
Schœnanthi,
Zedoariæ,
Seſeleos ana unciam unam,
Roſarum drachmas quinque,

Pendit hac claſſis in univerſum libram ſemis, drachmam unam.

V. CLASSIS.

℞. Dictamni cretici, drachmas quinque,
Caſſiæ ligneæ,
Cubebarum,
Piperis albi,
Trochiſcorum Cypheos ana drachm. ſeptem,
Sem. Thlaſpios dtachmas decem.

Pendit hac claſſis in univerſum uncias quinque, drachmas tres.

VI. CLASSIS.

℞. Semen Dauci drachmas ſeptem,
Cardamomi drachmas quinque,
Calami aromatici,
Ariſtolochiæ rotundæ ana drachmas tres,
Angelicæ,
Hyperici ana drachmas duas ſemis.

Pendit hac claſſis in univerſum uncias duas ſemis, drach. tres.

Sequen-

Sequentia porro per ſe terantur; Nempe,

Myrrhæ,
Thuris,
Agarici,
Croci ana drachmæ decem,
Caſtorei uncia una,
Bdellii drachmæ ſeptem,
Ventrium Scinci marini in minutiſſimas partes inciſorum drachmæ duæ ſemis.

Hoc peracto, Gummata & ſucci vino Cretico ſolvantur, ac eo planè modo, qui in Theriacâ præſcriptus eſt, cum Terebinthina, melle & pulveribus ſex claſſium uniantur, adjiciendo ſub finem Crocum vino Cretico dilutum, itemque Styracem oleo Nucis Moſchata & eodem vino liquatam; atque ſic ſedulâ ſtrenuâque agitatione compoſitio hac ſuam perfectionem acquirat, quæ identidem in vaſe mundo & ſatis amplo, ut fermentare queat, reponenda, at[illegible]t Th[illegible]ca ſæpius commovenda, donec in annum adoleverit.

Pro Opobalſamo, oleum Nucis Moſchatæ, pro Acoro, Calamum Aromaticum, pro radicibus Meu, Angelicam hoc loco ſubſtituimus.

Mithridatica Antidotus celeberrima ad lethales & venenatos morſus à Mithridate, Ponti & Bithyniæ Rege famam & nomen accepit. Valet ad capitis, aurium, oculorum, dentium, pulmonum, ventriculi & inteſtinorum affectus frigidos ſeu pituitoſos & melancholicos, ad ſtuporem, paralyſin, apoplexiam, epilepſiam, ſpaſmum, tetanum, cephalæam, hemicraniam, maniam, melancholiam, gravem auditum, oculos lachrymantes, odontalgiam, cynanchen, aſthma, ſputum ſanguinis, peripneumoniam, lienteriam, dyſenteriam, ſive ſumatur, ſive admoveatur. Præterea ad frangendos calculos, menſes ciendos, omnia uteri vitia, ſcirrhos, podagras, morſus & ictus venenatos morſum canis rabidi, febres quotidianas & quartanas initio acceſſionum, coctâ jam materiâ, in modum avellana cum vino vel aqua, cui Salvia ſeu Mentha ſit incocta, in aliis autem veſpere ſumpta vel admota efficax exiſtit; diuturnis ſtomachi & thoracis defluxionibus prodeſt, tabidis, ventris inflationibus cœliaciſque medetur, bonum corporis colorem conciliat, appetentiam immutatam reſtituit, ex morbo languidos reficit, ac difficultatem urinæ emendat, melancholiam non ſinit conſiſtere, mortuum fœtum ejicit, viſum acuit, præſumpta non permittit lædi à lethalibus pharmacis, omnibus in profundo corporis factis exulcerationibus & abſceſſibus benefacit.

ANIM-

ANIMADVERSIONES.

QUæ de *Theriaca Andromachi* ſuperiùs dicta & præmiſſa ſunt, meritò etiam de hac *compoſitione Damocratis* dici poſſunt, tùm quoad compoſitionem ipſam, tùm etiam præparandi normam: *Compoſitio* ſanè multis ſuperfluis, inutilibus ac multifariè congl[illegible]meratis ſcatet ingredientibus, quorum plurima optimo jure ex ipſa elidere poſſemus; Si *Trochiſcos Cypheos*, qui pariter in numero ingredientium collocati ſunt, examinemus, reipsà inveniemus omnia illorum ingredientia, præter *Vvarum paſſarum* ʒ j ß. *Cyperi, baccarum Iuniperi ana gr. xij, & ligni Aſpalathi gr. x*, antea huic compoſitioni ineſſe; An autem hoc *compoſitum*, ſive *Mithridatium*, quod in ſimplo paratum, *librarum quatuordecim pondus* adæquat, tam ſingulares *Alexipharmacas virtutes* ab *una illa drachma cum dimidia Cibebarum, vel uvarum paſſarum, & pauculis granis baccarum Iuniperi, Aſpalathi* & *Cyperi* acquirat, ſanè ridere potiùs quàm diſquirere opus habeo: Nec minùs plura alia cachinno potiùs, quàm examine digna huic pompoſæ *compoſitioni* inſunt, quæ quoniam pleraque in præparatione *Theriaces* ventilata ſunt, [illegible]ſum duximus eorum memoriam heic revocare; quin magè c[illegible]tum putavimus abſque longis ambagibus, aliam paulò dexteriorem ejus præparationem ſubjungere; Omiſſis autem *Trochiſcis Cypheos* eorum ipſorummet *ingredientia*, in debito & exactè computato pondere adjiciemus, ut adeò neceſſum non ſit, ulteriùs entia citra neceſſitatem multiplicare. Nimirùm

℞, *Myrrhæ ſplendidæ* ℥ j, ʒ ij ß, *gr. xv*,
Croci Auſtriaci ℥ j, ʒ ij, *gr. iv*,
Cinamomi optimi ℥ j, ʒ ij, *gr. xv*,
Spicæ Indicæ ℥ j, ʒ ij, *gr xij*,
Zinziberis,
Agarici,
Thuris electi,
Thlaſpios ana ℥ j, ʒ ij.
Schœnanthi ℥ j, ʒ ß. *gr. xv*,
Terebinthinæ ℥ j ʒ j ß,
Seſeleos,
Opobalſami,
Stœchados,
Coſti veri, vel Zedoariæ,
Galbani,
Piperis longi,
Caſtorei,
Succi Hypociſtidis,
Reſinæ Styracis,

Opo-

Opopanacis,
[illegible] ana ℥ j,
Caſſia lignea,
Bdellii ana ℥ *vij, gr. xij,*
Polii,
Piperis albi,
Scordii,
Sem. Dauci cretici,
Carpobalſami ana drachm. vij,
Nardi Celticæ purgatæ,
Sem. Petroſelini,
Gummi Arabici,
Opii,
Cardamomi,
Sem. Fœniculi,
Gentianæ,
Foliorum Roſarum,
Dictamni cretici ana drachm. v,
ſeu Calami Aromat. drachm. iij ß, *gr. iv,*
Aniſi,
Ariſtolochia rotunda,
Phu,
Sagapeni ana drach. iij,
Meu Athamantici,
Succi Acaciæ,
Ventris ſcinci veri,
Summitatum Hyperici ana drach. ij ß.
Vvarum paſſarum, ſive Cibebarum drach. j ß,
Cyperi,
Baccarum Iuniperi ana gr. xij,
Aſpalathi gr. x,
Vini q. ſ.
Mellis deſpumati triplum, id eſt, ℔ *ix,* ℥ *viij, drach. ij* ß.

Licet equidem diviſio *ſpecierum ingredientium* in diſtinctas claſſes non admodum neceſſaria ſit, cùm quilibet prudens Pharmacopœus antea nôrit, quæ mixta & quæ per ſe contundi debeant, nihilominus tamen majoris facilitatis & melioris informationis ergò & hanc adjiciam.

CLASSIS I.

℞. *Agarici Trochiſcati,*
Zinziberis ana ℥ *j, drach. j.*
Macis ℥ ß,

Sem.

Sem. Petroſelini Macedon.
Gentianæ ana ʒ v.

CLASSIS II.

℞. *Scordii cretici vel noſtrat.* ʒ *vij,*
Nardi Celticæ ʒ *v,*
Piperis longi ℥ *j,*
Caryophyllorum ℥ *ß.*

CLASSIS III.

℞. *Polii montani* ʒ *vij,*
Stœchados ℥ *j,*
Sem. Fœniculi ʒ *v,*
Phu Pontici drachm. iij,
Cibebarum drachm. j ß,
Cyperi,
Baccarum Iuniperi ana gr. xij.

CLASSIS IV.

℞. *Cinamomi* ℥ *j, drachm. ij, gr. xv,*
Zedoariæ,
Seſeleos ana ℥ *j,*
Roſarum drachm. v,
Aſpalathi gr. x,
Ventrium Scinci marini minutiſſ. prius conciſ. drach. ij ß.

CLASSIS V.

℞. *Dictamni cretici drachm. v,*
Caſſiæ ligneæ drachm. vij, gr. xij,
Cubebarum,
Piperis albi ana drachm. vij,
Sem. Thlaſpios drachm. x.

CLASSIS VI.

℞. *Sem. Dauci Cretici drachm. vij,*
Cardamomi drachm. v,
Calami Aromatici drachm. iij ß, gr. iv,
Ariſtoloch. rotundæ drachm. iij,
Angelicæ,
Hyperici ana drachm. ij ß,
Caſtorei ℥ *j.*

Croci

C … *lrach. ij, gr. v*, per ſe terantur; *Squinanthi autem* ℥ j, *dra… gr. xv, & Spica Indica* ℥ j, *drach. ij, gr. xij*, eo modo extrah… vel teri poſſunt, prout in *Theriaca* præparatione innuimus.

Reliqua ſingula in ſuis appropriatis ſolventibus ſive menſtruis diſſolvantur, utpotè *reſina Styracis & Thus pulveriſatum in Tere…thina; Gummi Arabicum, & Bdellium in aqua aliqua deſtillata; Myrrha, Galbanum, Opopanacum, Sagapenum in vino Cretico;* Similiter *Opium, ſuccus Hypociſtidis & ſuccus Acaciæ in vino eodem*; *Opo…alſamum vel oleum Nuciſtæ* jam permixtis & unitis *Gummatibus, reſinis & Terebinthina* admiſceatur, & tandem omnia exactè invicem adunentur, prout in *animadverſionibus noſtris ſuper Theriacam* & adjuncta ejuſdem dexteriori præparatione luculentur edocuimus; qui ipſe *Theriaces* conficiendi modus huic *Mithridatis* præparationi ad amuſſim reſpondet; Idcircò brevitatis ergò benevolum Lectorem eò remitto.

Schematiſmum ſive multiplicationem ingredientium in duodecuplo uſque adjungere, haud neceſſarium duxi, quin ut tempori & chartæ parcerem, ſolerti Pharmacopœo relinquere volui.

ANTIDOTUS MATTHIOLI.

℞. Rhabarbari,
Rhapontici,
Rad. Phu,
Acori, ſeu Calami Aromatici,
Cyperi,
Quinquefolii,
Tormentillæ,
Ariſtolochiæ rotundæ,
Pæoniæ,
Helenii,
Coſti,
Iridis Illyricæ,
Chamæleontis albi ana drachm. tres,
Galangæ,
Imperatoriæ,
Dictamni albi,
Angelicæ,
Filipendulæ,
Zedoariæ,
Zingiberis ana drachmas duas,
Agarici drachmas tres,
Gentianæ,
Morſûs Diaboli ana drachmas duas ſemis,

Sem.

Sem. Citri,
Viticis,
Cocci infectorii,
Fraxini,
Oxalidis,
Paſtinacæ ſylveſtris,
Napi,
Nigellæ,
Pæoniæ,
Ocymi,
Irionis,
Thlaſpios,
Fœniculi,
Ammeos ana drachmas duas.

Baccar. Lauri,
Juniperi,
Hederæ,
Smilacis aſperæ,
Cubebarum ana drachmam unam ſemis,

Folior. Scordii,
Chamædryos,
Chamæpityos,
Centaurii minoris,
Stœchadis Arabicæ,
Nardi Celticæ,
Calaminthæ,
Rutæ,
Menthæ,
Betonicæ,
Verbenacæ,
Scabioſæ,
Cardui Benedicti,
Meliſſophylli ana drachmam unam ſemis,
Millefolii,
Libanotidis maris,
Dictamni Cretici ana drachmas tres,
Sampſuchi,
Hyperici,
Junci odorati,
Marrubii,
Galegæ,
Sabinæ,
Pimpinellæ ana drachmas duas.

Caricarum,

Nucum

Nucum Juglandium,
Piſtachiorum ana uncias tres,
Myrobal. Emblicorum drachmas quatuor,
Flor. Bugloſſi utriuſque,
Roſarum,
Lavendulæ,
Salviæ,
Roriſmarini ana ſcrupulos quatuor,
Croci drachmas tres,
Caſſiæ ligneæ veræ drachmas decem,
Caryophyllorum,
Nucis Moſchatæ,
Macis ana drachmas duas ſemis,
Piperis nigri,
Longi,
Santalorum omnium,
Agallochi ana drachmam unam ſemis,
Cornu Cervi crudi unciam ſemis,
Unicorn. drachmam unam,
Oſſis de corde Cervi,
Ramentorum Eboris,
Virgæ cervinæ,
Caſtorei ana ſcrupulos quatuor,
Terræ Lemniæ drachmas tres,
Opii drachmam unam ſemis,
Margaritarum Oriental.
Fragment. Smaragdi,
Hyacinthi,
Corallii rubri ana drach. j ß,
Camphoræ drachmas duas,
Maſtiches,
Thuris,
Styracis,
Myrrhæ,
Gummi Arabici,
Reſinæ Terebinthinæ,
Sagapeni,
Opopanacis,
Laſerpitii ana drachmas duas ſemis,
Moſchi odorati,
Ambræ ana drachmam unam,
Olei Vitrioli unciam ſemis,
Specier. Cord. temperatarum,
Diamargariti frigidi,

Diamoſchi dulcis,
Diambræ,
De gemmis frigidis,
Trochiſc. de Camphorâ,
Scillic. ana drachmas duas ſemis,
De Viperis uncias duas,
Suc. Oxalidis,
Sonchi,
Scordii,
Echii,
Bugloſſi,
Meliſſophylli ana libram ſemis;
Hypociſtidis drachmas duas;
Theriacæ electæ,
Mithridatii optimi ana uncias ſex,
Vini veteris albi odorati libras tres,
Mellis optimi libras octo, & uncias ſex.

Fiat ſecundum artem Electuarium eo modo, quo Theriaca aut Mithridatium conficiuntur.

Deſcribitur à Petro Andrea Matthiolo in Commentar. ad librum ſextum Dioſcordis. Facit autem adverſus pleraꝗ venena, quæ per os ſumuntur, itemꝗ adverſus ea, quæ morſu vel ictu relinquuntur. Peſti plurimùm adverſatur, morboſꝗ malignos præcavet & expellit, ac Theriacæ aut Methridatii vires æmulatur.

ANIMADVERSIONES.

Niſi ſuperiùs in *Theriaces* & *Methridatii* pompoſis compoſitionibus, de inſolenti ac enormi illa plurium tàm ſimplicium, quàm compoſitorum congerie, prolixè ſatis, fortè etiam cum multorum faſtidio, non dicam cordolio, egiſſemus, vix ſanè nobis temperare poſſemus, quin paulò vehementiùs, in præſentem *Matthioli Antidotum*, utpotè quæ ambras illas prędictas, non ſolùm cùm ſimplicium, tùm compoſitorum numero ferè innumero æquat, ſed in plurimis etiam abſurditatibus ſuperat, inveheremur: Aſt tędet crambem illam recoquere, quin potiùs Lectorem ad Animadverſiones noſtras ſuper præfatas, celebriores Antidotos remittamus, maximè verò cùm unuſquiſque, qui vel hirquis emiſſitiis, hanc *Matthioli compoſitionem* inſpexerit, mox primo intuitu cernet & deprehendet ipſam eandem cum prædictis redolere proſapiam, & æquè fœdis ac ſtolidis, imò majoribus etiam, quàm illæ, ſcatere erroribus, quos omnes ſi mihi centum linguæ eſſent, oraque centum, enumerare vix poſſem. Conſtat autem inſipida hęc *Antidotus* ex *ſedecim diverſis*

verſis cor- ...ſtis, videlicet ex *Theriaca Andromachi*, quadrageſimâ partè; *Trochiſcorum Hedychroi*, qui iterùm *Thiriacam* ingrediuntur, parte centeſimâ & vigeſimâ; *Mithridatii*, vigeſimâ octavâ parte; *Trochiſcorum Cypheos*, qui denuò *Mithridatium* ingrediuntur, ...ingenteſimâ cum duodecima parte; *Trochiſcorum de Viperis*, & *de Scilla*, qui bis quoque ponuntur, per ſe nimirùm, & quatenus *Theriacam* ingrediuntur, aliquâ parte; *Specierum Diambræ*, decimâ quartâ ...te; *Specierum Diamargariti frigidi*, decimâ ſextâ parte.; *Specierum Cordialium temperatarum*, ſeptimâ circiter parte; *Specierum Diamoſchi dulcis Meſuæ*, decimâ tertiâ propemodum parte; Et *Trochiſcorum Galliæ Moſchatæ*, qui rurſus proximè *præfatas ſpecies* ingrediuntur, centeſima cum duodecima parte; Item *Trochiſcorum de Camphora*, & *ſpecierum de Gummis frigidis*, partibus aliquibus. Quæ omnia & ſingula enumerata *compoſita*, prout huic Diſpenſatorio inſerta ſunt, exactè ad calculum revocata, heîc recenſere libuit. Conſidera nunc, Lector benevolè, & ſeriò tecum expende, ſi totius hujus *compoſiti* libras quantuordecim circiter continentis ...ultimata ſubdiviſio in ſingulas doſes inſtitui deberet, & ...*dr... ...adu...* ...*doſi* computarentur (licet vix ad drachmam unam in... communiter aſcendant,) quæ eſſet *integri compoſiti quadringenteſima ſeptuageſima ſecunda pars*, quàm minutâ, quàmque impoſſibili atomorum diviſione opus foret, nimirùm ſubdividendo ſuperiorum *compoſitorum* & eorum ingredientium, *centeſimas*, *quingenteſimas*, *quadrageſimas*, *vigeſimas*, &c. partes, iterùm in *quadringenteſimas ſeptuageſimas ſecundas*; An verò Author ipſe rebus ità conſtitutis noviſſe potuerit, quantum de uno vèl altero ingredienti (quod ipſum tamen Medico ſcitu neceſſarium eſt, ſi certi aliquid de remedii effectu, tùm ſibi, tùm aliis promittere velit,) doſin quamlibet intret, de hoc quilibet veritatis amans liberè & ingenuè judicet. Porrò conſtat hęc *Antidotus*, ſi ſingula ingredientia addantur, ex *trecentis & octuaginta octo ſpeciebus*, ità quidem, ut potiores ipſarum *bis*, *ter*, *quater*, *quinquies*, *ſexies*, *ſepties*, & *octies*, compoſitionem ingrediantur; Ex. gr. *Myrrha*, *Macis*, *&c.* quater; *Caryophylli*, *Moſchus*, *&c.* quinquies; *Cinamomum*, *lignum aloës*, *&c.* ſexies; *Nardus Indica*, *&c.* ſepties; *Crocus*, *&c.* octies. Præterea inter cætera ingredientia omnia, lepidè ſanè *Ficus*, *Nuces juglandes* & *Piſtachia* (quæ tria in *octuplo*, *decuplo* aut *duodecuplo*, vel *centuplo*, aut majori etiam pondere vel quantitate reſpectu reliquorum ingredientium addita,) quaſi pro *baſi* & *fundamento* poſita ſunt, ...d ſecùs, ac ſi tàm inſignes virtutes Alexipharmacæ ab aliquot granis horum trium eſculentorum fructuum, quibus unaquæque doſis præ cunctis aliis ſatis precioſis ingredientibus ſuperbiet, proficiſci poſſent, quorum tamen vel integræ libræ comeſtæ, neminem à peſte aut aliquo alio illorum morborum, in quibus hæc *Anti-*

dotus celebratur, immunem præſervare, aut iiſdem in[illegible] liberare poterunt: Plura conſimilia ridicula brevitatis causâ ſciens prætermitto.

Sed objiciet quiſpiam, contra hanc noſtram *compoſitorum* reſolutionem, & in ea taxatam exiguam nimis *ſimplicium quorund* in qualibet *doſi* reſultantem quantitatem, non conſiderandam molem & efficaciam cujuſvis ſimplicis ſigillatim, ſed potiùs qualitatem ex omnibus ſimplicibus, in hoc vel illo *compoſit*[illegible] emanantem, ſive jam illa manifeſta ſive occulta ſit, examini ſubjiciendam eſſe. Exhibeatur ex. gr. patienti *Theriaca* doſis competens, in qua compoſitione, cùm ferè omnes ſpecies, aut ſaltem potiſſimæ calidæ ſint, abſque dubio totum compoſitum calidum evadet, & ſubjectum ſumens, calefaciet: Si verò quantitas *Piperis* ſeorſim, item *Cinamomi*, *Caſsia lignea*, *Zedoaria*, *Coſti*, *Mari*, *&c.* perpendatur, certum eſt, quòd ea tam exigua invenietur, ut ſeparatim exhibita, manifeſtè corpus alterare apta non eſſet; alterabunt tamen omnes ſimul ſumptæ. Accedit quòd aliquando in *compoſitis* generetur aliqua qualitas & nova energia, quæ in nullo ſimplici compoſitionem hanc ingredienti antea præfuerat, ut videre eſt in *pulvere pyrio*, qui [illegible] primum ignis odorem (ut ita loquar) flammas concipit, per ſui [illegible] momento rarefactionem longiſſimè ſeſe dilatat, magnaque onera ſecum per aëra defert, quævis obvia proſternens, & ſi loco coërceatur anguſtiore, vi ſibi viam parans omnia evertit. Perfectò, *Nitrum*, *Sulphur*, & *Carbones*, quibus pulvis hic conficitur, ſeorſim hanc proprietatem non obtinent; videmus tamen eam adeſſe, ubi hæc tria, debitâ proportione conjunxerimus. Concludendum eſt igitur, quòd quando *compoſita compoſitis* adduntur, non ſit conſiderandum, quantum cujuſvis ſimplicis communicetur uni doſi, ſed quantum hujus vel alterius qualitatis, quæ ineſt uni medicamento compoſito, ex miſtione & unione omnium ſimplicium illius, novo medicamini accedat.

Licet argumentum hoc non videatur ſuo carere robore, nihilominus reſpondemus *primò*, concedendo quod ſingula collecta juvent, ſi ſingula in unum conſpicient, effectum, & ejuſdem virtutis & efficaciæ ſint, nec invicem ſibi contrarientur: At hæc requiſita procul ſanè exulant à compoſitionibus à nobis ſupra examinatis, quæ ſi adeſſent, utique concederemus, eas juvare. *Secundò*, in Alexipharmacis utplurimùm & aliis multis medicamentis non eſt reſpiciendum ad gradus caloris vel frigoris &c. ſed ad qualitatem, quæ à totâ ſubſtantiâ huic vel illi morbo mederi apta nata ſunt & prædeſtinata. An autem hæc nobis tàm exactè cognita ſint, judicet quiſ[illegible] veritatis amans. Et licet à Creatore ſummo tot tantaque contra unum affectum pugnantia creata ſint, id tamen non ideò factum eſt, ut pro libidine cujuſvis cervicoſi ineptè confunderentur, ac novum

Chaos

Cha... mentiantur, ſed ut inexhauſtam ſuperni Numinis ſapientiam & providentiam admiraremur, quæ omnibus tùm divitibus, tùm pauperibus, tàm Europæis, quam Aphris, Aſiacis aut Americanis ſua eſſe voluit Antidota, quæ ipſa non eâdem elementariâ ditavit ...litate, ſed hæc calida, illa frigida, imò nonnulla capiti, alia cordi, quædam hepati aut utero magis amica condidit, ut prudens Medicus, ſine vanâ multorum additione cuilibet *ætati*, *regioni*, *temperamento*, *&c.* apta medicamenta, nullâque correctione indigentia, ſibi commiſſa eſſe intelligeret. Addo, quòd cùm peſtis reliquæque intemperies tàm qualitatum occultarum, quàm manifeſtarum, ſimplices ſint qualitates, aut ſaltem binæ junctæ; convenientiſſimè uno curabuntur ſimplici, ut rectè monet *Sennertus lib.* 5. *Inſtit. part.* 2. *ſect.* 2. *c.* 1. Intemperiei enim calidæ & ſiccæ rectè opponitur medicamentum humidum & frigidum, quarum qualitatum non unum, ſed plurima nobis natura ſuppeditat ſimplicia, & ſic de cæteris. In peſte præterea, non calida ut calida adhibentur, ſed ut experta, quòd peſtifero veneno reſiſtant: Sic *cathartica* non purgant quatenus calida, aliàs enim *Piper* neceſſariò violentiſſimum eſſet *catharticum*, ſed qu... ... naturæ noſtræ contraria eam ſtimulant ad excret... noxii, aut quatenus qualitatem occultam, certo alicui humori analogam obtinent, quâ illum ex toto corpore alliciunt, ab aliis humoribus ſecernunt, & ſecum per viam aliquam publicam efferunt. *Tertiò*, non negamus, in compoſitis ſæpe oriri novam qualitatem, quæ in nullo ſimplicium præexiſtebat, ſed qualis nam illa ſit, nobis non innoteſcit; ſæpè noxia eſt, quam nos proficuam eſſe arbitrabamur: Unde fit, ut ſperati effectus in ægrotis non ſuccedant, & Medicus ſæpiſſimè fine ſuo fruſtretur. Provenit autem iſta nova qualitas à contrarietatibus rerum, quæ quantæ in *vegetabilibus* reperiantur, *mineralibus* etiam & *animalibus*, luculenter *Chymia* docet. Sæpè enim numero fit, ut res commiſtæ ſe invicem deſtruant, ut neutrum ex illis proprias ſuas exſerere ampliùs poſſit virtutes, imò nonnunquam, ut modò diximus, ex commiſtione rerum ſalutiferarum, lethifera venena reſultant. Contrarietas autem in illis medicamentis apparet in fucata & non vera illa fermentatione, quæ in *Chymia* apertè demonſtrari poteſt, & *Antipathica ebullitio* dici meretur. *Quartò* poſito, & non conceſſo, quod ex tanta farragine, & innumerâ ingredientium ſerie, tandem reſultet medicamentum, unam habens vim & qualitatem vel calefaciendi, vel refrigerandi, &c. deberet neceſſario Medicus in compoſitione ejuſdem probè callere, quantum de hoc vel illo, non ſolùm *totam compoſitionem*, ſed *quamlibet doſin* ditaret, & de qualitatibus ſuis ei impertiretur. Quod an Authores hîc & alibi fecerint, aut ...ire potuerint, judicium eſto penes æquum Lectorem. *Quinto*, nego totaliter, quòd compoſitio medicamentorum ſimilium

 com-

compoſitorum ſit vera miſtio, ſed tantummodò co[illegible]appoſitio, & inordinata confuſio, adeò ut unumquodque *ſimplex* (niſi naturâ ſuâ invicem manifeſtè vel occultè contraria ſint, & ſeſe mutuò deſtruant,) ſuas proprias ſervet dotes & virtutes; quòd manifeſtè in *Opio* videre eſt, & aliis quamplurimis: Præ omnibus enim aliis ingredientibus *Opium in Theriaca* ſuas vires obtinet integras, juxtà proportionem, quâ adhibetur. Quæ cùm ità ſint, ſequitur inanem eſſe medicamentorum correctionem, per additionem *Aromatum* & ſimilium; cùm, uti dictum eſt, quod libet, per ſe ſuam ſervet naturam, niſi per mutuam actionem & paſſionem deſtruatur; ſi verò plura jungantur, ut unum alterius ſegnitiem exſtimulet, virtutemque intendat, neceſſariò Medico compertum eſſe debet, quantum de quolibet ſimplici uni inſit doſi, aliàs nec hanc quidem determinare valebit.

Quod præparationem tandem ſpectat hujus *Antidoti*, illa nulla ratione commodiùs inſtitui poterit, quàm ſi procedatur ad modum noſtrum in præparatione *Theriaces Andromachi* præſcriptum; Id ſaltem præ illa peculiare habet, quòd *ſuccorum expreſſorum libræ tres* cum *melle* inſpiſſari aut coqui debeant, quouſque [illegible]ntiam ſuam priſtinam ac ſatis craſſam denuò adeptum ſit; Aut [illegible]co *vini* cum illis ipſis ſuccis nonnulla, quæ in illis diſſolvi vel dilui poſſunt ingredientia, utpotè *Opium*, *Crocus*, *&c.* diluantur & diſſolvantur. In reliquorum *Gummatum* & *ſuccorum concretorum* diſſolutionibus, ipſorumque æquè, ut aliorum ingredientium miſcendi ratione nulla eſt diſparitas.

DIACORUM MESUÆ.

℞. Rad. Secacul, vel in ejus defectu rad. Paſtinacæ marinæ, aut Eryngii,
Acori, ſeu Calami aromatici,
Pinearum ana libram unam ſemis.

Radices Secacul mundatæ & inciſæ coquantur in aquâ clarâ, donec aqua conſumatur. Poſtea optimè piſtentur, & in minutiſſimas partes conterantur, ad pultis conſiſtentiam: deinde affunde eis mellis odorati optimè deſpumati libras decem:

Coquantur lento igne, donec tota aqua, quam radices Secacul imbiberunt, in vaporem reſoluta ſit, diligenter agitando, ne ad vaſis fundum radices adurantur. Cùm autem juſtæ ſpiſſitudinis conſiſtentiam acquiſiverint, ab igne deponito, & adde radices Acori tenuiſſimè tritas, ac Pineas minutiſſimè inciſas, cum ſubſequenti pulvere optimè mixtas;

Piperis nigri unciam unam,
Longi,

Caryo-

Caryophyllorum,
Zingiberis,
Roſarum,
Macis ana drachmas quatuor,
Nucis Moſchatæ,
Galangæ,
Cardamomi ana drachmas tres.

Omnia illa ſimul cum melle & radicibus Secacul miſceto & unito, diligenter agitando, ne grumi aliqui relinquantur.

Nervorum ægritudinibus mirificè confert, acuit omnes ſenſus & ingenium, ſedat dolores capitis, eſt peculiare remedium frigidarum ægritudinum; ſenum, & maximè catarrhi, ac hydropicos juvat. Deſcribitur à Meſ. Summâ quartâ de ægritudinibus nervorum cap. 1.

ANIMADVERSIONES.

Inſigne hoc *medicamentum ſtomachicum* præ aliis laudes ſuas meretur [illegible] imisque ſpecioſis ac prolixis compoſitionibus omni jure [illegible] endum eſt; cujus præparatio quidem juxta præſcriptum modum [illegible] itui poteſt; ſed longè melius foret, ſi *radices Secacul* vel *Paſtinacæ* aut *Eryngii*, & *Acori*, ſeu *Calami aromatici coctæ*, non piſtarentur, aut in pulverem tererentur, ſed groſſo modo minutimque & quadratè conſcinderentur. Atque hâc ratione longè gratius conficeretur *Electuarium*, cujus plenariam ac paulò magis concinnam heic ſubnectam præparationem;

℞. *Rad. Secacul, vel Paſtinacæ aut Eryngii, Acori, ſeu Calami aromatici ana* ℔ j ß,

Coquantur in non nimis largâ, ſed mediocri ſaltem, ſufficienti tamen quantitate *aquæ*, donec nonnihil molleſcant, haud aliter ac ſi *ſaccharo* condiendæ eſſent, *aqua* in qua prædictæ *radices* decoctæ ſunt, aſſervetur; *radices* verò à nimia aquoſitate, ſive contractâ in coctione ſuperfluâ humiditate liberentur, ac in aëre ſupra linteum expoſitæ, per diem unum in umbra parumper ſiccentur, poſtea craſſiuſculè in minutas & quadratas particulas conſcindantur; Pari quoque diligentiâ *Pinearum* ℔ j ß groſſo modo incidatur: Tum

℞. *Mellis deſpumati* ℔ x;

Coquantur cum ſuperiori aſſervatâ *aquâ*, in qua *radices* præfatæ ad mollitiem decoctæ ſunt, donec *mel* priſtinam ſuam conſiſtentiam iterùm adeptum ſit, cui denique junge *radices ſuperius conſciſſas*; & aliquandiu adhuc ſimul coquere ſine, donec & humiditas, quam *radices* imbiberunt coquendo, conſumpta ſit; quibus ſic ad juſtam conſiſtentiam coctis, adde

Pineas craſſiuſculè, prout ſuperius juſſi, conſciſſas,

nec non

Aromata in compoſitione ſequentia, *itidem pro majori parte conſciſſa*, utpotè
Caryophyllorum,
Zingiberis,
Macis ana ʒ ß,
Nuc. Moſchat.
Galangæ ana drach. ij,
Conſervæ etiam Roſarum ʒ j ß,

Attamen

Piperis nigri ʒ j,
Longi ʒ ß,
Cardamomi drach. iij.

Contundi poſſunt, non tamen nimis ſubtiliter, pro majori gratia *Electuario* conciliandâ, quod ipſum juxta noſtrum modum confectum, præſtans & gratiſſimum evadet, illudque quod communi modo paratum eſt, quâ ſaporis gratiâ, quâ majori efficaciâ plurimùm ſuperabit.

Nota, quòd loco *mellis*, ſi illud cuicunque non arrideret, *ſaccharum* ſubſtitui poſſet, ità enim laudabilius conficeretur *Electuarium ſtomachicum*. *Radices* etiam ſupradictæ, quia commodiùs ante coctionem, quàm poſt eandem peractam conſcinduntur, idcircò ipſas priùs craſſiuſculè incidere, & poſtmodum ad mollitiem coquere præſtabit.

ACORUS CONDITUS
VULGARIS.

℞. Conſervæ radicum Acori libram unam ſemis,
Mellis deſpumati (vel ejus loco brodii Zingiberis conditi) libram unam,
Amygdal. inciſ. libram ſemis,
Piperis nigri,
Nucis Moſchatæ,
Zingiberis albi ana unciam unam.
Miſce, fiat Conditum.

Ventriculum frigidum & humidum confortat, *flatus craſſos diſſipat*, *& concoctionem promovet*.

Radices Acori vulgaris, ſeu paluſtris mundatæ, & in taleolas tenuiſſimè inciſæ, decoquantur ad mollitiem in vino rubro: poſtea contuſæ & trajectæ, coquantur iterum cum duplâ quantitate ſacchari, ad formam conſervæ, ſicuti reliquæ.

ANIM-

ANIMADVERSIONES.

NOn minus *hoc Electuarium*, quàm proximè præcedens eximiis pollet virtutibus; præſertim ſi juxta modum in eodem indigitatum conficiatur; Proindè poteſt *Acorus* ſive *Calamus Aromaticus*, cum *ſaccharo*, coctò in *aqua illa*, in qua priùs *radices* ad molliciem decoctæ ſunt, condiri, poſtea craſſiuſculè conſcindi, cui demùm *Amygdala*. *Nuces Moſchata*, *Zinziber* ſimiliter conſciſſa, *Piper* verò non admodum ſubtiliter contuſum addantur.

ELECTUARIUM ALKERMES

MESUÆ.

℞. Serici ſucco granorum tinctorum recenter tincti libram ſemis,
Succi pomorum dulcium,
Aquæ Roſarum,
Sacchari albi ana uncias novem,
Ambræ gryſeæ drachmas duas,
Ligni Aloës optimi,
Cinamomi electi ana drachmas tres,
Lapid. Cyanei loti & præparati,
Margaritarum albarum ana drachmas duas,
Foliorum Auri drachmam ſemis,
Moſchi laudatiſſimi ſcrupulum ſemis.

Sericum in aqua & ſucco maceretur viginti quatuor horis, deinde paulisper his incoquatur, donec liquores iſti rubeſcant, quos expreſſo & abjecto Serico coque cum Saccharo ad mellis conſiſtentiam. Ab igne depoſitis & adhuc calentibus, miſce Ambram; quâ liquatâ, injice pulverem ligni Aloës, Cinamomi, lapidis Cyanei, Margaritarum, folia Auri & Moſchum.

COr ac vitales vires validè roborat, ob id ſyncopen & cordis palpitationes pellit, cerebro quoque ac animali facultati languidæ eximiè ſuccurrit, nec non ab apoplexiâ præſervat. Datur melancholicis, mæſtis, tædio & ſqualore confectis, ſomnè illa chrymantibus, meticuloſis ac triſtibus, lætitiam namque cum hilaritate parit, atque animum gaudio reficit.

HOc Electuarium nobis non probatur, qui nullo alio niſi Monſpelienſi vel Lugdunenſi cum ſigillis allato, uti conſuevimus, cùm tamen interea ſucco granorum ſeu potius ex his confecto Syrupo, nunquam deſtituamur, ut copia nobis eſſe queat Electuarii ſine Moſcho & Ambra præparandi, pro illis, qui odorata ferre nequeunt.

ANIMADVERSIONES.

SUperiùs in *animadverſionibus Syrupi de pomis*, *confectioni Alkermes* deputati, nonnulla præmiſi, quæ ad elucidationem præparationis hujus decantati *Electuarii* plurimùm poſſunt, inprim[illegible] ratione *Serici* vel *Setæ ſucco granorum Kermes tinctæ*, quæ quà[illegible] imprudenter dicto *Syrupo* addatur, ibidem videre eſt, eò [illegible]aque Lectorem relego. Reliqua verò *compoſitio Meſues* ſcili[illegible] ti v[illegible] *rum putum ſuccum Kermes* pro *Syrupo* habere poteris, [illegible]el ex *granis Kermes Syrupum pro confectione* hac paraveris, ſanè non improbanda, quin ipſa hæc noſtra *confectio* ubicumque locorum etiam præparetur, modo ex *ſucco* vel ex *granis Kermes*, omiſſo *Serico* conficiatur, illis *Monſpelienſium* aut *Lugdunenſium confectionibus*, quamvis neſcio quot ſigillis confirmatis, longè anteponenda, eſt quod ex originali *confectionis Alkermes Monſpelienſium* heîc ſubnexâ deſcriptione clariùs patebit; utpotè

CONFECTIO ALKERMES MONSPELIENSIUM.

℞. *Succi pomorum dulcium & aquæ Roſarum (in quibus Setæ* ℔ j. *fuerit per diem naturalem infuſa & multùm expreſſa) ana* ℔ j ß.
Succi granorum Kermes ℔ j.
Sacchari ſolidi ℔ ij.

Coque ad *Mellis* ſpiſſitudinem; remotis ab igne, & etiamnum calidis, adde

Ambræ crudæ minutim inciſæ drachm. ij.

Sine ut liqueſcat, deinde admiſce ſequentia pulverata, videlicet,

Ligni Aloës, vel Santali Citrini,
Darſeni, id eſt, Cinamomi electiſſimi ana drachm. vj.
Lapidis Lazuli uſti & præparati,
Margaritarum albarum ana drachm. ij.
Auri boni,
Moſchi ana drachm. j.

Fiatque *confectio* ſecundum artem.

Ex qua deſcriptione videre eſt, quòd tota hæc compoſitio vel *confectio Monſpelienſium*, in univerſum capiat jam parata vel confecta *libras tres & uncias duas vel uncias tres*: *Meſues verò compoſitio ſuperior ultra libram unam & uncias duas* in pondere non excreſcat; Adeoque *illa* hanc *Meſues* ultra *libras duas* in pondere ſuperabit, cùm tamen ratione ſpecierum ingredientium precioſarum, ultrò

ultrà dolin in *compoſitione Meſues* denominatam, non plus contineat, quàm *Cinamomi* & *ligni Aloës*, (vel loco ejus *Santali tantum Citrini) ana drachm. iij, Moſchi* ℈ ij ß, & *Auri drach.* ß. Unde liquet, quod Monſpelienſes *debitum pondus ſacchari*, reſpectu ſpecierum ingredientium, ceu quarum nulla ad tantam quantitatem *ſacchari* eſt proportio, non parùm excedant, & conſequenter *illa Meſues deſcriptio ſuperior*, uti magis concinna eſt, in aſſignata *ſacchari* & *ſpecierum ingredientium* quantitate & pondere, ità etiam viribus & virtutibus efficacior exiſtat. Haud ſatis itaque mirari poſſum, quod Authores tàm inperſpectè, tamque imprudenter hanc *Meſues compoſitionem* reprobent, è contra verò *Monſpelienſium* ac *Lugdunenſium* præ illa unicè amplectantur; cùm tamen, ut ipſi fatentur, nunquam vel *ſucco* vel *Syrupo Kermes* deſtituantur, ex quibus tum ſatis elegantem efficacem, exoticis illis non ſolùm viribus æquivalentem, ſed eaſdem etiam longè ſuperantem *confectionem* parare poſſint. Et ſanè Galli, cæteræque Nationes exteræ nos Germanos meritò rident, quòd ſpretis illis, quæ in noſtris regionibus æquè commodè confici poſſunt, & indies conficiuntur, peregrinis & quæ ſaltem e longinquis oris advehuntur, rebus tantoperè delectemur, cum tamen iis, quæ oculis propriis cernimus, ac noſtris manibus paravimus, longè magis fidere deberemus, quàm quæ alienâ operâ compoſita, & peregrinâ fide ad nos tranſvehuntur.

Notare inſuper heic libet, quòd ſi forſitan aliquis illam, ex *ſucco* vel *Syrupo granorum Kermes*, omiſſo *Serico* à nobis commendatam *confectionem* renueret, eò quòd fortè putaret, eximias à *ſerico*, ſi ipſum adderetur, virtutes huic *electuario* acceſſuras; is certò ſibi perſuaſum habeat, quod *ſericum* ſi quâ crudum, & antequam ſericariorum manu elaboratum fuit, aliquas virtutes obtinuerit, eaſdem in lotionibus, coctionibus ſive præparationibus ſuis multifariis, uti propriis uſurpavi oculis, dudum amiſerit: *Crudem verò ſericum cum folliculis* ob vermes vel papiliones in iis putrefactos, (quod fœtor in *ſerici* coctione & præparatione prodit, quodque ſæpè & ſtudiosè obſervavi,) magnâ eſt infectum malignitate, adeoque etiam rejiciendum. Neque exiſtimamus hanc Meſues fuiſſe mentem, quod *ſericum*, ſi non *ſucco granorum Kermes* priùs tinctum (utpotè alioquin in coctionibus, lotionibus aut aliis quibuſvis præparationibus omni ſuâ virtute, ſi quam antea obtinuerit, penitùs exutam;) adeò ſtrictè ad hujus *Electuarii* confectionem ſumendum ſit, ſed ideò forſan ex *ſerico*, *ſucco granorum Kermes imbuto*, ipſam tincturam elicere conatum fuiſſe, vel eandem extrahere præcepiſſe veriſimile ſit, quia dubio procul in oris illis Arabicis, ubi is vitam vixit, *hoc ſucco* aut *granis* vel *fructu Kermes* eo tempore vel omninò deſtitutus fuerit, aut ad minimum in ſufficienti quantitate eundem habere non potuerit. Nos verò cùm nunc neque *ſucci*, multò

minùs

minùs *granorum Kermes* (quibus ubique locorum *Sericum* tingitur) viduitate teneamur, valdè imprudenter fecerimus, ſi ex rebus hujus *fructûs* tincturâ duntaxat imbutis, non verò ex *fructu ipſo* tincturam & virtutes eſſentiales eliceremus, prout jam ante in præparatione *Syrupi Alkermes* prolixiùs hac de re diſſeruimus. Et miror ſanè, quòd Magiſter Laurentius Catelanus Pharmacopœus Monſpelienſis, quantumvis in ſua genuina (uti putat) præparatione *Confectiones Alkermes*, ubi plura ſpecioſa de *ſerico* & *ſeta* adfert, apertè fateatur, *ſericum* in præparatione & coctione vires ſuas perdere, nihilominus tamen ad *confectionem hanc* idipſum neceſſariò accipiendum eſſe cenſeat, licet paulò ante, ubi in explicatione *ſucci Kermes* intentus eſt, ſeipſum iterùm refutet. Nos tamen hujus arbitrium tantoperè non movet, ut ad tantas ineptias adducamur, neque voluntas aut ſententia ejus nobis pro lege eſt, quin potiùs nullius addicti jurare in verba Magiſtri, rectâ ratione prævià, auctores & præcepta aliorum, ſi rationi congrua non ſint, poſtliminiò ponentes meliora ſequamur. Sed hæc obiter.

Tranſeamus nunc ad dexteriorem hujus *confectiones* præparandi modum. Conficiatur igitur hoc *Electuarium* potiùs ſecundum deſcriptionem ſuperiorem Meſuæ, omiſſo *ſerico* ex *ſyrupo Kermes* ſi is ex *ſucco*, ſive ex *granis* ſit confectus (quem in animadverſionibus noſtris ſuperioribus ſuper eundem factis edocuimus,) eritque longè efficacius illo, quod multis ſigillis munitum, vel ex Gallia vel Belgio affertur. *Ambra* priùs nonnihil diſſolvi poteſt, *guttulis aliquot olei Cinamomi*, vel *etiam Roſarum*, aut *alterius alicujus olei Aromatici*, (ſic enim exactiùs *ſaccharo* injecta, cum eo unitur,) quæ ſolutio inſuper majorem efficaciam huic *confectioni* addet, utpotè quæ alioquin ſtimulo ſummoperè indiget, nec non opus habet, ut in majori doſi, quàm communiter fieri aſſolet, propinetur, ſi quas illi attribuerunt virtutes, exerere debeat. Aliam & quidem efficaciorem longè qui deſiderat *confectionem Alkermes*, is adeat *Diſpenſatorium noſtrum novum*, & ſecundum noſtram mentem deſcriptionem illam conficiat, ſic voti ſui compos abſque dubio evadet.

APPENDIX.

PRolatam meam ſententiam de *granis Kermes*, quæ ſuperiùs ad *Syrupum Kermes* conficiendum aptiſſima judicavi, confirmo cum ipſo illo præfato Magiſtro Laurentio Catelano Pharmacopœo Monſpelienſi, & qui in ipſius prolixam deſcriptionem *confectionis Alkermes* commentati ſunt, Johanne Stephano Strobelbergero Med. D. & Johanne ab Oberndorf, qui (ubi contra Pharmacopœum Avignionenſem in tractatu de *confectione Alkermes* dicti Strobelbergeri,

bergeri, Jenæ 1620. impreſſo diſputat,) aſſerit & fatetur, *præcipuas vires & virtutes in medulla grani Tinctorii potiùs, quam in tenui & magis aquoſa parte conſiſtere:* Item *Meſuen ſolius ſucci conſervandi gratia, non autem quatenus præcisè ex Seta virtus exhenda ſit, Sericum adhibuiſſe*, exiſtimat etiam Braſſavola, dum inquit: *Ego in confectionibus, quæ corroborare habent potiùs ſetam arcerem, quàm recipere voluerim.*

An autem *Aurum* in tenues laminulas diductum, & hoc modo (juxta opinionem Oberndorffii) ità rarefactum, ut ad partes internas faciliùs penetrare poſſit, huic *confectioni* additum, inque liquore convenienti ægris exhibitum, verè potabile efficiatur, longè præſtantius cenſendum ſit, quàm illud Chymicorum, ſeveriori equidem diſquiſitione indigeret. Verùm cùm unuſquiſque qui aliquantillum ſaltem naturam *auri* & metallorum aliorum perſpectam habet, abſurditatem hanc primo intuitu cernat, non occupabo operam meam in eâdem prolixè refutanda; quin paucis in contrarium aſſero, ſi quis *aurum* ſuper incudem tunderet, vel quouſque orcus ab Acheronte animas dimitteret, ſe hoc pacto *aurum* nunquam eò redactu[illegible] iri, at [illegible] potabile fiat. Stet itaque rata ſententia Auguſtanorum [illegible] *animadverſionibus ſuper Auream Alexandrinam Nicolai*, nimirùm *quod auri & argenti* (de foliis autem eorundem loquuntur,) *in medicinas additio, opinioni magis, quàm intentioni ſatisfacere videatur & ad paſcendos oculos ex Arabum luxu, ad conciliandam Pharmaco Authoritatem, illa introducta eſſe*; cum tantùm abſit, ut calor noſter nativus aliquam virtutum ex illis (nimirùm craſſo & ruſtico hoc modo minuſque Philoſophico in laminas diductis,) ſuâ elixatione, vel vi quantumvis intensâ, prolicere poſſit, ut ea ipſa integra ac nullum penitùs ab aſſumptione mutationem paſſa, ità uti ingeſta ſunt, per guttur inferius excernantur.

CONFECTIO ANACARDINA
Mesuæ.

℞. Myrobalanorum Chebulorum,
Emblicorum,
Belliricorum,
Indorum,
Piperis nigri,
Longi,
Caſtorei anà drachmas duas,
Coſti,
Anacardii præparati,
Sacchari albi,
Sem. Nigellæ aut Erucæ,

Bacca-

Baccarum Lauri ana drachmas ſex,
Cyperi drachmas quatuor.

Anacardia per ſe terantur, demum aliis tritis admiſceantur: deinde omnia incorporentur cum Butyri recentis non ſaliti, & mellis deſpumati ana quantum ſatis, ſeu unciis quinque ſemis, fiat Electrium.

V*Alet ad ventris totius inferioris & cerebri affectus frigidos, ſanguinem puriorem reddit, ac inde ſpiritu animali purgatiore tenuioreque effecto, ſenſus omnes, apprehenſionem, intellectum & memoriam juvat, unde eam Meſue confectionem ſapientum eſſe dixit, ac iis qui ſcire deſiderant, ſuppetias laturam promiſit, quæ & ipſa venoſum genus totum calefacit, nec non corpori vividum colorem præſtat. Cautè tamen & non niſi ante ſemeſtre tempus poſt perfectam fermentationem hoc medicamento eſt utendum, & ab ejus aſſumptione à labore, ira, coitu, ac ebrietate cavendum.*

ANacardiis nomen indiderunt recentiores Græci à cordis cùm ſimilitudine, tùm colore. Naſcuntur in Siciliæ montibus, qui continuas eructant flammas, nec non in Calicut, Cananor, Cambaiè & Decan. Excalfaciunt & ſiccant tertio gradu, quin imò ſanguinem exurunt, ac cutim ulcerant.

M*Eſue legit Burungi, id eſt, Nigellæ, pro quo Petrus Coudenbergius album Sinapis ſemen ſubſtituit.*

ANacardiorum præparationem in fine libri inter reliquorum ſimplicium præparationes require.

ANIMADVERSIONES.

HÆc *confectio* paratu quidem facilis eſt, aſt mehercle ingratum indè evadet edulium, ſi cum *butyro* conficiatur, præſertim ſi diutiùs paulò aſſervetur, donec rancorem contrahat; Quin miror maximè, quòd inter cætera ingredientia etiam *ſacchari albi ℥ vj*, reponantur, quaſi verò ab exigua illa quantitate ſingulares virtutes in *confectionem* hanc redundare poſſint; præſtaret ſanè, ut loco *unciarum illarum quinque cum dimidia butyri, mellis vel ſacchari tantundem* adderetur, ac ità *Electuarium* & multò gratius & longè durabilius conficeretur. Efficaciorem *confectionem Anacardinam* vide in Diſpenſatorio novo.

CONFECTIO ARCHIGENIS.

℞. Caſtorei,
Piperis longi,
Nigri,

Sty-

Styracis,
Spicæ,
Coſti,
Galbani,
Opii ana unciam ſemis,
Croci drachmas duas,
Mellis deſpumati quantum ſufficit.

Efficax eſt ad ſputum ſanguinis, & tuſſim diuturnam ex materia corrupta, ſanioſa, vel ab ulcere ac phthiſi; mundificat enim & abſtergit materiam craſſam ac putridam, confert uteri præfocationi, paralyſi, & veſicæ vitiis, nec non fluxui ventris ac febrium periodis medetur inſuper etiam venenis reſiſtit. Deſcribitur à Meſ. in cap. de tuſſi humida, folio 30. editionis Venetæ, 1549.

ANIMADVERSIONES.

UBi animadverſione & monitis ſummoperè opus eſſet, ibi piſcibus & Seriphiis ranis magis muti ſunt, in aliis verò rebus nauci & nihili plus ſatis loquaces. Et quamvis hæc *Opiata* ex paucis conſtet ingredientibus, nihilominùs tamen ſedulam requirit præparationem, quæ talis eſto.

℞. *Caſtorei,*
Piperis longi,
Nigri,
Spicæ Indicæ,
Coſti ana ℥ ß,
Croci Auſtriaci drach. ij,

Fiat ex iis pulvis ſubtiliſſimus.

Opii autem ℥ ß,

priùs præparetur juxta modum in *animadverſionibus pilularum de Cynogloſſa* à nobis edoctum, poſtea in liquore convenienti, ex. gr. *aceto, ſucco citri*, vel *alio liquore* ad pultis formam diſſolvatur & per pannum lineum exprimatur. Diſſolvatur etiam ſigillatim

Galbani elect. ℥ ß, in

vino vel *aceto* pulticulæ inſtar, itidemque coletur, aut per pannum exprimatur; Cui *Galbano* in patella ferrea ſuper ignem lentiſſimum ſoluto, alternatim mox de

Reſinæ Styracis nonnihil calidæ ℥ ß,

aliquot guttulæ inſtillentur, mox nonnihil de *libra una*

Mellis clari deſpumati,

mox etiam de pulveribus vel ſpeciebus ſuperiùs dictis, & *Opio ſoluto* partim addatur, hocque continuandum, donec omnia per vices admixta

mixta fuerint; Poſſet nec non ultimò patella cum hæc *Opiata* aliquandiu in aquam calidam immergi, & *Opiata* per horam unam agitari, quò meliùs ingredientia unirentur, eritque ſic ritè parata *Opiata*, quæ meritò *Laudani Opiati*, multarumque aliarum opiatarum vices ſupplere poſſet.

AUREA ALEXANDRINA
NICOLAI.

℞. Aſari,
Carpobalſami ana drachmas duas ſemis,
Caryophyllorum,
Opii Thebaici,
Myrrhæ,
Cyperi rotundi ana drachm. duas,
Sem. Hyoſcyami albi drachmas duas ſemis,
Seſeleos,
Sinapis,
Saxifragiæ,
Anethi,
Aniſi,
Cardamomi minoris,
Folii,
Salviæ,
Opobalſami,
Cinamomi,
Caſſiæ ligneæ veræ,
Coſti veri,
Meu,
Zedoariæ,
Zingiberis,
Euphorbii præparati,
Tragacanthi,
Thuris maſculi,
Styracis Calamitæ,
Corallii ana drachmam unam,
Aliptæ Moſchatæ,
Rhabarbari, aut Rhapontici veri,
Galangæ,
Spicæ Indicæ,
Rad. Pæoniæ,
Eryngii,
Acori veri,
Ariſtolochiæ longæ,

Gen-

Gentianæ,
Phu,
Cortic. radic. Mandragoræ,
Sem. Liguſtici,
Rutæ,
Sinoni, ſeu Amomi vulgaris Officinarum,
Carui,
Amomi veri,
Petroſelini Macedonici,
Ammeos,
Dauci Cretici,
Anacardii præparati,
Baccarum Lauri,
Piperis longi,
Albi,
Roſarum rubearum,
Thymi,
Pulegii,
Chamædryos,
Ligni Aloës,
Xylobalſami,
Caſtorei,
Opopanacis,
Maſtiches,
Sulphuris vivi,
Margaritarum albarum,
Blattæ Byzantiæ,
Oſſis de corde Cervi ana drachm. ſemis, grana tria,
Fol. Auri numero viginti quinque,
Argenti numero duodecim,
Limaturæ Eboris,
Calami aromatici vulgaris,
Pyrethri ana grana novem;
Mellis triplum, id eſt, circiter libras duas.

Compoſitio hæc, quæ paratu facilior eſt Theriacâ aut Mithridatio, cui ex Nicolao Græco Fuchſius Nucum avellanarum drachmas duas, Saphyri, Smaragdi, Iaſpidis ana drachmam unam, carnis Palmularũ, Behen albi & rubei ana drachmam ſemis addit, ac in ponderibus nonnihil variat ab auro, quod ad ejus conſtitutionem expetitur; vel potius à virium præſtantiâ ſic dicta. Efficax enim eſt contra capitis deſluxiones frigore conceptas, dolorem ſiquidem conſeſtim mitigat, oculorum lachrymas ſiſtit, dentium dolores ſanat, omnem noxam capitis à frigido & humido non modò epota, ſed & impo-

impoſita, & fronti illita propellit, comitialibus, vertiginoſis, paralyticis, apoplecticis benefacit, furioſorum incompoſitos motus compeſcit; tabidis, tuſſiculoſis, aſthmaticis, ſanguinis eductionibus, cardiacis, iſchiadicis, colicis, nephriticis, dyſuria, ſtranguria, iſchuria præſenti eſt auxilio; calculos renum & veſicæ comminuit; quotidianis & tertianis febribus circa acceſſionis initium cum decocto ſtœcha...s; eximiè medetur. Præſumpta hæc Antidotus, & in conſuetudinem vocata, ab apoplexia, & colico morbo facilè vindicat. Vide ejus examen apud Ioannem Baptiſtam Montanum.

ALiam deſcriptionem ponit Actuarius ab hac, quæ Nicolai eſt, diverſam; ubi pro Myrrhâ, baccas Myrti, pro ſem. Sinapis ſem. Apii, pro Pulegio, Halicacabum ponit, atque inſuper ſem. Carui & Anethi, Roſas ac Piper album omittit; quâ de re (prout de aliis quibuſdam dubiis hac in compoſitione occurrentibus) conſulatur editio Anni 1581. Nobis hęc ſic rectè ſeſe habere viſa ſunt, defectum autem eorum, quorum copia non eſt, aut fortè non omnibus, reſarcimus ſubſtituendo:

Pro Calamo aromatico, cùm Acorus & ipſe ingrediatur, Calamum aromaticum vulgarem, vel Galangam majorem,
Pro Carpobalſamo, Cubebas,
Pro Opobalſamo, oleum Nucis Moſchatæ,
Pro Xylobalſamo, Santalum citrinum, cùm Lignum aloës per ſe alioquin ad compoſitionem hanc requiratur.
Pro Folio, Macim,
Pro Meu, Angelicam,
Pro Amomo, Cardamomum minus, aut grana Juniperi.

Auri & argenti pondus hîc penitus ſupplendum non putamus, medietate contenti; videtur namque auri & argenti in medicinas additio opinioni magis quàm intentioni ſatisfacere, & ad paſcendos oculos, ex Arabum luxu ad conciliandum pharmaco auctoritatem introducta eſſe, cùm tantùm abſit, ut calor noſter nativus aliquam virtutem ex iis ſuâ elixatione, vel vi quantumvis intensâ, prolicere poſſit, ut ea ipſa integra, ac nullam penitus ab aſſumptione mutationem paſſa, excerni obſervemus.

ANIMADVERSIONES.

PRæ cæteris ſpecioſis, ac ad pompam magis, quàm ad emolumentum proximi, malè conſarcinatis compoſitionibus hæc, quantis etiam attributis ſuperbiat, una eſt, quæ carbone ex albo pharmaceutico delenda eſſet; Cujus abſurditates, cùm (uti opinor,) ex *Theriacæ Andromachi, Mithridatii, Damocratis, & omnium maximè inconcinnæ Antidoti Matthioli Animadverſionibus*, à nobis ſuper eaſdem conſcriptis, ſatis evidenter pateant; idcircò in hac &

conſimilibus futilibus ac omninò inutilibus compoſitionibus, quàm ſpecioſiſſimis etiam encomiis ac aureis titulis ornatæ ac inſignitæ ſint, non multùm morabimur. Etenim qui proximè præcedentem *Opiatam* (quæ ſi dextrè præparata fuerit, *auream hanc Alexandrinam* plurimùm obfuſcat) ſecundùm noſtras Animadverſiones rectè præparare nôrit, etiam hujus præparationem non ignorabit.

ATHANASIA MAGNA
Nicolai.

℞. Cinamomi,
Caſſiæ ligneæ ana drachmas tres, grana ſeptem,
Croci,
Schœnanthi,
Styracis Calamitæ,
Opii,
Phu,
Betonicæ,
Sem. Hyoſcyami,
Seſeleos,
Apii,
Dauci,
Aniſi ana drachmam unam ſemis, grana tria,
S[illegible] Indicæ,
S[illegible]yti,
Helenii,
Acori,
Aſari,
Meu,
Cortic. rad. Mandragoræ,
Folii,
Polii,
Baccarum Lauri,
Piperis albi,
Longi,
Caſtorei,
Myrrhæ,
Mumiæ,
Sanguinis Draconis,
Boli Armenæ,
Charabe,
Corallii rubri,
Lapidis Hæmatitis ana drachm. ſemis,
Sem. Oxyacanthæ uncias duas.

 Quin-

Quinquenerviæ, id eſt, Plantaginis minoris, drachmam
unam, grana quatuor,
Petroſelini drachmam ſemis,
Baccarum Myrti,
Roſarum ana drachmam unam, grana quatuor,
Succi Quinquenerviæ uncias tres,
Hypociſtidis,
Acaciæ,
Oxyacanthæ ana uncias duas,
Mellis triplum, id eſt, libram unam, unciam unam, drachmas quinque ſemis.

DYſenteriâ laborantibus & cœliacis confert, ac fluxum muliebrem ſuperfluum reſtringit; facit ad profluvium ſanguinis narium, & eos qui cibum non retinent, in ven[illegible] juvat; ſanguinis præterea à quacunque cauſa natis rejectionibus, auxiliatur.

ELECTUARIUM E BACCIS LAURI RHASIS.

℞. Folior. Rutæ drachmas decem,
Sem. Ammeos,
Cumini,
Nigellæ,
Liguſtici,
Carui,
Dauci,
Acori, ſeu Calami aromatici,
Origani,
Amygdalorum amarorum,
Piperis nigri,
Longi,
Mentaſtri,
Baccarum Lauri,
Caſtorei ana drachmas duas,
Sagapeni unciam ſemis,
Opopanacis drachmas tres,
Mellis triplum, id eſt, libram unam, uncias quatuor, drachmas ſeptem.

Tritis diligenter, quæ terenda ſunt, fiat Electuarium, additis circa finem lachrymis vino dilutis.

COmmendatur ad colicam & iliacam paſſionem, ac doloribus inteſtinorum ex cauſa frigidâ vel flatuoſa opitulatur. Adhibetur inſuper utiliter Enematibus, flatus vel evocantibus, vel diſcu-

diſcutientibus. Deſcribitur à Rhaſe 9. ad Almanſorem, cap. de dolore colico.

ANIMADVERSIONES

In Athanaſiam magnam, & Electuarium de Baccis Lauri.

A*Thanaſia magna*, licet ex plurimis conſtet ingredientibus, nihilominus tamen ferè cuncta in unum conſpirant effectum, flux... ventris præcipuè reſtrictionem: Poſſunt itaque quæcunque diſſolvenda aut diluenda ſunt, utpotè *Myrrha*, *Opium prius præparatum, ſuccus Acaciæ, Hypociſtidis, Sanguis Draconis, Crocus, &c. in ſucco liquidis Oxyacanthæ* & *Quinquenerviæ*, ſique ipſi non ſuffecerint, addito pauculo *vino* vel *aceto* diſſolvi aut dilui: Quoad reliqua verò *Opiata* hæc parari poterit juxta *Animadverſ... confectionis Archigenis*.

Notandum hîc, quòd *mellis pondus deſtinatum*, ſcilicet *libra una, uncia una*, & *drachma quinque ſemis*, non ſit triplum, reſpectu reliquorum ingredientium, horum enim ſunt *unciæ quatuordecim* ... *drachmæ quinque*: idcircò *mellis* quantitas augenda & exactior computatio inſtituenda erit, ut dupla vel tripla aſſignata *mellis* quantitas, ... *ſpecierum* ponderi accuratè reſpondeat.

Electuarium de Baccis Lauri juxta modum præſcriptum parari poteſt.

ELECTUARIUM CHALYBEATUM.

℞. Limaturæ Chalybis uncias octo.
Molatur ſuper porphyrite ſubtiliſſimè ex aceto, deinde ſiccetur ad Solem, vel ignem, & ſic ſepties iteretur: poſtea
℞. Limaturæ ſic præparatæ uncias ſeptem,
Cinamomi acuti,
Nucis Moſchatæ ana drachmas ſex,
Rhabarbari electi drachmas duas,
Specier. aromat. roſati drachmas ſex,
Mellis optimi deſpumati,
Sacchari albiſſimi ana uncias tredecim.
Miſce ad lentum ignem, & fiat Electuarium.

H*Ujus Electuarii inventor, extitit Fabritius Barzenius Profeſſor Bononienſis celeberrimus, fuitq́; ejus uſus in jecoris diuturna obſtructione, & albo virguncularum ictero. Erat id quondam familiariſſimum Clariſſimis Viris D. D. Cratoni, Philippo Menzelio, ac Thomæ Meermanno p. m. quo muliebrem præſertim cachexiam pellebant.*

 ANIM-

ANIMADVERSIONES.

LOngè conſultius foret, ac multò efficacius, palato etiam gratius conficeretur *Electuarium chalybeatum*, ſi loco *chalybis* modo præſcripto parati, *Vitriolum chalybis*, cum *ſpiritu Vitrioli* factum, in minori tamen quantitate ſubſtitueretur: Vulgariter enim præparatus *chalybs*, tantoperè penetrabilis & reſolubilis non eſt, & pro majori ſua parte ità, uti ingeſtus eſt, inteſtina permeat & excernitur, ſi non noxam inſuper ventriculo inferat, prout ſæpiùs vidi. *Species aromatici roſati* haud efficacius aut ori gratius reddent hoc *Electuarium*, ſed potiùs nauſeoſum. Nec *Rhabarbari* (de quo meritò efferri poſſet, quid hoc inter tam multa?) exigua quantitas huic *compoſitioni* quicquam conferre poteſt. Si igitur libet pareretur hoc *Electuarium chalybeatum* juxta modum ſequentem, de quo unusquiſque certò ſibi polliceri poterit, quòd cum effectu felici & ingenti fructu in denominatis affectibus & viſcerum obſtructionibus propinari poſſit: utpotè

℞. *Vitrioli Martis, ſeu Chalybis dulcis, cum ſpiritu Vitrioli facti* ℥ iiij,
ſolvatur in
Aquæ cinamomi aut Meliſſæ ℥ iiij,
cui ſtatim junge
Sacchari pulveriſati ℥ xiij,
quod priùs imprægnatum ſit oleis ſequentibus; utpotè
Ol. ſtillat. Cinamomi,
Nuciſtæ ana ℈ j ß,
Macis ℈ j.
Hiſque optimè commixtis, adde
Mellis Meliſſæ juxta modum noſtrum parati ℥ xiij.
Fiat ſic *Electuarium* præſtantiſſimum, ac odore & ſapore gratiſſimum, virguncularum poſthac magnum refugium.

CONDITUM PRO FAMILIA

ANTIDOTALE STAPEDII.

℞. Granorum Juniperi uncias ſex,
Caric. pingu. numero duodecim,
Nucleorum Nucum Juglandium uncias octo,
Conſervæ Flor. Borraginis,
Bugloſſi ana uncias quatuor,
Theriacæ veteris,
Mithridatii optimi ana uncias duas,
Rad. Tormentillæ,

Rad.

Rad. Gentianæ,
Pimpinellæ,
Angelicæ,
Zedoariæ ana unciam unam.
Cum Syrupo de Limonibus.
Fiat Conditum.

ANIMADVERSIONES.

Ut hujus *Conditi* legitima fiat præparatio, neceſſum eſt, ut *grana Iuniperi recentia, nec nimis exſiccata*, & *Caricæ*, & *Nuclei Inglandes*, diu multumque in mortario lapideo cum particula alicujus liquoris, ex. gr. *aqua Angelicæ* irrigata contundantur, & per cribrum ſetaceum non nimis anguſtum inſtar *pulpæ*, ſi libet, trajiciantur, poſtea cum reliquis *conſervis*, *electuariis*, *pulveribus*, & *Syrupo*, ex arte commiſceantur.

ELECTUARIUM CONTRA DYSENTERIAM D.D. PHILIPPI HOCSTETERI.

℞. Conſervæ Roſarum rubearum antiquarum vitriolatæ uncias duas ſemis,
Pimpinellæ ſanguiſorbæ, drach. decem,
Theriac. Androm. recentis, ſeu quat. annor. unciam ſemis,
Trochiſc. de Spodio cum ſemine acetoſæ,
Terræ ſigillatæ ana ſcrupulos duos,
Ramich ſcrupulum unum,
Rad. Conſolidæ majoris drachmas ſex,
Craſſulæ, ſeu Telephii Tragi unciam ſemis,
Pulveris Nucis Moſchatæ ſcrupulos quatuor,
Specier. Diarhodon Abbatis ſcrupulos duos,
Croci Martis drachmam unam ſemis,
Rob Prunellorum ſylveſtrium uncias tres,
Syrup. ex Roſis ſiccis,
Myrtillorum ana unciam unam,
Miſce, fiat Electuarium.

ANIMADVERSIONES.

Hoc *Electuarium* eaſdem, quas *Antidotus Matthioli* laudes meretur, quia ex novem diverſis *compoſitis*, & ducentis ingredientibus, ejus *compoſitio* conglomerata eſt, ita ut in infinitum procedente atomorum diviſione heic opus foret, ſi ſingulorum ingredientium, quantum de unoquoque ad quamlibet doſin accederet, exacta inſti-

inſtitui deberet computatio. Præſtabit itaque *ſimiles compoſitiones* intactas relinquere, quàm vel ipſarum præparationibus vel erroribus enucleandis diù immorari, cùm vel unicum ſaltem aut alterum ingrediens, majori cum fructu, feliciorique ſucceſſu, adhiberi poterit, quàm talis irrationabilis ex tanta *compoſitorum* congerie conſarcinata mixtura.

ELECTUARIUM DE SCORIA FERRI RHASIS.

℞. Myrobal. Indorum,
Belliricorum,
Emblicorum ana drachmam unam,
Spicæ Indicæ,
Schœnanthi,
Cyperi,
Zingiberis,
Piperis,
Ammeos,
Thuris ana unciam ſemis,
Scoriæ ferri infuſæ aceto per dies ſeptem, poſtea torrefactæ, drachmas tres,
Mellis decocti cum apozemate Emblicorum uncias ſedecim.
Miſce, fiat Electuarium.

ELECTUARIUM DIURETICUM BARTHOLOMÆI MONTAGNANÆ.

℞. Cineris putaminum ovorum, è quibus pulli ſunt excluſi,
Vitri combuſti,
Lapidis ſpongiæ,
Judaici ana drachmam unam ſemis,
Sem. Apii,
Ruſci,
Petroſelini,
Aſparagi,
Leviſtici ana drachmam unam,
Aniſi,
Glycyrrhizæ ana unciam ſemis,
Sanguinis Hirci præparati drachmas quinque,
Mucilag. granor. Muchoitæ, id eſt, Sebeſten, libram unam,
Sacchari rubri libram ſemis,
Oxymellis compoſiti uncias tres,
Piſtachiorum depuratorum uncias quatuor.

Infun-

Infundantur Piſtachia in aqua cineris calidi per duos dies, poſtea minutim incidantur, & coquantur ſimul mucilagines: Oxymel & Saccharum deinde in mortario incorporentur cum Piſtachiis, & aliis ſpeciebus, fiat Electuarium.

Confert in urinæ retentione, dyſuria, & ſtranguria, nam urinam potenter provocat, & calculos rumpit.

ANIMADVERSIONES
In Electuarium de Scoria ferri; & Diureticum Bartholomæi Montagnanæ.

POſſet equidem *Electuarium de Scoria ferri* juxta præſcriptum modum parari, cui uſui autem particulariter ipſum deſtinatum ſit, ego fere ignoro. Quod ſi fortè nonnemo *vim adſtrictivam* inde ſibi polliceatur, is ubi periculum fecerit, certò ſe deceptum deprehendet.

Electuarium Diureticum Montagnanæ, eradicationem potiùs, quàm correctionem efflagitat; & vix à riſu me temperare poſſum, quoties vel limis oculis ipſam hanc *compoſitionem* aſpicio.

ELECTUARIUM GUIDONIS
Contra Pestem, Quod alii
ELECTUARIUM PAPÆ vocant.

℞. Granorum Juniperi drachmas duas ſemis,
Caryophyllorum,
Macis,
Nucis Moſchatæ,
Zingiberis albi,
Zedoariæ ana drachmas duas,
Radic. Gentianæ,
Tormentillæ,
Dictamni albi,
Ariſtolochiæ rotundæ,
Longæ ana drachm. duas ſemis,
Doronici drachm. ſemis,
Herbæ Tunicæ, vel Cardui Benedicti drachmas duas,
Salviæ,
Rutæ,
Balſamitæ,
Menthæ criſpæ ana drachmam unam,
Baccarum Lauri,
Croci Orientalis,

Sem. Acetoſæ,
Citri,
Ocymi,
Ligni Aloës,
Santali Citrini,
Rubei,
Muſcellini,
Maſtiches,
Thuris,
Boli Armenæ,
Terræ Lemniæ,
Spodii præparati,
Oſſis de corde Cervi,
Raſuræ Eboris,
Margaritarum præparatarum,
Coralliorum rubeorum,
Fragmentorum Saphyri,
Smaragdi ana drachm. ſemis,
Conſervæ Roſarum,
Bugloſſi,
Nymphææ,
Theriacæ electæ ana unciam unam,
Sacchari optimi libras tres.

Diſſolvatur Saccharum cum aquâ Scabioſæ & Roſarum, addendo
Camphoræ ſcrupulum unum.
Miſceantur omnia, ut eſt artis.

Febrium malignarum & contagioſarum impetus frangit, ac peſtilentis luis ſeminaria disjicit, venenatam materiam ſudore excludens, & tàm in præſervatione, quàm in curatione magnas vires obtinet.

PRo herbâ Tunica alii Angelicam, pro Ariſtolochiâ Enulam ſubſtituunt.

ELECTUARIUM DE OVO
MAXIM. J. IMP. P.F. AUG.

℞. Ovum gallinæ recens, & educto per apicem albumine, id quod vacuum eſt, Croco Orientali non pulveriſato imple, vitellum non auferendo: poſtea cum alio putamine iterum occlude, ne quid tranſpiret, & lento igne, vel poſt fornacem tamdiu aſſa in ollulâ, donec tota ovi teſta nigreſcere incip diligenter cavendo, ne Crocus comburatur. Exempta è teſta materia exiccetur, ut in mortario exquiſitiſſimè contund & in

& in pulverem redigi queat, addendo pulveris Sinapis albi, quantum prædicta omnia ponderant. Poſtea

℞. Pulver. Dictamni albi,
Tormentillæ ana drachmas duas,
Myrrhæ,
Cornu Cervi,
Nucis Vomicæ ana drachmam unam,
Angelicæ,
Pimpinellæ,
Granorum Juniperi,
Zedoariæ,
Camphoræ ana unciam ſemis.

Miſce omnia ſimul in mortario, & tandem adjice Theriacæ opti-[illegible]dus omnium, ac iterum piſtillo fortiter contunde & commiſce, per tres quaſi integras horas agitando, addendo Syrupi Limonum, quod ſatis erit, fiat Electuarium, ut eſt artis.

Præcipuus ejus uſus eſt in peſte & præſervatione à venenis deleteriis: ſudores potenter movet, & venenatos ichores à centro ad circumferentiam eximiè propellit; cor à tetris fuliginibus tuetur, ac pe[illegible]entis luis noxas disjicit.

PAratur etiam apud nos ſine Nuce Vomica, pro iis quibus Nux Vomica jam dicta ſuſpecta eſſe ſolet.

Nonnulli pro Nuce Vomica ſemen Citri ſubſtituunt, aut rad. Petaſitidis, ut placet Fuchſio. Georg. Agricola lib. de Peſte aliam deſcriptionem habet, cui radices Pentaphylli, Terram Lemniam, & Corallia adjicit.

ANIMADVERSIONES
In Electuarium Guidonis contra Peſtem, & Electuarium de Ovo.

FAcilis eſt horum *Electuariorum Antidotalium* præparatio, ex quibus illud, quod de *Ovo* dicitur, altero paulò concinnius eſt, licet de *ovi vitello* multa nobis eſſent dicenda, an nimirùm hic tam ſingulare Alexipharmacum ſit, qui inſuper etiam teſtâ incluſus impediat, quò minus ſitle combuſtione *Crocus* exſiccari poſſit; nam *ovi teſta*, quamdiu integra & incombuſta perſtat, *vitelli* unctuoſitatem & humiditatem haud facilè exhalare ſinit, quod provida Natura jamdudum prævidit, & noſtra irrita conamina ridet, quaſi verò noſtris ineptiis auſcultare deberet; Sed hæc breviter tacta moneo, ut ſedulò obſervetur, ne *Crocus ovo immiſſus*, & cum eo commovendo optimè permixtus, leniterque aſſatus comburatur, ſed poſt aliqualem aſſationem unà cum *vitello* è teſta excipiatur, ac cum reliquis

liquis *ſpeciebus* commixtus totaliter exſiccetur: Quoad reliqua in præparandi modo nulla eſt difficultas.

Electuarium autem illud Guidonis contra peſtem, præter id, quòd ex inepta & incongrua multorum ingredientium farragine conſtet, etiam hoc vitii obtinet, quòd propter *conſervas* admixtas ægrè in liquoribus diſſolvi queat, quin ſemper flocculi à floribus contuſis ſupernatent.

MICLETA NICOLAI MYREPSI.

℞: Quinque generum Myrobalanorum parum toſtorum ana drachmas duas ſemis,

Sem. Naſturtii,
Cumini,
Aniſi,
Fœniculi,
Ammeos,
Carui ana drachm. unam ſemis.

Omnia cruda terantur, & macerentur in modico aceto vini horis viginti quatuor, exiccentur ſubinde aſperſo Aceto, ac torrefiat leniter ſuper prunas, deinde addantur ſequentia:

Spodii de Ebore,
Balauſtiorum,
Pulpæ Rhois, id eſt, Sumach.
Maſtiches,
Gummi Arabici ana drachma ana, grana quindecim.

Omnia cum oleo Roſaceo fricentur & commiſceantur cum Syrupi Myrtini triplo, id eſt, unciis decem, drachmis tribus, & quartâ parte drachmæ.

Utilis eſt dyſenteriæ, inteſtinorum lævitate laborantibus, inflationibus inteſtinorum: ad omnes inſuper cœliacos affectus atque hæmorrhoidas fluentes efficax.

ANIMADVERSIONES.

Parari poteſt modo præſcripto: Obſervandum autem, quòd *acetum* in quo *ſemina* & *Myrobalani* imprudenter quidem macerari præcipiuntur, non effundendum, ſed unà cum *ſpeciebus* prædictis leniter exſiccandum ſit; Proindè nec multum *aceti* pro illarum maceratione requiritur, ſed tantum duntaxat, quantum ad humectationem prædictarum *ſpecierum* ſufficiat. Cæterùm cum hæc *compoſitio* exigui momenti ſit, & longè efficaciora ad eoſdem affectus habeamus medicamenta, brevitatis causâ, quæ in illa taxanda eſſent, ſciens volens tranſilio, aliiſque perpendenda relinquo.

PHILO-

PHILONIUM MESUÆ.

℞. Piperis albi,
Sem. Hyoſcyami albi ana drachmas viginti,
Opii drachmas decem,
Croci drachmas quinque,
Spicæ Indicæ,
Pyrethri,
Caſtorei ana drachmam unam,
Mellis deſpumati quadruplum.

Mirum in modum mitigat dolores ventriculi, uteri, laterum, totius ventris, & colicam cum decocto Chamameli, vel Rutæ. Statim ſomnum provocat cum aquâ Lactucæ, vel Syrupo Papaveris. Tollit dolorem capitis cum decocto Stœchadis; prohibet catarrhum cum decocto Thuris, aut Spicæ. Ad convulſionem & reſolutionem bibitur cum decocto Nucis Moſchatæ: facilitat anhelitum cum decocto Baccarum Lauri, vel Hyſſopi, tuſſim ſedat cum aquâ mellis: provocat urinam, facilitat mictum, & frangit calculos veſicæ cum decoctione Saxifragiæ, vel aquâ Apii, compeſcit vomitum, & fluxum ſa[illegible] inis in ore cum ſucco Plantaginis, vel decocto Maſtiches, & ſedat præfocationes ac uteri vitia, & ſingultus, ſomnumque potenter inducit.

PHILONIUM PERSICUM MESUÆ.

℞. Piperis albi,
Hyoſcyami albi ana drachmas decem,
Opii,
Terræ Lemniæ ana drachmas quinque,
Lapidis Hæmatitis,
Croci ana drachmas duas ſemis,
Caſtorei,
Spicæ Indicæ,
Euphorbii,
Pyrethri,
Margaritarum,
Charabe,
Zedoariæ,
Doronici,
Trochiſcorum Ramich ana drachm. ſemis,
Camphoræ ſcrupulum ſemis,
Mellis triplum, id eſt, uncias quindecim.

Ejus

EJus uſus eſt ad uteri hæmorrhagiam, fluxum, procidentiam, hæmorrhoidas, & cruentas excretiones per inferna; ſanguinis ſputum, ac menſtruorum nimium profluvium compeſcit, & fœtum in utero retinet.

PHILONIUM MAJUS, Sive ROMANUM NICOLAI MYREPSI.

℞. Piperis albi drachm. quinque,
Opii drachmas duas ſemis,
Caſſiæ lignæ veræ drachmam unam ſemis,
Sem. Hyoſcyami albi drachm. quinque,
Apii drachmam unam,
Petroſelini Macedonici,
Fœniculi,
Dauci Cretici ana ſcrupul. duos, grana quinque,
Croci ſcrupulum unum,
Nardi Indicæ,
Pyrethri,
Zedoariæ ana grana quindecim,
Cinamomi drachmam unam ſemis,
Euphorbii,
Myrrhæ,
Caſtorei ana drachmam unam,
Mellis optimi triplum, id eſt, uncias octo ſemis.

COlicos affectus, cæterarumque partium lethales dolores, ventris, hypochondriorum ventriculi, uteri, hepatis, lienis, renum, ab intemperie frigidâ, flatibus craſſis aut crudis humoribus excitatos ſedat, tuſſes intenſiſſimas, ſuffocationis periculum minantes, ex cordis aut pulmonis incendio, ſingultum etiam vehementem, nec non urinæ difficultatem liberat, ſanguinis eductionibus, tabidis, ſuſpirioſis, pleuriticis confert, hæmorrhagiam ſiſtit, inſomniam levat, & ſomni conciliatione vires reficit ac recreat, doloreſque omnes abigit. Sed in colicis affectibus præcipuam habet dignitatem, eique affectui adhibet Galen. libr. 2. de locis affect. doloris enim magnitudo ſæpè totam in ſe curationem intendit, & in miſeram vitæ deſperationem pleroſque conjicit.

PHILONIUM TARSENSE GALENI; θ, κτ̃ τόπους.

℞. Croci drachmas quinque,
Pyrethri,
Euphorbii,

Nardi

Nardi Indicæ ana drachmam unam,
Piperis albi,
Sem. Hyoſcyami ana drachm. viginti,
Opii drachmas decem,
Mellis triplum.
Confice ſecundum artem.

Expertiſſimum ad ſedandos vehementes, & lethales partium dolores ventriculi, coli, hypochondriorum, hepatis, lienis, renum, uteri, excitatos à crudis humoribus, aut flatu craſſo, aut intemperie frigidâ. Valet etiam ad ſuffocationis periculum, ſingultum vehementem, & urinæ difficultatem.

ANIMADVERSIONES
In Philonia Meſue; Perſicum Meſue; Majus, ſive Romanum & Tarſenſe.

HÆ *Opiata omnes*, ad unum eundemque modum ſimpliciter confici poſſunt, nec in effectu ab invicem multùm diſcrepabunt: Caveant autem ſibi, quibus illa frequenti in uſu ſunt, ob *Opium non riè prius præparatum*, ac *ſemina præcipuè Hyoſciami*, in ſatis larga quantitate illis addita. Meo quidem judicio *confectio Archigenis* dextrè ad modum noſtrum in animadverſionibus ejuſdem edoctum præpa[illegible]ta, majori cum ſucceſſu, & minori periculo omnium iſtorum *Philoniorum* vices ſupplere poſſet.

REQUIES NICOLAI.

℞. Roſarum rubearum,
Violarum ana drachmas tres,
Opii,
Sem. Hyoſcyami,
Papaveris albi,
Scariolæ,
Lactucæ,
Portulacæ,
Pſyllii,
Cort. rad. Mandragoræ,
Nucis Moſchatæ,
Cinamomi,
Zingiberis ana drachm. unam ſemis,
Sacchari Candi drachmam unam,
Santali albi,
Rubri,
Spodii,

Tra-

Tragacanthi ana ſcrupulos duos, grana quinque,
Sacchari uncias decem, cum aqua Roſarum modica.

Sic appellata ab effectu, quòd dolorem obtundat ac mitiget, caloremque febrium mitiorem reddat, & iis qui hanc ſumunt requiem afferat. Eſt etiam utilis temporibus, & pulſibus manuum inuncta, cordis dolorem lenit, ſomnumq́ conciliat.

ANIMADVERSIONES.

IN hac *confectione Opiata* nihil ſingulariter occurrit, quod moneam, niſi ut *Tragacanthum* in *aqua Roſarum ſ. q.* (ʒ v, circiter) diſſolvatur, cui poſtea *Saccharum* & *reliqua ſpecies in pulverem redacta*, poſt ſolutionem *Sacchari*, nec non *Opium præparatum, ſolutum* & *colatum*, artificiosè jungantur. Quàm acutè verò illa *Sacchari Candi drachma una* ſigillatim addatur, multo [illegible] demonſtravimus; proinde pro ludibrio nunc & inpoſterum habebimus.

DIASATYRIUM NICOLAI.

℞. Radic. Satyrii recentium denſarum,
Paſtinacæ ſativæ recentium,
Secacul, ſeu Siſeris, aut Eryngii,
Nucis Indicæ,
Pinearum,
Piſtachiorum ana unciam unam ſemis,
Caryophyllorum,
Zingiberis albi,
Sem. Fraxini, ſeu linguæ Avis,
Aniſi,
Erucæ ana drachmas quinque,
Bulbi, vel Urticæ,
Cinamomi,
Caudarum & lumborum Scinci veri ana drachm. duas ſemis,
Moſchi grana ſeptem,
Mellis deſpumati optimi libras tres.

Radices Satyrii, Paſtinacæ & Siſeris vel Secacul, privatim & ſeorſim benè tritæ, melli imponantur ac ſubigantur, paululumque molliuſculo igne ferveſcant, deinde Piſtachia & nuces Pineæ, repurgatæ ac tuſæ adjiciantur: ubi cum melle aliquantulùm bullierint, ſublato ab igne lebete, tuſæ & cribratæ ſpecies addantur. Poſtremò Moſchus cum exiguo ſtillatitio Roſarum liquore inſeratur; rurſus hæc probè ſubacta, in vaſculum ad uſum recondantur.

Ana.

ANalepticum eſt medicamentum, conſumptos & emaciatos reficiens, ſemen augens, & venerem concitans deſuetam, contra renum & veſicæ imbecillitatem valet, remorantem urinam propellit, & frigidam ac velut emortuam genitalium partium intemperiem erigit.

NOta; Satyrii & Secacul, ſeu Siſeris radices melle, aut Sacharo conditas, ad hujus compoſitionis ſtructuram aſſervari poſſe; tamdiu donec Paſtinacæ ſativæ ad maturitatem pervenerint, unde mellis libras tres ſufficere poterunt, cùm aliàs triplum mellis conſtituat libras tres, uncias tres, drachmam unam ſemis.

ANIMADVERSIONES.

PRo confectione hujus *Electuarii*, conſuli poſſunt Animadverſiones in *Diacorum Meſue*, & *Acorum conditum vulgarem*, quæ hujus *laudatæ confectionis* veram indigitabunt præparationem, quatenùs nimirùm *radices* in *aqua* ad mollitiem competentem coqui, ſtea craſſiuſculè conſcindi, *aqua* verò in qua *radices* coctæ ſunt, *melle* inſpiſſari debeat: Quin etiam *Nuces Indicæ conditæ*, *Pi- &* [illegible] craſſiuſculè conſcindendæ, non verò contundendæ nt: Similiter etiam *Caryophylli* & *Zinziber* conſcindantur, reliuæ *ſpecies pulveriſatæ* addantur. *Moſchus* autem in particulâ *vini* el *aqua roſarum* diſſolutus admiſceri poteſt; & ſic ritè paratum erit *Electuarium*.

ELECTUARIUM MAGNANIMITATIS.

℞. Electuarii Diaſatyrionis unciam unam ſemis,
Diacori Meſue drachmas tres,
Nucis Indicæ conditæ,
Radicis Satyrionis conditæ,
Specier. Diatrion pipereon,
Confectionis Anacardinæ ana drachmas duas,
Piſtachiorum mundatorum,
Pinearum mundatarum ana unciam ſemis,
Sem. Erucæ,
Urticæ,
Paſtinacæ ana drachmam ſemis,
Priape Tauri,
Cervi,
Teſticulorum Equi ana drachmam unam ſemis,
Carnis Scincorum drachmas duas,
Cardamomi minoris,

Boracis Venetæ ana drachm. ſemis,
Cantharid. ablatis alis & capitibus numero duodecim,
Moſchi grana quinque,
Ambræ grana tria.
Cum brodio Nucis Moſchatæ Indicæ fiat Electuarium.

ANIMADVERSIONES.

EQuidem non diffiteor, hoc *Electuarium* juxta normam ab Authore præſcriptam, confici poſſe; conſultiùs tamen fore arbitror, propter diverſa *compoſita*, ex quibus illud conflatum eſt, quæque forſitan non ſemper in procinctu eſſe poſſunt, ut *Diaſatyrio* præcedenti, nonnullæ *ſpecies*, ex hoc *Electuario* excerptæ, pro lubitu adderentur, quod tandem vices hujus *Electuarii* ſupplere, & majori cum fructu etiam in uſum trahi poſſet. Atque ita Officinæ pharmaceuticæ, tot tantiſque non ſcaterent vetuſtate conſumptis compoſitis, & medicamenta quoque haberemus efficaciora.

DIASCORDIUM HIERONYMI FRACASTORII.

℞. Cinamomi,
Caſſiæ ligneæ ana unciam ſemis,
Scordii veri unciam unam,
Dictamni Cretici,
Tormentillæ,
Biſtortæ,
Galbani,
Gummi Arabici ana drachm. quatuor,
Opii drachmam unam ſemis,
Styracis Calamitæ drachmas quatuor ſemis,
Sem. Acetoſæ drachmam unam ſemis,
Gentianæ drachmas quatuor,
Boli Armenæ unciam unam ſemis,
Terræ Lemniæ unciam ſemis,
Piperis longi,
Zingiberis ana drachmas duas,
Mellis albi libras duas ſemis,
Conſervæ roſarum libram unam,
Vini aromatici libram ſemis.
Fiat Electuarium.

ID in uſu eſſe capit apud noſtros, eo enim feliciter utuntur in iis in quibus Theriaca locum non habet, ut pueris & gravidis, in cephalalgiâ, etiam epidemicâ jam aliquot annis graſſante

aquâ Oxalidis, aut Trifolii acetoſi feliciter exhibetur. Deſcribitur à Hieronymo Fracaſtorio de Contag. & morbis contagioſis, libr. 3. cap. 7. & in peſte correptis ac extremè deſperatis, commendat hoc modo;

Succi Lujulæ uncias duas,
Citri unciam unam,
Diaſcordii drachmam unam,
Specier. cord. è gemmis ſcrupulos duos,
Aceti unciam unam.
Omnia miſceto, & totum haurito.

ANIMADVERSIONES.

Hujus *Electuarii* (quod ob eximias & excellentes ſuas, quibus contra morborum contagio ſerpentium omne genus pollet virtutes, meritò encomiis ornandum eſſet) dextra & genuina præparatio ex *Animadverſionibus noſtris ſuper confectionem Archigenis* optimè eluceſcit. *Conſerva Roſarum* verò, ſi qua *Electuarium* hoc poculis commiſceri deberet, haud benè additur; proindè præſtaret, ut [illegible] *conſerva* affusâ particulâ *vini* dilueretur, factâque expreſſione hic *Syrupus roſarum electuario* adderetur.

TRYPHERA MAGNA NICOLAI.

℞. Opii drachmas duas,
Cinamomi,
Caryophyllorum,
Galangæ,
Spicæ Indicæ,
Zedoariæ,
Zingiberis,
Coſti,
Styracis Calamitæ,
Cyperi,
Calami aromatici,
Rad. Iridis Illyricæ,
Peucedani,
Acori, aut Galangæ majoris,
Cort. Mandragoræ,
Roſarum rubearum,
Nardi Celticæ,
Piperis,
Aniſi,
Apii,
Petroſelini,

Fœniculi,
Dauci,
Sinoni,
Hyoſcyami,
Hyſſopi,
Sem. Ocymi ana drachmam unam.
Mellis deſpumati triplum, ſeu uncias decem ſemis.

Dicuntur hæ compoſitiones Tryphera, quaſi delicata eò, quòd totius corporis colorem ac oris odorem commendent, & delicatam quandam commendabilis ſpeciei oſtentationem præ ſe ferant. Putredines enim humorum emendant, genuinam corporis ſucculentiam reſtituunt, formæ corruptæ vitium redimunt, ac ut cætera coſmetica ad ornatum plurimùm faciunt. Hæc porrò ad omnia muliebria vitia à frigiditate nata, privatim efficax eſt; injicitur etiam utero cum oleo Moſchato, ſeu Muſcellino dicto.

TRYPHERA MINOR PHÆNONIS MESUÆ.

℞. Myrobal. Chebulorum,
Belliricorum,
Indorum,
Emblicorum,
Nucis Moſchatæ ana drachmas quinque,
Sem. Naſturtii,
Aſari,
Origani Perſici, ſeu Cretici,
Piperis,
Thuris,
Ammeos,
Zingiberis,
Fructuum aut foliorum Tamaricis,
Nardi Indicæ,
Schœnanthi,
Cyperi ana drachmas quatuor,
Scoriæ Ferri, aut Chalybis, quinque diebus aceto macerat. drachmas viginti.

Myrobalani cum butyro recente non ſalito, modicùm aſſentur; reliqua oleo amygdalorum dulcium involvantur: deinde adde
Moſchi drachmam unam,
Mellis deſpumati triplum, id eſt, libras duas, uncias novem, drachmas ſex.
Fiat Electuarium.

Fiu-

Ventriculum, hepar, renes, veſicam roborat; ob id fluorem alvi, hæmorrhoidum & menſium immodicum cohibet, ſanguinis corruptionem, nec non cruditates, ac in ventriculo putredines humorum emendat, colorem bonum reddit, & formæ vitium redimit.

TRYPHERA SARRACENICA

Mesuæ.

℞: Quinque generum Myrobal. ana drachmas quinque,
Cinamomi,
Trium piperum,
Secacul, vel Eryngii,
Folii, ſeu Macis,
Spicæ Indicæ,
Cardamomi utriuſque,
Caſſiæ ligneæ,
Seitaragi Indi, vel Lepidii,
Cyperi,
Apii,
Linguæ avis, ſeu ſem. Fraxini,
Caryophyllorum,
Beën utriuſque,
Zingiberis ana drachmas duas,
Nucis Moſchatæ,
Macis,
Seſami excort. ana drachmas tres,
Amygdalorum utrorumque ana drachm. quinque,
Ligni Aloës,
Rhabarbari,
Rutæ,
Sem. Fœniculi,
Maſtiches ana drachmas duas,
Ocymi caryophyllati,
Menthæ ſiccæ,
Origani Cretici ana drachmam unam ſemis.

Fricentur Myrobalani triti cum butyro vaccino recente non ſalito; aliæ verò ſpecies oleo amygdalorum dulcium, & cum triplo mellis deſpumati, fiat Electuarium.

Coctionem ventriculi & hepatis ſuo calore juvat, ob id flatus diſſipat, humores in ventriculo & aliis viſceribus putres abſumit; oris ac corporis reliqui odorem & colorem commendat, laſſitudinem tollit, ſanitatem præſentem tuetur, ac morborum generationem prohibet.

ANIMADVERSIONES
In Trypheram magnam Nicolai; Minorem Phanonis; & Sarracenicam Meſue.

ENumeratæ *Tryphera* omnes (quarum prima tamen præ cæteris nobis nonnihil arridet,) ſimpliciter confici poſſunt: Solummodò haud benè & ridicularem in modum, *frictionem illam, nec non aſſationem & involutionem Myrobalanorum cum butyro,* & reliquorum ingredientium cum *oleo amygdalorum dulcium*, præcipiunt, non ſecus ac ſi in culina ferculum cum *butyro, melle*, & *oleo amygdalorum* parari deberet, quod calidum adhuc ſapidius ſanè eſſet, quàm frigidum, loco medicamenti aſſumptum, & ad tempus aſſervatum. Cæterùm, in *prima Tryphera* præparetur, ſolvatur & coletur *Opium*, priuſquam reliquis commiſceatur ſpeciebus.

ELECTUARIUM VITÆ ARNOLDI DE VILLA NOVA.

℞. Uvarum paſſarum libram unam,
Glycyrrhizæ raſæ drachm. quatuor,
Aquæ fontis uncias quindecim, aut quantum ſ....
Coquantur benè, & exprimantur: quibus adde
Cort. Myrobal. Chebulorum,
Citrinorum,
Indorum ana unciam unam,
Emblicorum,
Belliricorum ana drachm. unam.
Omnia contuſa decoquantur, exprimantur, & colentur, addendo
Sacchari libram ſemis.
Coquantur ad formam Syrupi.
Ultimò adde
Cinamomi electi,
Caryophyllorum,
Galangæ,
Nucis Moſchatæ ana drachm. unam,
Sem. Aniſi,
Fœniculi ana unciam ſemis.
Miſceantur, ut eſt artis.

VEntriculum roborat, ſuperfluitates humorum ex nutrimento præterito remanentes purgat: Uſus ejus facit homines coloratos, & caniciem retardat. Deſcribitur ab Arnoldo in Tractatu de conſervandâ juventute, & retardandâ ſenectute, fol. 89. hodie non eſt in uſu. Olim eo frequenter utebantur Paulus Ricius &c

Ambroſius Iung ſenior, Medici celebres, qui decoctioni Myrobalanorum addebant flor. Violarum, Borraginis, Bugloſſi, Anthos ana ſcrupulos duos, folliculorum Senæ unciam ſemis; & in fine Rhabarbari unciam unam, Agarici unciam mediam, & ſic nonnihil alvum movebant.

ANIMADVERSIONES.

IN coctione *Paſſularum majorum*, *primò*, major requiritur *aquæ* quantitas, ut coquendo virtus ipſarum perfectè elici & extrahi poſſit; *Secundò*, *Saccharum cum decocto* ad craſſiorem *Syrupi* conſiſtentiam coqui debet, ſi *Electuarii* conſiſtentiam expetatur: Quoad reliqua, fiat præparatio juxta modum præſcriptum.

SOTIRELLA PARVA.

℞. Olei Nucis Moſchatæ expreſſi drachmam unam,
Opii Thebaici,
Specier. Diambtæ ana drachm. ſemis,
Camphoræ,
Extracti Croci ana grana ſex,
Ol. Caryophyllorum deſtil. q. ſ.
Redigantur in formam Opiatæ ſpiſſioris.

C*Avernis dentium indita dolores eorundem ſopit ac placat, ad quorum auxilium præcipuè expetitur, Raymundo Minderero Collegæ noſtro quondam honoratiſſimo p. m. adſcripta.*

ANIMADVERSIONES.

SI *Opium præparatum & purificatum* huic *Sotirellæ* additum eſſet, poſſet illa ſupplere vices *Laudani Opiati*; Si verò *Sotirella hæc* doloribus dentium duntaxat dicata ſit, ut eorum cavernis indatur, parari poteſt prout Author propoſuit. *Camphora* autem in *oleo Caryophyllorum* diſſolvenda & admiſcenda eſt.

CONDITA.

Arantia integra,
Cortices,
Flores.
Berberes cum ſtipitibus,
ſine ſtipitibus,
Calamus aromaticus,
Caryophylli,
Ceraſa acida,
Citri caro,

Citri Cortices,
Flores,
Cichorii radices,
Corna,
Cydonia,
Enula,
Eryngium,
Galanga,
Lactuca Hiſpanica,
Limones,
Meſpila,
Myrobalami Chebuli,
Nuces Juglandes,
Moſchatæ communes,
Moſchatæ Luſitanæ majores,
Perſica,
Pimpinella,
Piper in racemis,
Pyra Moſchatella,
Pruna hortenſia,
Sylveſtria,
Ribes,
Salvia baccifera,
Satyrionis radices,
Scorzonera,
Zedoaria,
Zingiber Chinenſe,
Indicum,
Vulgare.

Omnia diligenter Saccharo clarificato condiantur, ut eſt artis.

ANIMADVERSIONES.

QUamvis peritiores Pharmacopœi *condita* perpulchrè conficere ſciant, unicum tamen admonere libet, ut ubi *radices, caules, fructus*, & *cortices* nonnulli condiendi ſunt, id ſtudioſè obſervent, ne *aquam, in qua res enumeratæ decoquuntur aut emolliuntur*, abjiciant, prout ferè ſemper fieri ſolet: ſed cum *hâc ipsâ aquâ*, utpotè in qua maxima virtus rerum in ea maceratarum aut decoctarum recondita eſt, *ſaccharum*, quo *radices* & *fructus* condiendi ſunt, diſſolvant & percoquant, ut ſic *radicibus* vel *fructibus* virtus, quæ ex ipſis elicita eſt, denuò reddatur & incorporetur: Niſi enim hoc fiat, *condita* ſanè habebimus potioribus ſuis virtutibus viduata, quod ipſum in decoctionibus *Cydoniorum, Enulæ radicum, Pyrorum Moſchatellinorum*, aliorumque manifeſtè videre eſt. Nec me latet etiam

quo-

quòd nonnulli *fructus* & *flores condiendos* ſtatim cum *Sacchara* coquant, & cum eodem unà operâ emolliant & condiant, ſimiliter etiam quaſdam *radices* recentes. Qui ipſe modus præ cæteris apprimè mihi arridet, quem proindè Pharmacopœis eorumque miniſtris, qui hunc modum ignorant, ſtudioſè commendatam volo.

CONSERVÆ.

Abſinthii Romani,
Acaciarum florum,
Acetoſæ,
Acetoſellæ,
Acori vulgaris,
Anthos,
Balauſtiorum,
Betonicæ,
Borraginis,
Bugloſſi,
Calendulæ,
Cichorii,
Citrariæ,
Citri ex pulpa acida,
Cochleariæ,
Euphraſiæ,
Fumariæ,
Geniſtæ,
Hyſſopi,
Lavendulæ,
Lilior. Convallium,
Majoranæ,
Malvæ,
Menthæ rubræ,
Nymphææ albæ,
Papaveris erratici,
Paralyſeos,
Pæoniæ,
Roſarum albarum,
Damaſcenarum,
Rubearum ſimplex,
Vitriolata,
Roriſmarini,
Rutæ,
Salviæ,
Sambuci,
Scabioſæ,

Tiliæ,
Tunicæ,
Tuſſilaginis,
Violarum.

Flores minutiſſimè incidantur, & ſingulis libris florum addantur Sacchari albiſſimi libræ duæ, iis ſcilicet, qui humidi ac mucilaginoſi fuerint, ut Borraginis, Buglosſi, & ſimilium. Sicctioribus verò, quales ſunt Roriſmarini, Lavendulæ, Majoranæ, Meliſſæ, & ſimilibus, addantur Sacchari albiſſimi libræ duæ ſemis, affuſâ aliquantulum aquâ ſtillatitiâ, ut commodiùs piſtillo permiſceri poſſint. Deinde Soli exponantur in benè obturato vaſe, & interdum agitentur.

Fiunt etiam quandoque perfectè cocto Julepo, atque in eum injectâ tertiâ, aut quartâ parte florum tritorum, aut minutim conciſorum, deinde inſolantur.

CONSERVA HEDERÆ TERRESTRIS COMPOSITA.

℞. Folior. Hederæ terreſtris,
Rutæ ana unciam unam ſemis,
Raphani unciam unam;
Rad. Angelicæ,
Leviſtici ana drachmas ſex.
Sacchari albi libram unam, uncias quatuor ſemis.

Ex inciſis & contuſis fiat conſerva: quæ ſi aridior evaſerit ſucco Citri aut Limonum, adjecto q. ſ. redigatur ad debitam conſiſtentiam.

Creberrimi in peſte uſus eſt; mira enim in eliciendo ſudore præſtat, quâ olim feliciſſimo ſucceſſu Clariſſimus Vir D. D. Leonardus Rawolf, Reipubl. quondam noſtræ Medicus eximius infectionis tempore utebatur.

ANIMADVERSIONES
In Conſervas, & Conſervam Hederæ Terreſtris compoſitam.

De *Conſervis* licet multa afferre poſſem, quo modo nimirùm *flores integri* perquam pulchrè *Sacchare* conditi, & quâ ratione *conſervæ* parari queant, ut in ſuo colore perſiſtant; Item an *flores* contundendi vel conſcindendi ſint, an etiam *Saccharum pulveriſatum, an verò diſſolutum, iterumq́ ad priſtinam ſuam conſiſtentiam coctum*, addendum ſit; aſt cùm levia hæc ſint, & plurimis Pharmacopœis optimè nota, brevitatis causâ illis ſuperſedeo.

In *conſerva Hederæ terreſtris compoſitâ* obſervandum, quòd

duci

dices in ſubtiliſſimas & tenuiſſimas taleolas priùs conſcindendæ ſint, antequam piſtentur, ſecùs enim ſubtilem *conſervam* non effeceris, ſed capillamentis refertam, quamdiu etiam quantumque eas contuderis.

DIACYDONITES SIMPLEX.

℞. Pulpæ Cyd. vapore aquæ dulcis ad ſpiſſitudinem coctorum,
Sacchari albiſſimi deſpumati & ad ſpiſſitudinem juſtam cocti
ana libras octo.

Coquantur denuò, ut eſt artis ad juſtam conſiſtentiam, ut poſſint recondi ad ſcatulas; vel fiant in forma Electuarii ſpiſſi.

Quidam octo libris pulpæ Cydoniorum addunt ſex libras Sacchari clarificati.

Eodem modo fiunt alia Electuaria ex Prunis, Pyris, Pomis, Perſicis, Ceraſis, Ribes, Berberis, &c.

DIACYDONITES AROMATISATUM.

℞. Diacyd. ſimplicis ad juſtam conſiſtentiam cocti libr. unam,
Specierum Imperatoris ſine Moſcho inciſarum unciam ſemis,
Seminis Coriandri præparati drachm. unam,
Flavedinis corticis Citri recentis minutim inciſi drachmas quinque.
Miſceantur & fundantur in ſcatulas.

Diacydonites laxativum vide in claſſe Solutivorum ſolidorum.

Varias ac diverſas Diacydonii parandi formas ac modos hominum induſtria reperit, id enim modo Eclegmatis, modò Conſervæ, tum verò Gelatinæ, imò & ſolidæ Paſtæ formâ parari à pleriſque ſolet. Flavum enim ex ſucco Cydoniorum cum æquali portione Sacchari, additâ ſub finem ſeminum ejuſdem mucilagine, componitur: Rubeum ex ipſa Cydoniorum carne in lentorem diſcocta, ac ſucco eorundem artificioſâ coctura conſiſtit: Album Hiſpanis frequens ex Cydoniis ab exteriori cortice mundatis, & ad teneritudinem coctis, abjectis poſt cocturam ſeminibus, & additâ pari Sacchari albiſſimi portione ad juſtam Diacydonii conſiſtentiam excoquitur.

ANIMADVERSIONES

In Diacydonites ſimplex & Aromatiſatum.

Parari poſſunt juxta modos præſcriptos; Caveant autem Pharmacopœi, ne *aquam, in qua Cydonia cocta ſunt*, effundant, nec

nec diu multumque in vaſis æneis eadem coquant, à quibus nempè nauſeoſam ac inſaluberrimam amaritudinem contrahunt.

Gelatina Cydoniorum variis ac elegantiſſimis coloribus imbui poſſunt, ut in vitris, ſcatulis, ac ſolidâ etiam formâ aſſervari queant, pro delicatulis & ditioribus mulierculis utplurimùm accommodatæ; Quæ tamen cùm non tam Pharmacopœis quàm confectariis competant, multus de iis eſſe nolo, quin claſſi huic extremam manum imponam.

IN
ANTIDOTORUM
CLASSEM
APPENDIX.
DE
SALIBUS THERIACALIBUS.

COronidis loco huic Antidotorum Claſſi jungendam eſſe cenſuimus *Salium Theriacalium* mentionem, meritò memorandam, quorum uſum priſcis quidem familiarem, ſed temporum diluvio nonnihil obliteratum, moderna rurſus ſecula protulerunt, cùm qui de novis inventis ſolliciti alia rimabantur, antiqua hæc interim vel neglexerint, vel ſpreverint, vel penitùs ignorârint.

Suſpicimus ea, quæ vel crudum vulgus, ex priſcorum Medicorum penu, ac arcanorum adytis ſurripuit, quando complures etiam Mechanicos, ſales hos Viperinos, contra omnis generis venena eorundemque noxas ſuam vitam tutaturos, ac longitudinem vitæ præ ſe ferentes, vel ad eam aſpirantes parare cagnoſcimus, ac obſervamus, ut eorum adminiculo, omnem quorumcunque venenorum malitiam ac nocendi vim ſpernere ſint auſi, eâ ſanè experimenti fide, ut mirum ſit, rudia ingenia eò ſcientiæ penetraſſe, ut apud ſummum venenum, maximam quandoque medicinam latere deprehenderint. Hinc etiam pueruli ſerpentes innoxiè hoc prius aſſumpto pulvere tractant, ac quaſi colludentes, belluas illas veneficas circumferunt, quas alioquin attingere, vix cuiquam ſine mortis periculo conceſſum fuerat.

Stupendum ſanè prout etiam Baldus Angelus Eugubinus in libro de admirabili viperæ natura monet, quod cùm ſerpentis aſtu mors mundum intraverit, ex ejus carne tale medicamentum parari que-

quod à venenis graviſſimis, morbiſque compluribus, imò verò malignis ac contagioſis corpus non modò præſervare, verùm etiam liberare valeat.

Longè porrò ante Theriacæ inventionem, cujus auctor Andromachus extitit, Viperarum uſus in Medicina celebris erat, ut ex Dioſcoride, qui circa Mithridatis tempora fermè vixit, colligere licet; is enim libr. 2. cap. 16. eaſdem excoriandas, capite & cauda truncandas, reliquam verò earum carnem diſſectam in oleo & vino addito ſale & anetho coquendam eſſe docet, quam carnem ſic præparatam ad roborandos nervos, viſum acuendum, ſcrophulas inhibendas, ac vitæ diuturnitatem præſtandam commodè manducari docuit, quo in loco etiam ſalis Viperini parandi modum exponit.

Erat autem hæc ſalium Theriacalium præparandorum ratio apud antiquos. Accipiebant enim quatuor Viperas recens captas, nec ultra biduum detentas, has ollæ mundæ ex optima terra effictæ, imponebant, ſuper has ſalis Ammoniaci aut vulgaris albiſſimi libras viginti injiciebant: Deinde verò addebant his Trochiſcos ex Gentiana, Ariſtolochia rotunda, Centaurio minore, Cardamomo, Marrubio, Scordio, Apio, Chamædrii, ac ſemine Rutæ domeſticæ cum melle paratos. His inſuper jungebant quinque prægrandes Scillas recentes in minuta fruſta diſſectas, ſalis rurſus viginti libras ſuperadjicientes. Quo facto ollam operculo ſpiraculis ſeu foraminibus perviam tegebant, commiſſuras vaſis luto quàm optimè obfirmantes & ſuccenſo igne materiam omnem primò ſenſim, tùm potentiùs exurentes; primus enim fumus per operculi ſpiracula exiens ignem jam Viperas invaſiſſe denotabat, à cujus halitu ne interficerentur, ſtudioſè cavebant; perfectam verò uſtionem, clara ac lucida flamma per ſpiracula prodiens indicabat. Hoc peracto, igneque paulatim extincto, vas id teſtaceum Viperas unà cum reliquis jam dictis continens, viginti quatuor horarum ſpatio refrigerari permittebant, tùm verò materiam in eo contentam, tenuiſſimè tritam cribro tranſmittebant, addendo ei denuò ſemen Rutæ, grana Juniperi, ſemen Fœniculi, Coriandrum, Mentham & Piper longum, ac alia ſimplicia, quæ alioquin ad Theriacæ compoſitionem requiruntur. Is erat Sal Theriacalis antiquorum, prout videre eſt apud Galenum libr. de Theriaca ad Piſonem, & Aëtium Tetrab. 4. Serm. 1. cap. 97. nec non Dioſcoridem loco ſupra citato, licet inter veteres aliis alii ejuſmodi ſales parandi modi ex uſu fuerint.

Moderna verò tempora, quorum labore vel induſtriâ veterum adinventa nonnihil perpolita ſubſiſtunt, Colubrinos hos ſeu Viperinos ſales, aliter & magis dextrè conficere didicerunt, quâ in re ſummum

ſummum ejus rei culmen attigiſſe meritò ſunt exiſtimanda, licet apud plebeios etiam crudus Viperas urendi mos adhuc magna cum effectûs admiratione perſiſtat. Videndus de his Galenus ipſe, qui meliorem ſalium horum præparandorum uſum ſuâ ætate introducere ſtuduit, tùm verò Oſwaldus Crollius, præcipuè verò Joſephus Quercetanus in Pharmacopœia Dogmat. Reſt. qui tres Viperarum confectiones Theriacales doctiſſimè ac magno ingenio conditas aſtruxit, quarum primam, *confectionem Viperinam Aromaticam*; Secundam, *confectionem Viperinam Saccharinam*; Tertiam *confectionem Viperinam Iuniperinam* indigitavit.

De ſalibus porrò viperinis hoc ſcriptum prodidit Aëtius loco priùs citato, inquiens;

Pleriſque ex eorum uſu ſudor prolicitur, atque ita per exudationem corrupta ſubſtantia vacuatur, adeò ut quidam in principio pediculos excluſerint intra quatuordecim ad ſummum dies poſt hos enim nullus in corpore pedunculus apparet. Quidam verò pro pediculis ſputa pituitoſa rejectant, à ſalium rejectione initium facientes, deinde paulò poſt etiam ſputa repurgata ſiſtuntur.

Confirmat hæc Galeni ſententia lib. de Theriaca ad Piſonem, ubi ſic ait: *Peculiariter autem & ſales medentur affectionibus, maximè ſummâ in cute obortis, leucis dico, lepris, impetigini agreſti, nam ſuperfluitates cuti ſubditas, acreſque potiſſimùm diſcutiunt. Plurimi igitur ipſos manducantes ſudoribus largiter diffluunt, ac corruptam vacuant ſubſtantiam, ut pedunculos quoque vocatos quoſdam ejiciant, ex corruptione propriè naſcentes, quos ideò ni fallor, Græci Phthirias appellant. Dentes optimè abſtergunt, & flaccidas partes denſant, fluorem ipſis illabentem reprimunt, à putrilagine dentes reſervant & erodi ipſos non ſinunt.* Hæc Galenus.

Ulterius autem in viperinorum ſalium laude ſic pergit Aëtius:

Licet autem tùm in prandio, tùm in cœna iis uti, cum quibuſcunque edulis eos accipere velis.

Qui eos accipiunt, non modò cibi appetentiores fiunt, ſed etiam melius concoquunt, ac floridius corpus habent, ſenſuumque omnium vigore gaudent.

Suffuſiones oculorum nondum penitùs congelatas diſſolvunt, ac nondum natas præcavent.

Purgationes ſuppreſſas cient, largaſque reſtringunt.

Præſumpti virus jaculantium beſtiarum inſidias evincunt.

Præſliterit etiam peſtilenti conſtitutione inſtante ad auxiliare hoc & depulſorium pharmacum confugere, præſertim ſi ei Myrica herbam miſcueris.

Morborum præterea omnium Medici ſalès exiſtunt, maximè tamen eorum qui in renibus exiſtunt, lapides enim atterunt.

Verti-

Vertigini, inveterato capitis dolori, ac morbo commitiali, diuturno uſu medentur.

Arquatis, colicis, hydropicis ac caninâ fame laborantibus ſubveniunt, ac contra frigus aëris extraneum comeſti faciunt.

Rigores circuitu repetentes cohibent, & tuſſes humectas reſiccant.

Tabidos ad bonum corporis habitum reducunt.

Exolutos à languore reviviſcere faciunt.

Membris exolutos ſanant, & ad podagram articulareſque affectus conſtructi videntur.

Atque hæc ex mente Aëtii.

ANIMADVERSIONES.

DE natura *Viperarum* & *Serpentum*, eorundem veneno & venenoſitate, meam ſuperius in *animadverſionibus claſſis duodecimæ*, *ſuper Trochiſcos de Viperis* ſententiam, rationibus & experientiâ confirmatam aperui & declaravi; Reliquum adhuc eſt pariter diſquiſitione dignum, (quod in hac appendice affirmatur) *An illi, qui pulverem vel Serpentum vel Viperarum ſemel atque iterùm aſſumpsére, à morſibus Serpentum & Viperarum inpoſterum immunes ſint, ut tutò eas manibus tractare queant, & ſi fors ab ipſis demorſi fuerint, nullam exindè noxam perſentiſcant, morſumque illum abſque vitæ periculo ferre poſſint?* In quo arduo quæſito non eſt, ut ſententiam noſtram decretoriam præcipitemus, quin ipſum diligenter nobiſcum expendamus, antequam ita temerariè καθόλε affirmativam tueamur, ne hâc ita ſimpliciter poſitâ, ſeducti plurimi in præſentaneum vitæ periculum conjiciantur.

Præprimis autem experientiâ confirmatum non eſt, quòd ſi quis *Serpentum* (de *Viperis* idem judicium) *pulverem* ſemel atque iterum aſſumpſerit, deinceps *Serpentum Viperarumvè morſus* ſuperciliosè ridere ac ſpernere habeat, cùm non ſemel compertum ſit, quòd qui tali prophylactico uſi, nihilominùs ubi à *Viperis ac Serpentibus ad irâm provocatis, & in fermento exiſtentibus*, in loco quodam nervoſo & aliquantò profundiùs demorſi fuerint, ſubſequutis illicò atrociſſimis convulſionibus, diriſque aliis ſymptomatibus, inter miſerabiles ejulatus & mœſtiſſima ſuſpiria, acerbiſſimo ſanè ſpectaculo vitam finiverint. Addo, quòd aſſertio hujus quæſtionis prorsùs invalido nitatur tibicine; etenim ſi κατὰ παντὸς verum eſſet, quòd qui *pulvere Viperarum* uſi ſint, promiſcuè à morſu earundem internecino nihil ſibi metuendum habeant, ſequeretur etiam, quòd nec *Vipera* à *Vipera*, nec *homini* ab *homine*, aliiſque animantibus ejuſdem generis ab invicem demorſis ullum immineret periculum; cum *Vipera demorſa* tota ex materia *pulveris Viperini* conſtet, adeo-[illegible]e ſymbolici veneni activitatem reſpuere deberet: *Homo* itidem ab

ab alio *homine* irato, dentibus ſauciatus ſimili quâ ille, qui morſum inflixit, gaudeat ſubſtantiâ, de aliis animantibus brutis, ob dictam rationem, eadem foret ratio: Sed conſequens eſt falſum; Ergò & antecedens. Etenim tot ocularibus teſtimoniis confirmatum eſt, quòd *Vipera* à *Vipera* atrociter demorſa, vitam cum morte commutaverit; *hominem* ſimiliter ab *homine iracundiæ æſtro percito*, morſu graviter ſauciatum, in vitæ diſcrimen præcipitari, non paucæ plurium experientiſſimorum Virorum obſervationes teſtantur, nec leve quoque in brutorum & ferarum genere, alteri ab alterius morſu impendere periculum, quis eſt, qui ignorat? Hinc adeò fit, ut *homines* à *Viperis ſauciati* in Italia, non ſanè uſu ſolius *pulveris aut carnis Viperarum* liberentur; ſed diverſis remediorum materiis, *citiſſimis* ſcilicet *ligaturis, ſcarificationibus cauteriſationibus, attrahentibus, extrahentibus, expellentibus internè datis cordialibus & Alexipharmacis vel Bezoardicis*; Nunquam autem *ſolo pulvere Viperarum*, quo aliàs ὡς φυλακτήριον ἴδιον adeò confidenter nonnulli utuntur, feliciter curam peractam eſſe vidi. Quòd autem nonnulli *Serpentum omne genus, Viperas, imò Aſpides ipſas* ſine periculo pro libitu & lubitu tractent, licet *pulvere Serpentum* nullo uſi ſint, id duplicem ob cauſam fieri autumo, cùm ob *peculiarem quandam dotem* & *proprietatem* huic vel illi, aut quandoque integris quibuſdam familiis à Natura implantatam & conceſſam, tùm ob *ſingularum nonnullorum audaciam* inſigni dexteritati eos tractandi junctam; Enimverò quod hæc ita ſe habeant, quodque huic vel illi, aut quandòque *integris familiis determinata quædam proprietas, certis quibuſdam venenis adverſa* implantata ſit, Authorum, qui de venenis ſcripſêre, experientiâ conſtat: Cujus rei etiam ipſe, tùm in Germania tùm Italia, multoties ſpectator fui, dum à quibuſdam *Araneas* avidè deglutias eſſe vivas, *Scorpiones* nudis eſſe tractatos manibus, *Serpentes Viperaſque* pro libitu exagitatas, hiſce meis oculis viderim. Hoc ampliùs memorabilem & notatu dignam hiſtoriam quondam ab *Excellentiſſimo illo* ac *Celeberrimo Anatomico Patavino, Iohanne Veſlingio* (cujus nomen nunc in benedictione eſt) fando percepi, quam ille ipſe, uti mihi retulit, oculis ſuis uſurpavit Alexandriæ Ægyptiorum, ubi ſpontè ſeſe obtulit quidam Mahometanus, Vir inſignis authoritatis, qui ſummopere gloriatus eſt de *ſingulari hac dote & gratiâ divinâ*, ſibi totique ſuæ familiæ à Mahometa Propheta conceſsâ, quòd nimirùm ab omnium *venenatorum animalium*, ipſarum etiam *Aſpidum*, omnium ſui generis *Serpentum, Africanis*, illis locis familiarium maximè lethiferorum, morſibus liberi ac immunes eſſent, ipſorumque venena omnimodè ſpernerent; cujus rei admirandæ experiundi exemplum fecit, & effectu ipſo ejus veritatem in gratiam Illuſtriſſimi Legati Veneti, qui tùm præſens fuit, comprobavit & ſtabilivit. Actutùm enim *Aſpidem* c-

viam

viam illis venientem nudis manibus apprehenſam, ſatis diu ad libitum tractavit, tandem caput ori ſuo immiſſum demordit, idemque exſpuitione unà cum ſanguine rejecit, inſigni cum admiratione Legati, omniumque adſtantium. Huic proprietati ſingulari parùm abſimilis eſt *audacia* & *dexteritas ſerpentes* tractandi, nonnullis connatitia, & quicunque hujus audaciæ eſt, ut *ſerpentes* ſumma cum alacritate in collo vel capite priùs arripere auſit, eoſque ita tractare nov... in prima invaſione ipſum non mordeant, is ſanè poſtea ad ...itum cum ipſis ludere poteſt, (modò caveat ne nimis ipſos comprimat, aut alio quovis modo ad iram provocet,) ſine ulla læſione aut periculo, licet vel nunquam *pulverem viperarum* vel *ſerpentum* deguſtaverit, quin etiam *viperas* ipſas multoties à quibuſdam tali modo tractari vidi. Indidit etiam provida natura *ſerpentibus* metum quendam & timorem verſus homines, qui illos intrepidè perſequuntur: Fatentur enim omnes, quicunque huic negotio ſe dedêre (cujus etiam ipſius penes me experiundi exemplum habeo,) quòd ſerpentes ipſos, etiam nondum viſos, tantoperè reformident, ac tam celeri greſſu fugiant, ut vix eos curſu aſſequi, vel manibus ad ipſos attingere poſſint. Contrarium autem evenit, ſi homines pavidi & meticuloſi Serpentibus obviam veniant; hos enim illi inteſtino odio concitati, adoriuntur, ac ubi ubi poſſunt, damnum inferunt. Qui ipſe pavor hominum ſive timor, venenum iſtorum animalium morſu receptum multùm exaggerare, & per totum corpus diſpergere ac conſequenter etiam repentinam mortem inducere poteſt: quod ipſum venenum de ſua natura alioquin tantoperè lethale non eſſet, planè ſimili modo ac in peſte fieri aſſolet, ubi timidi in majori verſantur periculo, quàm qui impavido animo gaudent. Nec planè etiam pro commento habeo hiſtorias, quòd quidam, qui inſcii loco Anguillarum ſerpentes comederint, (prout etiam non modo ſine noxa, imò cum inſigni fructu in diverſis morborum generibus fieri poſſet,) diu poſt, ubi hujus rei certiores facti ſunt, metu perculſi exanimati fuerint: Hinc nec non facilè conceſſerim, quod illi, qui *pulverem Viperarum* vel *Serpentum* aſſumpſerint, & audaciam ac fiduciam validam exinde contraxerint, deinceps in ſimilibus læſionibus tantoperè de vita non periclitentur: etenim levi pendent malum, adeoque leviter ſaltem (attamen cæteris paribus) ab eodem afficiuntur.

His præmiſſis, nos convertimus ad examinandum *ſalem theriacalem antiquorum*, cujus præparatio tam infantilis ac abſurda eſt, ut nullibi veterum ſimplicitas dilucidiùs atque in illo appareat. Et licet in primo errore, quem in *combuſtione viperarum* committunt, connivendum eſſet, cùm forſitan eo tempore artificioſiores deſtillationes (quibus perfecta rerum analyſis inſtitui poteſt,) illis nondum ...uerint, conſequenter etiam nec ſcire potuerint, quòd *animalia*

ſale duntaxat gaudeant volatili, & ferè nil præter *ſolam terram mortuam, omni virtute medica exutam*, in volentia calcinatione poſt ſe relinquant, ex qua *terra mortua*, licet exilis portio *ſalis fixi* (forſitan ex *mille viperis vix uncia una*) elici poſſet, id tamen tanti precii non eſt, quin potiùs vires alterius cujuſdam *ſalis fixi* æmuletur; atque ita tota animalium virtus & efficacia in meris volatilibus, *ſale, ſpiritu* & *oleo*, quæ ignis violentiâ & levi ſaltem calcinatione totaliter in auras pelluntur, conſiſtat, remanente *terrâ mortuâ*, *vel oſſibus ſalinis partibus ſpoliatis*: Hinc & teſtæ probatoriæ .. appellæ, ſuper quas metalla fixiora purificantur, ex *oſſibus calcinatis*, utpotè quòd ſalſedinem nullam contineant, quæ huic operi refragari aut impedimento eſſe poſſit, & ex *cineribus crebris lotionibus iisdem à ſalſedine ſua omnimodè liberatis*, conſtruantur. Reliqua autem plurima abſurda ſilentii ſipario nullatenus involvenda, miniméque conticenda ſunt: Poſito enim, quòd *viperæ* poſt calcinationem violentam, *ſalem* præberent *fixum*, quid autem hæ quatuor *viperæ* inter tam multa, *ſalis* nimirùm *vulgaris quadraginta libras*, & tot *ſimplicium, juxta præſcriptum modum calcinatorum cineres, vel potiùs carbones*, præſertim ſi adhuc *reliqua ſimplicia contuſa* ſuperadantur, efficere aut præſtare valerent. Porrò tradunt, quòd aliquando etiam *ſalem armoniacum loco ſalis communis* in pari quantitate *viperis* ſuperaddiderint, re profectò, ut video, ne tantillum intellectâ: Etenim ubi *ſalem communem* addiderunt, totus ille à calcinatione remanſit, quia *ſal communis* fixus eſt; ſi verò huic *ſal armoniacum* ſubſtituêre, totus is in auras pulſus eſt, & ſic nec de *viperis*, nec de *ſuo addito ſale armoniaco* quicquam illis remanſit, niſi *oſſa mortua*, & *cineres vel potiùs carbones ex adjectis herbis*. Præterea omnium maximè mirari ſubit, quòd etiam *trochiſcos ex adjectis ſpeciebus nonnullis* confecerint, priùs quam illas combuſtioni vel calcinationi deſtinârunt, haud ſecùs, ac ſi *ſimplicia his trochiſcis* deſtinata, comburi non potuerint, niſi priùs ex ipſis contuſis, cum *melle trochiſci* efformati fuerint. His pariter nullâ ratione ſuffulti *quinque ſcillas prægrandes recentes in minuta fruſta diſſectas* junxêre, cùm tota *ſcilla* ex aquoſa & volatiliori ſubſtantia conſtet, undè exiguam terreſtreitatem poſt ſui calcinationem relinquit, prout quoque jam ante in *Animadverſionibus Trochiſcorum de Scilla* innuimus, & experientiâ demonſtravimus.

Hâc calcinatione demùm mirum in modum & perquam ineptè peractâ, non *cineres*, poſtquam ollam aperuerunt, ſed *integros carbones* ex adjectis *herbis* & *trochiſcis*, *ac oſſa ex viperis nigerrima* adepti ſunt: Verùm *carbones ſali permixtos* exhibuiſſe ægris, id equidem inſulſum planè & abſonum eſt, quippe illi ipſi ferculum fecère nimis ingratum, quodque vel ſolo intuitu ſtomachum movere potuerit: Si ſaltem *cineres* ex *herbis* facti eſſent, potuiſſent forſan propin-

ali-

aliquid, ſudorem nimirùm commovendo, effeciſſe: Quod autem reverà *carbones*, non verò *cineres ex adjectis herbis & trochiſcis*, at *oſſa nigerrima ex viperis* acquiſiverint, quotidianâ experientiâ comprobari, imò à carbonariis, qui calcinatione clauſâ ſuos efficiunt carbones, exemplum evidens deſumi poteſt. Namque nulla *herba* vel *planta* aut *lignum* in clauſo vaſe, calcinatione etiam violentiſſimâ & diuturnâ, in *cineres* redigitur, ut ex ipſis *ſal* elici queat, ſed remanet *carbo* ſemper *nigerrimus*, nullo modo pro *ſale* extrahendo ap...

Cæterùm non ſolùm Quercetani hujus *ſalis theriacalis* æquè inconcinna correctio, & adjecta alia ejuſdem verè ruſtica præparatio examinanda, ſed inſuper etiam Italorum quorundam impoſtura, qui mundo *ſuo viperino ſale* egregiè imponunt, & ingenti precio divendunt, detegenda eſt: Verùm illam, cujus abſurditas antea palàm eſt, & unà jam in præmiſſis refutata, brevitatis cauſa tranſiens, hanc verò paucis, ne multi & poſthac defraudentur, attingam. Sunt & reperiuntur hodiernâ die Pharmacopœorum nonnulli in Italia, penes quos licet Chymia aut Spagyria intimè ſepulta ſit, in ore tamen eorum continuò verſatur, & Spagyros ſe profitentes, more magis, uti putant, Spagyrico *Viperarum oſſa*, & reliqua à *confectione trochiſcorum* relicta, violento igne comburunt, & ex iiſdem calcinatis *ſalem* elicere conantur; quod ſi verò eorum conamen ex voto non ſuccedat, ut vel nihil *ſalis*, vel ipſum in tantilla quantitate acquirant, *ſalem marinum*, vel ante vel poſt calcinationem ſuperaddunt, atque ſuum ſic, *omni virtute viperinâ ſpoliatum ſalem* conficiunt. Alii autem, non tàm Pharmacopœi, quàm circuitorum plurimi, qui nunc temporis mercimonia ex Italia in exteras regiones paſſim tranſportant, faciliori modo ſuum *ſalem viperinum* vel *theriacalem*, ſi ita appellare mavis, in quantitate conficiunt, ingenti quoque ære divendunt, & clanculùm mundum, quòd in delitiis habeat fraudes & impoſturas, ſubrident. Accipiunt autem more antiquorum, quatuor vel quinque *viperas*, parùm penſi habentes, quòd in locis paludoſis inſalubribus captæ ſint, quibus jungunt *aliquot libras ſalis marini*, invicem parumper in aqua coquunt, poſtea *viperas* ſeparant, & liquorem ſalinum iterùm in *ſalem* criſtallizant. Et hæ reverâ ſunt *ſalis viperini* vel *theriacalis*, qui nunc ubique circumfertur, artificioſæ præparationes, quibus obiter patefactis;

Progrediamur nunc ad genuinas ex *viperis* & *aliis animantibus* conficiendorum *ſalium* præparationes, relinquentes tot ac tantas diverſarum rerum commixtiones, unius ſubjecti *ſale* contenti; hâc ratione enim explorare licet, quid quantumvè in re quaque ſit reconditum.

Cavi autem inprimis in hoc opere, & à nulla re magis abhorrui, quàm ſcripta ſcribere, aliena corradere, ac non intellecta mendacia,

eaque abſurdiſſima, affirmare, qui mos ſanè hoc tempore haud inſolens, ſed frequentiſſimus eſt. Sic nec hanc meam, hujus *ſalis viperini* dextram præparationem huic libro inſeruiſſem, niſi illa ipſa præparatio, quam clariſſimus Schröderus, nec non acutiſſimus Severinus, Medicus Neapolitanus (à doctiſſimo Domino Wepffero, me annuente quidem & conſentiente, ipſi communicata) habent, quæque etiam in nuperrimè edito Diſpenſatorio aucto Horſtiano vititur, ex meis Patavii habitis collegiis, proficiſceretur. Hoc fundamento ſuffultus, non vereor propria mea experimenta, aucta quidem & accuratiùs explicata, heîc addere. Itaque cum diligens naturæ ſcrutator cuncta per ignem probare, & exactè examinare debeat, non ſecùs ego examini rectæ rationis & judicii ac Vulcano ipſi, ceu Artium Magiſtro *animalia* ſubjeci, ut viderem, ex quibus illa conſtarent, quæque ſingularia in iis laterent recondita. Hinc non ſine magno labore reperi, quod *animalia* (non loquor autem in præſens de eorum excrementes urinis & ſtercoribus) pro maxima ſui parte ex *aqua elementari*, (quæ in prima exſiccatione, ſi in cucurbita ſuo capitello operta & recipiente affixo illa fiat, prodit,) *ſale volatili, aquâ ſpirituoſâ fœtidâ nonnihil amarâ*, (ſi à ſuo *volatili ſale* liberata ſit,) *oleo craſſo, nigro, fœtidiſſimo*, & *terrâ damnatâ* ſive *mortuâ*, nullum propemodum, vel exiguum ſaltem, quàm violentiſſimo etiam igne eremetur, *ſalem fixum* ſuppeditante. Hâc Theoriâ cognitâ accipe, ſi ex *animalium carnibus, oſſibus, ſanguine*, &c. *ſalem* conficere lubido ſit, quodcunque horum volueris exſiccatum, illúdque cucurbitæ ſuo capitello munitæ, vel, (quod meliùs,) retortæ vitreæ immiſſum, recipiente ſimiliter amplo præpoſito, deſtilla aperto igne, ſervatis ignis gradibus, donec ultimò extrema flammarum violentiâ totum, quod ineſt, expulſum ſit. Peractâ deſtillatione, *ſal volatile* non ſolùm in *prolecto liquore* diſſolutum exiſtit, ſed undique etiam lateribus recipientis, variè figuratum adhærebit, quòd cum dicto in fundo recipientis reſidente liquore eluendum, & ab *oleo fœtidiſſimo*, vel per tritorium, vel per chartam emporeticam artificiosè ſeparandum eſt; poſtmodum ab adhærente *aquoſitate amarâ* & *fœtidâ*, per ſublimationem in phiala oblonga ſatis alta, in ſabulum vel cineres collocanda, appoſito etiam capitello roſtrato, cui vitrum recipiens parvum ſaltem adjunctum vel annexum ſit, igne lento, (ne humiditas unà cum *ſale* aſcendat,) liberandum eſt: Sublimatione jam peractâ, eximatur *ſal* ex ſuperna phialæ parte, & capitello, quod ipſum albiſſimum erit & acutiſſimum, penetrantiſſimique odoris, ac ſummæ volatilitatis, adeoque niſi optimè in vitro cerâ probè obturato cuſtodiatur, in auras brevi avolat. Hoc modo præparata *ſalia* (præſertim ex *viperis*,) ſummas vires habent penetrandi, putredinem arcendi, obſtructiones viſcerum reſerandi, hinc & egregiè conferunt, in omnibus

bus

rus *febribus, epilepſiâ & apoplexiâ, morbis necnon malignis & contagioſis, imò in peſte ipſa*, à quâ vel ſolo odore præſervant. Poſſunt autem in quocunque liquore, modo ille non ſit acidus, propinari: *Omnia enim acida naturam ſalium volatilium* immutant; hinc adeò fit, ut eadem poſtea diverſas nonnihil edant operationes. Sed cùm ob odorem & ſaporem ingratum, ea delicatulis nonnihil adverſentur, tale vehiculum eligere neceſſum eſt, quod *ſalis* ſaporem acutiſſimum demulcere, non tamen ejus virtutes infringere poſſit: Commodiſſimè igitur propinatur in *emulſione aliqua, ex ſeminibus nonnullis unctuoſis vel oleaginoſis, aut Amygdalis ipſis vel Pineis*; idcircò habito reſpectu ad morbum, poſſunt *ſemina* huic vel illi morbo appropriata eligi, & exinde *emulſio* confici, utpotè ad *epilepſiam ex ſemine Paoniæ, Nucleis ceraſorum & perſicorum:* ad *febres malignas morbosq; contagioſos, è ſemine Aquilegiæ & Raparum, Carduibened. &c.* adjectâ etiam particulâ *ſemin. frigid. major.* vel *Amygdal. dulcium*, & ſic conſequenter in aliis affectibus, quibus tum etiam *liquores* vel *aqua appropriata*, pro *emulſione* conficienda, addi debent.

Poſtquam breviter quidem, dexterrimum tamen *ſalium volatilium* præparandi modum exhibuimus, libet nunc ulteriùs diſquirere, annealiquo artificio ſine additione hæterogeneorum, viriumque ipſorum jacturâ, eorundem odor graveolens auferri, vel ſaltem diminui, nec non nimia volatilitas aliquantum infringi aut domari poſſit? Quo in labore non parum nec paucis meis expenſis occupatus fui, aſt laterem lavi. Etenim ſummâ cum induſtria totus in hoc fui, ut illa ſatis diu, imò per ſex ſeptemvé integros menſes in Athanore competenti calore cinerum, inque phiala altiſſima hermeticè ſigillata figerem, verùm in vanum laboravi: Nec deſtiti, quin ipſis *ſalem proprium fixum* ex ingenti quantitate *viperarum deſtillatarum & calcinatarum* extractum addiderim, atque ita ipſa figere intenderim, ſed æquè, ut ante, fine exoptato fruſtratus ſum. Quo viſo, ulteriùs ad alia tranſii, & cum hinc inde ab Authoribus *calcem vivam* tantoperè ad fixationem *ſalium volatilium* deprædicatam ſcirem, & quòd *ſal armoniacum* figeret (quæ tamen fixatio fucata eſt, uti expertus ſum) frequenter legerim, cum eâdem etiam experimenta feci, ipsâ *ſalibus volatilibus* diverſimodè, ſed ſecundum artem additâ, aſt ne granum quidem illorum, ex prædicta *calce* iterùm extrahere potui. Et cùm hâc non ſucceſſerit, denuò rem aliâ viâ aggreſſus ſum, & ex ipſa *calce viva ſal* extrahere conatus fui, utpotè de quo Chymici multum falsò tamen gloriantur, ſed irrito conatu, quin loco *ſalis*, quem unicè in votis habebam, exiguam particulam *terræ calcineæ* vel *gypſeæ*, ex ſatis magna quantitate *calcis vivæ* extractæ acquiſivi: Non tamen deſtiti ulteriùs inquirere, eò quòd viderem *aquam calcis vivæ* potentem eſſe (licet deſtructiva ejus aciditas promptè & per ſe annihiletur, & in auras abeat,) quin etiam huic *aqua*

recenti ſalia volatilia jungerem, moxque vidi effectum, nimirùm *ſalium dictorum* totalem deſtructionem, & eorum in *calcem*, vel *pulverem inſipidum* indiſſolubilem, omni odore & ſapore privatum, ignisque violentiam in poſterum ſtrenuè ſuſtinentum converſionem. Hinc addidici & animadverti, quàm frivolè & perperam Chymicorum quidam, *olea deſtillata, empyreuma ſpirantia cum calce viva* commiſceant, & ſuper illa rectificent ad ablationem ingrati fœtoris; Etenim dum hi ipſi empyreuma, (quod utplurimum à *ſale volatili* eſt) hoc modo abigere ſtudent, ſimul etiam virtutes ejus, quæ à *ſale volatili* proficiſcuntur, deſtruunt, unde conſequenter *olea illa* ad uſum Medicum inutilia & inepta redduntur. Plura de *calce viva*, & quid illa ad uſus cùm internos tùm externos poſſit, addere, in præſens non fert inſtituti mei ratio. Quocircà progreſſum facio ad ulteriorem *ſalium volatilium* præparationem, & qualemcunque eorundem fixationem, quam demùm poſt tàm varios vanosque ac irritos meos labores adinveni, & ſequentem modum præ cæteris amplexus ſum. Nimirùm accepi *viperarum ſal volatile*, illudque immiſi phialæ capaci oblongæ, cui capitellum, quod in parte ſuperna foraminulum, per quod calamum infigere poſſem, habebat, ſuperimpoſui, recipientem præmiſi, & circumlitis undique juncturis, per dictum calamum vel canalem anſerinum, capitello inſertum, guttatim & per vices *ſpiritum ſalis communis rectificatum* inſtillavi; ceſſante ſtrepitu plus infudi *ſpiritûs*, hocque paulatim & tamdiu continuavi, donec nullam contrarietatem ampliùs animadverti, ac omne *ſal* in fundo phialæ penitùs reſolutum apparint, (liquoris nil quicquam aſcendit, niſi quis confeſtim *ſpiritum* affundere vellet, nihilominùs tàm ſtudioſè huic labori intentus fui, ut certus eſſem, an quicquam vel de *ſale*, vel de *ſpiritu* periret, quod tamen nulla modo cernere potui,) *liquorem hunc* vel *ſalem reſolutum*, ſuo jam odore penetrante ex parte privatum, per filtrum tranſmiſi, & in cucurbita vitrea, inque M. B. ad dimidias ferè (ſi cryſtallos expetivi) vel ad ſiccitatem *ſalis* uſque abſtraxi: *Aqua abſtracta* inſipida eſt, empyreuma aliquantùm redolens, quæ cui ſingulari uſui inſerviat, experientiâ mihi non conſtat; licet Baſilius Valentinus ſimiles dulcificatos, & à ſuo corroſivo liberatos ſpiritus laudibus ſummis extollat: *Sal* autem in fundo cucurbitæ relictum, boni eſt odoris, ſubacidi & ſalini ſaporis, ejuſdem ponderis, ſi totaliter exſiccatum eſt, ac antea erat *ſal volatile*, nec quicquam in pondere ex additione illa *ſpiritus ſalis* accrevit, quippè cujus pondus in abſtracta *aqua* integrum reperi. Atque hæc vera eſt & genuina *ſalis mei viperini* præparatio, & aliqualis etiam fixatio; abſolutè enim fixum dici nequit, cùm adhuc volatile ſit, & paululùm violentioribus flammis traditum, Mercurii inſtar in fumum reſolutum æthera petat. Nec velim tibi, quiſquis es, perſuadeas, *ſalis hujus* extrahendi, vel fixandi,

ii, aliam eſſe viam, licet plurimi de ſecretioribus modis multùm glorientur, at fucus & impoſtura impediunt, quò minùs iſtos ulli ingenuè communicare & publici juris facere audeant, ne fraus & dolus ipſorum manifeſtetur. Si tamen quis eſſet, qui majorem in hiſce laboribus haberet experientiam, ipſi anſam præbeo, ut boni publici causâ illa, quæ hac in re expertus eſt, ſecum commori non patiatur, quin cum ſuo proximo faciat dividua.

Vires & uſus ejus ſunt, ad extremas uſque corporis partes inde- [illegible] viribus penetrare, ſanguinem depurare, excrementa tenaciter infixa, & veluti aſſimilata, podagrica præſertim, egregiè reſolvere, urinas & cum iis calculoſam materiam pellere, melancholicis affectibus, putredini q; ſummoperè reſiſtere, diuturnas viſcerum obſtructiones inſigniter reſerare, atque exindè orta ac inveterata varia febrium, aliorumq; morborum genera à Genio domeſtico ſequeſtrare, propellere. Doſis ipſius eſt à ℈ ß, ad ℈ j, plus minuſve, prout neceſſitas poſtulat, & morbi ac ægrotantis conditio permittit.

Quibus abſolutis, nunc operæ precium eſt, ut reliquas in reſolutione animalium partes, obiter etiam examinemus: Sint autem pro exemplo *viperæ*, circa quarum conſiderationem ſtatim quæſtio eſt, an *aqua primùm ab iiſdem deſtillatione abſtracta*, (quam *elementarem* voco) ullius uſui ſit? quam certè omnimodo ſpernere, aut planè inutilem judicare non poſſum; nam experientiâ edoctus ſum, eam particulam ſaltem, licet exiguam, *ſubtiliſſimi ſalis volatilis* continere, *ſpiritum nec non vivificum*, ſi *recenter mactatæ*, & *vivæ Viperæ* deſtillationi fuerint commiſſæ: Igitur, hæc ipſa *aqua viperina*, loco alterius cujuſdam *aquæ*, pro diluendo *pulvere viperino*, vel *ſale ejuſdem* diſſolvendo, in diverſis morborum generibus uſurpari, nec non in *præparatione theriacæ*, pro diſſolutione *ſuccorum concretorum* adhiberi poteſt. *Oculorum affectibus, inflammationibus præcipuè ſuo ſale parumper acuata, & hebitudini viſus, egregiè prodeſt. Oleum craſſum* & *fœtidum* poſſet forſitan rectificatum ſuper cineres, diverſis uſibus externis inſervire, *nervorum ſcilicet contracturis, tumoribus duris, cancroſis, &c.* prohibet autem fœtor ejus, quò minùs frequenti exhibitione virtutes ejus explorentur, *Sal fixum*, quod exiguum eſt, parùm à reliquorum *ſalium fixorum* natura diſcrepat, idcircò exigui momenti eſt. *Spiritus fœtidus*, & is ipſe rectificatus, quibuſdam affectibus accommodari poſſet, præſertim *malignis* & *duris etiam externis tumoribus reſolvendis*.

Tandem ne in *ſalibus theriacalibus compoſitis & veris, virtute viperinâ & alexipharmacâ egregiè & potenter imbutis* hæream, en Lector benevole, ſequentes tibi communico & commendo formulas elegantes, rationi conformes, & experientiâ comprobatas!

SAL THERIACALE COMPOSITUM EX VIPERIS.

℞. *Salis eſſentialis Scordii,*
Angelicæ,
Leviſtici ana ℥ ij, vel ℥ iij,
fixi Scordii,
Angelicæ,
Centaurii ana ℥ ix.

Diſſolvantur in *aqua ſimplicis ſatis largâ quantitate*; Quibus ſolutis, addantur *viperarum recenter mactatarum & mundatarum numero xv, vel xx*; unà cum *cordibus* & *hepatibus vivis*, coquantur horam unam vel alteram, donec *viperæ* molleſcant, & fruſtulatim concidant, quæ poſtmodum à *liquore* & *ſalibus* per colaturam ſeparentur. *Liquor* autem *ſalinus* optimè clarificatus, in *ſalem theriacalem laudabilem* inſpiſſetur, coaguleturque, cui ſi lubido fuerit, nonnulla *oleo deſtillata*, videlicet *Angelicæ*, *Rutæ*, *&c.* jungi poſſunt.

SAL THERIACALE ALIUD.

QUòd ſi verò *ſalia eſſentialia* in quantitate non proſtarent, paretur *ſal ejuſmodi theriacale* ex ſolis *ſalibus fixis*; utpote

℞. *Salis Abſinthii,*
Scordii,
Centaurii,
Cardui benedicti ana ℥ ix.

Quibus in *aqua* ſolutis immergantur *quindecim circiter viperæ mundatæ*, ut ſuprà; coquantur, ſeparentur, & *liquor ſalinus* inſpiſſetur vel cryſtallizetur. *Doſis hujus & ſuperioris* ℈ j, *ad* ʒ ß, *&* ʒ j, *in morbis malignis, epidemiis & contagioſis.*

MODUS ALIUS SALIS THERIACALIS EX VIPERIS.

℞. *Herb. Scordii recent.*
Centaurii recent. ana ℔ ß,
Rad. Angelicæ,
Zedoariæ ana ℥ iij.

Fiat decoctum in *aqua ſimplici* ad ℔ *vj*, vel ℔ *viij*, cui optimè clarificato junge, ac in eo diſſolve

Salis Centaurii,

Scor-

Scordii,
Cardui benedict. ana ℥ *x,*
addendo
Viperarum recenter mactatarum & optimè mundatarum, numero xv.

Coquantur donec *viperæ* molleſcant, tùm fiat colatura; *Colatum decoctum ſalinum* & *viperinum* optimè iterum clarificetur, & in *ſal* coaguletur: Quod ipſum ſi aliquo colore imbuere velis, addas *decocto* vel *Crocum*, vel *Santalum rubrum.*

Hoc *ſal* equidem nonnihil amarum eſt, priori tamen nullâ ratione cedit, quin idem etiam ſuperat, ſummæque in *morbis malignis* & *peſtilentialibus* activitatis exiſtit. In *doſi* cum ſuperiori convenit.

SAL THERIACALE SIMPLEX,
Seu SAL COMMUNE,
Virtutibus Viperarum Alexipharmacis & Confortantibus impragnatum, ad uſum familiarem pro cibis.

℞. *Salis puri & albiſſimi, ſive gemmæ, ſive marini* ℔ ʒ,
Diſſolvatur cum
Aqua ſimplicis ℔ *x,*
cui adjiciantur
Viperarum recenter mactatarum & mundatarum, cum ſuis cordibus & hepatibus vivis, numero xv, vel xx.

Coquantur aliquandiu, donec *viperæ* fruſtulatim concidant; quæ ſeparandæ per colaturam, *decoctum* clarificandum, filtrandum, & ad ſiccitatem *ſalis* inſpiſſandum vel cryſtallizandum; cui *ſali* demum pro libitu adde

Ol. ſtillat. Cinamomi,
Caryophyll.
Macis ana ʒ j, ß,
& ſi arridet etiam
Ambræ gryſeæ ſ. q. ex gr. ʒ j.

Fiatque ex invicem mixtis, *ſal confortativum alexipharmacum ac præſervativum, nec non guſtui gratiſſimum.*

MEDICAMENTORUM
PHARMACOPOEIÆ AUGUSTANÆ
CLASSIS XV.

Continens

AQUARUM COMPOSITARUM ET SIMPLICIUM, VINORUM, Item & ACETORUM Compoſitiones & parandi modos.

DE aquis ſtillatitiis *tractaturo mihi nunc inter initia incumberet, de modis multifariis deſtillandi rerumque deſtillandarum naturis, & ſimilibus aliis plura diſſerere; verùm cum alii Viri Clariſſimi & Doctiſſimi, utpotè* Sennertus, Schröderus & Quercetanus, *de iis ubertim egerint, ideòque brevitatis causâ, amicum Lectorem eò ablego: Nam diverſa deſtillationum genera* hæc claſſis *non complectitur, ſed ad unum ferè modum omnes, quotquot ſunt* hujus claſſis deſtillationes, *peragi præcipiuntur. Propterea abſque multis verborum ambagibus ſingulas* hujus claſſis compoſitiones *ordine examini ſubjiciam, & quomodo quævis ipſarum ingredientia tractanda, quæque ex ipſis deſtillationi apta quæque inepta ſint, eâ, quâ poteſt fieri, brevitate aperiam, univerſaliora nihilominùs in* animadverſionibus ſuper aquas ſimplices *oſtenſurus.*

AQUA ACOVISTICA, Sive AD AUDITUM D.D. MINDERERI.

℞. Herbarum Roriſmarini,
Majoranæ,
Salviæ hortenſis,
Lavendulæ,
Rutæ,
Origani,
Polii montani,
Florum Sambuci ana pugillum unum;
Spicæ Romanæ pugillum ſem.

Bacca-

Baccarum Lauri,
Juniperi ana drachm. duas,
Rad. Ireos Illyricæ,
Cyperi rotundi,
Valerianæ,
Leviſtici,
Cyclaminis ana drachm. ſemis,
Pyrethri drachm. unam,
Bryoniæ,
Cucumeris Aſinini,
Colocynthidis ana ſcrupulos duos,
Seminis Fœniculi,
Caſtorei ana drachm. unam ſemis.
Decoque in unciis octo urinæ Capræ,
Aceti Scillitici,
Rutacei ana unciis duabus.

Vaſe duplici clauſo ad medias, reſiduum coletur, deinde repetatur medietas jam dictorum ſimplicium; his decoctum hoc denuo affundatur, iterum recentibus addendo,

Succi Raphani,
Ceparum ana unciam unam ſemis,
Galbani in uncia una ſemis aquæ vitæ Langii diſſoluti drach. duas,
Emulſionis nucleorum Perſicorum (additâ
Seminis Raphani,
Rutæ ana unciâ ſemis)
Cum ſpiritu Juniperi præparatæ uncias duas.

Deſtilla lento igne in Balneo, deſtillatum commiſceatur cum ſpiritûs Roſarum drachma una.

Servetur uſui.

AD varios auditûs læſiones, ſurditatem, obauditionem, tinnitum, ſibilum, pulſationem ac ſtrepitum in auribus, ab humore vel vapore, vel flatu provenientem conducit.

ANIMADVERSIONES.

QUantoperè Author denominatus in *compoſitione hujus aquæ Acouſticæ*, non ſecùs atque in ſuis *pilulis Marocoſtinis*, aliiſque compoſitis plurimis ſe proſtituerit, dici vix poteſt: Trahantur huc *animadverſiones* quorundam *Syruporum*, *Cinamomi*, & aliorum, inprimis quoad coctionem *rerum aromaticarum & odoriferarum* in vaſe clauſo ineptiſſimè inſtituendam. Et ſanè interprete vel divinatore potiùs hîc opus haberem, qui ridiculam hujus *aquæ* juxta modum præſcriptum decoquendæ ſive perfectè elaborandæ rationem

nem mihi explicaret. Etenim nullum rationem video, cur tanta congeries *rerum aromaticarum* & *odoriferarum* prius decoqui debeat ad dimidias, ſcilicet ut univerſa earum ſpirituoſa & ſubtilis ſubſtantia, quæ maximè ad hoſce affectus expetitur, exhalet? & cur in vaſe clauſo, ſi nihilominùs decocti medietas in auras pellenda eſt? Taceo quod in vaſe penitus clauſo coquendo, quod impoſſibile, ad medietatem evaporare nequeat. Sed quis abſurda cuncta hujus *compoſitionis* enarrare poterit? potiora enim ingredientia tali modo, vel in deſtillatione parùm aut nihil de virtutibus ſuis fundunt, vel ipſorum virtutes jam tùm in prægreſſa coctione maximam partem depulſæ ſunt. Suaſor itaque ſum, ut qui ex hac *compoſitione prolixa* & *intricatiſſima* liquorem affectibus aſſignatis accommodatum deſideret, ille duntaxat ex cunctis ingredientibus infuſionem faciat, quam ipſam ut aliquatenùs durabilem efficiat, recipiat *urinam Capræ (vel Puerorum) parumper fermentatam & deſtillatam*, *Galbanum* diſſolvat in *ſpiritu Iuniperi*, *ſem. Raphani*, *Rutæ*, *nucleos Perſicorum* contundat cum *ſucco Raphani* & *Ceparum*, nec non *aquâ vitæ Langii*; Fiatque ſic omnium ſimul unitorum digeſtio per aliquot dies, poſtea colatura, expreſſio & filtratio.

AQUA ANTIDOTALIS ALEXIPHARMACA D.D. PETRI ANDREÆ MATTHIOLI.

℞. Antidoti Matthioli,
Syrupi de corticibus Citri ana libram ſemis,
Spiritûs vini quàm optimè rectificati libras duas ſemis,

Omnia vaſi vitreo capaci indita ore vaſis diligenter obturato ſimul agitentur donec diſſolvantur, idque per menſem ſingulis hebdomadibus, bis agitationem reiterando, fiat. Tum verò Electuarium in vaſis fundo reſidere permittatur, ut aqua ſupernatans, aureoque colore tincta clareſcat, quæ paulatim in aliud vitrum effundatur, & à turbida fæce ſegregetur; vas verò accuratiſſimè clauſum, ne quid expiret, cuſtodiatur.

MAgnarum hæc aqua virium à drachmis tribus ad quatuor cum pari vini odoriferi aut aceti, vel aquæ cujuſvis cordialis quantitate ictis vel demorſis à quocunque venenato animali, etiam deſperatis propinata ſalutem reſtituit, vomitione plerumque infectorum humorum copiam exhauriens, ac momento vi ſua in omnes corporis venas permeans; pollet etiam multis viribus in depulſione affectuum cordis, cerebri, ventriculi, capitis ac uteri à frigiditate ortum ducentium.

ANIM-

ANIMADVERSIONES.

SI ipſa *Matthioli Antidotus*, ceu ex qua *aqua hæc Alexipharmaca* paranda eſt, tantis, quantæ ipſi attribuuntur, polleret virtutibus, tunc ſanè *hæc eſſentia* non exiguis prædita eſſet viribus, præſertim ſi virtutes totaliter ex dicta *Antidoto* extraherentur; quod ipſum quidem juxta modum præſcriptum fieri nequit: Etenim *Syrupus de corticibus Citri*, & *mel* (quod potiorem *Antidoti* partem conſtituit,) *ſpiritum vini* ſtatim impraegnant & inefficacem reddunt, quò minus *ex reliquis ſpeciebus Antidotum ingredientibus* virtutem elicere poſſit. Quocircà ſi quis ex ſimilibus *Electuariis* vel *Antidotis* eſſentiam parare intendit, is illas beneficio competentis menſtrui *ex earundem ſpeciebus*, priuſquam *mel* ipſis adjungatur, eliciat vel evocet, & ultimò demùm ſi libuerit, *mel* aut *Saccharum* duntaxat pro edulcoratione *eſſentiæ* addat. Similium *eſſentiarum* formulam, quæ longè *aquas deſtillatas* ad unum omnes antevertit, reperies in *animadverſionibus ſuper extractum Diapaeonias Mindereri.*

AQUA ANTIMELANCHOLICA
D. D. Tobiæ Fischeri.

℞. Radicum Bugloſſi utriuſque ana unciam unam,
Florum Borraginis,
Bugloſſi,
Anthos ana unciam unam ſemis,
Croci Orientalis integri drachmam unam,
Carnis ſeu pulpæ Cydoniorum,
Pomorum dulcium odoratorum ana uncias duas,
Citri cum corticibus contuſi unciam unam ſemis,
Conciſa miſce, & affunde
Vini albi optimi libras duas ſemis.

Macerentur horis viginti quatuor, pòſt deſtillentur in balneo, deſtillatum reſtituatur capiti mortuo trito, digeratur & deſtillentur denuò.

AD varias multiplicis melancholiæ ſpecies proficua eſt, mentis torporem & ſtuporem tollit, timores & mœrores animi profligat, imaginationis hallucinantis nebulas diſpellit, lætitia lumine cor & cerebrum irradiat.

ANIMADVERSIONES.

QUiſquis æquâ rationis lance *compoſitionem hunc* expendet, non poterit, quin ſponte fateatur, potiorem ejus ingredientium partem deſtillationi, juxta præſcriptam normam inſtituendæ, om-

ninò ineptam eſſe. Namque ex *radicibus Bugloſſi*, ex *carne ſeu pulpa Cydoniorum*, ex *pomis*, item ex *Citris integris* (ſi *cortices* exceperis) nil niſi *aqua quadam elementaris* in deſtillatione prodit; de *ſubſtantia vero eorundem optima*, nil quicquam, quod aſſervari operæ precium eſſet, per Alembicum aſcendit vel tranſit, ſed in fundo cucurbitæ remanet in conſiſtentia *extracti*, quod ipſum uſui medico potius inſerviret, nullo modo autem *ſpiritus vini* ab *iiſdem ſpeciebus* abſtractus, licet *Crocus aqua ſpirituoſa prolecta* exiguum impertierit odorem. Atque hinc facilè colligere eſt, quàm potentem quantiſvé viribus præditam *aquam* ex hac compoſitione impetrare quis poterit. Quod enim ex *floribus Anthos*, ac minimâ illâ particulâ *corticum Citri* & *vino* non acquiſiverit, ex reliquis certè non impetrabit, licet quis decies in M.B. cohobationem inſtituerit. Igitur longè conſultius foret, ut qui ad *melancholiam* proclivis eſt, ex *fructibus illis* deſtillationi ineptis, *pomis* ſcilicet *dulcibus*, *Cydoniis*, *malis Citri* & *Croco*, ſingulis diebus ferculum ſibi confici curaret, & *vinum* biberet, in quo *radices Bugloſſi utriuſque*, *flores item Borraginis*, *Bugloſſi* & *Anthos* ſteterint infuſi.

AQUA ANTISCORBUTICA
D.D. Tobiæ Dorncreilii.

℞. Rad. Raphani ſylveſtris acerrimi libras quatuor,
Polypodii quercini mundi,
Corticis radicum Capparum ana unciam ſemis,
Sem. Fœniculi unciam unam,
Cardamomi uncias duas,
Croci Orientalis drachmam unam.

Radices Raphani incidantur in orbiculos tenuiſſimos, reliqua verò pulveriſentur ſubtiliſſimè, & ſimul infundantur in vini albi optimi libris ſedecim, & ſtent in infuſione in loco calido per octiduum, vaſe quotidiè ſemel atque iterum exagitato, deinde adde

Aquæ Cochleariæ,
Beccabungæ,
Naſturtii aquatici ana libram unam ſemis,
Chamædryos veræ,
Fumariæ compoſitæ ana libram unam,
Seri lactis caprini libram unam ſemis.
Miſce, & deſtillentur in Balneo Mariæ igne lentiſſimo.

Valet propriè ad affectum Scorbuticum maritimis & Aquilonis regionibus propter parentum propagationem, ob victus rationem, & propter contagium Endemium. Liberat enim obſtructiones lienis, emollit, & attenuat humorem feculentum melancholicum,

cholicum, eumque per meatus convenientes ſenſim evacuat, & lienem roborat.

ANIMADVERSIONES.

QUamvis ex aliquibus hujus *aquæ ingredientibus*, utpotè *radicibus Polypodii, corticum rad. Capparorum & Croco*, parùm in deſtillatione elicietur, nihilominùs tamen cùm *Antiſcorbutica* (quæ *ſpiritu* gaudent *volatili ſalino*,) in hac compoſitione prædominentur, poterit illa modo præſcripto deſtillari, & ſi lubido fuerit, ex præfatis rebus vel ſigillatim, vel ex *reſiduis à deſtillatione ſpeciebus* conjunctim *extractum* confici, & prolectæ *aquæ* commiſceri.

AQUA ARTHRITICA.

℞. Flor. Chamomillæ,
Fol. Pulegii,
Lavendulæ,
Majoranæ ana unciam unam,
Authos uncias tres,
Salviæ;
Chamæpityos ana uncias duas,
Myrrhæ mundæ & optimæ uncias duas,
Caryophyllorum,
Cinamomi ana drachmas duas,
Rad. Pæoniæ unciam ſemis,
Pyrethri,
Cyperi rotundi,
Iridis Illyricæ ana drachmam unam ſemis,
Cardamomi minoris,
Cubebarum ana drachmam unam,
Nucis Moſchatæ unciam ſemis.

Infundantur in libris quatuor ſpiritus vini rectificati, ſtentque in infuſione vaſe probè clauſo ne quid expiret, per dies quatuordecim. Poſtea deſtillentur in Balneo Mariæ, & liquor extillatus reſervetur ad uſum.

TRemulis, paralyticis ac pareſin è colica perpeſſis auxilio eſt; frigidis articulorum morbis opitulatur, nervos roborat, & juncturis virium jacturam reſarcit.

ANIMADVERSIONES.

UNica hæc *compoſitio* præ cæteris *aquarum deſtillatarum compoſitionibus* omnibus apprimè mihi arridet, eò quod ex meris balſamicis rebus conflata ſit: Quæ ipſa tùm etiam juxta modum præ-

præſcriptum ſatis commodè parari poterit. Interea tamen non inconſultum fore putarem, ſi, poſtquam *aqua* ex deputatis ſpeciebus deſtillata eſt, in eâdem ſcilicet *proleƈta aqua radices Pæoniæ* & *Pyrethri* denuò infunderentur, (quippe *radicum illarum eſſentia* in deſtillatione aſſignata, non adeò facilè pet Alembicum tranſit) quæ demùm poſt unius alteriuſvé diei digeſtionem ab iiſdem *radicibus* per filtrationem liberata, ſtudioſè aſſervanda eſt.

AQUA ASTHMATICA.

℞. Rad. Enulæ campanæ uncias duas,
Ireos Florentinæ unciam unam ſemis,
Glycyrrhizæ,
Fœniculi,
Farfaræ ana unciam unam,
Althææ,
Conſolidæ majoris ana drachm. ſex,
Scillæ præparatæ,
Ariſtol. rotundæ veræ ana drachmas duas,
Herbar. Nepetæ,
Praſſii,
Hyſſopi,
Capillorum Veneris,
Pulmonariæ utriuſque,
Salviæ hortenſis ana manipul. unum,
Sem. Nigellæ,
Erucæ,
Naſturtii ana drachmas duas,
Urticæ Romanæ unciam ſemis,
Aniſi,
Fœniculi ana drachmas ſex,
Baccarum Lauri,
Juniperi ana unciam unam,
Spicæ Indicæ,
Cinamomi acuti ana unciam ſemis,
Coſti Arabici,
Cardamomi ana drachmas duas,
Croci ſcrupulos duos,
Jujubarum,
Sebeſten ana unciam unam,
Daƈtylorum pinguium,
Caricarum pinguium ana numero oƈto.

Inciſis & contuſis omnibus, fiat infuſio in vini albi optimi libris ſex,

Vini

Vini Malvatici libris quatuor,
Sublimati libris duabus,
Aqu. ſtillat. Centaurii minoris,
Scabioſæ,
Taraxaci,
Tuſſilaginis,
Plantaginis,
Veronicæ,
Cardui Benedicti,
Hederæ terreſtris ana librâ ſemis,
per dies ſeptem; poſtea in liquore diſſolvantur
Lohoch ſani & experti,
de pulmone Vulpis,
de Pino,
ad Aſthma ana unciæ duæ.
Deſtillentur omnia ſecundum artem in balneo mariæ, ſervetur uſui.

Præpeditam ſpirandi facilitatem à craſſis & viſcoſis humoribus, meatus pulmonarios, & thoracis regionem obſidentibus introductam, tollit, pectoriq́ ſpiritum liberiorem conciliat. Quapropter eam omnibus anheloſis, ſenibus, aliisq́ thoracis affectibus à frigidorum humorum impluvio laborantibus, ex amica communicatione Viri Clariſſimi D. D. Antonii Boxbarteri Auguſtani, Collegæ noſtri honorandi nunc Phyſici Reipublicæ Vlmenſis ordinarii, ſingulariter commendatam eſſe volumus.

ANIMADVERSIONES.

Haud adeò concinna eſt *hujus aquæ compoſitio*, non ſolùm propter *fructuum pectoralium* (de reliquis incongruis etiam taceo) utpotè *Caricarum Sebeſten, Jujubarum, Dactylorum, &c.* ceu deſtillationibus conſimilibus penitùs ineptorum, ſed etiam ob diverſorum *Lohoch compoſitorum* additiònem. Meminiſſe conducet mei jam aliquoties inculcati, quod ingens ſit diverſitas *vegetabilium*, quæque proindè diverſimodè tractari velint. Quædam enim *ſulphureæ ſunt naturæ*, horumque virtus & efficacia levi coctura & calore impulſa avolat. Quædam *terreſtriora*, alia *medio modo ſe habentia*; nonnulla, *integris viribus & virtutibus prædita*, poſt violentam etiam & diuturnam cocturam (modò non comburantur,) in reſiduo extant vel reſtant, utpotè *fructus plurimi, ſaccharum, mel, &c.* ex quibus ſimplici hâc deſtillatione per M. B. nil quicquam virtutis elici poteſt, licet per integram ſeptimanam deſtillatio continuetur. Scitu proindè neceſſarium, & in *deſtillationibus vegetabilium* in univerſum obſervandum eſt, quod quò ſubmiſſiori ignis gradu fiat deſtillatio, præſertim in M. B. eò magis ſubtiles

 ſolùm-

ſolummodò ipſorum partes eliciantur, atque *hac deſtillatio Solis fermentatis, nec non ſummè volatilibus, & admodum ſpirituoſis vegetabilibus, ac ſpiritui vini, &c.* competit. Quò intenſiores autem caloris gradu (utpotè in arena vel cineribus) aut luculentiori flammâ, vel per veſicam cupream, ſtanno quidem obductam pellantur, eò plus etiam *de virtutibus ſuis materialibus* (ut ita loquar) ſummè tamen neceſſariis & proficuis, in deſtillatione per Alembicum tr... mittunt. Cum aliquibus autem *vegetabilibus*, utpotè *fructibus compluribus, Pyris, Pomis, Cydoniis, Dactylis, Ficubus, Amygdalis, Pyneis*, &c. *radicibus* etiam non paucis, nimirùm *Conſolidæ, Glycyrrhizæ, Cichorei, Bugloſſi, Althææ*, &c. *lignis itidem & plantis plurimis eſculentis*, ità comparatum eſt, ut ſive lento ſive fortiori igne, per balneum vel arenam, affuſo inſuper liquore deſtillentur, nil prorsùs genuinæ virtutis, ſed *humiditatem duntaxat elementarem* præbeant. Hinc etiam magis proficuum cenſeo, ut vel ipſorum *decocta*, vel *ſucci expreſſi*, aut varia ex iiſdem parata *juſcula* vel *edulia* ægrotantibus offerantur, nec ità præpoſterè ſimilibus deſtillationibus committantur: Licet enim enumerata cuncta, vel ad extremam ſiccitatem uſque in M. B. abſtrahantur, nihilominùs eorum virtus concreta ac compacta, integrè in illis ſuperſtes manet, adeò ut omninò opus ſit, ſi ex ipſis per deſtillationem virtutes eſſentiales extorquere velimus, non per balneum, nec arenam, neque per veſicam affuſo liquore, ſed aliâ violentiori viâ corundem deſtillationem moliri, & quidem in modum ſequentem;

℞. *Vegetabile ſimile, quodcunque libuerit*, ex. gr. *fructum, lignum, plantam, radicem, &c.* ſive aridum ſit, ſive recens, quo imple retortam vitream loricatam, cui fornaci convenienter impoſitæ, recipientem adapta, juncturiſque optimè clauſis vel lutatis, lento primùm igne deſtillationem incipe, quouſque (ſi *recens vegetabile* immiſſum) *tota humiditas ejus elementaris* prolecta ſit; Si verò *ſiccum* fuerit, paulò urgentiori igne pelle ad potiorem *humiditatis radicalis* prolectionem, hinc auge ignem gradatim, & prodibit *liquor acidus empyreuma redolens, cum oleo primum flaveſcente*, tandemque ſi extremo ignis gradu urgeas, *nigricante*, ſubſequente omnium ultimò *nebuloſo fumo, ceu extrema radicalis humiditatis particulâ*: Quibus omnibus ſ. a. evocatis, remanent in reſiduo *carbones*, non *cinis*, quos ipſos ſi in *cineres* redigere animus erit, in aprico eos calcinare neceſſum eſt, aliàs enim nunquam in *cineres* abeunt, ex quibus *ſal* elici poſſit. Hoc modo inſtituta deſtillatio (ſi *recens* fuerit *vegetabile*) quatuor diverſa ſuppeditat, nimirum *primam humiditatem*, vel *aquam elementarem*, exigui momenti, *ſpiritum acidum fœtidum, empyreuma redolentem, oleum ſimiliter fœtidum rubrum, vel ex atro rubeſcens*, & in reſiduo remanens *ſal fixum*, quæ ſingula poſtmodum ab invicem ſeparanda ſunt: *Oleum* quidem à

ſpiritu

ſpiritu per tritorium vel chartam emporeticam; *Spiritus* verò à ſuis fæcibus craſſioribus per rectificationem; Deinde *oleum prædictum* ſeparatim per *cineres proprios* rectificandum; Ex *cineribus* poſtea cum *aqua ſimplici ſal fixum* elixiviandum eſt, quod denique *ſpiritui* commiſcendum. Hæc tria, *ſpiritus* nempè cum ſuo *ſale*, & *oleum*, ex quocunque etiam *vegetabili* profecta ſint, eximiis ſuis gaudent virtutibus, licet empyreuma redoleant: Et jure meritò plura *vegetabilia*, quorum vires per ſimplicem deſtillationem cum affuſo liquore elici non poſſunt, tali modo deſtillanda eſſent, ſi quid in medicina præſtare deberent, ſecus enim fruſtra labor inſtituetur.

Atque hæc vera eſt & genuina, nec non generalis de *vegetabilium* deſtillatione informatio, quam ſi imitaberis, non facilè errores vel abſurditates ridendas in præſcribendis *aquis compoſitis* committes.

Reliquum nunc eſſet, ut & aliam magis concinnam *hujus aquæ*, de qua nobis ex inſtituto jam ſermo fuit, adderemus præparationem, quod tamen commodè fieri nequit, niſi exemptis & rejectis plurimis compoſitioni huic dicatis *ingredientibus*, ceu deſtillationi ineptiſſimis: quia verò propoſiti noſtri ratio non fert, *compoſitiones* quoad *ingredientia* evertere, ſed ſaltem errores in earundem præſcriptionibus commiſſos indigitare, proindè miſſam hanc facio. Interim tamen ſuaderem, ſi aqua hæc ad aſthma profligandum ſtrictè expeteretur, ut ex *Balſamicis ingredientibus* duntaxat, addito *ſpiritu vini*, *aqua ſpirituoſa* conficeretur, cui poſtmodum *ſaccharum*, *mel*, & alia, nimirum *Ficus*, *Dactyli*, *Jujubæ* & *Lohoch* adjungi, & varia *aſthmatica medicamenta* per infuſionem ſaltem aut diſſolutionem confici poſſent.

AQUA AUREA D.D. JOHANNIS LANGII.

℞. Florum Liliorum convallium manipulos duodecim.

Infundantur in vini albi optimi menſura una per octo dies; deinde deſtillentur per Balneum mariæ lentiſſimo igne: Poſtea

℞. Aquæ ſtillatitiæ Ceraſorum nigrorum libram unam ſemis.

Miſce ſimul; quibus aquis infunde

Flor. Lavendulæ manipulum unum ſemis;
Anthos manipulum unum,
Caryophyllorum,
Macis ana ſcrupulos duos,
Scillæ præparatæ drachmas duas ſemis;
Cubebarum drachmam ſemis,
Viſci quercini,
Rad. Pæoniæ,
Dictamni albi ana drachmas duas.

 Inci-

Incidenda incidantur, & conquaſſanda conquaſſentur, & in vapore aquæ calentis ter deſtillentur, aqua in vaſe vitreo optimè clauſo conſervetur.

Vires omnes corporis fulcit, præcipuè verò epilepticos inſultus abolet; inſignis etiam eſt auxilii in catarrhis frigidis ad pulmones defluentibus, & aſthmata inducentibus.

ANIMADVERSIONES.

Licet *hæc compoſitio* quædam contineat *ingredientia*, quorum virtutes per ſimplicem hanc præſcriptam deſtillationem elici nequeant, nihilominùs factâ comparatione ad reliquas *aquas compoſitas*, hæc aliqualem meretur commendationem; Monere tantum hic habeo, quod *radices Pæoniæ & Viſcus quercinus jam deſtillata aqua* iterùm immergi, & cum ea aliquandiu digeri queant, à quibus demùm *aquam* per filtrationem ſeparare oportet.

BALSAMUM EMBRYONUM.

℞. Nucis Moſchatæ,
Macis,
Caryophyllorum,
Cinamomi,
Zingiberis albi,
Cubebarum,
Granorum Paradiſi,
Zedoariæ ana unciam unam ſemis,
Galangæ drachmas ſex,
Flor. Tunicæ,
Tiliæ ana libram unam,
Herb. Salviæ,
Carui,
Fœniculi,
Verbenæ,
Lavendulæ ana uncias tres,
Menthæ criſpæ,
Rad. Pęoniæ & ſeminis ejuſdem,
Viſci quercini decreſcente Lunâ collect. ana uncias duas,
Medullæ panis triticei uncias ſex.

Herbæ & radices incidantur minutim, Aromata verò craſſiuſculè pulveriſentur, paniſque medulla in fruſtula confringatur, quo facto, commiſceantur omnia, & affuſis menſuris quatuor vini boni Malvatici in vaſe fictili vitreato probè clauſo, ne quid expiret, ſepeliantur in vinaria cella ſubtus terram, ſtentque ibi in digeſtione per hebdomadas

madas tres : Deinde die præcedente, antequam hæc è terra rurſus eximere volueris, ſumito

Amygdal. dulcium excorticat. uncias ſedecim.

His in mortario priùs probè contuſis, & in vitreo vel vitreatâ aliquo mundo vaſe collocatis, ſuperinfunde

Aquæ Roſarum albarum,

Bugloſſi ana uncias octodecim.

Stent in infuſione per horas viginti quatuor.

Jam verò rurſus accipe

Hordei cremati uncias ſedecim;

Hoc groſſo modo in mortario confringi, illiqúe ſuperinfunde

Aqu. Fragorum,

Liliorum convallium ana uncias ſeptendecim.

Stent etiam ſimul in alio vaſe in infuſione per horas viginti quatuor: Tandem Amygdala in infuſione ſtantia exactè terito, & unà cum aquis, quibus immaduêre, diligenter ſubigito: quo facto, & Hordeum crematum aquis ſuis infuſum, huic Amygdalogalo jungito, ac unà in olla ſimul omnia ſtudioſè permiſceto. Quod ſi aquarum Amygdalis, & Hordeo ſuperinfuſarum quantitas commixtioni non ſuffecerit, de vino Malvatico, in quo aromata & herbæ ſub terra defoſſæ maceratæ ſunt, quantum ſufficere videbitur, adjungito, ut ſic omnia probè in olla ſimul concuſſa permiſceantur, donec mixtura lacti evadit ſimilis: Tùm demum aromata, herbas, radiceſque, unà cum vino malvatico reliquo, in quo infuſa ſteterant, & jam dicta omnia, additis mellis deſpumati unciis octodecim, ſimul confundito ac commiſceto, & cucurbitæ indita levi igne aquam ex arena, deſtillato. Nunc verò recipe veterem caponem, quem fune ſuſpenſum ſuffocabis, mundatumque exenterabis.

Huic in fruſtula diſſecto, abjectâ omni ſorde & pinguedine, affunde vini malvatici menſuram unam, quo ſanguinem elues ac diſſolves: tùm vino huic malvatico, & jam dicti caponis carnibus, jungito

Aqu Borraginis,

Verbenæ,

Fœniculi,

Salviæ ana libras duas,

Dactyl. recent. exoſſat.

Uvarum paſſarum,

Paſſularum minorum,

Nuci Moſchatæ ana uncias duas,

Caryophyllorum,

Cinamomi,

Zingiberis,

Cubebarum,

Granorum Paradiſi,
Zedoariæ ana unciam ſemis,
Croci drachmas duas,
Conſervæ Roſarum rubearum uncias quatuor.

Incidenda incidantur, & ollæ operculo diligenter clauſæ, ac circa juncturam operculi paſtâ ſtudioſè circumlitæ, ne quid expirare queat; indita ſenſim, ſimul decoquantur, donec carnes caponis ab oſſibus ſe ſeparaverint; tunc brodio huic adhuc ferventi, injice panis triticei adhuc à furno calentis, & in fruſta confracti, uncias ſedecim, & de libo vel paſta mellea cum aromatibus bis cocta, in laminas diſſecta, ac ſuper cratem toſta, & melle oblita, uncias ſedecim, atque ollâ probè clausâ, ſic per noctem, ut in brodio cuncta molleſcant, ſtare ſinito. Deinde verò brodium à rebus infuſis ſepara, caponemque unà cum rebus reliquis ſibi junctis, eximiè contunde, donec pultis formam acquirat; quam pultem brodio priùs ſeparato redde, eamque in jam dicto brodio diſſolve, & ab his ampullæ inditis magna cum diligentia aquam ex arena levi calore extilla. Jam verò primam aquam & ſecundam hanc commiſce, in iiſque infunde auri puriſſimi quantum volueris, vitroque accuratè clauſo per triduum Solis calori & radiis ad inſolandum exponito; ac tùm demum rurſus aquam hanc omnem cum diligentia per deſtillationem ab auro abſtrahito.

Datur fœminis quæ ſæpiùs abortum paſſa ſunt; magno emolumento, itemq́ gravidis, ubi à ſubitò terrore aut occaſione aliqua extrinſeca langueſcunt; lypothymias & animi defectiones, ventrisq́ inflationes in his perſanat, infirmum fœtum roborat, uteri ligamenta firmat, epilepſiam arcet, ſanguificationi proficit, flatus delet, quin etiam parturientes in enixu adjuvat, & in ſummâ ſpiritus reſtaurat, viresq́ fulcit, dolores ac tormina gravidarum diſcutiens, non gravidæ modò, ſed & fœtui confortando remedium ſalutare, ac Dei beneficio ſummè proficuum.

ANIMADVERSIONES.

SPecioſam hanc & ubique terrarum tantoperè commendâtam, ac à nemine Medicorum non receptam *compoſitionem*, quod primus ego examini aut reformationi ſubjicere coner, dubio procul plurimi vitio mihi vertent: Attamen Lector benevole, ſi exactiùs mecum rem perpendes, & paululum à vanis præſumptionibus quorundam declinabis, apertè deprehendes, mecumque ſpontè fatebere, ipſam non ſolum innumeris ſcatere mendis, ſed inſuper etiam plurimis abſurditatibus eſſe refertam, adeòque me non iniquè facere dices, quod ſub incudem eam revocatam, ab erroribus craſſioribus paululùm vindicem. Ut autem attingam ea, quæ ineptè addita ſunt,

ſunt, nec quidquam huic *Balſamo* conferre queunt, illorum primitùs ſeſe offert *medulla panis*, quæ bis huic *compoſitioni* jungitur & quidem fruſtrà: qui enim in clibano jam coctus eſt *panis*, ſpirituoſas & volatiles ſuas partes, ſi quas habuerit, utpotè quæ in deſtillatione per alembicum proliciendæ ſunt, jam tùm in coctura depoſuiſſet: *Amygdalorum* etiam humiditas elementaris in deſtillatione prodjens, nullius valoris & virtutis eſt. De *Hordeo cremato* idem eſt judicium, cui quis non *cereviſiam* ex ipſo coctam præferrét, & illi *Amygdalogala?* Et quid ex deſtillato *caponis* virtuoſi tibi promittis, cùm tota ejuſdem virtus in reſiduo remaneat? Si enim *animalium* vis reſtaurativa in volatilioribus eorundem partibus, quæ hac deſtillatione elici poſſent, conſiſteret, plurimùm certè in coctura violenta de eadem periret, vel prorſus etiam ipſa avolaret, & conſequenter *carnes elixæ* vel *aſſatæ* nullum vel planè inutile corpori ſuppeditarent alimentum, ſatiuſque foret *crudis veſci carnibus*, quàm *coctis*, itemque vaporem in coctura avolantem aſſervare, *carnes* verò abjicere: Sed poſito, *capones* in coctione & ſimili deſtillatione virtutes ſuas reſtaurantes potiores emittere, eaſque conſiſtere in portione eorundem ſummè volatili, ſive ſubtilioribus ipſorum partibus, dic amabo, nonne iſtæ in *violenta illa coctura*, quæ tamdiu continuanda, donec *oſſa à carnibus* divellantur, & quod ineptiùs, cum *vino Malvatico*, additiſque ſtultè etiam tot *aromatibus*, quorum virtutes ſimiliter in ſubtilioribus ipſorum partibus conſiſtunt perficiendâ, penitùs exhalaret? Neque juvat *ollam* circumquaque etiam arctiſſimè claudere; *ſpirituoſa* enim *humiditas* in illâ per calorem rarefacta & reſoluta in eodem ſpacio, quò concreta & condenſata erat, conſiſtere neſciens, vias quærit etiam anguſtiſſimas, quas ſi non invenit, infallibiliter vas diſrumpit. Igitur antequam deſtillationi *capo cum vino Malvatico*, *Aromata & reliqui fructus* committantur, potioribus ſuis virtutibus & penetrantioribus partibus jam tum ſpoliata ſunt. Quod etiam *Dactyli*, *uvæ paſſæ*, *paſta mellea* deſtillationi ſimili perperam committantur, jam ſuperiùs in *compoſitione aquæ aſthmaticæ* indigitavi. Neque etiam *conſerva roſarum*, utpotè quæ maximam partem ex *ſacchara* conſtat, huic *Balſamo* quicquam de ſua virtute largiri vel communicare poteſt: Nihil enim de *ſaccharina eſſentia dulci*, in leni hac deſtillatione per Alembicum tranſit, uti neque de *paſta mellea bis cocta*, *iterumque ſuper cratem toſta*, ſicque omnibus ſuis ſubtilioribus partibus penitùs ſpoliatâ. Colophonem denique huic ſpecioſæ *compoſitioni* imponit *aurum*, quod virtutem ſuam eximiam confortantem ex ſeſe expromere debet, eamque *Balſamo* huic impertiri; ſed longiſſimè aberrant, qui illud hanc ob cauſam ſuis compoſitionibus addunt; *Aurum* enim tàm facilè ſolubile non eſt, nec adeò volatilis naturæ, ut unà cum vaporibus aqueis, reliquarum ſpe-

cierum è fundo cucurbitæ in ſublime feratur, & per Alembicum tranſeat in excipulum. Ergò videmus, quod nec ab illo quicquam ſperare liceat, & conſequenter quod fruſtra ac inutiliter ſaltem, uti plurima enumerata alia, *luxurioſam hanc compoſitionem* ingrediatur. Ex quibus præmiſſis jam ad oculum apparet, quod ex ſolis *aromatibus* & *vino malvatico*, nec non *affuſis deſtillatis aquis*, hoc *balſamum* vires ſuas, quas habet, mutuetur, reliqua autem omnia ſuperfluè ſaltem adjecta ſint. Ac ſanè majores ex *reſiduis ſpeciebus*, niſi tanta ipſarum farrago eſſet, vires elicere poſſemus, conficiendo ex illis Extractum aut Gelatinam. Ubi itaque utero gerentem confortare lubido eſt, longè conſultiùs operaberis, ſi ex *capone gelatinam* confeceris, eamque *Amygdalis minutim conciſſis* refertam, & *ſaccharo, melle roſato* vel *citrato*, nec non *aromatibus* conditam, ſæpiùs vel quotidiè propinaveris. Si etiam cum *aqua* è ſimilibus *aromatibus*, ex quibus reliqua compoſitio conſtat, & *vino malvatico* deſtillatæ, uti ſequetur, uno vel altero cochleari *gelatinam* illam diluere, & prægnanti exhibere volueris, non iniquè feceris.

Reſtat nunc, ut ex *ſpeciebus hujus balſami embryonum deſtillationi per alembicum aptis*, quandam ſimpliciorem formulam, aſt magis concinnam, ſubjungam, quæ talis eſſe poteſt;

℞. *Nuc. Moſchat.* ℥ iij ß,
Macis ℥ j ß,
Caryophyllorum,
Cinamomi acuti,
Zinziberis,
Cubebarum,
Granorum Paradiſi,
Zedoariæ ana ℥ ij,
Galangæ ℨ vj,
Croci Auſtr. ℨ ß,
Roſar. Damaſc. recent. ℥ iiij,
Flor. Tunicæ,
Tiliæ ana recent. ℔ j,
Herb. Salviæ cum floribus,
Carui,
Fœniculi,
Verbenæ,
Flor. Lavend. ana recent. ℥ iij,
Rad. Pæon. recent.
Sem. ejuſdem,
Viſci quercini decreſc. Lunæ coll. ana ℥ ij.

Inciſa & contuſa craſſiuſculè infundantur in menſuris quinque
Vini Malvatici opt.

Aquæ -

Aqua Liliorum convall. ſine additione ſimplicis aqua per M. B. deſtillata,
Spiritus Fragorum ana ℔ j ß.
Aquar. Salvia,
Fœniculi ana ſine additione ſimpl. aqua deſtillatar. ℔ j.

Stent in infuſione loco tepido vel in cellario per menſem, poſtea deſtillentur primò in arena, tum in M. B. (ne *ſpecies* comburantur & empyreuma ſpiret *aqua*) ad totalem *ſpecierum* exiccationem: *Aqua deſtillata aromatica* ſtudioſè aſſervetur, quæ eaſdem & quidem majores habebit virtutes, quam ſi ſecundum ſpecioſam præſcriptam *compoſitionem* cum additione *caponis*, *conſerva Roſarum*, *panis tritici*, *Amygdalorum*, *paſta mellea & fructuum* parata eſſet. Ex *ſpeciebus relictis vel reſiduis à deſtillatione*, beneficio cujuſdam *aqua deſtillata extractum* conficiatur, quod ad juſtam conſiſtentiam abſtractum, & cum *melle roſato citrato*, juxta meam deſcriptionem confecto, edulcoratum, quoties uſus poſtulat, cum præfatæ *aqua* particulâ aut *gelatina caponum* commixtum propinari poterit.

AQUA BARDANÆ COMPOSITA.

℞. Rad. Bardanæ recent.
Vincetoxici recent.
Cort. med. radicis Fraxini ana libras duas.

Minutim inciſa infundantur horis viginti quatuor in vini albi odoriferi, & aceti Rutacei ana libris quinque.

Poſtea deſtillentur in Balneo Mariæ, addendo poſt deſtillationem olei Sulphuris acidi, quantum ſatis pro manifeſto acore, & ad ſingulas libras liquoris egreſſi Camphoræ ſcrupulum ſemis, quæ in nodulo ligata ſtillatitio huic liquori immerſa pendula permaneat.

Aqua hac crebro uſui quondam fuerat Clariſſimis Reipub. noſtra Medicis Tobia Cneulino, & Iohanni Paulo Zangmaiſtero. Eâ etiam Collega noſtri fideliſſimi D. D. Carolus Widemannus, Iohann. Iacobus Schiſſlerus, Raymundus Mindererus, & Hieremias Cneulinus graſſante peſte felici ſucceſſu uſi ſunt, ut qui agris hac lue infectis, in publicum Noſocomium delatis, tunc temporis opem & operam ſuam praſtabant; ſudores enim potentiſſimè prolicit, venenatorum humorum malitiam temperat, infectionis ac putredinis miaſmata disjicit, ac venoſum corporis habitum excuſſo ſudore repurgat.

ANIMADVERSIONES.

Ne diu huic *compoſitioni* refutandæ immorer, & brevibus me expediam, moneo & conſultum duco, ut ex *denominatis ſpeciebus,*

ciebus, *radicibus* ſcilicet & *corticibus*, nec non *Camphorâ*, beneficio *aceti rutacei* & *ſpiritus vini*, aut ſi mavis, *Iuniperi* ℔ v, eſſentiam duntaxat ſine deſtillatione conficias, cui tùm *oleum Sulphuris* pro libitu addere potes: Atque *hac eſſentia liquida* tùm pro curatione, tùm præſervatione *peſtis*, ipsâ *aquâ deſtillatâ* longè efficacior exiſtet.

AQUA CAPONIS COMPOSITA.

℞. Caponem eviſceratum atque in fruſta inciſum, depoſitâ pinguedine, decoque in ſufficienti quantitate aquæ, donec carnes ab oſſibus ſeparentur, contundatur ad pultis formam.

℞. Brodii colati libras duas ſemis,
Aq. Borraginis,
Bugloſſi ana libram unam ſemis,
Flor. Roſarum,
Violarum,
Bugloſſi,
Borraginis ana drachmas duas,
Cinamomi electiſſimi unciam unam.

Deſtillentur in Alembico vitreo ſecundùm artem.

ANalepticum ac reſumptivum eſt medicamentum, tabidis, conſumptis, & à morbo longo extenuatis, vel iis, qui cibos ſolidiores aſſumere nequeunt, proficuum.

ANIMADVERSIONES.

QUanta virtus ex *capone* jam ſufficienter decocto, vel ejus *brodio* deſtillando per Alembicum elici poſſit, jam ſatis ſuperque in præcedentibus *animadverſionibus ſuper Balſamum embryonum*, *& appendice claſſis decimaquartæ, de ſalibus Theriacalibus* in analyſi animalium edocuimus. Ex quibus luculenter videre eſt, *animalia* ſimpliciter modo præſcripto, vel ad totalem ipſorum exſiccationem deſtillata, nil præter *aquam* quandam *elementarem* emittere, niſi fortè viventia adhuc liquori alicui immerſa, inque eodem ſuffocata, vel viva adhuc deſtillationi commiſſa, *ſpiritum vivificum ſummè volatilem* fundere, aut ipſi liquori communicare poſſint. Longè autem efficacius tabidos confortare, & à morbis longis extenuatos infirmos reficere poteris, ſi iiſdem *juſculum caponis* cum *aqua Cinamomi optima*, aliiſque cordialibus permixtum ſine deſtillatione præbueris, quàm ſi *aquam hanc ex capone deſtillatam*, ceu nullâ vel exiguâ ejuſdem virtute reſtaurativâ imbutam propinaveris.

CHY-

Digitized by Google

CHYLOSTAGMA DIAPHORETI-cum D.D. Raymundi Minderiri P.M.

Seu aqua ejuſdem Theriacalis Bezoardica.

℞. Succorum Nucum Juglandium immaturarum,
Limonum,
Acetoſæ,
Pimpinellæ ana libram unam ſemis,
Cardui benedicti,
Scordii noſtratis,
Rutæ ana libram unam,
Scabioſæ,
Hederæ terreſtris,
Calendulæ,
Maliſſæ hortenſis odoratæ ana uncias octo,
Chelidoniæ,
Galegæ,
Aceti de Rubo Idæo,
Sambucini,
Roſati ana uncias quatuor,
Rutacei libram unam,
Rad. Tormentillæ,
Gentianæ,
Dictamni albi ana uncias duas,
Vincetoxici,
Carlinæ ana uncias duas ſemis,
Petaſitidis,
Oſtrutii,
Angelicæ,
Zedeoriæ,
Cort. Citri ana uncias tres,
Boletorum Cervinorum uncias duas,
Fol. Dictamni Cretici,
Scordii Cretici,
Chamædryos ana unciam unam,
Santali Citrini drachmas tres;
Ligni Rhodii pulveriſati drachm. duas,
Theriacæ Andromachi uncias duas,
Mithridatii Damocratis unciam unam,
Baccarum Juniperi recentium libram unam;
Cort. median. Sambuci recent.
Fraxini recent. ana manipulos tres.

Cortices Sambuci & Fraxini unà cum baccis Juniperi contundantur

dantur in mortario vehementer, & extrahatur inde ſuccus cum ſufficienti quantitate aceti de floribus Tunicæ, aquæ Pimpinellæ & Roſarum, ſumendo ſingulorum partes æquales. Hic expreſſus ſuccus permiſceatur cum ſuccis & liquoribus ſuprà commemoratis, diluaturque in his Theriaca & Mithridatium. Tandem verò cætera inciſa & contuſa, in ſuccis & liquoribus jam dictis infundantur, atque iis ſic tridui ſpatio immacerentur; poſtmodum lento roridi balnei calore per deſtillationem liquor evocetur, in cujus medietate ſuſpendatur Camphoræ in nodulo ſericeo ligatæ drachma una, altera medietas pro iis, qui Camphoram non ferunt, ſeorſim reſervetur.

Valentur hac aqua ſudorem pellit, venenatamque omnem materiam à centro ad circumferentiam corporis expellens, diſſicit, ſuâ ſubtilitate corpus undique pervadens, arcens& putredines. Vnde peſte correptos adjuvat, febribus malignis adverſatur, morbos contagioſos ſtrenuè oppugnat, exanthemata, maculas pulicares ſeu petechias, variolas ac morbillos excludit. Datur ejus portio aliqua cum Syrupo acredinis Citri aut Limonum, vel cum ſucco Acetoſellæ additis ſpeciebus liberantis, aut cordiali aliquâ aliâ Antidoto, corpore ab ejus uſu ad ſudorem compoſito. Deſcripta eſt ab auctore ejus Collega noſtro quondam Raymundo Minderero p. m. in libello de peſte, quem circa Annum Domini 1608. edidit.

SI ſuccus Galegæ & Scordii defuerit, ſubſtituatur ſuccus Veronicæ & Verbenæ.

ANIMADVERSIONES.

COmmendo potiorem hujus *compoſitionis Bezoardicæ* ingredientium partem: *Theriaca* autem & *Mithridatium* perperam deſtillationibus committuntur, ſed majori cum emolumento in ſubſtantia exhibentur: Ratio eſt, quod plurima *Theriacam* & *Mithridatium* ingredientia deſtillationibus ſimilibus penitus inepta ſint, multa verò parùm promere poſſunt virtutis. Accedit, quod *Theriacæ* & *Metridatii* potior pars *mel* ſit, quod diris illis affectibus, quibus debellandis hæc *aqua Bezoardica* deſtinata eſt, parùm juvaminis afferre poterit, neque etiam aſſignatâ deſtillatione vires ejus elici queunt: niſi enim hoc ad totalem ſuæ humiditatis expulſionem urgeatur, (quod leni hâc deſtillatione, tàm lento roridi balnei calore perficiendâ fieri nequit,) nil ab eo efficaciæ ſperandum eſt. Quam ob ſingularem rationem etiam *baccarum Iuniperi*, *corticum Sambuci*, & *Fraxini feculæ* duntaxat, cum *aceto* & *aquis deſtillatis* per extractionem & expreſſionem prolectæ, deſtillationi committendæ ſint, nullus video, quin potius riſum extorquet, ſi paulò penitius conſideretur. Verùm ne prolixus ſim, ſuadeo ut ex omnibus

ſpecie-

ſpeciebus ingredientibus, *baccis* etiam *Iuniperi*, ipſisque duntaxat contuſis, cum *corticibus Sambuci* & *Fraxini*, exceptâ *Theriacâ* & *Mithridatio*, *aquam* per M. B. ad totalem *ſpecierum* exſiccationem deſtilles: Ex reſiduis verò *ſpeciebus*, in quibus non minoris virtutes adhuc reconditæ ſunt, beneficio *aquæ deſtillatæ cujuſdam* vel *ſpiritus vini extractum* conficias, cui poſtea ſi libitum fuerit, *Theriaca* &c *Mithridatium* addi poſſunt, quod tamen non tantoperè neceſſarium eſſe duco: Majoris enim efficaciæ *extractum* hoc unà cum *aqua ſua deſtillata*, in lue peſtifera exiſtet, quàm ſit vel ipſa *Theriaca* vel *Mithridatium* vulgari modo parata.

AQUA CONFORTATIVA USITATA.

℞. Aquarum Ceraſorum nigrorum,
Roſarum,
Borraginis,
Bugloſſi,
Florum Violarum,
Tiliæ ana uncias ſex,
Cinamomi optimi unciam ſemis,
Margaritarum præparatarum ſcrupul. duos,
Corallorum alborum præparatorum drachmam unam,
Cornu cervi præparati ſcrupul. quat.
Confectionis manus Chriſti perlatæ uncias quinque.
Miſce ad vitrum pro uſu.

In omni debilitate & languore virium exhibetur, ſpiritus animales puriores reddit, ſenſuum internorum & externorum organa reficit, atque ita generale quaſi confortans omni ætati, ſexui, & morbo accommodatum exſiſtit.

ANIMADVERSIONES.

Si *aquæ*, quæ pro hac *mixtura confortativa* ordinatæ ſunt, ſine additione *aquæ ſimplicis*, per balneum deſtillatæ eſſent (exceptâ *aquâ Cinamomi*) magnifacerem hanc compoſitionem: Additio autem *cornu cervi uſti præparati* fruſtranea eſt, cùm nil ſit niſi terra mortua, prout partim ſuperiùs in deſtillatione *Viperarum* demonſtravimus partim etiam ſuo loco ulterius demonſtraturi ſumus. *Perlarum verò præparatarum*, *ut* & *Coralliorum* additionem non improbo, maximè ſi illæ *Orientales*, hæc autem *rubra*, & non *alba* fuerint, utpotè quæ omnium Medicorum ſuffragio in virtutibus rubris longè inferiora ſunt. Et cum pulverulenta in delicatiſſimis etiam vehiculis propinata, ægrotantibus nauſeam moveant, licet inodora & inſipida ſint, proinde exiſtimo non inconſultum fore, ſi loco

Marga-

Margaritarum & Coralliorum rubrorum præparatorum, eorundem ſolutiones cum aceto vini deſtillato, aut ſucco Citri claro, vel quod omnium optimum, menſtruo ex Venere in ſequenti Mantiſſa indigitato, paratæ (non *Magiſteria*, quæ calces inutiles ſunt, & æquè ut pulveres fundum petunt:) quæque ſolubiles & efficaciores etiam ſunt, adderentur, & quidem in paulò majori doſi, cùm ſemper ex uncia una *Perlarum* vel *Coralliorum*, ſi in *aceto* ſolvantur, ferè uncia una & dimidiâ ſolutionis ſiccæ eorundem acquiratur. Idcircò pondus vel doſin ipſarum augendam, aut pro drachma una *Perlarum* vel *Coralliorum præparatorum*, drachmam unam cum dimidia *ſolutionis* accipiendam eſſe cenſeo. Atque tali modo parata *aqua confortativa Perlata*, non ſolùm nauſeam nullam ægrotanti movebit, verùm etiam præſtantior in operando exiſtet, vireſque ſuas longè celeriùs exeret, quàm ſi ex *Perlis* vel *Coralliis præparatis* conſtaret. Ratio in promptu eſt; quia antequam *Margarita* & *Corallia cruda* à debilitato ægrotantis ventriculo, ejuſque acido, utplurimum in morbis depravato fermento diſſolvantur, aut eorum virtutes ab ipſo eliciantur, multum temporis requiritur, niſi etiam prorſus ab Archæo ſtomachi intacta relicta, per alvum uti ingeſta excernantur, quod modo ſuperiùs dicto *ſolutis Perlis* præpeditur.

AQUA CORDIALIS TEMPERATA.

℞. Cinamomi acutiſſimi uncias tres,
Corticum Citri exteriorum unciam ſemis,
Ligni Aloës optimi,
Caſſiæ lignæ veræ,
Santalorum omnium ana drachmas duas,
Sem. Ocymi Caryophyllati,
Acetoſæ ana drachmas tres,
Galangæ,
Caryophyllorum,
Macis,
Nucis Moſchatæ ana drachmam unam ſemis,
Cubebarum,
Granorum Paradiſi,
Cardamomi,
Spicæ Indicæ ana drachmam unam,
Cuſpidum ſucculentorum cornu cervi junioris & recenter capti, uncias quatuor
Inciſa & trita irrorentur in phiala vitreata, aſperſis
Succi Limonum crudi colati unciis ſex:
Stent ita per noctem, tunc affunde

Vini Malvatici,
Granatorum acidodulcium,
Succi pomorum ſubacidorum crudi & colati,
Erubo Idæo ana libram unam,
Aquarum Borraginis,
Bugloſſi ana libram unam ſemis,
Roſarum,
Violarum ana libram unam,
Acetoſellæ,
Ceraſorum nigrorum,
Meliſſæ ana libram ſemis:
Addendo
Flor. Borraginis,
Bugloſſi,
Roſarum,
Anthos ana unciam ſemis,
Croci Auſtriaci ſcrupulos duos,
Specierum Cordialium temperat. incompl.
De gemmis frigidis,
Diamargariti frigidi,
Roſatæ novellæ ana drachmas duas,
Conſervæ Roſarum rubearum vet. uncias quatuor.

Macerentur infuſa in vaſe vitreo probè clauſo diebus octo, deinde diligenter alembici oſculis occluſis, ne quid evaporet, per balneum artificioſè deſtillentur, collectus ſubinde & in aliud vas vitreum reconditus liquor uſui aſſervetur, in cujus media parte ſuſpendatur ſacculus, in quo
Ambræ gryſeæ veræ,
Moſchi Orientalis ana grana ſeptem contineantur.
Reliqua medietas ſervetur incompleta.

In ſubito virium lapſu ex defectu ſpirituum animalium aut vitalium, cerebrum & cor mirificè recreat: unde apoplecticis, epilepticis, paralyticis, cardiacis & syncopticis commodiſſimè exhibetur: Inſuper analeptica eſt, & ex morbis diuturnis convaleſcentes inſigniter roborat, vireſq; corporis univerſi manifeſtè reſtaurat.

Hujus aquæ præſtantiſſimæ compoſitionem pharmacopoliis noſtris propriam eſſe voluit, Clariſſimus & Excellentiſſimus D. D. Adamus Hebichius, Reverendiſſ. & Illuſtriſſ. Principum Eyſtadienſis & Auguſtani Epiſcoporum Medicus, Reipubl. Auguſtanæ Archiater, & pharmacopoliorum Viſitator ordinarius, Collega nobis plurimùm honorandus.

ANIM-

ANIMADVERSIONES.

NUnc iteratò ſe offert ſpecioſa quædam, & ex centum ac quinque in univerſum computatis ingredientibus conglomerata *compoſitio*, quæ quàm eruditè & artificioſè elaborata ſit, mecum omnes, quibus natura rerum ingredientium aliqualiter ſaltem cognita eſt, facilè perſpicient. Utque primò de *cuſpidibus ſucculentis cornu cervi juniores recenter capti* ſermonem inchoëmus, ex his equidem egregia medicamenta, quorum ſuo competenti loco mentionem facturi ſumus, parari poſſunt, verùm longè alio, quàm præſenti aſſignato modo, deſtillatione ſcilicet per *Alembicum calore balnei*. Ità enim deſtillata *tenella cervorum cornua*, (prout etiam cunctæ aliorum *animalium* partes) *aquam* duntaxat ſive *humiditatem elementarem* exili virtute præditam exſudant: In illo autem, quod à tàm leni deſtillatione relinquitur, & cum aliis ſpeciebus abjicitur, ſummæ ac unicè expetendæ eorum virtutes reſident, alio convenientiori modo extorquendæ. Admiſcentur itidem huic compoſitioni *ſucci nonnulli acidi*, quorum aciditas pariter in reſiduo manet, nihilque de eadem deſtillato communicatur, quæ tamen in denominatis affectibus non parùm juvamenti afferre poſſet. Quòd ſi etiam *compoſitas ſpecies* examini ſubjiciamus, certò inveniemus, ipſarum ingredientia pleraque, & ferè omnia, ſi *precioſos lapides*, utpotè *Hyacinthos, Smaragdos, Saphyros, Sardos, Granatos, Aurum, Argentum, Margaritas* & *Corallia*, *Spodium* item ſive *Ebur calcinatum*, *Sericum toſtum* & *Saccharum* excipias, jam ante ipſi huic compoſitioni inſerta eſſe: Ecquid autem hi *precioſi* quidem aſt *duriſſimi lapides*, qui non ſolùm annuam coctionem ſine virium deperditione ferre, ſed etiam ignis violentiam ſtrenuè ſuſtinere poſſunt, hâc ſimplici & leni deſtillatione præbebunt? Et eſto, quod à *ſuccis Citri* & *Granatorum acidis* addendis nonnihil de *Perlis* aut *Coralliis* diſſolveretur, illud tamen (ſolutum ſcilicet,) in fundo cucurbitæ remaneret, ut in præparationibus ſimilium *ſolutionum Perlarum, Coralliorum, oculorum Cancrorum, &c.* manifeſtè patet. Et quod magis eſt, *ſolutiones dictarum rerum* omnem aciditatem (quæ à *ſale acido* dependet, & arrepto corpore cum eodem coagulatur, & in aliud ens tranſmutatur,) *ſuccorum acidorum* arctè ſecum retinent, ut nil de hiſce præterquam inſipidum & inutile phlegma in deſtillatione proliciatur, uti nec etiam ſimpliciter deſtillati *ſucci hi*, aciditatem ullam per Alembicum tranſmittunt. Quod ad *Aurum* & *Argentum* attinet, nec illa deſtillationi apta eſſe, luce meridiana clarius eſt, & ad nauſeam uſque jam ante à nobis inculcatum eſt. Similiter neque *Spodium* ſive *Ebur calcinatum*, quod jam ſuperabundantur ignis violentiam ſuſtinuit, & ex quo partes ſubtiliores omnes expulſæ ſunt ut nil niſi *terra mortua* remanſerit. Non aliter etiam de *Serico*

toſto

roſto ſentiendum. Tandem quàm ſtupidè & *conſerva roſarum* huic compoſitioni adjecta ſit, uti etiam *ſaccharum roſatum tabulatum*, quod *roſatam novellam* ingreditur, ex *Animadverſionibus balſami embryonis* patebit. Perpende nunc Lector benevolè, quam inconſideratè & ſtultè magnificæ tales compoſitiones à viris etiam eruditis ſæpenumerò conſarcinentur: quæ ubi paulò ſeveriùs examinantur, nugis refertiſſimæ, ac inſuper etiam in ægri ſummum detrimentum conſcriptæ eſſe, manifeſtè deprehenduntur: Ad quid enim illa tot *gemmarum* & *precioſorum lapidum, auri* itidem & *argenti*, aliarumque rerum fruſtranea additio aut perditio potiùs, niſi ut miſero ægrotanti marſupium exenteretur, & quod plus eſt, ſpe ſuâ de recuperanda valetudine priſtina fruſtretur.

Erroribus hiſce craſſiſſimis aliquatenus detectis, reliquum nunc eſt, ut ex ingredientibus deſtillationi aptis, aliam præparationem formemus, rationi magis conſonam, qualem nunc ſubjiciam:

Nimirùm

℞. *Cinamomi acutiſſimi* ℥ iv,
Cort. Citri recentium extim. ℥ iij,
Caſſia lignea ℥ ß,
Santali Citrini ℥ j,
Herb. recent. Baſilicon. floreſc. ℥ j ß,
Galanga,
Caryophyllorum,
Macis,
Nucis Moſchat. ana ʒ vj,
Cubebarum,
Cardamomi,
Spica Indica ana ʒ ß,
Roſar. Damaſc. odoreſ. recent. ℥ iij, *vel* ℥ vj,
Flor. recent. Anthos ℥ j,
Borraginis,
Bugloſſa ana ℥ ß,
Zedoaria,
Styracis Calam. ana ʒ iij.

Craſſiuſculè inciſa & contuſa, infundantur in
Vini malvatici ℔ j,
Spiritûs vel aqua ſpirituoſa cort. citri ℥ iij,
Spiritûs de Rubo Idæo,
Pomorum,
Ceraſorum nigrorum,
Roſarum ana ℔ j,
Aqu. Meliſſa,
Acetoſa,

Aqu. Violarum,
Borraginis,
Bugloſſi ana ſine additione aquæ ſimpl. deſtill. ℔ j.

Stent aliquandiu in digeſtione, poſtea deſtillentur; roſtro verò alembici vel capitello nodulo incluſa, imponantur

Radic. Doronici,
Ligni aloës odoriſ. & gummoſi ana ℥ iij,
Croci ℥ j ß,
Moſchi, &
Ambræ, ſi lubet, ana ℈ ß.

Vel hæc ſaltem ſcil. *Moſchus* & *Ambra*, medietati hujus aquæ ſeparatim deſtillandæ, imponi poſſunt: Atque ſic deſtillatio perficienda, & aqua præſtantiſſima confortativa uſui aſſervanda eſt.

Nota *ſuccos acidi*, utpote *Citri*, *Granatorum*, *& alii*, licet crudi ad cordis corroborationem propter ſymbolicam aciditatem liquoris in pericardio exiſtentis plurimùm poſſint, deſtillati tamen aciditatem & efficaciam omnem in reſiduo relinquunt: qui etiamſi ad ſiccitatem uſque pellantur, non perindè efficaces ſunt, propterea lubens loco *prædictorum ſuccorum*, *ipſorum fructuum ſpiritus* ſubſtitui.

ELIXIR VITÆ MATTHIOLI.

℞. Cinamomi unciam unam,
Zingiberis drachmas quatuor;
Santalorum omnium ana drachmas ſex,
Zedoariæ unciam ſemis,
Caryophyllorum,
Galangæ,
Nucis Moſchatæ ana drachmas duas & ſemis,
Macis,
Cubebarum ana drachmam unam,
Cardamomi utriuſque,
Sem. Melanthii ana drachmas tres,
Aniſi,
Fœniculi dulcis,
Paſtinacæ ſylveſtris,
Ocymi,
Rad. Angelicæ,
Caryophyllatæ,
Glycyrrhizæ,
Calami odorati,
Phu minoris,
Fol. Sclareæ,

Fol. Thymi,
Calaminthæ,
Pulegii,
Menthæ,
Serpylli,
Amaraci ana drach. duas;
Flor. Roſarum rubearum,
Salviæ,
Betonicæ,
Roriſmarini,
Stœchadis,
Bugloſſi,
Borraginis ana drachmam unam ſemis;
Corticum Citri drachmas tres,
Specier. Diambræ,
Aromatici roſati,
Diamoſchi dulcis,
Diamargariti calidi,
Diarhodon Abbatis,
Elect. de Gemmis ana drachmas tres.

Terantur quæ terenda ſunt, & deinde in vitreo vaſe macerentur ex libris duodecim aquæ vitæ præſtantiſſimæ, è ſelectiſſimo vino paratæ, occluſo ſubinde vaſis oſculo diebus quindecim continuis: Ac deinde vitreo alembico vaſi ſuperpoſito, per aquæ ferventis balneum à perito artifice deſtillentur, oſculis alembici adeò concluſis, ut nihil inde expirare poſſit. Aqua quæ inde fluxerit, in aliud ſubinde vas recondatur, additis Santâli odorati teſſelatim conciſi, duabus drachmis, Moſchi & Ambræ in tenui linteolo colligator, ana ſcrupulo uno ſemis, & Julep roſati clariſſimi librâ. Demum concutiantur fortiter, quouſque Julep cum aqua miſceatur, claudaturque deinde vas cera & membrana, ac ita quieſcat diebus quindecim continuis, & ultimò in aliud transferatur vitrum, ibique aſſervetur pro uſu.

Aqua hæc mirabilis efficaciæ ac juvamenti exiſtit, quippe non ſolùm hauſta, ſed in faciem ex alterius ore projecta, epilepticos, defectos animo, & fœminas uteri ſtrangulatu decidentes revocat, loquelam amiſſam reſtituit, & jam jam moribundos tamdiu ſuſtinet, ut quandoque miraculi ſpeciem afferat. Additur etiam in clyſteribus colicorum unciæ pondere, præſentaneo auxilio, ubi à flatu aut frigiditate provenit morbus, & præſertim additis Theriacæ aut Mithridaticæ Antidoti binis drachmis: denique ad frigidos omnes affectus medicamentum magnoperè commendandum exiſtit.

ANIMADVERSIONES.

QUas præcedens *aquæ cordialis temperatæ compoſitio*, eaſdem hoc *Elixir vitæ* redolet ineptias & abſurditates; Conſtat etiam ex *novem diverſis compoſitis*, adeoque ex *centum & ſexaginta ſex ingredientibus*, quorum potiora ter quatervé, imò ſexies, vel ſepties, non ſecùs atque in ipſa Authoris Antidoto ponuntur. Errores autem craſſiſſimi in hac compoſitione quoque commiſſi, maximam partem in *præcedentibus Animadverſionibus ſuper aquam cordialem temperatam* detecti ſunt, ex quibus tùm quivis facilè colligere poterit, quænam ex hujuſmet compoſitionis ingredientibus, deſtillationi apta vel inepta ſint. Et ne tanta rerum precioſarum huic *Elixiri* deſtinatarum inutilis fiat deperditio, ac ut imposterum cùm ſumptus, tùm labores compendifaciamus, aliam ex ipſiſſimis ingredientibus, iiſque duntaxat, quæ deſtillationi aſſignatæ accommodata ſunt, ſubnectam præparationem:

Utpotè

℞. *Cinamomi acutiſſimi* ℥ iij,
Zinziberis ℥ ß,
Sant. citrini vel ligni Rhodii ℥ iij,
Zedoariæ ʒ vj,
Caryophyllorum,
Galangæ,
Nuc. Moſchat.
Macis,
Cubebarum,
Cardamomi ana ℥ ß,
Piperis longi,
Nigri ana ʒ ij,
Sem. coriandri ℥ j,
Aniſi,
Fœniculi,
Paſtinac. ana ℥ vj,
Apii ʒ ij,
Rad. Angel.
Caryophyll.
Calami aromat.
Phu minoris ana ℥ ß,
Pyrethri,
Aſari ana ʒ j,
Fol. Sclareæ, ſive Matris ſylvæ,
Thymi,
Baſilici,

Fol. Calamint.
Pulegii,
Mentha,
Serpylli,
Majoran. ana recent. ℥ *vj,*
Flor. roſar. recent. contuſ. & ſale condit. ℥ *iij,*
Salviæ,
Betonicæ,
Roriſmarini,
Stœchad.
Borraginis,
Bugloſſæ ana recent. ʒ *ij,*
Cortic. citri recent. extim. ℥ *ij.*

Inciſa & contuſa, craſſiuſculè infundantur in ℔ *xij ſpiritus vini optimè rectificati*, ſtentque in infuſione loco tepido per aliquot dies, poſtea deſtillentur in M. B. ad ſiccitatem *ſpecierum* uſque. *Capitello* verò vel *infundibulo roſtri alembici* immittantur ſequentia in petia ligata; nimirùm

Radic. Doronici,
Ligni aloës opt. ana ʒ *ij,*
Croci ʒ *j,*
Moſchi, &
Ambræ ana drachm. ß.

Aquæ ſive *ſpiritui prolecto* fragrantiſſimo & efficaciſſimo præ edulcoratione adde

Iuleb roſati, ſecundùm mentem noſtram parati ℔ *j,*

Et acquires *Elixir* multò præſtantius & majoris efficaciæ, quàm ſi juxta *pompoſam præſcriptam compoſitionem* paratum eſſet.

AQUA EPILEPTICA LANGII.

℞. Flor. Liliorum convallium manipulos duodecim.

Superfundatur menſura una ſemis vini Cretici aut Moſchatelli, aut aliàs generoſi, in eoque per dies quinque infuſi maneant, mox vitreis organis tepentis aquæ balneo deſtillentur. Deinde

℞. Cinamomi drachmas ſex,
Nucis Moſchatæ unciam ſemis,
Piperis longi drachmas duas,
Flor. Lavendulæ unciam unam,
Roriſmarini,
Stœchadis ana unciam ſemis,
Cubebarum drachmas duas,
Viſci quercini;

Digitized by Google

Rad. Pæoniæ,
Dictamni noſtratis ana unciam ſemis.

Omnia craſſiuſculè contrita, rurſus in ſuperiore vino per dies octo macerentur loco aprico, poſtmodum deſtillentur ut ſuprà.

HAec aqua præſtantiſſima eſt ad epilepſiam, vertiginem & lethargum, non tàm ratione præſervationis, omni tempore proximè quadram Lunæ antecedente, eandem uſurpando, quàm ratione curationis, in ipſo paroxyſmo & recollectis paululùm viribus, illam aſſumendo: etiam exteriùs illam applicando ſummæ efficaciæ & virtutis eſſe, experientia conſtat.

ANIMADVERSIONES.

PAuca in hac *compoſitione*, ceu reliquis magis concinnâ correctione vel admonitione indigent, præterquam quod *flores liliorum convallium* cum *vino Cretico* ad totalem exſiccationem, ſive quouſque aridi relicti in fundo cucurbitæ remanſerint, per M. B. deſtillandi ſint. *Flor. Lavendulæ* & *Roriſmar.* recenter accipiendi ſunt, &, ſi libet, etiam in paulò majori quantitate. Pro *Viſco* autem *quercino*, ſi ejuſdem *ſpiritus radicalis* violentiori igne prolectus & rectificatus ſubſtitueretur, longè melius foret. *Radices Pæoniæ* poſſent jam *perfectâ deſtillatâ aquâ* minutim conſciſſæ, denuò immergi, & aliquandiu in infuſione relinqui, tandem ab ipſis per filtrum *aqua* ſeparari, quæ poſtea in vitro probè obturato ſervanda uſui.

AQUA EPILEPTICA PUERORUM.

℞. Aqu. Ceraſorum nigrorum,
Florum Tiliæ,
Pæoniæ,
Squamariæ ana uncias octo,
Tabular. manus Chriſti perlat. uncias quatuor,
Miſce ad uſum.

DAtur infantibus per ſe, vel cum ſuperioris particula commixta; ad epilepticos inſultus dentitionis ut plurimùm tempore, ob gingivarum craſſitiem ſupervenientes, inhibendos & mitigandos.

ANIMADVERSIONES.

IN hac *mixtura* quod moneam, hoc unicum eſt, ut *aquæ denominatæ* ſine ulla additione *aquæ communis* deſtillatæ addantur: Nam alioquin *aquæ ſtillatitiæ ſimplices*, quæ in Officinis proſtant, plerumque exigui momenti ſunt, nec illæ ipſæ in tanta quantitate

quæ communiter expetuntur, neque pro tali precio, quò à vulgo deſiderantur, ritè & abſque additione *aqua communis* parari aut divendi queunt: Præſtaret tamen, ut quilibet Pharmacopœus ex *ſelectioribus vegetabilibus*, quantitatem *aquarum ſtillatitiarum* dextrè & ſine additione *aqua ſimplicis* paratarum vel deſtillatarum, in gratiam illorum, qui ſanitatem æri præferunt, in promptu haberet.

AQUA PRO EPITHEMATE
Cordis Noribergensium.

℞. Specier. Diamoſchi dulcis,
Diambræ,
pro Epithemate cordis ana drachmas duas;
Roſarum rubearum odoratiſſ. unciam unam,
Santalorum omnium ana drachmas duas,
Iridis Florentinæ drachmas tres,
Cortic. Arantiorum,
Citriorum ana unciam unam,
Boli Armenæ Orientalis drachmas duas,
Aquæ roſarum libras quatuor,
Vini odorati libram unam ac dimidiam,
Aceti roſacei libram unam.

Inciſis & contuſis omnibus, infundantur & deſtillentur ſecundum artem.

IN ipſius cordis affectibus ſyncope & palpitatione, tùm etiam in febrili calore cor primariò occupante contemperando, præſentaneum remedium præſtat.

HOc Epithema cordiale ex diligentiſſimo Diſpenſatorio excellentiſſimorum Dominorum Medicorum Noribergenſium deſumptum, & in uſum noſtrum tranſlatum eſt.

ANIMADVERSIONES.

NOn minoribus hæc compoſitio referta eſt erroribus, quàm ſuperior illa *aqua cordialis temperata*, proinde nec abs re erit, *Animadverſiones noſtras* ſuper eandem conſcriptas, etiam hùc trahere, præſertim ratione *lapidum precioſorum*, *Margaritarum*, *Coralliorum*, *Spodii*, *Serici toſti*, & *Boli Armenæ* (qui præcedentibus *lapidibus* aut *Perlis*, in ſimili deſtillatione æquales exiſtit) nec non *aceti*, quòd in diſſolutione *Coralliorum* aut *Margaritarum* cum iiſdem veluti coagulatur, aut in aliud ens tranſmutatur, & in fundo cucurbitæ remanens ejus aciditas, ſaltem inutile ſuum phlegma emittit. Ne multus autem ſim, addam ex ingredientibus hujus compoſitionis,

tionis, deſtillationi quodammodo aptis, aliam formulam paulò præſtantiorem, videlicet

℞. *Roſar. recent. incarnat. contuſ. & ſale condit.* ℥ vj,
Flor. Borraginis,
Bugloſſæ ana recent. M ß,
Herb. Meliſſæ citratæ,
Baſilici ana recent. M ij,
Rad. Iridis Florent. drach. vj,
Zedoar. ℥ ß,
Galang. drach. iij,
Cortic. Arant. recent. extim.
Citri recent. extim. ana ℥ iij.
Cinamomi optimi ℥ j ß,
Macis,
Nuc. Moſchat. ana ℥ ß,
Caryophyllorum,
Cardamomi cum capſulis ana drach. iij,
Cubebarum drach. ij.
Inciſa & contuſa, groſſo modo infundantur in
Aqu. roſar. odorat. ℔ iv.
Vini albi odorati & generoſi ℔ j ß,
Aceti roſacei ℔ ij.

Stent in infuſione loco calido diebus aliquot; poſtea ſpeciebus ſequentibus, utpotè
Radic. Doronici,
Ligni aloës opt. gummoſi ana drachm. j ß,
Croci ℈ ij,
Camphoræ ℈ j,
Moſchi, &
Ambræ, ſi libet, ana ℈ ß,
in petia ligatis, & roſtri Alembici patentiori orificio prius immiſſis, fiat deſtillatio uſque ad ſiccitatem *ſpecierum*, ne *acetum* in fundo remaneat: *Aquam* denique *prolectam precioſam*, ad ſuos uſus ſtudioſè aſſerva

AQUA FUMARIÆ COMPOSITA.

℞. Rad. Glycyrrhizæ raſæ unciam ſemis,
Polypodii quercini mundi drachmas ſeptem,
Herb. Abſinthii Romani,
Cuſcutæ ana unciam unam,
Epithymi drachm, ſeptem,
Flor. Borraginis,
Bugloſſi,

Flo:

Flor. Violarum ana unciam unam,
Roſarum unciam ſemis,
Myrobalanorum Chebulorum,
Citrinorum ana drachm. viginti,
Prunorum Ungaricorum enucleatorum,
Paſſularum majorum enucleatarum ana libram ſemis,
Pulpæ Caſſiæ fiſtulæ,
Tamarindorum ana uncias duas.

Pulveriſanda pulveriſentur ſubtiliſſimè, reliqua verò incidantur & contundantur, & miſceantur, & infundantur in
Aquæ Fumariæ libris ſeptem.
Stent in infuſione in loco calido per octiduum, vaſe quotidiè exagitato, deinde adde
Succi Fumariæ depurati libras tres.
Deſtillentur in Balneo Mariæ igne lentiſſimo.

Ventriculum & hepar roborat, obſtructiones aperit, cutis morbos præcipuè ab humore ſalſo ac aduſto natos, ut pſoram, lepram, impetiginem atque ſerpiginem curat.

ANIMADVERSIONES.

Compoſitio hæc, ceu indigna, ut publicis Diſpenſatoriis inſeratur, non meretur, ut diu ejuſdem correctioni & emendationi immoremur. Etenim & *ſpeciebus ipſi deputatis*, utpotè quæ naturâ ſuâ ſatis violentam, ſine virium deperditione, coctionem pati poſſunt, & quarum etiam bona pars, antequam huic compoſitioni additæ fuêre, jam ſufficienter cocta eſt, (nimirùm *pulpa illa Caſſiæ* & *Tamarindorum*,) impoſſibile eſt ulteriùs tam leni deſtillatione balnei *viribus ullis prædictam aquam* elicere. Relinquamus igitur has nugas, aliis magis neceſſariis ac utilioribus ſedulam noſtram operam accommodaturi.

AQUA HIRUNDINUM USITATA.

℞. Pullorum Hirundinum vivo corpore laceratorum, aut diſſectorum, numero viginti quatuor,
Viſci quercini uncias tres,
Sem. Pæoniæ excorticati unc. unam,
Rad. ejuſdem uncias duas,
Aqu. Liliorum convallium,
Flor. Sambuci,
Pæoniæ,
Tiliæ ana uncias triginta duas, ſeu menſuram civilem noſtratem.

 Stent

Stent in infuſione loco calido, per horas viginti quatuor, deinde deſtillentur per Balneum mariæ.

Reſervetur liquor ſtillatitius in uſum.

Adverſus epilepticos inſultus potens eſt, apoplexiam ante-vertit, vertiginem curat, incubo ac paralyſi auxiliatur, ac infantium convulſionibus ſtrenuè medetur.

Hujus deſcriptionis formula nobis hucuſque uſitata & conſueta extitit, quam etiamnum retinemus, licet varii ejus aquæ parandæ modi proſtent. Libuit autem alias duas formulas Medicis noſtris probatas, hîc ſubjicere, ne publicum bonum in privatum commodum tranſtuliſſe videamur.

ANIMADVERSIONES.

Ullâ dubitationis anchorâ diſtentus teneor, ſi *aqua hac ex hirundinibus* dextrè elaboraretur, quod multum in denominatis affectibus præſtare poſſet. Itaque ne quicquam, quod utile eſſe poſſit, intactum relinquamus, aut *corticibus* ſervatis, *nucleos* abjiciamus, procedamus hunc in modum. Nempè

℞. *Aqu. Liliorum convallium,*
Flor. Sambuci,
Paoniæ,
Tiliæ ana abſque additione Aquæ ſimplicis deſtillatar. ℔ ij ſ.

Quibus in cucurbitam vitream infuſis, immittantur *pullorum hirundinum vivorum numero xxiv*, & ſtatim appoſito Alembico ac juncturis circumlitis, relinquantur in loco tepido per diem unum vel alterum; poſtea deſtillando evocetur tota humiditas per Mariæ balneum ad ſiccitatem *pullorum*, qui exſiccati, & quantum fieri poteſt, deplumati, vel à plumis ſeparati, ſtatim immittendi ſunt retortæ vitreæ loricatæ, & aucto igne per gradus, ultimò luculentâ flammâ in vas recipiens aliud deſtillandi, quouſque *univerſa eorum radicalis humiditas, cum ſale volatili & oleo fœtido* expulſa ſit: Queîs peractis *ſpiritus cum ſale volatili* (quod in ipſo diſſolvitur,) ab *oleo fœtido* ſeparatus, binis vicibus rectificandus, (ſaltem ad medietatem, ratione *ſalis volatilis*, quod ſtatim & primò prodit) & cum *aqua ſuperius deſtillata* conjungendus eſt: Quibus tandem reliqua etiam infundantur inciſa & contuſa; utpotè

Viſci quercini ℥ iij,
Sem. Paon. excortic. ℥ j,
Radic. ejuſdem ℥ ij,
Sem. Coriandri ℥ j, } ad obtundendum odorem ſalis volatilis
Macis, } ex pullis hirund. prolecti.
Cubebar. ana ℥ ſ,

Deſtil-

Deſtillentur iterùm in M. B. vel arena ad ſiccitatem *ſpecierum*. E... *reſiduo* beneficio *ſpiritus vini* conficiatur *extractum*, quod unà cu... *collecta aqua* aſſervari, & ſi lubet, etiam apoplecticis ac epilepticis propinari poteſt.

AQUA HIRUNDINUM COMPOSITA MINOR.

℞. Hirundinum ut ſuprà vivis corporibus diſcerptarum numero quadraginta,
Folior. Rutæ recentis manipulos duos,
Caſtorei unciam unam,
Vini albi libras tres.
Deſtillentur in Balneo Mariæ, ut artis eſt.

E*Pilepticos paroxyſmos abrumpit, ac comitiali morbo perculſos exuſcitat.*
Validior eſt quæ ſequitur.

ANIMADVERSIONES.

HÆc ipſa *aqua* ut efficaciter in epilepſia, & congeneribus affectibus ſuas operationes exerceat, paranda eſt juxta modum in *animadverſionibus antecedentibus* edoctum; deſtillando nimirum ex *pullis hirundinum*, poſtquam jam in *vino* ſuffocati, vinumque ab ipſis abſtractum fuerit, *ſal eorum volatile*, quod rectificatum *aqua deſtillata* jungendum, & additis reliquis *ſpeciebus*, nec non quibuſdam *odoriferis* ad odorem ingratum cùm *ſalis volatilis*, tùm *Caſtorei* infringendum, de novo deſtillatio inſtituenda eſt.

AQUA HIRUNDINUM COMPOSITA MAJOR.

℞. Pullorum hirundinum vivo corpore diſcerptorum numero quadraginta,
Caſtorei unciam unam ſemis,
Sem. Pæoniæ,
Rad. ejuſdem,
Viſci quercini ana uncias duas,
Rad. Dictamni albi unciam unam,
Fol. Rutæ,
Flor. Sambuci,
Tiliæ,
Liliorum convallium,
Anthos,

Flor.

Flor. Paralyſeos ana manipulum unum,
Cinamomi acuti drachmas tres,
Cubebarum,
Macis,
Ligni Aloës ana drachmas duas,
Vini albi odoriferi libras octo,
Aceti Scillitici libras duas.

Macerentur per triduum in vaſe vitreo probè clauſe, poſtea lento igne per cineres aut Balneum Mariæ deſtillentur. Liquori ſtillatitio huic poſtmodum addendo

Spiritûs Vitrioli rectificati, & ex arte præparati, quantum ſatis pro acore fuerit, reponatur.

CErebri meatus potenter reſerat, obſtructiones ventriculorum ejus aperit, convulſionem, ſpaſmum, paralyſin, apoplexiam, epilepſiam, morbumq́ comitialem, ejusq́ inſultus reprimit ac abrumpit, & hos quidem affectus non qualitate ſolùm manifeſtâ, ſed etiam à proprietate pellit: Verùm adultis potiſſimùm uſurpanda. uteri quoque affectus ac ſuffocationes plurimùm juvat. Quibus Caſtoreum odoris offenſam parit, ii Ambra aut Moſchi nonnihil adjicere, eamq́ modico ſaccharo dulcorare poterunt, ut evadat jucundior.

ANIMADVERSIONES.

IN deſtillatione hujus *aquæ laudabilis* omnimodè imitari poſſumus modum in ſuperioris *aquæ hirundinum uſitata Animadverſionibus* edoctum: Nimirum, poſtquam *pulli hirundinum* in *vino* ſuffocati vel ſubmerſi, & cum eo deſtillati ſunt, *ſal volatile* ex ipſis eliciendum, & *aquæ deſtillatæ* commiſcendum eſt: Quo facto, additis cæteris *ſpeciebus* & *Aromatibus* deſtillatio reiteranda, denùm ex *ſpeciebus reſiduis extractum* conficiendum, quod urgente neceſſitate, unà cum *aquâ* propinari poterit. Quin etiam ratione *aceti Scillitici* & *ſpiritus Vitrioli* ultimò addendorum, ſi mihi res committeretur, ego pro *aceto Scillitico ſuccum Scillæ crudæ*, vel *aquam florum Tiliæ* aut eorum etiam *ſuccum*, & pro *ſpiritu Vitrioli* (qui admixtus *aquæ ſal volatile hirundinum* in aliud ens commutat) *phlegma* vel potius *ſpiritus Vitrioli volatilem ſulphureum*, *à proprio ſuo ſpiritu acido ſemel atque iterùm rectificatum*, ſubſtituerem, & quidem non ſine prægnanti ratione, cùm *ſpiritus hic Vitrioli ſulphureus dicto ſpiritu acido & corroſivo* in affectibus apoplecticis & epilepticis longè efficacior ſit, & magis appropriatus.

LAC VIRGINEUM.

℞. Aluminis crudi unc. quatuor.
Decoquantur ad tertias in aquæ fontanæ libris duabus: Poſtea
℞. Lithargyri libram ſemis,
Aceti vini libram unam ſemis.

Decoquantur ad remanentiam libræ unius: colentur & commiſceantur ambæ aquæ, ac ſpatulâ tamdiu agitentur, donec albeſcant.

Coſmeticum eſt medicamentum, cuti perpoliendæ, ac manibus lavigandis accommodum, faciem tergit, lentigines delet, cutis infectiones adimit, nec non ſerpigines, lichenas, impetigineſque perſanat.

AQUA LITHARGYRI.

℞. Aceti acerrimi libras quinque,
Lithargyri Auri,
Argenti ana uncias quatuor.

Stent in infuſione in vaſe vitreo per biduum, poſtmodum acetum extilletur per Alembicum, quod aſſervetur. Deinde

℞. Aluminis plumoſi,
Salis Gemmæ ana drachmam unam,
Thuris maſculi unciam ſemis,
Camphoræ ſcrupulos duos,
Aquæ Roſarum libram unam,
Olei Tartari uncias ſex.

Terenda terantur, ſtentque ſimul in infuſione per horas viginti quatuor, rurſumque ab his aqua per Alembicum eliciatur.

ANIMADVERSIONES
In Lac Virginum & Aquam Lithargyrii.

Si quâ alicui voluntas erit præparationem hujus *lactis virginis* juxta modum præſcriptum inſtituere, per me licebit. Et quantumvis *ſolutiones aluminis* & *lithargyris* ſe invicem præcipitent, ut neutrum horum ſuas operationes proprias rite exſerere poſſit, nihilominùs tamen illa ipſa ità mixta refrigerando, fucatamque cuti albedinem inducendo nonnihil præſtare poſſunt. *Aqua autem lithargyrii præparatio* per deſtillationem ſtupidiſſima eſt. Etenim *ſaccharum Saturni* ſive *ſal lithargyrii auri & argenti*, quod beneficio *aceti deſtillati* ſolvitur vel extrahitur, ſi vel centies deſtilletur, ſemper tamen in fundo remanet, prodeunte duntaxat in deſtillatione ſolo *aceti phlegmate inutili.* Cæterùm qui *alumen plumoſum*

moſum ceu rem fixiſſimam, item *ſal gemmæ*, nec non *oleum tartari* (quod nihil aliud eſt quàm *ſal tartari*, humiditate aëris attractâ [illegible]ſolutum,) ſimplici hac deſtillatione per Alembicum pellere [illegible], næ is mihi magnus erit Apollo. Itaque ex binis hiſce deſtilla[illegible]nibus ſolam *aquam roſarum*, *Thuris* ac *Camphoræ odore* nonnihil imbutam, unà cum *phlegmate aceti* acquires; adeoque neceſſum erit, ut ſolis coctionibus vel infuſionibus, intermiſsâ deſtillatione, contentus ſis, & in fine demùm *Camphoram* ſ. a. & *aquam roſarum* admiſceas.

AQUA MASTICHINA.

℞. Maſtiches uncias quatuor,
Macis elect. uncias duas,
Caryophyll. unciam unam,
Cinamomi unciam ſemis,
Pulveriſentur omnia & commiſceantur, deinde affundantur illis
Vini Malvatici libræ duæ.

Stent in infuſione per triduum, poſtea deſtillentur in arena igne lento, donec aquoſus humor exierit, deinde fortiori, ultimò verò fortiſſimo, & quilibet liquor ſervetur ſeorſim.

Facultatem ventriculi concoctricem & retentricem confortat, ciborum faſtidium abſumit, nauſeam ſingultum, vomitum, & choleram morbum profligat.

ANIMADVERSIONES.

PErplacet equidem præ multis aliis hujus *aquæ Maſtichinæ compoſitio*, id verò unicè circa ipſius præparationem deſidero, quod de eo, quomodo ſcilicet hæc ipſa *aqua* dextrè deſtillanda ſit, & an *liquores*, qui ultimò igne violento & fortiſſimo prodibunt, empyreuma redolentes, nec non *oleum fœtidum*, à *Maci*, *Maſtiche*, *Caryophyllis* & *Cinamomo* priori grato odorifero & præſtantiſſimo *liquori* commiſcenda ſint, ne tantillum quidem meminerint, abundè ſe muneri ſuo ſatisfeciſſe putantes, quod quemlibet *liquorem* à deſtillatione ſeorſum aſſervandum eſſe innuerint: Aſt mehercle hoc ad efficiendam gratam, efficacem & ventriculum inſigniter roborantem *aquam* nullatenus ſufficit, quin aliâ viâ & quidem ſaniori procedendum erit, ſi voti noſtri compotes fieri anhelamus; videlicet

℞. *Species omnes & ſingulas prout in compoſitione præſcripta enumerantur*,
Quibus ſuperaffunde
Vini Malvatici ℔ ij,

Et poſt triduanam digeſtionem deſtilla per M. B. ad ſiccitatem uſque: *Reſiduis ſpeciebus* à deſtillatione denuò affunde

ſpiritus vini optimi rectificati ℔ ij.

Stent in infuſione loco calido per unum aut alterum diem, poſtea *filtratam colaturam* priori *aquæ deſtillatæ odoriferæ* commiſce; *Mixturam hanc* iterum filtra, ſicque uſui aſſerva. Si autem ad combuſtionem uſque (uti quidem illorum mens eſt) *prædictæ ſpecies* deſtillarentur, multum quidem *olei fœtidi* redderent, *aqua* tamen nunquam permiſceri poſſet; Et ſi quis fortè tale *oleum* deſideraret, pro externa ventriculi inunctione, is ex *Maſtiche* per ſe *oleum* elicere, eodemque ventriculum inungere poſſet, *aqua* verò ſive *eſſentia illa ſuperior odorifera* grataque & efficaciſſima erit ad uſus internos, nec minus etiam utilis, ſi in languida conſtitutione ventriculi externè ejuſdem regioni cum *pane* ſaltem applicetur.

AQUA MERCURIATA.

℞. Ceruſſæ Venetæ uncias duas,
Aluminis crudi unciam unam ſemis,
Salis Nitri,
  Ammoniaci ana drachmas duas;
Lithargyri unciam unam,
Zingiberis drachmam unam ſemis,
Mercurii ſublimati unciam unam,
Aquar. Solani,
  Plantaginis,
  Roſarum albarum ana unc. tres,
Centinodiæ uncias quatuor,
Aceti acerrimi libram unam.
  Miſce & bulliant parum.
Servetur in vitro ad uſum ſine colatura.

Cutis defœdationi, puſtulis, verrucis, ficubus, ſerpigini, ſcabiei malignæ, fiſſuris in volis manuum & plantis pedum conducit, ulceribus inprimis venereis penicillo leniter contactis illita mirificè prodeſt.

ANIMADVERSIONES.

Si ſaltem ex aliquibus & ſelectioribus huic *compoſitioni Mercuriatæ* deſtinatis ſpeciebus competens fieret mixtura, non dubito, quin exinde potens exſurgeret, ad nonnullos enumeratorum affectuum externorum integrè curandos medicamentum: Verùm-enimverò ingentem illam rerum apertè inter ſe pugnantium commixtionem nullo modo probare poſſum; Unum enim ab altero præcl-

præcipitatur, atque hoc modo eorum vires reciprocè infringuntur, vel etiam penitus annihilantur; uti manifeſtè videre eſt in *eſſe[illegible]ia lithargyrii* & *ceruſſæ* per acetum extracta, quæ per addita[illegible] & *Mercurium* denuò præcipitatur, & eo ipſo in virtutibus ſuis [illegible]nuitur. Sin itaque aliam aliquam exoptas ad denominatos affectus *aquam* vel *mixturam* præſtantiorem, minusque doloriferam, mira interim præſtantem, tàm in antiquis ac ſordidis, quàm recentibus ulceribus, fiſtulis ac vulneribus, etiam ubi alia *unguenta* plurima & *Balſama* etiam efficacia nequicquam profecerunt, quamque ob id ſemper in ſecretis habui; En fideliter tecum communico talem!

℞. *Aquæ Plantaginis vel Millefolii,*
aut quod meliùs eſt,
Succi Plantaginis vel Millefolii,
hisque etiam non exiſtentibus,
Decocti ſaltem eorundem ℔ j, ℥ ij,
Aloës Succotrinæ ʒ vj,
Mercurii ſublimati drach. ß, *vel* ℈ *ij.*

Fiat una ſaltem atque altera ebullitio, tùm reſidere permitte; quia de *Aloë* nonnihil præcipitatur; poſtea decantetur, addaturque *mellis roſati ſimpl.* ℥ j ß; & mixturâ hâc utere cum linteolis duplicatis in eadem madefactis: & tali modo parata, vix ullum infert dolorem. Si quâ tamen vulnus vel ulcus eſſet in partibus nervoſis, quibus *Mercurius* inimicus (licet ego nunquam hujus *mixturæ Mercurialis* effectum infelicem obſervaverim;) poſſet loco *Mercurii*, ſubſtitui *ſaccharum Saturni*, vel etiam *Alumen crudum*, in majori tamen quantitate, cùm illo longè mitiora ſint. Potentiorem etiam ſi quis *hanc mixturam* exoptaret, poſſet doſin *Mercurii ſublimati ad drach. j, vel drach. j* ß, augere.

AQUA MIRABILIS LANGII.

℞. Flor. Primulæ veris,
Roriſmarini,
Folior. Majoranæ,
Ivæ artheticæ ana manipulum unum;
Specier. Diamoſchi,
Diapliris,
Diambræ ana unciam ſemis;
Confect. Anacardinæ unciam unam;
Cubebarum,
Ligni Aloës,
Nucis Moſchatæ,
Caryophyllorum,

Macro-

Macropiperis,
Carpobalſami ana drachmam unam,
Rad. Acori,
Ireos,
Ariſtolochiæ rotundæ ana unciam unam ſemis;
Sem. Sileris montani,
Pæoniæ,
Fœniculi ana drachmam unam,
Aquæ herb. paralyſeos,
Salviæ,
Betonicæ ana libram unam,
Flor. Tiliæ libram unam ſem.
Serapini,
Opopanacis,
Myrrhæ,
Gummi Juniperini ana drachmam unam ſemis.

Stent omnia ſimul mixta in infuſione per dies octo; poſtea extrahantur per Alembicum ter in cineribus calidis, vel vapore, ſive balneo ſicco.

Est mirabilis juvamenti in præſervatione ab apoplexia, & omnibus ægritudinibus nervorum frigidis, curans paralyſin, torturam, ſpaſmum, & mirabiliter loquelam reſtituens.

ANIMADVERSIONES.

Mirabilis hujus *aquæ Langii compoſitio* æquè mirabiliter, uti ſuperior *aqua cordialis temperata*, neſcio ex quot quibuſvé ingredientibus conſarcinata eſt, cum qua etiam omnimodè convenit, tùm quoad inutilem plurimarum rerum additionem, ſcilicet *Margaritarum, Coralliorum, Spodii* & *Serici toſti* (quæ *ſpecies Diamoſchi*, & *Pleres Archont.* ingrediuntur,) nec non *Myrobalanorum*, *Anacardiorum*, *mellis* & *butyri*, (quæ ſunt ex numero eorum, ex quibus *confectio anacardina* compoſita eſt:) tùm etiam ratione farraginis ingredientium, quorum pleraque bis, ter, quaterve, imò quinquies *huic compoſitioni* inſeruntur, & quidem in tàm exigua quantitate, ut, ſi exacta computatio inſtitueretur, inveniremus unamquamque doſin vix tantillum de hoc vel illo capere poſſe, & ut ſummatim dicam, indigna eſt hæc tam miris modis *conglomerata compoſitio*, ut operam noſtram in erroribus ejuſdem enucleandis occupemus: Relegantur igitur *Animadverſiones noſtræ in præfatam aquam cordialem temperatam*, & alias ſimiles ſpecioſas compoſitiones factæ, quibus hæc ad amuſſim reſpondet.

Aliam hujus aquæ præparationem dexteriorem ſubjungere, operæ precium non duximus, cùm ſimilium aquarum ad eoſdem, qui-

bus hæc dicata eſt, affectus conſcriptarum, jam tùm in hoc Diſpen[illegible]torio ingens ſit ubertas, quibus juxta noſtras *animadverſio* [illegible] [illegible]a-ratis facilè quilibet contentus eſſe, aut ſecundum eaſdem, hu[illegible] *[illegible]que* concinniorem compoſitionem & præparationem eruere pote[illegible]t.

AQUA NEPHRITICA D.D. JOHANNIS GEORGII BRENGGERI.

℞. Rad. Althææ,
Ononidis,
Petroſelini,
Malvæ,
Saxifragiæ ana uncias duas,
Sem. Ceparum,
Cynosbati,
Fœniculi,
Milii Solis,
Urticæ ana unciam unam,
Baccar. Alkekengi,
Hederæ,
Juniperi,
Cort. Frangulæ,
Tamariſci ana unciam ſemis,
Ligni Guajaci,
Nephritici,
Saſſafras,
Cinamomi,
Macis ana drachmas tres.

Infundantur in vini Malvatici libris quatuor, & ſpiritûs vini libris duabus, per quatuordecim dies, exprimantur; expreſſis adde
Succi Fragorum,
Limonum,
Aſparagi,
Raphani,
Veronicæ ana libram ſemis,
Nucleor. Ceraſorum,
Perſicorum,
Prunorum ſylveſtrium,
Pulveris contra calculum,
Terebinthinæ Venetæ ana drachmas duas.
Deſtillentur ut artis eſt.

OBſtructiones renum aperit, ſabulum ex iiſdem & ureteribus propellit; terreſtrem ſubſtantiam, calculorum renum, & veſicæ genitricem diſſolvit, & lapillos jam procreatos ſenſim con-

..... *& in arenulas redactos educit; difficultatem inſuper urinæ faci... acrimoniam ejuſdem mitigat, mictionis variis vitiis occurr...*

ANIMADVERSIONES.

NAuſeam mihi movent conſimiles *inſulſæ compoſitiones*, quoties eas intueor, & miror magis, quòd tàm ſpecioſis encomiis ornatæ ſint: Pauca quippè ſunt, præſertim hujus, de qua nunc agimus, compoſitionis ingredientia, quæ cùm deſtillantur, aliquid virtutis è ſe expromunt, reliquorum verò virtutes intactæ in fundo remanent: Itaque ſi vel pauxillum ſaltem ex hac ſartagine elicere animus eſt, neceſſum erit, ut peractâ deſtillatione ad ſiccitatem uſque, *ex relictis in fundo ſpeciebus*, beneficio *ſpiritus vini extractum* conficiatur, quod ipſum *aquæ deſtillatæ* jungi, aut ſeorſim aſſervatum unà cum illa, quoties uſus poſtulat, propinari poterit.

AQUA USITATA AD OCULOS.

℞. Aloës hepaticæ,
Sarcocollæ ana drachmam unam,
Camphoræ,
Croci Orientalis ana drachmam ſemis.
Pulveriſentur omnia per ſe minutiſſimè; adde
Vini Cretici,
Aquæ roſarum ana uncias ſex.
Bulliant in duplici vaſe ſecundum artem.

MOrbis oculorum deſtinata, inflammationes, affluxus, nebulas, puſtulas, & maculas eorum ſanat.

ANIMADVERSIONES.

M*Ixturam hanc Ophthalmicam*, qui voluerit, ad præſcriptum modum parare poterit, quantumvis non opus eſſe arbitrer, ut fiat ebullitio in vaſe duplici, quin abundè ſuffecerit infuſio & digeſtio in va.. vel phiala clauſa, ne ſpirituoſiores *vini* & *aquæ roſarum* partes coquendo exhalent.

AQUA ODORIFERA.

℞. Herbarum Menthæ criſpæ,
Majoranæ,
Baſiliconis,
Thymi ana manipulum unum;
Flor. Lavendulæ,

 Flor.

Flor. roſarum rubearum,
Spicæ Nardi,
Origani ana pugillos duos,
Ireos Florentinæ,
Cinamomi ana unciam ſemis,
Caryophyllorum,
Macis,
Styracis Calamitæ,
Aſæ dulcis ana drachmas tres,
Gummi Ladani drachmas duas,
Ligni Rhodii unciam ſemis,
Aloës drachmam ſemis,
Vini malvatici,
Aquar. roſarum,
Corticum Citri,
Majoranæ,
Liliorum convallium,
Spicæ vulgaris ana uncias ſex,
Aceti Lavendulæ,
Roſarum,
Rubi Idæi,
Sambucini ana uncias tres.

Stent in digeſtione per decem dies, deſtillentur lege artis: In deſtillato ſuſpendatur ſacculus alboſericus, qui Santali citrini, Zibethi, Moſchi, Ambræ ana ſcrupulum ſemis contineat.

Debet etiam parari ſine contentis iſtis ſacculi, nomine aquæ odoriferæ incompletæ, pro averſantibus dictos iſtos odores.

Mirâ & ſingulari virtute excellentis fragrantiæ & ſuaviſſimi odoris ipſum cerebrum penetrat, ibidemq́ ſpiritus animales reficit: partibus externis impoſita, per continuum arteriarum pulſum etiam cordi communicatur, illudq́ jucundiſſimè refocillat.

ANIMADVERSIONES.

Haud inelegans eſt *aqua hujus odorifera compoſitio*, quam tamen ſi adhuc præſtantiorem conficere velis, accipias *herbas* & *flores recentes*, pro *aqua* autem *roſarum*, *ſpiritum earundem: Styrax* & *Ladanum*, *lignumq́ aloës* nodulo incluſa capitello vel ejus roſtro unà cum *Moſcho* & *Ambra* (ſi expetantur, aut medietati ſaltem *aquæ*,) imponas, atque hoc modo acquires *aquam fragrantiſſimam* & *efficaciſſimam*.

AQUA

AQUA PANACIS HERACLEI Composita.

℞. Rad. Pæon. decreſc. Lunâ collect. uncias tres,
Sem. ejuſdem unciam unam ſemis,
Papaveris albi unciam unam,
Sileris montani,
Viſci quercini ana uncias quatuor,
Myrrhæ electæ,
Caſtorei ana unciam ſemis,
Rad. Leviſtici,
Dictamni albi,
Zedoariæ ana uncias duas.

Infundantur per dies decem in loco calido, fimo aut arena, in aquæ Meliſſæ Majo menſe extillatæ libris quatuor, & vini aromatici odorati libris tribus. Poſtmodum lege artis deſtillentur.

Uterinis affectibus medetur, præſertim verò præfocationibus ac epilepſia per conſenſum matricis nata, menſes itidem ac ſecundas pellit, & flatus uteri diſſipat.

ANIMADVERSIONES.

PRæſtantiſſimum & efficaciſſimum medicamen è *compoſitionis hujus ingredientibus* ad denominatos affectus parari poſſet, ſi juxta modum noſtrum jam aliquoties indigitatum, ex iiſdem *eſſentia* conficeretur: Nimirùm deſtillando ex enumeratis ſelectioribus *ſpeciebus*, addito *vino odorifero* & *aquâ Meliſſa* abſque additione *aqua ſimplicis deſtillatâ*, *aquam ſpirituoſam fragrantiſſimam*: Deinde ex *reſiduis ſpeciebus* beneficio *ſpiritus vini extractum ſpiſſum* conficiendo, quod *aqua ſpirituoſa ſuperiori* jungatur, ſicque digeſtioni brevi *eſſentia* paretur, quæ filtrata tandem aſſervetur uſui.

AQUA PHYSOGONA.

℞. Sem. Aniſi probè contuſi libras duas,
Dauci ſylveſtris unciam unam,
Cinamomi acutiſſimi uncias duas,
Nucis Moſchatæ,
Macis,
Galangæ,
Caryophyllorum ana drachmas duas.

Trita infundantur in vini malvatici libris quatuor, per biduum aut triduum in loco calente: deinde deſtillentur lege artis.

VEntoſitates à frigidis & craſſis humoribus ſubortas diſſipat, ventriculi rugitus diſpellit, & inteſtinorum à flatibus & ventorum murmura diſcutit.

ANIMADVERSIONES.

HÆc *aqua* optimè juxta præſcriptum modum deſtillari poteſt; omnium enim ingredientium virtus & efficacia in ſubtili partium tenuitate conſiſtit, quæ tùm facilè unà cum *vino malvatico* deſtillatione per Alembicum elici poterit, Unum tamen huic *compoſitioni* ineſt, quod aliquatenus ſcrupulum mihi movet, nimirùm additio illa *ſeminis Aniſi ad duas integras libras*, quod pondus ſanè factâ comparatione ad *reliquas ſpecies* & *vinum malvaticum* proportionem excedit, exiſtimo tamen σφάλμα eſſe typographicum; ſufficient autem *ſeminis aniſi* ℥ *iv*, vel ℥ *v*, ad ſummum: Deſtillatio peragenda eſt in M. B. vel in ſegmentis lignorum aquâ irroratis, uſque ad ſiccitatem ſpecierum.

AQUA STAPEDIANA
PRIMA.

℞. Theriacæ Andromachi,
Mithridatii Damocratis ana uncias ſex,
Pulv. Elect. de Bolo apud Joubertum,
Bezoardici apud Nicolaum ana uncias duas,
Aquæ vitæ per balneum bis deſtillatæ,
Vini Malvatici,
Aceti rutacei ana libram unam,
Succi rad. Pimpinellæ,
Limonum ana uncias ſex.

Deſtillentur ſimul in balneo, ac ſtillatitio huic liquori conſervato in phiala vitrea, immiſce Theriacæ uncias ſex, maneantque ſic ſimul omnia, ut in fundo quieſcat Theriaca.

IN peſte morbisq́ malignis mirificas vires obtinet, ſudores potentiſſimè movet, unde venenatam materiam omnem dejicit, valetq́ plurimùm tàm in curatione, quàm in præſervatione.

AQUA STAPEDIANA
SECUNDA.

℞. Conditi pro familia libras duas,
Aquæ vitæ ſemel in balneo extractæ,
Vini malvatici,
Aceti rutacei,

Succi

Succi rad. Pimpinellæ,

Limonum ana libram unam.

I[illegible]ntur in balneo, ac extillato liquori, permiſce Theriacæ Andr[illegible]machi uncias quatuor, reſideat in fundo theriaca.

ANIMADVERSIONES

In Aquam Stapedianam primam & ſecundam.

QUàm inepta res ſit, *Theriacam & Mithridatium*, *ſpecies*, *quas Bolus Armena*, *lapidesq́ precioſi*, *aliaq́ preparata* ingrediuntur, item *Syrupos* & *Conſervas*, utpotè quæ maxima ex parte è *ſaccharo* conſtant, nec non *fructus*, qui violentam etiam coctionem ſine virium ſenſili jacturâ ferre queunt, leni alicui deſtillationi ſubmittere, jam ſat ſuperque in præcedentibus *Animadverſ. aquarum*, *Chyloſtagmatis Mindereri*, *Cordialis temperatæ*, *balſami embryonum*, aliarumque ſimilium demonſtravimus, quò benevolum Lectorem brevitatis ergò ablegamus. Proinde conſultiùs fore exiſtimo, ut ex ambarum harum compoſitionum ingredientibus infuſa ſaltem faciamus, abſque ulla deſtillatione, quippe quæ in *peſte aliisq́ morbis malignis* ipſis eorundem *aquis* longè efficaciora erunt.

AQUA STOMACHICA.

℞. Cinamomi acutiſſimi,
Caryophyllorum ana drachmas decem,
Calami aromatici,
Galangæ ana unciam unam,
Zedoariæ,
Zingiberis ana drachmas ſex,
Macis,
Nucis Moſchatæ,
Baccar. Lauri decortic. ana unciam ſemis,
Coſti Arabici,
Piperis longi,
Nigri,
Sem. Anisi,
Fœniculi ana drachm. tres,
Maſtiches electæ,
Olibani electi,
Myrrhæ ana drachmas duas ſemis,
Cortic. Arantiorum,
Citri ana drachmas duas,
Ligni Aloës optimi drachmam unam ſemis,
Santali albi,
Citrini ana drachmam unam.

Incidantur groſſo modo & contundantur, mixtis omnibus ſuffundantur

Vini Malvatici menſuræ quatuor.

Macerentur per octiduum in vitro benè clauſo, deinde deſtillentur in balneo mariæ: Liquor egreſſus, ſervetur uſui.

Vitia concoctionum in ſtomacho emendat, imbecillitatem ejuſdem corrigit, humores crudos ex pituita & bile, ipſis ventriculi tunicis impactos incidit, & attenuat, ructus atque flatus in ventriculo obortos, tollit & diſſipat.

ANIMADVERSIONES.

Efficacior hæc *aqua ſtomachalis* redderetur, ſi cum *extracto ex reſiduis à deſtillatione ſpeciebus parato*, nonnihil acueretur, aut ſi ad minimum *Maſtiche, Olibanum, Myrrha, lignumq́ aloës* in petia ligata ſub ipſa deſtillatione, Alembici roſtro immitterentur. Poſſet etiam ad ſaporem gratum conciliandum *ſyrupus de cinamomo, & de corticibus citri*, juxta noſtras *Animadverſiones* confectis, iſta edulcorari.

AQUA THERIACALIS BEZOARDICA.

℞. Rad. Valerianæ,
Tormentillæ,
Pimpinellæ,
Bardanæ,
Gentianæ,
Petaſitis ana unciam unam ſemis,
Angelicæ,
Dictamni albi ana unciam unam,
Enulæ Campanæ,
Zedoariæ,
Ariſtolochiæ rotundæ ana unciam ſemis,
Cortic. median. Fraxini manipulos quatuor,
Herb. Betonicæ,
Veronicæ,
Scabioſæ,
Cardui Benedicti,
Hyſſopi ana manipulum unum & ſemis,
Acetoſæ,
Agrimoniæ,
Fumariæ,
Rutæ,
Centaurii minoris ana manipulum unum.

Inci-

Incidenda incidantur, & contundenda contundantur, ac infundantur in

Vini albi Neccarici menſuris quatuor, &

Aqu. Valerianæ,

Scabioſæ,

Acetoſæ ana menſurâ anâ.

Adde

Theriacæ Andromachi, & communis, ana unciam unam ſemis,

Electuarii de Ovo unciam unam,

Boli Armenæ pulver. unciam ſemis.

Deſtillentur omnia lento igne, in Alembico benè occluſo, ſervetur uſui.

Præſtans eſt hac aqua in pellenda lue peſtifera, commotis nimirum & prolectis ſudoribus ſumpta: manè à jejuno dimidii cochlearis menſurâ pota, præſervativum eſt celebre, malignis quoque febribus potenter reſiſtit, & adverſatur.

ANIMADVERSIONES.

Æqualis eſt hæc *compoſitio ſuperiori Chyloſtagmati Diaphoretico Minderers*, iiſdemque ſcatet erroribus: Itaque juxta *animadverſiones noſtras* ſuper illud ipſum conſcriptas, etiam hujus *aquæ Bezoardicæ* dexterior præparatio commodè inſtitui poterit; Deſtillando nimirum *aquam* ex omnibus ingredientibus, exceptâ *Theriacâ*, & *Electuario de ovo*, ex reſiduis verò *ſpeciebus* beneficio *ſpiritus vini* conficiendo *extractum* juſtæ conſiſtentiæ, quod vel illicò *aquæ prædictæ* commiſceri, vel etiam ſeorſim aſſervari & tempore neceſſitatis cum eâdem propinari poteſt. *Theriaca* tùm ipſius *Andromachi*, tùm *communis*, item *Electuarium de ovo*, præfato *extracto*, vel *aquæ deſtillatæ* ſuperiori quidem admiſceri queunt; melius autem foret, ſi ſimilia *Electuaria* poſtulante demùm neceſſitate *aquis* & *eſſentiis* commiſcerentur.

TINCTURA ROSARUM SICCARUM.

℞. Flor. roſar. rubear. unciam ſemis,

Aquæ fontanæ puræ libras duas,

Spiritus vitrioli vel ſulphuris rectificati drachmam ſemis.

Stent ſimul in balneo mariæ tepido per horas quatuor: poſtmodum in colatura rubicundiſſima diſſolvantur ſacchari finiſſimi unciæ ſex, & denuò per chartam bibulam trajiciantur.

IN febribus aliisq; caloribus præternaturalibus inſigne refrigerativum, adeoq; ipſi hepati confortativum exiſtit, ventriculo etiam bonam digeſtionem promovet.

ANIMADVERSIONES.

TIncturà hac paratu facilis eſt, cum *aqua* ſcilicet *ferventi*, *Roſis* ſuperaffusâ, additaque *ſacchari* & *ſpiritus Vitrioli* quantitate competenti, pro grata aciditate: *Extractam tincturam* denique vaſe cui ineſt, benè cooperto, ſponte refrigerari ſinito.

AQUA VITÆ COMPOSITA.

℞. Cinamomi electi ℥ ſs,
Zingiberis ℥ j,
Caryophyllorum,
Nucis Moſchatæ,
Granorum Paradiſi ana unciam ſemis,
Ligni Aloës,
Macis,
Piperis longi ana drachm. duas,
Flor. Salviæ odoratæ libram unam,
Cardamomi,
Maſtiches,
Cubebarum,
Calami Aromatici,
Galangæ ana drachm. unam ſemis,
Flor. Roſarum rubearum drachm. duas,
Citrariæ unciam ſemis,
Corticum Citri drachmas ſex,
Baccarum Lauri unciam ſemis,
Stœchadis Arabicæ drachm. quatuor,
Roriſmarini,
Majoranæ,
Lavendulæ,
Meliſſæ,
Betonicæ ana drachmas ſex,
Rutæ unciam ſemis,
Caſtorei,
Spicæ Indicæ ana drachmam unam.

Pulveriſentur omnia groſſo modo, & infundantur per decem dies in vini ſublimati optimi libris decem. Deſtillentur lento igne in Alembico benè obturato, cui infundatur in petia
Ambræ cineritiæ,
Moſchi Alexandrini ana drachma ſemis.
Servetur optimè, ne evaporet.

Omnes

OMnes in univerſum corporis vires firmat, ſpiritus reficit, cor recreat, animi deliquia pellit, ſyncopas delet, vitales ſpiritus reficit, nec non calorem nativum languentem exuſcitat.

ANIMADVERSIONES.

I*Nſignis hæc compoſitio*, pompoſam illam *Elixiris vitæ Matthioli* compoſitionem longè ſuperans, abſque ulteriori correctione confici poteſt: Attamen *lignum Aloës* gummoſum & odoratum, *Maſtiche* item, *Moſchus* & *Ambra*, in petia ligata Alembici roſtro imponenda ſunt, ac ultimò etiam prolecta *aqua vitæ Syrupo aliquo*, vel *Cinamomi*, vel *Citri*, aut *Iulepo Roſarum*, juxta modum noſtrum in *animadverſionibus ejuſdem* edoctum, parato, ad ſaporis gratiam edulcoranda erit

Cæterùm in aſſignato exceſſivo pondere *Salviæ* florum ſuſpicor commiſſum eſſe vitium typographicum, nulla enim hujus *ad reliquas ſpecies & liquorem affundendum* eſt proportio: Meo judicio ſufficiet unciam unam vel duas ad ſummum dictorum *florum* recepiſſe, leves enim ſunt & ex uncia una ipſorum ſatis magna exſurgit quantitas.

AQUÆ CUM VINO.

Aqua Abſinthii,
Agrimoniæ,
Betonicæ,
Cardui Benedicti,
Cinamomi,
Eupatorii Avicennæ,
Lavendulæ,
Liliorum convallium,
Meliſſæ,
Pulegii,
Salviæ hortenſis,
Veronicæ.

AQUÆ DESTILLATÆ SIMPLICES.

Aqua Acetoſæ,
Acetoſellæ,
Agrimoniæ,
Anagallidis,
Angelicæ,
Artemiſiæ,
Baptiſeculæ,

Aqu:

Aqua Betonicæ,
Betulæ arboris,
Borraginis,
Bugloſſi,
Burſæ paſtoris,
Cancrorum cum ſale Armon.
Caponis,
Cardui Benedicti,
Cardui B. Mariæ,
Caudæ equinæ,
Centaurii,
Centinodii,
Chelidoniæ,
Ceraſorum nigrorum,
Chærefolii,
Chamomillæ,
Cichorii,
Cinamomi,
Conſolidæ regiæ,
Cornu cervi ex apicibus,
Corticum Citri,
Craſſulæ,
Ebuli ex baccis,
Endiviæ,
Euphraſiæ,
Eupatorii Avicennæ,
Fabarum ex floribus,
Farfaræ,
Fœniculi,
Fragorum ex fructu,
Fumariæ,
Gentianæ ex radicibus,
Hederæ terreſtris,
Hirundinum,
Hyſſopi,
Ivæ artheticæ,
Lactucæ,
Lapathii acuti,
Lavendulæ,
Leviſtici,
Linariæ,
Lilior. convallium ex floribus,
Lilior. alborum ex floribus,
Liguſtri florum,

Aqua Majoranæ,
Malvæ,
Mellis,
Meliloti,
Meliſſæ utriuſque,
Menthæ,
Nymphææ ex floribus albis,
Naſturtii,
Omnium florum,
Ononidis,
Papaveris utriuſque,
Petroſelini,
Pæoniæ ex floribus,
Pulegii,
Primulæ Veris ex floribus in pelliculis,
Picarum,
Plantaginis utriuſque,
Portulacæ,
Prunellæ,
Roſarum utrarumque,
Raphani ex radicibus,
Roris Majalis,
Roriſmarini,
Rutæ,
Salviæ utriuſque,
Sambuci ex floribus,
Sambuci ex floribus & uvis,
Saxifragiæ,
Scabioſæ,
Scordii,
Sempervivi majoris,
Sempervivi ex ſale Armoniaco,
Sigilli Salomonis,
Solatri,
Spermatis Ranarum,
Squamariæ,
Saturegiæ,
Spicæ ex floribus,
Taraxaci,
Tiliæ ex floribus,
Tormentillæ,
Tunicæ ex floribus,
Valerianæ,
Verbenæ,

Aqu. Veronicæ,
Violarum ex floribus,
Vitium lachrymarum,
Urticæ.

VINA MEDICATA.

Vin. Berberorum,
Cydoniorum,
Granatorum,
Ribium.

ANIMADVERSIONES
In Aquas deſtillatas ſimplices, cum, & ſine Vino, ac Vina Medicata.

DE *aquis ſimpliciter deſtillatis* acturi, maximè neceſſarium fore judicavimus, ut paulò accuratiùs de illis, quàm in præſens ab Authoribus (eas duntaxat recenſendo) factum eſt, & diſtinctius loquamur, eòque magis, quòd vel pauci vel nullus adhuc fuerit viſus, qui de his quicquam dilucidè, quod animum veritatis & diſcendi avidum ſatiare poſſet, ſcriptis commendârit. Proindè cùm non tam ex *vegetabilibus*, quàm *animalibus* & *mineralibus aquæ* ſimpliciter deſtillari præcipiantur, uno autem & eodem deſtillandi modo commodè & dextrè perfici nequeant, præſtat ut *ſingula regna* ſigillatim, quantum experientiâ edocti ſumus, paululùm percurramus. Sit autem *minerale regnum*, quod reſpectu reliquorum fixiora imò fixiſſima ſubjecta habet, primum, in quo non pauca reperiuntur, quorum ſubſtantia integra, licet in baſi fixa dici mereantur, partes tamen habeant nonnullas volatiles, quarum virtutes prægreſſâ quidem fermentatione, aut reiteratâ cohobatione, ſimplici & communi per Alembicum deſtillatione ex parte, vel etiam totaliter pelli queunt; in quorum numero *Vitriolum* non infimum locum obtinet, *Alumen* item, quod ferè totum Alembicum tranſit, item *Nitrum* competenti vehiculo ſociatum, utpotè *Mannâ*, *rore majali* vel *aquâ pluviali*, *&c.* Simpliciter autem hæc & ſimilia ſine prægreſſa competenti digeſtione, aut reiteratâ cohobatione, vel analogi menſtrui affuſione, deſtillationi commiſſa, (quod communiter in *compoſitionibus aquarum antecedentibus* factum eſſe obſervavi,) non eſt, quòd nobis quicquam de virtutibus eorum promittamus. *Metalla* verò, *lapides* & *gemmæ plurimæ*, quæ quam ineptè & perperam deſtillationibus, in cucurbita vel Alembico, affuſo inſuper liquore perficiendis, committantur, quilibet agnoſcet, qui eorum naturas & proprietates aliqualiter perſpectas habet, aut experimentum facere non gravabitur: Et poſito, non autem abſolutè & univerſaliter

liter conceſſo, *metalla*, nec non *lapides precioſi candefacti*, inque *liquore* extincti, communicarent quandam virtutem extinguenti liquori, non propterea, quantilla etiam illa ſit aquæ communicata, & nil aliud niſi particula *metalli* vel *lapidis ſoluti* eſſe poteſt, deſtillata per Alembicum tranſcendet, ſed in fundo cucurbitæ, etiamſi centies affuſo liquore deſtillaretur, reſidua manebit; quippe quòd clarè & perſpicuè demonſtrant *ſolutiones metallorum & lapidum precioſorum*, item *Margaritarum*, *Coralliorum*, *&c. aquis corroſivis* peractæ, quæ quoties etiam à ſuo menſtruo ſolvente per deſtillationem liberentur, non ſolùm integrè in reſiduo maneant, ſed utplurimum ſolventis menſtrui *acorem*, aut *ſal acidum*, iis aſſociatum, & in aliud ens converſum, ſecum retinent, non niſi ignis violentiâ ſeparabile, cum deſtructione autem (exceptis *metallis*) rei vel *lapidis diſſoluti*.

Hoc breviter abſoluto, *animale regnum* ſuccinctè etiam & breviter percurramus, in quo quidem plurima nobis ſuppetunt notatu digna, Medico inſuper ſcitu neceſſaria, niſi & illa ipſa cauta eſſe debeant quibuſdam malevolis, adeòque ſtudio plurima ſilentio tranſilientes, *carnes ſaltem animalium*, quæ in hac claſſe multoties, deſtillationi concinnantur, utpotè *capones*, *hirundines*, *&c.* paucis examinemus, ubi primùm de natura vel proprietatibus *animalium*, an nimirum fixa ſive volatilia ſint, quædam examinanda occurrunt, quæ niſi exquiſitè cognita ſint, nil proficui effecerimus. Non loquor autem in præſens de *vivis animalibus*, de quibus ſupra, ſed de *mactatis ſalutiferis & eorundem carnibus*, *oſſibus*, *ſanguine*, *&c.* quæ cuncta volatilia eſſe deprehendimus, ita tamen, ut violentiorem ignem deſiderent deſtillationi commiſſa, quàm quædam *vegetabilia balſamica ſulphurea*, propterea nil quicquam illis, ſive cum aquâ fortiter coquantur, aut per ſe aſſentur, & vel totaliter etiam exſiccentur, de viribus vel eſſentia eorum detrahatur, ſed *humiditas* ſaltem *elementaris* exhalat, donec violentiori igni admota, ex integro comburantur, ſic tota eorum ſubſtantia ferè avolat, relictâ *pauculâ terrâ* mortuâ inutili; ſed de his fuſiùs in *animadverſionibus ſuper appendicem claſſis decimæ quartæ*, quas Lector conſulat. Quibus ita ſe habentibus, experientiâ teſte, quid nobis promittimus per ſimplicem deſtillationem, affuſo inſuper liquore, ex illa vulgò tradita, à vapore exhalante, aquea humiditate omni virtute carente? Quis enim, ut ſeſe ſaturare poſſit, aut vires collapſas reſtaurare, *vaporem aqueum*, coquendo à carnibus exhalantem appetit, non verò *carnes ipſas*, vel earum *juſcula nutritiva*? Et quamvis nonnulli aſſerant, quod vapor quorundam eduliorum, *panis* nimirum *recentis*, *carnis aſſatæ*, *&c.* macie & maraſmo conſumptos reſtauret & nutriat, id tamen & veritati & experientiæ repugnat. Nam ſi hoc verum eſſet, conſultius foret, uti ſuperiùs etiam innui, *crudis* veſci

carnibus,

carnibus, quàm *coctis* & *aſſatis*, *vapore nutritivo ſpoliatis*, aut in Alembico vel cucurbitâ ſuo capitello munitâ illa ſemper coquere, & vaporem unà cum *carnibus*, cùm coctis, tùm aſſatis aſſervare, & nutritioni accommodare, ſed cachinno digna hæc ſunt: Vellem, ut qui pertinaciter antiquorum tradita defendere nititur, experimentum faceret, *carnes* ſive *caponum*, ſive aliorum *animalium*, in balneo fortiter coquat, ad totalem etiam earundem exſiccationem, & experietur, quàm inſignem ſcilicet *aquam nutritivam* & *confortantem* adipiſceretur, quam ſibi ſervet; nos verò *carnibus coctis* & *pane*, ſi ſani & incolumes, vel *juſculis* aut *gelatinis* eorum, ſi à morbo aliquo diuturno debilitati & exinaniti fuerimus interim ſpreto eorum vapore, veſcemur. Et ut verba ad compendium referam, quæ ſuperſunt de *animalibus* & illorum deſtillationibus, ex ſuperioribus noſtris *Animadverſionibus claſſis undecimæ ſuper Trochiſcos*, item *ſuper Balſamum embryonis*, *aquam caponis*, & *hirundinum* factis, peti poſſunt.

Tranſeamus jam ad *tertium illud regnum vegetabile*, quod quàm diverſas & multifarias habeat ſpecies, & quàm exactâ cognitione opus ſit iis, qui eas dextrè deſtillare velint, ne *cortices nucleis* præferant, vix ſufficienter deſcribi, nec univerſalis deſtillandi modus aſſignari poteſt, quo cuncta *vegetabilia* dextrè deſtillari queant, ut *aquæ* ex illis prolectæ, verè eorum virtutes æmulentur: Quædam enim ipſorum ità nata ſunt, ut affuſo liquore, ceu vehiculo, in quem virtutes deponant, deſtillata, potiorem ſuam eſſentiam & virtutes unà cum ſapore & odore per Alembicum tranſmittant, ac inſipida in reſiduo remaneant, ſolo *ſale fixo* (quòd operæ precium eſt aſſervare,) ſi ulterius crementur, aut in cineres redigantur, prægnantia, ex quorum numero ſunt, *Cinamomum*, *Caryophylli*, *Aniſum*, *Carvum Fœniculum*, *&c.* Quædam verò duntaxat odorem rei deſtillatæ repræſentant, non verò ſaporem, in quorum ſerie amara & dulcia deprehenduntur, utpotè *Abſinthium*, *Opium*, *Tanacetum*, item *Roſæ*, licet eorum *olea deſtillata* aliquali ipſorum ſapore imprægnata ſint, non tamen æquè manifeſtè, ac ſuperiorum prædictæ *aquæ*, quod ipſum non levem dubitandi anſam præbet, an nimirum ſimiles *aquæ* utcunque odoriferæ, integris dictarum *plantarum* viribus ditatæ ſint. *Tertium genus vegetabilium* ſimilibus deſtillationibus per Alembicum affuſo liquore, planè inhabile & ineptum eſt, eò quod hujus generis *vegetabilia* jam denominanda, neque ſaporem, neque odorem (quo nonnunquam vel penitus deſtituuntur, aut vix ſenſibili imbuta ſunt) proprium in deſtillatione fundant, ſed *aquam duntaxat* vel *humiditatem inſipidam*, communi ſimilem, omni virtute expertem, ex. gr. *Fructus complurimi dulces* & *acidi*, utpotè *Berberes*, *Ribes*, *Myrobalana*, *Pruna*, item *ſuccus Liquiritiæ*, *ſaccharum*, *mel*, non paucæ *radices*, *herbæ*, *flores*, *ſemina*, *ligna*, *gum-*

gummata, &c. Horum enumeratorum & ſimilium nullum, uti dictum, nec ſaporem, nec odorem proprium, niſi fortè exiguum & vix perceptibilem, neque etiam, (quod in *purgantibus* ſive *catharticis* manifeſtiſſimum eſt,) virtutes proprias *aqua deſtillata* impertitur. Porrò ex *herbis* aut *radicibus*, *aliisvè vegetabilium ſpeciebus*, *vi adſtringente manifeſtiſſimâ ac ſtipticâ præditis*, utpotè *Tormentillâ*, *Biſtorta*, *Sanguiſorbâ*, *radice acetoſa*, *flor. Balauſtii*, *Prunis ſylveſtribus*, *ſuccis Acacia*, *Hypociſtidis*, &c. nec tantillum de dictis eorum virtutibus deſtillatione cum liquore affuſo, exprimi ac elici poteſt; remanentia autem eorum terreſtrior à deſtillatione, adſtrictoriâ virtute quàm maximâ pollet, quâ aqua ab iis deſtillata penitùs deſtituitur. Atque adeò in vanum laborant, & cribro aquam hauriunt, qui ex ſimilibus *rebus adſtringentibus*, curioſâ licet ſolertiâ deſtillatis, ſingulares *aquas ſtipticas* ſibi pollicentur. Quæ cùm reverà ita ſe habeant, non iniquè aut ſine ratione in plurimis antecedentibus compoſitionibus, quantum in conglomerata illa & ſæpiùs perperam congeſta, ingredientium farragine fieri potuit, eò reſpexi, ut vires integras in *compoſitis* conſervarem, cùm *aromaticalium* & *balſamicorum*, tùm aliorum *vegetabilium*, ac ipſorum etiam *animalium*. Et quilibet ex præmiſſis facillime cernet, quod haud prudenter, & ſine omni naturalium rerum verâ cognitione & ſcientiâ cuncta cùm *mineralia*, tùm *animalia*, & promiſcuè etiam omnis generis *vegetabilia* & *marina*, uni & quidem ſimplici deſtillationi, in *M. balneo*, *arenâ* vel *veſicâ*, affuſo liquore peragendæ, concinnentur. Proindè neceſſum erit, ni poſteris etiam ludibrio exponi velimus, ut penitiùs rerum eſſentias & naturam perveſtigemus, ac ſtudioſè obſervemus, quarum rerum virtutes per ſimplicem lenemque, quarum per aliam artificioſam & violentiorem *deſtillationem* & *ignem*, ad totalem illarum *combuſtionem* nimirùm, & quarum etiam per *extractiones* & *decoctiones* potiùs virtutes ac eſſentiæ elici, quæque etiam crudè vel in ſubſtantia, nutritionis & confortationis, vel etiam alterius intentionis causâ aſſumi poſſint, ne in tot præcipitemur inexcuſabiles errores, nullo modo continendos; cùm ſi dextrè & debitè operemur, in proximi ſalutem, ſin ſecus, in ejus detrimentum & interitum vergat.

Poſito hoc diſcurſu generali de *tribus ſimplicium regnis*, & eorum contentorum naturis, incumberet nobis, ut etiam adjiceremus, quâ ratione ſingula artificioſè & dextrè deſtillanda ſint, ut eorum *aqua*, *ſpiritus*, & *oleo deſtillata*, propriarum rerum, è quibus prolecta, virtutes ac vires referant, iiſdemque abundantur prægnata ſint. Verùm hæc non exiguum judicii acumen poſtulant, ſed verum, longâque experientiâ edoctum Philoſophum: Et cùm fortè hac in parte unicuilibet, & quidem in præſens, ubi brevitati ſtudeo, ſatisfacere nequeam, præſertim in *minerali regno*, quod totam Chymiam in-

 volvit,

volvit, ac brevibus coërceri & perſtringi non patitur, idcircò illud (ſaltem *quoad mineralia*) mihi in aliud tempus, DEO dante, ubi experientia rerum magiſtra plura ſuppeditabit, eaque realia, *vera* & digna, reſervo, additurus tamen pauca, anſâ arreptâ & materiâ ſuppeditante in ſequenti *Mantiſſ. Animalia* quod ſpectat, de his ſufficienter actum eſt in *Animadverſionibus ſuper appendicem Claſſis decima quarta, aquam item hirundinum*, & *cornu cervi philoſophicè praparatum in ſequenti Mantiſſa*, ex quibus qualiter & quomodo deſtillanda, aut alio modo virtutes ex iis eliciendæ ſint, dilucidè patet. Reſtat nunc, ut *vegetabilia* paulò penitius perveſtigemus, atque genuinos & faciles eorum deſtillandi modos, ſi deſtillationi apta ſint, inferamus: Pro quorum meliori dilucidatione, diligenter & penſiculatè ruminentur ea, quæ ſuperiùs paulò de differentia *vegetabilium* inculcavimus, item quæ de *vegetabilium* quorundam deſtillatione & reſolutione in *Animadverſionibus ſuper aquam aſthmaticam hujus Claſſis*, nec non quæ de *eſſentiis aut ſpiritibus vegetabilium in Animadverſionibus earundem ſequentis Mantiſſa* innuimus, in quibus non ſolùm, qualia *vegetabilia* huic vel illi deſtillationi apta vel inepta, quæque *extractionibus* aut *decoctionibus* potiùs, vel in ſubſtantia ut aſſumantur, accommodata ſunt, verùm etiam eorum præcipuæ & artificioſiores *aquarum deſtillationes* & *eſſentia* luculentiſſimè & ſatis clarè patent. Proindè ut ſimpliciſſimam ſaltem *aquarum ex vegetabilibus* deſtillationem, de qua ex inſtituto jam ſermo eſt, brevibus indigitemus, præſtat ut Chymicorum quorundam, *ſimplicium aquarum ex ſuccis, ſuo proprio ſale acuendarum, deſtillandi modum* ſub incudem etiam rectæ rationis & experientiæ revocemus: An nimirum tota *plantarum* virtus, *ſuccis deſtillatis*, cum reſiduo ex incineratis herbis prolecto *ſale* maritatis, implantata vel ſufficienter impreſſa ſit? & ex quibuslibet *plantis ſuccus* exprimi poſſit: An ſufficienti & competenti in quantitate, *ſal* ex reſiduis ſaltem à deſtillatione *plantis* elici, ut debito & proportionato pondere *aquis* & *ſuccis ſtillatis*, jungi queat: Et tandem an ea in quantitate, quâ exiguntur, & à vulgo expetuntur *aqua* hâc normâ ſufficienter deſtillari poſſint. Quæ neceſſaria requiſita ſuis certè non carent difficultatibus haud exiguis. Præ primis plurimæ *planta* & *herba*, *ſiccioris* & *balſamica natura*, ita natæ ſunt, ut non ſolum exiguam *ſucci* portionem, imò aliquando nullam omninò, utut fortiſſimè ope torcularis premantur, verùm etiam illum ipſum *ſuccum* (ſi quem præbent) odore tàm fragranti, quàm *planta* antea pollebat, imbutum, minimè ſuppeditent, reſiduæ verò à preſſura *planta* etiamnum humidæ, & odore & virtute propriâ uberrimè prægnantes remanent, atque ideò hæ ſaltem *odorifera ſicciores*, & *balſamica herba*, hoc deſtillandi genus planè reſpuunt, alioque modo tractari, & liquorem ſibi affundi, vel ſtatim *ſequenti ſimplici deſtillationi* in

ſubſtan-

ſubſtantia committi exoptant. Porrò ex *floribus* quibuſcunque, paucis exceptis, quorum *aqua* tamen frequenter expetuntur, vel nullus omninò, vel exigua *ſucci* quantitas, iſque totus mucilaginoſus exprimi poteſt, remanentibus *floribus* viribus integris adhuc præditis, niſi quòd quidam ſuâ fragrantiâ, quâ antea pollebant, per contuſionem in mortario penitùs etiam priventur, & neque *ſuccus* ab iis expreſſus, neque *flores relicti* odorem proprium, ſed ingratum veluti fœtorem ſpirent. Quæ autem paulò *humidiores* vel *ſucculentiores plantæ*, & ad *ſuccum* exprimendum aptiores, illæ ipſæ etiam vel *balſamico & fragranti odore* præditæ, vel *inodoræ* & *terreſtriores* ſunt: *Illæ* ſi exprimantur, earum *ſuccus*, uti ſuperius etiam dictum, tantâ fragrantiâ non gaudent, ac reſiduæ à preſſura *plantæ*, idcircò & harum tota ſubſtantia deſtillationi commiſſa, *aquam* ſuppeditabit majoribus viribus præditam, quàm ſi ex ſolo *ſucco* deſtillata eſſet: *Hæ* verò *inodoræ* ſive integræ vel in ſubſtantia, ſive earum *ſuccus expreſſus* deſtillationi adaptetur, potiores tamen earum virtutes in reſiduo concretæ remanent, & *aquæ* ipſarum *elementarum* potiùs indolem, quam ſingulares virtutes ſapiunt. Hinc patet, quòd *aquæ hæ* in genere ex *ſuccis* deſtillatæ, licet proprio ſuo *ſale* maritatæ ſint (qua in re tamen non leve obſtaculum ſeſe offert, uti ſequetur;) viribus nativis & integris tamen truncatæ proſtent.

De *ſale* addendo & *aquis deſtillatis* admiſcendo, non exigua etiam difficultas eſt; Nam *plantæ humidiores* & *ſucculentiores* copiosè *ſuccum* & *aquam* ſuppeditant; ex reſiduo autem & remanentibus à preſſura ſive deſtillatione tanta copia *ſalis* extrahi nequit, ut in competenti, quâ exigitur quantitate, *aquis deſtillatis* jungi poſſit; Sat magna enim quantitas *herbarum* communiter requiritur ad *unciam unam* vel *alteram* conficiendi *ſalis*, ſuntque *plantæ* quædam ita conſtitutæ, ut vix ſenſibilem *ſalis fixi* præbeant particulam, utpotè *Helleborus*, item *lignum ſanctum*, ex quo niſi ſingulari artificio *ſal fixum* extrahatur, vix quicquam illud calcinando vel in cineres redigendo elicietur: Adeoque ridendi ſunt illi, qui ſæpenumerò vix ex *dimidia* vel *libra una ſpecierum*, peractâ aquæ deſtillatione aut extractione *ſal* extrahi, illudque *aquis deſtillatis* vel *extractis* jungi præcipiunt: Unde neceſſum eſt, ubi *ſale proprio aqua deſtillata* prudentiſſimè quidem & dextrè acui jubentur, ex majori *plantarum* copia (præſertim ſi ſucculentæ fuerint,) quàm quæ à deſtillatione reſidua eſt, *ſal purum* eliciatur, tandemque *aquæ ſuæ propriæ* in competenti quantitate adunetur, nimirùm ad ℔ *j aquæ* addendo *drach. ij* vel *iij ſalis*: Hunc autem *ſalem*, ſi prius proprio à *planta oleo deſtillato* (*drach.* ß, vel etiam *drach. j olei deſtillati* ad ℥ *j ſalis*) impregnare, & in phiala ſpatio aliquot dierum lento cinerum calore circulari & exactè uniri, tandem unita *aquis* jungi volueris, *aquas* efficies, quæ *eſſentiæ*, uti vocant, *quintæ* nomine

divendi poſſunt, viribusque integris *plantarum*, ex quibus elicitæ ſunt, uberrimè prægnantes.

Tertium quæſitum eſt, quod licet *Officinarum ſimplices aqua deſtillatæ*, ob copioſam *aqua fontana* affuſionem minimè arrideant, & nullius ferè efficaciæ ſint, maximè quæ ex frigidioribus *plantis* paratæ, ex *ſuccis* tamen *ſolis*, ſi deſtillandæ eſſent, tantâ copiâ, in qua nunc à vulgo, imò Medicis ipſis deſiderantur, præſertim ex paulò naturâ *aridioribus plantis*, vix ac ne vix quidem ſufficienter parari poſſent, etiamſi Pharmacopœi ſolis *aquarum deſtillationibus*, & non aliis rebus operam ſuam occuparent; accedit quòd hodiernò die tàm vili precio *aqua deſtillata* ex Officinis petantur, ut ſi accuratè & dextrè, ſive ex *ſuccis*, ſive, uti ſequetur, ex *tota planta*, ſuo *ſale* ritè acuatæ confici deberent, ne *carbones* ad deſtillationes neceſſarios, multò minùs *plantas* illo ære comparare ſibi poſſent Pharmacopœi, ne dum ut debitum pro labore ferrent præmium.

His fundamentis nixus, non ſuſpicor ullum fore, qui non plenariam de *aquarum deſtillationibus* informationem excerpere, & *vegetabilia* huic vel illi intentioni apta ſibi ſeligere poſſit. Ultimum nunc eſt, ut *ſimplicium aquarum* communiſſimum deſtillandi modum, qui nobis arridet, parumper indigitemus: Perplacet autem præ cæteris ſimplicium aquarum deſtillandarum modis, (ſi ritè & debitè confici debent, & debito ære perſolvantur,) is ſimpliciſſimus, qui etiamnum mulierculis familiaris eſt, & in *cucurbita plana & humili ſuo capitello munita*, quam ſuper arenam vel ſabulum madefactum, ſub quo ignis carbonum accenſus, collocant, eidemque *herbas* contuſas vel conſciſſas abſque *aqua ſimplicis* affuſione immittunt, peragitur.

Hic modus, licet communiſſimus, non tamen ridendus vel ſpernendus eſt, ob diverſas rationes: Etenim quò magis ſublimia *aqua* petere, aut in altum elevari debent, eò minùs de partibus rei deſtillandæ fixioribus (quibus ſanè non exigua vis & efficacia operandi attribuenda,) præſertim *herbarum quarundam frigidiorum*, ſecum rapiunt. Quem modum, ſi Pharmacopœi ſolertiores imitari, vel juxta eundem paulò artificioſius ſimilem deſtillationem inſtituere vellent, ſuaderem ut *plantas*, quas ſine additione *aqua ſimplicis* deſtillare intendunt, conciſas minutim retortæ vitreæ & humili immitterent, & ex illa in M. B. vel quod melius *ſegmentis lignorum humidis* locata, ſubligato annulo plumbeo, qui retortam deprimat, quàm violenter etiam in tali deſtillatione poterunt, *plantas* ad ſiccitatem uſque deſtillarent; Qui modus equidem in *plantis ſucculentis* maximè locum habet. Si autem *herba* (de *floribus* aliiſque eadem ratio eſt,) aridiores fuerint, illæ nonnihil vel *vino*, vel *aqua ſimplici* priùs humectandæ ſunt. Verùm enim verò qui in arte deſtillatoria probè verſati ſunt, & gradus ignis dextrè regere ſciunt, illi *in retorta vitrea*

trea loricata igne aperto moderato, hanc herbarum & plantarum, (ſive ſucculentarum, ſive paulò aridiorum,) deſtillationem faciliùs minori cum labore, & laudabiliùs peragere poſſunt, modò obſervent, ut furnum habeant, aut ſibi exſtruant ſatis altum, ne retorta, cui *herba deſtillanda* ineſt, igni proximè adhæreat, ſed quantum fieri poteſt, remota ab igne, in altum collocetur, & ſupra retortam furnus etiam claudatur, relicto foramine vel ſpiraculo in medio, ut in deſtillatione ſpirituum mineralium aliàs moris eſt. Atque *hâc ſimplici deſtillatione* non ſolùm partes *ſulphureæ*, ſed & fixiores (impropriè terreſtriores dictæ) ex plantis aſcendunt, & *aquas* nobilitant; quas tamen ſi adhuc efficaciores reddere, aut proprio ipſarum *ſale* acuere animus eſt, ex reſiduis à deſtillatione *plantis*, aliiſque adjectis, (ſi hæ non ſuffecerint) mediante calcinatione *ſal* confici, & illis debito & competenti pondere jungi poteſt. Juxta eundem modum etiam *olea* ex *Aromatibus* nonnullis commodè deſtillari poſſunt, nimirum irrigando priùs *Aromata* pauculo *vino*, poſtea igne paulò intenſiori, quem maximè hic ipſe deſtillandi modus ferre poterit, ſine ambuſtione tamen rerum deſtillandarum procedendo: plura quæ ſuperſunt, de *oleis deſtillandis vegetabilium* monenda, in ſequenti *Mantiſſa*, & ſub proprio titulo patebunt.

Hæc ſunt quæ paucis de *deſtillationi vegetabilium* in genere annotare volui, è quibus, quæ ex præcedentium *compoſitionum* ingredientibus deſtillationi apta vel inepta, & quibus *aquis deſtillatis* conſultum ſit ex reſiduis paratum *extractum* addere, quæ denique *decoctionibus* vel *eſſentiis* parandis potiùs quàm deſtillationibus accommodata ſint, clarè ſatis patebit.

Reliqua jam adhuc ſunt *vina medicata* (quæ non niſi analogicè hoc nomine veniunt; ſunt enim tantum *ſucci vegetabilium* cum modico *ſacchari* decocti, vel crudè aſſervari:) quæ qualiter exprimere & ſine corruptione aſſervare oporteat, Pharmacopœis ſatis ſuperque notum eſt, idcircò ipſorum præparationem intactam relinquens, hoc ſaltem moneo, ſcilicet cùm talia *vina medicata* deſtillationibus planè non accommodata ſint, ea impoſterùm deſtillationi ſubmittenda non eſſe, uti quidem in hoc Diſpenſatorio ſæpiùs, verùm prorſus inutiliter & perperam factum eſſe video.

ACETUM DE LITHARGYRO.

℞. Lithargyri ſubtiliſſimè triti libram unam,
Aceti fortiſſimi libras duas.

Stent ſimul in infuſ. per tres vel iiij dies, ſæpiùs interdiu agitando. Poſt macerationem reſidere ſinito, & clariſſimum reſervetur pro uſu.

IN perpolienda cute & ulceribus humidis, fœtidis & malignis exſiccandis magnificus ejus uſus. Cum oleo Sambuci vel Violarum com-

commixtum in ſerpigine, herpete & inflammativis doloribus magno cum commodo applicatur.

ACETUM SCILLITICUM.

Scillæ præparatæ laminas inter corticem & cor medias, acu ligneâ filo conſutas, tanto intervallo ne ſe contingant, ſiccabis in umbra dies quadraginta: poſtea conciſam cultello ligneo libram unam dies alios quadraginta inſolabis in aceti boni (videlicet albi antiqui) libris octo, in vaſe vitreato ſtricti orificii benè obturato; poſtmodum colabis & uteris. *Nicolaus* ſumit

Scillæ pane involutæ, & in clibano aſſatæ ſeu coctæ, libram unam ſemis,

Aceti acerrimi libras ſeptem, ac in vaſe vitreato per dies quadraginta inſolat.

Si verò accelerare cogeris, ſepeli vas in calido cinere, vel ſabulo, non repentè, ſed paulatim, horarum aliquot ſpatio intercedente.

CUm aceti hujus vires ſic bellè deſcribat Galenus, ideo ejus textum huic loco inſerendum meritò duximus, qui ſic habet. Acetum ſcillinum, quo omnes Imperatores uſi ſunt, ab ipſius Auctore fertur, quicunque hoc utatur, longa vita fore, & ejus extrema integra uſque ad finem permanſura. Et ipſe quidem Samius ſenex hujuſmodi extitit: quantum enim temporis vixerit, haud ignorat, de ipſo in libro traditum eſt, quod cum ſuis conſanguineis hanc facultatem communicavit: cumque hoc medicamento uti incepit, quinquageſimum annum natus erat, & uſque ad centeſimum decimum ſeptimum vitam produxit integer, & nulla unquam adverſa valetudine tentatus. Hac ſanè medicamenti author diſſeruit, quòd fortaſſe vir Philoſophus erat, mentiri neſcius. Nos verò viri hujus fidei periculum fecimus, ac firmam conſtantemq́ hujus medicamenti facultatem eſſe teſtamur. Oportet igitur ſumere Scillam montanam libra unius ponderis, & dura circumcidere, & mollia minutatim concidere, & aceti acerrimi ſextarios octo in vitreum vas mittere, atque obturare, ac per triginta dies in canicula caloribus, ut maceretur, permittere: deinde Scillam extractam exprimere. Id genus aceti parum manè ſorbeto.

Tibi autem hæc evenient, ut ne faucium oriſq́ partes unquam remolleſcant, os ventriculi benè valebit, facilè ſpiritum duces, vox rectè habebit, oculi acutiſſimè cernent, aures in officio manebunt, nullusq́ flatuoſus vapor in ventre unquam excitabitur, nullum viſcus ſuſpenſum erit, & benè ſpirans, benè coloratus deges. Ad civilia negotia rectè affectus, non acidum, non ſalſum ructabis, ſi aliquid aceti hujus aſſumpſeris: & jejunus ut aſſumas præcipio, ſeptemq́ poſtea ſtadia deambules, ita enim diſſolvetur. Hoc aceto qui utitur, in victu

quamvis

quamvis licentioſus eſto: omnia enim cibaria conficiet, & à nullo unquam offenſam patietur: neque valdè implebitur, ſed in melius proficere videbitur. Nihil ſupervacui in corpore reſidebit, non flatus, non bilis, non ſtercus, non urina, ſed omnia facilè excernit atque educit. Alvus lubrica omnino eſt, totiusq; corporis purgatorium medicamentum, etiamſi in oſſibus ſordes inhæreant. Item Phthiſicos ab omnibus deploratos hoc medicamento ſanitati reſtitutos novimus. Morbo Comitiali diuturno efficaciter profuit, ut niſi poſt longa temporis intervalla non redierit: incipientem verò ac novum perfectè diſcutit, neque reverti ampliùs hunc affectum permittit. Ad podagras præterea, & articulorum morbos, jecoris, lienisq; duritiem vehementer facit; Et particulares quidem aceti Scillini effectus hi ſunt, Communes autem quàm plurimi: quibus nos commoti, ſalutare hoc medicamentum, ſanitatis integritatisq; causâ, tibi tradidimus. Galenus.

ACETUM THERIACALE.

℞. Rad. Chelidonii majoris unciam unam ſemis,
Angelicæ,
Oſtrutii,
Gentianæ,
Biſtortæ,
Valerianæ,
Pimpinellæ,
Dictamni albi,
Carlinæ,
Zedoariæ ana drachmam unam,
Plantaginis majoris drachm. unam ſemis;
Fol. Scordii,
Cardui Benedicti,
Dictamni Cretici ana pugillos duos,
Cortic. & ſem. Citri ana drachm. unam ſemis,
Granorum Juniperi drachm. duas,
Nucleor. Nucum Juglandium uncias duas,
Santali citrini drachmam ſemis.

Infundantur omnia in ſufficienti quantitate aceti Rutacei, ac ſic ſimul in vitro probè clauſo infuſa permaneant.

Morbis venenatis auxiliatur, putredinem humorum arcet, ſudores prolicit, peſtilentis luis contagia diſſipat: præſumptum ab infectione corpus tuetur, ac peſte correptos tàm internè exhibitum, quàm forinſecus arteriarum & cordis regioni ſuperimpoſitum, plurimùm reficit ac recreat.

Proſtant apud nos etiam alia Acetorum medicatorum genera; *Vtpote*

Acetum calendulatum ex floribus,
Deſtillatum,
Lavendulatum,
Nucum ex nucleis,
Papaveris erratici ex flor.
Roſarum ex florib. rub.
Rubi Idæi ex fructibus,
Rutaceum,
Sambucinum,
Simplex,
Tunicæ ex floribus rubris.

ANIMADVERSIONES In Aceta omnia, tum Simplicia, tum Compoſita.

DE *Acetis* cùm *ſimplicibus* tùm *compoſitis*, non eſt quod multa inferam, cum ſimplici duntaxat viâ parata ſint, ob id etiam minus erroribus referta, multis autem aliis præſtantiora ſunt. Inter hæc *Acetum Lithargyri* eſt extractio *ſalis Saturni* vel *Plumbi*, quod ipſum cùm per ſe, tùm aliis commixtum in plurimis affectibus utiliter uſurpari poteſt.

Acetum ſcilliticum ego maxumi facerem, ſi ſecundum mentem & authoritatem Galeni paratum eſſet, nimirùm ſine præcedenti *aſſatione* vel *coctione ſcillæ*, utpotè quæ non tàm præparatio, quàm deſtructio ejuſdem eſt, quam etiam in *Lohoch de Scilla Galeni* aliquot rationibus improbavi; nunc verò, cum expreſſa Galeni authoritas ſeſe offerat, quod *cruda ſcilla cum aceto extracta* tanto cum emolumento fuerit uſurpata, illam ceu planè inutilem totaliter rejicio, & quidem meritò. Etenim *aſſatione* vel *coctione hâc inutili* nihil aliud efficitur, quàm quod ſubtiliores & penetrantiores *ſcillæ* partes prorſus annihilentur.

Reliqua *Aceta compoſita* & *ſimplicia*, ſimplici infuſione & digeſtione parata laudo, quæ ipſa tamen efficaciora & longè durabiliora evaderent, ſi loco *aceti ſimplicis*, *acetum deſtillatum* ſubſtitueretur, quod cùm majori vi penetrandi & extrahendi pollet, nec tàm citò, uti *aceta ſimplicia*, corrumpitur, ſed ſemper integrum & incorruptum perſiſtit, ita ut labor hic, qui in ejuſdem deſtillatione impenditur, ratione diuturnioris integritatis inſigni lucro recompenſetur.

MEDI-

Digitized by Google

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ
CLASSIS XVI.
Complectens
OLEORUM COCTORUM
et Expressorum Seriem.

OLEA COCTA.
OLEUM ABROTANI.

℞. Abrotani recentis inciſi & contuſi libram unam.
Pone in vaſe vitreo, & affunde olei veteris clariſſimi libras tres, & macera ad Solem, aut in aliquo loco calido per dies tres; deinde in duplici vaſe coque, & abjecto Abrotano recens injice, atque iterum tribus diebus macera: poſtea ſimili modo coque, & exprime; tertiâ vice recens Abrotanum denuò injice, macera quoque, cola & uſui reſerva.

Adhibetur ad producendos pilos, & eorum defluvio cum Ladano & Vrſi pinguedine glabris locis illinitur.

OLEUM ABSINTHII.

℞. Olei Omphacini libras tres,
Comar. Abſinth. Pontici,
Succi ejuſdem ana uncias quatuor,
Roſar. rubear. unciam ſemis.

Macerentur per triduum ad Solem, aut in loco aliquo calido, deinde in duplici vaſe coquantur ad ſucci conſumptionem: poſteà abjectis prioribus, recentia aliâ injiciantur, rurſusque per triduum macerentur, deinde ſimili modo coquantur, & exprimantur, ita etiam tertiâ vice reiterentur.

Calefacit & refrigeratum roborat, præſertim ventriculum, cibi aviditatem excitat, obſtructa levat, lumbricos necat, frigidi ventriculi affectibus mirificè conducit, flatusque ibidem conceptos diſſipat.

 Etiamſi

Etiamſi oleum Olivarum immaturarum, ſive Omphacinum apud nos in Germania non paretur, quia tam en eodem in quibuſdam compoſitionibus ſummoperè indigemus ex Italia deportari, & in uſum noſtrum eâdem commoditate transferri poſſe exiſtimamus, quâ hactenus oleum Olivarum maturarum ſive commune comparavimus.

OLEUM ANAGALLIDIS.

Oleum Anagallidis paratur ut oleum Abrotani.

Præſentaneum remedium eſt variis puerorum doloribus, in infimo ventre exſuſcitatis à flatulentis, ſabuloſis, biliosis & pituitoſis contentis, ſive enematibus admiſtum injiciatur, ſive exterius applicetur.

OLEUM ANETHINUM.

Oleum Anethinum fit ex floribus & foliis Anethi, ac oleo veteri claro, eodem modo, quo oleum Abrotani.

Anodynum eſt, tumores crudos concoquit, reſolvit & laxat, ſomnum conciliat, rigorem febrilem ſpinæ & partibus nervoſis acceſſionis initio illitum evincit, cephalalgiam mitigat, uteri duritiem emollit, menſtrua provocat, vulvarum caſus ferè omnes componit, acopis familiare, laſſitudines diſcutit, dolores articulorum ſublevat, venarum ſpiracula laxat, calefacit & emollit, nervis gratum, ac convulſionibus amicum.

OLEUM ARANEARUM
MINDERERI.

℞. Olei Nymphææ,
Lumbricorum terreſtrium ana uncias ſex,
Hypericonis uncias duas,
Folior. rutæ recentis & inciſæ,
Flor. Sambuci recentium ana manipulum unum ſemis,
Aceti Roſacei,
Calendulæ ana uncias tres,
Aranearum pinguium & magnarum numero quadraginta quinque.

Decoquantur omnia ſimul in vaſe duplici ad humiditatis conſumptionem, atque abſumpto omni aceto, colentur & exprimantur. In hoc colato infunde rurſus
Araneas pingues numero viginti quinque, ac adde
Camphoræ in ſpiritu Roſarum diſſolutæ drachmam ſemis.

Dige-

Digerantur per horas duodecim in balneo Mariæ rorido, ad formam balſami eſſentificati vaſe probè munito, ac ſine colatura poſtea reponantur ad uſum.

Proderit hoc oleum ad innunctionem arteriarum, in febre maligna petechiali, quin & ipſius cordis regioni poteſt inungi: Siquidem venenum evocat, nec febrilem accendit calorem.

Voluit Auctor ſupplere eo vices olei Scorpionum Matthioli, quod magno pretio venit, cùm Germania, & quidem benè, careat Scorpionibus.

BALSAMUM VULNERARIUM Ejusdem.

℞. Terebinthinæ Venetæ unciam unam ſemis,
Olei Hypericonis unciam unam,
Gummi Elemi ſeorſim diſſoluti quantum ad conſiſtentiam ſufficit,
Olei Ceræ deſtillati ſcrupulos duos.
Miſce.

In vulneribus recentibus, modoque inflictis ac adhuc calentibus, ſingulare remedium eſt, maximè telu eo madidis impoſitum.

OLEUM CHAMÆMELINUM.

Oleum Chamæmelinum ſive Chamomillæ fit ex floribus Chamæmeli, & oleo veteri claro. Siccentur flores in umbra viginti quatuor horis: deinde immittantur cum oleo in vas vitreum anguſti oris benè obturatum, & per dies aliquot inſolentur.

Phlegmones mitigat, moderatè reſolvit, fluxiones cohibet vi ſuâ modicè aſtringente, ideoq; colicis, articularis, cæterorumque dolorum initiis ſalubre eſt, laſſitudines juvat, dolores ſedat ac lenit, tenſa laxat, febres diſcutit ac diſſolvit, præſertim quæ ſtipatâ cute proveniunt: hypochondriorum tenſionibus utile, capitis dolores levat, meatus namque laxat, vapores diſcutit, & acrimoniam temperat, acopum eſt & anodynum, ideoque non temerè injicimus initio colici cruciatûs, ut quæ ſunt à flatibus diſtenſa relaxentur, ac emolliantur.

OLEUM DE CAPPARIBUS.

℞. Cortic. rad. Cappar. unciam unam,
Tamariſci,
Flor. Tamariſci,
Sem. Agnicaſti,

Cete

Ceterach,
Cyperi ana drachmas duas,
Rutæ drachmam unam,
Olei maturi libram unam,
Aceti albi fortis,
Vini albi ana uncias duas.

Trita leviter coquantur in duplici vaſe uſque ad conſumptionem vini & aceti.

Lenis tumores duros ac ſcirrhoſos adjuvat, ejusq́ obſtructionibus valdè eſt familiare.

OLEUM DE CASTOREO JACOBI DE MANLIIS.

℞. Caſtorei,
Styracis Calamitæ,
Galbani,
Euphorbii,
Caſſiæ ligneæ veræ,
Croci,
Opopanacis,
Carpobalſami, aut Cubebarum,
Spicæ Nardi Indicæ,
Coſti ana drachmas duas,
Cyperi,
Schœnanthi,
Piperis Longi,
Nigri,
Sabinæ,
Pyrethri ana drachmas duas ſemis,
Olei libras tres,
Vini odoriferi libras duas.

Confice ſic: Galbanum & Opopanacum in vino ſeorſum diſſolve, deinde reliqua omnia contuſa, cum oleo & vino coquito in duplici vaſe ad conſumptionem vini. Poſtea cola, ac diſſolutum & expreſſum Galbanum cum Opopanaco oleo affunde, & iterum coque ſufficienter, ac repone, ſæpiùs miſcendo in poſterum, ut Galbanum & Opopanacum in vaſis fundo ſubſidentia oleo commiſceantur.

Valet ad omnes nervorum & cerebri offenſas frigidas, tetanum, convulſionem, tremorem, ac paralyſin ſanat, rigores acerrimos & frigora febrium ſedat, ſpina dorſi illitum.

OLEUM

Oleum Cheyrinum
Mesue.

Oleum Cheyrinum ... ex Leucojis luteis, hoc eſt, Cheyris citrinis, & oleo veteri claro, ut oleum Chamæmelinum.

Calidum eſt temperatè, tenuat, lenit, ac digerit, ſuppoſitum dolores ex flatibus è materia frigida & pituitoſa mitigat, ventris torminibus modicè ſuccurrit, nervorum & juncturarum dolores levat, thoraci, pectori, veſicæ ac renibus confert, menſes provocat, uteriq; ſuffocationi medetur, lumbricos interimit, partum facilitat, arthriticis demum ac reſolutis auxiliatur.

Oleum Costinum Mesue.

℞. Coſti amari uncias duas,
Caſſiæ ligneæ veræ unciam unam,
Summitatum Sampſuchi uncias octo,
Vini libras duas,
Olei Seſamini libras tres.

Trita macerentur biduo, deinde coquantur in duplici vaſe ad vini conſumptionem.

Vehementer calefacit, ideoq; nervorum ex frigore injurias propellit, paralyſi confert, nervos roborando, ventriculum, muſculos, tendines, & ligamenta confirmat, & obſtructa aperit, ſpinæ illitum febrilem rigorem mitigat, capillos tenaciùs affigit, ac mucoſo humore canitiem accelerante conſumpto, eam moratur.

Oleum e Croco Mesue.

℞. Croci unciam ſemis,
Myrrhæ electæ drachmas duas,
Aceti quantum ſufficit ad macerandum diebus quinque,
Cardamomi drachmas quatuor ſemis,
Olei uncias novem.

Crocum & Myrrham diebus quinque macera, die ſexto adde Cardamomum, ſeptimo cum oleo coquantur igne lento ad aceti conſumptionem.

Nervos ac uterum [illegible]rat, eorum dolorem ſedat, convulſioni & uteri noxis confert, duritias diſſipat, nec non corporis colorem vividum præſtat.

Oleum Cydoniorum.

℞. Cydoniorum non excorticatorum,

Succi

Succi eorundem ana uncias ſex,
Olei Omphacini libras tres.

Omnia in vas vitreum obturatum immittito. . diebus quindecim inſolato. Deinde horis quatuor coquito in d. plici vaſe, colato & exprimito. In expreſſione carnem & ſuccum renovato, rurſum inſolato, coquito & exprimito, id ſic tertium iterato.

Melinum Dioſcoridi dicitur, ſtringit & refrigerat, ad ventriculi & jecoris imbecillitates utile, ventrem totum inferiorem ac nervos laxos cogendo roborat, retentricem partium facultatem firmat, ſtomachum in vomitiones effuſum in ſe cogit, ventri defluxionibus infeſtato, lienteria, diarrhœa ac dyſenteria medetur, ſpina illitum & thoraci, ſudores immodicos & diaphoreticos cohibet.

OLEUM DE ENULA
MESUE.

℞. Radicum Enulæ contuſarum,
Succi ejuſdem,
Olei Seſamini ana libram ſemis,
Vini odoriferi uncias tres.

Coquantur ad vini conſumptionem: colatura ſervetur uſui.

Calefacit, tenuat, digerit, ob id affectibus nervorum, uteri & veſicæ frigidis prodeſt, febrium quoque rigori, & colo à flatibus dolenti medicatur.

OLEUM EX EUPHORBIO
MESUE.

℞. Euphorbii unciam ſemis,
Olei Cheyrini uncias quinque,
Vini odoriferi tantundem.

Coquantur in duplici vaſe ad vini conſumptionem.

Hemicranicis, cephalalgicis & lethargicis adhibetur, & naribus ad diſcutiendum vitium immittitur, epiſpaſticis medicaminibus utiliter admiſcetur; præſtantiſſimum enim attrahendo eſt remedium in frigidis noxis . . videm tenuium partium eſt, alopecias, & capillorum defluvia ſanat, in coxariis inveteratis, ac profundis articulorum querelis ex alto evocandis, laudatiſſimum remedium, calidius & ſiccius oleo de Piperibus, ideoque non niſi vehementer frigidis vitiis adhibendum, in aurium tinnitu, ſibilo, & hebetiore ſenſu ex frigiditate contracto, tepidum adhibet. Galenus 2. compoſ. medic. localium.

OLEUM

OLEUM FORMICARUM NICOLAI.

℞. Formicarum uncias duas,
Olei libram ſemis.

Macerentur æſtate ad Solem diebus quadraginta, poſtea excolatum oleum reponatur.

EO partes generationi dicatas ad venerem concitandam & impragnationem promovendam inungunt.

OLEUM HYPERICI.

℞. Flor. Hyper. ad maturitatem ſeminis ferè accedentium libram unam,
Olei veteris clari libras duas,
Vini odoriferi libram unam.

Macerentur tribus diebus ac noctibus: bulliant deinde in duplici vaſe, obturato orificio vaſis uſque ad conſumptionem vini; poſtea exprimantur, & recentium florum atque vini par pondus addatur; iterum macerentur; coquantur, & exprimantur, tunc etiam tertiò recentes Hyperici flores ac vinum admiſceantur cum
Terebinthinæ claræ libra una,
Croci ſcrupulis quatuor.

CAlefacit & ſiccat, eſſentiaq; eſt tenuis, unde ad omnes dolores à frigido contractos adhibetur, & anodynum exiſtit, iſchiadicis præterea & varicibus utiliter adhibetur; contra dentium dolorem, podagram, chiragram, articulorumq; dolores ſalubre remedium, nervorum puncturis & vulneribus efficax eſt, & illitu ac fotu convulſiones prohibet, ambuſtis cicatrices ducit, & vulnera glutinat.

OLEUM JASMINUM.

Fit ex floribus Jaſmini, & oleo veteri claro, ut oleum Cheyrinum.

FRigidis affectibus non obſcurum adfert remedium, unde partibus calefactionem & relaxationem deſiderantibus utiliter exhibetur, Chamæmelino aut Cheyrino viribus proximum.

OLEUM IRINUM MESUE.

℞. Rad. Ireos libram unam,
Flor. ejuſdem libras duas,

Mace-

Macerentur in decoctione aliarum radicum Ireos quantum ſufficit. Adde

Olei veteris libras duas.

Coquantur in duplici vaſe, & exprimantur, radiceſque novæ cum floribus immittantur. Coquantur denuò & tertiò. Colatum ſervato, ac obturato.

Vim habet excalefactoriam & emollientem, roborat, tenuat, reſolvit potenter, tergit, concoquit, maturat, & alia penetrat, convulſionibus efficax, aurium ſonitus tollit, quæ in thorace ſunt & pulmone concoquit, aſthmaticos juvat, tuſſim compeſcit, ſtrumas diſſipat, aliosq; tumores duros hepatis & ſplenis, articulorum dolores & duritiem emendat: facit ad inteſtinorum tormina ac ilei cruciatum, naribus illitum deſtillationibus & ozænis medetur. Datur iis qui Cicutam, Coriandrum, aut Fungorum venenum hauſerunt, præſentiſſimo Alexipharmaco.

OLEUM LIGUSTRINUM MESUE, Sive CYPRINUM.

Oleum Liguſtrinum, quod Arabes de Alcanna vocant, fit ex floribus recentibus Liguſtri florente vite, aut paulò pòſt, & oleo veteri clariſſimo ad modum olei Chamomillæ.

Arabibus de Alcanna dicitur, nobis Liguſtrinum, quòd ex Liguſt. flor. fiat. Calefacit & moderatè aſtringit, emolliendi vim habet, vulvæ ac nervorũ affectibus ſubvenit, pleuritic. opiſthotonicis, & anginâ laborantibus ſuccurrit, capillos à canitie vindicat.

OLEUM LILIORUM ALBORUM SIMPLEX.

℞. Flor. Lilior. albor. abjecto quod Croceum eſt, libr. unam,
Olei veteris libras tres.

Macera & inſola per dies octo, flores exemptos benè exprime, atque alios impone, ita tertium fiat, cola & ſerva ad uſum. Nonnulli in tertia infuſione flores relinquunt.

Dicitur & Crininum, Lilinum, ac Suſinum: reſolvit, digerit, concoquit, dolores à frigore, thoracis, ventriculi, coli, uteri, renum, veſicæ, & nervoſarum p[illegible] [illegible]m ſedat, lenit, mitigat, convulſionibus prodeſt, colicis item dolori [illegible] inunctum aut ſuppoſitum confert, utile eſt uteri cumprimis ac muliebribus malis, ejus præcluſiones & duritiem ſolvens; gravidis ad facilem partum auxilio eſt, ulcera capitis manantia, furfures, varos, fervidasq; eruptiones ſanat, vibices, cicatricesq; celerrimè ad colorem reducit, & omnem inflammationem cum vitellis ovorum inunctum rarefacit.

OLEUM

OLEUM LILIORUM ALBORUM
Compositum Mesue.

℞. Flor. Liliorum a[...]orum uncias novem,
Maſtiches,
Calami Aromatici,
Coſti,
Carpobalſami ana unciam unam,
Caryophyllorum,
Cinamomi ana unciam ſemis,
Croci drachmas tres.

Omnia præter Liliorum folia in aqua ſufficiente viginti quatuor horis macerentur, deinde paululùm coquantur, & additis Liliis oleique veteris libris duabus aliquantulùm bulliant. Tunc omnia injecta in vas vitreum inſola dies quadraginta: pòſt calatum & benè obſtructum reponatur.

Oleum Liliorum alborum compoſitum ab aromatum admixtionem, longè præſtantius ſimplici oleo antecedente, atque ob id frigidis noxis opportunius exiſtit.

OLEUM LILIORUM CONVALLIUM.

Fit ex floribus Liliorum convallium & oleo veteri claro, ut oleum Liliorum ſimplex.

Spaſmaticis, convulſis ac tremulis auxilio eſt, frigidis nervorum noxis ſuccurrit, puerulorum tormina mitigat.

OLEUM LUMBRICORUM TERRESTRIUM SIMPLEX.

℞. Lumbricorum terreſtrium libram ſemis.
Probè laventur in vino, deinde immittantur in olei Roſati Omphacini libras duas, vini uncias duas.
Coquantur in duplici vaſe ad vini conſumptionem.

Anodynum eſt, cujus fotu nervi recreantur, ut quotidiè in nervorum vulneribus, eorundemque reſolutionibus experimur.

OLEUM LUMBRICORUM COMPOSITUM.

℞. Ol. Lumbricorum (ex lumbricis modò in oleo ſuffocatis, qui in cœmiteriis collecti fuère) recentioris uncias tres,

 Ol. Ro-

Ol. florum Hyperici uncias duas,
Vini optimi uncias quatuor.
Fiat decoctio ad conſumptionem vini.
Huic oleo adde
Spir. roriſmar. vel ejus loco ol. ſtillat. ejuſdem, ſcrup. unum.
Miſce, ſervetur ad uſum.

Qvia oleum lumbricorũ ſimplex quibuſdam non parum ſuſpectum videtur, ideò compoſitũ ejuſdem ſubſtituere voluimus, quod ad ſupradicta majoris efficaciæ compertum habemus.

OLEUM MANDRAGORÆ.

℞. Cortic. rad. Mandrag. libram unam.
Contundantur, & coquantur in aqua ſufficienti, & colato decocto adde
Succor. capit. Papaveris nigri uncias tres,
Hyoſcyami albi uncias duas,
Cicutæ teneræ unciam unam,
Olei Violarum libras duas,
Opii,
Styracis Calamitæ ana unciam ſemis.
Succi cum oleo decem diebus ad Solem macerentur, deinde coquantur in duplici vaſe ad ſuccorum conſumptionem, & cola: colato adde Styracem & Opium.

Commendatur ad omnem inflammationem extinguendam, ſomnum conciliandum, capitis dolores ſedandos, phreneticis, febricitantibus, & vigilantibus conveniens, fronti, temporibus, ac naribus illitum.

Quia non habentur apud nos Mandragoræ poma, ergò loco ſucci Mandragoræ pomorum, accipiendi ſunt cortices radicum Mandragoræ.

OLEUM MASTICHINUM
MESUE.

℞. Olei roſati omphacini libram unam,
Maſtiches uncias tres,
Vini odoriferi uncias quatuor.
Coquantur ſecundum artem in duplici vaſe ad vini conſumptionem.

Mediocriter calefacit, aſtringit, & emollit, ventriculi coctricem ac retentricem vim firmat, illitum in lienteria & inte-

temꝭ

temperie frigida ſicca ſalubre exiſtit; ad cœliacorum cruciatus utile; tumores duros lenit, cerebrum, nervos, & juncturas roborat, phlegmonis gingivarum, lin[illegible]e & totius oris medetur, faciem emaculat, & coloris gratiam illitum [illegible]mmendat.

OLEUM MENTHÆ.

℞. Menthæ domeſticæ criſpæ uncias quatuor,
Olei Omphacini libram unam.
Fit, ut oleum Abrotani.

Ventriculo imbecillo & refrigerato adhibetur, eum namque calefacit, roborat, nauſeam firmat, vomitionem ſiſtit, appetentiam excitat, & concoctionem provocat. Eligenda eſt criſpa & ſativa.

OLEUM MOSCHELINUM
Nicolai Alexandrini.

℞. Olei puri libras ſex,
Vini odoriferi uncias ſex,
Folii, aut Macis,
Nardi Indicæ,
Coſti,
Maſtiches ana unciam unam ſemis;
Styracis Calamitæ,
Croci,
Myrrhæ,
Cinamomi,
Caſſiæ ligneæ veræ ana drachmas ſex,
Carpobalſami, ſeu Cubebarum,
Caryophyllorum,
Bdellii ana unciam ſemis,
Moſchi drachmam unam,
Nuc. Moſchat. numero duas.

Folium, Myrrham, Caſſiam, Carpobalſamum & Bdellium tere, ac per biduum in vino & oleo macera: poſtea coque ſupra lentum ignem in duplici vaſe uſque [illegible] conſumptionem vini: deinde cola, & reliqua in tenuiſſimum [illegible]em [illegible]dacta, inſperge, præter Moſchum; iterum macera, [illegible] coque parumper. Ultimò Moſchum addito, probè omnia miſceto, reponito, ac interdum vas agitato.

Moσχέλαιον potiùs dicendum à Moſcho, qui ejus compoſitionem ingreditur. Frigidis affectibus eſt præſtantiſſimum, ventriculo præſertim debili, quem roborat, & calefacit: do-

lorem lateris illitum ſanat, ſtranguriosis, colicis, ac nervorum omnibus propè vitiis confert. Pomis odoratis cogendis eſt aptiſſimum, & unguento Arégon, aliisq́; medicamentis, ut [illegible]ecsebus Lithontribon conficiendis.

OLEUM MYRTILLORUM.

℞. Olei Olivarum libras tres,
Baccarum Myrti libram unam.

Confringantur Myrtilli, & quoniam Myrtus vera apud Germanos non naſcitur, neque habemus ſemper virides Myrtillos, ſed aridos, ut ex Italia afferuntur, ideò neceſſum eſt, ut vino odorato priùs aſpergantur: deinde mi[illegible]ceantur ſimul ac bulliant ſecundum artem. Tandem coletur, & reſervetur oleum.

MΥρσίνινον ἔλαιον *ſeu Myrtillorum aſtringit, refrigerat, denſat, cerebrum, nervos, & ventriculum. [illegible]rictione roborat, viſcerum phlegmonis utile, gingivis, de[illegible]m dolori, dyſentericis, cæliacis, vulva exulcerata, ulceribus ve[illegible]tis vel manantibus, nimio affluxu humentibus cum ſquamâ æris & cerâ medetur, attrita ſanat, furfures, rhagades, condylomata, articulos luxatos, & omnia quæ aſtrictionem deſiderant, hæmoptoicis, & ſanguinis ex pectore rejectioni confert. & ad artendam phlegmonem in ulcere pulmonis Gal. illinit, capillos retinet, eorumq́; defluvium ſiſtit, adjecto præſertim Ladano. Gal. 1. de comp. med. ſecundum loc. cap. 2.*

OLEUM MYRTINUM.

Oleum Myrtinum fit ex foliis Myrti, ut jam dictum Myrtillorum oleum.

E*Aſdem ferè vires obtinet, quas oleum Myrtillorum; aſtringit enim & roborat, ac viſcerum laxitatem corrigit.*

OLEUM NARDINUM COMPOSITUM MESUE.

℞. Spicæ Indicæ uncias tres,
Majoranæ uncias duas,
Ligni Aloës,
Enulæ,
Macis,
Calami Aromatici,
Foliorum Lauri,
Cyperi,
Schœnanthi,
Cardamomi ana unciam unam ſemis;

Conti[illegible]

Contundantur omnia groſſo modo, deinde affunde illis
Vini,
Aquæ fontanæ ana libram unam,
Olei Seſamini libras quatuor.

Macerentur per noctem, deinde coquantur in duplici vaſe ſecundum artem.

OLEUM NARDINUM SIMPLEX Ejuſdem.

℞. Olei Seſamini libram unam ſemis,
Spicæ Nardi Aromaticæ uncias tres,
Vini,
Aquæ ana uncias duas ſemis.

Incidantur minutim, & coquantur in duplici vaſe, donec vinum & aqua in vaporem reſolvantur: coletur deinde oleum, & colatum reponatur, abjectâ Nardi Spicâ.

Calefacit, tenuat, digerit, modicè aſtringit, quocirca iis auxiliatur, qui calore & aſtrictione indigent, ut ſtomachicis, cæliacis, deſtillationi ac thoracis vitio obnoxiis, ventriculum firmat, & coctionem procurat, viſcerum phlegmonis, jecoris inflammationi, ac pulmonum ulceribus illinitur, cerebri & nervorum frigidos affectus ſanat, ac aurium dolores mitigat; tremulis & paralyticis ſummum eſt remedium; uteri præfocationes, occluſiones, & tumores ſuppoſitum diſcutit, aut etiam injectum veſicæ dolori, renumq́ calculis opitulatur.

OLEUM NYMPHÆÆ.

℞. Flor. Nymphææ albæ uncias quatuor,
Olei Omphacini libram unam.

Macera in Sole diebus decem; deinde exprime ac novos flores immitte: tertiò idem facito.

Vires habet violati, refrigerat tamen magis, cephalalgiam ex febrium incendio, indeq́ enatum delirium Papaverino mixtum mitigat, inſomniam abigit, urinæ ardori, intemperaturæ calidæ renum, eorumq́ ulce[illegible] & veſicæ commodum, illitum aut injectum, gonorrhœam arc[illegible] [illegible] tentiginem propellit, genitalibus illitum.

OLEUM PAPAVERINUM.

℞. Capitum Papaveris,
Foliorum Papaveris,

Florum ejuſdem ana uncias quatuor,
Olei libras tres.

Inſolato in vaſe vitreo per octiduum, deinde cola, & nova rurſus immitte: idem tertiùm facito. Poſtremùm colatum repone.

INtemperiem calidam ſanat, febrium ardores ac inſomniam mitigat fronti, auribus, naribus & temporibus illitum, ſomnum frigore & humiditate conciliat, nec non febrium ſqualorem præſentem pervigilii cauſam tollit, impinguat, & aſperam arteriam lenit; renum doloribus ex intemperie calida medetur.

OLEUM DE PIPERIBUS
MESUE.

℞. Piperis longi,
Albi,
Nigri ana drachmas tres,
Myrobal. Chebulorum,
Emblicorum,
Indorum ana drachm. quinque,
Radic. Apii,
Fœniculi ana drachmas tres ſemis,
Sagapeni,
Opopanacis,
Ammoniaci ana drachmas duas ſemis,
Turbith drachmas duas,
Zingiberis drachmas tres,
Surculorum Hyſſopi,
Rutæ viridis ana manipulum unum.

Coquantur ſecundum artem in quantitate aquæ ſufficienti ad tertias. Colaturæ adde
Olei amygdalorum dulcium libras duas.
Recoque ad conſumptionem aquæ.

CErebri & nervorum frigidas noxas propellit, quia calefacit, tenuat, tergit, diſcutit, foras educit, obſtructa potenter liberat, calculumque eo nomine diſſipat; ad paralyſin, ſpaſmum, tremorem, epilepſiam, uteri, coli, renum ac veſicæ affectus frigidos, utiliſſimè adhibetur; coxariis, nec non - culorum doloribus medicatur; menſes evocat, & ventriculum ecillum non temerè firmat.

COudenbergius addit Thymi viridis manipulum unum ad herbarum decoctionem.

OLEUM.

OLEUM POPULINUM NICOLAI ALEXANDRINI.

℞. Olei communis libras ſeptem, uncias duas,
Vini libras quatuor,
Gemmarum Populi arboris recentium Veris initio collectarum libras tres.

Gemmæ Populi diutiſſimè terantur, & macerentur in vino & oleo dieb. ſeptem; poſt coquantur in duplici vaſe uſque ad conſumptionem vini. Deinde exprimatur oleum & reponatur.

Emollit, tenuium eſt partium & calidum, arthriticis ac podagricis utile.

OLEUM RANARUM.

℞. Ranarum fluviatilium libram ſemis,
Olei Seſamini libram unam ſemis,
Coque in vitro optimè clauſo uſque ad Ranarum diſſolutionem.

Refrigerat, ob id podagram & alias arthritidis ſpecies calidas mitigat, ac incendium febrium ardentium compeſcit, fronti & temporibus illitum ſomnum conciliat.

OLEUM RESOLUTIVUM.

℞. Rad. Cucumeris Aſinini,
Bryoniæ,
Althææ ana libras tres,
Olei communis libras decem.
Inſolentur ſimul integro menſe, coquantur pòſt, & exprimantur.

Reſolvit, digerit, mollit, alta penetrat, ac frigidos & contumaces dolores mitigat.

OLEUM ROSATUM VULGARE.

℞. Olei communis libras quatuor,
Roſar. rubear. nondum penitùs apertar. uncias ſedecim.

Macera & inſola per dies octo. Roſas exemptas benè exprime, atque ita fac tertiò, cola & ſerva. Nonnulli in tertia infuſione Roſas relinquunt.

Vim habet repellentem, mitigatoriam, concoquentem, & diſcuſſoriam, inflammationes extinguit, roborat, cogit, denſat, rheumatiſmos ſiſtit, & materierum per corpus fluxum cohibet, dyſen-

dyſenterias potu inſigniter juvat, alvum ſolvit, ventriculum æſtuantem reſtinguit, ad uteri inflammationem pollet, capitis & meningum cerebri vulneribus confert, idem calefactum juvat & exiccatum, aut mora in Sole, aut à febribus, aut alia cauſa: humectat enim, mitigat, ac ſomnum inducit; in dolore dentium inter initia utiliter colluitur, ulceribus in capite manantibus, & fervidis eruptionibus illinitur, lumbricos & aſcaridas potum deturbat, podagricis doloribus ac inflammationibus, & hæmorrhoidibus commodè illinitur. Quod completum dicitur, roborat, reſolvit, lenit, & dolorum injurias ſedat.

OLEUM ROSATUM OMPHACINUM.

℞. Olei Omphacini, id eſt, Olivarum immaturarum libram unam,

Roſar. rubear. nondum penitùs apertarum, ſed purgatarum, uncias quatuor.

Tritis roſis, ac oleo impoſitis, fac ut dictum eſt, ter roſas permutando.

OLEUM ROSATUM COMPOSITUM MESUE.

℞. Olei ex Olivis maturis, aquâ fontanâ multoties loti quantum voles: Deinde infunde folia roſarum rubearum apertarum & purgatarum quantum ſatis eſt, in vitreum vas: Obturetur vas, ac per dies ſeptem inſola, & coque tribus horis in vaſe duplici. Expreſſis foliis & abjectis, recentia immitte: inſola iterum, coque in balneo mariæ, & exprime ut priùs. Tertiò, recentia immitte roſarum folia, quibus adde aquæ infuſionis roſarum (eo modo confectæ, ut in ſyrupo roſato dictum eſt,) partem quartam, miſce, inſola dies quadraginta in vaſe vitreato obturato; pòſt excola, exprime, & addito roſarum ſucco, iterum diu inſola.

Alii partem infuſionis ſumunt, & ſucci roſarum partem alteram, ac eo quo ſuprà dictum eſt modo conficiunt.

OLEUM RUTÆ.

Præparatur eodem modo, quo Abrotani oleum præparare docuimus.

Calefacit, tenuat, & digerit, illitum & clyſteribus injectum colicum dolorem ſedat, vitreum phlegma ejiciens, laterum, renum, veſicæ ac uteri dolores à cauſa frigida juvat; nervorum & ſpinæ

*& ſp: ..*re*ſolutionem inunctum componit, convulſionibus medetur, & ſ. ..s diſſipat.*

P.. .at etiam apud nos Linelæon rutaceum; ex foliis rutæ recentis in oleo ſeminis lini expreſſo paratum.

Singulare admodum eſt adverſus lienis ſchirrhos, & duritiem tumores enim emollit, ratione olei lini, eoſdem diſcutit ac digerit ratione rutæ. In Enematis, ubi flatus diſcutiendi, antecedenti præferendum, variis inſuper uſibus in morbis accommodatum extat.

OLEUM SAMBUCINUM.

Oleum Sambucinum fit ex floribus Sambuci & oleo veteri clariſſimo, quemadmodum oleum Chamomillæ.

Lenit, abſtergit, cutim expurgat, ictero & hepati obſtructo confert, articulorum & nervorum doloribus utile, eos namque roborat, epotum aut injectum alvum irritat, ſeroſaque excrementa per inferna educit. Fit quoque ex medio Sambuci cortice ſimiliter macerato oleum, quod ad ambuſta Italis uſui eſt.

OLEUM SAMPSUCHINUM
Id eſt, Majoranæ.

℞. Foliorum Sampſuchi manipulos quatuor,
Serpylli manipulos duos,
Foliorum Myrti manipulum unum,
Abrotani,
Siſymbrii, ſeu Menthæ aquaticæ ana manipulum ſemis,
Caſſiæ ligneæ veræ uncias duas,
Olei Omphacini libras tres.

Concidito & contundito omnia, ac impone in vitrum, & infunde oleum, ut ſupra ſpecies emineat: tùm obſtructo vaſis orificio, macera ad Solem diebus octo. Poſtea exprime, & expreſſum oleum infunde recentibus ſpeciebus, & hoc etiam tertiò facito.

Σαμψύχινον acopum eſt, & laſſitudinibus utile; frigidis cerebri, & nervorum vitiis .. ..tt; ſpina in balneo inunctum paralyſin juvat, & ſpaſmum c.. ..n naribus immiſſum, aut ore detentum, ac ſternutamentum leviter ciet; in opiſthotonicorum & vulſorum cataplaſm... additur; auribus immiſſum tinnitum à flatu diſſipat; ad uteri præcluſiones & converſiones efficax; menſes, ſecundas, ac partum extrahit, uteri ſtrangulatum recreat, & ſcorpionum morſibus medetur.

OLEUM SCORPIONUM COMPOSITUM MESUE.

℞. Ariſtolochiæ rotundæ veræ,
Gentianæ,
Cyperi,
Cort. rad. Cappar. ana unciam unam,
Olei Amygdal. amar. libram unam ſemis.

Macerentur in oleo contuſæ radices ad Solem fervidum; deinde coquantur aliquantulum in duplici vaſe, injectis ad ultimum Scorpionibus numero viginti: poſtea iterum ſerenis diebus triginta ad Solem macerentur. Poſtremò excolatum oleum reponatur.

OLEUM SCORPIONUM MAGNUM MATTHIOLI.

℞. Olei Olivarum vetuſtiſſimi libras tres,
Flor. Hyperici virentium ac modicè conquaſſat. manip. tres.

Inſolentur ſimul in vaſe vitreo probè obturato recondita per dies decem vel duodecim; dehinc in calente balneo Mariæ macerentur horis viginti quatuor, tùm verò colentur & exprimantur. Hoc facto,

℞. Flor. Hyperici recent.
Chamædryos,
Calaminthæ,
Cardui Benedicti ana manipulum unum.

Flor. & herbæ priùs contuſæ oleo admiſceantur, macerenturque in balneo per triduum, poſtea colentur & exprimantur. Poſt hæc

℞. Flor. Hyperici à caulibus repurgatorum, ac modicè contuſorum manipulos tres.

Submergantur in eodem oleo, ac per triduum itidem in balneo macerentur. colentur & exprimantur, eandem infuſionem reaſſumptis ſemper recentibus floribus ter vel quater reiterando, donec oleum ſanguineum colorem acquirat. His peractis,

℞. Granorum viridium Hyperici quod defloruit, in cacumine plantæ natorum, in quibus ſemen continetur, manipulos tres.

Contundantur, & vino albo meraco [illegible] à, in prædictum oleum immiſſa, per octiduum inſolentur; poſtea verò tridui ſpatio in balneo macerentur, colentur & exprimantur, laborem hunc novis ſemper reaſſumptis ſeminibus ter vel quater ſic repetendo, ut oleum obſcuri ſanguinis colorem referat. Tunc verò

℞. Scordii recentis,

Cal-

Calaminthæ,
Centaurii minoris,
Cardui Benedicti,
Verbenacæ,
Dictamni Cretici ana manipulum ſemis.

Tuſa ac in oleo priore demerſa, per biduum in balneo macerentur, colentur & exprimantur ut ſuprà. Poſtea,

℞. Zedoariæ,
Rad. Dictamni albi,
Gentianæ,
Tormentillæ,
Ariſtolochiæ rotundæ ana drachmas tres,
Scordii manipulum unum.

Hæc omnia tuſa ut priùs in balneo affuſo priore oleo per triduum rurſus macerentur, colentur, & exprimantur.

Expreſſo & colato huic infunde denuò
Styracis Calamitæ,
Laſeris, ſeu Benzoini ana drachm. ſex,
Bacc. Juniperi unciam ſemis,
Melanthii drachmas duas,
Caſſiæ ligneæ, vel Cinamomi odoratiſſimi drachm. novem,
Junci odorati, ſeu Schœnanthi,
Cyperi rotundi ana drachmam unam ſemis,
Santali albi unciam ſemis.

Contuſa in oleum immittantur, rurſusque ut antea per triduum in eodem rorido balneo macerentur, tum colatum ac expreſſum oleum calens ſuperinfundatur trecentis Scorpionibus vivis diebus canicularibus lectis, qui priùs vitreo vaſe concluſi, ac calidis cineribus ſuperimpoſiti in iram exarſerint, & ſudare inceperint. Hi unà cum hoc oleo tridui ſpatio in balneo macerati exprimantur, oleumque abjectis Scorpionibus percoletur.

In hoc rurſum infunde
Rhabarbari ſelectiſſimi,
Myrrhæ,
Aloës hepaticæ ana drachmas tres,
Spicæ Indicæ drachmas duas,
Croci drachmam unam,
Theriacæ,
Mithridatii ana unciam ſemis,

Tundenda contundantur, ac cum cæteris oleo prædicto immergantur, macerenturque ſic ſimul omnia in balneo calente per triduum, poſtea abſque colatura reponantur in uſum.

Vipera-

Digitized by Google

VIperarum, aſpidum, ac venenatorum animalium in morſibus auxilio eſt. Pulſibus ac extimæ cordis parti ad ſiniſtram mammillam inunctum, repetitâ per ternas horas illinitione, omnibus venenis per os ſumptis, ſi modò ea erodentia non fuerint, efficaciſſimè ſuccurrit, quin etiam peſtiferis morbis ſic adhibitum medicatur, nec non ab iiſdem præſervat.

OLEUM SCORPIONUM SIMPLEX MESUE.

℞. Scorpionum numero triginta,
Olei Amygdal. amar. libras duas.

Macerentur in vaſe vitreo ſtricti orificii per dies triginta caniculares, vel aliâs totâ æſtate calidiſſimis diebus, poſtea colatum ad uſus repone.

VEſicæ ac renum calculum diſſipat, lumbis, pubi, per inæ in Solii egreſſu illitum, & in porum urinarium immiſſum, venenis præcipuè à Scorpio ictis, ac peſtilentiæ adeò reſiſtit, ut ejus ſolo uſu quendam cum famulitio à peſtilentiæ contagione ſervatum ſcribat Manardus, & ex ſola inunctione aliquos eſſe liberatos, qui ſæviſſima venena biberant.

OLEUM STOMACHALE CRATONIS. *Lib. 2. Conſ. 113.*

℞. Olei Abſinthii libram unam,
Summitatum Abſinthii manipulum unum,
Caryophyllorum,
Santali Citrini ana drachmas duas,
Roſarum rubearum,
Macis ana drachmam ſemis,
Maſtiches drachmas duas ſemis,
Vini odorati libram ſemis.

Coquantur ſecundum artem & ponantur in Sole.

HOc oleum Crato mirificè prædicat in ventriculi doloribus & infirmitatibus, maximè verò frigidis, quod cùm Medicis noſtris crebro uſui ſerviat, meritò huic Pharmacopœiæ noſtræ inſerendum eſſe cenſuimus.

OLEUM EX STYRACE.

℞. Styracis uncias tres,
Olei communis libram unam,
Vini uncias ſex.

Coquantur in duplici vaſe ad vini conſumptionem.

Calefacit vehementer & emollit, ob id confert dolentibus à frigore renibus, veſica, utero, muſculis, juncturis, tendinibus, eorumq́ duritiès inſigniter emollit, ad nervorum injurias & vulnera fotu commodum, ob id Chirurgis expetitum, ac ad ſcabiem efficax, ut ſcribit Manardus, additâ Ellebori albi octavâ portione.

OLEUM E FLORIBUS VERBASCI.

Fit inſolatis in vaſe vitreo Verbaſci floribus, ut oleum è floribus Liliorum alborum.

Ad Podagricos & alios dolores præſertim calidos laudatiſſimum. Commendatur etiam in Hæmorrhoidibus. Vide Evonymum fol. 496.

OLEUM VIOLACEUM.

Oleum Violaceum ſeu Violarum, fit ex floribus Violarum ac oleo Olivarum, quemadmodum & Roſaceum.

Frigidum ac humidum eſt, tenuium partium leniens, & modicè aperiens, ad furentes inflammationes idoneum, intemperiem calidam extinguit, phlegmonas omnes ſedat, arteriæ aſperitatem pulmonis & thoracis lenit, inuncto thorace, unde & tabidis & hecticis præſenti eſt remedio: phreneticis ac vigilibus fronti & temporibus impoſitum ſomnum conciliat, hepati ac præcordiis adhibitum febrium ardentium æſtus intolerabiles mitigat, renum ac jecoris immoderatum calorem reſtringit.

OLEUM VULPINUM MESUE.

℞. Vulpem integram exemptis interaneis,
Aquæ fontanæ libras tres,
Olei veteris clari libras quatuor,
Salis uncias ſex,
Coquantur, & inter coquendum adjice
Anethi,
Thymi ana libr. [illegible] nam.
Coquantur donec ab [illegible] ſſibus recedat caro, & aqua conſumatur, deinde coletur oleum ac reponatur.

Potentiſſima in digerendo & diſcutiendo facultatis eſt, quo nomine ad nervoſi generis injurias frigidas & articulares affectus præcipuè valet.

Vulpes

VUlpes benè habita & vegeta, non ſtrigoſa, qualiſ per vindemiam uvis nutrita & impinguata capitur, ætatis medi..., non juvencula, aut recens nata eſto, quam exenteratam ſemia... nem oleo incoquunt.

OLEA EXPRESSA.

OLEUM AMYGDALORUM AMARORUM.

℞. Amygdalorum amarorum ſiccorum non tamen rancidorum, cortice membranoſo purgatorum, quantum voles.

Contundas minutiſſimè, poſtea in ſartagine aliquantulum torrefacias, tandem prelo exprimas.

PRimo ordine calidum eſt, humido & ſicco temperatum, calefacit, attenuat, incidit & digerit, unde aurium tinnitus ac flatus è craſſa & frigida materia ortos, diſſipat, auditumq; frigore obtuſum reſtaurat, obſtructa expedit, cutis maculas & aſperitates tàm reliquarum partium, quàm faciei (quas Ephelidas & Panos vocant,) exterit, manantia capitis ulcera furfuresq; ex vino detergit, nervorum affectus frigidos, duros, & dolentes calore tenuante at digerente ſanat, amarore lumbricos necat, & frigidis uteri malis prodeſt; vulvarum dolores, ſtrangulatus, converſiones, locorum inflammationes ſuppoſitum ſanat; capitis dolores inſtillatum ſedat, urinæ anguſtiis pubi illitum, calculoſis renum vitiis, ſtranguriofis in fiſtulam urinariam immiſſum medetur, ſuſpirioſis, lienoſis, jecinoroſis & tabidis ſubvenit.

OLEUM AMYGDALORUM DULCIUM.

Fit ut oleum Amygdalorum amarorum.

EO utimur ad gutturis, faucium, bronchiorum, & ſpiritualium partium aſperitatem leniendam, vel per ſe, vel adjecto ſaccharo præſertim Candi Violato; duritiem omnem ac ſiccitatem articulorum corrigit, cutem erugat, ſcabra & aſpera polit, tenſa emollit, renitentia digerit & complanat, phthiſicis & atrophiâ laborantibus ac conſumptis utile, alimen... enim humidum & lentore mediocri diuturnum præſtat, exte... m corpus reficit ac impinguat, calore eſt temperatum, humidoq; ſecundum ordinem attingit, quo nomine omnem intemperiem ſedat, ac ſemen genitale promovet, uteri, veſicæ, & urinæ ardores mitigat, colicos ac nephriticos cruciatus cum pari portione olei Amygdalorum amarorum mirificè levat, partuum labores terminoſos diſcutit, lenit, tandemq; propulſat,

ſat nunctionum ſola eſt materia, quæ fœtus laborioſos educunt. nepi. ticis & lotii acrimonia laborantibus per ſyphonem, injectum tepia mirè confert, intemperiem omnem moderatâ ſuâ ſubſtant. profligans.

OLEUM BALANINUM

Fit è Balano Myrepſica vel glande unguentaria, quam granum Ben Arabes vocant, teritur, aſſatur, oleumque exindè exprimitur.

TErgit, expurgat, obſtructa liberat, auri injectum tinnitui & ſurditati confert, ſtrumas, hepatis & lienis ſcirrhum emollit ac digerit, affectibus frigidis nervorum & juncturarum, ſpaſmo & arthritidi medetur, alphos, lentigines, varos maculas cicatrices nigras, & reliqua fœda cutis vitia corrigit, alvum potu ſolvit, ſed ſtomacho adverſatur.

OLEUM CARTHAMI.

Fit ex ſemine Carthami trito, aſſato, & expreſſo.

OBſtructa liberat, tergitq́, ideò morbo regio, ventriculo dolenti, & colo confert, thoracem ac pulmonem expurgat, & clariorem vocem reddit.

OLEUM E GRANIS CITRI.

Grana Citri itidem teruntur, torrentur, & exprimuntur.

ARthritico dolori ac ſuccedenti tumori conducit, calculum veſicæ & renum detrudit. In peſtilenti ſtatu Alexiterium optimum, lumbricos enecat potum aut illitum.

OLEUM HYOSCYAMI.

Semina Hyoſcyami contunduntur, torrentur & exprimuntur.
Dioſcorides ex ſemine Hyoſcyami albi recentis, & ſiccati, aquâ calida aſperſo, tritoque, hoc oleum parare docuit.

IN phlegmone & exulceratione partium pudendarum utriuſq; ſexus præ reliquis locum habet.

OLEUM LAURINUM.

℞. Baccar. Lauri electarum, maturarum & contritarum quantum voles.

Eæ in aqua diu coquantur & colentur; cùmque infrigidatæ fuerint, illud pingue quod ſupernatat, colligatur.

Vis

Vis ejus calefactoria vehemens, molliens, tenuans, aperiens, diſcutiens, exſiccans, intemperiem omnem partium frigidam ſolam, aut cum pituita & flatibus ſanat, cerebri, nervorum, articulorum, ventriculi, inteſtinorum, præſertim coli, hepatis, lienis, renum, & uteri affectibus frigidis medetur, ac dolorem his ſuccedentem abolet, rigori febrili ſpinæ dorſi illitum, paralyſi, nervorum vitiis, algoribus, iſchiadicis, capitis doloribus inveteratis ac deſtillationibus auxiliatur, auribus illinitur, renum morbis frigore contractis ſuccurrit, laſſitudines diſcutit, venarum ſpiracula aperit, ſcabie infeſtatis, & aſperâ impetigine laborantibus in balneo inunctum medicatur. Fugiendum tamen in ſcabie, aut impetigine inflammationem minante, & calidis ac bilioſis naturis, frigidis namque & pituitoſis ſolùm eſt commodum, vermes & pediculos enecat, capitis furfures, ophiaſin, & alopeciam delet, capiti tamen calido non admovendum.

OLEUM SEMINIS LINI.

Lini ſemina non excorticantur, ſed contuſa & aſſata in mola verſatili exprimuntur.

Viribus proximum Chamamelino & Anethino, anodynum eſt; convulſionem curat, articulorum, muſculorum, nervorum, ac cervicis durities mitigat, ani affectibus mirificè confert, ſedis abſceſſus, & hæmorrhoidum dolores ſedans, ani fiſſuras, & rimas lenit. Manardus pleuriticis linctu aut potu exhibebat, quod magnoperè probavit Geſnerus, qui in epiſtola quadam ſcribit: Iam quatuor aut quinquies feliciter propinavi, primùm bis ante ſeſquiannum in pleuritide cruda & maligna jam deſperatis ferè virgini & mulieri, quarum unaquaque mox magnâ admiratione meâ reſtitui cœpit. Poſtea juveni in morbo quodam interiore incognito ferè, nec ſatis jam memini, etſi annotavi. Quartò in tuſſi ac dyſpnœa ante paucos dies mulieri gutturoſæ, quæ heri ad me venit, & pro hoc conſilio gratias egit. Omnibus paulò pòſt ſolutæ alvus eſt ſatis copioſè. Tres aut quatuor uncias unâ vice bibi jubeo. Odoris quidem ejus gravitas pleriſque adeò moleſta & faſtidioſa eſt, ut ſecundò ſumere nollent, ſed nullum periculum, nullum incommodum ſequitur, & Medicus neceſſitatem in graviſſimis morbis, non voluptatem ſumentium ſpectare debet. Si ritè pureq; paretur, & Medicus domi haberet, confidentius dari poſſet, etſi Braſſavolus non admodum laudat. Ego pro cognitâ feliciſſimâ, & ad [illegible] dâ ejus facultate Deo gratias ago. Hactenus Geſnerus.

OLEUM NUCIS INDICÆ.

Nuces Indicæ radulâ attritæ aut conciſæ, & diligenter contuſæ, aquæ calidæ aliquandiu immerguntur, oleumque exprimitur.

Nerve-

Nervorum dolori confert, thoracem & pulmones lenit, clariorem vocem facit, impinguat, ac genitale ſemen auget. Hodiè in uſu uſurpatur ad conceptus procurationem, nec non ſeminis incrementum.

OLEUM NUCUM JUGLANDIUM.

Conficitur in oleum Amygdalorum amarorum.

Flatus craſſos diſſipat; tumores diſſolvit, nervis punctis cum calce lota utiliter adhibetur, ſcabies medetur, & variis vitiis cutaneis.

OLEUM NUCIS MOSCHATÆ.

Paratur ut oleum Nucis Indicæ majoris.

Ori ventriculi inunctum mirè eum roborat, deglutitum calefacit mediocriter, & anhelitum commendat; illitum veneris tentiginem excitat; ſtomachicis quoque frigidâ & humidâ intemperie laborantibus conducit.

OLEUM SEMINIS PAPAVERIS ALBI.

Præparatur ut oleum ſeminis Hyoſcyami.

Utile eſt anodynum ad ardorem febrium mitigandum; fronti & temporibus appoſitum ſomnum conciliat, & dolores capitis tollit.

OLEUM E GRANIS PÆONIÆ.

Præparatur ut oleum è granis Citri.

Uſus ejus tàm intra corpus quàm extra, in epilepſia & ſimilibus morbis præclarus exiſtit.

OLEUM NUCLEORUM PERSICORUM.

Præparatur ut oleum Amygdalorum amarorum.

Obſtructa aperit, aurium & ſedis ab hæmorrhoidibus dolores ac tumores ſanat, lumbricos enecat, in renum affectibus injectum & epotum valere, aſſerit Manardus.

Digitized by Google

OLEA EX PISTACHIIS ET PINEIS.

Exprimuntur ut proximè antecedens.

Hepatis & renum dolores potenter leniunt, impinguant, ſemen augent, ventriculo non ingrata, tuſſim & thoracis dolorem compeſcunt, ac intemperiem emendant.

OLEUM SESAMINUM.

Fit ex ſemine Seſami, eodem modo quo oleum Papaveris.

Olim ex Alexandria Ægypti Venetias, & inde ad nos comportabatur ſincerum, adulteratur oleo Nucum & Papaveris. Hodie apud nos paratur ex Seſamo, clarum eſt & candidum, guſtu in cibis ac dulcedine delicatiſſimum.

Vires habet impinguandi, ſemen genitale augendi, aſperitates & duritiës leniendi, ſiquidem aſperam arteriam emollit, ac clariorem vocem reddit, aurium dolores ſanat, & ulceribus, quæ ſerpunt, ac mali moris ſunt (cacoëthe vocant,) medetur, pectori & pulmonibus confert, pleuritidi accommodatum, puerorum tuſſim ſedat, cum ſaccharo candi paulatim deglutitum.

OLEUM E VITELLIS OVORUM.

℞. Ova recentia numero centum, coquito donec penitùs indurentur. Poſtea vitellos eorum exime, & comminutos aſſa in ſartagine donec ruſeſcant, & pinguedinem quandam remittant: deinde adhuc ferventes pone in ſacculum pilis contextum, & exprime, quodque expreſſum fuerit oleum, repone.

Cutis fœditatem mirè aufert, cicatricibus decorem addit, iis præcipuè, quæ in ambuſtis relictæ ſunt; aurium, dentium, ſedis doloribus, ejuſq́ reliquis affectibus convenit, pilos auget, impetiginem ſerpiginem, & alia cutis vitia eluit, lentigines & fœdas oris maculas detergendi, ac reſolvendi vi delet; rhagadiis utile; fiſſuras manuum, pedum, & ani ſanat; dolores ulcerum, articulorum, omniumq́ locorum nervoſorum ſedat, ad aurium quoque dolores ac ulcera facit, ambuſtis utile, & in membranis cerebri partes contuſas à ſanis mirum in modum ſeparat.

ANIMADVERSIONES
Univerſam hanc Claſſem concernentes.

Olea, de quibus in hac Claſſe agitur, in duplici ſunt differentia, quorum alia *cocta ſunt, expreſſa* alia. *Cocta olea* & ipſa ex *oleis jam*

jam [illegible] . ſive *olivarum*, ſive alterius cujuſdam *fructus* vel *ſemine* [illegible], additis quibuſdam, quorum virtutibus imbui debent; [illegible] Et cùm juxta unum eundemque ferè modum omnia *cocta* [illegible] præcipiantur, operæ precium non eſſe, unicuique ſigillatim ſuas addidiſſe *animadverſiones*, ſed in genere de ipſis pauca diſſeruiſſe, inque iiſdem, commiſſos errores craſſiores leviter ſaltem attigiſſe ſufficere arbitratus ſum: Nihilominùs quoque ſpecialiora nonnulla ſuggeram, ubi priùs de illorum coctione ſive præparatione communi quid ſentiendum ſit, annotavero.

Quod itaque *coctionem illam vulgarem* attinet, næ illam indiſcriminatim in omnibus admittere nequeo: Eò namque tùm ego ipſe ſemper aſpiravi, & meritò quivis Medicus in præſcribendis medicamentorum generibus in id unicè attentus eſſe deberet, ut in unoquoque *compoſito* ſingulorum ingredientium *vires & virtutes integras* conſervaret, nec eaſdem (uti plerumque in nimis artificioſis illis compoſitionibus fieri aſſolet,) inutiliter perderet, quod ipſum ſtante *hac violenta coctione*, in quamplurimis hujus *claſſis compoſitionibus* haud quaquam aliter fieri poteſt: Etenim *herbarum balſamicarum* aut *florum*, nec non *aromatum* vis in ſubtilioribus eorundem partibus conſiſtens, ceu ſummè volatilis, levi etiam coctura quàm citiſſimè expirat, auraſque petit, nullâ revocabilis arte: Ut adeò hac ratione permotus ſimplicem digeſtionem aut quamlibet inſolationem, maximè ubi res, ex. gr. *plantæ*, quæ in iiſdem macerantur, ſulphureæ ſunt tenuiumque partium, quales ſunt *Majorana flores Roſarum, Sambuci, Chamomillæ, &c.* cuivis coctioni violentiori meritò præferam. Haud equidem me latet, quod omnia *olea* rancorem facilè contrahant, ſi humiditate aliquâ heterogeneâ permixta ſint, aut ſaltem fæcibus humidioribus vel aquoſis ſcateant; aſt incommodo huic prævenire in facili eſt, ſi nempè *olea*, in quibus jam ſat ſufficienterque *herbæ* aut *flores* repetitis infuſionibus macerati ſunt, optimè expreſſa aut colata per, inclinationem à ſubſidente aquoſitate, quæ ſemper fundum petit, præſertim in leni calore ſeparaveris, fæceſque cum pauco *oleo*, quod illis adhuc adhæret, ad omnimodam humiditatis abſumptionem coxeris, & colatum hoc pauxillum *olei* tandem ſuperiori per inclinationem ſeparato *oleo* commiſcueris. Quòd ſi autem aliquis minorem virium è *plantis* per macerationem, quàm per coctionem arguat extractionem, cum eo quoque, ſi *olea* citò expetantur, n[illegible]ntendam, aſt coctionem quaſi deſtillando in *veſica parva cup*[illegible] *tanno obducta*, aut etiam *cucurbita vitrea* fieri conducibile eſt, ut ea quæ prodit *fragrans humiditas oleo reſiduo* reddatur, quod denuò parumper digeratur, & tandem per inclinationem ab aquoſitate ſeparetur: Qui modus maximè in *oleis compoſitis*, præſertim quæ *aromata* ingrediuntur, & quorum alioquin partes ſubtiliores promptè evaneſcunt, locum habet.

His præmiſſis particulares nonnullas *compoſitiones* ad meliorem dilucidationem præcedentium aggrediemur, initio fa[illegible] *oleo de Caſtoreo Iacobi de Manliis*, cujus plurimorum ingredien[illegible] virtutes potiores & ſubtiliores coquendo exhalant, ac propter ea non opus eſt, ut *tanta vini quantitas* addatur. *Vinum* enim vel alia humiditas aquea, nunquam *oleis* verè commiſceri poteſt, quin ſemper *olea* ſupernatent, itaque illo, quod *vinum* extraxit & in ſe continet, *oleum* deſtituetur, niſi totaliter *vinum* per evaporationem abſtraxeris, ſed hoc ipſo *vinum* ſubtiliores ſecum rapit ingredientium partes, relictis fæculentioribus. Nec etiam juvat, ut *Galbanum* & *Opopanacum* prius *vino* diſſolvantur, & ſæpiùs cum *oleo* commiſceantur, ſi ſoluta ſemper fundum petant: Nam quòd *oleum* per ſe de prædictis *gummatibus* ſolvere nequit aut ſaltem extrahere, id beneficio *vini* multò minùs efficietur, ſed potiùs impedietur. Idcircò minori quantitate *vini (unciis duabus vel tribus circiter,)* additâ, factâque aliquot dierum maceratione, nec non brevi in Alembico coctione hoc oleum longè efficacius parabitur, potiſſimum ſi quæ in coctione per Alembicum prolecta *exigua humiditas oleoſa & ſpirituoſa*, reſiduo *oleo* reddatur, quod tandem expreſſum colatumque, poſtquam fæces in leni calore vel digeſtione ſubſederint, per decantationem, juxta modum ſuperiùs edoctum, à ſedimentis liberetur. Juxta quem modum multa alia *olea compoſita*, utpotè *Aranearum Mindereri*, *oleum Coſtinum Meſue*, & reliqua, quibus utplurimùm major quantitas, quàm decet aut par eſt, humiditatis, præpoſterè adjecta eſt, confici poſſunt.

Oleum Iaſminum, quod non tam ad frigidos affectus corrigendos, quàm gratiâ fragrantiſſimi odoris, quem redolet, expetitur, per ſimplices haſce infuſiones dextrè parari nequit, ut odorem ſuaviſſimum floribus ſimilem præ ſe ferat, ea propter neceſſum eſt modo alio ſecretiori procedere. Nimirùm

℞. *Florum Iaſmini odoriferorum recentium q. ſ.*

Quibus cum *Amygdalis dulcibus excorticatis ac nonnihil ſiccatis*, fiat in *cribro ligneo*, vel *incerniculo*, aut aliquo alio vaſe puro ſtratum ſuper ſtratum, ultimò orbiculo ligneo, pondere aliquo paxumper ſaltem gravando ſuperimpoſito; poſtero die *flores ab Amygdalis* ſegregentur, noviſque & recentibus *floribus eadem Amygdalæ* ſtratificatæ, aliquo uti antea ponde[illegible] nonnihil graventur; qui labor quò frequentiùs ſemper cum rec[illegible] us receptis *floribus* reiteratur, eò præſtantius ac fragrantiùs *oleum*, ſimplici ſaltem, & ſine igne, expreſſione ex *amygdalis* elicitur; Simili modo etiam ex aliis plurimis *floribus*, quorum fragrantia aliàs, ſi contundantur, coquantur, vel cum *oleis* infundantur, citò evaneſcit; utpotè *Arantiorum*, *Citri*, *Roriſmarini*, *Roſarum*, *&c.* Item ex *herbis Majoranæ,*

rana T[illegible]*o, Meliſſâ citratâ*, & ſimilibus odore fragrantibus *odoratiſſ*[illegible] [illegible]onfici poſſunt, quæ, nunc utplurimùm ex Italia, ubi *floru*[illegible]*m* ingens copia eſt, tranſportantur. Durabiliora autem efficiu[illegible]tur [illegible]ilia *olea*, nec tàm facilè rancorem contrahentia, ſi loco *Amygdalarum Balanus Myrepſica*, ſive *Granum Ben officinarum* accipiatur, aut ad minimum (uti Romæ facere aſſolent,) *oleum* ejus *goſſypio* exceptum cum *floribus* ſæpius ſtratificetur, quod denique fragrantiſſimo ipſorum odore ſufficienter imbutum, è *goſſypio* exprimatur. Hic modus ab Italis in ſecretis habetur, juxta quem ſuas *quintas eſſentias* (uti vocant,) parare conſueverunt. In *compoſitione* vel potiùs præparatione *olei Liliorum alborum compoſiti Meſue*, maximi quoque & abſurdi occurrunt errores, dum nimirum *aromata* non ſolùm cum *oleo*, ſed etiam, antequam *oleo* adjiciantur, coqui præcipiuntur: Ecquid enim cum *oleo* remanebit in reſiduo: præter craſſiores *aromatum* partes, expulſis ſubtilioribus & fragrantioribus, ceu efficacioribus: Itaque magis conſultum erit, ut juxta modum, ſuperiùs in præparatione *olei de Caſtoreo* annotatum, illud conficiatur, imò præſtantius adhuc evaderet, ſi loco *aromatum*, ipſorum *olea deſtillata*, (quæ cuncta ferè in Officinis proſtant,) eidem jam perfectè parato adderentur: Ex. gr.

℞. *Florum Liliorum alborùm recent.* ℥ *ix.*
Quibus in ℔ *ij olei puri* infuſis, adde
Coſti veri ℥ *j,*
Croci pulveriſati & in vino infuſi, ʒ *iij.*

Macerentur aliquandiu, &, ſi lubet, coquantur parùm in cucurbita, poſtea fiat colatura & expreſſio: Deniquè jam parato *oleo*, adde

Ol. ſtillat. Calami aromat. ℈ *j,*
Cubebarum ℈ *ij,*
Caryophyllor. ʒ *ß,*
Cinamomi ℈ *ß,*
Maſtichis ʒ *ij, vel* ʒ *iij.*

Aut, ſi lubet, loco *olei Maſtichini*, etiam ipſa *Maſtiche electa oleo* addi, in eoque leni calore ſiue coctione diſſolvi poteſt, eritque ſic ritè confectum *oleum*.

Oleum lumbricorum [illegible]*poſitum* quod ſpectat, in cujus præparatione deprehendo, jam [illegible]octis & paratis *oleis lumbricorum* & *hyperici* addi *vini* ℥ *iiij*, & ad omnimodam ejus conſumptionem denuò incoqui; aſt mehercle perquàm ineptè: Quid enim *vinum*, quod penitùs in coctione iterùm exhalare debet, *oleis jam perfectè coctis* efficaciæ aut virtutis communicare poteſt, cùm multò magis ea virtutibus ſuis hoc modo diminuantur?

 Simili

Similierrore ſcatet *oleum Maſtichinum Meſue*, cuic[illegible] [illegible]cera-tione & æquè præpoſterè *vinum* additum eſt: *Maſt.*[illegible] rom-ptè in *oleo* diſſolvitur, & indiſſolubili nexu illi unitur [illegible] a ſo-lutionem *vinum* necquicquam conferre poteſt, qui[illegible] potiùs impediat; quippe dum iſtud in coctura exhalat, unà ſecum rapit par-tes *Maſtichis* ſubtiliores ſive ſpirituoſiores; Neque *vinum*, dum *olea* cum ipſo coquuntur, illa virtutibus exaltare poteſt, nec etiam ob id iiſdem additur, ſed ex mera (uti video) conſuetudine, & ad imitationem priſcorum, cum quibus ita delirare dulce eſt.

Progredior ulteriùs ad *oleum Moſchelinum*, quod ipſum ſatis commodè juxta modum *olei Liliorum alborum compoſiti*, paulò ante indigitatum, confici poſſet, additis ſcilicet *oleis deſtillatis* ex depu-tatis *Aromatibus*, quorum vis & efficacia aliàs in coctura exhalat, quod apertè in effœtis ſimilibus *oleis* in officinis videre eſt, quæ ta-men, jure merito ſuavem & fragrantem ſpirare deberent odorem, tumque etiam virtutibus excellentiora exiſterent.

In compoſitione *olei Nardini* ratione adjectæ tantæ quantitatis *vini* & *aquæ fontanæ* notanda ſedulò, quæ in antecedentibus *oleis* de *Caſtoreo* & *Liliorum compoſito* dicta ſunt, ſecundum quæ etiam hujus *olei* præparatio inſtituatur, & præ omnibus *vini* & *aquæ* quan-titas diminuatur.

Devenio ad *oleum Papaverinum*, quod ex *capitibus Papaveris*, *foliis* & *floribus ejuſdem* cum *oleo communi* parari præcipitur, cui tamen meritò *oleum* ex ipſis *ſeminibus Papaveris expreſſum*, præfe-rendum eſſe arbitror.

Oleum de *Piperibus* juxta modum in præparatione *olei* de *Caſto-reo*, cui uſquequaque in *compoſitione* reſpondet, indigitatum parari poteſt.

Oleo Populino non ineptè quantitas illa *vini* detrahi, aut ad mi-nimum ad uncias aliquot diminui poſſet: Etenim *oculi populi* fra-grantem redolentes odorem reſinoſi & oleaginoſi ſunt, ac faciliùs *oleo* ſoli, in quo macerantur, vim ſuam communicare poſſunt, quàm ſi *vinum* adjiciatur, utpotè quod non ſolùm unionem *oculorum populi* cum *oleo* prohibet, vel ad minimum remoratur, ſed inſuper etiam in diuturnà illà coctione, donec nimirùm *quatuor libræ* ejus exhalent, ſubtiliores & fragrantes *oculorum populorum* partes, unà ſecum rapit in auras.

Inter *olea Roſata*, *oleum Roſatum vulgare*, & *Roſatum Ompha-cinum*, *compoſito illi Meſues oleo*, nimis artificiosè compoſito ſcili-cet, præfero.

Magnum illud *oleum Scorpionum Matthioli* adeò pomposè de-ſcriptum, longè compendioſiori viâ, paucioribus infuſionibus, nec non breviori tempore parari poſſet; nihil enim obſtat, cur *ſex* vel *novem*, aut *plures herbarum* vel *florum manipulos* ſimùl & ſemel *oleo* immer-

imme[illegible] non poſſim; Igitur ſi juxta modum noſtrum univerſaliter & [illegible]er, & quidem frequentiùs in hiſce *Animadverſionibus* in [illegible], nimirùm in cucurbita vitrea, reaffundendo ſemper, quod [illegible]nibus aut ebullitionibus prodit, & quatuor vel quinque infuſionibus in univerſum, nil quicquam tamen ingredientibus detrahendo, hoc oleum conficeretur, multò demùm efficacius evaderet.

Tandem nunc ſeſe offert *oleum ſtomachale Cratonis*, quod ſanè ſi dextrè pararetur, ad externos uſus foret efficaciſſimum; ſimpliciter autem hoc præſcripto modo elaboratum, exiguas minusque valentes in roborando ſtomacho virtutes obtinebit, ob rationem aliquoties in præcedentibus adductam, nimirùm quod unà cum *vino* præſtantiores *Aromatum* & reliquorum ingredientium partes exhalent: Ne autem hoc contingat, & quod penè oblitus eram, cùm *oleum Olivarum* pro extractione *vegetabilium* propter ſuum lentorem & unctuoſitatem ſatis aptum menſtruum non ſit, propterea præſtabit imitari modum ſequentem. Utpotè

℞. *Olei Abſinthii trinâ infuſione & maceratione parati* ℔ j,
Maſtichi electæ ℥ j.

Quibus in leni calore ſolutis & unitis, adde

Ol. ſtillatit. Abſinthii,
Caryophyll.
Ligni Rhodii ana ʒ ß,
Roſarum veri ℈ ß, *vel ejus loco*
Nuc. Moſchat.
Macis ana ℈ j, *vel* ℈ ij.

Miſce, ſervetur uſui.

In *oleo ex Styrace* denique quantitatem nimiam *vini* juxta has *Animadverſiones* diminuere, *oleumq;* hoc lege artis (videlicet in cucurbita vitrea,) præparare quilibet prudens Pharmacopœus probè noverit.

Quæ reliqua ſunt *olea expreſſa*, cùm ſimplicia ſint, non adeò erroribus ſcatent; Hæc qualiter exprimere oporteat, etiam vulgo notum eſt: Caveant autem Pharmacopœi, ne *olea expreſſa precioſiora* (ex quorum numero eſt *oleum Nuciſtæ*,) à mercatoribus coëmant, ſed propriâ ind[illegible]riâ ipſimet conficiant ſive exprimant, etenim hæc rarò pura, ſed utplurim[illegible] [illegible]dulterata divenduntur.

His *claſſem hanc* finio, quam quidem prolixiùs & fuſiùs extendere potuiſſem, aſt qui in præparationibus & compoſitionibus medicamentorum aliqualiter verſatus eſt, facilè mentem meam ex præcedentium etiam *claſſium Animadverſionibus* capere, & hiſce contentus eſſe poterit.

MEDICAMENTO M
PHARMACOPOEIÆ AUGUSTANÆ.
CLASSIS XVII.

Comprehendens

UNGUENTORUM STRUCTURAM.

UNGUENTA *inter externa remediorum genera reponuntur, & ex variis rebus unctuoſis,* oleis *ſcilicet,* pinguedinibus, axungiis, melle, cerâ, reſinâ, terebinthinâ, &c. (*quæ corpora veluti* unguentorum *ſunt,*) *aliisque quamplurimis cùm* vegetabilibus, *tum* animalibus & mineralibus *prædictis unctuoſis pro re nata commiſcendis, diverſimodè parantur; Horum* hæc Claſſis *plures continet* compoſitiones, *quas ordine, quâ poterit fieri brevitate ventilandas, nunc ad manus ſumemus.*

UNGUENTUM ÆGYPTIACUM.

COMPOSITUM MAGISTRALE.

℞. Viridis Æris uncias quatuor,
Aluminis,
Salis Ammoniaci ana unciam ſemis,
Succi Scordii uncias quatuor,
Alliariæ,
Rutæ ana uncias tres,
Aceti Scillitici uncias ſex,
Mellis cum decocto Abſinthii & Scordii deſpumati uncias ſedecim.

Omnia ſimul lento igne coquantur ad mediocrem unguenti conſiſtentiam; addendo
Theriacæ electæ,
Mithridatii ana unciam ſemis,
Camphoræ unciam unam.

Ex probè mixtis fiat unguentum.

Vſus

US hujus unguenti plurimùm commendabilis eſt in gangra- ſphacelo, omnibusq; aliis ulceribus valdè putridis & ; putredini ſiquidem efficaciter reſiſtit, & carnem mort... ...a potenter ſeparat, exſiccat ac detergit, vaporesq; putridos & venenatos partibus nobilioribus præcipuè infeſtos, fortiter diſcutit atq; emendat, à Guilielmo Fabricio Chirurgo quondam experientiſſimo in tractatu de Gangrana & Sphacelo inſtar ſingularis experimenti ad prædicta dilaudatum.

ANIMADVERSIONES.

SAtis potens hoc *unguentum* & ferè cauſticum erit, quodque vix ſine additione alterius rei mitigantis affectibus denominatis, niſi ingens demortuæ & corruptæ carnis copia adſit, applicare licebit; videat itaque is qui illud applicaturus eſt, ne dolores acerbiſſimos, & exindè conſequentia varia & crudelia ſymptomata excitet: Nobis ſaltem in præſens incumbit, ut dextram illius addamus præparationem, quæ talis eſſe poteſt;

℞. *Mellis cum decocto Abſinthii & Scordii* (forſitan melius foret cum decocto vel ſucco Plantaginis, Millefolii vel Hyperici,) *deſpumati* ℥ *xvj*,
Viridis æris ſubtiliſſimè triti ℥ *iv*,
Aceti ſcillitici ℥ *vj*.

Mixta invicem in ſartagine cuprea ſatis violenter inter initia coquantur, donec ex colore viridi converſa ſint in ſpadiceum; poſtea leni igne ad ſatis craſſam, & ultrà ordinariam conſiſtentiam inſpiſſentur: Tum admiſce

Aluminis,
Salis Armoniaci ana ℥ ß,
Succi Scordii ℥ *iv*,
Alliariæ,
Rutæ ana ℥ *iij*,

Coquantur iterùm lento igne ad juſtam conſiſtentiam, addendo in fine ubi parùm refrixerit,

Theriacæ electæ,
Mithridatii ana ℥ ß,
Camphoræ verò ℨ *j*.

Cum *ſpiritu vini* vel alio ad pultis formam redactæ & quodammodo ſolutæ prædictis, dum adhuc parùm calent, optimè miſceatur, paratumque uſui reponatur.

UNGUENTUM ÆGYPTIA

SIMPLEX MESUE.

℞. Æruginis drachmas quinque,
Mellis drachmas quatuordecim,
Aceti fortis drachmas ſeptem.

Coquantur omnia ſimul, donec fiat unguentum ſpiſſum; & colore purpureum.

Valentiſſimum ad ſaniem ſiccandam, ſordes detergendas, & carnem abſumendam, ulceribus malignis, putrilaginoſis & cuniculoſis convenit.

UNGUENTUM AGRIPPÆ

EX NICOLAO.

℞. Radic. Bryoniæ libras duas,
Cucumeris aſinini libram unam,
Scillæ libram ſemis,
Ireos uncias tres,
Filicis,
Ebuli,
Tribulorum aquaticorum ana unc. duas,
Ceræ albæ uncias quindecim,
Olei albiſſimi libras quatuor.

Radices omnes iſtæ recentes lotæ, inciſæ & contuſæ, macerentur in oleo per dies octo. Deinde coquantur, poſtea exprimantur, & in colato oleo & expreſſo reſolvatur cera, ac fiat unguentum ſecundum artem.

Ad Regem Agrippam Auctorem compoſitionem referunt, ad aquæ ſuffuſiones, partium tumores laxos ſeu ædemata, & nervorum contractiones valet, nephriticis ſuccurrit, ac ventri illitum alvum movet, & ſtranguriam ſedat, ad lienoſos quoque, & ventrem dolentes utile exiſtit.

ANIMADVERSIONES

In Vnguentum Ægyptiacum ſimplex Meſue, & Vnguentum Agrippa ex Nicolao.

Utraque *hac unguenta* juxta modum præſcriptum parari poſſunt: Nihilominùs autem in *unguento Agrippa* hoc obſervari poteſt, ne *oleum cum radicibus denominatis, Tribulisq́; aquaticis* jam ſat ſufficienterque maceratum ad omnimodam humiditatis exhalationem coquatur, ſed ut nonnihil humiditatis illi remaneat: Ita enim

enim para[illegible]m hoc *unguentum*, in operando efficacius fore mihi planè pe[illegible]deo, imò aſſerere auſim, *ſuccos prædictarum radicum*, vel *radic*[illegible]*nſas*, in denominatis affectibus valentiores eſſe, cuicunque [illegible]n loco (debitè tamen,) applicentur, quàm hoc ipſum ex iiſdem paratum *unguentum*, ob *ceræ* & *olei* additionem, utpotè quæ ſuo lentore prohibent, quò minùs reliqua ingredientia poros permeare aut penetrare queant: Non equidem ignoro, quòd talia *unguenta*, quæ humiditatem adjunctam habent, ſi diu aſſerventur, tractu temporis ſitum contrahant, igitur neceſſum eſt, ut in minori quantitate ſingulis annis recenter parentur.

UNGUENTUM DE ALABASTRO.

℞. Succi Chamomillæ uncias quatuor,
Roſarum recentium unc. duas,
Rutæ recentis,
Betonicæ ana unciam unam ſemis,
Rad. Althææ uncias duas,
Olei Roſati Omphacini libram unam ſemis,
Alabaſtri puri & pulveriſati unc. tres,
Infundantur per noctem, & cum cera alba fiat unguentum:

Deſcribitur hoc unguentum ab Auctore Benedicto Faventino in Empiricon cap. 1. de dolore capitis. Confert autem omni capitis dolori, ſive is per eſſentiam, ſive per conſenſum obortus fuerit, cum & citra febrem, omniq́ morbi tempore, ſolo excepto principio.

ANIMADVERSIONES.

PEr ſimplicem infuſionem parare *hoc unguentum* quidem impoſſibile eſt; *ſucci* enim & *olea* licet diu multumque invicem confuſa digerantur, nunquam tamen perfectè commiſceri poſſunt, hinc etiam *olea* ex *ſuccis* æquè, ut ex *herbis*, virtutes perfectè elicere nequeunt, quippe ſemper ab invicem ſegregantur, fundum petentibus *ſuccis*: Itaque ſi *unguentum hoc* ſecundum præſcriptum modum parari deberet, neceſſum eſſet, ut *ſucci* enumerati per coctionem totaliter exhalarent, & ne ſic quidem *oleum* ſuis virtutibus multùm imbuerent. Ut igitur efficacius conficiatur *unguentum*, conſultum eſt, ut modo ſequenti eju[illegible] præparatio inſtituatur. Nimirùm

℞. *Flor. Chamomillæ Rom. recent.* ℥ *v*,
Roſarum recent. ℥ *iiij*,
Rutæ hortenſis,
Betonicæ ana recent. ℥ *ij*,
Rad. Althææ recent. ℥ *j*.

Inciſa

Inciſa & contuſa nec non cucurbitæ vitreæ immiſſa, [illegible] fundantur per aliquot dies in *olei Roſati Omphacini*, vel *olei* [illegible] (quod meliùs foret, eò quòd illud jam tum alienis virtutibu[illegible] [illegible]butum ſit,) ℔ *j* ß, fiatque una vel altera lenis ebullitio [illegible] humiditate, quæ prodit aſſervatâ; poſtea *oleo adhuc calenti ex herbis expreſſo & colato*, addantur

Alabaſtri puri & ſubtiliſſimè triti ℥ *iij*.

Iterumque aliquandiu digerantur, ſæpius Alabaſtro (quod fundum petit) commoto vel ſubindè agitato: Adde tandem

Ceræ albæ ℔ ß.

Et ubi refrixerit, aliquandiu agita in ſartagine, ſuperiorique prolectâ particulâ aquoſitatis additâ, fiat *unguentum* in parva quantitate, ut ſingulis annis recenter parari poſſit, ne ſi diutiùs aſſervetur, ſitum contrahat aut rancidum evadat.

UNGUENTUM ALBUM, Sive de CERUSSA DICTUM AVICENNÆ.

℞. Lithargyri albi loti drachm. quatuor,
Ceruſſæ aquâ roſatâ lotæ drachmas viginti,
Ceræ albæ drachmas viginti octo,
Olei Roſacei uncias octo,
Albuminum ovorum numero quatuor.

Ceræ liquatæ in oleo Roſato lento igne injice Ceruſſam & Lithargyrum probè contrita: miſce, ac poſtremò adde albumina ovorum.

Commendatur ad ambuſta, eryſipelata, ſcabiem & cutis vitia à ſalſa pituita, & bile uſta enata, ad prurigines ac puſtularum eruptiones, acrem ſerpiginem, attrita, & intemperiem ulcerum calidam, præcipueq́ valet, ubi calor eſt, uſtio & excoriatio.

UNGUENTUM ALBUM CAMPHORATUM.

℞. Olei Roſati unc. decem, vel libr. unam, (ut habet Cordus,)
Ceræ albæ uncias tres,
Ceruſſæ uncias duodecim,
Albuminum ovorum numero ſex,
Camphoræ diſſolutæ cum aqua Roſarum drachmas [illegible]s.

Fiat unguentum ſecundum artem.

Ad prædicta valentius eſt propter Camphoram, eryſipelata reprimit, & ambuſtis medetur.

ANIM-

Animadverſiones In Unguentum album, ſive de Ceruſſa Avicennæ: & Unguentum album Camphoratum.

HÆc duo *unguenta* in frequenti quidem uſu ſunt, aſt nimis effœta; ratio eſt, quod *Lithargyrum* & *Ceruſſa*, ceu ſimplices *Plumbi* calces, quoad refrigerationem in enumeratis affectibus parùm præſtare poſſint, tùm per ſe inſperſa, tùm rebus unctuoſis permiſta: Etenim exigua illa vis refrigerans *ceruſſæ* in *Sacchar. dulced. Saturni* conſiſtens, & fermentum ſalſum, quod eſt in ulceribus, à bile ſalſa & aduſtâ enatis aliàs mortificare potens, mediante lotione, quæ tàm ſtudioſè præcipitur, penitùs eluitur. Ne itaque *unguentum hoc* efficaciâ illâ, quam de ipſo Authores ſibi promittunt, inpoſterum privetur, perutile fore exiſtimem, ut dictum *Lithargyrum* nec non *Ceruſſa* priùs cum *aceto deſtillato*, in ſufficienti quantitate affuſo, benè coquantur, & ferè ad ſiccitatem uſque iterùm inſpiſſentur, quibus tùm illicò *albumina ovorum conquaſſata, ac in aquam veluti per ſe reſoluta*, commiſceri queunt, atque his demùm aliquandiu invicem agitatis, ultimò *cera in oleo deſtinato liquata*, addi poteſt.

Nota; poſſent equidem *Ceruſſa* & *Lithargyrum* cum *oleo Roſaceo* & *aceto deſtill.* ſimul coqui, cui (ſcil. *oleo*,) intimè ſic adunarentur; aſt propter odorem fragrantem, quem *oleum* à *Roſis* ſolâ maceratione contraxit, quique in coctione penitùs exhalaret, coctionem cum ipſo minùs proficuam duxi.

Camphoram quod attinet, quæ *unguento albo camphorato* addi jubetur, illa cum *aqua Roſarum* commodè diſſolvi nequit, ſed neceſſum eſt, ut vel *ſpiritu aliquo ardenti*, utpotè *roſarum* pro hoc *unguento*, vel *oleo Roſato* ipſo, utro ſcilicet horum libuerit, diſſolvatur; & *unguento* nonnihil adhuc calenti ſub finem demùm admiſceatur.

UNGUENTUM DE ALTHÆA
Compositum Nicolai.

℞. Radic. Althææ libras duas,
Sem. Lini,
Fœnugræci ana libram unam,
Scillæ recentis uncias ſex,
Olei libras quatuor,
Ceræ libram unam,
Terebinthinæ,
Gummi Hederæ,
Galbani ana uncias duas,
Colophoniæ,
Reſinæ ana uncias ſex.

Radices

Radices & Lini ſemina contuſa, macerentur tribus di[illegible]bus in ſufficienti quantitate aquæ, deinde coquantur donec cra[illegible]eſc[illegible]t mucilago. Poſtea

℞. Mucilaginis expreſſæ libras duas:

Et adde reliqua, facque ſecundum artem unguentum.

NOnnulli ex Pharmacopœis, ut colorem unguenti magis intendant, illudque oculis gratius efficiant, nonnihil de radicibus Curcumæ adjiciunt; id autem ſi cera pulchra & citrina fuerit, facere non opus eſt, nec verò Curcuma medicamenti intentionem aſſequitur.

ANIMADVERSIONES.

MIra hæc congeries eſt, & inconcinna *compoſitio*, quæ vix meretur, ut ad ipſam corrigendam operam noſtram occupemus: conſidera ſaltem Lector amice & perpende, quod *libræ viſcoſa & craſſiſſima mucilaginis* ex *quatuor libris radicum Althaæ & ſeminum Lini & Fœnugræci* extrahi poſſent; & ſi *tot libræ extracta viſcoſa mucilaginis* ad *libras duas* inſpiſſari, atque huic tandem reliqua ingredientia, inprimis *Scilla*, ſine ulteriori coctione admiſceri deberent, proh quæ qualiſque inde exurgeret *unguenti* conſiſtentia? Ut autem aliquid ſaltem efficiamus, quod *unguento* quodammodo ſimile ſit (nam de viribus omnium ingredientium, an illæ ſalvæ remaneant, dubito:) procedamus hunc in modum.

℞. *Mucilag. radicum Althaæ,*
Semin. Lini,
Fœnugræci ℔ *iij, junctim*
Scillæ recentis ℥ *vj,*
Olei Olivarum ℔ *iiij.*

Percoquantur ad conſumptionem humiditatis, coleturque & ſeparetur *oleum* à craſſamento *prædicta mucilaginis* picis inſtar relicto, cui adde ſequentia invicem ſoluta, & poſt reſidentiam per linum & qualum trajecta vel colata, utpotè

Ceræ flavæ ℔ *j,*
Colophoniæ,
Reſinæ ana ℥ *v,*
Gummat: Galbani,
Hederæ priùs in
Terebinthina ℥ *iv, ſolutorum ana* ℥ *ij.*

Fiatque *unguentum* juſtæ conſiſtentiæ: quod ſi flavum ex[illegible]tur, priori decoctioni *Curcuma* in ſ. q injiciatur.

Nota; quod *Gummi Hederæ & Galbanum* in *Terebinthina*, non verò in *aceto* vel *vino* diſſolvere præceperim, cauſa eſt, quod neque

acetum

acetum, neque *vinum*, neu *aqua*, nevè *oleum Gummi Hedera* pe-r[illegible]ùs att[illegible]gat, ſed ſola *Terebinthina* illud optimè penetret, quantumvis [illegible]ec nonnihil de ipſo indiſſolutum relinquat; igitur præſtat [illegible] in pulverem redactum ſolutioni adaptare: *Galbanum* autem ſi purum totaliter in *Terebinthina* liqueſit & diſſolvitur, quod tùm faciliori negotio poſtmodùm *oleis* commiſceri poteſt, quàm ſi *vino* vel *aceto* diſſolutum eſſet; propter hanc cauſam etiam *pondus Terebinthinæ ad uncias duas* adauxi; è contra verò de *Colophonio & reſina unciam unam* (de quolibet) detraxi.

UNGUENTUM DE ALTHÆA
Simplex Ejusdem.

℞. Rad. Althææ libras duas,
Sem. Lini,
Fœnugræci ana libram unam,
Olei libras quatuor,
Ceræ libram unam,
Terebinthinæ uncias duas,
Reſinæ uncias ſex.

Radices & ſemina contuſa macerentur tribus diebus in aquæ libris octo, aut quantum ſufficit: quartâ die coquantur donec remittant craſſam & viſcoſam mucilaginem, eam deinde exprime. Mox

℞. Expreſſæ mucilaginis libras duas:

Coque cum oleo, & cùm deinde aquoſum illud in mucilagine conſumptum fuerit, ceram addito, & ſecundum artem parato.

Usu celeberrimum ad emolliendum, calefaciendum, & humectandum pectoris dolorem è frigore contractum abolet, laterumque doloribus feliciſſimè adhibetur; per ſe, aut etiam cum Butyro illitum, viſcerum durities laxat, ac ſtomachi inflationes diſcutit, valet ad nervorum incontinentiam ac duritiem, eosque præciſos glutinat, vulnera claudit, reſolutis nervis, & perfrictis partibus, inprimis tamen veſica, ad ignem illitum benefacit, periodicasque febres amolitur, emollit, lenit, concoquit, incidit & digerit.

UNGUENTUM ANODYNUM.

℞. Olei Liliorum alborum uncias ſex,
Anethini,
Chamæmelini ana uncias duas,
Amygdalorum dulcium unciam unam,
Pinguedinis Anatis,
Gallinæ ana uncias duas,
Ceræ albæ parum.

Dolores

D*Olores quacunque corporis parte mitigat, unde nomen quoque contraxit.*

ANIMADVERSIONES

In Vnguentum Dialthaa, & Vnguentum Anodynum.

V*Nguentum Dialthaa ſimplex* juxta modum præcedentem, in unguento *Dialthaa compoſito* indigitatum, parare convenit per evaporationem humiditatis, *mucilaginis* ſcilicet cum *oleo*, addendo ultimo *ceram Terebinthinam*, & *reſinam:* Quodque reſidet craſſamentum à *mucilagine* & *reſina* indiſſolubile, colaturâ per linum & qualum ſeparando.

Vnguento Anodyno ſimpliciter confecto *unc. tres circiter cera addi* poſſunt; Quamobrem autem *cera alba citrina* ſemper præferatur, equidem rationem nullam video: Etenim *cera alba* non ſolùm per diuturnam inſolationem flavedine ſuâ, ſed etiam ſubtiliſſimis, fragrantioribus & virtuoſioribus ſuis partibus privata eſt. Quippe *Sol vegetabilibus* omnibus à ſua radice evulſis, ipſiuſque radiis diû expoſitis multum detrahit, eademque viribus effœta reddit: Itaque ſi *cera alba* non tantùm ob albedinem vel pulchritudinem, ſed etiam ob alias ſingulares virtutes expetatur, meritò illi *flavam* longè præferendam opinor.

UNGUENTUM APOSTOLORUM
AVICENNÆ.

℞. Terebinthinæ,
Reſinæ,
Ceræ albæ,
Ammoniaci ana drachm. quatuordecim,
Ariſtolochiæ longæ,
Thuris maſculi,
Bdellii ana drachmas ſex,
Myrrhæ,
Galbani ana drachmas quatuor,
Opopanacis,
Æruginis ana drachmas duas,
Lithargyri drachmas novem,
Olei communis libras tres,
Aceti quantum ſufficit ad Ammoniacum, Galbanum, & Opopanacem diſſolvenda.

S*Ic dictum quòd ex duodecim conſtet ſimplicibus. Vſus quis ad vulnera & ulcera difficilia, cuniculoſos ſinus & fiſtulas, ſordidaq; ulcera emendat, purgat, exſiccat, ac detergit, & exesâ putrilagine carnem reſtaurat, duram emollit, & plagas ſanat. Vnguentum*

guentum d cum Venere antiquorum conſentit, quo uſi ſunt attrahendo, mol...endo, glutinando, & contra ferarum morſus.

MOdi parandi talis eſto. Bdellium ſi eſt molle, Ammoniacum, Opopanacem cum aceto macerabis nocte unâ, poſtridie calefac, & cola; iterum pende, & ponderi horum legitimo Terebiuthinam permiſce; Lithargyrum autem in oleo nutries aliquandiu ſine igne friatum, oleum æſtate ſit librarum duarum, hyeme trium; poſtea igni trade, ubi calet ceram immitte, hac liquatâ igni aufer, liquores paratos miſce; ubi refrixit, reliquorum pulverem paulatim adjice. Bdellium ſiccius (quale nobis adulterinum eſt,) ut cætera terendum & aſpergendum.

ANIMADVERSIONES.

PRæſcriptus *hujus unguenti* conficiendi modus, intricatiſſimus eſt, nec ullus Pharmacopœus juxta traditam hanc Authoris informationem *unguentum hoc* parabit: ut itaque genuina ejus præparatio ſuppetat, en ſubdo ſequentem;

℞. *Olei communis* ℔ *ij*,
Lithargyri ſubtil. triti ℥ *ij*,
Aceti fortis ℥ *vj*.

Coquantur invicem continuò ſpatulâ agitando ferè, uſque ad conſumptionem *aceti*, quibus adde

Terebinthinæ,
Reſinæ ana ℥ *ij*,
Ceræ flavæ ℥ *vj*,

invicem liquata, & per linum tranſcolata: poſtea id alia patella diſſolvantur in *aceto* ad pultis formam,

Galbani puri,
Pulv. Myrrhæ opt. ana drach. vj,
Opopanacis ℥ *ß*,
Ammoniaci drach. xiv, ſive ℥ *j ß, drach. ij*,

Quibus adhuc calentibus, non tamen ferventibus, alternatim adjice, mox de ſuperiori ruditer commixto & imperfecto *unguento* cochlear unum vel alterum, mox de *pulveribus ſequentibus* tantundem, ſemper in leniſſimo calore agitando, donec omnia & ſingula optimè unita ſint;

℞. P v. *Ariſtoloch. longæ*,
Thuris albi,
Bdellii ana drach. vj,
Æruginis ſubtil. ℥ *j ß*.

Fiat unguentum juſtæ conſiſtentiæ.

Nota; *hoc unguentum* longè efficacius redderetur præſertim in vulneribus nervorum & oſſium, ſi loco *olei ſimplicis*, *oleum terebinthinæ rubrum* ſubſtitueretur: Cæterùm licet *thus* in *terebinthina* & *Bdellium* in *aqua quacunque* diſſolvi poſſit, nihilominùs ea in forma pulveris ſubtiliſſimi adjeci, unicuique tamen liberum erit ea diſſoluta addere.

UNGUENTUM AREGON

NICOLAI.

℞. Rad. Jari, ſeu Ari,
Cucumeris aſinini ana uncias quatuor ſemis,
Bryoniæ uncias tres,
Pyrethri unciam unam,
Roriſmarini,
Majoranæ,
Serpylli,
Rutæ ana uncias quatuor ſemis,
Fol. Coccognidii uncias novem,
Cucumeris aſinini unc. ſex,
Lauri,
Salviæ,
Sabinæ ana uncias tres,
Publicariæ majoris, id eſt, Conyzæ,
Minoris ana uncias quatuor,
Calaminthæ, ſeu Nepetæ uncias ſex,
Maſtiches,
Olibani ana drachmas ſeptem,
Euphorbii,
Zingiberis,
Piperis ana unciam unam,
Olei Moſchelini unciam ſemis,
Communis libras quinque,
Laurini,
Adipis urſini ana uncias tres,
Petrolei clari unciam unam,
Butyri uncias quatuor, aut quantum ſatis eſt.

Herbæ & radices Majo menſe collectæ, in olei & vini ſ. q. macerentur diebus ſeptem, deinde coquantur & colentur. Colato oleo adjice reliqua, atque in fine adde
Ceræ libram unam, uncias tres. Miſce.

Unguentum hoc ab effectu ἀρηγὸν, ſeu auxiliare dictum, numeratur inter quatuor unguenta calida, ideoq; corporis vitiis frigidis, convulſioni, paralyſi, tetano, & nervorum du-
tenſioni

tenſioni c[illegible] [illegible]ucit; ſpinæ & renum dolores, ac colicos cruciatus ſanat; ad omne[illegible] ſtomachi, & veneris dolorem, uterina quoque mulierum mala, quartanas, & morbum comitialem facit, articulares morbos juvat, & rigores febrium ſpina illitum diſcutit. Eo frequenter ad ſcabiem ex lue venerea utimur.

MOſchelinum oleum ſi deeſt, Rutaceo aut Laurino utendum potiùs, quàm Balanino.

ANIMADVERSIONES.

CUm *unguenti* hujus præparandi modus ex parte inſufficiens mihi videatur, idcircò pleniorem & dexteriorem ejus præparationem addere conſultum duxi, quæ talis eſſe poteſt;

℞. *Radic. Ari,*
Cucumeris aſinini ana ℥ *iv* ß,
Bryoniæ ℥ *iij,*
Pyreth. ℥ *j,*
Fol. Coccognidii ℥ *ix,*
Cucum. Aſinini ℥ *vj,*
Pulicar. majoris,
Minoris ana ℥ *iv.*

Omnia hæc recentia & contuſa infundantur in
Olei communis ℔ *v,*
Adipis urſini ℥ *iij,*
Butyri recent. ℥ *iiij.*

Stent in digeſtione vel maceratione per octiduum; poſtea cocta ad exhalationem humiditatis exprimantur fortiter & colentur: tum *oleo expreſſo* de novo infundantur vel immergantur
Herb. recent. & contuſ. roriſmarini,
Majoranæ,
Serpylli,
Rutæ ana ℥ *iv* ß;
Fol. contuſ. Lauri,
Salviæ,
Sabinæ ana ℥ *iij,*
Calamint. mont. ℥ *vj.*

Macerentur in calore leni per octiduum; poſtea fiat in Alembico una vel altera e[illegible] [illegible]affusâ, quæ prodit, fragrantis aquoſitatis particu[illegible] [illegible]actâque expreſſione & colaturâ, addantur *oleo colato ceræ* [illegible] ℔ *j,* ℥ *iij,* quâ leniter liquefactâ, admiſceantur
Olei Moſchelini ℥ ß,
Laurini ℥ *iij,*
Petrolei clari ℥ *j.*

Et dum adhuc calent, *pulveres ſequentes* inſpergantur, diù & ſine intermiſſione agitando; utpotè

Pulvis Maſtiche,
Olibani ana drach. vij,
Euphorbii,
Zinziberis,
Piperis ana ℥ *j*. Miſce, fiat unguentum.

UNGUENTUM DE ARTHANITA Majus Mesue.

℞. Succi Cyclaminis libras tres,
Cucumeris agreſtis,
Butyri vaccini ana libram unam,
Olei Irini libras duas,
Pulpæ Colocynthidis uncias quatuor,
Polypodii uncias ſex,
Euphorbii unciam ſemis.

Contundenda terantur, & macerentur in ſuccis ac oleis diebus octo in vaſe vitreo: Poſtea ſemel ferveſac in duplici vaſe; cola, & colaturæ adde

Sagapeni drachmas ſeptem ſemis,
Myrrhæ drachmas tres.

Diſſolvantur hæc in aceto, & coquantur in prædictâ colaturâ ad ſuccorum conſumptionem: deinde adde

Ceræ uncias quinque,
Fellis Taurini drachmas ſeptem ſemis.

Ferveſac ſimul donec cera liqueſcat; tunc inſperge paulatim pulverem ſubſequentem medicamentorum,

Scammonii,
Aloës,
Colocynthidis,
Mezereonis,
Turbith ana drachmas ſeptem ſemis,
Salis gemmæ drachmas quatuor ſemis,
Euphorbii,
Piperis longi,
Zingiberis,
Chamæmeli ana drachmas tres.

Miſce; fiat unguentum.

Illitum ſtomacho vomitu purgat, hypogaſtrio autem in[illegible] alvum dejicit, ob id hydropicos mirè juvat, ſeroſum excrementum largè evacuando; vermes quoque enecat & educit. Adhibetur iis, qui purgans medicamentum ſumere nequeunt.

ANIM.

ANIMADVERSIONES.

NEque hujus *unguenti* præparatio ſufficienter tradita eſt, quæ-que meritò modo ſequenti inſtitui deberet;

℞. *Succi Cyclaminis* ℔ iij,
Fructus & herb. Cucum. agreſtis,
Butyri vaccini ana ℔ j,
Olei ſimplicis ℔ ij,
Pulpæ Colocynthidis ℥ iv,
Polypodii ℥ vj,
Euphorbii ℥ ß.

Contundenda terantur & macerentur in *ſuccis* vel *oleis* per octiduum; poſtea coquantur ferè ad conſumptionem humiditatis, fiat-que colatura & expreſſio fortis: in expreſſo *oleo* liquefac

Ceræ flavæ ℥ v.

Tùm

℞. *Gummi Sagapeni* ℥ j,
Myrrhæ pulver. drach. iij.

Solvantur in *aceto* ad pultis formam in ſingulari patella, quibus adhuc calentibus alternatim mox de *oleo prædicto*, in quo *cera* liquefacta eſt, mox de *pulveribus ultimò inſpergendis* (qui ex deſcriptione ſuperiori peti poſſunt,) nec non de *fellis taurini drachmis ſeptem*, cochlear unum poſt alterum injiciatur, fiatque ita *unguentum* juſtæ conſiſtentiæ.

UNGUENTUM AUREUM
MESUE.

℞. Ceræ citrinæ uncias ſex,
Olei boni libras duas ſemis,
Terebinthinæ uncias duas,
Reſinæ,
Colophoniæ ana unciam unam ſemis,
Thuris,
Maſtiches ana unciam unam,
Croci drachmam unam.

Confice ſecundum artem.

A*V[illegible]um a colore [illegible] pretio diciter. Quibuſdam Regis unguen[illegible]m, vulnera tutò & ſalubriter glutinat, præſertim in corporibus mollioribus.*

MOdus confectionis hic eſt, ut Oleum & Cera omnium primò liquentur; deinde addatur Terebinthina, tandem pulveres, ac poſtremò Crocus.

UNGUENTUM DE BDELLIO
MESUE.

℞. Bdellii drachmas ſex,
Euphorbii,
Sagapeni ana drachmas quatuor,
Caſtorei drachmas tres,
Ceræ drachmas quindecim,
Olei Leucoii drachmas decem.

Bdellium & Sagapenum diſſolvantur in aqua rutæ, cætera cum aqua calida uniantur, & fiat unguentum.

Commendatur ad paralyſin, & ſpaſmum jam confirmatum; valenter namque digerit ac mollit, ut nervorum & articulorum tophos diſſipet, eorundem etiam frigidos affectus juvat, ac membrorum reſolutionem ſanat; ad epilepſiam quoque plurimum facit.

UNGUENTUM E CALCE.

Calcem vivam ſingulis diebus ſemel lavabis, & in fundo reſidere permittes, atque aquam ſpongiâ exprimes decem diebus continuis: Deinde aquâ roſaceâ lavabis, & ſiccari ſines.

℞. Hujus Calcis ita præparatæ uncias tres,
Olei roſati libram unam,
Ceræ albæ uncias tres.

Ceram in oleo liquato; huic ab igne exemptæ & jam concreſcere incipienti, calcem leviſſimè tritam admiſceto, & reponito.

Aliud εὐπόριστον. Calci vivæ ſuperinfunde aquam puram, cui mox detractæ, adde tantundem olei communis, & agita ſimul, donec fiat unguentum. Ambuſta feliciſſimè inter initia percurat. Aliud ad ambuſta ex corticibus mediis Sambuci refert Fœſius Sect. XI.

ANIMADVERSIONES
In Vnguentum aureum Meſue: de Bdellio, & de Calce viva.

Ingredientia *Vnguenti aurei* cuncta, præter *Crocum* [illegible] *Olibanum*, inter ſe invicem colliquari poſſunt, quæ ubi liq[illegible] ſunt, per linum & qualum colentur, addaturque *Crocus ſubtiliſſ*[illegible]*è tritus & vino dilutus*, nec non *Olibanum* ſimili modo ſubtiliter pulveriſatum: Si quâ etiam alicui liberet loco *olei communis oleum terebinth. rubrum* ſumere, is longè præſtantius ad quævis etiam vulnera, præſer-

præſertim capitis, nervorum & oſſium, quibus alioquin oleaginoſa infeſta ſunt, efficeret *unguentum*. *Vnguento de Bdellio* nimis exigua quantitas *olei* aſſignata eſt, ita ut *emplaſtrum* citiùs quàm *unguentum* exindè confici poſſet; paretur itaque juxta hunc modum ſubſequentem;

℞. *Olei de Caſtoreo, vel Moſchelini, aut Nardini, quodcunq; horum libuerit,* ℥ *viij,*
Ceræ citrinæ ℥ *ij.*

Quibus artificioſè junge

Bdellii in aqua ruta ad pultis formam ſoluti ℥ ß,
Euphorbii pulveriſati ℥ ß,
Axung. Caſtorei, (ſi haberi poſſit, ſin minus pulveris,) ℥ *ij.*

Fiat unguentum.

Vnguenta de calce viva juxta modos præſcriptos quidem parari poſſunt, aſt propter frequentem totieſque reiteratam lotionem *calcis vivæ*, minùs efficacia efficiuntur; quippe *calx lota* terræ mortuæ inſtar eſt, ejus enim acrimonia exſiccans, vel ſolâ humiditate aëris attractâ infringitur vel deſtruitur, multò magis aquâ toties affuſâ. Plura de *Calce viva* petantur ex *animadverſionibus appendicis claſſis decimæ quartæ*, ubi de *Sale Viperarum* egimus.

UNGUENTUM CITRINUM, Seu BASILICUM NICOLAI.

℞. Boracis drachmas duas,
Camphoræ drachmam unam,
Corallii albi drachmas quatuor,
Amenti dulcis, id eſt Gypſi, capillatas venas habentis, unciam unam,
Umbilici marini,
Tragacanthi albiſſimi,
Amyli,
Cryſtalli,
Antali,
Dentali,
Thuris albiſſimi,
Nitri ana drachmas tres,
Marmoris albi, aut alabaſtri drachmas duas,
[illegible]rſæ ſerpentariæ, id eſt, Serpentariæ veræ præparatæ unciam unam,
Ceruſſæ uncias ſex,
Axungiæ porcinæ recentis mundæ libram unam ſemis,
Sevi Caprini præpar. unciam unam ſemis,

Adipis Gallinacei præparati unciam unam.

Conſice ſic:

Axungiam porcinam atque adipem gallinaceum liqua ſimul, & impone tepidis adhuc corticum Citrii mali ſatis magnam quantitatem, & macerentur per menſem unum: deinde eximito cortices, & ſevum caprinum addito: poſtea addantur reliqua tenuiſſimè trita. Ultimò verò inſperge Camphoram & Boracem ſeorſim ſubtiliſſimè trita.

CItrinum Officinæ vocant, cùm potiùs Citrium dicendum ſit, à pomis Citri, vel eorundem ſucco. Aſpera lævigat, faciei maculas & lentigines exterit, ephelides ac ex inſolatu uſtiones factas & cicatrices emendat, ruborem oculorum aufert, nec non puſtulas in cute, à ſalſa pituita apparentes, ſanat.

PRiora Exemplaria legebant Boracis unciam unam; præſtiterit tamen ad Græci exemplaris normam ſumere drachmas duas, Gerſæ autem ſeu Ceruſſæ ſerpentariæ, quàm Nicolaus ψιμμύθιον ſeu Fucum vocat, pondus ad unciam extendere, cùm coſmeticum ſit medicamentum, cutim emaculans, cui intentioni Gerſa præcipuè ſervit. Ejus quoque unciam apponunt Noribergenſes & Renodæus. Aliqui præter Citri cortices ſuccum quoque Citri adjiciunt; & ſic efficacius medicamentum efficiunt.

ANIMADVERSIONES.

SPecioſa hæc ſatiſque argutè conſcripta *compoſitio*, reverà plurima inutilia continet, cujus utut libenter dexteriorem præparationem addere conarer, non poſſem tamen, cùm inter ingredientia nulla ſit ſymbolizatio: Ne tamen partibus meis defuiſſe videar, nihilominùs aliqualem ejus præparandi modum adjungam.

℞. *Axungiæ porcinæ recentis* ℔ j ß,
Adipis Gallinacei ℥ j,
Corticum Citri exteriorum minutiſſimè conſciſſorum aut contuſor. ℔ j, *vel* ℔ j ß.

Macerentur diù multumque in loco tepido, tandem colentur & exprimantur: *Colatæ odoriferæ axungiæ* addatur

Sevi Caprini ℥ j ß,
Ceruſſæ cum ſucci Citri ℥ viij *coct*[illegible] *ad* [illegible]*citatem ferè inſpiſſata* ℥ vj,

vel, ſi lubet, & quod melius eſt,

Sacchari Saturni, parumper cum *aqua roſarum aut Citri diſſoluti* ℥ ij.
Feculæ Serpentariæ, vel Bryoniæ ℥ j.

Agi-

Agitentur diu multùmque invicem, & iterùm ſuperaddantur,

Corallorum alborum ℥ ß,
Vmbilic. marinorum,
Cryſtalli,
Antali,
Dentali ana præpar. ℥ iij.

Alabaſtri albi præpar. ℥ ij, *in* ℔ j, *ſucci Citri recentis clari*, vel potius *aceti deſtillati* cocta, & denuò ad ſiccitatem per coctionem vel evaporationem redacta;

Item,

Tragacanthæ albiſſimæ cum aqua Roſar. in mucilag. ſpiſſam diſſolutæ,
Amyli,
Nitri,
Thuris albi ana ſubtil. pulveriſ. ℥ iij,
Boracis Venet. alb. tritæ ℥ ij,
Camphoræ in ſpiritu Roſar. vel ipſa
Axungiæ porcinæ ſolutæ drachm. j ß.

Fiat l. a. unguentum.

UNGUENTUM CLYSMATICUM.

℞. Herb. Malvæ;
Biſmalvæ,
Branceæ Urſinæ,
Parietariæ,
Mercurialis ana manipulos quatuor,
Radic. Althææ,
Liliorum alborum ana uncias quatuor,
Flor. Chamomillæ,
Meliloti ana manipulos tres,
Butyri recentis libras quinque.

Piſtentur ſimul, & ſic ſtent per menſem: poſtea coquantur & exprimantur.

ADhibetur in Enemate, vel per ſe liquatum injicitur; emollit enim, lenit, digerit, dolores levat, ventrem blandè ſubducit, [illegible]ras f[illegible]t, ac inteſtina reddit lubrica.

ALII SIC PARARE SOLENT.

℞. Parietariæ,
Malvæ,
Mercurialis,

{Betæ ana manipulos tres,
Fol. Althææ,
Violariæ,
Flor. Chamomillæ,
Meliloti omnium recentium ana manipulum unum ſemis.

Coque in ſufficienti quantitate, ſeu libra una ſemis Butyri recentis non ſaliti, donec vireſcat, addendo colaturæ
Olei Amygdalorum dulcium uncias octo.
Miſce, fiat unguentum.

UNGUENTUM COMITISSÆ
GULLIELMI DE VARIGNANA.

℞. Cort. med. Glandium,
Caſtanearum,
Quercus arboris,
Bacc. Myrti,
Caudæ equinæ, ſeu Equiſeti,
Gallarum,
Corticum Fabarum,
Acinorum Uvarum,
Calicum Glandium,
Sorborum immaturorum ſiccorum,
Meſpilorum acerborum ſiccatorum,
Fol. Capparis,
Pruneoli ſylveſtris,
Rad. Tormentillæ aut Biſtortæ ana unciam unam ſemis.

Contundantur aliquantulùm, & coquantur in aquæ Plantaginis libris octo, aut quantum ſufficit, donec media pars conſumpta fuerit. Deinde in colatura laventur ſequentia novem vicibus, ſemper recentem aquam decoctionis affundendo quotieſcunque laveris.
℞. Ceræ novæ uncias octo ſemis,
Olei Myrtillorum,
Maſtichini ana libram unam ſem.
Poſtea inſperge ſequentium rerum tenuiſſimum pulverem.
℞. Cort. med. Caſtanearum,
Glandium,
Quercus arboris ana unciam unam,
Gallarum,
Succi Hypociſtidis,
Cineris oſſium cruris bubuli,
Bacc. Myrti,
Acinorum Uvarum,

Sorbo-

Sorborum ſiccorum ana unciam ſem.
Trochiſcorum de Charabe uncias duas.
Miſce, fiat unguentum bonæ conſiſtentiæ.

Unguentum hoc à Comitiſſa Vandrenſi nomen ſortitum ad menſtrua ſupprimenda, & abortum prohibendum concinnatum à Varignana lib. 16. de morbis cur. cap. 4. Fœminei fluxus abundantiam compeſcit, locos muliebres firmat, uterum roborat, ac renes laxatos ſtringit, ſi eo inungantur, hæmorrhoidum ſuperfluum profluvium ſiſtit.

Modus compoſitionis talis eſto, ut ceræ unciæ octo cum olei Myrtini libris duabus ſemis diſſolvantur, & laventur novies ex aqua Plantaginis, ſemper aliquid de eo quod eſt colatum, affundendo: Poſtea pulveres tenuiſſimè triti ceræ & oleo, cum decocto lotis permiſceantur, & addito oleo Maſtichino non loto q. ſ. fiat unguentum: quo renes & pecten inungi debent ad firmandum uterum, ac menſium abundantium cohibendam.

ANIMADVERSIONES

In Unguentum Clyſmaticum, & Unguentum Comitiſſæ.

Unguentum clyſmatica juxta præſcriptos modos optimè parari poſſunt, diuturnâ nimirùm maceratione, levi coctione, & forti expreſſione.

Unguentum autem *Comitiſſæ* correctione maximè opus habet, ejusque præparatio optimè fit modo ſequenti;

℞. *Species omnes pro decoctione, uti compoſitio habet*, has in *aqua ſimplicis* ℔ *viij* percoque ad dimidias, colentur & exprimantur; *colaturæ* adde

Ceræ novæ ℥ *viij*,

iterumque unâ vel alterâ ebullitione factâ, penitùs refrigeratis omnibus fiat colatura; *Cera relicta* interim aſſervetur; *Decocto* autem *colato* adde

Ol. Myrtillorum ℔ *j* ß,
Communis ℔ *j*, ℥ *ij*.

Coquantur leniter ad conſumptionem *decocti*, ac rurſus coletur *oleum*, in quo diſſolve

Maſtichis electæ ℥ *iv* ß.
Ceramque quæ ſuperiùs cum decocto ebullijt;

tandem inſperſis *pulveribus ordine in compoſitione ſubſequentibus*, fiat. l. a. unguentum.

Nota; præſtaret *ſuccum Hypociſtidis*, qui ultimò unà cum *pulveribus* adjicitur, non tritum, ſed in particula *decocti primi* ſolutum, ſub

ſub finem addere; Et loco *trochiſcorum de Carabe*, melius foret eorundem *ſpecies*, in *Trochiſcos* nondum redactas ſubſtituere; Sic & unà cum *ſucco Hypociſtidis*, *ſuccus Acatiæ*, *Opium*, *Crocus*, *&c.* (quæ dictos *Trochiſcos* ingrediuntur,) non pulveriſata, ſed in prædicto *decocto* etiam ſoluta addi poſſent. Item reliqua alia; quæ diſſolutionibus magis, quàm triturationi apta ſunt; Pro *duabus autem unciis illis Trochiſcorum*, medietatem ipſorum ingredientium, prout *compoſitio* huic Diſpenſatorio inſerta eſt, accipere æquum eſſet.

UNGUENTUM DE CYNOGLOSSO.

℞. Radic. Cynogloſſi rubearum libram ſemis,
Butyri recentis libram unam ſemis,
Vini rubri uncias quatuor.
Coquantur ad vini conſumptionem & colentur.

Valet ad contuſa & ſuggillata, ſanguinem concretum tàm intus aſſumptum, quàm forinſecus illitum diſſolvit, pleuritidi auxiliatur, dolores à cauſa calida etiam podagricos mitigat, & Anodynum eſt praſtantiſſimum, variis uſibus accommodatum.

UNGUENTUM FUSCUM NICOLAI.

℞. Olei libram unam ſemis,
Ceræ novæ uncias quatuor,
Picis Græcæ,
Nigræ,
Sagapeni ana uncias duas,
Maſtiches,
Galbani,
Thuris,
Terebinthinæ ana unciam unam.
Fiat unguentum.

Dicitur & Nigrum. Vulnera repurgat, & inter Sarcotica Chirurgis uſurpatum, multa habet, unde emolliat & concoquat, carnem creat, putridamq; depaſcit.

ANIMADVERSIONES

In Vnguentum de Cynogloſſo, & Fuſcum Nicolai.

Unguentum de Cynogloſſo paratu facile eſt; *Vnguentum fuſcum* verò tali modo confici poteſt, utpotè

℞. *Olei*

℞. *Olei communis (vel quod melius foret, ol. Terebinth. rub.)*
℔ j ß,
in quo diſſolve
Maſtichis ℥ j,
Ceræ flavæ recentis ℥ iv,
Picis Græcæ,
Nigræ ana ℥ ij,
Terebinthinæ ℥ j,

colentur per linum & qualum; colaturæ ſ. a. admiſceantur
Sagapeni ℥ ij,
Galbani ℥ j,

ambo ad pultis formam in vino diſſoluta, &
Thuris ſubtil. triti ℥ j;

Fiatque unguentum.

Notandum autem, quod *Sagapenum* & *Galbanum* etiam in *Terebinthina* diſſolvi poſſent, ſimiliter *Olibanum* ſive *Thus pulveriſatum*, niſi *Terebinthina* nimis exigua quantitas reſpectu dictorum *Gummatum*, huic *compoſitioni* addita eſſet.

UNGUENTUM AD HÆMORRHOIDAS.

℞. Thuris unciam ſemis,
Succi prunorum ſylveſtrium,
Myrrhæ,
Croci ana drachmas tres,
Opii drachmam unam.

Decoquantur in lactis caprini unciis quatuor ad conſumptionem tertiæ partis; cui adde
Mucilaginis Pſyllii unciam ſemis,
Olei Roſacei uncias tres,
Vitellum ovi unum.

Miſce, fiat unguentum.

A*Cerbiſſimos hæmorrhoidarum dolores placat, earundemq; inflammationes retundit.*

NOribergenſes aliud unguentum ad Hæmorrhoidas ex Amylo, [illegible], Lithar[illegible], Plumbo uſto, Tragacantho, Opio, Camph[illegible] [illegible]umine ovi, oleo Roſato & Violato compoſitum habent. Ejus [illegible]ptionem in Antidot. Medico eorundem require fol. 227.

ANIMADVERSIONES.

PRaſtabit hoc *unguentum* parare modo ſequenti.

℞. *Succi*

℞. *Succi Acaciæ* ℥ ij,
Opii ʒ j.

Diſſolvantur in *lactis caprilli* ℥ ij, colenturque, colatura coquatur ad ſpiſſitudinem pulticulæ tenuis, cui junge

Croci pulveriſ. ʒ ij,
Thuris ſubtil. triti ℥ ß,
Myrrhæ ſimil. trita ʒ ij.

fiatque adhuc una vel altera ebullitio, addendo etiam

Mucilaginis ſem. Pſyllii cum lacte caprino extracti ℥ ß,
Olei Roſati ℥ ij,

& dum adhuc parùm calent,

Vitellum ovi unius admiſce.

Ex quibus omnibus invicem benè agitatis, fiat *unguentum Anodynum*.

UNGUENTUM INFRIGIDANS
GALENI.

℞. Olei Roſati Omphacini libram unam,
Ceræ albæ uncias tres.

Ceram in oleo liquabis, & ſæpiùs aquâ frigidâ lavabis donec albeſcat: poſtremùm aquâ Roſaceâ ablues, & pauxillum aceti Roſati adjicies.

Ubicunque refrigeratione & humectatione opus eſt, ejus uſus eſſe poterit, hecticis prodeſt, nec non renum dolori à cauſa calida provenienti opem fert.

ANIMADVERSIONES.

IN ſimpliciſſima hujus *unguenti* præparatione has animadverto ineptias, nimirùm quod *cera alba* toties adhuc *aquâ frigidâ* lavanda ſit, donec albeſcat; Nonne quæſo *cera alba*, cùm per inſolationem candida & nitida redditur, ſat ſufficienterque lavatur; quid igitur ulteriori lotione opus eſt? Aſt inutilem illam *ceræ* lotionem non adeò reprehenderem, niſi per frequentem reiteratamque hanc loturam, ſimùl etiam fragrantia & vires *olei Roſarum* demerentur vel auferrentur; Linquentes igitur hanc ineptam lotionem, illicò poſtquam *cera* in *oleo Roſato* per ſolam [illegible] juxta *Animadverſiones noſtras ſuperiores* parato leniter liquata, iten [illegible] frigefacta fuerit, addamus ſub continua agitatione *aceti Roſa[illegible]* quantum ſufficere videbitur, aut quantum continere poterit. Namque ſi *ceram albam* & *oleum aquâ ſimplici*, uti jubent, lavaremus, tantum de *aqua ſimplici unguentum* in ſe reciperet, quantum capere pote

ſſet,

eſſet, ut ita de *aceto Roſaceo*, quod ultimò addere jubent, & à quo ſanè *unguentum hoc* potiores ſuas virtutes mutuari deberet, nil quicquam amplius reciperet.

UNGUENTUM JOVIS.

℞. Fol. Hyoſcyami,
Verbenæ,
Parietariæ,
Sambuci,
Geranii ana manipulos quatuor,
Violarum,
Papaveris albi,
Cicutæ ana manipulos ſex,
Sempervivi manipulos tres,
Liquiritiæ recentis libras tres.

Omnia ſumantur recentia, concidantur, & cum ſufficienti quantitate Butyri recentis probè ſimul contuſa impaſtentur, atque ſic diebus quindecim ſimul unita maneant: poſtea coquantur & exprimantur.

Aliter & faciliùs ſic paratur.

℞. Verbenæ recentis,
Hyoſcyami recentis ana manipulos duos,
Butyri recentis uncias octo.

Contundantur ſimul, atque ſic maneant per dies quatuordecim: deinde coquantur ad conſumptionem humiditatis, & colentur.

Inflammationes, ac calidos quoſvis tumores potenter reprimit, ſcroti præſertim incendiis ſalutare.

UNGUENTUM DE LIQUIRITIA.

℞. Butyri recentis in aqua Roſarum & Solani aliquoties loti, libram unam,
Liquiritiæ recentis ac ſucculentæ uncias quatuor.

Piſtentur ſimul in mortario, poſteaque frigantur in ſartagine, colenturque & exprimantur, laborem hunc ter reaſſumptâ, ſemper novâ Liqui[illegible]iâ iter[illegible]em Butyro huic ſic præparato, adde
Pompholygis drachmas duas,
Ceruſſæ mundiſſimæ uncias tres,
Albumin. ovi conquaſſati unciam unam ſemis,
Camphoræ ſcrupulos duos.

Fiat ſecundum artem unguentum.

Inflam-

INflammationes partium inſolentes, eryſipelata, ſacroſignes, ac puſtulas ab ichoribus ſanguinis calidis aut bile natas perſanat, nec non manantibus ulceribus dolorificis à ſalſi ſeri acrim nia profectis eximiè confert, eſtque id civibus ex ſuaſu Raymu. Mindereri Med. Doctoris & Collegæ noſtri quondam humaniſſ. us pluſquàm familiare.

UNGUENTUM DE LITHARGYRO.

℞. Lithargyri uncias duas,
Ceruſſæ unciam ſemis,
Aceti unciam unam,
Olei Roſati uncias duas ſemis.

Fiat unguentum in mortario plumbeo optimè agitatum.

PRodeſt ſcabiei & cutis vulneribus, pruritum ac deſquamata juvat, & ſiccat ſine morſu. Sarcoticum eſt & epuloticum, difficiliaq; ulcera perſanat, & cruenta glutinat. Lithargyrum namque vino aut aceto tritum & ſiccatum, vulneribus medetur, quæ ob humiditatem vix cicatrice clauduntur; quo ſi eloto utaris, roſionis omnino expers fiet medicamentum.

ANIMADVERSIONES
In Vnguentum Iovis, de Liquiritia, & de Lithargyro.

UNguentum Iovis tùm primæ tùm ſecundæ deſcriptionis, quoad præparationem nullas habet difficultates, modò illud non nimis, uti communiter fieri aſſolet, coxeris, ſcilicet ad totalem conſumptionem humiditatis *herbarum* & *radicum*; Efficacius enim erit *unguentum*, ſi de humiditate ingredientium nonnihil cum *Butyro* remanſerit.

Vnguentum de Liquiritia quod ſpectat, & illud ad denominatos affectus præſtantius erit, ſi juxta modum, quem in *unguento albo* edocui, paretur, coquendo nimirùm *Ceruſſam* aliquandiu cum *aceto deſtillato unciis novem* circiter, vel etiam *librâ integrâ* ad pultis craſſioris formam quæ *Butyro jam præparato* commiſceri, ac diu multùmque cum ipſo agitari poteſt: His denique reliqua, utpotè *Pompholyx, albumina ovorum conquaſſata & in liquorem aquæ inſtar reſoluta*, nec non *Camphora, ſpiritu vel oleo roſarum diluta* admiſceantur.

Similem parandi modum requirit *unguentum de Lithargyro*; ſecùs enim, ſi juxta modum præſcriptum fieret præparatio, malè illa cederet, & nulla exindè *unguenti* emergeret conſiſtentia; neceſſum igitur, ut *Lithargyrium* & *Ceruſſa* cum ſ. q. *aceti* (℥ *viij circiter*) benè

benè coquantur, & ad pultis formam inſpiſſentur, quibus tum *oleum roſatum* ſine ulteriori coctione jungatur, deinde diu multùmque invi... agitando, probè miſceantur.

A... quoddam *unguentum de Lithargyrio* dictum, in nonnullis Officin... nunc proſtat, ad affectus denominatos efficaciſſimum, & præſcripto longè præſtantius, præſertim ſi adhuc pauci pulveres *Maſtichis*, nimirùm *Olibani*, *&c.* ipſe admiſcerentur, cujus præparatio hæc eſto;

℞. *Olei Saturni* (id eſt, *extractionis ſalis vel ſacchari plumbi cum aceto, ſive ex Lithargyrio, ſive Ceruſſa, vel quod melius, Minio, ad oleitatem veluti ſive ſpiſſitudinem olei Tartari per deliquium, abſtracta,*) *q. ſ.* Cui adde ſub continua agitatione, *olei roſarum quantum ad unguenti albi conſiſtentiam ſufficere videbitur*, quod ipſa præparatio dictitabit, adjiciendo poſtremò, ſi ita libuerit, ad *libram unam unguenti*
Pulv. ſubtil. Thuris,
Maſtichis,
Lapidis Calaminaris præpar. ana ℥j,
Camphoræ in oleo roſar. ſoluta ℥ß.

Fiatque unguentum; cui etiam *Myrrha & Aloë ſubtiliſſimè trita*, vel in *vino ſoluta*, addi poſſunt, pro conditione & conſtitutione affectûs vel ulceris, nec non alia *balſama*, quæ tamen non habeant vim præcipitandi *Saccharum Saturni*, & viceverſa. Hinc adeò monere habeo, ut qui *Saccharum* aut *dictum oleum Saturni*, *decoctis* vel aliis mixturis permiſcere vult, ſtudioſè caveat, ne unum alterum deſtruat; *Saccharum* enim *Saturni* plures *decoctiones* præcipitat, easque ob id clarificat, non aliter ac ſi aliquot *albumina ovorum* ipſis addita fuiſſent, ſed cum deſtructione virium rerum decoctarum, quia præcipitata ſeparari debent à *decoctis* per colaturam: In illa ipſa etiam ſuperiori *olei Saturni* & *roſarum* commixtione aliqualis accidit præcipitatio *olei Saturni*, propterea albeſcit *unguentum*, non tamen cum deſtructione aut annihilatione *virtutum ſacchari Saturni*; ratio eſt, quod *oleum Roſarum* ſolutioni aut *ſaccharo Saturni* non directè contrarietur.

UNGUENTUM MARTIATON
Nicolai.

℞. Fol. Tam...iſci uncias ſex,
Lauri,
...oriſmarini ana uncias octo;
...utæ uncias ſeptem,
Ebuli,
Sabinæ,
Balſamitæ, ſeu Menthæ aquaticæ,

Salviæ,
Ocymi,
Polii veri,
Calaminthæ,
Artemiſiæ,
Enulæ,
Betonicæ,
Braneæ urſinæ,
Aparines,
Herbæ Venti, ſeu Parietariæ,
Pimpinellæ ſanguiſorbæ, vel vulgaris,
Agrimoniæ,
Abſinthii,
Paralyſeos, ſeu Primulæ veris,
Perſicariæ, vel Menthæ Sarracenicæ,
Cymarum Sambuci,
Craſſulæ, id eſt, Telephii, ſeu Fabariæ, aut Sempervivi minoris,
Millefolii,
Sempervivi majoris,
Chamædryos,
Centaurii,
Centumnerviæ, ſeu Plantaginis minoris,
Fragulæ, ſeu Fragariæ,
Tetrahit, vel Orobi, aut Sideritidis,
Quinquefolii ana uncias quatuor,
Radicum Althææ,
Cumini,
Myrrhæ ana uncias tres,
Butyri unciam unam, drachmas duas,
Sem. Fœnugræci unciam unam ſemis,
Urticæ,
Violarum,
Papaveris albi,
Mentaſtri, ſeu Menthæ agreſtis,
Criſpæ,
Lapathioli, ſeu acetoſæ, vel potiùs Lapathii acuti,
Adianti albi,
Carduncelli, ſeu Cardui Benedicti,
Matriſylvæ, ſeu Caprifolii, aut Periclymeni,
Maturellæ, ſeu Valerianæ,
Herbæ Moſchatæ, ſeu Geranii odorati,
Allelujæ, ſeu Trifolii acetoſi,
Hemionitidis, ſeu Linguæ Cervinæ,

Cri-

Criſpulæ, ſeu Buphthalmi, aut Cotulæ non fœtidæ,
Camphoratæ, ſeu Abrotani,
Medullæ cervinæ,
Styracis Calamitæ ana unciam ſemis,
Adipis Urſini,
Gallinacei;
Maſtiches,
Thuris ana unciam unam,
Olei Nardini uncias duas,
Ceræ libras duas.

Herbæ omnes Majo menſe colligantur, & inciſæ macerentur in vino odorifero per dies ſeptem; octavo deinde die coquantur ferè ad vini conſumptionem; adde

Olei communis libras octo.

Coquantur rurſum donec conſumatur vinum; mox adde ceræ circiter libras duas, & reliqua ſecundum artem.

Butyrum, medulla, adipes, Styrax, Maſtiche, Thus, oleum Nardinum adduntur in fine decoctionis. Reliquæ herbæ infunduntur oleo & vino, ſimulque decoquuntur, aliàs ambuſtæ herbæ nigreſcerent, ſi in ſolo vino decoquerentur.

Usui eſt ad frigida corporis mala, capitis refrigerationem, thoracis, ſtomachi, jecoris, lienis, aliosq́ dolores à frigore natos, convulſioni utile eſt, nervorum reſolutiones & coxarios juvat, tumores ac duritiem emollit, lieni indurato præcipuè confert; ad lienoſos enim & hydropicos expertam habet commendationem; livorem cutis emendat, nervorum & articulorum tumores frigidos diſcutit, eorumq́ dolores ſedat. Herbæ recentes inciſæ vino odorifero diebus ſeptem infundantur, octavo die addito oleo communi, omnia ſimul decoquantur ad vini conſumptionem (ſi ſolo vino decoquerentur herbæ, tùm comburerentur & nigreſcerent.) Amotum ab igne colatur atque rurſus in lebetem oleum injicitur, cui (poſtquam lento igne parùm calefactum fuerit,) injice butyrum, medullas, adipes, ſtyracem, maſtychen, thus, & oleum nardinum, poſtremoq́ omnium ceram, ac omnibus lento igne diſſolutis, aufer tandem ab igne, & in vaſe reconde. Vide Annotationes P. Coudenberg. in unguentum Martiatum parvum Nicolai Alexandrini.

ANIMADVERSIONES.

Ex confuſa ingredientium congerie *hac compoſitio* conſlata eſt, ut plures Pharmacopœi, à quo primùm incipiendum, aut ubi ultimò deſiſtendum ſit, ambigere neceſſum habeant, maximè ſi illi non accuratiores fuerint in *unguento* hoc præparando, quàm Author fuit in ipſo præſcribendo, & ſi ſecundum præſcriptam formulam

mulam

mulam præparationem ejus aggrederentur: Enim verò non omnes Pharmacopœi in operationibus pharmaceuticis ita exercitati ſunt, ut Authorum ſimilium abſurdos errores emendare valeant, ut jam ante in *Animadverſionibus ſuper extractum Aloës* fuſius monui, ſed juxta præſcriptam ab Authoribus formulam medicamenta parant, qui quidem ob id culpandi non ſunt, ſed illi potiùs, qui adeò erroneè eadem conficere præcipiunt vel præſcribunt; Cæterùm ſi quis primam hujus *unguenti* conficiendi formulam accuratè perluſtret, ridiculam & abſurdam illam reipsâ deprehendet. Altera verò, quæ in *animadverſionibus* continetur, nonnihil accuratior, nil minus tamen manca & mutila eſt, nec nodum tangit; Itaque dictis erroneis præparandi modis aliam, prout in hac farragine ingredientium fieri potuit, magis accuratam præparationem ſubſtituam, talem nimirùm,

℞. *Fol. recent. Tamariſci* ℥ vj,
Ebuli,
Artemiſiæ,
Brancæ urſinæ,
Aparines,
Parietariæ,
Pimpinellæ cum radicibus,
Agrimoniæ,
Primulæ veris,
Perſicariæ,
Sempervivi minoris,
Majoris,
Chamædryos,
Plantaginis minoris,
Fragariæ,
Sideritidis,
Quinquefolii ana ℥ iv,
Rad. Althææ ℥ iij
Sem. Fænugr. ℥ j ß,
Vrticæ,
Violarum,
Papav. albi ana ℥ ß,
Lapathi acuti,
Rut. murar.
Card. benedicti,
Matriſylv.
Valerianæ,
Geranii odorati,
Aceroſellæ,

Liu-

Digitized by Google

Lingua cervin.
Buphthalmi ana ℥ ß.

Plantæ omnes recentes conſciſſæ & contuſæ, *radices* verò & *ſemina v*[illegible] *maceratæ* infundantur in *libris octo olei communis* & *butyri recentis* ℔ ß, macerenturque per unam vel alteram ſeptimanam, poſtea decoquantur ad conſumptionem humiditatis; Tum colentur, & *herbæ* fortiter exprimantur: Cum *oleo colato* jam de novo infundantur (quia tanta copia eſt *herbarum* & aliorum ingredientium, ut *olei* quantitas aſſignata, illa cuncta unâ vice capere nequeat;) *reliquæ herbæ recentes conſciſſæ & contuſæ*; utpotè

Fol. recent. Roriſmarini,
Lauri ana ℥ viij,
Rutæ ℥ vij,
Sabinæ,
Menthæ aquat.
Salviæ,
Baſilici,
Polii veri,
Calaminthæ,
Enulæ cum radic.
Abſinthii,
Florum Sambuci,
Cymar. Millefolii,
Centaurii ana ℥ iiij,
Summitat. vel ſemin. Cumini ℥ ij,
Menthæ criſpæ,
Abrotani ana ℥ ß.

Macerentur denuò per ſeptimanam unam vel alteram in loco tepido, &, ſi lubet, ebulliant ſemel atque iterùm in cucurbita vel veſica, ut particula, quæ prodit, humiditatis reaffundi poſſit; tùm rurſus fiat colatura & fortis *herbarum* expreſſio, inque *oleo expreſſo* liquefac

Ceræ flavæ ℔ ij,
Maſtichis ℥ j,
Medullæ cervin. ℥ ß,
Adipis urſini,
Gallinacei ana ℥ j,
Olei Nardini ℥ ij.
Ultimò addantur
Myrrhæ pulveriſ. & in terebinth. ſolut. ℥ iij,
Styracis Calaminth. ſimiliter in terebinth. ſolut. ℥ ß,
Thuris pulveriſ. & in terebinth. ſolut. ℥ j,
Fiatque unguentum.

Nota; *Terebinthinam*, cujus *unciis ſex* pro diſſolutione *Myrrhæ Storacis* & *Thuris* opus eſt, *unguento* in operationibus ſuis, ſi ad affectus prædictos adhibeatur, nullâ ratione obeſſe, ſed plurimù[illegible] rodeſſe poſſe; niſi enim præfata, ſcilicet *Myrrha*, *Thus*, & [illegible]*ax* in *Terebinthina* diſſolverentur, ritè & perfectè *unguento* commiſceri non poſſent: Et licet *Myrrha* in *vino* vel *aceto* nonnihil diſſolvi aut dilui queat, non tamen hæc tam genuina ſolutio eſt, qua[illegible] à *Terebinthina* ſolvatur vel liqueſiat, utpotè quæ tùm deince[illegible] *oleis* vel *unguentis* facillimè commiſceri poteſt; ſecus evenit, ſi cum *vino* vel *aceto* diluta ſit; Similiter *Storax* & *Olibanum* in nulla re alia commodiùs, quàm in *Terebinthina* liqueſiunt, utpotè quæ de ipſorum natura eſt.

UNGUENTUM AD MEMBRA
EX IGNE COMBUSTA.

℞. Camphoræ unciam unam,
  Olei Roſarum uncias tres,
  Ceruſſæ albæ uncias ſex,
  Pulveris Olibani electi uncias duas,
  Albuminis ovorum numero ſeptem.
In plumbeo mortario miſceantur & agitentur optimè.

ALIUD.

℞. Succi cortic. mediani Sambuci uncias quatuor,
  Olei Roſati uncias ſex.
Decoquantur ad ſucci ferè conſumptionem; in colatura liqueſcant
  Ceræ albæ drachmæ tres.
Poſtea admiſceantur,
  Vitellorum ovorum numero tria.
   Fiat unguentum.

Euporiſton eſt, & viribus antecedenti affine, ſedat dolorem & ardorem quàm citiſſimè, nullo cicatricum relicto veſtigio.

UNGUENTUM AD MEMBRA
PERUSTA GELU.

℞. Pinguedinis Cati ſylveſtris,
  Sevi Cervini,
  Olei Laurini,
  Ceræ novæ ana unciam ſemis,
  Camphoræ ſiccæ drachmam unam.
Diſſolvatur Camphora in vini ſublimati rectificati drachmis duabus.

A N I M-

ANIMADVERSIONES
In Unguentum ad Membra ex Igne combuſta, primum & ſecundum; Item Unguentum ad membra perusta gelu.

EQuidem primum *unguentum* ad *membra ambuſta*, juxta modum & *Animadverſiones noſtras præcedentes unguenti albi ſimplicis & Camphorati, vel unguenti de Lithargyrio* parari poſſet; melioris autem informationis gratiâ dilucidiorem ejus addam præparationem, nimirùm:

℞. *Camphoræ* ℥ j,

quam diſſolve in vitro clauſo leni calore in

Olei roſar. per ſolam infuſ. & macerationem parati ℥ iij,

Poſtea coque

Ceruſſæ ℥ vj, *in*

Aceti deſtillati ℔ j, *vel* ℔ j ß,

ad pultis formam, & *oleo roſato camphorato* commiſce, diu multùmque invicem agitando; Ultimò adde *albumina ovorum conquaſſata & in aquam reſoluta*, quo facto, adhuc aliquandiu ſimul agitentur, fiatque unguentum.

Secundum *unguentum ad ambuſta* planè nihil valet; quas enim ex *ſucco corticum medianorum ſambuci* virtutes nobis pollicemur, ſi illas in coctione *olei roſarum* deperdimus; Quocirca opus eſt, ut aliâ viâ ejuſmet præparationem aggrediamur; ſcilicet

℞. *Florum Sambuci recent.*

Corticum ejuſdem medianor. recent. ana ℥ ij.

Conſciſſa & contuſa immergantur in *olei roſati* ℥ viij, macerentur in Alembico per ſeptimanam unam vel alteram; poſtea factâ unâ vel alterâ ebullitione, humiditatiſque prolectæ redditione, colentur, & fortiter exprimantur; in *expreſſo* liqueſcant leniter

Ceræ flavæ & novæ ℥ ij,

ac cùm ferè refrixerit, admixtis *vitellis ovorum numero iij, vel iiij, & decocti florum & corticum medianorum Sambuci* ad formam *extracti inſpiſſati* ℥ ß, *vel drach. vj.* Fiat unguentum.

Unguentum ad membra peruſta gelu modo præſcripto paretur, ſolâ nimirùm liquefactione *pinguedinis oleorum & ceræ*, addendò ultimò *camphora ſoluta in ſpiritu vini drach. j.*

UNGUENTUM MERCURIALE.

℞. Mercurii vivi mundati,

Axungiæ porcinæ veteris ana libram unam,

Lithargyri argenti,

Ceruſſæ ana uncias duas,

Myrrhæ electæ,
Thuris maſculi,
Bdellii,
Ammoniaci ana unciam unam,
Theriacæ Andromachi,
Mithridatii Damocratis ana unciam unam ſemis,
Unguent. Agrippæ,
Martiati ana uncias duas,
De Althæâ uncias duas ſem.
Olei Laurini uncias quatuor,
Axungiæ viperinæ veræ uncias duas,
Reſinæ Pini uncias duas ſemis.

Diſſolvantur Gummi in ſpiritu Vini; & cum reliquis juncta, lege artis in unguentum redigantur.

Extabat in prioribus editionibus unguentum quoddam Mercuriatum cum Theriaca, quo tamen praſtantius hoc eſt, cujus nobis copiam fecit clariſſimus Vir D. D. Ioannes Vdalricus Rumlerus, Collega noſter humaniſſimus, qui multo tempore ejus uſum in Noſocomio Gallico feliciter eſt expertus.

Mercurius cum aceto ac ſale agitatur, & aliquoties abluitur, ac per corium expreſſus repurgatur.

ANIMADVERSIONES.

Inſigne ſuperbientis & luxuriantis animi ſpecimen eſt ***unguentum***, quod vel ruſtici, aliptæ, balneatores, agyrtæ, & qui ſunt de genere hoc empiricorum, æquè commode ex tribus quatuorve vel etiam quinque aut ſex ingredientibus conficiunt, deſideratumque effectum illo ipſo proſperè aſſequuntur, ex *ducentis* conglomeratis ingredientibus & amplius exſtruere velle; Ad quid amabo, inconcinna hæc congeries? *Solus* enim *Mercurius* eſt, qui vim & operationem ſuam exerere debet, reliqua verò, quæ illi adjecta ſunt, quod tantopere vim *Mercurii* infringere, nervoſque & membra roborare valeant, difficiliùs probari quàm credi poteſt. Eſt autem res cachinno digna, velle, ut *Mercurius* intimè ad partes penetret, & noxiam materiam expellat, roborando verò nervos & membra tantâ commixtâ farragine ejuſdem conamini ſimùl reſi[illegible]o ſanè, membra & nervoſum genus nonnihil ab *inunctione Mercuriali* debilitari, attamen nonnè multò conſultiùs foret, peractâ inunctione & veneno expulſo demum membra nervoſque roborare, & ſudore, quod forſitan à *Mercurio* in illis relictum eſt, excutere. Nec eſt, ut credamus, adjuncta illa propter lentorem, craſſitiem & unctuoſitatem ſuam una cum *Mercurio* ad intima membra penetrare, cumque veluti

paſſibus

paſſibus æquis inſectando malignitatem ipſius infringere poſſe: Quotidianâ enim experientiâ conſtat, quàm difficilè nervorum & m[em]brorum affectus paulò graviores ſolâ externâ ſimilium *unguentoru[m]* *pinguedinum* inunctione exſtirpentur, eò quod ad loca affecta integris viribus pertingere nequeant. Taceo, quòd ſolus *Mercurius pinguedini Suillæ* permixtus, & corpori inunctus, vel in *aqua* reſolutus & illitus ſimiliter ejuſdem *ſuffumigium*, eadem duntaxat & non graviora ſymptomata producat, quàm unguentum iſtud ex tot ingredientibus conflatum: Suntque hæ ſimplices *inunctiones*, *ſuffumigia* & *lotiones*, uti etiam *Emplaſtra Mercurialia*, inprimis in Gallia frequentiſſimi uſûs, & quò ſimpliciora ſunt, eò majori cum ſucceſſu & celeriori effectu adhibentur. Secùs evenit in tanta rerum ferè innumerarum congerie, ubi plura ſæpè intermixta ſunt, quæ obeſſe magis, quàm prodeſſe valent, qualiter huic, de quo nobis nunc ſermo eſt, *unguento* non pauca inſunt inconvenientia, utpotè *Lithargyrum* & *Ceruſſa*, quæ in eo nil amplius præſtant, quàm quod poros occludant & *Mercurio* reſiſtant, non tamen corrigendo, ſed potiùs torpidum ipſum reddendo, ut ad interiora penetrare non poſſit, ſed in membris torpidus hæreat, & difficulter iterum expelli queat. Cæterùm *Bdellium* ſeu *Gummi mucilaginoſum*, uti *Gummi Arabicum*, quid illud ampliùs poteſt, quàm ſimiliter poros occludere? Aſt tali modo *Mercurii* vim non infringit, vel malignitatem ejus corrigit, nec etiam membra quicquam roborat, ſed ſolummodò *Mercurii* penetrationem retardat: Pariter etiam *Mel*, quo *Theriaca* & *Mithridatium* planè inutiliter ad prædictum finem huic *unguento* admixta abundant, quantum illud poros occludit vel obſtruit, & cutim, neſcio quâ viſciditate & lentore, imbuit? Plura alia ſunt inter hæc ingredientia planè intentioni præfatæ contraria & directè repugnantia. Et ſi jam ob hæc *Mercurius* vel leviter ſaltèm operetur, vel tam gravia, uti quandoque ſolet, ſymptomata non producat, neque etiam ægri ab ejuſdem inunctione integrè curati ſint; an propterea exclamandum, ipſum tàm egregiè & exactè fuiſſe correctum, ut conſuetas ſalivationes vel ſimiles, queîs ſe prodere ſolet, operationis ſuæ modos exerere non potuerit, aut ſi nulla ex illo medela eſt, ipſum non eſſe verum luis Venereæ *rhizotomum*? Neutiquam ſanè, ſed hæc potiſſima cauſa eſt, quod vel nimiùm alienis compedibus ſatis ſtultè ligatus & conſtrictus, vel etiam à Medicis [illegible] nimiò cautis, in debita quantitate aut competenti modo non fuerit adhibitus, atque hinc etiam cauſa eluceſcit, cur ægri, qui ex inunctionibus illis Mercurialibus quaſi perfectè curati viſi ſunt, brevi poſt recidivam iterùm paſſi fuerint. Quod jam ulteriùs *unguenti hujus* præparandi modum concernit, nec ille ſua difficultate caret; neque enim omnia *Gummata ſpiritu vini* ad eorum placitum diſſolvi poſſunt; utpote *Bdellium*;

Neque etiam ea *Gummata*, quæ diſſolutioni apta, ſi in *ſpiritu vini* diſſolvantur, *unguento* propter nimiam *ſpiritus*, in qu[illegible] diſſoluta ſunt, quantitatem permiſceri poſſunt, niſi prius potior par[illegible] *ſpiritus* ad [illegible] nam ferè uſque abſtrahatur. Proindè ſuaderem, ut n[illegible] hâc [illegible]oſâ & ineptâ compoſitione, aliâ aliquâ, tot ac tàm multifariis ingredientibus non uſque adeò luxuriante, contenti eſſemus: Cui ſic voluntas erit, ille imitari poterit modum ſequentem,

℞. *Mercurii vivi* ℥ *viij*,
Pinguedinis Suillæ recent. non ſalitæ ℥ *viij*,
Olei Lauri ℥ *j*,
Ligni Guajaci deſtill. ℥ *j ß*,
Styracis Calamitæ ℥ *j*, ſolvendæ in
Terebinthinæ ℥ *j ß*, *M.*

Fiat unguentum Mercuriale ſecundum artem.

Nota; quod longè præſtantius adhuc conficiatur *unguentum Mercuriale*, ſi *Mercurius* in *aqua fortis ſ. q.* ſolvatur, & cùm *pinguedine Suilla* poſtea ad *aquæ fortis* totalem ferè exhalationem coquatur in vaſe vitreato, vel vitro ipſo; Cui *unguento duriuſculo* tandem pauca aliqua appropriata, cùm pro inunctione, tùm pro aliis externis ex lue Venerea obortis ulceribus, criſtis, condylomatibus, & conſimilibus ſanandis admiſceri poſſunt, majori ſanè cum effectu, ac ſi *Mercurius* ſimpliciter pinguedini commixtus eſſet: Et juxta hunc modum ex omnibus *metallis*, nec non quibuſdam *mineralibus*, convenientibus ſuis menſtruis diſſolutis, *olea* & *unguenta* iiſdem impregnata & cocta, uti ſupra, ad varios humani corporis affectus parari poſſunt; ſed de his alibi.

UNGUENTUM NERVINUM.

℞. Herb. Salviæ,
Ivæ Artheticæ,
Majoranæ,
Roriſmarini,
Menthæ,
Rutæ,
Lavendulæ,
Hyperici,
Paralyſeos cum flore,
Flor. Chamomillæ,
Meliloti,
Summit. Anethi ana manipulum ſemis,
Baccar. Lauri,
Juniperi ana unciam unam,

Rad.

Rad. Pyrethri drachmas duas,
Maſt[illegible]es unciam ſemis,
Benzo[illegible] drachmas ſex,
[illegible]rebin[illegible]inæ uncias quatuor,
Ol. Lumbricorum,
Vulpini,
Anethini,
Hyperici ana uncias tres,
Terebinthinæ unciam unam,
Axungiæ humanæ,
Cati ſylveſtris,
Canis ana unciam ſemis,
Vini optimi libram unam.

Infundantur per noctem, manè fiat decoctio ad conſumptionem vini, addendo in fine

Ceræ unciam unam,
Spiritus vini uncias duas.
Coque ſecundum artem.

Nervinum meritò dicitur, frigidos enim nervorum morbos tollit, ac doloribus eorundem opitulatur.

ANIMADVERSIONES.

Abſurdiſſimus hujus *unguenti* præſcriptus conficiendi modus, ex ſubſequenti noſtra præparatione facilè eluceſcet; nimirùm

℞. *Herb. recent. Salviæ,*
Ivæ Artheticæ,
Majoranæ,
Roriſmarini,
Menthæ,
Rutæ,
Paralyſ. cum flore,
Flor. rec. Lavendulæ,
Hyperici,
Chamomillæ,
Meliloti,
Summitat. Anethi ana rec. M j,
Bacc. [illegible]
[illegible] ana ℥ j,
Rad. Pyrethri drachm. ij,

Inciſa & contuſa immergantur in

Oleor. Lumbricorum,
Vulpini,
Anethini,

Oleor.

Oleor. Hyperici ana ℥ *iij,*
Terebinthinæ ℥ *j,*
Axungiæ humanæ,
Cati ſylveſtris,
Canis ana ℥ ß.

Macerentur ſine affuſione *vini* (ne illud dum evaporat, ſubtiliores omnium ferè ingredientium partes ſecum rapiat;) per ſeptimanam unam vel alteram, poſtea in cucurbita ſemel atque iterùm ebulliant, exiguâ, quæ prodit, humiditate *herbis* & *oleis* reaffuſâ, tùm fortiter exprimantur & colentur; *in expreſſo* ac *colato* diſſolve

Maſtichis opt. ℥ ß,
Terebinthinæ ℥ *iiij,*
Ceræ ℥ *iij,*
Benzoini in unciis duabus ſpiritûs vini rectif. diſſol. ℥ *vj.*

Sicque ſine ulteriori coctione, utpotè quam enumerata *Balſamica* ingredientia propter *ſpiritus* ipſorum in coctione promptè exhalantes non ferunt, conficiatur *unguentum*, nervoſis partibus quàm maximè accommodatum.

UNGUENTUM NICOTIANÆ,
Seu ex PETO, vel TABACO.

℞. Fol. Nicotianæ libras duas,
Pinguedinis Porci recentis diligenter lotæ libram unam.

Herba per noctem in vino rubro maceretur, manè igne lento cum pinguedine prædictâ bulliat ad vini conſumptionem, poſtea coletur & exprimatur. Huic expreſſo adde

Succi Nicotianæ depurati libram ſemis,
Reſinæ Abietis uncias quatuor.

Coquantur ad ſucci conſumptionem, quibus circa finem adde

Rad. Ariſtol. rotundæ ſubtiliſſimè pulveriſatæ uncias duas,
Ceræ novæ quantum ſatis eſt.
Fiat unguentum.

D*Eſcribitur hoc unguentum à Laurentio Iouberto in ſua Pharmacopœia, cui miram in ſcrophis diſſipandis vim ineſſe ait. Celebratur autem potiſſimùm in ulceribus, & vulneribus tàm recentibus, quàm antiquis perſanandis.* [illegible] *quoque juvat, & morphæam delet, tineam capitis exterit, & cutem à ſcabie mun-dificat.*

QUi Ceratum maluerit, pondus ceræ augeat cui verò exiccandi & conſolidandi mens fuerit, Mumiæ & Succini ana drachmas tres adjiciat.

UN-

UNGUENTUM NIHILI AD Oculos.

℞. Tutiæ præparatæ unciam unam,
Corall. rub. præparat.
Matris Perlarum ana unciam ſemis,
Nihili albi unciam unam,
Camphoræ drachmam unam,
Pinguedinis Porci ſine ſale in vino lotæ libram unam.
Fiat unguentum.

Calidas oculorum fluxiones demulcet ac ſiſtit, eorundem rubedinem, & inflammationem aufert, necnon dolores inde natos tranquillat.

UNGUENTUM ALIUD AD Oculos.

℞. Butyri recentis uncias quatuor,
Ceræ albiſſimæ unciam unam.
Liqua, & lava ſæpiùs aquâ Roſaceâ, & prunorum; & adde
Tutiæ præparatæ unciam ſemis,
Camphoræ ſcrupulos duos.
Fiat unguentum.

Eaſdem vires obtinet, quas unguentum Nihili, paulò tamen inferiores.

UNGUENTUM PECTORALE.

℞. Olei Amygdalorum dulcium uncias quatuor,
Chamæmelini,
Violati ana uncias tres,
Butyri recentis uncias ſex,
Adipis Gallinæ,
Anatis ana uncias duas,
Iridis drachmas duas,
Croci drachmam ſemis,
Ceræ albæ uncias tres.

Ceram & adipes in oleis liquato, deinde ſæpiùs lavato aquâ Capillorum Veneris, aut aquâ Hordei. His probè lotis, adde Iridem & Crocum in tenuiſſimum pulverem redacta.

Laterum ac pectoris dolores mitigat, tuſſim ſedat, maturat, excreationem & expectoratum juvat, humores craſſos digerit & attenuat.

ANIM-

ANIMADVERSIONES

In Unguentum Nicotianæ, ſeu ex Peto vel Ta[illegible]co: Item Unguentum Nihili ad oculos, & aliud [illegible]ntum ad oculos: Item Pectorale.

NOn video, quam ob rem in *unguentum Nicotianæ vinum* additum ſit, quo *Nicotiana*, quæ per ſe ſucculenta ſatis, macerari debeat, cum & *ſucci* ejus ℔ ß, *vices vini*, ſi humiditate opus foret, (quippè qui æquè uti *vinum* exhalare debet,) ſupplere poſſet. Secundò, *reſina Abietis* ineptè cum *axungia* coqui præcipitur, cùm in coctura non ſolùm in bullas ſemper elevetur & intumeſcat, verùm etiam *ſpiritus ejus oleoſus*, qui naturam *ſpiritûs Terebinthinæ* æmulatur, citiſſimè evaporet; Igitur ut compendiosè, & abſque virium ſpecierum ingredientium deperditione *unguentum* hoc paretur, omittatur *vinum*, addito ejus loco *ſucco Nicotianæ*, coquaturque cum *pinguedine* & *Nicotiana recenti contuſâ* ad humiditatis exhalationem; *Pinguedini colatæ* & *expreſſæ* jungatur *reſina* & *cera citrina* ℥ ij, quibus priùs adhuc ſemel per linum & qualum colatis admiſce *Ariſtolochiam rotundam ſubtiliſſimè pulveriſatam*, fiatque *unguentum*.

Reliqua ad oculos *unguenta* nil difficultatis habent quoad præparationem, modò *Camphora* priùs in *pinguedine* benè ſoluta (cavendo tamen, ne in diſſolutione exhalet,) illis commiſceatur. Similiter *unguentum pectorale* nullâ ſingulari Animadverſione indiget, niſi quod lotio illa *ceræ*, *oleorum* & *adipum* frivola & inepta ſit, uti jam tum in unguento infrigidante Galeni innui; Proindè ne potiores vires *oleorum* & *adipum* eluamus, lotionem hanc ceu ſuperfluam & perperam relinquamus.

UNGUENTUM PEDICULORUM.

℞. Sem. Staphiſagriæ uncias duas,
Ellebori albi unciam unam,
Salis drachmas duas,
Argenti vivi uncias duas,
Aceti vini drachmas duas,
Axungiæ porcinæ libram unam,
Olei Laurini uncias novem,
Saponis Veneti libram ſemis.
Fiat unguentum ſecundum artem.

ALIIS HOC MAGIS EST FAMILIARE.

℞. Olei Laurini libram unam,

Argenti

Argenti vivi uncias quatuor,
Staphiſ[illegible]griæ,
Ellebo[illegible]bi ana uncias decem,
Olei Spi[illegible] unciam unam,
[illegible]ungiæ porcinæ libras ſex.

Argentum vivum extinguatur cum aceto, deinde agitetur cum oleo Laurino, donec ſplendorem amittat, poſtea jungatur ſecundum artem cum reliquis.

ANIMADVERSIONES
In Vnguentum Pediculorum primum & ſecundum.

NEque levidenſia hæc *Vnguenta* quicquam faciunt ad rhombum; etenim ſimilibus inſectis, quibus hoc *unguentum* dicatum eſt, aut dandum aliquid, quod avidè amplectantur vel devorent, uti vermibus inteſtinorum ſive lumbricis *lac & mel*; aut tale quid, à cujus odore vel ſapore adverſo fugiant, uti *Aloë*, *ſemen Cinæ*, *oleum Spicæ*, &c. Sic quoque vermibus capitis vel pediculis *pinguedo porcina* in deliciis eſt, cui ſi *Mercurius* commixtus fuerit, item *ſemen Staphidiſagriæ*, *Hyoſcyami* aut quoddam aliud venenum dulce vel inſipidum aut inodorum, facilè miſcellam illam devorant, mortemque ſibi conſciſcunt. Si verò alia, quæ averſantur, utpotè *ſapo Venetus*, *acetum*, *ſal*, & ſimilia prædictis commiſceantur, tunc illa nec attingunt (taceo quod hæc ſint illorum propria Alexipharmaca:) nec eorum odor tam validus eſt, ut ipſos propellat, aut fugere faciat; Idcircò, quod uno vel altero ingredientium præſtamus, reliquis inconvenienter admixtis prohibemus, atque ita minùs efficacia reddimus plurima *unguenta* hiſce aliiſvé uſibus deſtinata. Inſuper *unguenta* acribus ſimilibus permixta ſi capitibus phthiriaſi vel tineâ infectis inungantur, pruritum ſummum, nec non dolorem ingentem, item majora ulcera ut excitent, neceſſum eſt, cum non exiguo nocumento & incommodo, ſcilicet propter admixtum *acetum*, *ſal*, *ſaponem*, item *Helleborum*; Nec valent iſta ad ſanandam ſcabiem capitis vel tineam, quâ utplurimùm caput in ſimili animalculorum profluentia laborat; Solus autem *Mercurius pinguedine aliqua permixtus*, vel ad modum in ſuperiori *unguento Mercuriato* indigitatum cum *aqua forti* diſſolutus, & cum *pinguedine* coctus, atque ulcuſculis inunctus, illa egregiè conſolidat, & unâ operâ pediculos enecat. E[illegible] hoc modo *diſſoluti & pinguedini commixti Mercurii uncia una* plus præſtat, quàm *libra integra Mercurii crudi*, *ruditer ſaltem cum pinguedine ſubacti*: Quin imò *Mercurius ſublimatus ad ℈ ij, in aqua vel decocti, aut infuſionis alicujus convenientis* ℔ j, diſſolutus, ſi caput eo humectetur, omnes breviſſimè pediculos abigit, cruſtaſque capitis abſcedere facit: Quin imò longè

ſatius

ſatiùs eſſet *hâc aquâ Mercuriali* caput inungere, quàm tot *oleis* *pinguedinibus*, & quæ hiſce affinia ſunt, quippe quæ ſcabiem, furfures, tineas pediculos, &c. potiùs augent quàm abigunt. Hiſce obſervatis cuivis in facili erit, ſibi formulas *unguentorum* [illegible] *peculos* cùm pro capite, tùm veſtimentis efformare; nec opus eſt, ut diutiùs illis immoremur.

UNGUENTUM DIAPOMPHOLYGOS NICOLAI, Vulgo NIHILI dictum.

℞. Olei Roſacei,
Ceræ albæ ana uncias ſex,
Succi fructus Uvæ Lupinæ uncias quatuor,
Ceruſſæ uncias duas,
Plumbi uſti & loti,
Pompholygis,
Thuris puri ana unciam unam.
Confice ſecundum artem.

Prodeſt ulceribus calidis, ac iis quos acres & ſalſi humores infeſtant, refrigerat enim, ſiccat & conſolidat, nec non abſque ullius acrimoniæ ſenſu cicatricem ducit.

ANIMADVERSIONES.

Ceruſſa & *Plumbum uſtum* cum *ſucco Uvæ Lupinæ*, additis inſuper *aliquot unciis aceti deſtillati* coqui, poſtea ad pultis formam inſpiſſari, tandem reliquis ſecundum artem commiſceri poſſunt.

UNGUENTUM POMATUM.

℞. Styracis Calamitæ,
Benzoi electi ana drachmas decem,
Cinamomi electi,
Caryophyllorum ana drachmas ſex,
Radic. Ireos Florentinæ unciam unam,
Nucis Moſchatæ drachmas tres,
Macis drachmam unam,
Flor. Lavendulæ,
Spicæ ana pugillos duos,
Pomorum Arantiorum recentium,
Citri recentium ana numero duo,
Odoriferorum numero viginti quatuor,
Aquæ Roſarum optimæ uncias octodecim,
Vini albi optimi uncias quatuor,

Unguenti

Unguenti roſati albi libras tres,
Sevi caſtrati libram unam,
Ceræ albæ uncias quatuor.
Fiat lege artis unguentum.

AD oris fiſſuras, & ad cuti decorem conciliandum, utiliter adhibetur.

POMATA, Sive SEVUM CONFECTUM, Ex Amato Lusitano.

℞. Adipis Cervini, vel illius, qui ab Hœdi renibus ſeparatur, libras duas,
Pinguedinis ſuillæ recentis libram ſemis.

Pinguedinis à membranis purgatas, albo vino abluito; deinde lineo panno exprimito, ut vinum à pinguedinibus ſeparetur. Eas poſtea in olla vitreata aquâ roſaceâ ſemiplenâ infundito, ut aqua ſupereminea; & pinguedines cooperiat; quibus demum addes

Pulveris Caryophyllorum unciam ſemis,
Nucis Moſchatæ drachmas duas,
Spicæ Indicæ grana quatuor,
Pom. Camuſ. mundat. & inciſ. num. octo.

Poſtea optimè coopertâ ollâ, lenibus prunis totum admoveto, & bacillo agitato, fervereque permittito, ut aquoſitas penè tota conſumatur. Tandem remotâ ab igne ollâ, quod reſiduum eſt, per linteum novum rarum in vas fictile aquâ roſaceâ reſperſum percolato, fæces tamen relinquendo: Colatum denuò in alteram infundatur ollam vitreatam, cui adde

Olei Amygdalorum dulcium uncias ſex,
Ceræ albæ uncias quatuor.

Ad ignem omnia liquefacta iterum colato, & in vaſculum vitreatum roſaceâ aquâ inſperſum cadere ſinito. Demum omnia illa aquâ roſaceâ abluta, in vaſe vitreo optimè cooperto ſervato, & tùm candidiſſimum Sevum habebis, quod interdum Minio coloratur. Poteſt iiſdem addi

Coralliorum rubrorum drachma una ſemis.

ANIMADVERSIONES
In Vnguentum Pomatum primum & ſecundum.

DE priori hujus *unguenti compoſitione*, cujus artificioſa præparatio Pharmacopœis relinquitur, ſciendum, quòd illa non niſi mutandis mutatis dextrè parari queat; Præprimis autem tanta quantitas humiditatis, *aquarum* ſcilicet & *vini* (quæ neceſſariò exhalare debet, ſi *unguenti* debitam conſiſtentiam expetas,) abroganda eſt:

Digitized by Google

Etenim licet in diplomate & vaſe clauſo fiat coctio, nihilominùs tamen fragrantiſſima, & ſpirituoſa ſpecierum ingredientium eſſentia evaporat, quam arctè etiam vas operiatur. Vide ſi per hac re[illegible]is, *Animadverſiones noſtras in Syrupum de Cin....o*, cui [illegible]compoſitionès ferè ad amuſſim reſpondent: Paretur itaque *primum unguentum* in modum ſequentem; videlicet

℞. *Sevi caſtrati* ℔ j,
Pinguedinis ſuillæ ℔ iij,
Pomorum odoriferor, numerô xxiv,
Radicum Ireos conſciſſar. ℥ j,
Roſarum recent. conſciſſ. ℔ j.

Coquantur invicem ad humiditatis exhalationem, tùm colentur & exprimantur; In *pinguedine expreſſa* liquefiant
Ceræ albæ ℥ iij;
Quibus jam refrigeratis, adde
Styracis Calamit.
Benzoës in ſ. q. ſpiritus roſarum fortiſſ. & rectificatiſſ. ſolutarum ana ℥ x,
Oleor. ſtillat. Cinamomi ℈ j,
Caryophyllorum drach. ß,
Nuc. Moſchat. drach. ß,
Lavendulæ,
Cortic. Aurant. recent.
Citri recent. ana ℈ j,
Ligni Rhodii drach. ß,
Ol. expreſſ. Nuc. Moſchat. drach. ij.

Miſce, fiat *unguentum* fragrantiſſimum, quod demùm aliquandiu agitandum eſt, ut albeſcat.

Poſſent equidem *Aromata* & reliqua ingredientia, loco *oleorum* eorundem *deſtillatorum*, ſecundâ vice, poſtquam nimirùm prima infuſio decocta eſt, cum *axungia* & *ſevo* infundi, macerari, & in alembico, additâ ſaltem particulâ *aquæ roſarum*, coqui, demùm redditâ exiguâ in coctura exſtillante humiditate exprimi & colari: Verùm hæc ipſa colorem, quem album deſiderant in hoc *unguento*, immutarent, nec tam eximiam fragrantiam ſpiraret, atque ſuperius illud cum *oleis* & *ſpiritu roſarum* paratum præſtantiſſimum *unguentum*, cui, ſi lubido eſt, *Moſchus*, *Ambra*, vel *Zibethum*, [illegible]ogi poſſunt.

Altera *Pomatæ compoſitio*, ejuſque præparandi ratio prorſus ridicula eſt, quam ſcientes volentes miſſam facimus, cùm præcedens abundè cuivis ſufficere queat, juxta quam aliæ multifariæ compoſitiones efformari poſſunt.

V N-

Unguentum Populeon
Nicolai.

℞. Oculorum Populi arboris recentium libram unam ſemis,
Axungiæ porcinæ præparatæ libras duas.

Oculi Populi contundantur, & macerentur in axungia, donec ſequentes herbæ per æſtatem colligi queant. Deinde

℞. Cymarum rubi tenerrimarum,
Fol. Papaveris agreſtis,
Mandragoræ,
Hyoſcyami,
Herb. Solani,
Vermicularis, id eſt, Sempervivi minoris,
Lactucæ,
Sempervivi majoris,
Bardanæ,
Violariæ,
Umbilici Veneris ana unc. tres.

Herbæ contundantur, & miſceantur oculis Populi & Axungiæ, ac dimittantur per dies decem: deinde coquantur ſupra lentum ignem in vini odorati ſufficienti quantitate, donec vinum conſumatur. Poſtea colentur & exprimantur, expreſſumque unguentum reponatur.

Febrium ardoribus cum roſaceo aut violaceo convenit, ſomnum conciliat, fronti, temporibus, aut manuum, ac pedum pulſibus illitum.

Quidam, ut vireſcat magis, ac refrigerandi facultate ſit efficacius, coctioni addunt Solani triti manipulos duos.

In defectu rad. Mandragoræ ſubſtitui poſſunt radices Hyoſcyami, & folia ejus pondere æquali. Pro Umbilico verò Veneris herba Paris aſſumenda.

Unguentum Potabile.

℞. Butyri recentis ſine ſale libram unam ſemis,
Rad. Rubiæ tinctorum,
Tormentillæ,
Caſtorei,
Spermatis Ceti ana unciam ſemis.

Bulliant ſimul in vini odorati ſufficienti quantitate ad vini conſumptionem, ac fiat unguentum ſecundum artem.

P*Racipitatos juvat, eorumq; qui ex alto ceciderunt, vulnera interna glutinat, ſanguinem concretum diſſolvit, & concuſſis auxilio eſt: magni uſus apud Claſſiarios ſeu Oceani Septentrionalis nautas.*

ANIMADVERSIONES

In Vnguentum Populeon, & Vnguentum Potabile.

USitatiſſima hæc ſunt *unguenta*, in quorum præparatione Pharmacopœi plurimùm ſolliciti ſunt, ut ea pulchrè nativis ſuis coloribus conficiant, nempè *Populeon viride*, *potabile* verò rubrum. *Populeon* quod concernit, in ejus præparatione *vinum* omitti poteſt: *Herbæ* enim, quæ illud ingrediuntur, omnes ſi recentes, ſatis ſucculentæ ſunt; idcircò potiùs obeſſe quàm prodeſſe *vinum* videtur, præſertim ob *oculos Populi fragrantes*, quorum odor in tam longa lentaque coctione unà cum *vino* expirat. *Axungiæ* aſſignata quantitas etiam manca eſt reſpectu *herbarum*, idcircò illa augenda erit.

Quantum ad *unguentum potabile*, huic optimâ ratione *vinum* additur, quia *radices* ipſum ingredientes ſiccæ ſunt: *Sperma Ceti* peractâ decoctione reſiduo jungatur. Conveniet autem *radicum Rubiæ tinctorum* quantitatem augere, atque etiam *Alkannæ radices* addere; ſecùs enim *unguentum* colore rubro haud ſufficienter imbueretur.

UNGUENTUM EX RHAMNO ET FRANGULA D. R. MINDERERI.

℞. Rad. Scrophulariæ recentium uncias duas,
Enulæ,
Lapathii acuti,
Chelidoniæ majoris,
Cort. median. Frangulæ,
Rhamni omnium recent. ana ℥ j,
Butyri recentis unc. ſedecim.
Piſtentur ſimul fortiter, poſteaque coquito, additis
Aceti rutacei unciis quatuor.
Coque ad aceti conſumptionem, poſtea cola, & fortiter exprime; deinde adde
Terebinthinæ Venetæ drachmas ſex,
Styracis liquidæ drachmas tres,
Vitellor. ovorum numero quatuor,
Salis nitri drachmam unam ſemis,
Sulphuris vivi drachmam unam,
Aceti ſcillitici drachmas ſex.

Miſ-

Miſceatur omnium primò Terebinthina cum Styrace & Vitellis ovorum; poſtea additis reliquis omnia ſimul redigantur in unguentum arte ſecundum artem factâ paratum.

Ad cutis vitia ex ſcabie uſus erit, tutius longè omnibus Mercuriatis, dici q; verè poteſt unguentum ad ſcabiem compoſitum.

ANIMADVERSIONES.

IN hoc *Vnguento* quantitas *ſulphuris vivi* meritò augeri poſſet; *Vitella ovorum* in fine demùm jam ferè refrigerato *unguento* addendi ſunt: *Acetum ſcilliticum* ne nimium rodat, & dolorem inferat, unà cum reliquis ingredientibus decoctioni committere conſultum eſt.

UNGUENTUM RESUMPTIVUM FERNELII.

℞. Sem. Lini,
Althææ,
Fœnugræci,
Gummi Arabici,
Tragacanthi, ana drachmas duas.

Macerentur & bulliant in libra ſemis aquæ roſarum, eliciatur mucilago, in qua diſſolve

Adipis Suilli,
Gallinæ,
Anſeris,
Anatis ana uncias duas,
Oeſypi humidæ unciam ſemis,
Ol. Violarum,
Chamomillæ,
Amygdal. dulcium ana uncias duas,
Medullæ Vituli,
Butyri recentis,
Ceræ albæ ana libram ſemis.
Coquantur in unguentum.

Adhibetur commodè aſthmaticis, hecticis, tabidis, pleuriticis, ac è longo morbo emergentibus, quibus nuda cutis oſſa veſtit: eos enim qui languorum diuturnitate emarcuerunt, quadantenus reſtituit, impinguat, ac corporis totius ſqualorem aufert.

ANIMADVERSIONES.

MUlta quidem de hac inutili *compoſitione* cùm ratione ingredientium, tùm ratione præparationis, nec non adſcripti ridiculi

culi encomii dicenda eſſent, verùm brevitatis causâ ea omitto, cùm unuſquiſque ejus levitatem facilè agnoſcet; qui tamen illud conficere velit, obſervet noſtras quamplurimas *Animadverſiones* ..ce-cedentes.

UNGUENTUM ROSATUM
MESUE.

℞. Axungiæ Porcinæ libram unam.

Lavetur novies aquâ calente, & toties frigidâ; deinde adde

Roſarum rubearum recentium libram unam.

Probè terantur, & marceſcant ſimul diebus ſeptem, poſtea coquantur cum facilitate, & rurſus cum tantundem roſarum rubearum terantur, ac dimittantur per alios dies ſeptem marceſcere. Idem reiteretur tertiò: Quartò autem præter roſas affunde

Succi roſarum rubrarum uncias ſex,

Olei amygdalorum dulcium unc. tres.

Coquantur lento igne ad ſuccorum conſumptionem.

Uſu frequentiſſimum ad phlegmonas, ignem ſacrum, ulcera ſerpentia, & cephalalgiam calidam, ventriculi & jecoris intemperiem calidam mitigat, renum ardoribus ac hæmorrhoidum inflammationi ſalubre, & cordi robur addit.

Quidam parum Opii in aqua roſarum colliquati, inter decoquendum injiciunt, ſed id unguenti candorem deſtruit.

In ipſius compoſitione ſufficiunt olei amygdalorum dulcium unciæ tres.

Plurimi ſucci roſarum loco, ut magis albeſcat unguentum, in quo vulgus candorem probat, aquam roſarum odoratiſſimam accipiunt.

ANIMADVERSIONES.

Vis refrigerandi odor & fragrantia (quæ maximam partem in præſcripta præparatione pereunt, (in hoc *unguento* conſervari, nec non eidem candor (quem vulgus in illo probat,) conciliari poteſt, ſi juxta modum ſequentem præparatio inſtituatur: Nimirùm,

℞. *Axungiæ porcinæ recentis albiſſ.* ℔ j,

Roſarum contuſ. recent. & odoriſ. tantundem.

Macerentur commixta invicem horis 24, poſtea leniter coquantur ad conſumptionem humiditatis, quibus expreſſis, de novo *pinguedini* vel *axungiæ* dictæ, adde

Roſarum recent. contuſ. ℔ j.

Macerentur aliquot dierum ſpatio, factâque unicâ ebullitione in cucur-

cucurbita, & ſervatâ, quæ prodit, humiditate denuò *roſa* exprimantur (non opus eſt tertia infuſione, nec *ſucço roſarum*;) *refrigeratâ vin*[illegible] *ine roſatâ*, benè multumque agitetur, addatur etiam nonac *ſpiritu roſarum ardenti*, in quo particula *olei roſarum* vel *gni Rhodii* ſoluta ſit; Quo facto, demum ad uſum reponatur ſine additione *olei amygdalorum*, eo enim addito, nimis fluidum aut liquidum redderetur *unguentum*, odor etiam non parùm exindè diminueretur.

Eſt & alius modus ſecretior conficiendi ſimilia *unguenta odorata*, præſertim ex illis *floribus*, qui odorem diu ſervare nequeunt, quem ex parte in *Animadverſionibus olei Iaſmini* indigitavi, & perficitur hac ratione: Videlicet ex *pinguedine porcinâ albiſſima nunquam lotâ vel humectatâ*, (humiditas enim prohibet ulteriorem extractionem vel attractionem partium ſubtiliorem fragrantiſſimarum ex adjiciendis *floribus odoriferis*;) cui in patella plana tenuitur, ſive ad digiti minoris craſſitiem extenſæ *flores* ſuperficietenus inſpergantur, ſed nullatenus immergantur, patellâ mox operculo recluſâ; Elapſo uno vel altero die *flores* mutandi, exemptis nimirùm abjectiſque prioribus recentes inſpergendi ſunt, cavendo, ne à rore vel pluvia humectati ſint: ſingulis duabus vel tribus inſperſionibus peractis, *pinguedo* agitari, tenuitur de novo extendi, *aliiſque recentibus floribus* aſpergi poteſt: Hæc operatio tamdiu continuanda eſt, quouſque fragrantiſſimam acquiſiveris *pinguedinem* vel *unguentum*; Cui, ſi libet, alteriùs *olea nonnulla deſtillata & appropriata* adjungi poſſunt; Verùm hæc *unguenta* tali ratione parata, per ſe adeò grati odoris ſunt, ut nulla re aliâ ampliùs indigeant.

Nota: Trahantur huc *Animadverſiones olei Iaſmini*, juxta quarum ductum, ex ſimilibus oleis odoriferis, additâ *cerâ albâ* egregia *unguenta odorifera* confici poſſunt.

UNGUENTUM RUBEUM, Sive
DE MINIO CAMPHORATUM.

℞. Olei roſati libram unam ſemis,
Lithargyri uncias duas,
Minii uncias tres,
Ceruſſæ unciam unam ſemis,
Tutiæ præparatæ,
Camphoræ ana drachmas tres,
Ceræ albæ uncias duas.

Liquatam ceram, cum oleo, lento igne, miſce in mortario plumbeo, cum reliquis rebus tenuiſſimè tritis.

R Efrigerat & ſiccat potentiſſimè, ideoq́ ignibus ſacris feliciſſimè adhibetur; cancros ſanat, & exedentia ulcera, quæ humorum acrimoniâ ſerpunt, eam namq́ ſua frigiditate obt[illegible]lit. Ejuſdem facultatis cum unguento de plumbo, cujus deſcriptio vide apud Fœſium X I. de Vnguentis ſectione.

UNGUENTUM AD SCABIEM.

℞. Styracis liquidæ unciam unam,
Terebinthinæ lotæ,
Butyri loti ana uncias duas,
Succi Limonum unciam unam ſemis,
Ceruſſæ lótæ unciam unam,
Salis uncias duas.
Miſce, fiat unguentum.

C Onfert ad ſcabiem & pruritum, cujus fervorem temperat, vitioſum humorem cuti impactũ extergit, mitigat & emendat.

UNGUENTUM AD TINEAM.

℞. Olei Roſati,
Juniperi ex ligno ana drach. ſex,
Sulphuris vivi,
Stercoris Columbini,
Floris Æris ana unciam ſemis,
Ceræ quantum ſufficit.
Fiat unguentum.

ANIMADVERSIONES
In Vnguentum rubeum, ſive de Minio camphoratum; & Vnguentum ad ſcabiem & tineam.

U*Nguentum rubeum* juxta *Animadverſiones Vnguenti albi camphorati* parari poteſt, coquendo nimirùm prius in ſ. q. *aceti deſtillati Lithargyrum, Minium* & *Ceruſſam* ad pultis formam, antequam *oleo* commiſceantur; *Camphora* verò priùs in *oleo* ſoluta, ſub finem demùm addatur.

Vnguentum ad ſcabiem quoque ſimili modo confici poteſt, coquendo *Ceruſſam* cum *ſucco Limonum: Salem* autem ego non adderem, cùm utplurimùm *ſcabies* à ſalſo humore producatur, igitur contrariis curanda eſt, extinguendo ſcilicet *ſalſum fermentum*. Suaderem igitur, ut loco *ſalis* exiguam portiunculam ex. gr. ℈ j *Mercurii ſublimati* in *aqua roſarum* vel *plantaginis diſſoluti*, huic *unguento* adderent, vel etiam *ſulphur ſubtiliter tritum* aut *pulveriſatum*,

tum, quod ſummoperè exſiccat, & fermenta etiam ſine dolore extinguit; *Sal* verò pruritum non ſolùm adauget, ſed etiamſi non præ... nt eſt, ipſum excitare valet, & conſequenter majorem quoque ...ſibit affluxionem.

In *unguento ad tineam flores æris* in pondere excedere mihi videntur, cùm maximè corroſivi ſint, idcircò horum ratione quantitas *oleorum* nonnihil adaugenda erit; utpotè,

℞. *Olei roſati*,
Iuniperini ex ligno, *vel quod meliùs eſſet*,
Terebinthinæ rubri ana ℥ ij,
Sulphuris vivi,
Stercoris Columbini,
Florum æris ana ℥ ß,
Ceræ flavæ ℥ ij.
Fiat ſ. a. unguentum.

UNGUENTUM DE SUCCIS ARANTII.

℞. Olei roſati completi uncias ſex,
Omphacini uncias tres,
Succor. Plantaginis,
Solani hortenſis,
Centaurii minoris,
Lapathi acuti ana unciam unam ſemis.
Bulliant ſimul ad ſuccorum conſumptionem, poſtea adde
Ceræ albæ ſeorſim liquatæ quantum ſatis.
Inſpergendo paulatim
Lithargyri triti drachm. unam ſemis,
Plumbi uſti drachmas tres,
Pompholygis drachmas duas,
Hordei uſti pugill. unum ſemis,
Boli Armenæ Oriental.
Camphoræ ana drachmam unam.
His omnibus ſimul mixtis, ultimo loco inde
Ung. Populei unciam unam,
Infrigidantis Gal. unciam ſemis.
Miſce, fiat unguentum juſtæ conſiſtentiæ.

Ulceribus fœdis ac malignis mirificè opitulatur, mundificat enim, ſiccat, abſtergit, coquit, & conſolidat, fluxiones acres in iiſdem temperat, inflammationes reprimit, ac ſinus cicatrice tegit.

HÆc deſcriptio ab auctoris nonnihil eſt diverſa; utpotè quam Clariſſimus Vir Dn. Tiberius Phialettus Medicus & Chirur-

gus Patavinus nonnihil immutavit, à Nob. itidem & Clariſſ. Viro D. D. Joh. Udalrico Rumlero in hujus operis ornamentum allata.

UNGUENTUM DE TUTIA NICOLAI.

℞. Olei Roſati,
Ceræ albæ ana unciam unam ſemis,
Succi Solani drachmas duas,
Ceruſſæ lotæ unciam ſemis,
Plumbi uſti & loti,
Tutiæ præparatæ ana drachmas duas,
Thuris drachmam unam.

Ceram liqua cum oleo lento igne, & in pilam plumbeam injice, additis quæ terenda ſunt in tenuiſſimum pulverem redactis, move continuò & paulatim ſuccum ſupradictum inſtillato, perpetuò movendo ſex horis continuis.

Differt ab unguento Diapompholygos in eo, quod hoc Cadmiam fornacum Botrytin dictam recipiat, noſtris Tutiam appellatam, alterum verò Pompholyga, id eſt, Nil album dictum. Ejuſdem penè facultatis ad exiccanda eryſipelata, vulnera ſordida, & ſananda tibiarum ulcera, cavaq; explenda, ac cicatricem ducendam. In putridis & cancroſis, ubi fervor aliquis eſt, ſummâ fiduciâ uſurpari debet, quod nulli veterum compoſitioni cedat.

ANIMADVERSIONES
In *Vnguentum de ſuccis Arantii*, & *de Tutia Nicolai.*

QUamvis huic *unguento* de *ſuccis Arantii* corrigendo laborem & operam impendere vellem, nil tamen efficerem, ſervatis ſingulis ingredientibus, quod ad denominatos affectus utile foret. Cumque ad eoſdem affectus longè efficaciora nobis ſuppetant *unguenta*, idcircò hanc *inutilem compoſitionem* lubens tranſgredior.

Vnguentum de *Tutia* juxta modum *unguentorum de Ceruſſa*, &c. parari poteſt, coquendo prius *Ceruſſam* & *Plumbum calcinatum* cum *aceto*: Cæterùm *olei* quantitas reſpectu *ceræ* pauca nimis eſt; accipiantur igitur ℥ *iij*, *olei* & ℥ *j ceræ flavæ.*

UNGUENTUM AD VERMES.

℞. Succi Abſinthii,
Abrotani,
Centaurii minoris,
Perſicariæ,

Succi

Succi Folior. Perſicæ arb.
Lupini,
Rad. Ebuli ana drachm. unam,
Porri uncias duas,
Naſturtii aquatici libram unam,
Balauſtiorum drachmam unam,
Olei Abſinthii libram unam ſemis,
Ceræ quantum ſufficit.
Fiat unguentum.

U*Mbilico ſuperpoſitum ac ventri inunctum, vermes enecat & expellit.*

UNGUENTUM VIOLATUM.

Fit ut Roſatum, ſed ex Violis nigris.

C*Alidis pectoris noxiis prodeſt, refrigerat & humectat.*

ANIMADVERSIONES
In Unguentum ad Vermes, & Violatum.

ANceps hæreo, an prægrandem illum, quoad pondus *ſuccorum*, in *unguento* ad *vermes* commiſſum errorem culpæ typographi, an verò voluntati & beneplacito autographi adſcribere debeam; Nulla enim *Succi Naſturtii* (cujus vis & efficacia in ſpiritu volatili facile avolante vel effugiente conſiſtit,) reſpectu reliquorum eſt proportio; *Illius enim libra integra* poſita eſt, *cæterorum verò ſuccorum* (qui tamen directius ad ſcopum propoſitum collimant,) *ſingulorum* duntaxat ℨ j, quæ eſt nonageſima ſexta pars reſpectu integræ unius libræ. Utut ſit, *oleum Abſinthii* jam ſufficienter imprægnatum eſt ab *Abſinthio*, & licet *tres libræ ſucci Naſturtii* adderentur, & cum dicto *oleo* ad humiditatis conſumptionem coquerentur, parùm tamen exindè juvaminis ſperandum eſſet: Nam tanta quantitas *ſucci*, multò minùs *herba* cum *unguento* abſque ulteriori decoctione & abſtractione permanere nequit; quod autem à *ſuccis* peractâ coctione remanet, cum *oleis* non permiſcetur, eſtque materia craſſa, nullo artificio *oleis* permiſcibilis. Quocircà neceſſum eſt, ut alium aliquem dexteriorem hujus *unguenti* conficiendi modum ad manus ſumamus, qualis eſt ſequens:

℞. *Olei Abſinthii* ℔ j ß,
Ceræ flavæ ℥ v,
Quibus invicem liquatis & refrigeratis, adde
Succor. inſpiſſ. ad formam extracti
Abſinthii,

Abro-

Succor. inſpiſſ. Abrotani,
Centaurii,
Folior. Perſicæ arb.
Lupini,
Decocti inſpiſſ. rad. Ebuli, ana ℥ j ß.
Succi Naſturtii inſpiſſati ℥ ij,
Pulpæ Porri ℥ ij,
Pulv. Balauſt. ℥ ij,

Miſce exactè diu invicem agitando, fiatque *unguentum*.

Nota; quod ex ſuperioribus *herbis*, ſi tempore hyberno hoc *unguentum* expeteretur; *decoctum fortè* parari poſſet, quod ipſum ad formam *extracti inſpiſſatum*, tandem loco *ſuccorum concretorum unguento* commiſceri aptum erit; Sed meo judicio illis omiſſis alia magis appropriata huic addi poſſent.

Ratione *unguenti Violati* conſulantur *Animadverſiones ſuper unguentum roſarum*, licet hoc *unguentum* non ſit in uſu.

UNGUENTUM AD VERRUCAS, Seu CARUNCULAS, In MEATU URINARIO NATAS.

℞. Mercurii præcipitati drachmas duas,
Unguenti de ceruſſa unciam ſemis.

Addatur his pro magnitudine affectus aliquid olei Vitrioli aut aquæ fortis, immittendò de his parùm ſuprà candelam ceream in canalem. Poteſt autem loco unguenti de ceruſſa à principio ſumi unguentum Anodynum in æqua cum præcipitato portione.

UTebatur hoc unguento feliciter Alphonſus Ferrius Neapolitanus in extirpandis carunculis ſeu verrucis in pene natis, urinæ non rarò ſuppreſſionem cauſantibus: Id quoque commodiſſimè quondam uſurpabat Ioannes Thanmullerus Lithotomus ac Chirurgus p. m. inſignis, qui multis annis in urbe noſtra praxin ſuam exercuit. Id nobis Clariſſimus Vir D. D. Vdalricus Rumlerus, Collega noſter honorandus, promptè communicavit.

CANDULÆ SIC FIUNT.

℞. Ceræ albæ libram unam,
Terebinthinæ Venetæ unciam unam.

Liqueſcat cera, poſtea addatur Terebinthina, & in his liquatis intingantur Elychnia, fiantque candelæ juſtam craſſitiem habentes.

ANIM-

Animadversiones.

Facilis quidem hujus *unguenti* præparatio eſt, aſt caveat ſibi, qui illud adhibiturus eſt, ne intolerabilem ægrotanti concitet dolorem, præſertim ſi *oleum Vitrioli* aut *aquam fortem* illi jungere velit. Quæcunque enim acida, mitiſſima etiam, in meatum urinarium injecta, atrocem excitare valent dolorem, inflammationem, exulcerationem & affluxionem humorum. Felix igitur ille, qui mitioribus medicamentis abſque tanto cruciatu grave malum iſtud abigere aut ſuperare poteſt, quod tamen non adeò difficile eſt, ſi paulò penitiùs rerum naturas perſcrutemur.

UNGUENTUM VIRIDE Reginæ.

℞. Fol. Lauri,
Roriſmarini,
Salviæ,
Majoranæ,
Rutæ,
Millefolii,
Anagallidis aquaticæ,
Nigellæ cum floribus & ſeminibus ana manipulos duos,
Urticæ majoris,
Minoris,
Hyſſopi,
Prunellæ,
Artemiſiæ ana manipulum unum,
Agrimoniæ,
Centinodii,
Plantaginis minoris,
Rad. Cichorii,
Bellidis,
Conſolidæ mediæ,
Sarracenicæ,
Vincæ-pervincæ,
Lavendulæ,
Abſinthii,
Roſarum rubearum,
Albarum ana manipulos tres.

Herbæ & radices mundatæ incidantur; contundanturque cum Butyri recentis libris ſex, coquantur ſimul lento igne rudiculâ continuò agitando: poſtea colentur & exprimantur, ita ut expreſſa pinguedo fluat in aquam frigidam; ubi refrixit, aquæ demptam rurſus

parùm

parùm coque, & adde ceræ albæ ſeorſim liquefactæ libram ſemis, olei Olivarum libras duas, quæ continuò ſimul agitabis, ac ubi ferè refrigerata fuerint, inſperge

Olibani & Maſtiches ſubtiliſſimè pulveriſatorum ana uncias quatuor.

Redigantur in unguentum.

Datur intra corpus ruptis, convulſis, ac ex alto prolapſis, ubi grumoſi ſanguinis ſuſpicio ſubeſt: ſuggillata curat, dolores partium lenit, eſtq; ad varios uſus accommodatum.

ANIMADVERSIONES.

Coronidis loco adjectum *unguentum Reginæ dictum*, non minimis abſurditatibus refertum eſt; Namque in coctione diuturna *herbarum odoriferarum* & *balſamicarum* virtutes exhalant, quæque non exhalant, ineptiſſimâ illâ præcipitatione *unguenti* poſt peractam coctionem in *aquam frigidam* èluuntur; Et ne nimis efficax evadat *unguentum*, etiam *oleum*, quod æquè aptum ad *herbarum* vires eliciendas, quàm *Butyrum*, ſimpliciter additur, nec uti *Butyrum* earundem *herbarum* viribus imbuitur: *Maſtix* etiam, quæ in *oleis* facilè & promptè liquefit, *pulveriſata* non minùs perperam additur. Sed ne prolixior ſim, aliam & magis dextram præparationem adjungam, utpotè;

℞. *Anagallidis,*
Nigellæ cum floribus ana ℥ *iiij,*
Urticæ majoris,
Minoris,
Prunellæ,
Artemiſiæ ana ℥ *iij,*
Agrimoniæ,
Centinodii,
Plantaginis minoris,
Radic. Cichorii,
Bellidis,
Conſolidæ mediæ,
Sarracenicæ;
Vincæ pervincæ,
Abſinthii,
Roſarum ana ℥ *ij.*

Omnia recentia conſciſſa & contuſa infundantur in

Butyri recent. non ſaliti ℔ *vj,*
Olei olivarum ℔ *ij.*

Macerenturque per ſeptimanam unam vel alteram; poſtea coquantur

quantur ad humiditatis exhalationem, fiatque colatura cum expreſſione fortiſſima: Expreſſo & colato de novo immiſce

Fol. recent. Lauri, vel
Baccar. Lauri,
Roriſmarini,
Salviæ,
Majoranæ,
Rutæ,
Summitat. Millefolii,
Hyſſopi,
Lavendulæ ana ℥ iiij,
Abſinthii,
Roſarum rubearum ana ℥ iij.

Macerentur rurſus per ſeptimanam unam vel alteram, factâque ebullitione unicâ in cucurbita, reiteretur colatura cum expreſſione fortiſſima, addendo exiguum illud humiditatis, quod forte in ebullitione illa unica ultimò prodiit. *Colato unguento*, adde in coquẽ diſſolve

Maſtichis electæ ℥ iiij,
Ceræ citrinæ & novæ ℔ ß.

Agitentur optimè, tùm demum adjice
Olibani ſubtiliſſ. triti ℥ iiij.
Et omnibus probè mixtis fiat unguentum.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ
CLASSIS XVIII.
Continens
EMPLASTRA.

EMplaſtra & Cerata, *quæ duobus hiſce ſequentibus* claſſibus *continentur, non niſi conſiſtentia inter ſe differunt*; Emplaſtra *paulò ſolidiora ſunt, molliora nonnihil* Cerata; *Sunt q; medicamenta externa, vulneribus,*

ribus, ulceribus, rupturis, debilitatis, refrigeratis & inflammatis membris, &c. accommodata; Liquabilia uti cera, reſina, pix, &c. *ob id ſolida in frigore, liquida in calore paulò fortiori. Componuntur ex omni genere* mineralium, vegetabilium, & animalium, *pro intentione Medici & diverſitate affectuum. Specierum ipſa ingredientium utpotè* ceræ, reſinæ, Terebinthinæ, Gummatum, oleorum, pulverum, &c. *proportio & exacta quantitas univerſaliter determinari nequit; Non equidem me latet, quod communiter ad* ℥ j oleorum, *(præſertim in Ceratis)* ℥ iij ceræ, reſinæ ℥ j, pulverum ʒ j, ʒ j ß. & ʒ ij *deſtinentur, aſt hæ vanæ ſunt aſſertiones; Quam diverſam enim producat coctio* oleorum *cum nonnullis pulveribus, inprimis* mineralibus *conſiſtentiam, palàm eſt: Ex ſolo enim* oleo *& quocunque* metallo, *plurimisq́;* mineralibus, *quibuſdam ſolutis, nonnullis autem indiſſolutis,* unguentum, Ceratum, *(quoad conſiſtentiam) &* Emplaſtrum *fieri poteſt; Variant itidem pondus exquiſitum,* Terebinthina, reſina, Gummata, &c. *quæ modo liquidiora, modo ſolidiora & craſſa deprehenduntur; Omnium deniq́; maximè diſtrepant* pulveres, *quorum alii aridiores ſunt, alii oleaginoſi; nonnulli graves, uti* metallorum & mineralium, *quidem è contra leviores, uti* animalium & vegetabilium, *qui proinde* Emplaſtris *commixti, eandem duritiem & conſiſtentiam non producent; Quin etiam anni tempora, nec non plurima* mucilagines viſcoſæ Emplaſtris *addita pondus ingredientium reliquorum non parùm variant; Cùm itaque univerſaliter rerum ingredientium proportio determinari nequeat, neceſſum eſt, ut qui ſimiles* compoſitiones *conſtruere velit, rerum medicarum immaniter variantium exactam habeat notitiam; Dictas autem rerum varietates, diverſa* Emplaſtrorum *&* Ceratorum compoſitiones *&* præparationes, *ſequentes manifeſtabunt.*

EMPLASTRUM ALBUM
COCTUM.

℞. Olei libras duas,
Ceruſſæ libram unam ſemis,
Ceræ albæ uncias quatuor.
Coquantur ſecundum artem, & fiat Emplaſtrum.

Dicitur & Emplaſtrum de Ceruſſa, & ſola coctione ab unguento albo differt, ut & unguentum Triapharmacum & Tetrapharmacum coctura modo in Emplaſtra tranſeunt. Intertriginibus quacunque ex cauſa ſuccurrit, at leves cutis exulcerationes ſanat.

EMPLAST. D. D. ULMENSIUM.

℞. Ceruſſæ ſubtiliſſimè tritæ,

Ceræ

Ceræ Citrinæ,
Olei Olivarum ana partes æquales.

Immittatur primò Ceruſſa in cacabum æneum, addendo lentè um, quæ bulliant ſimul lento igne ſuper prunas, perpetuò agitando cochleari ferreo ſatis longo ob ſtrepitum ceruſſæ, uſque dum deſideant: quo facto etiam indatur ſucceſſivè cera minutiſſimè conciſa, cum cautela effervescentiæ, donec probè liquata ſit; omnia deinde coquantur pari ignis gradu lege artis, uſque dum nigricantem aliquantum colorem acquirant juſtæ conſiſtentiæ.

E*iuſdem cum priore facultatis exiſtit, & ſolâ ferè coctura ab eodem differt.*

ANIMADVERSIONES

In Emplaſt. album coctum; & Emplaſt. D. D. Vlmenſium.

PRimum hoc *Emplaſtrum* paratu difficile eſt, præſertim ſi pondus præſcriptum rerum, ex quibus componitur, ſtrictè obſervari debeat; Convenit enim aliàs, ut *Ceruſſæ olei pondus* ſuperet, vel ad minimùm adæquet, eò, quod *Ceruſſa* ut res graviſſima, *oleum* verò reſpectu illius leve admodum, adeoque quoad pondus prorsùs improportionatum; Quam ob rem nonnulli *pondus ceruſſæ* adaugent, & ℔ j, vel *plùs ejuſdem, uni libræ olei* jungunt: Rectius autem meo judicio rem inſtituunt, qui de *aceto* deſtillato quantitatem addunt, pro meliori nimirum *Ceruſſæ* diſſolutione; Solent etiam nonnulli, ut candorem *Emplaſtri* conſervent, ac diuturnam & lentiſſimam (quæ pro albedine *Emplaſtri* acquirenda neceſſaria eſt,) coctionem abbrevient facilitentque, *ſalis communis* tantillum adjicere, experientiâ edocti, quod *ſal commune* aciditate ſuâ *metalla* & *mineralia* quædam corrodat & quaſi diſſolvat, quos Pharmacopœorum conatus improbare nequeo, cùm additione dictarum rerum *Emplaſtrum* hoc viribus potiùs adaugeatur, non verò diminuatur; Idcircò qualem quis amplectatur modum, non aberrabit, licet *acetum* præ *ſale* nobis magis arrideat.

Alterum *D. D. Vlmenſium Emplaſtrum* paratu facilius exiſtit, propterea quod candor in eo non expetatur, hinc quo violentiori igne (competenti tamen nec nimis exceſſivo,) coquatur, eo pulchriori imbuetur colore; *Cera* ante debitam *Emplaſtri* (mollioris tamen) acquiſitam conſiſtentiam non addatur, ſed tùm demùm, ubi *ceruſſa* in *oleo* per coctionem diſſoluta, competentem duritiem nacta fuerit. Quæ admonitio etiam priori *Emplaſtro* inſerviet, utut hæc peritioribus Pharmacopœis jam antè nota ſit.

Quod ſi quis hæc *Emplaſtra* in virtute adaugere voluerit, ipſis pro libitu addere poterit *Maſtichen* & *Thus* ſubtiliſſimè trita, nec

non *Campheram*, quæ tamen priùs in particula *olei* diſſoluta, jam perfectis & parùm adhuc calentibus *Emplaſtris* ſub finem commiſcenda eſt.

Nota, quod loco *olei*, *axungia porcina* non ineptè quandoque ſubſtitui poſſit.

EMPLASTRUM APOSTOLICON
NICOLAI ALEXANDRINI.

℞. Lithargyri uncias ſex,
Ceræ citrinæ,
Colophoniæ ana uncias duas,
Propoleos,
Viſci quercini glutinis ana unciam unam,
Ammoniacæ guttæ,
Lapidis Calaminaris,
Thuris ana drachmas ſex;
Maſtiches,
Mumiæ ana unciam unam ſemis;
Terebinthinæ,
Galbani,
Bdellii,
Myrrhæ,
Æris uſti,
Sarcocollæ,
Squamæ æris,
Dictamni Cretici,
Ariſtolochiæ,
Viridis æris ana unciam unam,
Olei veteris quantum ſufficit.

EPiſpaſticum potiùs dicendum erat, nam calamos, ſurculos & ſpicula corpori altiùs infixa & omnia venenata extrahit; ad ſtrumas recentes, frigidos ac diuturnos abſceſſus, viſcerum tumores, præciſos, & punctos nervos perutile; ad recentia quoque vulnera, phygetla, carcinomata, & cervicis ex frigida cauſa dolores facit, ſtrumas aperit, abſceſſus rumpit, purgat & glutinat, ac cicatrices extenuat; ſplenis duritiem emendat; articulorum ac genuum ex influxu dolores ſedat; ad mammarum collectiones, eryſipelata & fiſtulas injectum efficax, impoſitum etiam morſibus venenatis, aut rabidorum animalium medetur. Vſurpatur inſuper ad vetuſta & diuturna ulcera; putredines, ſinus, hæmorrhoidas, ſedis vitia, condylomata, rimas ani, carbunculos, impetigines inteſtinorum ramices, pudendorum depaſcentia ulcera, cum roſaceo injectum; cum quo etiam muliebribus malis peſſo ſuppoſitum confert.

Pro-

PRopolis eſt Cera odorata, quâ Apes alveariorum foramina ad hyemis auſteritatem arcendam obturant, Germanis **Meth-wachs.**

Viſce quercini nomine hoc loco intelligitur Gluten illud lentum è baccis Viſci quercini, quo aves capiuntur, extractum, noſtris **Vogelleim.**

Squama æris ſumenda hîc eſt non illa craſſa, vulgò **Kupfferſchlag** dicta, ſed rufa ac tenuis, quam vulgus **keſſelbraun** vocat.

ANIMADVERSIONES

CUm duntaxat ingredientia hujus *Emplaſtri* poſita ſint, nullâ factâ mentione præparationis, proinde neceſſum eſt, ut dextrum ejus præparandi modum ſubnectamus, qui talis eſſe poteſt:

℞. *Olei veteris* ℥ *viij*,
Lithargyri ℥ *vj*,

Coquantur invicem ad diſſolutionem *Lithargyrii*, mollioriſque *Emplaſtri* conſiſtentiam, in quibus diſſolve

Ceræ citrin. odor. ℥ *iij*;
Colophoniæ ℥ *ij*,
Terebinthinæ ℥ *j ß*.

Quæ interim calidè aſſerva; Jam ſeorſim diſſolve in

Aceti fortis ſ. q.
Pulv. Gummi Ammoniaci ℥ *vj*,
Myrrhæ,
Sarcocollæ,
Galbani puri ana ℥ *j*, ad formam pulticulæ;

Cui paulatim in leni calore adde mox particulam de ſuperiori commixto *Emplaſtro* cocto, mox drachmam unam vel alteram de *pulveribus ſubſequentibus*, mox etiam de *Viſci quercini* ℥ *j*, in *olei circiter* ℥ *j* ſoluti & colati, nec non *Bdellii* in *aquâ Plantaginis* quodammodo ad craſſioris *mucilaginis* conſiſtentiam ſoluti ℥ *j*, donec omnia ſic alternatim commixta & injecta ſint: Tùm demùm aliquandiu in diplomate commixta & liquata omnia agita, ſic enim exacta fiat rerum commixtio & unio. *Pulveres* hi ſunt;

℞. *Lapid. Calaminaris*,
Thuris ana ℥ *vj*,
Maſtichis,
Mumiæ ana ℥ *j ß*;
Æris uſti,
Squamæ æris, *vel loco iſtorum duorum Croci Veneris*; *vel Vitrioli Veneris calcinati*,
Dictamni Cretici,

Ariſtolochiæ,
Viridis æris ana ℥ j.
Fiat omnium pulvis ſubtiliſſimus.

Nota; ubi de *diplomate* loquor, ſubintelligo *patellam*, cui re vel *Emplaſtri maſſa* ineſt, eſſe nonnihil immergendam in *aquam calidam* & aliquatenus ferventem; hoc modo enim exacta fit mixtio rerum diverſarum, ex quarum miſcella *Emplaſtrum* confici debet, neque *Gummata* grumeſcunt, aut in unum coëunt.

EMPLASTRUM DE BACCIS LAURI.

℞. Thuris,
Maſtiches,
Myrrhæ ana unciam unam,
Baccarum Lauri uncias duas,
Cyperi,
Coſti ana unciam unam,
Olei Laurini,
Terebinthinæ Venetæ,
Ceræ citrinæ ana unciam ſemis,
Mellis deſpumati quantum ſufficit.
Fiat Emplaſtrum.

Ventriculi, inteſtinorum, jecoris, renum, veſicæ, uteri, & partium aliarum dolorem à flatibus, aut frigida intemperie ortum ſanat. Si verò ſtercus capræ, aut vaccæ ſiccum pondere omnium adjicias, ad hydropem, aſcitem, ac tympanitem fit mirabile, ſed tum augendum eſt mellis pondus.

EMPLASTRUM BASILICON MAJUS MESUE.

℞. Ceræ albæ,
Reſinæ Pineæ,
Sevi Vaccini,
Picis Græcæ,
Nigræ,
Terebinthinæ,
Thuris,
Myrrhæ ana unciam unam,
Olei communis quantum ſufficit.
Fiat Emplaſtrum.

Vulneribus recentibus remedio eſt, eaq; probè glutinat.

EMPLASTRUM BASILICON
Minus Mesue.

℞. Ceræ flavæ,
Reſinæ Pineæ,
Picis Grçcæ ana libram unam,
Olei communis quantum ſufficit.
Fiat Emplaſtrum.

Ulcera phlegmones expertia partium maximè nervoſarum tergit, ac carne implet.

Alii Terebinthinam addunt: alii verò Terebinthinam picis loco ponunt.

EMPLASTRUM DE LAPIDE
Calaminari.

℞. Lapidis Calaminaris,
Tutiæ præparatæ ana uncias duas,
Terebinthinæ unciam unam ſemis,
Ceræ citrinæ,
Reſinæ ana unciam unam,
Lithargyri unciam ſemis,
Olibani,
Maſtiches,
Tragacanthi ana drachmam unam,
Olei roſati,
Myrtini ana uncias duas.
Fiat Emplaſtrum.

Ulcera manantia deſiccat, & cicatrice claudit, atque idem ferè præſtat, quod Gryſeum.

ANIMADVERSIONES
In Emplaſtrum de Baccis Lauri, Baſilicon majus & minus Meſue; & Emplaſtrum de Lapide Calaminari.

Emplaſtra hæc paratu facillima ſunt, & primò quidem *Emplaſtrum de Baccis Lauri*, in quo *Thus, Maſtiche, Myrrha, Bacca Lauri, Cyperus, Coſtus*, ſubtiliſſimè pulveriſata vel trita cum *melle calido ſ. q.* ad Emplaſtri formam impaſtari debent, quibus demùm adjungenda ſunt *oleum laurinum, terebinthina*, & *cera citrina* invicem liquata.

Emplaſtrum Baſilicum majus Meſue, nullo ferè indiget *oleo*, cùm & ſine ipſo *ſpecies ingredientes*, pondere præſcripto liquatæ & commixtæ,

mixtæ *Emplaſtri mollioris conſiſtentiam* conſtituant; Neceſſum igitur foret, ut *ceræ* quantitas nonnihil augeretur (præſtantior autem erit *cera flava odorata, balſamicâ ſuâ virtute adhuc pollens*, quàm alba, omni virtute dictâ ſpoliatâ:) ſicque nonnihil de *oleo*, maximè verò de *oleo terebinthina rubro*, ceu *oleo communi* longè efficaciore addi poſſet, quod ipſum *Emplaſtrum hoc* non parùm nobilitaret.

Quod etiam in *Emplaſtro Baſilico minori* obſervari deberet, cui ℥ *viij* circiter *olei terebinthinæ* addi poſſent. Quæ duo *Emplaſtra* ita parata, certè multas alias ſpecioſas *Emplaſtrorum compoſitiones* antecellerent.

Emplaſtrum de lapide calaminari, ſi juxta modum præſcriptum paretur, durioris *unguenti* non verò *Emplaſtri* conſiſtentiam acquiret; Idcircò vel *ceræ* quantitas notabiliter augenda, vel (quod conſultiùs eſſe duco,) adhuc *unciæ duæ* circiter *Lithargyris* addendæ ſunt, quibus cum *oleis* ad ſuam diſſolutionem coctis, poſtmodum reliqua ſecundum artem immiſceantur: Utpotè

℞. *Ol. Roſati,*
Myrtini ana ℥ *ij,*
Lithargyris ℥ *iij,*

Coque ad diſſolutionem *Lithargyrii* & mollioris *Emplaſtri* conſiſtentiam, in quo liquefac

Terebinthinæ ℥ *j ß,*
Ceræ citrin.
Reſin. ana ℥ *j.*
Demùm adde
Pulv. ſubt. lapidis Calamint.
Tutiæ præpar. ana ℥ *ij,*
Olibani,
Maſtichis ana drach. ij,
Tragacanthi in aqua roſarum parumper diſſoluti, drach. j.

Fiat lege artis Emplaſtrum.

EMPLASTRUM CATAGMATICUM, Seu ad FRACTURAS OSSIUM D.D. RENODÆI.

℞. Rad. Symphyti majoris,
Althææ,
Viſci quercini ana uncias duas,
Plantaginis,
Chamæpityos,
Hypericonis ana manipulum unum.

Fiat

Fiat decoctio in æquis partibus vini nigri, & aquæ fabrorum ad medias. Colaturæ adde

Mucilaginis ſeminis Cydoniorum cum decocto Ariſtolochiæ rotundæ extractæ,
Olei Maſtichini,
Roſarum ana uncias quatuor,
Ceræ virginis libram unam,
Lithargyri auri uncias duas,
Terebinthinæ uncias tres,
Balauſtiorum,
Roſarum,
Myrtillorum,
Acaciæ ana unciam ſemis,
Mumiæ,
Granorum Androſæmi, vel ſem. Hyperici,
Colophoniæ,
Maſtiches,
Succini ana drachmas ſex,
Picis navalis unciam unam ſemis,
Boli Armenæ,
Farinæ volatilis,
Thuris ana unciam unam ſemis,
Sanguinis Draconis uncias duas.
Fiat lege artis Emplaſtrum.

Emplaſtrum hoc catagmaticum vires habet inſignes ad fracturas oſſium ſanandas: Eorum enim coalitum juvat & accelerat; callum, quo ſimul agglutinantur, auget, calorem partis nativum fovet, & humorum fluxiones ſiſtit. Vnde non immeritò Pharmacopœia huic noſtra inſerendum eſſe cenſuimus.

ANIMADVERSIONES.

QUiſquis ſecundum præſcriptam formulam *Emplaſtri* hujus præparationem aggredietur, næ is non *emplaſtri*, neu *unguenti*, ſed neſcio cujus medicamenti mirabilem acquiret conſiſtentiam, cùm illa principio & fine careat, omnique ordine ac debitâ componendi ratione. Et cùm ob id ſuſpicer, non paucos eſſe Pharmacopœos, qui propter dictam *compoſitionis hujus* inconcinnitatem *Emplaſtrum* hoc dextrè conficere neſciant, ideò commendo modum ſequentem dexteriorem & faciliorem; utpotè

℞. *Olei roſarum* ℥ *iiij*,
Lithargyrii auri ℥ *iij*.

Coquantur ad *Emplaſtri conſiſtentiam*, cui remoto ab igne ſtatim injice, in eoque liqueſac

Ceræ virgineæ ℔ j,
Terebinthinæ unc. ij,
Picis navalis ℥ j ß,
Colophoniæ drach. vj,
Olei maſtichini ℥ ij,

Miſta & liquata invicem interim aſſerventur. Jam

℞. *Radic. Symphyti majoris*,
Althææ,
Viſci quercini ligni ana ℥ ij,
Plantaginis,
Chamæpityos,
Hypericonis ana M j.

Fiat addito *vino rubro* & *aquâ fabrorum*, decoctum mucilaginoſum ad ℔ j ß, cui inſuper adde

Mucilag. ſem. Cydoniorum cum decocto Ariſtoloch. rotundæ extractæ unc. ij,
Pulv. Balauſtiorum,
Roſarum,
Myrtillorum ana unc. ß,
Mumiæ,
Sem. Hyperici ana drach. vj,
Boli Armenæ,
Farinæ volatilis ana unc. j ß,
Sanguinis Draconis pulv. unc. ij,
Succi Acaciæ in decocto Ariſtol. etiam ſoluti unc. ß.

Coquantur invicem ad *conſiſtentiam cataplaſmatis ſpiſſioris* igne lento, continuoque agitando, ne *ſpecies* fundo vaſis vel patellæ adhæreant & comburantur; Huic *cataplaſmati* adde *ſuperius mixtum emplaſtrum*, nec non

Pulv. Maſtichis,
Thuris ana unc. j ß,
Succini præpar. drach. vj.

Factâque adhuc unâ vel alterâ ebullitione & continuâ agitatione, quoad omnia optimè inter ſe invicem colliquata fuerint, fiatque juſtæ conſiſtentiæ *Emplaſtrum*.

Nota in hac *compoſitione*, dum in ipſa præſcribitur *Viſcum quercinum*, heîc ſubintelligendum eſſe *ipſum lignum Viſci quercini* dictum, non verò *Viſcum* ſive *gluten* ex eo enaſceus, quod avium capturæ inſervit; ſi tamen aliquis *gluten* illud loco *ligni quercini Viſci*, huic *compoſitioni* ſubſtituere vellet, is ipſum in particula *olei* diſſolutum, iterumque colatum *Emplaſtro* ſub finem demum admiſcere poſſet.

EM-

EMPLASTRUM CERONEUM NICOLAI.

℞. Picis navalis benè colatæ,
Ceræ ana uncias duas, drachmas tres,
Sagapeni uncias duas,
Ammoniaci,
Terebinthinæ,
Colophoniæ,
Croci ana unciam unam, drachm. tres,
Aloës,
Thuris,
Myrrhæ ana unciam unam,
Opopanacis,
Styracis Calamitæ,
Galbani,
Maſtiches,
Aluminis,
Fœnugræci ana drachmas ſex,
Confitæ, ſeu fæcis Styracis liquidæ,
Bdellii ana drachmas tres,
Lithargyri drachmam unam ſemis,
Confice ſic:

Sagapenum, Galbanum, Opopanacum, Ammoniacum Gummi aliquantulum tuſa cum vino temperentur, deinde ad mediæ partis vini conſumptionem bulliant, & vaſe ſtanneo poſito ſuper ignem cùm inceperit bullire, pix navalis benè colata addatur, ac cum ſpatula benè agitetur, donec liqueſiat. Liquefactâ pice addatur cera, & ea liquefactâ ponatur Colophonia, tum Styrax cum piſtillo calido trita fruſtatim imponatur. Poſtea Maſtiche & Olibanum, deinde Myrrha cum Bdellio, & intervallo facto ponatur Terebinthina, ac conſequenter Alumen & Lithargyrum, ad ultimum Fœnugræcum. Et cùm decoctum fuerit, fundatur ſuper aquam frigidam, & ab ea extractum manibus exprimatur, donec tota aqua inde exeat: deinde pulvis Aloës ſuper marmor inunctum oleo Laurino malaxetur. Poſtremùm Croco pulveriſato, ac inunctis manibus cum eodem oleo Laurino Magdaleones formentur.

Valet ad dolorem ſcapularum, & thoracis à frigore ortum ducentem, lienis duritiem emollit, aquam intercutem à frigida jecoris intemperie natam ſanat, ac uteri vitiis ex cauſa eadem procreatis prodeſt, lumborum, pudendorum, veſicæ ac renum frigus vi ſuâ calefaciente diſſipat, oſſium fracturis & luxationibus commodat; repellit, concoquit, mollit, carnesq́ procreat.

ANIMADVERSIONES.

PRæparatio hujus *Emplaſtri* optimè quidem incepta, aſt peſſimè & perquàm ſtupidè finita eſt; Neceſſum igitur, ut concinniorem etiam ipſis addamus præparationem. Nimirùm

℞. *Ceræ flavæ odorif.*
Picis navalis vel nigræ ana ℥ ij ß,
Colophoniæ,
Terebinth. in qua Styr. Calam. ℥ j *diſſolutū ſit ana* ℥ ij.

Liquefiant invicem igne lento, & liquefacta ad ulteriorem commixtionem aſſerventur. Jam ex *ſequentibus ſpeciebus* fiat pulvis ſubtiliſſimus; nempe,

Aloës epat.
Thuris,
Myrrhæ ana ℥ j,
Maſtichis,
Fænugr. ana drach. vj,
Bdellii drach. iij,
Lithargyrii ℥ j ß,
Miſceantur; poſtea

℞. *Gummi Sagapeni* ℥ ij,
Ammoniaci ℥ j ß,
Opopanacis,
Galbani ana drach. vj.

Solvantur pulveriſata priùs in *tantillo vini* ad pultis formam; quibus adhuc calentibus immiſce guttatim, mox cochlear unum de *ſuperiori adhuc calente emplaſtro*, mox *drachmam unam vel alteram de pulveribus prædictis*, nec non *de in vino ſigillatim dilutis & infuſis*, ſcilicet

Pulv. Croci ℥ j ß,
Aluminis drach. vj,

donec ita alternatim omnia injecta & commixta ſint; Tùm agitentur adhuc diù multumque in diplomate vel balnei calore invicem liquefacta, & tandem ubi refrigerari incipit *Emplaſtrum*, immiſceantur etiam *Styracis liquidæ drach. iij*; fiatque *Emplaſtrum*.

Nota: quòd *Aloë*, *Bdellium*, *Myrrha*, *Maſtiche*, *&c.* diſſoluta priùs, *Emplaſtro* addi poſſent; aſt ne nimiùm præparandi rationem intricemus, eandemque difficilem reddamus, acquieſcamus in præfato modo. Etenim ſi ſaltem *Emplaſtrum* in diplomate, id eſt, in patella quæ aquæ ferventi ultrà medietatem immerſa ſit, benè liquetur, ac diù multùmque agitetur, cuncta ſeſe invicem amicè amplectuntur, ac quaſi diſſolvuntur, dùm unumquodque arripit quod ſibi familiare eſt, & eidem adunatur; *Aloë* nimirùm & *Bdellium* humidi-

miditatem quâ *Gummata* ſoluta, item quâ *Crocus* & *Alumen* diluta ſunt, amplectuntur, *Maſtix* verò, & ex parte etiam *Myrrha Terebinthinam*, &c.

EMPLASTRUM CITRINUM Vulgare.

℞. Reſinæ libram unam.
Ceræ Citrinæ libram ſemis,
Sevi Cervini uncias quatuor,
Terebinthinæ uncias duas.
Fiat Emplaſtrum.

Vulneribus recentibus medetur, ac ea cicatrice claudit. Quod ſi id ulceribus repurgandis magis idoneum reddere volueris, in ſingulas libras Emplaſtri, adjicito aruginis mundata drachmas duas, atque ſic Emplaſtrum viride effeceris, id quod communi uſu à plebeis expetitur.

DIACHYLON SIMPLEX, Sive Album Mesue.

℞. Mucilag. Fœnugræci,
Seminis Lini,
Rad. Althææ ana libram unam,
Olei veteris clari libras tres,
Lithargyri libram unam ſemis.

Lithargyrum tenuiſſimè teratur, & cum oleo ſubigatur: poſtea igne lento coquatur ſpatulâ ſemper agitando, donec probè permixta ſint. Ab igne depoſita, paulatim frigeſcant, poſtea mucilagines affundantur, permiſceantur, & decoquantur ad juſtam craſſitiem.

Ad partium quarumcunque duritiesreſolvendas & digerendas efficax, ſcirrhos hepatis, lienis, ventriculi, viſcerumque collectiones, & furunculi reliquias diſſipat ac emollit, ſtrumas quoque & inveteratos abſceſſus diſſolvit, recentia vulnera ab inflammatione vindicat, diviſa glutinat, & qua inflammantur curat; ſuperficialia ulcera glutinat, ſolutum Raſaceo vel Myrtino, liquatum Chamamelino nervorum phlegmonen prohibet, podagricis quovis tempore opitulatur, ad diuturnas ac recentes uteri phlegmonas optimè peſſario inditum admovetur, inflammatione correpta ulcera & muſculos vulneratos citra alterius cataplaſmatis opem, aut ſpongias, aut irrigationes curat.

Quidam addunt pulveris Ireos unciam unam in libras ſingulas.

ANIM-

ANIMADVERSIONES
In Emplaſtrum Citrinum, & Diachylon ſimplex.

DE *Emplaſtro citrino* non eſt ut multùm ſimus ſoliciti, cùm paratu ſit facillimum.

Diachylon ſimplex autem parem diligentiam efflagitat, quam *album coctum*, cùm candor aut aliqualis ſaltem albedo in eo valdoperè probetur: Propterea *Animadverſiones noſtræ* ſuper idem ipſum conſcriptæ unà huc trahantur, ſecundum quas *Emplaſtri* hujus præparatio commodè inſtitui poterit; Solent etiam nonnulli Pharmacopœi, *mucilagines prædictas* cum *lixivio* extrahere, ſic optimè cedit operatio, modò lenis quoque fiat coctura & continua agitatio; Pro *oleo* aliqui *axungiam porcinam* recentem ſubſtituunt.

DIACHYLON COMPOSITUM, Seu EMPLAST. DE MUCILAGINIBUS dictum.

℞. Mucilagin. rad. Althææ,
Sem. Lini,
Mediani corticis Ulmi,
Fœnugræci ana uncias quatuor ſemis,
Olei Chamæmelini,
Liliorum,
Anethi ana unciam unam ſemis,
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni ana unciam ſemis,
Ceræ novæ uncias viginti,
Croci drachmas duas,
Terebinthinæ uncias duas.

Gummi diſſolvantur in vino optimo, & conficiantur ſecundum artem.

D*Icitur & Emplaſtrum de mucilaginibus, maximarum in emolliendo eſt virium, phlegmonas ſanat, & ſaniem ruptorum apoſthematum abſtergit.*

NOta, in defectu mediani corticis Ulmi Fœnugræci pondus duplicari poſſe.

ANIMADVERSIONES.

NEceſsùm eſt, ut in præparatione hujus *Emplaſtri*, *mucilagines dicta*, ſcilicet

Radicum Althea,

Semin.

Semin. Lini,
Fœnugraci, &
Medianor. cortic. Vlmi ana ℥ iiij ß, cum
Oleor. Chamomillæ,
Liliorum alborum, &
Anethi ana unc. j ß,

coquantur ad totalem humiditatis conſumptionem; *oleum coctum* poſtea coletur, vel à craſſamento à mucilaginibus relicto ſeparetur, in quo liqueſiant

Ceræ novæ odoratæ unc. xx,
Gummata verò, ſcilicet
Ammoniaci,
Galbani,
Opopanacis,
Sagapeni ana unc. ß.

jam trita (ſi fieri poteſt) tempore hyberno in *Terebinthina unc*. ij, ſoluta paulatim etiam admiſceantur; *Croci* demùm *ſubtiliter triti & vino diluti drach*. ij, ultimò adjiciantur.

Nota; quod *Gummata* etiam *aceto* & *vino* dilui, & diluta, *Emplaſtro* commiſceri poſſent, prout alibi & quidem ſæpiùs factum; Aſt melius erit in hoc *Emplaſtro Terebinthinâ Gummata* diſſolvere, cùm optimè etiam in ea ſolvantur, utplurimùm ratione conſiſtentiæ, utpotè quæ paulò mollior alioquin evaderet, quàm pro Emplaſtro exigeretur.

DIACHYLON MAGNUM
MESUE.

℞. Lithargyri libram unam,
Olei Chamæmelini,
Irini,
Anethini ana uncias octo,
Mucilaginis ſem. Lini,
Fœnugræci,
Althææ,
Ficuum pinguium,
Uvarum paſſarum,
Succi Ireos,
Scillæ,
Ichthyocollæ,
Oeſypi ana drachmas duodecim,
Terebinthinæ uncias tres,
Reſinæ Pini,
Ceræ flavæ ana uncias duas.
Fiat ſecundum artem Emplaſtrum.

INflammata & dura ſedando, emolliendo, ac digerendo magis eſt efficax ſequenti, ideoq; magnum dicitur. Vigonis ad omnia iſta efficacius.

ANIMADVERSIONES

EQuidem multò conſultiùs eſſet, hanc & ſimiles *compoſitiones* ex Diſpenſatoriis elidere, quàm corrigere; nihilominùs tamen non parcam operæ meæ in dextera ejus præparatione inveſtiganda & proponenda, quomodocunque etiam ingredientia concordent; Itaque

℞. *Mucilag. extracta ex anatica portione*
Semini. Lini,
Fœnugraci,
Radicum Althaa,
Vvarum paſſarum,
Ficuum pinguium ℥ viij ß,
Mucilag. extracta ex ℥ j ß, *Ichthyocolla* ℔ ß;
Succi Scilla ℥ j ß,
Oleor. Chamomilla,
Irini,
Anethini ana ℥ viij,
Lithargyrii ſubtil. triti ℔ j ß,

Coquantur igne lento, rudiculâ continuò agitando ad conſumptionem humiditatis, diſſolutionem *Lithargyrii*, & *Emplaſtri conſiſtentiam*; Cui adde invicem liquatarum & colatarum

Ceræ flava,
Reſina Pini ana ℥ ij,
Terebinthina ℥ iij,
Oeſypi ℥ j ß.

Ultimò inſperge *pulv. radicum Ireos* ℥ j ß, fiatque *Emplaſtrum*.

Nota; ſi albedo in hoc Emplaſtro expetatur, conſulantur *Animadverſiones Emplaſtri albi coctì & Diachyli ſimplicis.*

DIACHYLON PARVUM

MESUÆ.

℞. Lithargyri uncias ſex;
Olei veteris clari libram unam,
Mucilaginis ſeminis Hyoſcyami unciam unam ſemis;
Pſyllii uncias quatuor,
Seminis Lini,
Rad. Althææ ana uncias duas,
Fiat ut primum.

Eo utuntur in duris inflammationibus ac tumoribus calidis; eſt namque digerit & maturat, nec non ad intemperiem calidam efficaciſſimum eſt, quod per ſe Pſyllium & Hyoſcyamus præſtant, ſiccat vero & digerit, quoad cætera ſimplicia.

DIACHYLON CUM GUMMIS VIGONIS.

℞. Radic. Althææ libram ſemis,
Sem. Lini,
Fœnugræci ana unciam unam,
Malvæ,
Althææ,
Cydoniorum ana unciam ſemis,
Pſyllii drachmas duas,
Cum aqua fontana fiat mucilago.
Flor. Violarum manipulum unum,
Rad. Ireos uncias duas,
Olei Chamæmelini,
Anethini,
Liliorum,
Lini,
Irini ana uncias tres,
Amygdalor. dulcium drachm. decem,
Pinguedinis Gallinæ,
Anatis,
Anſeris ana uncias tres,
Oeſypi humidæ,
Succi Glycyrrhizæ ana drachm. decem,
Terebinthinæ unciam unam ſemis,
Sevi Vitulini libram ſemis,
Lithargyri auri drachmas decem.

Bulliant omnia ſimul baculo agitando, uſque ad conſumptionem mucilaginis; Deinde cum cera alba quantum ſufficit, fiat Ceratum molle, addendo
Sagapeni,
Opopanacis,
Bdellii mollis,
Galbani ana drachmas tres,
Ammoniaci drachmas quinque.
Diſſolutis in aceto, fiat Emplaſtrum ſecundum artem.

Magnarum in emolliendo eſt virium; concoquit, maturat, digerit ac reſolvit.

ANIMADVERSIONES
In Diachylon parvum Meſue: & cum Gummis Vigonis.

IN *Diachylo parvo* pondus *Lithargyrii ad unc. j, vel alteram* augeri debet, quoad cætera verò juxta *Animadverſiones præcedentes Diachyli ſimplicis* confici poterit.

Diachylon cum Gummis Vigonis difficultates nonnullas implicat; nam ſi ad *unc. xxvj ß oleorum*, ℔ ß *ſevi Vitulini*, nec non *Terebinthinæ unc. j ß*, tandem *ceræ* quantitas ſufficiens, ad *Emplaſtra* aliàs à Medicis determinata, addi deberet, ejus vix *novem libræ* ſufficerent; Aſt hæc quantitas *ceræ* nimiùm excederet porportionem ingredientium reliquorum: Igitur *Lithargyrii* quantitas reſpectu aliorum ultrà modum diminuta eſt, quæ proindè neceſſariò adaugenda erit, ſi *Emplaſtrum* ex enumeratis ingredientibus componi debet. Pro *ſucco Glycyrrhizæ nigro*, *fortiſſimum radicis Glycyrrhizæ decoctum* ſubſtitui poteſt, ne *ſuccus* ille *Emplaſtrum* nigro colore imbuat; Inſtituatur igitur ejus præparatio tali modo:

℞. *Radicum Althææ* ℔ ß,
Sem. Lini,
Fænugræci ana ℥ j,
Malvæ,
Althææ,
Cydoniorum ana ℥ ß,
Pſyllii ℨ ij.

Extrahatur ex ipſis cum *aqua fontana* vel *lixivio* mucilago ad ℔ ij, cui adde *decocti fortiſſimi ex radicibus Glycyrrhizæ* ℔ ß, & *flor. Violarum M j parati* ℔ j. *Decocto huic & mucilagini*, admiſceantur

Lithargyrii auri ſubt. triti ℔ j ß,
Oleor. Chamomillæ,
Anethi,
Liliorum,
Lini,
Irini ana unc. iij,
Amygdal. dulcium ℥ x.
Pinguedinis Gallinæ,
Anatis,
Anſeris ana unc. iij.

Coquantur lento igne ſemper agitando ad conſumptionem humiditatis & conſiſtentiam *Emplaſtri* duram, in quo ulteriùs liqueſiant

Sevi vitulini unc. vj,
Terebinth. unc. j ß,
Oeſypi humidæ ℥ x.

Jam

Jam demùm in aceto diſſolvantur (pulveriſata priùs, ne nimiùm ipſa coquere neceſſum ſit,)

Gummi Sagapeni,
Opopanacis,
Galbani ana drachm. iij, ad formam pultis ; quæ *Emplaſtro* ſuperiùs confecto & ſemirefrigerato, ſenſim commiſceatur, ut &

Bdellii in craſſam mucilaginem cum aqua ſoluti drach. iij,
Pulv. radic. Ireos ℥ ij.

Ex quibus demùm optimè commixtis, fiat *Emplaſtrum* juſtæ conſiſtentiæ.

EMPLASTRUM DE CRUSTA
PANIS MONTAGNANÆ.

℞. Maſtiches,
Menthæ,
Spodii,
Corallii rubri,
Albi ana drachmam unam,
Cruſtæ panis toſtæ & maceratæ in aceto per horam mediam uncias duas,
Olei de Maſtiche,
Cydoniorum,
Terebinthinæ,
Ceræ ana unciam unam,
Farinæ hordei quantum ſufficit.
Fiat Emplaſtrum.

Confert ad vomitum puerorum, ac iis qui cibum retinere nequeunt, prodeſt.

ANIMADVERSIONES.

Præterquam quod vitium typographicum huic *compoſitioni* ſubeſſe ſuſpicer, quod conſtructio falſa indicat; inſuper etiam nonnulla fruſtrà addita eſſe omninò exiſtimo, ex. gr. *Corallia alba, rubra*, & *Spodium*; utpotè quæ externè applicata, præſertim *Spodium*; tanquam res mortuæ, ventriculum haud roborabunt, quorum loco itaque alia efficaciora ſubſtitui poſſunt: Nimirùm

℞. *Pulv. Maſtichis*,
Myrrhæ,
Menthæ,
Nuc. Moſchat. ana unc. ß,
Caryophyllorum drach. iij,

Pulv. Roſarum rubr. ℥ j,
Cruſta panis toſta, & in aceto roſarum ad cataplaſmatis conſiſtentiam cocta ℥ iij,
Terebint. clare, in qua Styr. Calam. ℥ ß, *diſſoluta ſit* ℥ ij,
Olei Maſtichis ℥ j, *vel q. ſ.*
Ceræ flavæ & novæ ℥ j,
M. fiat Emplaſtrum.

Nota, quod loco *olei Maſtichis Balſamus Indicus* ſubſtitui poſſet, qui inſigniter ventriculum roborat.

ALIUD STOMACHICUM EMPLASTRUM SINE PANE.

℞. *Terebinthinæ claræ* ℥ iij,
In quibus diſſolve leni calore,
Gummi Tacamahacæ, vel Animæ aut Elemi ℥ j ß,
Reſin. Styracis Calam. vel ipſius Styracis gumm. ʒ vj.
Pulv. Maſtichis,
Myrrhæ,
Olibani ana ℥ j,
Nuc. Moſchat.
Caryophyll. ana ʒ vj.
Quibus ultimò quaſi refrigerato *Emplaſtro* addatur
Balſami Indici Peruviani ℥ ß.

Plures aliæ addi poſſent formulæ *Emplaſtrorum ſtomachalium* & *Cataplaſmatum*, etiam ſine unctuoſis & pinguibus, quilibet autem ex hiſce denominatis ſpeciebus pro conſtitutione ægrotantis & affectûs conſimilia ipſemet efformare, ſubiquè eligere poterit, quæ maximè ex uſu eſſe putabit. Ex *Maſtiche* enim *pulveriſata*, *Tacamahaca*. *Roſis ſiccis*, *Nuce moſchata*, *pane*, & *aqua vitæ* optima ſine *ſaccharo* conficitur *Cataplaſma*, ad intemperiem ſtomachi frigidam, atque indè contractam ejus imbecillitatem corrigendam efficaciſſimum, quod tamen ſæpiùs recenti *aquâ vitæ* humectandum & irrigandum eſt.

EMPLASTRUM DE FULIGINE.

℞. Theriacæ Andromachi,
Mithridatii ana unciam ſemis,
Fermenti,
Terebinthinæ ana uncias duas,
Mellis roſati ſimplicis unciam unam ſemis,
Butyri recentis uncias duas,

Salis

Salis communis unciam unam,
Fuliginis camini unciam unam ſemis,
Saponis Veneti uncias quatuor,
Croci drachmas tres,
Vitellorum ovorum numero quatuor.
Fiat lege artis Emplaſtrum.

Magnarum virium & multæ experientiæ fuit hoc Emplaſtrum in graſſantibus tribus poſterioribus infectionibus peſtilentialibus Auguſtanis; eo enim Lotmiatri noſtri ordinarii ad maturandos bubones ac anthraces, extrahendum venenum, atque mitigandos ex inflammationibus ſubortos dolores, feliciſſimè utebantur.

ANIMADVERSIONES.

Licet *Emplaſtri* hujus præparatio non adeò difficilis ſit, novi tamen non paucos, qui illud dextrè conficere ignorant; quocircà in illorum gratiam dilucidiorem & faciliorem ejus præparandi modum hîc apponam, Si enim hoc *Emplaſtrum* rectè conficiatur, nullus dubito, quin extracto prius vehementiori veneno vel *vivis animalibus*, vel *exſiccatis bufonibus* aut conſimilibus, deniq̀ue abſceſſibus applicatum, eoſdem maturare, rumpere & dolorem lenire potens ſit. Itaque

℞. *Terebinthinæ* ℥ ij,
Saponis Veneti ſubt. conſciſſi ℥ iiij,
Liquefiant invicem ſuper igne lento, quibus ſtatim adde
Fuliginis camini ſplend. ſubt. triti ℥ j ß.
Agitentur aliquandiu ſuperadditis
Theriac. Androm.
Mithridatis ana ℥ ß.
Tùm ſeparatim & frigidè commiſceantur
Vitellorum ovorum numero iiij,
Butyri recentis ℥ ij.
His optimè invicem ſubactis & agitatis, adjungantur etiam
Fermenti ℥ ij,
Croci triti ℥ iij,
Salis communis ℥ j.
Piſtentur & agitentur optimè iterùm, donec omnia probè unita ſint; demùm
Mellis roſati drach. vj addantur;
Quæ ſic benè mixta, *ſuperiori mixturæ* adhuc parùm *calenti* aut tepenti, diligenti agitatione admiſceantur; atque ita fiat lege artis *Emplaſtrum*.

EMPLASTRUM GRISEUM DE LAPIDE CALAMINARI.

℞. Lapidis Calaminaris præparati unciam unam,
Lithargyri uncias duas,
Ceruſſæ unciam ſemis,
Tutiæ drachmam unam,
Terebinthinæ unciam unam ſemis,
Ceræ albæ uncias tres,
Sevi cervini uncias quatuor,
Thuris electi drachmas quinque,
Maſtiches drachmas tres,
Myrrhæ drachmas duas,
Camphoræ drachmam unam ſemis.
Conſice ſecundum artem.

Ulcera explet, ſiccat, & cicatrice claudit.

ANIMADVERSIONES.

Emplaſtrum hoc nulla ratione artificioſiùs, quàm ſimplici miſturâ perfici poteſt; Liquentur ergò & miſceantur primò *Terebinthina*, *Cera*, & *Sevum cervinum*; quibus liquatis, ſtatim injiciantur *pulveres Thuris*, *Maſtichis*, & *Myrrhæ*; his benè agitatis & veluti ſolutis, addantur *reliqui pulveres*, utpotè *lapid. Calaminaris*, *Lithargyrii*, *Ceruſſæ*, *Tutiæ*; Ultimò dum adhuc *Emplaſtrum* parùm calet, adjiciatur *Camphora* in *ſpiritu vini* tantillo ſoluta, fiatque *Emplaſtrum*.

EMPLASTRUM AD HYDROPEM.

℞. Stercoris Columbini aceto macerati libram unam,
Sulphuris vivi unciam unam,
Nitri unciam ſemis,
Pulv. rad. Enulæ,
Baccarum Lauri,
Anethi,
Florum Chamomillæ ana drach. ſex,
Sem. Naſturtii drach. duas.
Decoquantur omnia in vino ad ſpiſſitudinem. Adde
Mellis,
Sevi cervini ana libram ſemis,
Terebinthinæ uncias quatuor ſemis,
Succi Ebuli uncias duas,
Iridis unciam unam,

Farinæ

Farinæ Fabarum unciam unam ſemis.

Fiat Emplaſtrum.

EO quondam crebrò uſi ſunt celeberrimi Medici Patavini, Ioannes Baptiſta Montanus, & Aloiſius Bellacattus, tanquam experto ac valdè probato ad hydropem remedio.

ANIMADVERSIONES.

HUjus *Emplaſtri* genuina præparatio fit modo ſequenti;

℞. *Pulv. ſtercoris Columbini aceto macerati* ℔ j,

Sulphuris vivi unc. j,

Radic. Enulæ drach. vj,

Farinæ Fabarum unc. j ß,

Nitri unc. ß.

Decoquantur *in vini ſ. q.* & *ſucci Ebuli unc.* ij, ad conſiſtentiam *Cataplaſmatis* ſatis craſſam, cui adde

Mellis craſſiſſimi,

Sevi cervini ana ℔ ß,

Terebinth. ℥ iij ß,

Pulv. Ireos ℥ j,

Baccarum Lauri,

Anethi,

Flor. Chamomillæ ana ʒ vj,

factâque adhuc unâ vel alterâ ebullitione, fiat *Emplaſtrum*, vel potiùs *Cataplaſma*.

EMPLASTRUM ISCHIADICUM.

℞. Gummi Galbani,

Sagapeni,

Caſtorei ana unciam ſemis,

Euphorbii drachmam unam,

Scillæ drachmas tres,

Sem. Lini,

Ceparum,

Erucæ ana drachmas duas,

Fermenti acris,

Olei Lini ana quantum ſatis.

Incorporatis & benè invicem mixtis, adde

Stercoris Columbini drachmas tres.

Miſce, fiat Emplaſtrum.

COmmendatur illius virtus ad humores à cerebro & partibus ſuperioribus ad coxam deſtillantes, exſiccandos, vel attractos è profundioribus iſtis locis diſcutiendos, atque protuberantes & iſchiadicos placandos & auferendos.

ANIMADVERSIONES.

PRæſtat hoc *Emplaſtrum* hunc in modum conficere; Nimirùm

℞. *Gummi Galbani,*
Sagapeni ana ℥ ß,

Solvantur in *aceti unc. iij* circiter, & ſi impura ſint, colentur & exprimantur; quibus ſtatim calentibus adhuc & liquidis (ſine coctione) addantur

Pulv. caſtorei vel pingued. ejus ℥ ß,
Euphorbii ʒ j,
Sem. Lini,
Ceparum,
Erucæ ana drach. ij,
Stercoris columbini drach. iij,
Fermenti acris ℥ ij
Pulpa ſcillæ recentis non aſſatæ drach. iij.

Impaſtentur optimè ſupra ignem; Et ſi ſufficientem *cataplaſmatis* mollioris conſiſtentiam non habuerint, fiat inſuper unica ſaltem vel altera ebullitio, addendo demum *olei Lini* (vel quod meliùs eſt & aptiùs etiam *olei Saponis cum ſpiritu vini facti vel deſtillati*) parùm, ℥ j circiter, fiatque *Cataplaſma.*

EMPLASTRUM MAGNETICUM
ANGELI SALÆ.

℞. Gummi Sagapeni,
Ammoniaci,
Galbani ana uncias tres,
Terebinthinæ Laric.
Ceræ ana uncias quatuor ſemis,
Magnetis arſenicalis uncias tres,
Terræ vitrioli lotæ unciam unam,
Olei ſuccini uncias duas.

Gummata illa tria diſſolve in unciis viginti aceti ſcillitici: poſtea ſolutionem illam per pannum lineum colatam exprime, quam deinde tamdiu bullire cures, donec acetum fuerit conſumptum, excipe pauxillum ſpatulâ, & infrigida, dum videas ita ind[illegible] uti cum Gummi eſſent: ſerva in loco calido, donec in reſiduu[m] incorporaveris, quo facto, accipe ceram & terebinthinam, fac ut lento igne in ſe coëant: remotum à calore aliquantulum agitato, donec ad ſpiſſitudinem unguenti reducatur: deinde adde gummata jam ante ſoluta, & uti dictum colata, poſtea adjunge Magnetem arſenicalem ſubtiliter pulveriſatum, terram vitrioli, & oleum ſuccini: poſtremò

los forma, & corio aut veſicæ oleo ſcorpionum inunctæ involve.

Præparatio Arſenicalis Magnetis hæc eſt:

℞. Antimonii crudi,
Sulphuris flavi,
Arſenici cryſtallini ana uncias duas.

Pulveriſentur omnia ſubtiliter, & in vaſe vitreo in arenam calentem imponantur, & tamdiu in illa relinquantur, donec materia illa omnis colliqueſcat, ſtudioſè à fumo ſibi cavendo, id quod inde cognoveris, ſi materia ferreo ſtylo tacta illi adhæſerit, & terebinthinæ inſtar duci poſſit.

Terra Vitrioli ſic fit:

℞. Vitrioli Ungarici quantum volueris; ſublimetur ſecundum artem cum æquali portione ſalis Armoniaci, donec auferantur ejus tria principia, Sal, Sulphur, & Mercurius, & remanebit quædam terra aliquoties aquâ dulci eluenda.

Emplaſtrum hoc anthracibus peſtilentialibus dextrè applicatum, eos illicò maturat, rumpit, & venenum ad ſe rapit; certiſſimum præſidium, ne venenum retrò intra corpus ſecedat, & longè aliis Emplaſtris huic uſui deſtinatis, meritò anteferendum. Vide Mindererum de Chalcantho cap. 7.

ANIMADVERSIONES.

DUo potiſſimùm in hoc Emplaſtro occurrunt, quæ ingentem redolent abſurditatem; *Primò* quidem diuturna illa *gummatum* coctio cum *aceto ſcillitico*, uſque ad recuperatam priſtinam eorundem duritiem, in qua violentâ & longâ coctione ſubtiliores & penetrantiores *gummatum* partes maximè exhalant; *Secundo, terra vitrioli* præparatio & edulcoratio mehercle ſatis inepta & non intellecta; Etenim quod ad præparationem attinet, nullatenus tàm facili negotio tria illa (ficta aliquando) Chymicorum principia, additione *ſalis armoniaci* & ſublimatione à *vitriolo* ſeparantur; Neque ſublimatio illa cum *ſale armoniaco* ſuccedet, niſi *vitriolum* priùs ad rubedinem optimè calcinatum fuerit. Et poſito ſublimaretur *ſal armoniacum* cum *vitriolo non calcinato*, reverà tamen non *terra* lotioni apta, ſed *vitriolum ſolubile* poſt ſublimationem in reſiduo manere: Sed eſto etiam, quòd *terra vitrioli* ſublimatione remaneret, attamen illa nullo modo ad hunc deſtinatum uſum edulcorari deberet, utpote edulcoratione illi demitur omnis vis magnetica (adſtrictoria & attractoria) relictâ *terrâ mortuâ*; Idcircò longè ſatiùs erit *Emplaſtrum hoc* tali modo parare; videlicet

℞. *Pulv. Gummi Sagapeni,*
Ammoniaci,
Galbani ana ℥ iij,

 (Tem-

(Tempore enim hyberno *Gummata* illa pulveriſari & teri poſſunt; ſiqua autem *Galbanum*, quod præ cæteris magis molle, ſe teri non pateretur, illud priùs in *Terebinthina* huic compoſitioni deputata ſolvendum & poſtea colandum erit,) liqueſiant, quantum poſſibile, leni calore in

Terebinthinæ ℥ *vj*,

Quibus etiam adde

Ceræ flavæ tantundem,

ac poſtquam invicem liquefacta ſunt, adjunge illis

Olei Succini ℥ *ij*,

His optimè unitis adjiciantur

Magnetis Arſenicalis ℥ *iij*,

Terræ Vitrioli à ſublimatione ſalis Armoniaci cum Vitriolo calcinato relictæ & nullo modo lotæ vel edulcoratæ ℥ *j*.

Pulpæ Scillæ vel etiam Ceparum noſtratium ℥ *ij*.

Fiatque Emplaſtrum.

EMPLASTRUM DE MELILOTO MESUÆ.

℞. Meliloti uncias ſex,
Flor. Chamæmeli,
Fœnugræci,
Baccar. Lauri,
Rad. Althææ,
Abſinthii ana drachmas tres,
Seminis Apii,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi Indicæ,
Caſſiæ ligneæ,
Ammeos ana drachmam unam ſemis,
Majoranæ drachmas tres,
Ammoniaci drachmas decem,
Styracis Calamitæ,
Bdellii ana drachmas quinque,
Terebinthinæ unciam unam ſemis,
Ficuum pinguium numero duodecim,
Sevi Hircini,
Reſinæ ana nncias duas ſemis,
Ceræ uncias ſex,
Olei Sampſuchini,
Nardini ana uncias tres,

Aquæ

Aquæ decoctionis Meliloti, Fœnugræci, & Chamæmeli ana quantum ſufficit ad infundendum: coquantur ad medias, deinde in colaturam immiſſis triturandis ſubtiliſſimè pulveriſatis rurſum coquantur, additis oleis, Terebinthina, & ſimilibus, gummiſque in aceto diſſolutis. Poſtremò addantur radices & ficus ſimul coctæ, ac benè contuſæ.

Miſce, fiat Emplaſtrum.

Malacticum celebre ad inveteratas durities jecoris, lienis, ventriculi, viſcerum, & reliquarum partium emolliendas, hypochondriorum tenſionem laxandam, flatus reſolvendos, ac dolorem à frigido ſedandum. Eo utimur in materia craſſa & frigida, & in inguinum bubonibus ad incidendum, emolliendum, attenuandum, diſcutiendum, & calefaciendum.

ANIMADVERSIONES.

Omnes propemodùm Pharmacopœi, poſtpoſito inſufficienti hoc præſcripto præparandi modo, *Emplaſtrum* hoc ſimpliciter conficiunt, liquando ſcilicet quæ liquari poſſunt; liquefactus demùm & permixtis reliqua in pulverem redacta, *Ammoniacum* verò in *aceto* ſolutum, *Ficuſq;* in pulpam converſas admiſcent, & quidem benè, nam coquendo omnia, multùm de rerum aromaticalium & odoriferarum fragrantiâ & penetrante ſubtili eſſentiâ deperditur; Hæc tamen ipſorum præparandi ratione non obſtante, ego adhuc aliam non minus elegantem & proficuam ſubjungam, ſcilicet

℞. *Pulv. ſeminis Fœnugræci,*
Radic. Althææ,
Baccarum Lauri,
Florum Chamomillæ ana drach. iij,
Ireos,
Semin. Ammeos ana drach. j ß,
Meliloti viridiſſimi ℥ ij,
Abſinthii viridiſſ. drach. ij,
Pulpæ Ficuum ℥ ij,

Coquantur in ſ. q. *decocti priùs facti* ex *Meliloto; floribus Chamomillæ*, *Abſinthio* & *Spica Indica*, ad conſiſtentiam *Cataplaſmatis durioris*, lento igne, continuò & ſtudioſè agitando, ne fundo vaſis vel patellæ adhærendo *ſpecies* comburantur; Huic *Cataplaſmati* adde

Styracis Calamitæ drach. v, ſolutæ in
Terebinthinæ ℥ j ß, & colatæ, item
Ammon. pulver. in aceto ad pultis formam ſoluti drach. x.

Sequentia autem invicem liquata & colata, nimirùm
Sevi Hircini,
Reſinæ ana ℥ ij ß,

Ceræ ℥ vj,
Olei Sampſuchini,
Nardini ana ℥ iij,

Ultimò etiam inſpergantur pulveres ſequentes;

Pulv. herb. Meliloti viridiſſ. ℥ v,
Flor. Chamomillæ,
Abſinthii ana ℥ iij,
Semin. Apii,
Cardamomi,
Cyperi,
Cinamomi opt. ana ℥ ß,
Majoranæ viridiſſ. ℥ iij.

Miſce, exactè aliquandiu agitando, fiat *Emplaſtrum* priori efficacius.

EMPLASTRUM DE MINIO VIGONIS.

℞. Olei Roſati libram unam ſemis,
Myrtini,
Unguenti Populeonis ana uncias quatuor,
Pinguedinis Gallinæ uncias duas,
Porcinæ uncias ſeptem,
Sevi caſtrati,
Vaccini ana libram ſemis,
Lithargyri auri,
Argenti ana unc. tres ſemis,
Ceruſſæ uncias quatuor,
Minii uncias tres,
Terebinthinæ uncias decem,
Ceræ quantum ſufficit.

Fiat Emplaſtrum ſecundum artem.

Vulnera & ulcera antiqua & maligna potenter curat.

ALIUD NICOLAI MASSÆ.

℞. Minii libras duas,
Olei Roſacei uncias viginti,
Picis navalis uncias quatuor.

Bulliant omnia ſimul, donec per coctaram redigantur ad formam Cerati; deinde adde

Terebinthinæ uncias duas.

Miſce; poſtea ſic calidum projice in ſitulam aquæ frigidæ, & c-

mitte refrigerari, poſtmodum manibus ducatur ad optimam permiſtionem.

Commendatur ad vulnera pectoris penetrantia, & adulcera quàm plurima antiqua, ac difficilis conſolidationis. Maſſa parte 2. fol. 96.

ANIMADVERSIONES
In Emplaſtrum de Minio primum & ſecundum.

Bonitas hujus *Emplaſtri* communiter à vulgo ex colore rubro judicatur; aſt qui ex hiſce ingredientibus, iis non mutatis, *Emplaſtrum* debitam habens conſiſtentiam & colorem competentem parabit, iſtum ſanè magnifecerim; quod ſi volupe fuerit, paretur tali modo:

℞. *Olei Roſati* ℔ j ß,
Myrtini,
Vnguenti Populei ana ℥ *iiij*,
Pingued. Gallinæ ℥ *ij*,
Porcinæ ℥ *vij*,
Lithargyrii auri,
Argenti ana ℥ *viij*,
Ceruſſæ ℔ j,

Coquantur igne lento, addito ſemper de *aceto fortiſſimo ſ. q.* ne nigreſcat, ad conſiſtentiam *Emplaſtri durioris*, cui adde

Sevi Caſtrati,
Vaccini ana ℔ ß,
Terebinthinæ ℥ *vj*,
Ceræ ℥ *x*,
Minii cribrati ℥ *iiij, vel vj.*
Fiat Emplaſtrum.

Nota; quod impoſſibile ſit ob inconcinnam rerum commixtionem cunctorum hujus compoſitionis ingredientium vires ſartas tectas ſervare, utpotè *olei roſarum* & *unguenti Populei*, quorum qualiſcunque etiam fragrantia in præparatione præfata ut pereat neceſſum eſt.

Alterum Nicolai Maſſæ ſic parari poteſt.

℞. *Minii cribrati,*
Olei Roſacei ana ℥ *xx.*

Coquantur additâ *aceti fortis deſtill. ſ. q.* ad Emplaſtri conſiſtentiam (lento igne ne nigreſcat, ſpatulâ continuò agitando,) cui adde iterùm

Minii cribrati ſubt. ℥ *iiij, vel v*,
Picis ℥ *iiij*,
Terebinth. ℥ *ij.* Fiat Emplaſtrum,

EMPLA-

Digitized by Google

EMPLASTRUM NERVINUM VIGONIS.

℞. Olei Chamomillæ,
Roſarum ana uncias duas,
Maſtichini,
Terebinthinæ,
Lini ana unciam unam ſemis,
Terebinthinę claræ uncias quatuor,
Sevi Vituli caſtrati,
Hircini ana uncias duas ſemis,
Herbarum Roriſmarini,
Betonicæ,
Caudæ equinæ,
Centaurii ana manipulum unum,
Vermium terreſtrium lotorum & purgatorum in vino uncias tres,
Coque ſimul in vino
Radic. Rubiæ tinctorum drachmas decem,
Hypericonis fol. & ſem. ejus ana manipulum unum,
Maſtiches pulveriſatæ,
Gummi Elemi ana drachmas decem,
Picis navalis,
Reſinæ ana unciam unam ſemis,
Sagapeni,
Galbani,
Ammoniaci ana drachmas tres,

Diſſolutis Gummi in aceto cum cyatho uno vini odoriferi aliquantulum contundantur, poſtea decoquantur & exprimantur: cui expreſſioni addantur
Lithargyri auri,
Argenti ana unciæ duæ ſem.
Minii unciæ duæ.

Iterum bulliant in primis lento igne, baculo agitando, ignem deinde vigorando; bulliant donec acquirat colorem ſubnigrum. Quo facto, cum cera nova ſufficiente, fiat Emplaſtrum in bona forma.

E *Mollit, digerit, reſolvit, nervoſarum partium r[illegible] cumprimis utile.*

MOdus compoſitionis eſt, ut herbæ, radices Rubiæ, & vermes terreſtres coquantur in ſufficienti quantitate vini odoriferi & oleorum ad vini conſumptionem. Expreſſo adjiciantur Terebinth. Sevum, Maſtiche per ſe trita, & Gummi diluta aceto: tùm coquan-

ti

Digitized by Google

tur ad juſtam conſiſtentiam, addendo ceram ſufficientem, & ſub finem decoctionis addenda Lithargyrum & Minium.

ANIMADVERSIONES.

EX tam diſſonanti rerum congerie *Emplaſtrum hoc* conſtructum eſt, ut ſatis mirari nequeam; Secundus item ille in *Animadverſionibus* ſuperadditus præparandi modus, priori inepto multò ineptior eſt, & ſi omnes hujus *Emplaſtri*, tàm quoad compoſitionem, quàm præparationem ejuſdem commiſſos errores enumerare lubido eſſet, integra pagina mihi non ſufficeret; Nec etiam poſſibile eſt, ut omnes ipſius errores ſervatis ſingulis ingredientibus corrigi & emendari poſſint; nam ubi unum horum conſervabimus, alterum ibimus perditum; Nihilominus tamen dexteriorem ejus, quantùm poterimus, moliemur præparationem; Utpotè

℞. *Herbar. Roriſmarini,*
Betonicæ,
Centaurii ana M j,
Vermium terreſtrium mundat. ℥ *iij,*
Radic. Rubiæ Tinct. ʒ *x,*
Folior. Hyperici,
Seminis ejuſdem ana M j.

Coquantur in *vini* & *aceti ana* ℔ *j* ß, ad medietatis exhalationem; poſtea colentur & exprimantur, colaturâ aſſervatâ. Jam

℞. *Oleor. Chamomillæ,*
Roſarum ana unc. ij ß,
Lini,
Olivarum (pro Maſtichino)
Terebinthinæ rubræ ana unc. j ſem.
Lithargyrii auri,
Argenti ana unc. iij,
Minii unc. ij.

Coquantur lento igne ſemper affundendo de *ſuperiori decocto*, (relictis tamen *hujus decocti unciis duabus vel tribus* pro diſſolutione *Gummatum*) ad juſtam *Emplaſtri* conſiſtentiam; Cui addantur ſequentia liquata invicem ac per linum tranſcolata, ſcilicet

Se... , ituli,
Hircini ana unc. ij ſem.
Picis navalis,
Reſinæ ana unc. j ſem.
Ceræ flavæ unc. iij,

His mixtis diſſolvantur in

Tere-

Terebin ina unciis quatuor,
Pulv. mmi Elemi ℥ x,
laſtichis ℥ j, drach. vj,

& priori Emplaſtro etiam addantur: Tandem in ſuperiori aſſervato *decocto acido* diſſolve

Pulv. Gummi Sagapeni,
Ammoniaci,
Galbani ana drach. iij,

ad formam pultis & ſenſim ſemi refrigerato *Emplaſtro* admiſce, prout ſæpius edocui.

Nota; quod, *Emplaſtrum hoc* vel nigrum, vel gryſeum mediantè coctione fieri poſſit, vel etiam rubrum, ultimò admixto *Minio*. *Oleum ſimplex* ſive *Olivarum* ſubſtitui pro *Maſtichino*, è contra verò ſub finem pondus *Maſtichis* debitè auxi, quo ipſo, quæ in *oleo* ſuperiùs defuit, *Maſtichen* reſtitui, nam *oleum Maſtichinum* huic coctioni non dextrè aut prudenter adderetur.

EMPLASTRUM NIGRUM.

℞. Colophoniæ,
Reſinæ,
Picis navalis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ ana uncias octo,
Maſtiches unciam unam,
Olei ovorum uncias duas,
de Spica unciam unam,
Juniperi ex granis uncias tres,
Roſarum uncias ſeptem,
Mumiæ uncias duas,
Terræ Sigillatæ,
Sanguinis Draconis ana unciam unam,
Vitrioli albi,
Coralli rubri ana uncias duas,
Axungiæ Ardeæ unciam unam,
Thymalli uncias tres,
Lapidis Magnetis præparati uncias duas,
Lumbricorum præparatorum,
Camphoræ ana unciam unam.
Fiat Emplaſtrum ſecundum artem.

Perquàm efficax ad recentia vulnera & puncturas.

ANIM.

ANIMADVERSIONES.

SI dextra fieri debet *Emplaſtri* hujus præparatio, neceſſum eſt ut ingredientia, quæ adeò confusè conglomerata ſunt, priùs in ordinem redigantur, ideoque paretur modo ſequenti;

℞. *Olei Roſarum* ℥ *vij*,
Axungiæ Ardeæ ℥ *j*,
Thymalli ſive Aſciæ piſcis ℥ *iij*,
Ceruſſæ cribratæ ℥ *viij*,
Vitrioli albi,
Romani in aqua ſimpl. ſolutor. ana ℥ *iv*.

Coquantur ſimul igne paulò fortiori ad diſſolutionem *Ceruſſæ*, & nigredinem, *Emplaſtriq; conſiſtentiam*, cui admiſce ſequentia ſimul liquefacta, & per qualum vel linum colata, ſcilicet

Colophoniæ,
Reſinæ,
Picis navalis,
Ceræ flavæ ana ℥ *viij*.

His unitis adjunge etiam

Maſtichis, in unciis duabus
Olei ovorum ſoluta, ℥ *j*,

Nec non ſequentes pulveres

Olibani ſive Thuris,
Myrrhæ ana ℥ *vij*.
Mumiæ ℥ *ij*, ſi lubet
Terræ ſigillatæ,
Sanguinis Draconis, ana unc. j,
Corallorum rubr.
Lapidis Magnetis præp. ana unc. ij,
Lumbricorum præpar. unc. j.

Agitentur aliquandiu in calore, donec benè invicem unita & liquefacta ſint, quibus demùm jam frigeſcere incipientibus adde

Olei Spicæ unc. j,
Olei Iuniperi ex granis unc. iij, in quibus
Camphoræ unc. j, in vaſe clauſo, leni calore ſoluta ſit, fiatque Emplaſtrum.

EMPLASTRUM OPODELTOCH
D. D. MINDERERI.

℞. Ceræ novæ mundiſſimæ libram unam,

Terebir ina unciis quatuor,
Pulv. mmi Elemi ℥ *x,*
laſtichis ℥ *j, drach. vj,*

& priori Emplaſtro etiam addantur: T
decocto acido diſſolve

Pulv. Gummi Sagapeni,
Ammoniaci,
Galbani ana dra

ad formam pultis & ſenſim ſemi refri
prout ſæpius edocui.

Nota; quod, *Emplaſtrum hoc* vel nig
coctione fieri poſſit, vel etiam rubrun
Oleum ſimplex ſive *Olivarum* ſubſtitui p
ſub finem pondus *Maſtichis* debitè auxi
defuit, *Maſtichen* reſtitui, nam *oleum*
non dextrè aut prudenter adderetur.

EMPLASTRUM

℞. Colophoniæ,
Reſinæ,
Picis navalis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ ana uncias octo,
Maſtiches unciam unam,
Olei ovorum uncias duas
de Spica unciam un
Juniperi ex granis
Roſarum uncias
Mumiæ uncias duas
Terræ Sigillatæ,
Sanguinis Draco
Vitrioli albi,
Coralli rubri a
Axungiæ Ard
Th
Lapidis Ma
Lumbric
Can

ad vulnera recentia, ea
, cuſpides, dummodò oſſi-
s, paleas, ac reſegmina,
omata vulneribus infen-
tit ac præcavet; tumores,
its incumbere ſolent, re-
it, conſolidat, ac cicatrice

ONES.

plurimos hujus *Emplaſtri*
omnium vulnerum & ulce-
quum eſt, ut ſedulò & ex-
odum ſequentem:

non neceſſum ſit ea à fæcibus
aceto multum coquere, cùm
eſcant) *ana* ℥ ß,

gantur
j, in quo oleo

. nec non

ius ſint. Item
j ß, cum
℔ j,
ſucco Pyrolæ in formam pulteis ſolut. ℥ j ß;
s ſequentes, utpotè
lluc. præpar. ℥ ß;
Draconis,
ana ʒ iij,
magnet. cum ſucco Nicot. & fol. quercûs præp. ℥ j;
Martis ſolâ reverberatione facti & non edulcorati,
a in ſucco Symphyti vel Alchimillæ ſemel extincta &
cum iis ipſis levigatæ ana ℥ j,
lapidis Calaminaris priùs candefacti, ac in ſuccis Pyrolæ ac
Symphyti extincti; & cum iiſdem præparati ℥ v,

(Tempore enim hyberno *Gummata* illa pulveriſari & teri poſſunt; ſiqua autem *Galbanum*, quod præ cæteris magis molle, ſe teri non pateretur, illud priùs in *Terebinthina* huic compoſitioni deputata ſolvendum & poſtea colandum erit,) liquefiant, quantum poſſibile, leni calore in

Terebinthinæ ℥ vj,

Quibus etiam adde

Ceræ flavæ tantundem,

ac poſtquam invicem liquefacta ſunt, adjunge illis

Olei Succini ℥ ij,

His optimè unitis adjiciantur

Magnetis Arſenicalis ℥ iij,

Terræ Vitrioli à ſublimatione ſalis Armoniaci cum Vitriolo calcinato relicta & nullo modo lotæ vel edulcoratæ ℥ j.

Pulpæ Scillæ vel etiam Ceparum noſtratium ℥ ij.

Fiatque Emplaſtrum.

EMPLASTRUM DE MELILOTO MESUE.

℞. Meliloti uncias ſex,
Flor. Chamæmeli,
Fœnugræci,
Baccar. Lauri,
Rad. Althææ,
Abſinthii ana drachmas tres,
Seminis Apii,
Cardamomi,
Ireos,
Cyperi,
Spicæ Nardi Indicæ,
Caſſiæ ligneæ,
Ammeos ana drachmam unam ſemis,
Majoranæ drachmas tres,
Ammoniaci drachmas decem,
Styracis Calamitæ,
Bdellii ana drachmas quinque,
Terebinthinæ unciam unam ſemis,
Ficuum pinguium numero duodecim,
Sevi Hircini,
Reſinæ ana uncias duas ſemis,
Ceræ uncias ſex,
Olei Sampſuchini,
Nardini ana uncias tres,

Aquæ

Aquæ decoctionis Meliloti, Fœnugræci, & Chamæmeli ana quantum ſufficit ad infundendum: coquantur ad medias, deinde in colaturam immiſſis triturandis ſubtiliſſimè pulveriſatis rurſum coquantur, additis oleis, Terebinthina, & ſimilibus, gummiſque in aceto diſſolutis. Poſtremò addantur radices & ficus ſimul coctæ, ac benè contuſæ. Miſce, fiat Emplaſtrum.

Malacticum celebre ad inveteratas durities jecoris, lienis, ventriculi, viſcerum, & reliquarum partium emolliendas, hypochondriorum tenſionem laxandam, flatus reſolvendos, ac dolorem à frigido ſedandum. Eo utimur in materia craſſa & frigida, & in inguinum bubonibus ad incidendum, emolliendum, attenuandum, diſcutiendum, & calefaciendum.

ANIMADVERSIONES.

Omnes propemodùm Pharmacopœi, poſtpoſito inſufficienti hoc præſcripto præparandi modo, *Emplaſtrum* hoc ſimpliciter conficiunt, liquando ſcilicet quæ liquari poſſunt; liquefactus demùm & permixtis reliqua in pulverem redacta, *Ammoniacum* verò in *aceto* ſolutum, *Ficuſq́* in pulpam converſas admiſcent, & quidem benè, nam coquendo omnia, multùm de rerum aromaticalium & odoriferarum fragrantiâ & penetrante ſubtili eſſentiâ deperditur; Hæc tamen ipſorum præparandi ratione non obſtante, ego adhuc aliam non minus elegantem & proficuam ſubjungam, ſcilicet

℞. *Pulv. ſeminis Fœnugræci,*
Radic. Althææ,
Baccarum Lauri,
Florum Chamomillæ ana drach. iij,
Ireos,
Semin. Ammeos ana drach. j ß,
Meliloti viridiſſimi ℥ vj,
Abſinthii viridiſſ. drach. ij,
Pulpæ Ficuum ℥ ij,

Coquantur in ſ. q. *decocti priùs facti ex Meliloto; floribus Chamomillæ, Abſinthio* & *Spica Indica*, ad conſiſtentiam *Cataplaſmatis durioris*, lento igne, continuò & ſtudioſè agitando, ne fundo vaſis vel patellæ adhærendo *ſpecies* comburantur; Huic *Cataplaſmati* adde

Styracis Calamitæ drach. v, ſolutæ in
Terebinthina ℥ j ß, & colatæ, item
Ammon. pulver. in aceto ad pultis formam ſoluti drach. x.

Sequentia autem invicem liquata & colata, nimirùm
Sevi Hircini,
Reſinæ ana ℥ ij ß,

Ceræ ℥ vj,
Olei Sampſuchini,
Nardini ana ℥ iij,
Ultimò etiam inſpergantur pulveres ſequentes;
Pulv. herb. Meliloti viridiſſ. ℥ v,
Flor. Chamomillæ,
Abſinthii ana ℥ iij,
Semin. Apii,
Cardamomi,
Cyperi,
Cinamomi opt. ana ℥ ß,
Majoranæ viridiſſ. ℥ iij.
Miſce, exactè aliquandiu agitando, fiat *Emplaſtrum* priori efficacius.

EMPLASTRUM DE MINIO VIGONIS.

℞. Olei Roſati libram unam ſemis,
Myrtini,
Unguenti Populeonis ana uncias quatuor,
Pinguedinis Gallinæ uncias duas,
Porcinæ uncias ſeptem,
Sevi caſtrati,
Vaccini ana libram ſemis,
Lithargyri auri,
Argenti ana unc. tres ſemis,
Ceruſſæ uncias quatuor,
Minii uncias tres,
Terebinthinæ uncias decem,
Ceræ quantum ſufficit.
Fiat Emplaſtrum ſecundum artem.

Vulnera & ulcera antiqua & maligna potenter curat.

ALIUD NICOLAI MASSÆ.

℞. Minii libras duas,
Olei Roſacei uncias viginti,
Picis navalis uncias quatuor.
Bulliant omnia ſimul, donec per cocturam redigantur ad formam Cerati; deinde adde
Terebinthinæ uncias duas.
Miſce; poſtea ſic calidum projice in ſitulam aquæ frigidæ, & d-

mitte refrigerari, poſtmodum manibus ducatur ad optimam permiſtionem.

Commendatur ad vulnera pectoris penetrantia, & ad ulcera quàm plurima antiqua, ac difficilis conſolidationis. Maſſa parte 2. fol. 96.

ANIMADVERSIONES
In Emplaſtrum de Minio primum & ſecundum.

Bonitas hujus *Emplaſtri* communiter à vulgo ex colore rubro judicatur; aſt qui ex hiſce ingredientibus, iis non mutatis, *Emplaſtrum* debitam habens conſiſtentiam & colorem competentem parabit, iſtum ſanè magnifecerim; quod ſi volupe fuerit, paretur tali modo:

℞. *Olei Roſati* ℔ j ß,
Myrtini,
Vnguenti Populei ana ℥ iiij,
Pingued. Gallinæ ℥ ij,
Porcinæ ℥ vij,
Lithargyri auri,
Argenti ana ℥ viij,
Ceruſſæ ℔ j,

Coquantur igne lento, addito ſemper de *aceto fortiſſimo ſ. q.* ne nigreſcat, ad conſiſtentiam *Emplaſtri durioris*, cui adde
Sevi Caſtrati,
Vaccini ana ℔ ß,
Terebinthinæ ℥ vj,
Ceræ ℥ x,
Minii cribrati ℥ iiij, vel vj.
Fiat Emplaſtrum.

Nota; quod impoſſibile ſit ob inconcinnam rerum commixtionem cunctorum hujus compoſitionis ingredientium vires ſartas tectas ſervare, utpotè *olei roſarum* & *unguenti Populei*, quorum qualiſcunque etiam fragrantia in præparatione præfata ut pereat neceſſum eſt.

Alterum Nicolai Maſſæ ſic parari poteſt.

℞. *Minii cribrati*,
Olei R[illegible]ccei ana ℥ xx.

Coqua[illegible]ur additâ *aceti fortis deſtill. ſ. q.* ad Emplaſtri conſiſtentiam (lento igne ne nigreſcat, ſpatulâ continuò agitando,) cui adde iterùm
Minii cribrati ſubt. ℥ iiij, vel v,
Picis ℥ iiij,
Terebinth. ℥ ij. Fiat Emplaſtrum,

EMPLA-

EMPLASTRUM NERVINUM
VIGONIS.

℞. Olei Chamomillæ,
Roſarum ana uncias duas,
Maſtichini,
Terebinthinæ,
Lini ana unciam unam ſemis,
Terebinthinę claræ uncias quatuor,
Sevi Vituli caſtrati,
Hircini ana uncias duas ſemis,
Herbarum Roriſmarini,
Betonicæ,
Caudæ equinæ,
Centaurii ana manipulum unum,
Vermium terreſtrium lotorum & purgatorum in vino uncias tres,
Coque ſimul in vino
Radic. Rubiæ tinctorum drachmas decem,
Hypericonis fol. & ſem. ejus ana manipulum unum,
Maſtiches pulveriſatæ,
Gummi Elemi ana drachmas decem,
Picis navalis,
Reſinæ ana unciam unam ſemis,
Sagapeni,
Galbani,
Ammoniaci ana drachmas tres,

Diſſolutis Gummi in aceto cum cyatho uno vini odoriferi aliquantulum contundantur, poſtea decoquantur & exprimantur: cui expreſſioni addantur
Lithargyri auri,
Argenti ana unciæ duæ ſem.
Minii unciæ duæ.

Iterum bulliant in primis lento igne, baculo agitando, ignem deinde vigorando; bulliant donec acquirat colorem ſubnigrum. Quo facto, cum cera nova ſufficiente, fiat Emplaſtrum in bona forma.

E *Mollit, digerit, reſolvit, nervoſarum partium r[illegible] cumprimis utile.*

MOdus compoſitionis eſt, ut herbæ, radices Rudiæ, & vermes terreſtres coquantur in ſufficienti quantitate vini odoriferi & oleorum ad vini conſumptionem. Expreſſo adjiciantur Terebinth. Sevum, Maſtiche per ſe trita, & Gummi diluta aceto: tùm coquan-

tur ad juſtam conſiſtentiam, addendo ceram ſufficientem, & ſub finem decoctionis addenda Lithargyrum & Minium.

ANIMADVERSIONES.

Ex tam diſſonanti rerum congerie *Emplaſtrum hoc* conſtructum eſt, ut ſatis mirari nequeam; Secundus item ille in *Animadverſionibus* ſuperadditus præparandi modus, priori inepto multò ineptior eſt, & ſi omnes hujus *Emplaſtri*, tàm quoad compoſitionem, quàm præparationem ejuſdem commiſſos errores enumerare lubido eſſet, integra pagina mihi non ſufficeret; Nec etiam poſſibile eſt, ut omnes ipſius errores ſervatis ſingulis ingredientibus corrigi & emendari poſſint; nam ubi unum horum conſervabimus, alterum ibimus perditum; Nihilominus tamen dexteriorem ejus, quantùm poterimus, moliemur præparationem; Utpotè

℞. *Herbar. Roriſmarini,*
Betonicæ,
Centaurii ana M j,
Vermium terreſtrium mundat. ℥ *iij,*
Radic. Rubiæ Tinct. ʒ *x;*
Folior. Hyperici,
Seminis ejuſdem ana M j.

Coquantur in *vini* & *aceti ana* ℔ j ß, ad medietatis exhalationem; poſtea colentur & exprimantur, colaturâ aſſervatâ. Jam

℞. *Oleor. Chamomillæ,*
Roſarum ana unc. ij ß,
Lini,
Olivarum (pro Maſtichino)
Terebinthinæ rubræ ana unc. j ſem.
Lithargyrii auri,
Argenti ana unc. iij,
Minii unc. ij.

Coquantur lento igne ſemper affundendo de *ſuperiori decocto*, (relictis tamen *hujus decocti unciis duabus vel tribus* pro diſſolutione *Gummatum*) ad juſtam *Emplaſtri* conſiſtentiam; Qui addantur ſequentia liquata invicem ac per linum transcolata, ſcilicet

Se. . ρ ituli,
Hircini ana unc. ij ſem.
Picis navalis,
Reſinæ ana unc. j ſem.
Ceræ flavæ unc. iij,

His mixtis diſſolvantur in

Tere-

Terebin ina unciis quatuor,
Pulv. mmi Elemi ℥ x,
Maſtichis ℥ j, drach. vj,

& priori Emplaſtro etiam addantur: Tandem in ſuperiori aſſervato *decocto acido* diſſolve

Pulv. Gummi Sagapeni,
Ammoniaci,
Galbani ana drach. iij,

ad formam pultis & ſenſim ſemi refrigerato *Emplaſtro* admiſce, prout ſæpius edocui.

Nota; quod, *Emplaſtrum hoc* vel nigrum, vel gryſeum mediantè coctione fieri poſſit, vel etiam rubrum, ultimò admixto *Minio*. *Oleum ſimplex* ſive *Olivarum* ſubſtitui pro *Maſtichino*, è contrà verò ſub finem pondus *Maſtichis* debitè auxi, quo ipſo, quæ in *oleo* ſuperiùs defuit, *Maſtichen* reſtitui, nam *oleum Maſtichinum* huic coctioni non dextrè aut prudenter adderetur.

EMPLASTRUM NIGRUM.

℞. Colophoniæ,
Reſinæ,
Picis navalis,
Ceræ albæ,
Vitrioli Romani,
Ceruſſæ,
Olibani,
Myrrhæ ana uncias octo,
Maſtiches unciam unam,
Olei ovorum uncias duas,
de Spica unciam unam,
Juniperi ex granis uncias tres,
Roſarum uncias ſeptem,
Mumiæ uncias duas,
Terræ Sigillatæ,
Sanguinis Draconis ana unciam unam,
Vitrioli albi,
Coralli rubri ana uncias duas,
Axungiæ Ardeæ unciam unam,
Thymalli uncias tres,
Lapidis Magnetis præparati uncias duas,
Lumbricorum præparatorùm,
Camphoræ ana unciam unam.
Fiat Emplaſtrum ſecundum artem.

P*Erquàm efficax ad recentia vulnera & puncturas.*

ANIM:

Digitized by Google

Animadversiones.

SI dextra fieri debet *Emplaſtri* hujus præparatio, neceſſum eſt ut ingredientia, quæ adeò confusè conglomerata ſunt, priùs in ordinem redigantur, ideoque paretur modo ſequenti;

℞. *Olei Roſarum* ℥ vij,
Axungiæ Ardeæ ℥ j,
Thymalli ſive Aſciæ piſcis ℥ iij,
Ceruſſæ cribratæ ℥ viij,
Vitrioli albi,
Romani in aqua ſimpl. ſolutor. ana ℥ iv.

Coquantur ſimul igne paulò fortiori ad diſſolutionem *Ceruſſæ*, & nigredinem, *Emplaſtriq. conſiſtentiam*, cui admiſce ſequentia ſimul liquefacta, & per qualum vel linum colata, ſcilicet

Colophoniæ,
Reſinæ,
Picis navalis,
Ceræ flavæ ana ℥ viij,

His unitis adjunge etiam

Maſtichis, in unciis duabus
Olei ovorum ſoluta, ℥ j.,

Nec non ſequentes pulveres

Olibani ſive Thuris,
Myrrhæ ana ℥ viij.
Mumiæ ℥ ij, ſi lubet
Terræ ſigillatæ,
Sanguinis Draconis, ana unc. j,
Corallorum rubr.
Lapidis Magnetis præp. ana unc. ij,
Lumbricorum præpar. unc. j.

Agitentur aliquandiu in calore, donec benè invicem unita & liquefacta ſint, quibus demùm jam frigeſcere incipientibus adde

Olei Spicæ unc. j,
Olei Iuniperi ex granis unc. iij, in quibus
Camphoræ unc. j, in vaſe clauſo, leni calore ſoluta ſit, fiatque Emplaſtrum.

EMPLASTRUM OPODELTOCH D. D. MINDERERI.

℞. Ceræ novæ mundiſſimæ libram unam,

Terebinthinæ Venetæ claræ libram ſemis,
Gummi Elemi uncias tres,
Olei Hyperici,
Myrtini ana unciam unam ſemis.

Liquefiant ſimul omnia, & poſtquàm diffluxerint, adde eis ſequentia, nempe

Gummi Ammoniaci mundi,
Galbani,
Opopanacis ana drachm. tres;
Colophoniæ drachmas ſex,
Mumiæ ſelectæ,
Succini albi pellucidi ana drachmas duas;
Olibani albi,
Maſtiches purificatæ,
Sangüinis Draconis,
Sarcocollæ à recrementis purgatæ ana drachmam unam ſemis,
Aloës Epaticæ drachmam ſemis,
Myrrhæ drachmam unam.

Diſſolvantur gummi in aceto, junganturque ſimul commodè ac ſecundum artem, agitando ſingula, ac ubi fermè refrixerint, paulatim ac ſtudioſè injice

Lapidis Magnetis præparati drachmas ſex,
Croci Martis ex arte ſine corroſivo concinnati,
Tutiæ præparatæ ana unciam unam,
Lapidis Calaminaris præparati uncias quinque,
Lithargyri auri unciam unam,
Colcotharis indulcati, ſeu terræ Vitrioli mortuæ ac dulciſicatæ uncias duas.

Redigantur lege artis in Emplaſtrum, quod frigefactum dureſcat. Qui mollius habere id optaverit, Terebinthinæ, ac oleorum ſupradictorum quantitatem nonnihil adaugeat; Alioquin rectè ſic ſubſiſtit.

Notandum quoque, poſſe Emplaſtro huic adjici

Succum Alchimillæ,
Symphyti,
Veronicæ,
Pyrolæ,
Saniculæ,
Conſolidæ mediæ, vel Sarracenicæ,
Telephii,
Nicotianæ,
Numulariæ, aut
Fol. quercus.

Empla-

EMplaſtrum hoc magnæ efficaciæ eſt ad vulnera recentia, ea enim protinùs perſanat, ſpicula, tela, cuſpides, dummodò oſſibus fixa non hæreant, itemque crines, paleas, ac reſegmina; aut quæ vulneri inciderint, extrahit, ſymptomata vulneribus infenſa ac periculoſa, ſi citò applicetur, antevertit àc præcavet; tumores, affluxusq; humorum, qui cæſæ ac offenſæ parti incumbere ſolent, reprimit; ac diſſolutam unitatem citò conjungit, conſolidat, ac cicatrice claudit.

ANIMADVERSIONES.

TAnta extant hinc inde apud Authores plurimos hujus *Emplaſtri* encomia, ut plerique pro univerſali omnium vulnerum & ulcerum conſolidativo id habeant, proindè æquum eſt, ut ſedulò & exquiſita ejus fiat præparatio, & quidem in modum ſequentem:

℞. *Terebinth.* ℥ *vij.*
In quibus diſſolvantur vel liquefiant
Pulv. Gummi Ammoniaci,
Opopanacis,
Galbani puri vel granorum, (ut non neceſſum ſit ea à fæcibus ſuis per colaturam purgare, aut cum aceto multum coquere, cùm ipſorum partes ſubtiliores coctura evaneſcant) *ana* ℥ ß,
Pulv. Myrrhæ ℨ *iij*,
Thuris ℥ ß,
Quibus ſolutis aut liquefactis, adjungantur
Olei terebinthinæ rubri ℥ *iij*; in quo oleo
Gummi Elemi ℥ *iij*,
Maſtiches elect. & pulv. nec non
Tacamahacæ ana ℥ ß,
pariter ſoluta aut liquefacta prius ſint. Item
Colophoniæ liquat. ℥ j ß, cum
Ceræ flavæ & novæ ℔ j,
Aloës Epat. cum ſucco Pyrolæ in formam pultis ſolut. ℥ j ß;
Tandem etiam pulveres ſequentes, utpotè
Succini albi pelluc. præpar. ℥ ß;
Sanguinis Draconis,
Sarcocollæ ana ℨ *iij*,
Lapidis magnet. cum ſucco Nicot. & fol. quercûs præp. ℥ j,
Croci Martis ſolâ reverberatione facti & non edulcorati,
Tutiæ in ſucco Symphyti vel Alchimillæ ſemel extinctæ & cum iis ipſis levigatæ ana ℥ j,
Lapidis Calaminaris priùs candefacti, ac in ſuccis Pyrolæ ac Symphyti extincti, & cum iiſdem præparati ℥ v,

Saccharí Saturni cum ſucci Pyrolæ & conſolidæ ana unc. iij, ſoluti & ad pultis vel olei formam iterùm inſpiſſ. unc. j.

Colcotharis in deſtillatione ſpiritûs vitrioli relicti non edulcorati, ſed poſtquam extremâ ignis reverberii violentiâ totaliter omnis humiditas & ſpiritus expulſi ſunt, æſtris vernali tempore per ſeptimanam unam vel alteram expoſiti, à Sole verò interdiu remoti ℥ ij.

Et ſi lubet, addantur etiam ultimò

Succor. inſpiſſat. Alchimillæ,
Symphyti radic.
Pyrolæ,
Saniculæ,
Millefolii,
Folior. Quercûs,
Conſolidæ Sarracen. ana ℥ ß.

Fiatque *Emplaſtrum nobile* diû multumque in diplomate calore leni agitando, ut ſpecies omnes eò meliùs invicem uniantur.

Notandum, quod aliqui pro meliori præparatione *Magnetis* præcipiant eundem vel *oleo* vel *eſſentiâ Martis* ſaturatè imprægnari, putantes *Magnetem* hac ratione in operationibus ſuis & actionibus in diſtans, uti vocant, plurimum fortificari, adeoque ad cuſpides ac ſpicula extrahenda multò potentiorem & longè efficaciorem reddi: Aſt hi meo quidem judicio inſigniter falluntur, & contrarium potiùs ſuæ intentioni moliuntur. Etenim in aprico eſt, *Magnetem* non ſecùs ac aliæ ſubſtantiæ finitæ, nôn habere infinitam ferrum attrahendi potentiam, ſed pro ratione magnitudinis & bonitatis ſuæ à natura ſibi conceſſæ, ſcilicet quantum illa permittit, ſolummodò attrahere, & ſi ultrà modum vel ordinarium pondus ipſi de *Ferro* adjiciatur, nihil quicquam ampliùs trahere, imò inſuper etiam debilitari; Idem etiam contingit in præparatione aut confortatione *Magnetis*, modo prædicto cum *oleo* vel *eſſentiâ Martis* peragendâ; námque ubi *ille* ſemel ſat ſufficienterque *Ferri eſſentiâ* imbutus fuerit, ulteriùs nil quicquam ampliùs ad ſe allicere vel attrahere, neu ſpicula vel cuſpides è vulneribus extrahere poterit. Cæterùm etiam palàm eſt, & plurimorum experimentis conſtat, *Magnetem* trahere *ferrum* ab unâ, repellere verò à parte altera, vel ſaltem ab illa parte non ahere, ſed potiùs, ſuam cuicunque *ferro* communicatam vir[illegible] tractivam ab altera parte ad ſe denuò revocare. Jam ſi tritus fue[illegible] *Magnes*, aut in alcohol redactus, ecquis atomorum iſtarum, rebus pinguibus ac reſinoſis intermixtarum, inveſtigabit & diſcernet latera ſeptentrionalia aut meridionalia, eaque debito modo ad extrahenda ſpicula corpori vel vulneri accommodabit? Conſulatur hac de re *ſubtiliſſimus Athanaſius Kircherus in Opere de arte Magnetica libro tertio*

de

de Magnetiſmo Medicinalium pag. 688. *& ſequentibus*, ubi tractat de Cultrivoris Bohemo & Prutenico, eorundemque curatione per Emplaſtrum ex Magnete factum. Ex his patet, quam malè ſæpenumerò res conjungamus, quàm ſtupidè & ſtultè ipſas non rarò præparemus; Quanta non ineſt vis & efficacia trahendi *ferrum magnetis integro*, cujus vena ſeptentrionalis laminâ ferreâ comprehenſa eſt! aſt is idem *magnes* jam tritus, quàm invalidus ille, quamque exiguâ aut penè nullâ pollet *ferrum* alliciendi virtute! An non de aliis *lapidibus & gemmis preciosis*, *ſuccino* item, aliiſque ſimili vi magneticâ dotatis idem fiat, perpendet & judicet Lector benevolus, cùm vis unita ſemper fortior ſit diſperſâ. Ex prædictis jam in facili eſt colligere, quales quantaſque virtutes ego ex tam multifariis, tot contrariis, tamque ineptè ſæpenumerò corraſis ingredientibus fabrefactis *compoſitionibus* (quarum in hoc Diſpenſatorio cornu copiæ eſt) virtutes adſcribere poſſim, maneo nihilominùs, in formulis uſitatis, quas tamen nec impensè laudo, nec nimiùm vitupero, quin potiùs anſam præbeo ulteriùs inquirendi.

Notare etiam circa hanc præparationem conducibile erit, quòd *edulcoratio terra vitrioli* ſimiliter rationi non uſque quaque conſentanea ſit: Nam ſi probè ſufficienterque *vitriolum* calcinatum, omnique aquoſitate & ſpiritu privatum ſit, necquicquam ampliùs corroſivum eſt, nec ſalſedine abundat, niſi ex aëre, ſi fortè ad aliquod tempus repoſitum fuerit, de novo eam attraxerit, quæ tamen ſalſedo tantum abeſt ut *vitrioli*, quin longè alias & peregrinas redoleat virtutes: Itaque ſi huic *Emplaſtro*, adſtringendi ſaltem gratiâ *terra vitrioli* addatur, eam neque edulcorare neque aſtris impprægnare conſultum eſſet; Eadem de *Croco Martis* ratio eſt; Nam ubi adſtringere volupe fuerit, humectantia ſtipticis admiſcenda non ſunt, & viceversâ. Hinc etiam manifeſtum evadit, quàm difficilis & ardua res ſit, ex tàm multifariis, ſibique invicem repugnantibus ſpeciebus utiles efformare *compoſitiones*.

OXYCROCEUM COMMUNE
Ex Nicolao.

℞. Ceræ,
Picis,
Colophoniæ,
Croci ana libram unam,
Terebinthinæ,
Galbani,
Ammoniaci,
Myrrhæ,
Olibani,

Maſtiches ana uncias quatuor,
Aceti phialam unam.

Galbanum & Ammoniacum in aceti ſufficienti quantitate diſſolvantur, & rurſus ad lentorem coquantur, donec acetum in vaporem evanuerit; tunc addantur liquefactis ſimul Cera, Pix, Colophonia & Terebinthina: Poſtquàm omnia ſunt commixta, inſpergito etiam Myrrham, Olibanum & Maſtichen ſubtiliſſimè trita; poſtremùm verò etiam Crocum, per ſe in tenuiſſimum pulverem redactum: ac fiat ſecundum artem Emplaſtrum.

AD contuſa, oſſium fracturas, nervorum dolores, & abſceſſuum inveteratorum duritiem emolliendam idoneum, Emplaſticum quoque & gignendo callo habile.

ANIMADVERSIONES.

IN hoc *Emplaſtro Croci* quantitas nimia eſt, neque etiam convenit, ut *pulveres*, qualeſcunque etiam illi ſint, in *Emplaſtris* unà cum *cera* aut *reſinu* æquale pondus habeant; nec tam vili precio venditur *Crocus*, ut eum adeò largiter citrà neceſſitatem profundamus, neu, quod magis eſt, tanta *Croci* quantitas *Emplaſtro* huic imprimi poteſt; Ideoque ejus pondus diminuendum & taliter *Emplaſtrum* conficiendum erit; nimirùm

℞. *Picis*,
Ceræ flavæ,
Colophon. ana ℔ j,
Terebinth. ℥ v,

Junctim liquata, & per linum colata, calida aſſerventur, hinc
Pulv. Croci ℥ ij,

in *vino* infundantur, dilutæ ad formam pulticulæ, quâ interim etiam aſſervatâ, diſſolve in *ſ. q. aceti*,
Gum. Ammoniaci triti,
Galbani electi ana ℥ iiij,

ad formam pultis, quibus paulatim & alternatim adde mox de ſuperioribus liquatis portiunculam, mox etiam drachmam unam vel alteram de *pulveribus ſubſequentibus*, utpotè
Myrrhæ,
Thuris,
Maſtichis ana ℥ iiij,

nec non de *Croco ſuperiùs infuſo* aliquantillum, donec omnia ſic alternatim immiſſa & commixta ſint; poſtea benè liquata, probè agitentur, non tamen ſupra ardentem flammam, (prout ſæpiùs monui,) ſed in diplomate, id eſt, in M. B. collocando nimirùm vel immergendo ultra medietatem patellam, in qua primò *Gummata*, poſtea

totum

totum compoſitum commixtum fuerit, in aquam calidam & ferè fervéntem, taliter enim omnia optimè unientur, & in maſſam minimè friabilem aut grumoſam, ſed optimè ductilem coibunt; & poſtquam cuncta junctim ſic unita & liquata ſunt (non cocta, quod obſervandum,) ipſa ſub continua agitatione refrigerari ſinas, efformesque magdaleones.

Nota; quod *Gummata* quædam, utpotè *Galbanum, Opopanacum, Ammoniacum*, longè meliùs ſolvantur aut liquentur in *Terebinthina* quàm in *aceto*; nam quæ fit cum *aceto*, præſertim in calore liquatio, propria *horum gummatum* ſolutio non eſt; propterea etiam non conſultum eſt, ea cum *aceto* multùm coquere, ſed tantum de *aceto* ſolummodò addere convenit, ut ex illis maximè pulveriſatis (quod tempore hyberno commodè fieri poteſt,) pulticula efficiatur, ne ſub coctione diuturnâ partes ipſorum magis ſubtiles & penetrantes evaneſcant, vel etiam, ſi libet, in *Terebinthina* ſolvantur; quod autem in hoc *Emplaſtro* & multis aliis fieri nequit, ob *Terebinthina* paucitatem & *Gummatum* copiam.

OXYCROCEUM VIGONIS.

℞. Olei Myrtini,
Roſarum,
Omphacini ana libram unam ſemis,
Succi radicum Althææ libras duas,
Rad. & folior. Fraxini,
Conſolidæ minoris,
Folior. Myrti ana manipulum unum.

Omnia prius aliquantulùm contuſa, bulliant in vino nigro, quantum ſufficit ad conſumptionem medietatis, cum
Myrrhæ,
Thuris ana unciâ ſemis.

Deinde fortiter colentur, cujus colaturæ addantur
Sevi Hircini libra ſemis,
Terebinthinæ unciæ duæ,
Maſtiches uncia una.

Iterum cum prædictis oleis bulliant ad conſumptionem decoctionis. Poſtmodum colentur, addendo
L[illegible]gyri auri,
Argenti ana uncias tres,
Boli Armenæ,
Terræ ſigillatæ ana uncias duas,
Minii drachmas decem.

Coquantur lento igne, & cum cera nova ſufficiente ſemper baculo agitando; Fiat Emplaſtrum.

Perperàm hoc Emplaſtrum à Vigone dicitur Oxycroceum, cùm aceto & croco careat; nomen tamen immutare noluimus, quia ejuſdem uſus diuturnior jam invaluit, de quo tamen benevolum Lectorem monere placuit.

ANIMADVERSIONES.

Mirabilis ſtructuræ *compoſitio* hæc eſt, ab Authore penitùs non intellecta, ex qua non niſi mutatis ingredientibus *Emplaſtri* debita conſiſtentia confici poteſt; Poſſet itaque hæc *compoſitio* meritò omitti, & cum aliis conſimilibus eradicari, cùm longè meliores abundantur proſtent; Nihilominùs ſi forſitan ab aliquo expetatur, addam ejus præparationem talem:

℞. *Succi radicum Althææ* ℔ ij,
Radic. & foliorum Fraxini,
Conſolid. minor.
Folior. Myrti ana recent. M j,
Oleor. Roſarum,
Myrti,
Omphacini ana ℔ j ß.

Coquantur ad conſumptionem humiditatis, fiatque colatura cum expreſſione forti; *oleo expreſſo* adde
Lithargyrii auri,
Argenti ana ℔ j
Coquantur ad diſſolutionem *Lithargyrii* & conſiſtentiam *Emplaſtri*; cui adde
Sevi Hircini ℔ ß,
Ceræ flavæ ℥ iij,
Terebinth. ℥ ij, in qua
Maſtiches ℥ j liquata ſit,
Pulv. Myrrhæ,
Thuris ana ℥ ß,
Boli Armenæ,
Terræ ſigillatæ ana ℥ ij,
Minii ℥ ß.
Fiat Emplaſtrum.

Nota; ſi ex enumeratis *radicibus* radulâ tritis, per ſe ſuccus exprimi nequeat, imprægnetur raſura aliquâ quantita[te] *aqua*, vel ſubſtituatur earum *radicum mucilago*.

EMPLASTRUM DIAPHOENICON CALIDUM MESUE.

℞. Ceræ uncias duas,

Olei

Olei roſati,
Nardini ana uncias quatuor.
Simul liquentur, deinde
℞. Dactylorum ſiccorum numero quadraginta,
Panis bis cocti drachmas octo.
Macerentur in vino odorato biduum; poſtea
℞. Carnis Cydoniorum in vino coctæ unciam unam.
Contundantur & permiſceantur ſuperioribus; & adde ſubſequentia in mortario bene contuſa;
℞. Maſtiches,
Thuris,
Abſinthii Romani ana drachmas duas ſemis;
Ligni Aloës,
Macis,
Myrrhæ,
Aloës lotæ,
Spicæ Nardi,
Acaciæ,
Galliæ Moſchatæ,
Trochiſcorum Ramich,
Calami Aromatici ana drachmam unam;
Ladani drachmas duas.
Miſce, fiat Emplaſtrum.

Ventriculum & hepar firmat, ob id lienteriam & dyſenteriam hepaticam juvat. Id verò quod frigidum dicitur, ventrem totum inferiorem, ne aliarum partium recrementa ſuſcipiat, roborat, coctionem adjuvat, ob hac vomitum, choleram morbum, lienteriam ac fluxum hepaticum, prout & ſequens, coërcet.

EMPLASTRUM DIAPHOENICON FRIGIDUM EJUSDEM.

℞. Dactylorum maturitati proximorum, in vino auſtero coctorum uncias quinque,
Panis bis cocti unciam unam,
Carnis Cydon. in vino auſtero coctæ unciam unam ſemis,
Styracis Calamitæ,
aſtiches,
L i,
Florum Acaciarum;
Roſarum rubearum;
Santali citrini,
Trochiſcorum Ramich,
Myrrhæ,

Ligni Aloës ana drachmas quatuor,
Ceræ uncias quatuor,
Olei roſacei uncias quindecim,
Vini auſteri quantum ſufficit.
Fiat Emplaſtrum.

ANIMADVERSIONES
In Emplaſtrum Diaphœnicum calidum & frigidum.

PArùm admodum inter ſe differunt hæc duo *Emplaſtra*, quoad caloris vel frigoris temperaturam, ambo enim ex rebus calidis & adſtringentibus confecta ſunt; Igitur prioris conficiendi modum heic apponam, ex quo alterius præparatio facilè eluceſcet:

℞. *Pulp. Dactyl. cum aceto vel vino cydoniato confect.* ℥ vj.
Panis biscocti triti ℥ j,
Pulp. Cydoniorum ℥ j ß,
Aloës in vino cydon. ſolut. ℥ ij,
Succi Acaciæ contriti, in ſucco vel vino Cydon. ſoluti ℥ ß;
Abſinthii pulveriſati ʒ iij,
Succi Cydon. vel Granat. aut etiam aceti parùm, vel q. ſ.

Coquantur igne lento ad conſiſtentiam *cataplaſmatis durioris*, continuò & ſine intermiſſione ſpatulâ agitando, ne *ſpecies* fundo patellæ adhærentes, comburantur, & Empyreuma contrahant; Huic *Cataplaſmati* adde

Olei roſarum,
Nardini ana uncias tres,
Ceræ flavæ unc. v,
Pulv. Maſtiches,
Thuris,
Myrrhæ ana ℥ ß,
Ligni aloës,
Macis,
Spic. Nardi.
Gall. Moſchat.
Calami aromatici,
Trochiſcorum Ramich ana ʒ j,
Ladani ʒ iij, *vel* ℥ ß.

Fiat ex omnibus benè mixtis *Emplaſtrum ſtomach.*

Nota; loco *Gall. Moſchatæ, Ambræ in oleo Nuc. ſolut.* ℈ j, *Moſchi in vino ſoluti gr. vj, & ligni aloës* ʒ ß; Loco autem *Trochiſcor. Ramich*, ſi recentes non proſtarent, centeſima & ſexageſima circiter pars totius compoſitionis, aut quod clariùs, pro qualibet *uncia una ingredientium horum trochiſcorum gran. iij*, & pro qualibet *drachma una tertia quaſi pars unius grani*, ſubſtitui poſſunt.

EM-

EMPLASTRUM DE RANIS CUM MERCURIO VIGONIS.

℞. Olei Chamomillæ,
Anethini,
de Spica,
Liliorum alborum ana uncias duas,
De Croco unciam unam,
Pingued. Vituli libram ſemis,
Euphorbii drachmas quinque,
Thuris drachmas decem,
Olei Laurini unciam unam ſemis,
Axungiæ Viperinæ uncias duas ſemis,
Ranarum viventium numero ſex,
Lumbricorum lotorum in vino uncias tres ſemis,
Succi rad. Ebuli,
Enulæ ana uncias duas,
Schœnanthi,
Stœchadis,
Matricariæ ana manipulum unum,
Vini odoriferi libram unam.
Bulliant omnia ſimul ad conſumptionem vini, colaturæ adde
Lithargyri libram unam,
Terebinthinæ claræ uncias duas,
Ceræ flavæ uncias ſex,
Styracis liquidæ unciam unam ſemis.
Poſthæc ab igne depone, & ubi refrixerit, adde
Argenti vivi ſalivâ hominis jejuni extincti uncias quatuor,
Miſce diu piſtillo, & fiat Emplaſtrum.
Hoc Emplaſtrum debet etiam parari ſine Mercurio.

Valet egregiè in diſſipandis doloribus artuum, homoplatarum, coxendicumq; à lue venerea inveterata obortis, partibus robur conciliat, virulentiam luis ſub madoris ſpecie extrahit, & implacabiles dolores conſopit. Quod ſine Mercurio paratur, doloribus ex frigida cauſa obortis confert.

ANIMADVERSIONES.

UT pr[illegible]modùm ad unam omnes *Emplaſtrorum compoſitiones* ſatis inconcinnè & abſurdè conſcriptæ ſunt, ita nec, quam in præſens ventilamus, *Emplaſtri* formula ſuâ abſurditate caret; quam quis illicò deprehendit, ſi modò *Argenti vivi extinctionem cum ſaliva ſejuni hominis* perpendere non gravatur; Quis, rogo, aſſervabit *hujus ſpurcitiei libram unam* vel *alteram*, quâ pro diſſolvendâ aſ-

ſignatâ quantitate *Argenti vivi* opus eſſet, & quis tantam cop. aquoſitatis *Emplaſtro* huic commiſcere poterit, ſervatâ juſtâ *Emplaſtri* conſiſtentiâ, & viribus *Mercurii* integris? Itaque nugis his poſtliminio poſitis, tranſeamus ad aliam hujus *Emplaſtri* præparationem, præſcriptâ multò meliorem & longè efficaciorem, ſcilicet

℞. *Argenti vivi* ℥ iiij,
Solvatur *in ſ. q. aquæ fortis*, cui adde
Axungiæ Viperinæ vel Serpentum ℥ iij,
Olei Liliorum alborum ℥ ij.

Coquantur leniter in vitro capaciori & amplioris orificii ad *aquæ fortis* exhalationem, donec nimirùm ejus guttula una vel altera in ignem projecta ſtrepitum ampliùs non edat, eritque maſſa, ubi refrixerit, duriuſcula, citò tamen & in leni calore liquabilis, quæ interim calida aſſervetur. Poſtea

℞. *Ranarum viventium numero* x,
Lumbricorum abſque lotione purgat. unc. iij ß,
Schœnanthi,
Stœchadis,
Matricariæ, ana M j,
Croci drach. ij,
Succi radicum Ebuli,
Enulæ ana ℥ ij,
Aceti vini fortis ℔ ij ß.

Coquantur ad dimidias, colaturâ per expreſſionem factâ pariter aſſervatâ; Tùm demùm

℞. *Olei Chamomillæ*,
Anethini,
De Spica coctî ana ℥ ij ß,
Laurini ℥ j ß,
Pingued. vel Sevi Vitulini ℔ ß,
Lithargyrii triti ℔ j.

Coquantur lento igne (addendo ſemper aliquid de *ſuperiori decocto* cum *aceto* facto, uſque dum totum *decoctum* additum ſit,) ad conſiſtentiam *Emplaſtri* durioris gryſei in colore, cui ab igne remoto adde

Terebinthinæ claræ ℥ ij,
Ceræ flavæ ℥ vj,
Et his liquatis etiam
Pulv. Euphorbii ℥ v,
Thuris ℥ x; nec non
Argentum vivum ſuperius ſolutum, & cum axungia Serpentum & oleo Liliorum alborum coctum.

Agite-

Agitentur benè in calore leni, admiſcendo ſub finem; ubi jam omnia ſemi refrigerata fuerint,

Styracis liquidæ ℥j ß.

Fiat Emplaſtrum.

EMPLASTRUM DE RHABARBARO JOANNIS MANARDI.

℞. Rhabarbari electi unciam ſemis,
Aloës hepaticæ unciam unam,
Lixivii fortis libram unam,
Saponis Veneti libram ſemis,
Ceræ uncias duas.
Decoquantur ad duritiem juſtam.

Commendatur ad duros tumores, & tophos præſertim in morbo Gallico.

EMPLASTRUM SANTALINUM, Olim Incognitum dictum.

℞. Ceræ novæ uncias quatuor,
Reſinæ uncias quinque ſemis,
Santali rubri,
Vini ſublimati ana unciam unam ſemis,
Croci drachmas duas,
Olibani,
Maſtiches,
Myrrhæ,
Aluminis ana drachmam unam ſemis,
Fiat Emplaſtrum.

Obſtructiones hepatis reſerat, & indurationes ejus emolli[illegible], infarctos humores peccantes reſolvit, ſanguinem mund[illegible]ficat, & concoctionem hepatis, ſive ſanguificationem promovet.

ANIMADVERSIONES
In Emplaſtrum de Rhabarbaro, item in Emplaſtrum Santalinum vel incognitum.

Hæc Emplaſtra paratu ſunt facilia, idcircò ſingularibus Animadverſionibus tantoperè non indigent, quæ autem ex ingredientibus priùs, quæque poſteriùs commiſcenda aut coquenda ſint, ex præcedentibus noſtris *Animadverſionibus pluribus* abundè conſtabit; progrediamur itaque ulteriùs.

EMPLA-

EMPLASTRUM SPLENETICUM HIERONYMI FABRICII AB AQUAPENDENTE.

℞. Gummi Ammoniaci in aceto diſſoluti unciam unam,
Succi Tabaci unciam ſemis,
Ebuli,
Reſinæ Pini,
Terebinthinæ ana drachmas duas,
Olei de Capparibus unciam ſemis,
Ceræ drachmam unam ſemis.
Miſce, fiat Emplaſtrum.

H*ujus Emplaſtri virtus tota eſt in reſolvendo ſucco melancholico, ſplenem occupante, priuſquàm in ſcirrhum abeat, vel ſi diuturnitate temporis jam ſeſe exſerat, in eodem emolliendo & reſolvendo.*

ANIMADVERSIONES.

Sit hujus *Emplaſtri* nonnihil aucta præparatio talis; Nimirùm,

℞. *Reſina Pini,*
Terebinth. ana ℥ ij,
Olei de Capparibus ℥ ß,
Cera flava ℥ j.

Liquefiant junctim & colentur, quippe *reſina* partibus fæculentis & craſſioribus referta eſt, quæ fundum petunt, nec reſolubiles ſunt; Jam diſſolvatur

Gummi Ammoniaci ℥ j ß, *in ſ. q. vini auſteri, in quo Tabacum infumatum maceratum ſit,*

ad formam pultis, & guttatim ſenſimque immiſceantur ſuperiora invicem liquefacta & colata; Item

Decocti Tabaci infumati cum vino facti, & ad formam extracti inſpiſſati ℥ ß,
Succorum Ebuli, &
Verbenæ recent. inſpiſſ. ana ℥ ij.

Miſceantur omnia benè aliquandiu agitando, fiatque *Emplaſtrum Spleneticum.*

EMPLASTRUM STICTICUM CROLLII.

℞. Minii,
Calaminaris ana libram ſemis,

Litha-

Lithargyri auri,
Argenti ana uncias tres,
Olei Lini,
Olivarum ana libram unam ſem.
Laurini libram ſemis,
Ceræ,
Colophoniæ ana libram unam,
Vernicis,
Terebinthinæ ana libram ſemis,
Opopanacis,
Galbani,
Serapini,
Ammoniaci,
Bdellii ana uncias tres,
Succini citrini,
Olibani,
Myrrhæ Alexandrinæ,
Aloës Epaticæ,
Ariſtolochiæ longæ,
Rotundæ ana unciam unam,
Mumiæ tranſmarinæ,
Magnetis,
Hæmatitis ana unciam unam ſemis,
Corallorum alborum,
Rubeorum,
Matris Perlarum,
Sanguinis Draconis,
Terræ medicatæ Strigenſis,
Vitrioli albi ana unciam unam,
Flor. Antimonii,
Croci Martis ana drachmas duas,
Camphoræ unciam unam.

Modus parandi talis eſto:

Gummata quinque in aceto macerata & cocta exprimantur per linteum craſſum, bis repetendo cocturam: poſtea ſuper lentum calorem in munda ſartagine uſque ad conſiſtentiam mediocrem inſpiſſentur. Oleum Lini & Olivarum imponatur alteri ſartagini, & addatur Lithargyrum auri & argenti; coquantur agitando, donec oleum coloretur, hinc addatur Calaminaris, & paulo pòſt Minium, omnia illa agitando coquantur ſimul ad ſufficientiam, cujus indicium erit, ſi ſupra unguem guttæ concreſcat, & condenſetur, neque ampliùs diffluat. Tandem etiam addatur circa finem Vernix, oleum Laurinum, Cera, Colophonia: omnibus benè invicem miſtis & liquefactis, & ab igne ſepoſitis, poſtea da operam, ut ſartago

cum

cum Gummatibus paulatim caleſiat, & ſucceſſivè affunde liquorem ſecunda ſartagine Gummatibus diligentiſſimè agitatione incorporando, ſupra lentiſſimum calorem, cavendo ne bulliat, alioquin Gummata in grumos coëunt, & oleo difficulter miſcentur, poſtmodum agitando addantur pulveres, & diligenter per horam omnia commoveantur: Ultimò Camphora reſoluta in oleo Juniperino addatur; Si fortè nimis durum eſſet, jungatur adhuc aliquid ceræ & Colophoniæ. Tum demum ab igne deponitur, ac manibus (oleo Chamæmelino, Roſarum, Juniperino, Lumbricorum, Hypericonis ana quantum ſatis mixto,) perunctis, pinſere ac inſtar malagmatis ſubigere convenit. Servetur ad uſum, efformatis inde priùs magdaleonibus alutæ includendis.

Vires hujus Emplaſtri perinſignes ſunt. Vulnera ſiquidem recentia & iſtus celeriter conſolidat, ſymptomata & fluxiones supervenire ſolitas præcavet, ferrum, lignum, plumbum, aliaque profundiùs membris infixa ſine dolore extrahit, antiqua etiam ulcera ſiccat, & mundificat, carnem bonam producit & cicatrice claudit. Plura qui deſiderat, videat Oſwald. Crollium in Baſilica.

EMPLASTRUM TETRAPHARMACON GALENI.

℞. Picis nigræ,
Reſinæ,
Ceræ,
Adipis Vaccini ana uncias duas.
Miſce.

Dicitur Meſue Baſilicon minus, & à Galeni compoſitione non differt, niſi quod oleum pro adipe Vaccino Meſue ſubſtituit. Solemne ad pus movendum, inflammationem leniendam, molliendum, tergendum, & glutinandum, ob id recentibus capitis & nervoſarum partium vulneribus ac ulceribus eſt aptiſſimum.

EMPLASTRUM TRIAPHARMACON MESUE.

℞. Lithargyri,
Aceti fortis,
Olei communis ana uncias tres.

Lithargyrum leviſſimè tritum, moveatur cor[illegible] ad ignem, paulatim affuſis oleo viciſſim & aceto.

Dicitur & Emplaſtrum de Lithargyro nutrito. [illegible] Siccat potentiſſimè, ulcera difficilia percurat, fiſtulas, quan[illegible] dum [illegible] callum

rum contraxerint, jungit, eoq; parotidas criticas, quæ jam fiſtulas traherent, in pueris, adoleſcentibus, ac mulieribus Galenus percuravit.

ALiud Emplaſtrum Triapharmacon Dioſcoridis ex oleo cera & ærugine ulcus carne implet. Vide Marantham fol.240.

ANIMADVERSIONES.
In Emplaſtrum Sticticum Crollii, Tetrapharmacon Galeni, & Triapharmacon Meſue.

CIrca præparationem *Emplaſtri Sticlici Crollii* hæc inprimis obſervanda ſunt. *Primò* ut *Lithargyrium* in pondere ad aliquot uncias augeatur, vel præſcriptum ejus pondus duplicetur; *Secundò* ne *Bdellium* cum reliquis *Gummatibus* in *aceto* ſolvi tentetur, eſt enim *Gummi mucilaginoſum*, & in *aqua* reſolubile; *Tertio. Vitriolum album* diſſolutum addatur, & cum *oleis* & *Lithargyrio*, nec non *Minio*, ad *Emplaſtri conſiſtentiam* coquatur; Reliqua autem, quæ circa hanc præparationem notanda ſunt, ratione *lapidis Calaminaris* & *Magnetis*, item alia nonnulla ex antecedentibus noſtris *Animadverſionibus* præſertim *Emplaſtri Opodeltoch* clarè patebunt.

Emplaſtrum Tetrapharmacon Galeni nullam habet difficultatem, modò hoc obſervetur, ut, poſtquam liquata ſunt ejus ingredientia, per linum colentur.

Emplaſtrum Triapharmacon ſpadiceo colore commendabile eſt, proindè ſolâ coctione paulò violentiori eò reduci debet.

EMPLASTRUM AD TOPHOS.

℞. Picis navalis,
Colophoniæ ana uncias tres,
Mucilaginis radicum Althææ uncias duas ſemis,
Galbani,
Maſtiches,
Myrrhæ,
Thuris,
A[illegible]moniaci ana unciam unam ſemis,
P[illegible]les,
Vi[illegible]quercini,
Ariſtolochiæ rotundæ,
Æris uſti.
Ceræ citrinæ,
Terebinthinæ ana uncias tres,
Fiat ſecundum artem Emplaſtrum.

In

IN tumoribus & nodis Gallicis felici ſucceſſu uſurpatur, qui quia noſtris Medicis uſu conſuetum eſt, meritò operi huic inſerendum erat.

ANIMADVERSIONES.

GEnuinam hujus *Emplaſtri* præparationem talem eſſe oportet:

℞. *Picis navalis*,
Colophoniæ ana ℥ *iij*,
Ceræ citrinæ & novæ odorif. ℥ *vj*,
Terebinthinæ ℥ *iij*,

Liquefacta invicem aliquantum calidè afferventur: Jam in alia patella diſſolve

Pulv. Gummi Ammoniaci, &
Galbani ana ℥ *j ß*,

in *aceto* ad formam pultis non multùm coquendo, & dum adhuc calent, alternatim de *ſuperioribus liquefactis rebus* guttatim inſtilla portiunculam, mox etiam de *ſubſequentibus pulveribus* cochlear unum vel dimidium inſperge. Utpotè

Maſtichis,
Myrrhæ,
Thuris ana ℥ *j ß*,
Ariſtoloch. rotundæ,
Æris uſti ana ℥ *iij*.

Mox etiam de *Viſci quercini, in particula olei Hyperici ſoluti, & per pannum linteum colati* ℥ *iij*, ſimiliter de *mucilagine radicum Althææ* aliquid addatur, donec omnia commixta ſint: quæ aliquandiu adhuc in diplomate liquata agitari poſſunt, ut *ſpecies* eò meliùs uniantur, prout in præcedentibus ſæpius monui.

EMPLASTRUM FILII ZACHARIÆ SECUNDUM MESUE.

℞. Ceræ flavæ,
Medullæ cruris Vaccæ,
Adipis Anatis,
Gallinæ,
Mucilaginis ſeminis Lini ana libram unam;
Olei Lini quantum ſatis eſt.
Fiat Emplaſtrum.

Si autem valentiùs facere volueris, adde
Mucilaginis Althææ,
Fœnugræci ana partes æquales,

Olei

Olei Leucoii (pro oleo Lini) quantum ſatis.
Adhuc valentius reddetur, ſi addatur
Mucilaginis Oeſypi,
Ichthyocollæ ana quantum ſufficit.

IVncturarum tophos ac nodos duros emollit, diſſolvit, & craſſa lentaq́; pulmonis ac thoracis excrementa ad ejectionem per ſputum magis habilia reddit.

EMPLASTRUM VESICATORIUM.

℞. Cantharidum drachmas duas,
Terebinthinæ drachmam unam,
Olibani,
Myrrhæ,
Maſtiches,
Camphoræ ana grana quindecim,
Olei roſarum drachmam unam;
Ceræ drachmas tres.
Fiat Emplaſtrum.

HOc inſigne præſidiorum genus varias corpori humano utilitates præſtat; humores enim, qui à capite ad oculos, dentes, & genas deſcendunt, potenter revellit; in bubonibus & carbonibus peſtilentialibus venenum à corde ad exteriora revocat. In morbis diuturnis nullis remediis cedentibus potiſſimùm ſibi locum vendicat.

ANIMADVERSIONES

In Emplaſtrum filii Zachariæ ſeu Meſue, & Veſicatorium.

QUiſquis hoc *Emplaſtrum* vel ſimpliciter, vel iſtud valentius reddendo, cum *mucilaginibus Fœnugræci*, *Oeſypi*, *Ichthyocollâ*, *&c.* ad normam præſcriptam conficere voluerit, nunquam ferè *Emplaſtri conſiſtentiam* adipiſcetur, licet ſatis diû multumque, imò vel ad combuſtionem uſque *ſpecies* huic compoſitioni deputatas percoxerit; nihil enim adeſt, quod rebus illis liquidiuſculis conſiſtentiam aut ſoliditatem aliquam, ne dum *Emplaſtri* debitam duritiem, largiri poſſit: Aſt quàm multa ad enumeratos affectus valentia *Emplaſtra* jam ante correximus, quæ hoc *Filii Zachariæ* longè ſuperant; Pot[illegible]imus itaque nugis hiſce commodè carere, utpotè quæ non merent[illegible] ut ſpongiam ipſis admoveamus.

Emplaſtrum Veſicatorium ſimpliciter parari poteſt, liquefaciendo invicem *Terebinthinam*, *Ceram*, & *Oleum roſarum*, poſtea reliqua immiſcendo; *Camphora* autem in *oleo* priùs ſoluta, ultimò addenda eſt.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS XIX.

Continens

CERATORUM PARANDI MODUM.

E*Xigua eſt inter* Emplaſtra & Cerata *differentia, itaque quæ ſuperius in genere de* Emplaſtris *præfati ſumus, etiam huic* Claſſi de Ceratis, *non inique accommodari poſſunt.*

CERATUM DE AMMONIACO D.D. PETRI FORESTI.

℞. Ammoniaci diſſoluti in aceto unciam ſemis,
Unguenti Dialthœæ,
Emplaſtri de Meliloto ana drachmas duas,
Furfurum frumenti optimè cribrati unciam ſemis,
Pulv. rad. Bryoniæ ſiccæ,
Iridis Illyricæ ana drachmas duas,
Pingued. Anatis,
Anſeris,
Gallinæ ana drachmam unam ſemis,
Bdellii,
Galbani ana ſcrupulos duos, grana ſex,
Olei Irini drachmas ſex,
Mucilaginis ſem. Fœnugræci,
Lini ana unciam unam ſemis,
Ceræ uncias duas,
Terebinthinæ,
Reſinæ Pini ana drachmas ſex.
Fiat ſecundum artem Ceratum.

M*Alacticum & plurimi uſus ac emolumenti eſt hoc Ceratum in omnibus affectibus externis, digeſtionem & concoctionem requi-*

quirentibus; inflammationes ſedat, indurata emollit, ulcera deterget, vulnera conſolidat, & callum obducit.

ANIMADVERSIONES.

C*Eratum hoc* inordinatè nimis & confuſè conſcriptum eſt, convenienter autem modo ſequenti parari poterit:

℞. *Olei Irini ℥ vj,*
Vnguenti Dialth. ℥ ij,
Pingued. Anatis,
Anſeris,
Gallinæ ana ℥ j ß.
Mucilag. ſem. Lini,
Fœnugræci ana ℥ j ß.

Coquantur ad humiditatis exhalationem, quibus adde, ut colliqueſcant,

Ceræ flavæ odorif. ℥ ij,
Reſinæ Pini drach. vj,

liquatis & ab igne remotis, poſtea adjunge

Terebinthinæ ℥ j, in qua
Ammoniaci pulveriſati ℥ ß, &
Galbani puri ℥ j, ſoluta vel liquefacta ſint:
Item
Emplaſtri de Meliloto drach. ij.
Furfurum frumenti cribrati ℥ ß,
Pulv. radic. Bryoniæ,
Iridis Illyricæ ana drach. ij,
Bdellii in aqu. Plantag. ſolut. drach. j.
Fiat Ceratum.

CERATUM EX BETONICA.

℞. Terebinthinæ,
Reſinæ pini,
Ceræ flavæ ana uncias duas,
Betonicæ pulveriſatæ unciam ſemis,
Maſtiches,
Thuris ana drachmas duas,
Mumiæ drachmam unam ſemis.
Miſce, fiat Malagma.

A*D exiccandos varios humores cerebri, cephalæam, cephalalgiam, aliosq; capitis præter naturam affectiones generantes conducit; catarrhos ad partes inferiores defluentes manifeſtè ſiſtit.*

ANIMADVERSIONES.

CEratum hoc paratu quidem facillimum eſt; nihilominùs ut eò melius conficiatur, non nocebit imitari modum ſequentem:

℞. *Terebinth. claræ* ℥ ij.

In qua leni calore ſolvantur vel liquefiant

Maſtichи electæ ℥ ij.

Item

Pulv. Thuris & Mumiæ ana ℥ ij,

quæ ambo licet non totaliter, pro majori tamen parte in Terebinthina diſſolvuntur, propterea pulveriſata addi debent: Quibus unitis & leniter liquatis, addantur

Reſinæ Pini, &
Ceræ flavæ ana ℥ ij,

ſeorſim liquatæ & per linum colatæ, ac ultimò demùm

Pulveris Betonicæ ℥ ß.

Fiat Ceratum capitale.

Nota; de *Mumia vera*, qualis olim in defunctorum Regum & Heroum Ægyptiorum ſepulchris tantum inveniebatur, quod illa hiſce temporibus ad nos non transvehatur: In tanta enim exiſtimatione apud Ægyptios ſunt Regum ipſorum, Principum, eorumque agnatorum cadaverum reliquiæ, eaſque tam reverenter habent, ut non niſi in maxima egeſtate aut extrema neceſſitate, tanquam precioſiſſimum ſuum diadema pro magno ære aliis oppignerent. Quæ autem ad nos hodiernâ die tranſportantur cadavera nigricantia linteis involuta, ſæpenumero fœdiſſimâ morte defuncta, nil minùs ſunt quàm vera *Mumia Ægyptiorum*, quæ ipſa etiam tantum abeſt, ut utiliter intra corpus humanum aſſumi, quin mage plurimùm obeſſe poſſint; de qua re vide prolixius diſſerentem, *Clariſſ. Ioannem Danielem Horſtium in ſua Pharmacopœia Galeno Chymica parte* 1. *l.* 8. *c.* 2.

CERATUM CAPITALE.

℞. Sandaracæ,
Thuris,
Maſtiches,
Ligni Aloës,
Santali rubri,
Roſarum rubearum ana drachmam unam.

C*Vm Ladano, Cera, & Reſina ana quantum ſuſſicit, fiat Ceratum, ad capitis fluxiones ſiſtendas.*

CERATUM CERINE
Cteſiphontis.

℞. Ceræ citrinæ,
Terebinthinæ,
Olei antiqui,
Salis nitri ana libram ſemis,
Aquæ communis uncias octo.

Diſſolvatur Nitrum in aqua mortario impoſita ad perfectam colaturam: poſtea ponatur ad ignem, ſemper agitando cum baculo ad perfectam coctionem. Fiant maſſæ in bona forma, cæteris quæ liquari debent injectis.

Vel hac ratione paratur.

Quæ liquari poſſunt, liquefacimus, & cùm diſſoluta fuerint, Nitrum ex aqua levigatum adjicimus, paulatim id moventes, & aſſiduè, caventesque ne effervescat.

Exiccat mirificè humores omnium corporis partium, & praſertim ſcroti. Deſcribitur à Gal. ς' κτ' γεν 404.

ANIMADVERSIONES
In Ceratum capitale, & Ceratum Cerine Cteſiphontis.

Cerati capitalis præparatio fiat tali modo:
℞. *Ceræ flavæ odorif.* ℥ j,
Terebinth. claræ drach. vj, in qua
Ladani opt. ℥ ß, liquata ſit.
Quibus liquefactis, immiſceantur pulveres ſequentes, nempè
Sandaracæ,
Thuris,
Maſtichis,
Ligni Aloës,
Santali citrini,
Roſarum rubrarum ana drach. j.

Fiat *Ceratum*, aliquandiu in calore leni agitandum, ut eò melius uniantur.

Ceratum Cerine ſolâ coctione lentâ ad conſiſtentiam perduci debet; igitur *ſal nitrum* prius ſolvatur, & poſtea cum *cera, terebinthina* & *ol*[illegible], leniter in vaſe amplo percoquatur.

CERATUM DIACHALCITEOS
Galeni, Seu Diapalmæ.

℞. Axungiæ porci veteris à membranis per liquationem & colationem purgatæ libras duas,

 Olei

Olei veteris,
Lithargyri triti & cretiana libras tres,
Chalcitidis uſtæ uncias quatuor.

Coquantur igne, & moveantur rudiculâ ex ramo Palmæ recentiſſimo confecta, ac cum probè excoctum erit, adde

Teneriorum Palmæ ramorum minutim inciſorum, & in nodulo ligatorum manipulos quatuor.

Coquantur ad Cerati craſſitiem.

VErè polychreſton eſt hoc Emplaſtrum; valet ad ulcera dyſepulotica, articulorum morbis, bubonibus, ambuſtis, pernionibus, oſſium fracturis, contuſionibus, omnibus denique affectibus, quos rheumaticos vocant, prodeſt; ſanat omnes contuſiones & plagas, œdemata reſiccat. Galen. Fontanellis ligandis unicè deſtinatum eſt remedium, quas minimè ſordeſcere aut excreſcere permittit.

IN defectu ramorum Palmæ ſumatur rudicula ex recenti ligno quercûs.

ANIMADVERSIONES.

RArus in locis Europæis *Palma* proventus eſt, & non niſi in hortis quorundam Magnatum culta viſitur, proindè non ubivis locorum hoc *Ceratum* dextrè, & quidem cum *Palmæ ramuſculis* confici poterit, prout etiam ſæpiſſimè vidi, ſolam rudiculam ex *Palmæ ramo* confectam, pro agitatione in ejuſdem præparatione ſive coctione adhibitam fuiſſe, atque taliter confectum hoc *Ceratum* in Germaniam aliaſque Regiones, utpotè in quibus illud adeò benè & artificiosè ſcilicet, parari non poſſe arbitrati ſunt, ab exteris fuiſſe tranſlatum. Ut autem in locis illis, ubi *Palmæ rami* tenuiores haberi queunt, dextrè parari poſſit, commendo modum ſequentem:

℞. *Teneriorum Palmæ ramorum recentium minutim inciſorum M iiij, (vel in defectu recentium aridi rami ſumi poſſunt, & in vino humectari, parumq; coqui.)*
Axungiæ porci veteris purg. ℔ *y*,
Olei veteris (ſive non admodum recentis) ℔ *iij.*

Coquantur ad humiditatis exhalationem, tùm fiat colatura cum expreſſione forti; *colato* adde

Lithargyrii ſubtiliſſ. triti ℔ *iij* ß,
Chalcitidis uſtæ, vel quod melius eſt, Vitrioli albi, (quia Chalcitis nihil aliud eſt quàm Vitriolum,) in aqua ſimplici vel decocto ramorum Palmæ ſoluti ℥ *iiij, vel v.*

Coquantur igne lento ad conſiſtentiam *Emplaſtri* vel *Cerati*, rudiculâ ex *Palmæ ramo recenti* ſemper inter coquendum agitando, fiatque *Emplaſtrum* vergens ad albedinem.

Nota,

Nota, quod in Germania & aliis locis, ubi *Palma* haberi nequeunt, ſatis commodè rudicula pro agitando *Emplaſtro*, ex *viridi ramo quercino* confici, & loco *teneriorum Palmaramorum folia tenera quercina recentiſſima* ſubſtitui poſſunt. Videatur etiam vera ejus præparatio in *Diſpenſatorio ſubſequenti novo.*

DIADICTAMNUM, Seu SACRUM GALENI.

℞. Olei veteris libras duas ſemis,
Lythargyri libram unam, unciam ſemis,
Æruginis unciam unam,
Squamæ æris drachmas ſex,
Colophoniæ uncias ſex, drachmas duas,
Pollinis Thuris unciam unam ſemis,
Ammoniaci uncias duas,
Æris uſti unciam unam,
Diphrygis,
Gentianæ ana drachmas ſex,
Propoleos,
Aloës ana unciam unam,
Galbani unciam unam ſemis,
Ariſtolochiæ rotundæ,
Dictamni Cretenſis ana unciam unam, drachmas duas;
Ceræ drachmas viginti quinque.
Confice in hoc modum:

Lithargyrum cum oleo mixtum coques tantiſper, dum probè coierint, continenter agitando, & additis æruginæ & ſquamâ æris, ferveant aliquantulùm, Exime igni, & dum adhuc bulliunt, immitte reſinam & ammoniacum in aceto diſſoluta, ac eò uſque commove, donec deferbuerint, tum ceram & æs uſtum immitte. Rurſus coquantur igne, & cùm non inficient, manus exime, & adde reliqua tenuiſſimè trita, probè moveto, ac confice Magdaleones.

Prodeſt ad vulnera recentia, nervorum præciſiones, vetera ulcera, quæ cicatricem non facilè admittunt; abſceſſus, ſtrumas, furunculos, durities, tela aculeos & oſſa ex capite educit: nec non ad cujuſlibet virulentæ Beſtiæ ictus efficax exiſtit.

ANIMADVERSIONES.

Modus annexus hujus *Cerati* conficiendi, erroneus eſt; proindè ſaniorem alium ſubnecto: Videlicet,

℞. *Olei veteris* ℔ ij ß,
Lithargyrii ℔ j ß.

Coquantur ad conſiſtentiam *Emplaſtri* vel *Cerati mollioris*, paucis duntaxat ebullitionibus, in quo liqueſiant

Colophon. ℥ vj,
Cera citrin. odorat. ℥ iiij.

Remota ab igne interim aſſerventur; Tùm in alia patella cum *aceti ſ. q.* ſolvantur

Gummi Ammoniaci ℥ ij,
Galbani ℥ j ß;

ad formam pultis, non multum nec diu coquendam, quibus adhuc calentibus, ſenſim admiſceatur *Emplaſtrum ſuperius decoctum*, & alternatim etiam *pulveres ſubſequentes*, prout ſæpiùs in præcedentium *Emplaſtrorum Animadverſionibus* edocui. Ut autem cuncta eò meliùs uniantur, in diplomate invicem benè liquata aliquandiu agitentur. *Pulveres* hi ſunt,

℞. *Æruginis* ℥ j,
Squamæ æris, aut æris uſti, vel
Croci Veneris ℥ ij ß,
Thuris ℥ j ß,
Gentianæ ʒ vj,
Aloës ℥ j,
Ariſtoloch. rotundæ,
Dictamni Cretici ana ℥ j, ʒ ij.
Miſce, fiat pulvis.

Nota, quod ſquama æris nihil diverſum ſit ab ære uſto, quia dum tunditur æs prius candefactum, ſquamulæ abſcedunt, ceu æs combuſtum. Pariter etiam Diphryges nihil aliud eſt, quàm æs uſtum; nimirùm, quod ab ære abſcedit calcinatum aut uſtum, cùm in aquam frigidam æs liquatum effunditur, in ea relinquitur: Quid igitur opus eſt, entia citrà neceſſitatem multiplicare? Quod autem Galenus ea confuderit, mirùm non eſt, cùm ipſius tempore ſimilia metallica non ita diſtinctè, uti hodiernâ die, innotuerint.

CERATUM DE GRATIA DEI NICOLAI.

℞. Terebinthinæ libram ſemis,
Reſinæ libram unam,
Ceræ albæ uncias quatuor,
Maſtiches unciam unam,
Verbenæ,
Betonicæ,
Pimpinellæ ana manipulum unum.

Herbæ

Herbæ piſtentur, & in vino albo odorato bulliant uſque ad conſumptionem tertiæ partis; colentur, deinde herbæ abjiciantur, ac Cera, Reſina, & Maſtiche cum colaturæ ponantur, ac bulliant iterum agitando donec incorporentur: tunc deponantur ab igne, & addatur Terebinthina, ac totum agitetur benè cum ſpatula, & fiat Ceratum.

Sordida repurgat, inflammata lenit, durata emollit, vulnera conſolidat, nervorum inciſiones glutinat, & furunculos mitigat, præſertim ſi ex vino rubro conficiatur.

ANIMADVERSIONES.

Esto hujus *Cerati* præparatio talis:

℞. *Ceræ flavæ,*
Reſin. ana ℥ x.
Liqueſiant & colentur; quibus adde
Terebinth. ℥ iiij, in qua
Maſtichis ℥ j ſoluta & liquata ſit; Item
Extracti Verbenæ,
Betonicæ,
Pimpinellæ cum radicibus ana ℥ ß.
Fiat Ceratum.

ISIS EX GALENO.

℞. Ceræ albæ drachmas quinquaginta,
Squamæ æris,
Æruginis,
Ariſtolochiæ,
Thuris,
Salis Armoniaci,
Ammoniacæ guttæ,
Æris uſti ana drachmas quatuor,
Aluminis uſti drachmas tres,
Myrrhæ,
Aloës,
Galbani ana drachmas ſex,
Olei veteris uncias quinque.

Coquantur, deinde ſubigantur manibus aceto forti lotis, & fiant Magdaleones, quos in aceto repones diebus decem.

Usurpatur ad fœda ulcera & fiſtuloſos ſinus, carnem putridam abſumit, ac fœdam ulcerum antiquorum, & quæ mali moris, ſaniem exſiccat & abſtergit.

Alii addunt radicis Dracontii drachmas quatuor.

ANIMADVERSIONES.

PAretur hoc *Ceratum* juxta modum ſequentem:

℞. *Olei veteris* ℥ v,
Æris uſti ℥ j,
Æruginis,
Salis Armoniaci ana ℥ ß,
Aluminis uſti drach. iij,
Aceti vini fortis ℥ vj.

Coquantur lento igne, rudiculâ ſemper agitando, addendo etiam in fine, antequam humiditas totaliter evaporârit,

Ceræ citrinæ ℥ vij.

Continuatâ coctione ad omnimodam humiditatis abſumptionem, & *Cerati mollioris conſiſtentiam* perducatur, quod calidè aſſervabis. Interim in alia patella diſſolve in *ſ. q. aceti*,

Ammoniaci pulveriſati ℥ ß,
Galbani puri drach. vj,

ad formam pultis, admiſcendo alternatim, & per vices *ſuperius coctum Ceratum*, & ſubſequentes *pulveres*, juxta modum ſuperiùs inculcatum; utpotè

Ariſtolochiæ,
Thuris ana ℥ ß,
Myrrhæ,
Aloës ana drach. vj.

Miſce, fiat pulvis, & ex omnibus ſ. a. commixtis Ceratum.

CERATUM MATRICALE, Vel
DE GALBANO.

℞. Galbani præparati unciam unam ſemis,
Aſæ fœtidæ unciam ſemis,
Myrrhæ rubeæ drachmas duas,
Bdellii mollis drachmam unam,
Gummi animæ drachmas tres,
Tacamahacæ drachmas quinque,
Matricariæ pulveriſatæ,
Artemiſiæ ana drachmam ſemis,
Seminis Dauci ſcrupulum unum.

Gummi diſſolvantur in aceto, & fiat Ceratum.

U*Terum frigidum calefacit, ejus flatulentiam diſſipat, eum elocatum reponit, ac in propriâ ſede coërcet, doloresq́ ejus frigidos placat.*

ANIM-

ANIMADVERSIONES.

NEceſſum eſt, ut huic *compoſitioni* aliquid addatur, quo cum *ſpecies* in conſiſtentiam *Ceratı* coire queant; Nam non cuncta hanc *compoſitionem* ingredientia *Gummata* in *aceto* ſe diſſolvi patiuntur, utpotè *Gummi Anima*, *Tacamahaca*, *Bdellii*, *Aſa fœtida*, quæ nullo modo in eo ſolvuntur, ſed potiùs in *Terebinthina* & *oleis*: *Galbanum verò* & *Myrrha* aliquantum equidem in *aceto* liqueſiunt, ſed uti ſæpiùs dixi, non vera & genuina hæc eſt ſolutio. Proindè qui vult, poterit tali modo præparationem *hujus Cerati* inſtituere, nimirùm

℞. *Galbani in aceto q. ſ. ad pultis formam ſoluti* ℥ j ß,
cui adde
Terebinth. claræ ℥ ij, in qua
Pulv. Gum. Tacamahacæ ʒ v,
Animæ ʒ iij, &
Aſa fœtida ℥ ß,
diſſoluta & liquefacta ſint, ac alternatim etiam de pulveribus ſequentibus, (utpotè
Pulv. Myrrhæ ℥ ß,
Matricariæ,
Artemiſiæ ana ʒ ij,
Sem. Dauci ʒ j ß, ut &
Bdellii in aqua Matricar. ſoluti ʒ j,)
portiuncula adjiciatur, fiatque Ceratum.

CERATUM OESYPI MESUE.

℞. Ceræ flavæ uncias tres,
Olei Chamæmelini,
Irini ana uncias ſex,
Maſtiches unciam unam,
Spicæ Nardi drachmas duas ſemis,
Croci drachmam unam ſemis,
Terebinthinæ unciam unam,
Reſinæ unciam ſemis,
Oeſypi uncias decem.

E*Mollit, lenit, concoquit, & maturat, duros tumores ac tophos membrorum digerit, crudosque abſceſſus maturat. Philagrii ad prædicta omnia efficacius.*

CERATUM OESYPI PHILAGRII.

℞. Croci drachmas quinque,
Bdellii,

Maſtiches,
Ammoniaci,
Aloës,
Styracis liquidæ ana drachmas ſeptem,
Ceræ flavæ libram unam,
Terebinthinæ unciam unam ſemis,
Medullæ cruris Vaccæ,
Adipis Anſeris ana drachm. quindecim,
Oeſypi humidæ libram unam ſemis,
Olei Nardini quantum ſatis.

Bdellium, Ammoniacum & Aloë diſſolvantur in aquâ, in quâ Fœnugræcum & Chamomilla ſint macerata, poſtea aliis commiſceantur. Poſt Philagrium addiderunt nonnulli

Succi Scillæ uncias tres,
Sevi Vitulini drachmas quindecim,
Thuris unciam unam,
Ceræ uncias novem.

ANIMADVERSIONES
In Ceratum Oeſypi Meſue & Philagrii.

QUod *Cerata hac de Oeſypo nuncupata* attinet, vix illa merentur, ut ipſorum correctioni vel tantillum operæ demus, utpotè quorum primum nullo modo ad conſiſtentiam juſtam *Cerati* cogi poteſt, niſi diu ac fortiter coquatur & quaſi comburatur: In qua coctura vehementi tùm ſpirituoſæ & oleaginoſæ ingredientium partes, quibus tamen maxima vis penetrandi, concoquendi, digerendi, &c. ineſt, penitus exhalat.

Alterum verò Oeſypi Ceratum qui parare voluerit, obſervet ſedulò modos plurimos in *antecedentibus noſtris Animadverſionibus* edoctos, & vel ſolâ ac ſimplici mixturâ illud efficiat, liquefaciendo *Ammoniacum* in *Terebinthina*, *Maſtichen* verò in *oleo Nardino*, cujus tamen *olei* non nimium addendum erit, ne admodum molle efficiatur *Ceratum*.

Nota; quæ de *Oeſypo* dicenda eſſent, ex propria ejus præparatione & annexis *Animadverſionibus* petantur.

CERATUM DIAPIPEREOS
GALENI.

℞. Lithargyri argenti,
Ceruſſæ ana libram unam,
Olei communis libras duas,
Ceræ uncias ſex,
Terebinthinæ uncias tres,

Thuris unciam unam ſemis,
Aluminis drachmas ſex,
Piperis drachmas tres.
Fit in hunc modum;

Lithargyrum leviſſimè tritum coquatur ad Solem in oleo, quæ tantiſper movenda, donec craſſitiem habeat, nec manus inquinet. Deinde adduntur Cera & Terebinthina: his liquatis injice pulverem tenuiſſimum Thuris, Aluminis, & Piperis, poſtremò Ceruſſam tenuiſſimè pulveriſatam, ſemper movendo: Conſice Ceratum ad juſtam craſſitiem.

Senum ulcera curat, & eorum qui mollem habent cuticulam, juvat. Omne ulcus curat, & non facilè cicatricem admittit.

ANIMADVERSIONES.

Ex enumeratis ingredientibus *Ceratum* hoc vel *album* vel *nigrum* vel etiam *gryſei coloris*, prout libuerit, confici poterit, pro diverſitate coctüræ & regimine ignis. Obſerventur itaque in ipſius præparatione antecedentes noſtræ ſimilium *Emplaſtrorum Animadverſiones*, & juxta illas artificioſè conficiatur.

CERATUM EX PELLE ARIETINA ARNOLDI DE VILLA NOVA.

℞. Lithargyri,
Lapid. Hæmatitis,
Sanguinis Draconis,
Boli Armenæ,
Opii,
Maſtiches,
Ammoniaci,
Mumiæ,
Galbani,
Thuris,
Coſti,
Lumbricorum ana drachmam ſemis,
Picis nigræ,
Colophoniæ,
Ceræ albæ ana uncias duas,
Rad. Conſolidæ majoris,
Minoris ana drachm. tres,
Roſarum rubearum,
Myrrhæ,
Aloës ana grana decem & octo,

Succi

Succi Hypociſtidis,
Gallarum immaturarum,
Balauſtiorum,
Ariſtolochiæ rotundæ ana drachm. ſex,
Viſci quercini drachmas duas,
Terebinthinæ uncias duas,
Sanguinis hominis rufi uncias novem.
Confice ſic;

Pellem Arietinam integram cum omnibus pilis coques in aqua, donec ferè omnino diſſoluta ſit, in lentorem quendam, quem colabis. Hujus colaturæ ſume libram unam, immitte in vas novum, in quod viſcum liquabis lento igne, rudiculâ ſemper agitando; injice deinde lumbricos, poſtea Ceram, Terebinthinam & Maſtichen: his liquatis adde Gummi aceto diſſoluta, & coque ad Cerati craſſitiem. Poſtremò injice, quæ terenda ſunt probè trita, probeque miſce, & confice Magdaleones.

AD membrorum luxationes adhibetur, præcipuè verò hernioſis prodeſt.

ANIMADVERSIONES.

MAgna ſæpenumerò apud Pharmacopœos, major verò apud Chirurgiæ candidatos, quibus *hæc compoſitio* nonnunquam pro magiſterio vel examine aſſignatur, de ingenti hujus *Cerati* parandi difficultate querela eſt; quod ipſum tamen, ſi modo *ſpecies* ordinatim & non ita confuſè ponantur, & ſtupidus ac abſurdus ille præſcriptus conficiendi modus deleatur, paratu facillimum eſt, uti ex ſubnexa noſtra legitima præparatione, quâ vires omnes ingredientium integræ conſervantur, quorundam etiam adaugentur, diſpaleſcet. Nimirùm

℞. *Radic. Ariſtolochiæ rotundæ,*
Flor. Balauſtii,
Gallarum immaturarum ana drach. vj.
Radic. Conſolid. majoris ℥ j,
Minoris ℥ ß,
Roſarum rubr. exſiccat. drach. ij,
Sacchari Saturni, ſive ſalis Lithargyrii,
Sanguinis Draconis,
Boli Armenæ,
Lapidis Hæmatit.
Lumbricorum exſiccat.
Opii Thebaici ana drach. j.
Succi Hypociſtidis drach. vj, } *ſoluta hæc tria in decocto Tormentillæ & Perfoliatæ.*
Aloës Epaticæ drach. j,

San-

Sanguinis hominis recenter è vena extracti, & non ſiccati, ℥ *ix.*

Mucilaginis ex pelle Arietina per coctionem diuturnam cum aqu. extracta ℔ *j,*

Coquantur, prius trita quæ terenda ſunt in *pulverem ſubtilem*, lento igne ſpatulâ continuò agitando (ne ſpecies fundo patellæ adhæreant, comburantur & empyreuma contrahant,) ad *Cataplaſmatis ſolidioris* vel *durioris conſiſtentiam:* Cui ab igne remoto adde invicem liquata & per linum colata,

Picis nigræ,
Colophoniæ,
Ceræ flavæ odoriſ. ana ℥ *ij.*
Item
Pulv. Maſtichis,
Gummi Ammoniaci,
Thuris,
Aſphalti,
Myrrhæ,
Galbani electi ana drach. j,
cuncta hæc in
Terebinthina clara ℥ *ij*, liquatorum & diſſolutorum,
nec non
Viſci quercini in particula ol. Hypericonis ſoluti & per pannum lint. colati drach. ij.

Fiatque juſtæ conſiſtentiæ Ceratum.

Nota; ſi quis velit huic *Cerato ſanguinem prius ſiccatum* admiſcere, per me quidem licebit, ſi verò mei arbitrii hæc res foret, *ſanguinem recentem è vena proſilientem* ſiccato ſubſtituerem, prout etiam in compoſitione præſenti facere præcepi.

CERATUM PRO HERNIOSIS D. D. NORIBERGENSIUM.

℞. Pulv. Maſtiches,
Mumiæ,
Thuris,
Electri, ſivi Succini,
Gummi Arabici,
Tragacanthi,
Aloës optimæ,
Balauſtiorum,
Roſarum ana unciam ſemiſ;
Sanguinis Draconis,
Boli Armenæ,

Lapi-

Lapidis Hæmatitis ana drachmas ſex,
Olei roſarum uncias tres,
Myrtini,
Maſtichini ana unciam unam,
Cum cera & reſina quantum ſufficit;
Fiat Ceratum.

ANIMADVERSIONES.

QUi *Aloën* pro *Cerati* hujus dextra præparatione in *decocto aliquo adſtringente* & *vulnerario* diſſolvere, & *Tragacanthum* ac *Gummi Arabicum* cum eodem *decocto* in mucilaginem craſſam convertere voluerit, illi liberum eſto. Cæterùm *ceræ* ℥ *vj* circiter, & *picis* ℥ *j*, vel *altera* ſufficient pro debita hujus *Cerati* conſiſtentia acquirenda; Quoad reliqua ipſum paratu facillimum eſt.

CERATUM SANTALINUM

MESUÆ.

℞. Roſarum rubearum unciam unam ſemis,
Santali rubri drachmas decem,
Albi,
Citrini ana drachmas ſex,
Boli Armenæ drachmas ſeptem,
Spodii drachmas quatuor,
Camphoræ drachmas duas,
Ceræ albæ uncias ſex,
Olei roſati libram unam.
Confice ſecundum artem.

P*Hlegmonas & calidas intemperies ventriculi & hepatis, atque aliarum partium emendat.*

ANIMADVERSIONES.

NEceſſum eſt in hujus *Cerati* confectione, ut pondera *ceræ* & *olei roſati* invertantur, ſi debita *Cerati* conſiſtentia exoptetur: Accipiatur autem *Ceræ flavæ* ℔ *j*, *olei verò roſarum* duntaxat *libra dimidia*. Pro *Spodio*, *Ebur ipſum tritum* ſubſtitui poſſet; *Camphoram autem* in *oleo* diſſolvere, & ultimò demùm, ubi quaſi refrixerint, admiſcere præſtabit; In reliquis nulla eſt difficultas.

CERATUM SPARADRAPPUM

VIGONIS.

℞. Hordei,
Myrtillorum,

Olei

Olei roſati ana uncias duas,
Unguenti Populei uncias duas ſemis,
Pingued. Vituli,
Vaccæ ana libram ſemis,
Axungiæ porci uncias quinque,
Fol. Plantaginis,
Solatri,
Matriſylvæ ana manip. duos,
Vini Granatorum uncias octo.

Omnia ſimul piſtentur & conquaſſentur, ac per diem naturalem permaneant: deinde bulliant ad conſumptionem vini. Poſtremùm colentur; colaturæ adde ſequentia:

Lithargyri auri,
Argenti ana uncias tres,
Minii drachmas decem,
Boli Armenæ,
Terræ ſigillatæ ana drachmas ſex.

Bulliant iterum, ac baculo agitentur, & cum cera alba, quantum ſufficit, fiat Sparadrappum, addendo in fine coctura

Camphoræ drachmas duas,
Terebinthinæ uncias tres ſemis.
Miſce.

Fluxiones quâcunque corporis parte irruentes intercipit, & ad locum affectum devolvi vetat.

ANIMADVERSIONES.

HOc Ceratum commodiſſimè paratur modo ſequenti;

℞. *Hordei,*
Myrtillorum ana ℥ *ij,*
Fol. Plantaginis,
Solatri,
Matriſylv. ana M ij,

Inciſa & contuſa infundantur in

Axung. porcin. ℥ *v,*
Pingued. vel ſevi Vitulini,
Vaccini ana ℔ ß;
Vini Granat. vel aceti fortis ℔ *j.*

Stent in digeſtione loco calido per diem unum vel alterum, poſtea parùm coquantur, non tamen ad omnimodam humiditatis abſumptionem, fiatque colatura cum expreſſione forti. Colato & expreſſo addantur

Lithargyrii auri,
Argenti ana ℥ *vij.*

 Co-

Coquantur lento igne continuò agitando ad conſiſtentiam *Emplaſtri durioris*, coloris ex cineritio albicantis, cui immiſceantur

Ceræ citrin. ℥ iij,
Olei roſarum ℥ j ß,
Vngu. Populei ℥ ij,
Minii cribrati ʒ x, *vel* ℥ j ß,
Boli Armenæ, &
Terræ ſigillatæ ana ℥ j.

Agitentur benè & ſatis diu in calore; ultimò tandem ubi parùm refrixerint, *Camphoræ* ʒ ij, in *olei roſarum* ℥ ß ſolutæ addantur, & fiat *Ceratum*.

CERATUM STOMACHALE GALENI.

℞. Roſarum rubearum,
Maſtiches ana drachmas viginti,
Fol. Abſinthii drachmas quindecim,
Spicæ Nardi drachmas decem,
Ceræ mundæ uncias quatuor,
Olei roſacei libram unam ſemis.

Ceram & oleum aliquoties ex aquâ roſarum lavabis, & excolatâ omni aquâ, rurſus ad lentum ignem diſſolves. Deinde alia omnia in ſubtiliſſimum pulverem trita inſpergantur.

Ventriculum infirmum unà cum hepate roborat, ac horum dolorem à frigidâ cauſa lenit, vomitiones compeſcit, & concoctioni opitulatur.

ANIMADVERSIONES.

Lotionem illam ineptam *ceræ* & *olei roſacei*, utpotè quâ ſaltem efficacia & fragrantia ipſorum eluitur, jam ante in ſuperioribus *unguentis roſarum*, *Pomatæ*, & *Reginæ* reprobavimus, quam etiamnum hîc omittere omninò utile eſſe cenſemus. Cæterùm ſolâ ac ſimplici ingredientium commixtione *hoc Ceratum* parari conſuevit; notandum tamen, quod *olei* quantitas vel diminuenda, vel *ceræ* adaugenda ſit, ſi *cerati debitam conſiſtentiam* exoptas: Aſt longè meliora *Emplaſtra ſtomachalia* in præcedenti *claſſe* à nobis annotata & commendata ſunt, ad quæ benevolus Lector urgente neceſſitate recurrere poterit.

MEDICAMENTORUM PHARMACOPOEIÆ AUGUSTANÆ

CLASSIS XX.

Continens

PRÆPARATIONES QUORUNDAM SIMPLICIUM, quorum in hoc Opere mentio facta eſt.

Continet hæc Claſſis *quorundam* Simplicium, *partim ex regno* vegetabili, *partim ex* animali & minerali *depromptorum præparationes, quas potius* deſtructiones *ipſorum pro maxima parte dixeris; quæ quantoperè ſedulâ reviſione & ſerâ correctione indigeant, ex ſpeciali ac ſingulari* uniuſcujuſque præparatione *patebit.*

ADIPUM PRÆPARATIO.

Adeps quivis exciſus à membranis, exemptis venulis ac fibris toties lavetur, donec purus evaſerit. Mercurialis calidâ aquâ lavari vult; verùm pinguedines frigidâ lotæ ſolidiores fiunt, & magis candidæ, ut experientia monſtrat in parando unguento roſato Meſuæ. Dioſcorides Adipem colliquatum colat, ac reponit.

ANIMADVERSIONES.

HÆc ipſa *Adipum præparatio* vel inepta *lotio* nullius prorsùs utilitatis eſt, tùm quòd *pinguedinibus* per crebras illas *ablutiones* multum de viribus detrahatur, tùm etiam quod ipſis à *lotione* illa *humiditas aliqua* impacta maneat, quæ poſtea in cauſa eſt, ut cò citius ranceſcant, ſitum contrahant, ac tractu temporis etiam ingentem concipiant putorem, & conſequenter ad plurima, præſertim *unguenta odorifera*, ex. gr. *Roſarum* & *Pomat. &c.* inhabiles reddantur. Inſuper etiam ſuperflua eſt *adipum, pinguedinum*, & *ſevorum lotura*, quippè enumerata impura non ſunt, ſi purè & nitidè ex *animalibus* excipiantur, neque etiam pravâ aut noxiâ aliquâ qualitate infecta, ſed ſuis ſolummodò nativis virtutibus imbuta ſunt, quas

 adeò

adeò incogitanter eluere, nefas eſſet. Præſtabit itaque cum *Dioſcoride* ſimpliciter *adipem liquatum* colare, colatumque ſtatim recondere, & quantum poſſibile, etiam ab aëre humido præſervare.

ÆRIS USTIO.

Æris bracteæ in fictile immittantur, interpoſito inter ſingulas lamellas ſalis communis, aut ſulphuris pulvere, atque ſic ſtratum ſuper ſtratum paretur, quod igne uratur ad ſufficientiam: cinis relictum aquâ calidâ ſæpiùs affuſâ dulcoretur, qui rubicans evadit à ſale vel nitro; niger autem, ſi per ſulphur præparetur.

ANIMADVERSIONES.

INſigniter diſcrepant *uſtiones Æris*, peractæ cum *ſale* vel *nitro*, ab his quæ cum *ſulphure* fiunt: Etenim *laminæ Æris*, ſi prius purgatæ per *urinam* (in qua candefactæ extingui debent) poſtmodùm cum æquali vel duplo pondere *ſulphuris triti* ſtratificatæ urantur, ad omnimodam deflagrationem *ſulphuris*, verè calcinantur & fragiles evadunt, ut in pulverem totaliter tundi poſſint; qui *pulvis Æris*, ſi ulteriùs ſæpiuſque cum *ſulphure trito* unciam unam vel alteram *ſulphuris* ſumendo pro *libra una pulveris Æris*,) commixtus rudiculâ ferreâ continuò agitando, ad conflagrationem *ſulphuris* calcinetur, tandem in *crocum* rubicundum forti calcinatione redigi, vel affuſione *aquæ* & iteratâ extractione in *vitriolum Veneris cæruleum* elaborari poteſt: Quod ipſum *vitriolum* ſolâ calcinatione vehementiori & expulſione *ſpiritus* (*ſulphuris* potiùs quàm proprii,) iterùm in *Crocum Veneris rubicundi vel ſpadicei coloris*, commutatur. Qui *Crocus*, ſive ex *vitriolo*, ſive per ſimplicem calcinationem factus ſit, ſtupidiſſimè à quibuſdam Chymicis *aqua* edulcorari præcipitur: nam ſive is *vi adſtringente*, ſive etiam *aperiente* polleat, illa tota per edulcorationem tollitur, quippe utraque vis, in *ſale metallico vitriolato*, in aqua reſolubili conſiſtit, adeoque etiam eâ affuſâ, & hoc ſoluto *croco* omnis quæ ipſi ineſt, efficacia detrahitur, & *mortua terra*, niſi de novo elaboretur, ex eo efficitur. *Uſtio* autem *Æris*, quæ addito *ſale* vel *nitro* fit, ſaltem aliqualis, non verò totalis ejus calcinatio eſt, propterea quod duntaxat ſuperficies laminarum nonnihil calcinentur, quæ ſi *aqua* abluantur, & à *ſale* liberentur, *Æs uſtum* fundum petit inſtar *Croci*, in exigua autem quantitate: Et tali modo *calcinatum Æs*, veterum Chymicorum fuit *Crocus Veneris*, qui tamen mehercle, etiamſi magno labore partus, inefficax eſt, nec ullis manifeſtis ſiccandi vel adſtringendi qualitatibus donatus, ſed tanquam *calx metalli*, non niſi in *fortibus aquis* reſolubilis, præſertim externè adhibitus, parùm præſtare poteſt: Itaque ultimæ huic præparationi *Æris* ſuperiorem, quæ fit cum *ſulphure*,

phure, longè præferendam, edulcorationem verò intermittendam eſſe cenſeo.

AGARICI PRÆPARATIO.

Nihil aliud eſt apud nos, quàm Agaricus trochiſcatus, cujus deſcriptio habetur ſuperiùs fol. 351.

ANIMADVERSIONES.

Agaricus beneficio *infuſi Zinziberis* cum *vino* facti, in *Trochiſcos* redactus, licet tantoperè correctus non ſit, aut in virtutibus ſuis exaltatus, nihilominus à plurimis partibus heterogeneis, lignoſis, ſaxoſis, aliiſque impuritatibus, dum radulâ comminuitur, liberatur; accedit etiam hoc utilitatis, quòd efformatus in *Trochiſcos*, leviori negotio poſtea ſubtiliter teri & commodiùs ægrotantibus propinari poſſit; Nam crudus veluti plumoſus ac ſummè levis eſt, nauſeam facilè aſſumenti procreans: Itaque ſufficiat hac vice præfata præparatio: Proſtant etiam alia ex ipſo parata medicamenta, ſcilicet *extractum*, *reſina*, & ſimilia, ut, qui *trochiſcato Agarico* non eſt contentus, ad illa confugere poſſit. Cuicunque etiam placuerit, nonnulla convenientiora alia in ipſius trochiſcatione addere, ipſi liberum erit.

ALOES LOTA, Vel LOTIO.

℞. Aloës Succotr. quantum volueris; ſuperfunde aquæ pluvialis deſtillatæ, quantum ſatis; ſtent per diem & noctem in balneo tepido, ſæpiùs movendo, donec Aloës ſoluta ſeparetur à fæcibus; colatura clara inſpiſſetur Sole vel loco calido ad juſtam craſſitiem; ſervetur uſui.

Solemus etiam parare cum ſucco roſarum, ut videre eſt in deſcriptione pilularum de Aloë lota ſuperiùs, folio 196.

ANIMADVERSIONES.

Aloë ſuccotrina ſi pura eſt, nec heterogeneis rebus permixta, ſimiliter *Aloë epatica*, hâc impropriâ & inutili lotione opus non habet; Si verò ſordibus, puta ſtramine, lapillis, ſegmentis lignorum & ſimilibus permixta ſit, eam diſſolvere & colare neceſſum eſt, quod autem commodiùs *ſpiritu vini*, utpotè qui ſimul etiam reſinoſas partes ejuſdem ſolvit, quàm *aqua*, quæ has intactas relinquit, perficitur. *Inſuccatam autem aloën quamcunque*, ſive illa *infuſione violarum* ſive *roſarum* aut aliâ fiat, in ſuo precio relinquo & magnifacio.

ALUMINIS USTIO.

℞. Aluminis quantum volueris: ponatur in fictile novum, & tamdiu uratur, donec totum Alumen efferbuerit, nec ulterius ſpumam emittat; refrigeratum ſervetur ad uſum.

ANACARDIORUM PRÆPARATIO,

Anacardia teruntur, macerantur que in aceto acerrimo diebus ſeptem, deinde coquuntur lento igne, colanturque; remanentia ſiccatur, atque ea eſt ſubſtantia Anacardiorum præparata.

ANIMADVERSIONES

In uſtionem Aluminis & Anacardiorum præparationem.

Miſsâ *uſtione Aluminis* (quæ quidem in Alembico terreo vitreato fieri poſſet, ut *ſpiritus ejus* qui præſcripto modo perit, aſſervaretur,) ceu rei levioris precii, *præparationem Anacardiorum*, correctione ſummoperè indigentem aggredior, quæ, ſi ſecundum literam intelligi debet, ineptiſſima eſt, & ab Authore ipſo, qui hanc poſteritati commendavit, penitus non intellecta: Ac quamvis conceſſerim, *Anacardia ſicca*, ſi tantâ exurenti qualitate, qualiter quidem vulgò, aſt falſò putatur, prædita eſſent *aceto* præparari poſſe, tamen id alio magis rationabili modo fieri oporteret, ſcilicet ipſa in mediocri *aceti* quantitate macerando, & ubi probè illud imbiberint, unà cum *aceto* per evaporationem lentè exſiccando: Vel etiam cum *aceto extractum* ex ipſis parando, idque in uſum trahendo: Aſt *trita Anacardia* cum *aceto* coquere, *acetum*, cui omnis vis & efficacia *Anacardiorum* ineſt, per colaturam ab ipſis ſeparare, ac remanentiam viribus exutam, pro ſubſtantia *Anacardiorum* præparata venditare id ſanè ſummæ ſtupiditatis & dementiæ præbet indicium: Proindè qui *Anacardia* inpoſterum dextrè præparare ſatagit, ille dictum noſtrum amplectatur modum, & linquat haſce nugas, rerumque deſtructiones.

ARI RADICUM PRÆPARATIO.

Radices Ari optimè mundatæ teſſellatimque inciſæ, macerentur in vino albo ſpacio viginti quatuor horarum; poſtea effundatur vinum per inclinationem, & ita repetatur, ſecundâ & tertiâ vice ſemper affundendo novum vinum: tunc exiccentur radices, ſerventurque ad uſum.

ANIM-

ANIMADVERSIONES.

QUamvis *radices Ari* (recentes) vim & ſaporem exurentem habeant, non tamen exiſtimo tam frequenti affuſione *vini*, & toties reiteratâ effuſione ſive ſeparatione ejuſdem opus eſſe, utpotè quo ipſo nil efficitur ampliùs, quàm quod tota vis & efficacia è *radicibus* extracta, eluatur: Proindè præſtabit ad modum ſuperius in *præparatione Anacardiorum* indigitatum *vinum* ipſis affuſum non effundere, ſed unà cum *radicibus* per evaporationem exſiccare. Mihi tamen ſi daretur optio, miſsâ hac aſſignatâ præparatione, ipſas *radices Ari ſimpliciter exſiccatas* traherem in uſum, cùm acrimonia illarum in ipſa exſiccatione iis adimatur.

ASELLORUM PRÆPARATIO.

℞. Aſellorum quantum volueris; infundantur in vino albo per noctem, exſiccentur, & pulveriſentur, macerenturque poſtea in vino Malvatico per diem & noctem, reſiccentur ſuper prunas: Iterum pulveriſentur, & in vino Malvatico infundantur, & ſic tertiâ vice; ultimò reſiccentur ſuper prunas, pulveriſentur tenuiſſimè, & ſerventur.

AVELLANARUM PRÆPARATIO.

Avellanæ ablato cortice extimo duro, in vaſe aliquo ſtanneo furfuribus additis ſpatulâ ſupra ignem tamdiu agitantur, donec calore omnis ipſarum humiditas interna ſit abſumpta, deinde pellicula, quâ teguntur, ipſis detrahitur: cavendum autem ne deurantur. Adhibentur ad Diaſenæ Nicolai.

ANIMADVERSIONES
In præparationem Aſellorum & Avellanarum.

IN præparatione *Aſellorum* hoc unicum notare velim, ne *vinum* vel ſimile, quod ipſis pro maceratione aut correctione affunditur, effundatur, & abjiciatur, ſed lento calore unà cum illis uſque ad omnimodam ſiccitatem inſpiſſetur; Neque enim venenoſitas ulla ab *Aſellis* pertimeſcenda eſt, quin potiùs cavendum, ne in doſi ac utendi modo error committatur.

Avellanarum præparationem ceu nugacem & ridiculam, lubens prætereo, quippe quæ talis eſt, quâ cuncta *Diſpenſatoria*, & ipſa quoque *Diaſena Nicolai*, utpotè quæ à pauculis illis granis *Avellanarum*, quarum alias à multis non exigua quantitas abſque tam exacta decorticatione comeditur, nullas eximias mutuabitur virtutes, commodè carere poſſit.

BOLI ARMENÆ PRÆPARATIO.

Separentur ſordes omnes & arenulæ aquâ roſaceâ, ut ter vel amplius perfuſa ſiccataque, tandem pura evadat. Alii pro roſacea acetum adhibent: quidam peſtilenti tempore vino primùm abluunt, poſtea roſaceâ, vel ſimili aliquâ accommodatâ aquâ. Sunt etiam qui compoſitam adhibeant, de quibus videndi libelli de Peſte conſcripti.

ANIMADVERSIONES.

OMnem *terram* (pinguem præſertim,) *aſtris* impregnatam, *ſaleq́ centrali* imbutam eſſe, neminem eſſe credo, qui eat inficias, atque hoc ablato, omni etiam virtute *terra* ſpoliatur: Quid autem aliud *hac præparatione*, quæ per frequentes ablutiones fit cum *aqua*, *vino*, & *aceto*, efficitur amplius, quàm quod potiores *terræ* virtutes, dicto in *ſale* (quod in quovis liquore reſolubile eſt,) fundatæ eluantur. Itaque cum quælibet *Bolus* ſatis pura inveniatur, ac ferè nullis vel paucis lapillis commixta, (qui tamen facili negotio ab iis, ſi qui ſint manuum opera ſeparari poſſunt,) reliquamus hanc ineptam *præparationem*, cùm longè conſultiùs ſit & laudabilius rerum virtutes augere, quam maniſeſtè eaſdem, uti hîc fit, deſtruere. Et ſi alicui volupe eſſet, *Bolos* vel *terras medicinales* majoribus virtutibus impræguare, is illas *rore majali*, vel *aquâ pluviali*, *ingenti tonitru & fulgure delapsâ* frequenter imbuere ne gravetur, quo facto illas aëri & aſtris exponat, ac ſpontè vel leniter exſiccare ſinat; à radiis verò Solaribus interdiu ſtudioſè præſervet, vel etiam, ſi libet ipſaſmet *decoctis quibuſdam*, *eſſentiis*, aliiſque rebus, morbis & infirmitatibus, quibus deſtinatæ ſunt, appropriatis vel accommodatis, imbuat; utpotè *decocto viperarum*, *decocto cornu cervi crudi*, *decocto quarundam radicum*, vel aliorum *vegetabilium*, *Scordii* nimirùm & ſimilium, *oleis deſtillatis*, *ſalibus viperinis*, *&c.* Unicum exemplum ſubjungam:

℞. *Boli Armenæ cum aqua pluviali ac rore majali aliquoties imprægnatæ, iterumque leniter exſiccatæ* ℔ j,

Quam imbue

Decocto decem vel duodecim Viperarum aut Serpentum Germanicorum mundat:

Item,

Decocto libræ unius cornu cervi recentis; nec non

Decocto radicum Angelicæ,

Biſtortæ,

Herb. Scordii ana unc. ij:

Exſic-

Exſiccetur iterùm in calore leni, relictâ *Bolo efficaciſſimâ*; Cui inſuper, ſi lubido erit, *olea deſtillata* imprimi poſſunt, *Angelica*, *Citri*, *Myrrha*, *Ruta*, *&c.* Perpende nunc Lector benevole, quantum hæc præparatio diſcrepet à vulgari illa præſcripta corruptiva potiùs, quàm perfectiva præparatione, quæ ob id meritò delenda eſt, ne poſteris innoteſcat, quod in rebus tam levidenſibus adeò craſſos commiſerimus errores.

CANTHARIDUM PRÆPARATIO.

Fictile patuli oris terreum Cantharidibus fermè plenum, rariſſimo linteolo obductum, inverſum alteri vaſculo, in quo acerrimum ferveat acetum, imminens ſuſpendatur tamdiu, donec aceti ferventis vapore Cantharides omnes enecatæ fuerint, quæ in fictili ſicco chartâ pergamenâ benè clauſo, exiccentur, ne aër ipſas contingat, & ſic ad annos ſex durant.

ANIMADVERSIONES.

INtactam relinquerem hanc *Cantharidum præparationem*, niſi aërem quovis vapore, ſive *aceti*, ſive alterius humiditatis multò ſubtiliorem & conſequenter etiam penetrantiorem eſſe conſtaret; Itaque ubi *acetum* ſive ab eo relicta humiditas per chartam pergamenam exhalare poteſt, & debet, ſi *Cantharides* ſiccare volueris, ibi multò magis aërem penetrare poſſe opinor: Adeoque has nugas ex præſcripto tractare penes Pharmacopœi arbitrium eſto, nos ludicra illa non curamus.

CAUTERII POTENTIALIS, Seu LAPIDIS SEPTICI PRÆPARATIO.

℞. Cineris clavellati,
Calcis vivæ ana partes æquales.

Macerentur per dies aliquot in aquâ communi; poſtea colentur, & clarum coquatur, ut artis eſt.

CERUSSÆ LOTIO, Vel ABLUTIO.

℞. Ceruſſæ quantum volueris; pulveriſetur, & in aquæ roſarum ſufficienti quantitate diſſolvatur, ſine reſidere per noctem; poſtea ſeparetur aqua per inclinationem, & materia reſidua exiccetur, reponaturque ad uſum.

ANIMADVERSIONES
In Cauterium potentiale, & Ceruſſæ lotionem.

Studioſè caveat, qui *Cauterium illud*, & ſimilia alia, quæ *Calcem vivam* recipiunt, præparaturus eſt, ne in *vaſis aneis* vel *ferreis* ea tractet; Etenim *calx viva metallis* vel potius *Sulphuri* ipſorum ſummè infeſta eſt, quod allicit ſolvit & ex parte deſtruit.

Nobile Cauterium alias præbet *cinis Fraxini* per ſimplicem combuſtionem *ligni* & *corticum* recenter paratus, quod licet Chirurgi præſtantiores quàm maximè in ſecretis habeant, hîc tamen boni publici causâ revelare volui.

Ablutionem Ceruſſæ quod concernit, eam æquè ineptam eſſe, ac *Boli Armenæ*, vel ſimilium rerum *lotionem*, planè tibi perſuadeas velim; quid enim impuritatis continet *Ceruſſa*, quæ ablutione indigeret? Eſt enim per ſe *calx metalli puriſſima* ex *Plumbo* confecta, nec præter tantillum *ſalis proprii* aliud quicquam *lotione* ab ea auferri poteſt, quod tamen *ſal* ſive *ſaccharum Saturni Ceruſſæ eſſentia* eſt, illam itaque tàm ſtudioſè abluere, quàm ſtupiditatis & dementiæ plena res ſit, nemo non apertè videt.

CHALCITIDIS PRÆPARATIO.

Habetur ſuperiùs in diſpenſatione Theriacæ, fol. 228.

CHALYBIS PRÆPARATIO
Ex Aceto.

℞. Limaturæ Chalybis quantum volueris, affundatur aceti vini acerrimi tantum, ut tota madeat in eo, ſtent in loco calido tamdiu, donec acetum ad ſiccitatem abſumptum, poſtea pulveriſetur & ſic ſepties reiteretur: Poſtremùm molatur ſupra Porphyritem & ſervetur uſui.

CHALYBS CUM SULPHURE.

℞. Limaturæ Chalybis quantum volueris, & fac cum pulvere Sulphuris citrini ſtratum ſuper ſtratum, calcinetur. Hanc calcinationem ſemper addito novo Sulphure toties repete, donec Chalybs liqueſcat. Tunc extinguatur in vino albo generoſo, deinde in tigillo ad ignem fortem ſinatur per unam atque alteram horam, ut optimè exiccetur, & Sulphur evaneſcat & conſumatur, tandem in Porphyrite lævigetur pro uſu.

ANIM-

ANIMADVERSIONES
In præparationem Chalybis cum Aceto & Sulphure.

PRæparationes Chalybis ſive cum *aceto*, ſive cum *Sulphure* fiant, omnes eò tendunt, ut *Ferri* ſolutio fiat, quod alias *metallum* eſt quovis liquore acido ſolutu facile; Hinc ſi *acetum* illi ſæpiùs affundatur, tandem ſolvitur, ita ut in pulverem tundi, & demùm ſuper *Porphyrite* totaliter in pollinem teri vel moli queat, ut adeò neceſſum non ſit (prout quidem Chymici non pauci præcipiunt, quando de *Croco Martis aperiente* agunt:) *limaturam Chalybis vel Ferrum non ſolutum à ſoluto & in pulverem converſo Chalybe* per ablutionem ſeparare; nimirum hâc ablutione *Mars* totaliter ſuo *ſale vitriolato dulci proprio*, atque etiam illo, quod ad *aceto* cum eo remanſit, ſpoliatur. Neque autem ſeptenâ ſaltem humectatione vel madefactione reiteratâque exſiccatione, ſed pluribus opus erit, prout plùs minuſvè *limatura* fuerit, aut *acetum forte* extiterit, antequam *Chalybs* totaliter in pollinem, ferruginem vel rubiginem convertatur, ſive *Crocum Martialem aperitivum*; Cujus tamen ſatis tædioſi & diuturni laboris compendium fieri poterit, & unicâ die id effici, quod alias priori modo trium vel quatuor pluriumvè ſeptimanarum ſpacio, perfici vix poteſt; Scilicet coquendo *limaturam Martis* in olla vel patella ferrea cum *ſ. q. aceti acerrimi deſtillati*, donec illam in fundo vaſis tactu leviuſculam & quaſi ſolutam deprehendamus, tum demùm exſiccata parumper adhuc calcinari, uſuique aſſervari poteſt. Et hæc quoad *præparationem Chalybis* cum *aceto* peragendam, quam ob *ſal aceti* reſolutivum, quod in exſiccatione reſiduum manet, & arctè cum *Chalybe* combinatur, ſpernere nolo; quantumvis etiam leviori negotio *Vitriolum* aut *ſal dulce Chalybis efficaciſſimum*, mediantibus *aquis fortioribus* vel *ſpiritibus*, & ope etiam ipſius *Sulphuris crudi*, uti ſequetur, parari poſſet.

Quantum ad præſcriptam *præparationem Chalybis* ſive *limaturam* ejus cum *Sulphure* perficiendam, illa re non benè intellectâ heîc annotata eſt, ideò non uſque quaque nobes arridet, eidemque *calcinationem Chalybis non limati ſed integri & candefacti* per *Magdaleones Sulphuris* peractam, longè præferimus utpotè in qua ſtatim *Chalybs candens Sulphuri* admotus liqueſcit, & guttulatim in *aquam ſuppoſitam* decidit, qui poſtea ulterius, tritus priùs & cum novo *Sulphure* etiam pulveriſato commixtus, ſæpiùs calcinari poteſt, quouſque *affuſa aqua calida Vitriolum* ſuum linquat, quod tum prò maxima ſui parte, ubi *aqua* exhalârit in fundo vaſis concreſcit, & in Cryſtallos abit, (vide hac de re prolixiùs *Crollium* loco de *Vitriolo Martis* & *Veneris*:) Sin minùs verò *Vitriolum Chalybis* (quod tamen, licet non philoſophicè, *reſolutum metallum* eſt,) expetatur,

tertiâ

tertiâ vel quartâ calcinatione peractâ, *calcinatum Ferrum* in Porphyrite lævigandum, uſuique tandem aſſervandum eſt.

COLCOTHARIS INDULCATI
PRÆPARATIO.

Colcothar ad rubedinem calcinatum, vel caput mortuum ſpiritûs Vitrioli abluitur aquâ communi toties, donec omnis ſalſedo, & acrimonia prorſus abſumpta, deinde exiccetur ad uſum.

ANIMADVERSIONES.

Tetigi hanc *præparationem* vel *edulcorationem Colcotharis*, nî fallor, in *Animadverſionibus ſuper Emplaſtrum Opodeltoch*, quas Lector benevolus ſi vult, conſulere poteſt. De eodem *Colcothare* hîc annotare libet, quod illud, ſi optimè calcinatum & omninò à *ſpiritibus* liberatum fuerit, penitùs non ſit corroſivum, neque (quod ſæpè expertus ſum) ſtatim à deſtillatione *ſal* ex eodem affuſâ aquâ elici queat, ſed tùm priùs, ubi aliquandiu aëri expoſitum fuerit, tunc enim *ſal* præbet quandoque candidum, quandoque purpureum, aſpectu pulcherrimum, quod aliquando in copia acquiſivi, & penes me aſſervo, quandoque etiam *nitroſum*: Qualem autem hoc *ſal* redoleat proſapiam, & an *Colcothari* ſive *Vitriolo calcinato* ortûs ſui debeat primordia, an verò ſimpliciter *ab aſtris* aut *aëre* trahat originem, ſcire non adeò in proclivi eſt, licet ego medio modo de hoc dubio ſentiam. Cùm itaque uti ſuperiùs dixi, *Colcothar Vitrioli*, mox à deſtillatione omni vi corrodente deſtituatur, nec *ſalis ullius corroſivi* particeps ſit, ſed ſolam vim ſtipticam & attractivam, ſive magneticam obtineat, (licet deinceps, ubi aliquandiu *aſtris* & *aëri* expoſitum fuerit, ab attracto *ſale* ex aëre vel exhalationibus in eo contentis, aperitivam virtutem nanciſcatur:) quid, quæſo, opus eſt edulcoratione? Utpotè quâ vis utraque tollitur, adſtrictoria quidem & attractoria imbibitione aquæ, aperitiva verò reſolutione & ablatione *ſalis*, per frequentem lotionem, ut ita *terra mortua* relinquatur, niſi ultrò & de novo eam elaborare animus ſit. Vellem autem, ut qui nunquam forſan *tale Colcothar* viderit, cùm utplurimùm *capita mortua* (uti vocitant) *Vitrioli* & aliorum, peractâ deſtillatione *ſpirituum*, adeò corroſiva ſint, ut deguſtata linguam & palatum offendant, experimentum hujus rei aliquando faceret, ita enim certò experiretur, me falſum non eſſe, nihilque ſcripſiſſe à veritate alienum; Et hæc ſufficiant de dulcoratione *Colcotharis*.

COLOCYNTH. PRÆPARATIO.

Nobis nulla alia eſt, quàm Trochiſcorum Alhandali compoſitio, quæ ſuprà videnda eſt, fol. 353.

ANIM-

ANIMADVERSIONES.

COlocynthis quàm violentum ſit catharticum, nemo ex Medicis expertis eſt, qui ignoret, ut etiam quævis *Medicamenta cathartica* ex *Antimonio* & *Mercurio* facta ſuperet, igitur correctione non immeritò indigeret, cum familiariſſimum ſit ingrediens plurium *pilularum*, aliarumque *compoſitionum purgantium*: Mirari autem ſubit, quod nemo Medicorum hactenus, quibus illa in frequenti uſu fuit, genuinam aliquam ejuſdem præparationem vel correctionem meditatus ſit: Etenim quæ in *confectione Trochiſcorum Alhandal Colocynthidis fit præparatio*, vera ejus correctio nullo modo vocitari poteſt. Exiſtimarem ego (licet tàm vehementi Medicinâ facilè carere, & animalibus brutis relinquere poſſemus, cùm alia longè mitiora eaque tutiſſima purgantia, imò ex *Antimonio* ipſo, cujus quidem naturam ex mille vix unus Medicus explorârit, affatim nobis ſuppetant:) ſuccis acidis, & coctione ejus correctionem aliqualem moliri, non inconſultum fore.

COMPOSITI SPERNIOLÆ PRÆPARATIO.

℞. Spermatis Ranarum triduo ante Novilunium collecti menſe Martio quantum ſufficit; deſtilletur per ſe in balneo, cum aqua deſtillata imbibe ſequentem pulverem vigeſies aut trigeſies repetendo, ſemper tamen eundem ſponte priùs exiccando:

℞. Myrrhæ ſelectæ,
Thuris ana uncias duas,
Croci unciam ſemis,
Camphoræ drachmas tres.

Terantur ſingula in pulverem, & miſceantur.
Servetur ad uſum.

ANIMADVERSIONES.

AQuam *ſpermatis Ranarum deſtillatam* parvipendo, ipſum autem *ſperma*, quod facilè reſolvitur in aquam, quæ addito *Alumine* per annum integrum aut diutiùs incorruptè, ſine ejuſdem deſtillatione aſſervari poteſt, magni æſtimo: Ponatur igitur ipſum *ſperma* in ſaccum, & quæ defluit *aqua*, *Alumine* condiatur aſſerveturque; Ità quoque ſpecies hæ pro *Sperniola Crollii*, ſi ipſo *ſpermate Ranarum* taliter reſoluto ſæpius irrigarentur, non ſine magno emolumento in efferveſcentia ſanguinis, hæmorrhagia, eryſipelate, &c. adhiberi poſſent: *Camphoram* autem ultimò addere oportebit, ne illa in tot reiteratis exſiccationibus omnimodè exhalet,

cum

cum maximè volatilis & ſpirituoſa ſit, ſpontè etiam in frigore evaporans.

CORIANDRORUM PRÆPARATIO.

Coriandri ſemina tribus diebus aceto macerantur, deinde ſiccantur, & reponuntur.

ANIMADVERSIONES.

Licet Dioſcorides, & cum ipſo plures alii Botanici; *Coriandrum* inter *venena* connumerent, inſignem tamen quandoque eſſe differentiam inter plantas recentes & aridas, nemo negare poterit, quippe quod manifeſtiſſimè in *radicibus Ari*, aliiſque ſimili acredine præditis videre eſt, quæ dum virides ſunt & vegetæ, tantâ acrimoniâ linguam feriunt, ut ipſam quandoque incendant, fauceſque inflamment, quæ tamen ubi paulò aridiores factæ ſunt, multum de intenſa ſua acrimonia remittunt & longè mitiores fiunt. Similem in modum *Coriandri ſemen*, ubi exſiccatum eſt, vix ullam habere pravam vel venenatam qualitatem, quotidiana experientia abundè teſtatur, cum ubique etiamnum locorum ad cibos aromatizandos, panemque condiendum, adhibeatur; Accedit, quod Authores etiam de plantarum aliarumque rerum facultatibus ſæpenumerò perperam judicium ferant, v. gr. de *Lactuca*, cujus *ſucci unciam unam* vel *alteram* vehementer lædere, narcoſin inducere, imò mortem inferre aſſerunt, cùm tamen indies plurimi multò plus *Lactuca* ſine ulla noxa comedant; Itaque cùm neutiquam nunc temporis deprehendatur *Coriandrum* venenatum eſſe, ſuperfluum erit, affuſo *aceto* illud ad uſum præparare, & inefficax reddere: Quia exſiccando *Coriandrum aceto imbutum*, exhalat tota ejus vis carminativa & balſamica unà cum *aceto*, & remanet *Coriandrum* inodorum, atque adeò potioribus ſuis virtutibus ſpoliatum.

CORNU CERVI PRÆPARATIO.

Cornu Cervi vaſi figulino imponitur, deinde in fornace ad albedinem uſtum, & poſtea pulveriſatum in lapide Porphyrite minutiſſimè aquâ Roſaceâ vel Graminis teritur, & in placentulas formatur. Ita Excellentiſſimus Medicorum D. D. Petrus Holtzhemius in Diſpenſatorio Colonienſium parare docuit.

ANIMADVERSIONES.

Edoctam hanc rudem *cornu cervini uſtionem*, non tàm præparationem quàm deſtructionem ejuſdem omni jure meritoque appello;

pello, ipſamque ceu inutilem penitùs rejicio, quippè, quâ illud omni ſuâ virtute medicinali propriâ omninò caſtratur, & in terram mortuam intipidam ac effœtam redigitur, prout hoc ipſum de ſimili materia in *Animadverſionibus noſtris ſuper appendicem claſſis decimæ quartæ*, ubi de *ſalibus Theriacalibus* egimus, abundanter & clarè ſatis demonſtravimus, quas adeat Lector benevolus. Hoc poſtquam plures ſaniores Medici in praxi quotidiana animadverterunt, aliam adinvenêre præparationem, quam ſine *violenta uſtione* perficiunt, & *calcinationem philoſophicam* nuncupant, de qua quid ſentiam paulò pòſt ſub proprio titulo in ſequenti Mantiſſa aperiam: Interim ſuadeo, ut qui *cornu Cervino* uti velit, aliudque præter vulgari modo uſtum in promptu non ſit, crudum & raſpatum potius adhibeat, aut illud (uſtum ſcilicet,) Gelatinâ ſive *decocto cornu recentis* ſæpius imprægnatum, & viribus quaſi propriis, ſive humiditate radicali optimè rurſus inſuccatum, uſurpet. Cæterum qualia medicamenta ulteriùs ex *Cervino cornu* utiliter confici poſſint, ſub titulo prædicti *cornu Cervi Philoſophici*, in ſequenti *Mantiſſa* edocebo.

CRANII HOMINIS PRÆPARATIO.

℞. Raſuram Cranii humani ſuſpenſi, vel decollati, ab omni immunditie & pinguedine liberati quantum volueris, contunde, & in mortario ſufficienti quantitate aquæ Liliorum convallium irroretur, ut fiat paſta, exiccetur, poſtea pulveriſetur, & cum ſufficienti quantitate aquæ florum Tiliæ iterum in maſſam reducatur; Idque tertiâ vice ex aqua florum Pæoniæ repetatur. Quarta vice verò ex aqua Ceraſorum nigrorum impaſtetur. Tandem ſervetur pulvis ſubtiliſſimus pro uſu.

CUPEROSÆ PRÆPARATIO.

Cuperoſa eſt ſpecies Vitrioli, albi coloris, tranſparens veluti Cryſtallus, ſi recens eſt, vetuſta opaca, ſed alba frangibilis, ſicut Vitriolum, diſſolvitur aquâ Roſaceâ, & colatur per pannum, deinde exſiccatur ad Solem ter vel quater.

DENTIUM APRORUM PRÆPARATIO.

℞. Dentium Aprorum pulveriſatorum quantum volueris, impaſtentur ſufficienti quantitate aquarum,
Cardui Mariæ,
Taraxaconis,

Papa-

Papaveris erratici,
Scabioſæ,

toties, donec poſt exiccationem in tenuiſſimum pollinem reduci poſſint, tunc ſervetur ad uſum.

EBORIS, Seu ANTISPODII PRÆPARATIO.

℞. Eboris ſelecti in tenues lamellas ſeu fruſtula diſſecti libram unam: id fictili crudo nondum cremato indatur, vaſculi portione aliquâ in ſummitate apertâ relictâ, ne Ebur inter urendum nigreſcat: Poſtea coquatur unà cum reliquis fictilibus in fornace figuli ad perfectionem, abhinc exemptum teratur, ac aquâ Roſaceâ abluatur, rurſum ſiccetur, & iterum abluatur, idque tertiâ vice fiat, lævigetur in marmore, & fiant Trochiſci.

ANIMADVERSIONES
In præparationem Cranii hominis, Cuperoſæ præparationem, dentium Aprorum, item Eboris ſive Antiſpodii.

PRæparatio cranii hominis laudem meretur, propterea quod ſine calcinatione aut ullâ virium deſtructione, ſed potiùs exaltatione ipſarum peragatur; Similiter etiam *Dentium Aprorum*; Circa quas præparationes id ſaltem monitum volo & conſultum duco, ut loco *aquarum deſtillatarum*, quibus impaſtari cùm *cranium* tùm *dentes* præcipiuntur, *decocta rerum* vel *herbarum, florum* aut *fructuum* accipiantur, utpotè pro *cranio humano, decoctum radicum florum* & *ſeminum Pæoniæ* debito tempore collectorum; item *Viſci quercini*; pro *dentibus Apri* verò *decoctum Cardui Mariæ*, nec non *ſeminis ejuſdem emulſio*.

Cuperoſam quod concernit, cùm illa nihil aliud ſit, quam *Vitriolum album vomitivum*, idcircò ejus confectio cum præparatione dicti *Vitrioli*, jam vulgò notâ coincidit, Videantur de hoc tyrocinia Chymicorum.

Eboris autem præſcriptæ præparationi eadem accommodari poſſunt, quæ in *antecedentibus Animadverſionibus* de ineptiſſima *cornu Cervini uſtione* dicta ſunt.

ELATERII PRÆPARATIO.

Succus fructûs Cucumeris ſylveſtris maturi digeritur in balneo Mariæ, uſque dum clareſit, ſeparatur à fæcibus & inſpiſſatur ad formam maſſæ, ut paſtilli ex ea efformari poſſint, ſervatur in vaſe vitreo, vel vitreato.

ESULÆ

ESULÆ RADICUM CORTICUM PRÆPARATIO.

Eſula præparatur tribus diebus, eam in acerrimo aceto infundendo, rurſusque exiccando.

EUPHORBII PRÆPARATIO.

Euphorbium ſubtiliſſimè pulveriſatum in lapide cum ſufficienti quantitate olei Amygdalorum dulcium inſtar Collyrii fricatur & teritur, maſſa poſtmodum illa pomo citrio vel cydonio excavato inditur, paſtâque panis obvolvitur, atque ſic in clibano coquitur. Euphorbium deinde ſic præparatum, vaſe vitreo benè obturato reconditur.

ELLEBORI ALBI ET NIGRI PRÆPARATIO.

Radices Ellebori albi & nigri, demptâ ligneâ medullâ, triduo in vino cydoniorum macerantur loco tepido & calente, poſtea exiccantur ac reponuntur.

Alioquin radices ſic maceratæ, pomo demùm cydonio infiguntur, quod paſtâ panis obvolutum, in clibano coquitur ad ſufficientiam; radices poſtmodum exemptæ, ſiccantur, & in uſum aſſervantur.

ANIMADVERSIONES
In præparationem Elaterii, Eſulæ radicum, & Euphorbii; Item rad. Ellebori nigri & albi.

Elaterium, quod *ſuccus eſt inſpiſſatus ex Cucumeris Aſinini fructu*, nullâ aliâ indiget correctione.

Cortices radicum Eſulæ qui dextrè præparare intendit, is *acetum* quo cum *cortices* infuſi ſunt, non ſeparet vel effundat, ſed unà cum ipſis exſiccari ſinat.

Euphorbii commendata præparatio nil minùs quàm correctiva eſt, cum quouſque *Euphorbii* ſubſtantia integra & intacta manet, etiam ejus mordacitas firmiter perſiſtat. *Oleum* autem *Amygdalorum dulcium* planè fucatam & palliativam præbet correctionem, & nil amplius præſtat, quàm quod lentore ſuo quadantenus prohibeat, ne *Euphorbium* vires ſuas, donec dicto *oleo* ſpolietur, exerere poſſit; Neque etiam per aſſationem in clibano illi quicquam adimitur, *Pomi* enim *humiditas* & *Olei unctuoſitas* prohibent, ne *Reſina* illa

illa *Euphorbii* jam ſpiſſa à calore ignis moderato tàm promptè lædatur.

Quod tandem *Hellebori præparationem* concernit, nec illam tantoperè neceſſariam eſſe autumo, poterit tamen, qui *Helleborum* corrigere voluerit, ex ipſo *Extractum* conficere, ſeparando craſſum à ſubtili, purumque ab impuro. Et ſi nihilominùs aliquis præſcriptam præparationem neceſſariam reputaret, is *ſuccum cydoniorum*, prout ſæpiùs monui, una cum *radicibus*, per evaporationem exſiccet, & neutiquam effundat; Cæterùm ademptio illa *medulla lignea radicum*, ex nimiùm curioſi cujuſdam cerebello profecta eſt, qui *radices Hellebori* nunquam forſitan viderit aut nôrit, multò minus tractaverit, ideoq; tanquam inutilem & impoſſibilem eam improbamus, uti quoque ulteriorem illam *radicum obvolutarum in clibano coctionem*, ceu æquè ineptam & ridiculam.

HIRUNDINUM USTIO.

Pulli Hirundinum ita jugulentur, ut ſanguis ſuper alas defluat; hi modico trito ſale aſpergantur, ac in novo fictili vitreato probè obturato urantur, cinis reſervetur.

Eodem ferè modo, ſed ſine addito ſale uruntur Erinacei, torrentur Ranæ, Millepedes, Bufones ad Xenechta expetiti, ac alia animalia.*

ANIMADVERSIONES.

IN *Animadverſionibus noſtris ſuper appendicem Claſſis decimæ quartæ*, ubi de *ſalibus theriacalibus* & *viperinis* tractatum fuit, luculenter cùm experimentis, tùm rationibus demonſtravimus, quod cuncta *animalia* ex meris volatilibus conſtent, & combuſta nihil præter inutilem terram mortuam poſt ſe relinquant; Quod ſi ita ſe res habet, uti revera non aliter eſt, quid ex *calcinatis hirundinum pullis*, licet ità crudeliter jugulatis, ut ſanguis ſuper alas defluxerit, ſaleque aſperſis; Item ex *Erinaceis*, *Ranis* & *Millepedibus*, nec non *Bufonibus* ſimiliter combuſtis & incineratis, præſertim ſi ad *Xenechta* expetuntur, aliud ſperandum eſt? Uſu nunc crebriori comprobatum eſt, cujus rei etiam ego experimentum feci, *Bufones* ipſos, *exſiccatos* ſaltem in aëre & tritos, innoxiè in graviſſimis quibuſdam morbis intra corpus ſumi poſſe; Externè etiam eorundem corpora exſiccata, iterumque in *vino* macerata aut pulveriſata, & cataplaſmatis loco Bubonibus peſtilentialibus quanto cum emolumento applicentur, dici vix poteſt: Si jam *Bufo*, qui etiam pro venenatiſſimo animali, dum vivit, habetur, prout etiam eſt, crudus & exſiccatus ſaltem, homini cùm internè, tùm externè tantoperè prodeſſe, &

abſque

abſque periculo adhiberi poteſt, multò minùs à *pullis Hirundinum* ſolummodò exſiccatis, item *Erinaceis*, *Ranis*, *Millepedibus* pertimeſcendum aut abſtinendum erit, & neutiquam priùs, ſi quid illis præſtare volupe fuerit, comburenda, totaliter deſtruenda, omniúque virtute privanda ſunt. Propterea ſuaſor ſum, ut *pulli Hirundinum deplumati & exenterati*, *Erinacei* verò *pellibus detractis & exemptis interaneis*, in cucurbita vitrea in modum *Viperarum*, dum pro pulvere præparantur, leni balnei calore exſiccentur, & tandem pulveriſentur. Aſt *Bufones*, & *Ranas* in aprico exſiccare conſultum erit, obſervando tamen, ne nimium *Soli* exponantur. *Millepedum* præparatio jam ſuperiùs tradita eſt, ubi de *Aſellis* actum fuit.

JECORIS LUPI PRÆPARATIO.

Jecur Lupi vino odorato lotum exiccetur in furno, poſtea Abſinthio circumdatum reponatur.

Aliqui & rectè id ante exiccationem pulvere Santalorum, maximè verò citrini conſpergunt.

INTESTINI LUPI PRÆPARATIO.

Inteſtinum Lupi ſecundum longitudinem ſectum, ac vino, in quo Ruta & Fœniculum cocta fuerint, elotum, ac in fruſta diſſectum exiccetur, & Rutâ obvolutum ſervetur.

ANIMADVERSIOENS
In præparationem jecoris, & inteſtini Lupi.

Similiter; uti in præcedentibus *Animadverſionibus cum Hirundinibus* factum eſt, etiam cum *jecore Lupi* & *inteſtinis ejuſdem* procedatur, lavanda ipſa priùs *vino ſpirituoſo Myrrhato*, ſive in quo *Myrrhæ* portio diſſoluta ſit, & poſtmodum immiſſa cucurbitæ vitreæ optimè in M. B. exſiccando; Vel, ſi libet etiam, *Myrrhâ* conſpergere illa & aliquatenus condire, non abs re erit, ita enim incorrupta in longum tempus conſervari poſſunt.

LACCÆ LOTIO, Vel PRÆPARATIO.

Lacca trita aqua fontanâ, cui Ariſtolochia & Schœnanthos ad æquas partes incocta fuerint, lavetur, piſtillo ſemper agitando quoad clareſcat: quod reſedit, coletur & ſiccetur.

LAPIDIS LAZULI PRÆPARATIO.

Lapis Lazuli minutiſſimè tritus, toties aquâ abluitur, fricatur, & agitatur, donec aqua nullum ampliùs vel colorem vel ſaporem induerit.

LAPIDIS MAGNETIS PRÆPARATIO.

℞. Succi Ariſtolochiæ rotundæ,
Sabinæ ana uncias quatuor,
Serpentariæ uncias duas,
Spiritûs vini libram unam.

Circulentur priùs viginti quatuor horarum ſpatio, tum deſtillentur. Hujus aquæ cape libram unam, Magnetis electi in pulverem redacti uncias quatuor.

Circulentur ſimul, & aqua à fæcibus deſtilletur, idque ter reiterabis. Atque hoc pacto Magnetis præparationem aſſequêre.

LEPORIS USTIO.

Fit, ut Hirundinum uſtio proximè antecedens.

LUMBRICORUM PRÆPARATIO.

Lumbrici cum vino toties lavantur, donec omnem impuritatem depoſuerint, deinde ſiccantur.

MANDIBULARUM LUCII PISCIS PRÆPARATIO.

Paratur, ut antegreſſa dentium Aprorum.

MEZEREI PRÆPARATIO.

Folia Mezerei macerentur horis viginti quatuor in aceto acerrimo, poſtea in umbra ſiccentur, ac aſſerventur.

MYRRHÆ PRÆPARATIO.

Myrrha in vino ad ignem balneo Mariæ diſſoluta, adhuc calens per linteum tranſcolanda eſt.

ANIM-

ANIMADVERSIONES

In Laccæ lotionem, Lapidis Lazuli, & Magnetis præparationem, Leporis uſtionem, Lumbricorum, Mandibularum Lucii piſcis, Mezerei & Myrrhæ præparationem.

Lacca ſubtiliter trita, difficulter lavari poteſt, quin ipſa unà & quidem melior ejus particula eluatùr, itaque craſſiuſculè ſaltem terenda erit, ut ſtipites & ligna duntaxat, quibus plerumque referta eſt, aquæ innatantia ablui, & ab ea ſeparari queant.

Lotio autem præſcripta lapidis Lazuli, inepta & ridicula eſt, ac planè inconſiderata; ſive enim illud quod eluitur, ſive quod à lotione in fundo remanet, inſpicio, utrumque vel purus pulvis *lapidis Lazuli* erit, ſi purus ille; vel lapillis & ſaxis permixtum, ſi is ſaxoſus fuerit. Porrò ſive purus, ſive ſaxoſus ſit *lapis Lazuli*, nullo planè ſapore imbuet aquam, qui ſigno eſſe poſſet perfectæ lotionis. Ut autem conſtet; quo pacto *lapis Lazuli* præparari debeat, & qua ratione quaſi in Magiſterium redigi poſſit, colore pulcherrimo cæruleo conſpicuum, pictoribus *ultramarinum* dictum, ſubjungere libet modum inſignem, qui à plurimis in ſecretis habetur: Nempe, teratur *lapis Lazuli cæruleus* & optimæ notæ ſupra porphyriten, (& non alium aliquem lapidem,) ſubtiliſſimè quantum fieri poterit, cum *oleo Lini*, vel etiam aquâ ſimplici, qui iterum ita *oleo* permixtus reponatur: Poſtea fiat *Emplaſtri maſſa* talis;

℞. *Ceræ citrinæ*,
Picis Græc. vel Colophon.
Reſin. Pini ana ℔ j,
Olei Lini ℥ iij,
Terebinth. ℥ iiij,

Liquefiant ſupra ignem & colentur; quibus adde
Maſtiches electæ ℥ iv.
Fiat Maſſa.

Hujus *maſſæ* accipe partes circiter tres vel quatuor, lapidis ſuperiùs ſubtiliſſimè cum *oleo Lini* lævigati partem unam; miſceantur in patella, & commixta ſeptimanam unam vel alteram relinquantur veluti in digeſtione; poſtea *aquâ calidâ*, vel ſi hâc ſuccedere nolit, ferventi malaxando & agitando ſpatulâ maſſam, eluatur *pulvis lapidis Lazuli ſubtiliſſimus* inſtar *Magiſterii*, qui pulcherrimo cæruleo colore imbuet aquam (quam colare oportet in patinam,) & poſtquam *lapis Lazuli* reſederit, aqua decantanda, & pulvis ſubtiliſſimus impalpabilis ac pulcherrimus exſiccandus eſt.

Nota autem, quod qui primò eluitur *lapis* vel *pulvis*, pulchrior ſit in colore & ſubtilitate ſecundo, & hic tertio ac ſic conſequenter,

ideò ſeparatim ſinguli aſſervandi erunt. Priorem illum pulverem; *Vltramarinum* dictum, pictores Veneti, qui illum parare ſoliti ſunt, & à quibus hunc modum addidici, non ſine expenſis, magno olim vendidêre precio; nunc autem poſtquam ejus præparatio pluribus innotuit, minori precio venit.

Magnetis præparationem quod concernit, æquè inſipida illa eſt, ac antecedens *lapidis Lazuli lotio*, cùm ex parte ipſiuſmet *Magnetis*, tùm etiam ratione additæ *aquæ deſtillatæ*, quâ præparari & circulari debet; Et quidem de *Magnete* in pulverem redacto quid ſentiam, jam antea in *Animadverſionibus ſuper Emplaſtrum Opodeltoch Mindereri* conſtabit. Quid autem *aqua illa deſtillata* pulveri *Magnetis* conferre poſſit, ego ſanè vix capio; Etenim *aquæ ſpirituoſæ* ſemel deſtillatæ, nunquam in ſecunda aut tertia cohobatione, rei, cuicunque etiam jungantur, ſpirituoſitatem aut vires relinquent aut impertient, quin æquè ut in priori deſtillatione avolabunt, ut adeò hanc *præparationem* ex parte *Magnetis* omni jure deſtructivam, ex parte autem additæ *aquæ*, ſuperfluam ac inutilem appellare poſſim.

Nec *Leporis uſtio* majorem laudem promeretur, quàm reliquorum *animalium combuſtio*, quâ de re conſulantur *Animadverſiones præcedentes ſuper cornu Cervi uſtum*.

Lumbrici ſimilem in modum, uti *jecur Lupi*, *vino* ſcilicet *myrrhato ſpirituoſo* parari, & in M.B. exſiccari poſſunt.

Mandibula Lucii piſcis optimè ad modum noſtrum in *dentium Aprorum præparatione* poſitum præparantur.

A *foliis Mezerei acetum*, in quo macerata fuêre, nullatenus ſeparare aut decantare, ſed unà cum ipſis lentè exſiccare conſultum erit.

Myrrham tandem quod attinet, ejus vera & genuina non eſt, quæ fit cum *vino* ſolutio, cùm totaliter in eo non ſolvatur, ſed potiùs in *ſpiritu vini*; Quod verò quandoque in *vino* diluatur, fit ob id, quia poſtquam cum *vino* ad ſpiſſitudinem cocta eſt, liquida aliquatenus maneat, atque hac ratione cum reliquis ſpeciebus intimiùs permiſceri queat; hoc autem, ſi cum *ſpiritu vini* ſolveretur ob nimiam ejus copiam, quæ pro ſolutione *Myrrhæ* vera neceſſaria eſt, fieri nequit, ideò præſtat hanc *Myrrhæ præparationem* intermittere, nec priùs inſtituere quàm exigatur.

OESYPI COLLECTIO.

Lanæ ſuccidæ, hoc eſt, nondum purgatæ, quæ ex collo, feminibus & femoribus Ovium defatigatarum fuerit detonſa, affundatur aqua fervens pluries, & lavetur diligenter, quouſque omnem ſuam pinguedinem in aquam depoſuerit. Poſtea expreſſa lana ſeponatur, & aqua illa pinguis & ſordida ex vaſculo aliquo diutiſſimè ex alto fun-

ſundatur & refundatur, donec ſpumoſa fiat, ac tum ſpuma ſinatur ſubſidere, & colligatur aquæ innatans pinguedo; iterumque aqua refundatur, donec ſpumet, ac ſubſidens pinguedo auferatur, quod tamdiu fiat, donec non ampliùs appareat ſpuma, & nulla concreſcat ſupra aquam pinguedo. Tum collectam pinguedinem cum ſpuma in aqua pura manu ſubigendo lavare, ſordeſque immixtas ſæpius aquam renovando auferre debemus, donec pura effluat, & pinguedo admota linguæ non mordeat, deinde reponatur in fictili denſo, frigido loco.

Oeſypum hoc veterum corrupto nomine vocatur *Hyſſopus humida*, quod ut rectè præparatum habeant Pharmacopœi, operam dare debent.

ANIMADVERSIONES.

SI intimiùs hanc *Oeſypi collectionem* ſive *præparationem* perveſtigo, ſatis mirari nequeo, quod tam fœtidi ſordidique animalium ſudores tantoperè ad Medicinam expetantur, quaſi vel non ſexcenta alia ſuppeterent medicamina, ex. gr. *pinguedines, adipes*, & ſimilia, ad eoſdem quibus *œſypus*, inſervire poſſet affectus, æquè efficacia & experimentata, leviori etiam precio, minori multò labore & in majori copia ubique obvia. Ingenuè fateor, me lubentiùs *unciam unam hujus œſypi* pro aureo coëmere velle, quàm ut ipſemet eam colligerem; Etenim quanta grex ovium, quam ingens labor, quanti ſumptus ad hanc ſpurcitiem corradendam exigantur, & quam ingratum & inſalubrem fœtorem in ejuſdem præparatione perpeti neceſſum ſit, is ſolus novit, qui eam collegit ac præparavit: Exiſtimem igitur, inutilia hæc excrementa, tantâ ubertate nunc exiſtente aliorum medicamentorum cùm Galenicorum, tùm Chymicorum, è Pharmacopoliis demùm citra neceſſitatem exulare poſſe; Quinimò rationabilius eſſe autumo, ſi qua parti alicui dolenti, aut tumori duro *lana* applicanda eſt, illam à ſpurcitie iſtâ prius eluere & probè mundare, quàm ita fœtidam ac ſudore, aut neſcio quâ immunditie conſpurcatam, corpori adhibere.

OLEI LOTIO, Seu LAVANDI MODUS.

In phiala magna vitrea, quæ vulgo vocatur boccia, collum habente longum, unum brachium, & continente libras ſex vel octo liquoris, infundantur duæ partes aquæ ferventis, & una olei, deinde agitentur omnia diligentiſſimè, donec optimè miſceatur oleum cum aqua, & tota illa materia candida fiat. Liquor albus factus tollatur è phiala, & ponatur in catino ſub Sole, ibique detineatur, uſque dum ſepa-

ſeparetur oleum ab aqua; quod ubi ſeparatum fuerit, colligatur magno cochleari, & aſſervetur.

MErcurialis de Compoſ. Medicament. libro tertio, capite vigeſimo ſexto.

PELLICULARUM VENTRICULORUM GALLINARUM PRÆPARATIO.

Laventur vino albo, poſtea exiccentur & reponantur pro uſu.

PILORUM LEPORIS USTIO.

Fiat, ut uſtio Hirundinum.

PILARUM MARINARUM TORREFACTIO.

Eodem modo fit, quo Serici crudi torrefactio ſubſequens.

PLUMBI USTIO ET LOTIO.

Plumbum cum Sulphure (ut in Æris uſtione ſuprà monuimus,) ſtrato uno ſuper aliud ſtratum uritur, poſt uſtionem ſæpiùs abluitur & reſiccatur.

Commodiùs ab aliis plumbum cum ſale calcinatur; liquato enim plumbo, ſenſim ſal communis inſpergitur, & ſpatula continuò agitatur, donec plumbum in pulverem abeat, qui beneficio aquæ ſimplicis à ſale liberatus, colorem cineritium acquirit.

ANIMADVERSIONES

In Olei lotionem; Pelliculárum Gallinarum præparationem; Pilorum Leporis uſtionem; Pilarum marinarum torrefactionem; Plumbi uſtionem & lotionem.

DE *Olei* (*Olivarum* puto, de quo hic loquuntur,) *lotione* hoc ſentio, quod cùm illotum ad cibos condiendos uſurpetur, non opus foret illud ad uſus externos, præſertim ſi gutturi inferiori injiciendum, priùs tàm ſtudioſè lavare; relinquo itaque ineptam hanc *lotionem*, ulteriori examine penitus indignam ac infantilem, & progredior ad

Præparationem pelliculárum ventriculorum Gallinarum, quæ uti *inteſtinum* vel *jecur Lupinum*, modo ſuperiùs indigitato, præparari poſſunt.

Pilos

Pilos Leporis uſtos, *hæmorrhagias* ſive *ſanguinem* erumpentem ſiſtere creditur, cui itaque alia medicamenta ſanguinem ſiſtentia non ſuppetunt, in tanta aliàs ubertate eorum, illi per me licet *pilos dictos* comburere, atque in carbones ſubtiles vel cineres aridos redigere, parùm autem in hiſce à rebus aliis, ab animantibus deſumptis, & incineratis vel combuſtis, diverſum inveniet.

Pila marina niſi totaliter in carbones vertantur, in pulverum redigi nequeunt; Similiter ſe res habet cum *Serico crudo*, cujus igitur in medicina ſingularis uſus eſſe, aut quales quamque eximiæ virtutes ab ipſis taliter præparatis proficiſci queant, quilibet qui recti judicii compos eſt, facilè judicare, poteſt. *Pilas marinas* quidem contra ſcrophulas & ſtrumas non ſolùm ob eximiam vim exſiccandi, quâ pollent, ſed etiam à tota ſubſtantia & occultâ proprietate prodeſſe, Authores ſibi perſuadent, & vulgo etiam ita receptum eſt, cui quoque non tantoperè repugno, præſertim cùm *ſalina* ſint ſubſtantiæ, à *ſalſedine maris* obortæ, quæ *ſalſedo* in *combuſtione* non perit: *Sericum autem crudum*, quod tàm variis *compoſitionibus* & *ſpeciebus cordialibus* ubique commiſcetur, cur illud adeò torqueri, ſummâque Vulcani violentiâ tractari debeat, quidque ita combuſtum efficere, aut in cordis affectibus propulſandis ſingulariter præſtare poſſit, certò non ſatis adhuc videre, neu conjecturare poſſum; Cui voluntas erit ſuperiores noſtras *animadverſiones ſuper confectionem Alkermes* evolvere, is ibidem inveniet rationibus abundè demonſtratum, *Sericum crudum* etiam per ſe planè inutile & inefficax eſſe medicamentum, multò itaque inutilius erit, ſi combuſtum & in carbones converſum ſit.

Plumbi uſtionem dexteriorum à figulis addiſcere oportebit, qui nullâ peregrinâ additione *liquefactum Plumbum* rudiculâ ferreâ tam diu hinc inde commovent, agitantque collocatum ſuper ignem lentum, donec totaliter in *calcem* converſum ſit, ulteriori ablutione non indigentem; Quæ ipſa *figulorum calcinatio* meo quidem judicio, *præſcripta* & *cum ſale perficiendæ uſtioni* meritò præferenda eſt, eò quod & ſine additione fiat, nec *edulcoratione* aut *ablutione*, utpotè, quæ nec ad hanc *Plumbi*, neque ad alias *metallorum calces* præparandas, quicquam prodeſt, ampliùs opus habeant.

PULMONUM VULPIUM
Præparatio.

Pulmo Vulpis recens, extractâ aſperâ arteriâ vino perquàm odoro, cui Hyſſopus & Scabioſa incocta fuerit, diligenter lavatur, lotus ſiccatur, ſiccatus Abſinthio, Marrubio, ac Hyſſopo involutus reponitur.

SANGUINIS HIRCI PRÆPARATIO.

Hircum mediocris ætatis domi per menſem alito, qui Pimpinellâ, Apio, Petroſelino, Leviſtico, Ericâ, Malvâ, & ſimilibus herbis diureticis nutriatur, hunc æſtatis principio Sole Cancrum ingrediente mactato, & ſanguinem, qui ex arteriis ejus defluxerit, vaſe mundo excipito, & abjectis partibus ichoroſis concreſcere ſinito, ac in grumos in furno reſiccato.

SCAMMONII PRÆPARATIO.

℞. Scammonii electi & lacteſcentis libras quatuor,
Succi Cydoniorum libras duas, & uncias duas,
Cort. Myrobalanorum citrinorum,
Maſtiches electæ ana uncias duas.

Myrobalani contuſi infundantur ſucco Cydoniorum loco calido, donec humorem imbibant: tum addatur Scammonium per ſe tritum in mortario, inuncto oleo Amygdalorum dulcium, fiant Trochiſci ut artis eſt. Scammonium ſic præparatum, Diagrydium vocatur.

SCORIÆ FERRI PRÆPARATIO.

Limatura ferri in aquam limpidiſſimam projecta manibus fricetur, & abluatur toties, donec ſorditiem depoſuerit, huic deinde in vitream patinam inditæ affunde modicum aceti, ut id non emineat, ſed ſolùm limatura ex eo humectetur: hanc ſic diebus triginta macera, tandem tere & repone.

SCORPIONUM USTIO.

Idem proceſſus eſt, qui fuit in uſtione Hirundinum.

SCILLÆ PRÆPARATIO.

℞. Scillam recentem, hanc rejectis aridioribus tunicis extimis paſtâ panis involve, eamque in clibano ad panis ſufficientiam coque; exemptam cultro ligneo ſolido, aut ex oſſe parato in laminas diſſeca, quas filo trajice, ita ut una alteram non attingat, & loco ſicco appenſas exſicca.

SERI-

SERICI CRUDI TORREFACTIO.

Folliculi Serici exemptis vermibus inciſi, in furno tepido ollæ novæ impoſiti ſiccantur, dum poſſint in mortario per trituram in pulverem redigi.

SPONGIARUM USTIO, Vel COMBUSTIO.

Fit ut Hirundinum.

SULPHURIS VIVI PRÆPARATIO.

℞. Pulveris Sulphuris vivi quantum volueris, ſuperfunde vini albi, quantum ſatis, ſtent ita per diem & noctem, ſæpiùs movendo, deinde ſeparetur vinum per inclinationem, & ſic repetatur ſecundâ, & tertiâ vice. Tandem exiccetur & ſervetur uſui.

TEREBINTHINÆ COCTIO, Vel COQUENDÆ modus.

Terebinthinæ libra una coquitur in libris viginti quatuor aquæ, donec odorem amittat, & inſpiſſetur, adeò ut refrigerata digitis in pulverem teri queat, ac vitri modo diſſiliat.

TUTIÆ CALCINATIO, ET PRÆPARATIO.

Tutia Arabum ſeu Græcorum Cadmia, Botryites Dioſcorid. aliquoties vel ad minimum ter in crucibulo candeſiat, deinde ſingulis vicibus aquâ Roſarum extinguatur, tunc demum trita lævigetur in marmore. Alii ſic præparatam linteo includunt, & in vaſe aquâ clarâ pleno hinc inde agitant, ut tenuior ac melior ejus pars in aquam effluat, craſſiore in linteolo relictâ. Inde cum reſederit, aquam auferunt, ac ſupra Porphyritem ex aqua Roſacea molunt, indemque in paſtillos cogunt.

VESICARUM APRORUM PRÆPARATIO.

Veſicæ à pinguedine & membranulis optimè mundatæ, incidantur in minutiſſimas fruſtulas, macerentur in vino rubro per viginti quatuor

quatuor horas, poſtea abjecto vino, ex ſiccentur veſicæ, & ſervetur pulvis ad uſum.

VITRI USTIO, Vel COMBUSTIO ET PRÆPARATIO.

Accipe fruſtum Vitri clari ſubtiliter pulveriſati ac cribrati, quod in ollula ferrea tamdiu ponatur ſuper prunas, ut ferrum candeſcat, deinde extinguatur in acervo facto ex cinere ſtipitum fabarum. Quo facto iterum pulveriſetur, & rurſum ignitum in priore acervo extinguatur, idque toties repetatur, donec optimè in cinerem ſit redactum.

Id apparet, quando non ampliùs reſplendet, & inter digitos attritum non ſit aſperum, inque os ſumptum dentibus non ſonitum edat. Hic cinis vitri in marmore Porphyritico ſubtiliſſimè pulveriſetur, & intra corpus ita utiliter uſurpari poteſt.

ATque hunc modum comburendi Florentiæ & alibi obſervant. Avicenna alium tradit, quem Fallopius in libello de Metallis improbat.

UNGULÆ ALCIS PRÆPARATIO.

Idem parandi modus eſt, cum Cranii humani præparatione.

Reliqua præparata ſola ferè lævigatione ac triturâ perficiuntur: ut ſunt.

Blattæ Byzantiæ cum aqua roſarum,
Corallii albi cum aqua roſar.
Rubei cum aqua roſar.
Lapid. Ætitis cum aqua Tormentillæ,
Calaminaris cum aqua roſar.
Carneoli vel Sardæ cum aqua roſarum,
Chryſolithi cum aqua roſar.
Cryſtalli cum aqua Bugloſſi,
Granati Or. cum aqua roſar.
Hæmatitis cum aqua Burſæ paſtoris,
Hyacynthi cum aqua roſar.
Judaici cum aqua Saxifragiæ,
Lyncis cum aqua Malvæ,
Nephritici cum aqua Petroſelini,
Rubini cum aqua roſar.
Saphyri cum aqua roſar.
Smaragdi cum aquæ roſar.
Topazii cum aqua roſar.
Margaritarum Orientalium cum aqua roſar.

Matris

Matris Perlarum cùm aqua roſar.
Oculorum Cancri cum aqua Fragor.
Ovorum putaminum uſtorum cum aqua Linariæ.
Succini albi cum aqua Betonicæ.

Sunt & alia quædam, eaque complura, quæ cuivis pro cujuſlibet libitu ac voluntate & præparantur, & præparata proſtant, utpote Argilla fornacum, exuvia Colubri, rubrica fabrilis lævigata, ſanguis Taxi ſeu Melis, cruor Agni, cinis Rubetæ, & his ſimilia.

Horum aliqua uſtionem requirunt, ut metallica, nonnulla toſturam exigunt, ut mineralia pleraque, alia nutritionem poſtulant, ut Sarcocolla, Gypſum, ac Alcohol Nihili. His ſola trituratio ſufficit, illis infuſio noxam adimit, eaque medicamentorum compoſitionibus idonea reddit. Pleraque verò repurgatione indigent, ac ſitûs depoſitione meliorantur. Nec deſunt, quibus depuratio per quietem ſeu reſidentiam facta vim addat.

ANIMADVERSIONES

In præparationem pulmonum Vulpium, & reliquas omnes, quæ adhuc ſuperſunt hujus Claſſis præparationes.

Vulpium pulmones in modum *hepatis Lupi* præparare & exſiccare convenit, quos & aliis *decoctionibus* vel *extractis*, *pulmonibus* & pectori appropriatis, utpotè *decoctis Pulmonariæ*, *Veronicæ*, *&c. Eſſentia Croci*, *Myrrhæ*, & ſimilibus imbuere, & quaſi condire non inconſultum erit.

Hirci ſanguis præparatus à nonnullis, præſertim ab acutiſſimo Helmontio valdoperè in pleuritide commendatur, quam is ſine venæ ſectione curare aſſerit, paulò tamen aliter ejus præparationem inſtituit, uti ex ſequentibus ipſius verbis formalibus videre eſt: *Hircum*, inquit, *ſuſpendo cornibus & crura poſteriora ad cornua reflecto, teſtes abſcindo, & recepto inde cruore exanguem dimitto pro lanione: Hic cruor ſiccatus eſt inſtar vitri difficillimæ triturationis, atque longiſſimè ab hircino ſanguine Officinarum differens; Aſſumptus drachma pondere confeſtim ſopit & curat pleuritidem abſque ſectione venæ, nec te deſeret unquam.* Hæc ille.

Scammonii præparatio præſcripta vera & exquiſita dici non poteſt, cùm additamenta ſtomachum duntaxat roborare, non verò *Scammonii* vim & violentiam directè infringere queant; convenit itaque paulò artificioſiùs correctionem ejus inſtituere, ſeparando nimirum purum ab impuro, cùm illud multis inutilibus ſcateat recrementis: Plura de hac in *ſequenti Mantiſſa*.

Scoria Ferri præparatio jam paulo antè ſub *præparatione Chalybis* indigitata eſt: *Chalybs* enim & *Ferrum* parùm admodum differunt, cum *Chalybs* nil aliud ſit, quam *Ferrum puriſſimum* & *optimum*.

De *uſtione Scorpionum Animadverſiones ſuperiores de combuſtione aliorum animalium* conſuli poſſunt.

Scillæ ſiniſtram præparationem, partim in *Animadverſionibus* ſuper *Lohoch* de *Scilla*, partim etiam in *confectione aceti ſcillitici*, cùm Authoritate ipſius Galeni, tùm rationibus evidentiſſimis convictam, ceu inutilem & ineptam rejecimus, quæ loca Lector benevolus revolvere poterit.

De uſu planè inutili *Serici crudi*, ejuſque ineptâ *torrefactione*, in *Animadverſionibus confectionis Alkermes*, & paulò antecedentibus *Pilarum marinarum*, ſufficienter diſſeruimus.

Sulphuris vivi præparationem quod attinet, illa quandoque neceſſaria non eſt, cùm *Sulphur dictum* nonnunquam tàm purum ſit, & inveniatur, ut nullâ lotione indigeat, idipſum tamen, ſi impurum fuerit, qui vel *vino* vel *ſpiritu vini*, vel etiam *aceto* lavare voluerit, non tantoperè aberrabit: Solent etiam nonnulli *ſpiritum vini* vel *acetum deſtillatum* ab eo aliquoties abſtrahere.

Terebinthinæ coctio mera eſt abſtractio ipſius *ſpiritus*, vel *olei ſpirituoſi*, quod patet ex *Terebinthinæ deſtillatione*, hæc enim ſi in veſica cuprea cum aqua, & non per ſe in cucurbitâ (quod meliùs) fiat, peractâ deſtillatione, tota *Terebinthina* cocta remanet in reſiduo, ſaltem *ſpiritu ſuo* & *oleo penetrantiori* orbata.

Tutiæ calcinatio prior, poſteriori ſatis tædioſæ meritò præferenda eſt.

Veſicas Aprorum non aliter quàm *jecur Lupi*, aut *aliorum animalium partes* in B. M. exſiccare commodè poſſumus, ut in pulverem facilè tundi & teri queant.

Vitri levidenſem ac planè inutilem uſtionem & præparationem ceu ineptiſſimam, omni jure explodimus, cùm tantas involvat abſurditates; ut ſi quis accuratiori examini & judicio eam ſubjicere vellet, animumque haberet reprehendendi pronum, materiam ſanè ſuppeditaret ſufficientiſſimam, vel hanc aut aliam ſimilem ex præmiſſis *præparationibus* nugaciſſimis, omni vulgo notiſſimâ & ruſticanâ Philoſophiâ carentibus, in volumen extendendi, & infinita abſurda hinc deducendi, quæ indigna eſſent Philoſopho naturali. Videant ergò, quàm turpiter ſe dent tales Philoſophi putatitii & ſermocinales, qui verâ Philoſophiâ deſtituuntur, & in quantos ruant errores, ut non ſolùm illis, qui penitius naturam ejuſque penetralia ſcru-

ſcrutantur, ſed & ruſticis ipſis, imò lippis & tonſoribus, nec non vetulis & anis ſe deridendos propinent.

Vellem clarius conſtaret & ſeſe explicuiſſent, cur tantoperè hoc medicamentum deſideretur, aut ob quas eximias virtutes in officinis proſtare debeat? Certò ſi quis peculiarem *vim Lithonthripticam* in eo ſibi imaginatur, is toto errat cœlo, nec ſi quæ aliquando exhibitione ejus eſt adverſa (quod tamen ſine periculo aut detrimento ægroti, licet illud protinus non ſenſerit, exhiberi minimè potuit,) a vitro emanavit, ſed potiùs è *ſale ſtipitum Fabarum*, in quo talem vim ſabulum & arenam pellendi ineſſe probè novi; aſt ejus parandi ratio alio modo quærenda, non iſto, quo medicamentum nullius virtutis, ſed maximi detrimenti evadit: Verùm de hiſce nugis ſatis, tranſeamus ad alia.

Vngula Alcis parandi modus, ſi juxta *Animadverſiones noſtras in præparationem cranii humani factas*, inſtituatur, minimè deſtructorius eſt, quin inſuper vires *ungulæ Alcis* intendat, & efficiat, quò faciliùs ejus raſura tandem in pulverem teri, & ægrotis commodè propinari poſſit.

Reliquorum tamen præparatorum, quæ ſolâ triturâ & lævigatione concinnantur, nonnulla haud difficulter ſic læviganda admitto, præſertim quæ molliora & friabilia ſunt, nec *vitri* aut *Adamantis duritiem* æmulantur; è quorum numero ſunt *Blattæ Byzantiæ*, *Corallia alba* & *rubra*, *lapides Calaminaris*, *Carneoli*, *Hæmatites*, *Iudaicus Margarita Orientales*, *Mater Perlarum*, *oculi Cancri*, *Succinum album* & his ſimilia, maximè ſi lævigatio inſtituatur ſupra lapidem duriſſimum quantum fieri poteſt, de quo medicamento nihil accedat, aut quam minimùm communicetur, qualis *lapis Porphyrites* eſt, qui à pleriſque ad hoc negotium expeti ſolet. Sunt enim res modo denominatæ facillimæ ſolutionis, & ab Archeo noſtro innatoque calore, ſi meliora nobis ex iis parata & in eſſentias redacta medicamenta non proſtent, utcunque devinci & actuari poſſunt. *Aquæ* verò, quibus affuſis res prædictæ ſtudioſè præparari jubentur, necquicquam de virtutibus ſuis iis impertiri poſſunt, ob rationes ſæpiùs, & paulò ante in *præparatione Magnetis* inculcatas. *Cæteri verò duriores lapides* & *Gemmæ*, qui quandam *vitri* & *Adamantis* ſimilitudinem habent, difficillimæ ſunt trituræ & lævigationis, multumque laboris & temporis requirunt, antequam uſui idonei reddantur, in qua diuturna præparatione, aſperitate & duritie ſuâ, accedente præparantis niſu & compreſſione, profundè ſatis ſubjectum lapidem aggrediuntur ejusque partes multas, præſertim ſi marmor aut alius paulò molliuſculus lapis fuerit, abradunt: Quod Pharmacopœi probè advertunt, & cum fœnore, cùm poſt peractam præparationem, ſuos lapides duplo aut triplo, quoad pondus, auctos eſſe depre-

hen-

prehendunt. Quare igitur prædictorum hanc rudem præparationem ſimpliciter admittere nequeam, tùm ex modo dictis, tùm ex iis, quæ in *Animadverſionibus claſſis undecimæ*, nec non ſuper *Emplaſtrum Opodeltoch*, ubi de *præparatione Magnetis* actum fuit, allata ſunt, ubi opinionem meam rationibus & experientia fultam, breviter aperui abundè patet, quo Lectorem ablego.

Cæterùm *lapis Ætites*, periapti inſtar, corpori prægnantis aut parturientis alligatus, ſupra renes, ſi fœtum diutius in utero materno continere, abortumque prohibere debeat, infra renes autem & cruribus, ſi partum promovendi animus ſit, multa præſtat: Tritus verò vel in ſubtiliſſimum pulverem, additâ licet *Tormentillæ aquâ*, lævigando redactus, non eſt quod nobis de virtutibus dictis quicquam promittamus, niſi fortè vim adſtrictivam, illi, taliter præparato, ſi intra corpus ſumatur, attribuamus: idem judicium eſto de plurimis aliis *lapidibus precioſis*; vis enim unita fortior diſperſâ.

Quæ reſtant tandem *ſimplicia*, in ultima *hujus claſſis additâ Animadverſione* denominata, qualiter illa paranda ſunt, ſi *præparationem* aut ſui meliorationem exigant, illa haud difficulter ex antecedentibus noſtris *Animadverſionibus* peti poſſunt: Et ſic huic *ultimæ claſſi* plurimis inutilibus & deſtructivis *præparationibus* rerum refertæ, colophonem imponimus.

MANTIS-

MANTISSA HERMETICA.

PRÆFATIO.

CUm Mantiſſa hæc de Medicamentis Chymicè præparatis agat, incumberet nobis, antequam examen ipſorum aggrederemur, de præſtantia earundem & eximiis virtutibus, queis præ aliis medicamentis, more Galenico, id eſt, rudi elaboratis, eminent, nonnulla in medium proferre; Verùm ut ſcriptionis operam compendifaciamus, cùm plures, tùm antiquiores, tùm recentiores Medici abundè hac de re, ſatiſque celebriter locuti ſint, ſilentio ea tranſilio, neque etiam hîs opus eſſe arbitror ſuſpensâ hederâ; Solummodò de difficultate artis Chymicæ hic in veſtibulo hujus Mantiſſæ paucis agere decrevi, cùm nonnulli ſint, qui adeò facilem ipſam eſſe autument, ut vel ſex menſium ſpatio, & alii (quod maximè miror,) intra decurſum ſex ſeptemvè ſeptimanarum, quantum Medico de Chymia neceſſarium ſit, integrè addiſci poſſe, audacter aſſerere non vereantur. Aſt Lector benevole, ſi Animadverſiones noſtras ſuper antecedentem Pharmacopœiam Galenicam, nunc demùm (ſit gratia Superis,) ad umbilicum perductam, penſiculatè pervolveris, & seriò tecum ruminaveris, reipsâ deprehendes, artem Pharmaceuticam, utpotè arduam, licet Chymiâ inferiorem, non immatura judicia aut ruſticos expoſcere labores: ita Chymiam eſſe artem uti nobiliſſimam, & Medico ſcitu ſummè neceſſariam, ſic difficillimam, & includere univerſam Philoſophiam practicam: Vt igitur illi, qui ipſam exactè callere, ejuſque penetralia perveſtigare velit, non ſeptimana una aut altera, non menſes aliquot, nec annus integer, imò nec omnes ſuæ vitæ dies ſufficient. Neque enim quilibet, qui perdius & pernox carbones manu verſat, fornaces artificioſè exſtruere novit, aut aquas deſtillare addidicit, illicò veri Chymici, & ab Hermete nobile nomen habere meretur; neutiquam ſanè ſed is duntaxat, qui arcem hujus artis penitius pervaſit, & jugiter ac indefeſſis laboribus in arcanis & multifariis ejus operationibus, ſe ſolertem dedit. Tantis meherclè Chymia ſive Spagyria difficultatibus referta eſt, ut pauci admodum inter tot millia hominum,

quorum alii nobilitate ejus, alii autem cupidine lucri allecti, à tot annis in illa indeſinenter periculum fecére, culmen ipſius attigerint; Nimiùm deludimur hinc inde, tot tamque variis plurium Chymicorum ſcriptis, mendis & mendaciis plenis, eorundem (uti vocant,) proceſſibus ferè infinitis, nec tamen priùs nos deceptos eſſe perſentimus, quàm ubi oleum (quod dicitur,) & operam perdidimus; id eſt, ubi vanis noſtris laboribus, nullâ ratione ducti, ſed magnâ duntaxat quorundam authoritate ſuffulti, rem, quam præ manibus habuimus, pertractatam totaliter deſtruxerimus; quam tamen, ſi rectam rationem ducem ſecuti eſſemus, aut ſi, quid in re quaque reconditum, quidvè illi familiare vel adverſum eſſet, ſatis nobis innoteſceret, facilè ſervare potuiſſemus. Et ſi tantum tria illa Regna, circà quæ Chymia utplurimùm occupata eſt, (omiſſis elementis & eorum contentis,) ac inter hæc maximè minerale paululum percurramus, quanti, DEUS bone! non impenduntur labores, quanti ſumptus, ad famoſum illud Aurum potabile acquirendum? quot modis Aurum calcinatur, ſolvitur, extrahitur, coquitur, digeritur, & neſcio quàm diverſimodè exagitatur; ubi autem cunctis hiſce laboribus impenſis, tandem exactè Aurum noſtrum putabile ad examen revocamus, quid quæſo aliud impetravimus, quàm Aurum ſolutum, vel in formam liquoris aut pulveris, exiguo temporis momento & leviſſimâ operâ ad priſtinam ſuam formam crudam & metallicam reducibile, quale, & vel majoribus adhuc virtutibus præditum, unius diei decurſu commodè perficere potuiſſemus, & longè minori labore, & paucioribus expenſis. Mineralia itidem, poſtquam illa ſatis diu ſub tortura detinemus, curioſis & argutis noſtris laboribus pejora ſæpenumero efficimus, quàm extitére cruda: Exemplo ſit Antimonium, cujus, dum crudum eſt, integra libra in aqua ſimplici cocta & pota, nullam prorſus moleſtiam vel vomitum procreat; è contrà verò, ſi in Flores, Crocum, Mercurium vitæ, aut Vitrum converſum fuerit, quantò cum ſtupore & violentia operatur? quàm dira ſæpenumerò & atrocia excitat ſymptomata? & ſic de innumeris penè aliis. Neque in Regno animali & vegetabili aliter ſe res habet, dum enim ex ipſis modò Salia, Tincturas, Aquas deſtillatas, Magiſteria, & ſimilia parare ſatagimus, quoties alienis menſtruis permixta, naturam ſive virtutes eorum nativas invertimus? Quoties ipſorum plurima artificioſis noſtris calcinationibus, radicali humiditate expulsâ, totaliter deſtruimus, relictâ cadaverosâ terrâ? Proh quantos, præter enumeratos, ubi ex diverſis Salibus, Spiritibus mineralibus, Eſſentiis, Oleis deſtillatis, & ſimilibus invicem maritatis artificioſas mixturas conſtruere nobis præſumimus, non rarò committimus errores? Et hæc omnia ſub prætextu artificiji ſpagyrici. Cujus rei cauſa reverà nulla alia eſt, quàm quod vel naturam ignoremus, ipſamque in operationibus ſuis non imitemur, quæ ſimpliciſſima eſt, & propterea ſimpliciter vult tractari; vel etiam,

quòd

quòd univerſale illud ſolvens *nos lateat, quo omnia corpora naturalia in ſuum primigenium eſſe, ſervatâ ſeminum poteſtate, ſolvuntur: Hoc dum deſtituimur, arduum & difficillimum eſt conjecturare, quid unaquaque res pati poſſit, quidque ferre recuſet; Itaque quicunque inter viros Chymicos, & genuinos Hermetis filios nomen ſuum profiteri amat, neceſſum habet, ut minutiſſima quaque perveſtiget, & ad ſingula curioſo oculo attentus ſit, ſi quid boni efficere, nec in caſſum laborare velit. Hanc* Chymiæ *ſummam difficultatem ubi intimiùs conſidero, vix ac ne vix quidem animum meum eò diſponere poſſum, ut hanc* Mantiſſam, *licet communiſſima ſaltem & officinalia, ubivis etiam in* Tyrociniis Chymicis *obvia contineat, corrigendam ad manus ſumam: Novi enim, quam* vera Chymia *recondita literatura, acuti judiciis & in multifariis laboribus Hermeticis exercitatum virum & Philoſophum requirat; Nihilominùs cùm à quamplurimis ſolicitatus & quaſi impulſus fuerim, ne & huic parti laborem meum derogarem, inter quos potiſſimus fuit Excellentiſſimus & Experientiſſimus Dn.* Henricus Cuſterus *Med. D. Celeberrimus, qui in his meis* Animadverſionibus *elimandis, ingenuè mihi adſtitit, & ne commodum, quod forſitan ex* compoſitionum Chymicarum, *quæ hæc* Mantiſſa *complectitur, accuratâ ventilatione & emendatione, in plures* Chymiæ *amantes redundare poſſet, in me claudi paterer, quantum experientiâ & improbis laboribus comprobavi, neminem celabo. Pauca inſuper duntaxat (non enim aliter in præſens fert mei inſtituti ratio,) adjiciam, eaque ſelectiora & experta. Plura qui deſiderat, conſulat Clariſſimum* Schroderum, *& Solertiſſimum* Glauberum; *Aſt nec illos inconſideratè & illotis manibus adeat, ſuadeo, ſed rectâ rationis & judicii lance trutinet omnia & expendat probè, quid Natura poſſibile ſit, quidque ferre recuſet: In quem finem* Animadverſiones ſubſequentes *adjungam, quæ veluti Cenſores ſint earum, quarum in hac* Mantiſſa *fit mentio præparationum, & ad altiora manuductores.*

SPIRITUS SIMPLICES.

SPIRITUS ABSINTHII.

℞. Abſinthii vulgaris quantum placet; ſuperinfunde ſpiritûs vini tantundem, ut digiti unius latitudine ſupernatet; macerentur per octiduum, deinde per balneum Mariæ, ſpiritus lege artis evocetur.

Hoc etiam modo parantur
Spiritus Cardui Benedicti,
Chamomillæ Romanæ,
Liliorum convallium,
Meliſſæ,
Veronicæ.

SPIRITUS ANISI.

℞. Seminis Aniſi benè contuſi libram ſemis,
Spiritus vini ſimplicis menſuram unam.
Macerentur per octiduum, & per balneum Mariæ ſpiritus eliciatur.

Ita etiam fiunt
Spiritus Carui,
Ceraſorum fœniculatus,
Fœniculi.

SPIRITVS CERASORVM NIGRORUM.

℞. Ceraſorum nigrorum quantum vis; contundantur, & ponantur in vaſe ligneo, in eoque maneant uſque ad fermentationem; deinde per veſicam deſtillentur, & exibit ſpiritus.
Hac ratione deſtillantur
Spiritus Cydoniorum,
Ebuli ex baccis,
Fragorum,
Juniperi ex baccis,
Sambuci ex baccis.

OMnes & ſinguli modò dicti Spiritus, ſimpliciorum ſive vegetabilium virtutes & qualitates in ſe continent, ex quibus deſtillati fuere.

SPI-

SPIRITUS ROSARUM.

℞. Roſarum fragrantium tempore ſicco collectarum quantum libet: contundantur, & in vaſe vitreo vel ligneo compreſſæ, reponantur in cellam: deinde cum ſale vel pauculo fermenti, fiat ſtratum ſuper ſtratum: deſtillentur per veſicam; deſtillata aqua novis roſis fermentatis affundatur & deſtilletur, donec perfectum Spiritum habueris.

Proprietate ſuâ ſpecificâ cor recreat; in omnibus ejus infirmitatibus ſingulare robur conciliat, odore & fragrantiâ vires reficit. Extrà etiam ad virium debilitatem arteriis applicatur.

SPIRITUS SALIS.

℞. Salis communis quantum lubet; ſolve & coagula: ſolutum, cum terræ figulinæ ſiccæ pondere æquali commiſce, paſtillos forma, exſiccatos retortæ, inde, deſtilla uſque dum nihil ampliùs egrediatur ſpirituum.

Omni putredini reſiſtit, hepatis & lienis obſtructionibus prodeſt; renes & veſicam expurgat; hydropicis imprimis ſingulare remedium præbet.

SPIRITVS SALIS NITRI.

℞. Salis Petræ ſive Nitri libram unam,
Boli communis, vel terræ figulinæ libras tres.

Deſtillentur per retortam igne reverberii ſpatio duodecim horarum, & habebis Spiritum rubicundum.

Pro contemperando æſtu febrili, reſtinguendâ ſiti, prohibendâ anginâ, & mitigandâ colicâ, commodiſſimè uſurpatur.

SPIRITUS SULPHURIS.

Ponatur ſub campana vitrea vas aliquod terreum cum ſulphure, quod accendatur: ita verò vas ſubjectum ad campanam applicetur, ne fumi egredientes flammam ſuffocent, ſed ut liberè aſcendentes, in liquores coagulentur, qui in ſcutellam appoſitam deſtillentur.

Eaſdem ferè qualitates cum Spiritu Vitrioli obtinet, proinde iiſdem etiam affectibus curandis conducit.

SPIRITVS TARTARI.

℞. Tartari albi puri libras quinque: Pone in retortam vitream,

 eique

eique in ignem cinerum vel potiùs arenæ collocatæ, recipientem ſatis capacem adapta, & luta, dato igne per gradus, primò Spiritus egredietur, poſtea oleum fœtidum, quæ rectificari debent.

Eſt egregium aperiens, unde in menſtruis retentis, paralyſi, ictero, pleuritide, hydrope, mira præſtat.

SPIRITUS VITRIOLI.

℞. Vitrioli purificati libras ſex.

Injiciantur retortæ benè lutatæ; huic apretur recipiens amplum, commiſſuris benè clauſis, accendatur ignis gradatim, & poſt tres ferè horas phlegma ſtillare incipit; hinc ignis paulatim augeatur, circiter horam ſeptimam albis ſpiritibus apparentibus, iterum augeatur ignis, & ita continuetur per integrum diem; tandem detur maximus ignis, & continuetur labor in diem tertium: refrigeratis omnibus, rectificetur Spiritus, quod clarum eſt, per cineres deſtilletur, & exibit Spiritus clarus & albus.

IN variis febrium generibus ſumma utilitatis eſt Spiritus Vitrioli; humorum enim putredini reſiſtit, eorumque incendium prohibet, vitioſos corrigit, phlegma conſumit, per urinas & poros cutaneos operatur.

ANIMADVERSIONES

Spiritus Simplices omnes concernentes.

LEgitimi & ſecundum *artem ſpagyricam* præparati *ſpiritus*, qui ab aliquo ſubjecto, ſive illud *vegetabile* ſit, ſive *minerale* aut *animale*, denominationem ſortiuntur, ex eo ſolo & unico conſtare ſolent & debent; utpotè *Spiritus Abſinthii* ex ſolo *Abſinthio*, *Liliorum convallium* ex *Liliis convallium*, *&c.* Qui autem primùm præſcribitur in hac *Mantiſſa Abſinthii ſpiritus*, non tàm *Abſinthii*, quàm *Spiritus vini Abſinthites* dici meretur, cui propterea ſimplicem *infuſionem Abſinthii Spiritu vini* factam, haud iniquè præfero, utpotè quæ ipsâ *Eſſentia Abſinthii* imbuta eſt, nec minori, ſed majori potius efficaciâ pollet, quàm *Spiritus vini*, unà cum partibus *Abſinthii* ſubtilioribus duntaxat ac volatilioribus, per Alembicum prolectus, relictis in reſiduo virtutibus ejuſdem potioribus. Si quis autem nobiliores *Eſſentias* ex *Abſinthio, Chamomillâ, Meliſſâ*, aliiſvè ſimilibus *herbis* conficere ſatagit, is rem paulò aliter aggrediatur, ac procedat hunc in modum.

ESSENTIA ABSINTHII.

℞. *Abſinthii recentis magnam quantitatem;*

Quod

Quod contuſum aut conciſum, perfunde paucâ *aquâ ſimplici calenti*, addito *cantillo fermenti* vel *ſacchari*, fiatque maceratio loco tepido, quouſque *ſpiritus* odore percipiatur, aut veluti nares feriat: Tum demùm deſtilletur in cucurbita vitrea vel veſica cuprea; Profecta *aqua ſpirituoſa* aliquoties rectificetur, quouſque acquiratur *ſpiritus Abſinthii fortis* & *ardens*. Jam

℞. *Hujus ſpiritûs veri Abſinthii & fortis, ex. gr. libram unam,*
Olei Abſinthii deſtillati q. ſ. ſive quantum prædictus ſpiritus diſſolvere poteſt, ſcilicet drachmas duas plùs minùsvè.
Extracti Abſinthii ſpiſſi, ſeparatim ſpiritu vini parati drachmas duas, vel drachmas tres, aut unciam ſemis,
Salis ejuſdem in aqua propria etiam ſ. q. ſaltem reſoluti, drachmas duas, vel drachmas tres, aut unciam ſemis.

Commixta digerantur aliquandiu, donec probè uniantur; filtretur poſtea *eſſentia*, uſuique aſſervetur.

Qui alias ex *herbis ſimilibus eſſentias* exoptat, ipſe imitari poterit modum, quem indigitat Experient. *Glaubertus Tract.* 1. *ſui primi Furni Philoſophici.*

ESSENTIA ANISI.

Spiritus Aniſi, qui potiùs *Spiritus vini aniſatus* dici meretur, à præcedenti *Spiritu vini abſinthite*, quoad præparandi modum, nil quicquam differt. nec ullum in ſe continet artificium Hermeticum, quem ipſum itaque ut elegantiorem & efficaciorem tibi compares, cujuſque *unica drachma* plus præſtet, quàm *uncia integra* aut amplius præſcripti & vulgari modo parati *ſpiritus aniſati*, taliter procede:

℞. *Spiritûs vini rectificati libras tres, vel libras quatuor,*
Sem. Aniſi libram ſemis.

Fiat infuſio, & poſt digeſtionem unius alteriusve diei inſtituatur deſtillatio; *Spiritui aniſato profecto* adde
Olei Aniſi deſtill. quantum is imbibere aut diſſolvere poteſt,
Extracti Aniſi recent. unciam ſemis, vel unciam unam,
Sal. Aniſi puri ſeorſim in aqua Aniſi ſ. q. ſaltem reſoluti ℥ j.

Miſceantur & digerantur aliquandiu, donec cuncta benè unita ſint; filtretur tandem *eſſentia*, uſuique aſſervetur. Idem proceſſus eſto *ſpiritûs* vel *eſſentia Carui*, *Fæniculi*, & ſimilium ſeminum.

ARDENTES SPIRITUS VARII.

Ex *Ceraſis*, *Fragis*, *Baccis Iuniperi*, *Sambuci* & *Ebuli*, *Spiritus ardentes*, mediante fermentatione, & reiteratâ rectificatione, facilè parantur. Ita etiam ex *Roſis* aliiſque *herbis* & *floribus*, per fer-

fermentationem reïteratamque deſtillationem & rectificationem *Spiritus ardentes* elici poſſunt. Obſervandum autem, quod *herba* & *flores* longè minorem præbeant *Spiritus* quantitatem, quam fructus, utpote *Ceraſa*, *Iuniperi bacca*, *&c.* ideòque qui ex ipſis *Spiritus ardentes* elicere ſatagit, largam ſibi *herbarum* & *florum* procuret copiam, nî in vanum laborare velit.

SPIRITUS SALIS DESTILLATIO, CUR DIFFICILIS.

QUantâ cum difficultate *Spiritus ſalis* genuini aliqua copia vel quantitas acquiratur, de hoc non ſatis querelarum eſt, non modò apud Pharmacopœos, ſed ipſos etiam Chymicos, eosque qui in ejuſmodi *ſpirituum deſtillat.* ex profeſſo & unicè occupati ſunt: Hinc adeò fit, quod dictus *Spiritus ſalis*, raro purus, & aliis, (maximè verò *ſpiritu nitri,*) non adulteratus divendatur, ut ita nullus, niſi qui ipſus illum deſtillaverit, de legitimo & vero *ſalis ſpiritu* certus eſſe poſſit. Cauſam hujus mali, aut difficilis deſtillationis, nemo adhuc detexit, aut aſſignare potuit, quam tamen ipſa natura nobis patefacit: Etenim quis non videt, ſi *ſpiritus ſalis*, *vitrioli*, aut ſimiles *ſpiritus acidi* & *corroſivi*, ſuper *arenam*, *lateres*, aut *terram figulinam ſiccam* vel *bolum* fundantur, (uti non raro ex incuria, & eorum transvaſatione contingit.) quod fermententur veluti & ebulliant, inque res prædictas agant, & agendo viciſſim patiantur. imò totaliter deſtruantur, ac in aliud ens convertantur, non ſecus, ac ſi pro ſolutione rerum aliarum mineralium & metallicarum adhibiti eſſent? Si hoc evenit jam paratis aut *deſtillatis ſpiritibus*, quid obſtat, dic amabo, quin etiam in ipſa deſtillatione *ſpiritus ſalis egredientes & fervidi*, *terram figulinam* ſtatim, cui impactum eſt *ſal*, aggrediantur, corrodant, & ita ſe reciprocè deſtruant, ut exigua portio *ſpiritus*, eaque tota phlegmatica vel aquoſa tranſeat? Objiciet autem quiſpiam, quod *ſpiritus nitri* æquè acidus ſit ac *ſpiritus ſalis*: *nitrum* autem utplurimùm *terræ figulinæ* etiam commiſceatur, in globulos efformetur, aut *bolus* illi addatur *ſiccus* pro deſtillatione, nihilominus *ſpiritum* emittat *acidiſſimum* & *corroſivum*; Ergo. Reſpondeo; concedendo quod *ſpiritus nitri* acidiſſimus ſit; imò magis corroſivus quàm *ſpiritus ſalis*, multò etiam majorem copiam *ſpirituum corroſivorum* ſuppeditet *nitrum* quàm *ſal*; hinc etiam fit, quod non tota quantitas *ſpiritus nitri* in adjectam *terram figulinam* agere, & ſe mutuò deſtruere valeat, ſed tantùm ſecundum proportionem *adjectæ terræ* variat eorum actio & reactio; quo enim plus *terræ* illi addideris, eò minùs etiam *ſpiritus nitri* adipiſceris; è contra, ſi *alumen uſtum*, aut ſimile quid, in quod *ſpiritus dicti* agere non poſſint, illi debitè & dextrè adjunxeris, longè majorem copiam *ſpirituum* proli-

cies, quàm ſi *terram figulinam* addidiſſes. Secundò, non omnes res vel cuncta *mineralia* aut *metalla* corrodit aut diſſolvit *Nitri ſpiritus*, utpotè *Aurum*, *Antimonium crudum*, *Sulphur*, *&c.* quæ tamen *ſpiritus ſalis*, licet mitior ſit illo, attingit: Sic etiam *Bolum*, aut *terram figuligam*, item *ſigillatam*, quæ utplurimùm ſemine *Auri* prægnantia ſunt, proprietate ſuâ *ſpiritus ſalis* citiùs aggreditur, quàm *nitri*. Patet ergò, quòd præpoſterè *argilla*, vel *terra figulina ſali*, & ſimilibus rebus, *nitro* etiam jungatur, pro deſtillatione ipſorum *ſpirituum*. Ipſa quoque *ſublimatio Mercurii* aut *Argenti vivi*, peragenda cum *ſale* & *vitriolo*, id luculentiſſimè demonſtrat, ubi *ſpiritus omnes ſalis* & *vitrioli* in ipſa ſublimatione *Mercurium* diſſolvunt, & in duram ac ſolidam compagem (quod ſine additione illorum fieri non poſſet,) transfigurant, de *ſpiritibus* autem dictorum, *vitrioli* & *ſalis*, nequicquam tranſit aut prolicitur. Propterea hanc cantilenam, quam omnia *tyrocinia chymica* in deſtillatione horum *ſpirituum* modulantur, cum plurimis aliis indignis proceſſibus & mendis, quibus illa utplurimum ſcatent, explodimus meritò. Qualiter autem hi *ſpiritus* deſtillandi, vel potiùs quibus rebus pro deſtillatione permiſcendi ſunt, jam dum paulò ante dictum eſt: qui verò experientiſſimi *Glauberi*, hujus & aliorum ſimilium *ſpirituum* deſtillandi modos, quos indigitat in *Tract. 1. & 2. primi & ſecundi ſui Furni Philoſophici* amplecti velit, illi non repugno, quin inſuper moneo, ut *ſpirituum præfatorum* virtutes diſcrepantes ac debitos diverſoſque utendi modos, ex ſolido ejus diſcurſu, lectione diligenti colligat.

SPIRITUS TARTARI GENUINUS.

De *Spiritu Tartari* hoc quod moneam, habeo, ut pro ejus deſtillatione *Tartarus unicâ ſolutione* (quæ commodè ſpacio unius diei in veſica cuprea, exiguo cum labore & diſpendio fieri poterit,) & *cryſtalliſatione* purificetur. Ita enim *defæcatus*, *& ab inhærentibus ſtipitibus liberatus Tartarus* deſtillationi commiſſus, non graveolentem, uti aliàs, ſed fragrantem & inſigniter penetrantem præbet *ſpiritum*. Etenim *Tartarus crudus*, quam purus etiam eſſe videatur, plurimis tamen rebus heterogeneis permixtus deprehenditur, à quibus demùm inſignis ille fœtor oritur, propterea *vulgaris ſpiritus Tartari*, ut in Officinis proſtat, quique à ſuo relicto *capite mortuo* non rectificatus, nec à ſuo abundante *phlegmate* liberatus fuerit, nullâ ratione pro puro puto *Tartari ſpiritu*, ſed mixto & inquinato haberi debet, ut in poſterum non ſit, quod miremur, ab eodem *Spiritu Tartari fœtido* ſæpè contrarias operationes & peſſimos quandoque ſuboriri effectus.

SPIRITUS SULPHURIS.

Spiritus Sulphuris qualiter per campanam aut retortam; aliiſque modis deſtillari poſſit. *Vide Clariſſ.* Schröderum lib. 3. cap. 28. *nec non Doctiſſ.* Glaub. Tr. 2. Furni Philoſoph. f. 181.

SPIRITUS COMPOSITI.

SPIRITUS CEPHALICUS.

℞. Flavedinis Corticum Citrii pomi recentis,
Seminis Pæoniæ recent. excort. ana uncias quatuor,
Baccar. Juniperi maturarum,
Lauri decort. ana uncias duas,
Cinamomi acutiſſimi uncias tres,
Ligni Aloës optimi,
Dictamni albi,
Caryophyllorum ana unciam unam,
Nucis Moſchatæ,
Macis,
Galangæ minoris,
Coſti albi aromatici ana unciam ſemis,
Santali Citrini odoratiſſimi,
Cardamomi minoris,
Piperis albi ana drachmas tres,
Longi drachmam unam.

Macerentur cum libris quatuor ſpiritûs vini rectificati optimè, ſtent in infuſione per decendium. Inſuper

℞. Menthæ criſpæ,
Lavendulæ,
Pulegii,
Nepetæ,
Salviæ nobilis,
Fœniculi,
Meliſſæ ana uncias tres.

Infundantur cum Vini Malvatici optimi libris quinque; ſtent per ſex dies, poſtea deſtillentur; deſtillatum addatur priori ſpiritui colato, & ſimul mixtis diſſolve Sacchari Candi albiſſimi libram unam; colentur omnia iterum, additâ in fine Croci Orientalis drachmâ unâ, Ambræ electæ granis quindecim, & Moſchi finiſſimi ſcrupulo ſemis, in ſindone tenui ligatorum: Servetur uſui.

Cerebrum & omnes ejus functiones mirè corroborat, catarrhos diſcutit, præſervat ab apoplexia, epilepſia, lethargo; utilis etiam eſt in ſyncope, cordis palpitatione, conſumit pituitam in ventriculo & inteſtinis: omnibus denique à frigiditate ortum ducentibus morbis magnoperè conducit.

Accuratam hanc Spiritûs Cephalici deſcriptionem, Diſpenſatorio noſtro adjungere placuit Viro Clariſſimo D. D. *Andrea Laye*, Collegæ nobis plurimùm dilecto.

SPIRITUS EUPHRASIÆ
MINDERERI.

℞. Spiritus Ceraſorum nigrorum libram unam,
Aquæ Hirundinum compoſitæ majoris uncias ſex,
Doronici veri,
Caſſiæ ligneæ veræ,
Amomi veri,
Radic. Valerianæ,
Chelidoniæ ana drachmas duas,
Mari veri,
Fol. Rutæ ana drachmam unam,
Flor. Euphraſiæ ſelectiſſimorum ſiccorum unciam unam ſemis, vel recentium, quantum poteſt infundi.

Infundantur per noctem in liquoribus his, vaſe benè perlutato; manè per balneum Mariæ deſtillentur leni igne, iſte ſpiritus reſervetur in vitro.

Viſionem reparat hic ſpiritus, cùm ſpiritus viſivos reficiat, cerebri frigiditatem corrigat, ſpiritui in eo mundet & clarificet, in ſcotomia & vertigine optimè proficiens.

SPIRITUS DIATRION.

℞. Spirit. Theriacalis Camphorati uncias quinque,
Tartari rectificati uncias tres,
Vitrioli rectificati unciam unam; Miſce.
Digerantur in Phiola hermeticè ſigillata per tres ſeptimanas.

Nobiliſſimum medicamentum ad plurimos morbos, ad omnes obſtructiones viſcerum reſerandas, ad pleuritidem, ad menſtrua, uterum calefaciendum, ad venena, & malignam materiam in febribus per ſudorem diſcutiendam exiſtit.

SPIRITUS DIAPENTE.

℞. [illegible] proprietatis Paracelſi unciam unam,

Spir.

Spiritûs Theriacalis Camphorati drachmam unam ſemis,
Vitrioli rectificati drachmam unam,
Tartari rectificati ſcrupulos duos,
Salis rectificati, in quo folia Auri n. x. ſoluta ſint, drachmam unam.

Omnia ſimul miſceantur & digerantur per quatuordecim dies, & reſerventur uſui.

IN affectibus ventriculi & capitis multum valet: humores ventriculi vitioſos educit, ſiccat & mundificat, urinam provocat, & per emunctoria cutis corporis habitum repurgat.

SPIRITUS THERIACALIS CAMPHORATUS.

℞. Spiritûs vini optimè rectificati, & ab omni phlegmate depurati uncias decem,
Theriacæ Andromachi veteris uncias quinque,
Myrrhæ rubræ uncias duas ſemis,
Croci Auſtriaci unciam ſemis.

Inditis omnibus cucurbitæ vitreæ, impoſitoque Alembico cœco, & juncturis optimè clauſis, ne quidpiam expiret, ſtent in infuſione per octiduum in loco calido. Poſtea impoſito Alembico roſtrato, in cujus limbo vel roſtro ponantur Camphoræ drachmæ duæ, fiat in balneo Mariæ lentiſſimo igne deſtillatio, ut vix trium vel quatuor dierum ſpatio totum extillet. Tandem ceſſante deſtillatione, calor augeatur ad ebullitionem aquæ in balneo Mariæ. Hac finita deſtillatione, deſtillatum fæcibus iterum affunde; juncturis clauſis digere per triduum, poſtea in balneo Mariæ deſtilla, ut priùs. Tandem deſtillatum iterum fæcibus redde; digere per triduum, & deſtilla per cineres lentiſſimo igne, uſque ad ſiccitatem, juncturis ſemper exquiſitè clauſis.

EGregiè ad ſudores eliciendos in peſte, ictero, febribus lentis, quartanâ & ſimilibus confert, penetrat nervos, muſculos, & quicquid noxium reperit, corrigit atque expellit.

SPIRITUS VITRIOLI CORDIALIS ANGELI SALAE.

℞. Oſſis Cervini menſe Junio recenter albiſſimè calcinati uncias ſex,
Spiritus Vitrioli acidi uncias octo.

Immitte in calcinationem & areſcet, ita ut in pulverem poſſis redigere; ſtent ita ad decem dies, deinde per retortam magnam deſtillentur, & liquor elicitus ſervetur.

Cordiale præſtantiſsimum, febribus item omnibus ſalubre medicamentum, contra putredines inprimis ſalutare.

ANIMADVERSIONES
In Spiritus compoſitos omnes.

Spiritum Cephalicum ſi debitè & dextrè paretur, inque *eſſentiam* redigatur, non exiguas in confortando *cerebro* obtinebit virtutes; Proinde poſthabito modo præſcripto, utpotè qui ratione prioris infuſionis & extractionis ex parte inſufficiens eſt, ſequenti ratione etiam præparationem inſtituamus.

ESSENTIA CEPHALICA.

℞. *Flavedinis corticum Pomorum Citriorum recentium,*
Sem. Pæoniæ recent. excort. ana uncias quatuor,
Baccar. Iuniperi maturarum,
Lauri decorticatarum ana uncias duas,
Cinamomi acutiſsimi uncias tres,
Ligni Aloës opt.
Dictamni albi,
Caryophyllorum ana unciam unam,
Nucis Moſchat.
Macis,
Galangæ minoris,
Coſti albi aromatici ana unciam ſemis,
Santali citrini odoratiſſ.
Cardamomi,
Piperis albi ana drachmas tres,
Longi drachmam unam,
Spiritûs vini optimè rectificati libras quatuor.

Species omnes craſſiuſculè contuſæ macerentur in dicto *ſpiritu vini* per octiduum; poſtea in M. B. deſtillentur uſque ad ſiccitatem *ſpecierum*, roſtro Alembici vel Capitelli impoſitis nodulo incluſis.

Ambræ gryſeæ gr. quindecim,
Moſchi ℈ ß,
Croci Auſtriaci drachmâ unâ,

Spiritus fragrantiſſimus interim aſſervetur.

Ex reſiduis *ſpeciebus* ope *ſpiritûs vini recentis ſ. q.* affuſi, fiat more communi *Extractum*; iteratâ *ſpiritûs vini* affuſione, filtratione, ejuſdemque abſtractione in M. B. ad conſiſtentiam debitam, quod ſuperiori *ſpiritui deſtillato* jungatur.

Jam demùm
℞. *Menthæ criſpæ,*

Laven-

Lavendulæ florum,
Pulegii,
Nepetæ,
Salviæ Nobilis,
Fœniculi,
Meliſſæ ana recentium uncias tres.

Conciſa infundantur in *vini Malvatici libris quatuor*, & peractâ unius ſeptimanæ digeſtione, deſtillentur in M. B. ad ſiccitatem, immiſſo ſimiliter roſtro capitelli eodem ſacculo, cui *Moſchus*, *Ambra* & *Crocus* incluſa, & jam ſemel in ſuperiori deſtillatione extracta ſunt: *Aqua prolecta fragrans* & *ſpirituoſa* ſuperiori *eſſentiæ* addatur, quæ ſimul aliquandiu leniſſimo calore circulentur. Tandem *filtrata eſſentia*, ceu nobiliſſima & efficaciſſima uſui aſſervetur; quam ſi libuerit acuere *ſpiritu Vitrioli ſulphureo volatili*, vel *ſpiritu Veneris* ex *viridi Ære*, rem minimè pœnitendam efficies.

SPIRITUS, Sive ESSENTIA EUPHRASIAE.

SPiritus *Euphraſiæ Mindereri*, juxta modum in antecedentis *eſſentiæ cephalicæ Animadverſionibus* edoctum, etiam in *eſſentiam* efficacem mutari poteſt; nimirùm

℞. *Doronici veri,*
Caſsiæ ligneæ veræ,
Amomi veri,
Rad. Valerianæ,
Chelidoniæ,
Mari veri,
Folior. Rutæ ana drachmas duas,
Flor. vel ſummit. Euphraſiæ uncias duas.

Inciſa & contuſa craſſiuſculè infundantur in
Spiritûs Ceraſorum nigri librâ unâ.

Et peractâ digeſtione aliquali, deſtillentur in M. B. ad ſiccitatem *ſpecierum*. Ex *reſiduis ſpeciebus* conficiatur beneficio *ſpiritûs vini extractum ſpiſſum*, quod *ſuperiori prolecto ſpiritui* junctum, aliquandiu cum ipſo digeratur, filtretur, & ultimò additis *aquæ* vel *eſſentiæ Hirundinum compoſitæ*, in *Animadverſionibus noſtris ſuper aquam hanc edocta, unciis ſex*, *eſſentia* uſui ſeponatur.

MIXTURA DE TRIBUS.

INſignis *Mixtura de Tribus*, ſeu *ſpiritus Diatrion*, optimè etiam admixto *ſpiritu Antimonii tartariſato* (ex *cremore Tartari* & *Antimonio* parato,) confici poterit; Ac licet nonnihil de *eſſentia Theriacali camphorata*, (quæ etiam ex *ſpiritu* in *eſſentiam*, uti mox

sequetur;

ſequetur, elaboranda eſt, & meritò loco *ſpiritûs theriacalis* huic *mixturæ* jungi poteſt;) præcipitetur, quod per filtrum ſeparandum eſt, nullam tamen hæc mixtura ſingularem virium jacturam exindè patietur, cùm nihilominùs potiores rerum extractarum eſſentiæ ipſi impraegnatæ remaneant. Si qua etiam alicui alia, præſcriptæ non abſimilis, *compoſitio* arrideret, non inelegans foret ſequens.

MIXTURA DE TRIBUS ALIA.

℞. *Spiritus Iuniperi libram unam,*
Cui immerge
Myrrhæ rubræ unciam unam,
Camphoræ unciam ſemis,
Croci Auſtriaci drachmas tres.

Digerantur aliquandiu loco calido; poſtea filtrentur, addendo *ſpiritus Antimonii Tartariſati* ſuperiùs denominati, vel etiam *ſpiritus* ex *Sulphure, Tartari cremore* & *Nitro uncias quatuor*. Quæ confuſa invicem digerantur, & *eſſentia Alexipharmaca* à reſidentia filtrata, ſtudioſè aſſervetur. Ad morbum verò comitialem ſive epilepſiam, pro puerulis fiat ejuſmodi mixtura.

MIXTURA DE TRIBUS EX
SPIRITIBUS MINERALIUM.

℞. *Spiritus Antimonii Tartariſati uncias duas,*
Veneris vel viridis Æris unciam unam,
Vitrioli volatilis ſulphurei uncias tres.
Miſceantur.

SPIRITUS DIAPENTE.

IN *Spiritu Diapente folia Auri* fruſtrà ſaltem adduntur, cùm vix dimidium granum pondere adæquent, à quo hæc mixtura non ſingulares virtutes mutuari poterit; Addo, quod *Aurum* tàm craſsè hoc modo reſolutum pro uſu interno nimis crudum & ineptum ſit, ut hac ratione *folia Auri*, ſalvis hujus *ſpiritûs* vel *mixturæ* viribus, commodè omitti poſſent. Cæterùm *ſpiritus Tartari*, ut antea monui, fit ex cremore vel Tartaro ſemel ſoluto colato & iterum cryſtallizato, deſtillatus, & à ſuo capite mortuo rectificatus & dephlegmatus. *Spiritum Theriacalem camphoratum* per infuſionem parare ſatiùs eſſe puto, quàm per deſtillationem; ratio eſt, quod peractâ deſtillatione, ſi modo præſcripto conficiatur, potior pars in fundo remaneat, non ſolùm *Theriacæ*, ſed etiam *Myrrhæ* & *Croci*. Si itaque libuerit, fiat ejus præparatio in hunc modum.

ESSEN-

ESSENTIA THERIACALIS CAMPHORATA.

℞. *Myrrhæ optimæ uncias duas ſemis,*
Croci Auſtr. unciam ſemis.
Quibus inciſis & contuſis, affunde
Spiritûs vini rectificati uncias ſex.

Digerantur aliquandiu: *Tinctura decantata* filtretur; poſt: ex reſiduo (*Myrrha* ſcilicet & *Croco* jam ſemel extractis,) affuſo, recenti *vini ſpiritu* paretur *Extractum*, quod ad juſtam conſiſtentiam abſtractum, *ſuperiori eſſentiæ* addatur. Tandem etiam

℞. *Theriacæ Andromachi uncias quinque:*
Cui ſuperinfundantur
Spiritûs vini (vel ſpiritûs Iuniperi) unciæ quinque;

factâque digeſtione ſeparetur *liquor*, qui, ſi poſſibile eſt, filtretur, & ſuperiori *Eſſentiæ* ex *Myrrha* & *Croco* paratæ jungatur: Poſtea ſolvantur in *uncia una ſpiritus vini rectificati, Camphoræ* ʒ *duæ*, quæ ſimiliter cum prioribus mixtis *eſſentiis* uniantur. *Unitæ hæ eſſentiæ omnes* leniſſimo ſaltem calore vel tepore, in vaſe optimè clauſo & alto, ſeptimanâ unâ vel alterâ digerantur, factâque colaturâ & iteratâ filtratione, *eſſentia* deniqùe uſui aſſervetur.

SPIRITUS VITRIOLI CORDIALIS ANGELI SALAE.

Spiritum Vitrioli Cordialem Angeli Salæ, ſi penitiùs introſpicio, nil quicquam cordialis in eo reperio; neque enim *Spiritus Vitrioli* ullas virtutes cordiales à *Cornu Cervi uſto* contrahere poteſt, cùm illud (uti aliquoties in præcedentibus ſatis evidenter demonſtratum eſt.) omnibus ſuis viribus in calcinatione orbatum ſit; itaque quod ipſummet non habet, *ſpiritui vitrioli* communicare non poterit.

ELIXIR.

ELIXIR PURGANS PANCHYMAGOGUM.

℞. Rhabarbari electi unciam unam ſemis,
Spicæ Indicæ ſcrupulum unum ſemis,
Santalorum omnium ana drachmam unam.
Infunde in ſpiritûs baccarum Juniperi unciis octo, digere & cola: Deinde

℞. Agarici electi,
Cinamomi ana unciam unam,
Zinziberis ſcrupulos duos.
Infunde in Spiritûs Fœniculi unciis ſex,
Juniperi unciis quatuor.
Miſce, digere, cola. Ultimò recipe
Mechoacæ albæ uncias duas,
Nigræ drachmas decem,
Turbith albi & gummoſi unciam unam ſemis,
Hermodactyl. præparat. unciam unam,
Rad. Polypodii quercini,
Ari præparati,
Aſari ana drachmas tres,
Ellebori nigri præparati drachmas ſeptem;
Cortic. rad. Eſulæ præparat. drachm. ſex,
Arantiorum,
Citri ana unciam ſemis,
Florum Violarum,
Bortaginis,
Geniſtæ ana pugillum unum,
Foliorum Senæ ſine ſtipitibus,
Sem. Carthami excortic. ana unciam unam ſemis,
Ebuli contuſi drachmas tres,
Macis drachmam unam.

Inciſis omnibus & contuſis, affunde ſpiritûs Aniſi libras quatuor: Digerantur aliquandiu & colentur. Tandem omnes hos tres liquores commiſce, & aſſerva in vaſe vitreo optimè clauſo ad uſum.

PRo libitu dulcorari poteſt Julepo roſarum, aut Sambucino, & ſimilibus.

CUm Pharmacopœia Auguſtana certo liquore purgante careat, eandem ſpiritu hoc cathartico, cacochymia univerſali evacuanda ſingulariter accommodato, multoque ſibi uſu probato, mactam voluit operis hujus Reviſor.

ELIXIR PESTILENT. CROLLII.

℞. Florum Sulphuris uncias tres.
Affunde Olei Juniperini è baccis rectificati, ad eminentiam trium vel quatuor digitorum,
Succini ab odoris vehementia liberati, quartam partem ad Oleum Juniperi: ſtent in arena ſæpiùs movendo, ut flores lentè ſine aduſtione ſolvantur. Poſtea
℞. Theriacæ electæ libram unam.

Extrahe cum ſpiritu vini optimo tincturam, quam à ſpiritu vini ſeparatam, ſeorſim ſerva,

Rad. Elenii,
Angelicæ,
Baccarum Juniperi contuſ. ana uncias tres.

Cum eodem ſpiritu vini extrahe tincturam, quam in balneo ſeparatam, miſce cum tinctura Theriacæ, ac affunde oleum Juniperinum, & ſuccini floribus ſulphuris imprægnatum, & per chartam bibulam priùs filtratum, omniaque circula lentiſſimo calore per dies quatuordecim.

Præſentaneum eſt in peſte præſervativum, & curativum, ſi cum liquore appropriato maturè exhibeatur, morbis eodem modo epidemiis aliis certiſſimum præſtat auxilium.

ELIXIR PROPRIETATIS PARACELSI.

℞. Aloës,
Myrrhæ,
Croci ana quantum placet.

Pulveriſatis omnibus, affunde tantum ſpiritûs vini, ut leviter madeſiant: Poſtea affunde ſpiritus Sulphuris per campanam facti, quantum ad ſupereminentiam trium transverſim poſitorum digitorum ſufficit. Stent in digeſtione per octiduum, ſpiritum tinctum decanta, & novum ſpiritum affunde; iterum digere, donec ſpiritus colorem ſaturatè rubentem acquirat. Hunc ultimum ſpiritum infunde in phiolam vitream, & cum eo argillâ benè commiſtâ forma globulos, quos in aëre ſiccatos retortæ include firmæ, quam aptatam ſimul vaſi recipienti, in quod primum ſpiritum tinctum priùs infuderis, in arena colloca; & igni forti deſtilla: Sic accipies tincturam pulchrè rubentem, quæ ſimul cum tincto ſpiritu in receptaculi contento, in unum conjungitur, quam mixturam ſerva ad uſum.

Hoc nobile medicamentum à nobili Chymiatro D. D. Joanne Agricola *hoc modo correctum, omnes infirmitates tàm calidas quàm frigidas occultâ quâdam proprietate curat. Senſus interiores & exteriores confortat, capitis infirmitatibus medetur, ſtomachum cum inteſtinis confortat, cor roborat & exhilarat, catarrhoſis & hecticis ſubvenit.*

ELIXIR UTERINUM CROLLII.

℞. Caſtorei libram ſemis,
Croci uncias duas.

Extrahe tincturam cujusque ſeorſim cum ſpiritu vini, & ſepara ſpiritum

ſpiritum ad remanentiam extractorum; quibus mixtis, adde
Extracti Artemiſiæ uncias quatuor,
Salis matris Perlarum unciam unam,
Ol. deſtill. Aniſi,
Angelicæ,
Succini ana drachmas duas.
Digerantur mixta omnia per octo dies.

AD varios uteri morbos, ſuffocationem minitantes, mirum & verum præſtat remedium, etiam menſtruorum vitia corrigit & emendat.

ANIMADVERSIONES *In Elixiria.*

ELIXIR PANCHYMAGOGON PURGANS.

E*Lixireos Panchymagogi purgantis* doſis, ſi illud juxta modum præſcriptum conficiendum eſt, ad *uncias duas* vel *amplius* ſe extendet; ſi verò artificioſè & modo rationabili paretur, doſis ejus *unciam dimidiam* vel *drachmas ſex* non tranſcendet. Igitur

℞. *Cinamomi optimi unciam unam,*
Zingiberis ſcrupulos duos,
Spica Indica drachmam ſemis,
Santalorum omnium ana drachmam unam,
Cortic. Arantiorum,
Citri ana recent. unciam ſemis,
Macis drachmas duas,
Flor. Violarum,
Borraginis,
Geniſtæ ana pugillum unum.
Quibus inciſis & contuſis, ſuperaffundantur
Spiritûs Iuniperi rectif. uncia ſex,
Fœniculi rectif. uncia tres,
Aniſi rectif. libra una, uncia tres:
Et peractâ brevi digeſtione deſtillentur in M. B. ad ſiccitatem uſque: *Spiritus fragrans deſtillatus*, ſtudioſè interim aſſervetur, *ſpeciebus, quæ à deſtillatione reſidua ſunt*, abjectis. Poſtea
℞. *Rhabarbari electi unciam unam ſemis,*
Agarici electi unciam unam,
Mechoaca alba uncias duas,
Nigra drachmas decem,
Turbith albi & gummoſi unciam unam ſemis,
Hermodactyl. unciam unam,

Rad. Polypodii quercini,
Ari,
Aſari ana drachmas tres,
Ellebori nigri drachmas ſeptem,
Cort. rad. Eſul. præparat. drachmas ſex,
Fol. Senæ ſine ſtip. unciam unam ſemis,
Sem. Ebuli drachmas tres.

Ex quibus omnibus inciſis, & groſſo modo contuſis, fiat cum *ſpiritu vini rectificato*, iteratis affuſionibus (donec ſpecies totaliter extractæ ſint,) & abſtractione per M. B. *liquidioris conſiſtentiæ extractum*, cui *ſuperior deſtillatus ſpiritus* ſuperaffundatur, & poſt unius alteriusvé diei digeſtionem, & *Extracti* ſolutionem, *Eſſentia* filtretur; Si quid autem de *Extracto* indiſſolutum remanſerit, perfundatur illud de novo *ſpiritûs Iuniperi, Aniſi*, & *Fœniculi ana rectificat. unciis duabus*, vel *ſpiritûs vini ſimplic. unciis ſex*, & poſt brevem digeſtionem, ac totalem Extracti tenuioris diſſolutionem ferè, fiat colatura, qui *ſuperiori eſſentiæ* commiſceatur: Quam, quotiescunque uſus poſtulat, cum *ſyrupo* aliquo appropriato (utplurimùm refrigerante, ad contemperandum *ſpiritum vini*, præſertim ſi in regionibus calidioribus ejus uſus ſit:) edulcoratam propinare convenit; plùs enim ita operabitur, quàm ſi cum liquoribus aquoſis permixta adhibeatur, ratione *Turbith, Agarici, Mechoac. albæ* & *nigræ*, quæ *reſinoſum* præbent *Extractum*, quod facilè ab *aqua* præcipitatur & coagulatur; *reſinæ* autem ſimiles indiſſolutæ intra corpus ſumptæ nil operantur.

Nota: Omiſi *ſemin. Carthami* in hac *Eſſentia* vel *Elixir*, ob unctuoſitatem ſuam, utpotè quâ duntaxat impediret, quò minus reliqua *cathartica* exactè extrahi poſſent, cuicunque tamen liberum erit illud vel addere vel omittere.

ELIXIR PESTILENTIALE

CROLLII Examinatur.

Elixir Peſtilentiale Crollii, ſuis quoque non caret difficultatibus; Nam *Extracta* à ſuis *ſpiritibus* vel *menſtruis* (uti Author hic jubet,) ſeparata, & *olea*, præſertim in majori paulò quantitate, ſe invicem non amplectuntur; itaque ſi quid boni ex hac mixtura efficere velimus, neceſſum eſt, ut duntaxat *Eſſentias rectificatiſſimo vini ſpiritu ex Theriacâ* ſeparatim, deinde etiam ex *radicibus Helenii, Angelicæ*, & *baccis Iuniperi* junctim conficiamus, de quibus *eſſentiis* poſtea ſuperiori *Balſamo ſulphuris* tantum addatur, quantum ille diſſolvere aut amplecti poteſt; tùm fiat digeſtio & colatura: *Oleum ſuccini* autem ab odoris vehementia liberari nequit, niſi vires ejus, in *volatili ſale* conſiſtentes, ſimul aboleantur.

ELIXIR PESTILENT. ALIUD.

℞. *Spiritûs Iuniperi opt. rectif. libram unam,*
In quo ſuffocentur immergendo
Corda viva & jecinora Viperarum vel Serpentum Germanicorum in locis ſanis degentium numero xv:
adde
Croci Auſtriaci unciam ſemis,
Myrrhæ drachmas ſex.

Fiatque digeſtio per unum aut alterum diem, & poſtea colatura, in qua diſſolve
Camphor. drachmas tres; &
Balſami ſulphuris cum oleo Iuniperi & Succini optimè rectificatis facti, quantum capere poteſt:
vel ſi lubet, hujus loco
Salis urinæ volatilis drachmas duas, vel drachmas tres.

Tùm demum paratum *Elixir peſtilentiale* præſtantiſſimum optimè reſerva.

ELIXIR PROPRIETATIS

EXAMINATUR.

PRo *Elixiris Proprietatis Paracelſi* dexteriori præparatione notandum, quod plus *ſpiritûs vini*, quàm ad levem madefactionem *ſpecierum* ſufficiat, affundi neceſſum ſit, ne *ſpiritus ſulphuris*, præſertim ſi probè dephlegmatus fuerit, ſpecies nimiùm comburat: Alteram illam infuſionem *argillâ* benè commiſtam, & in globulos redactam, per retortam deſtillare, neque neceſſarium, neque etiam conſultum eſſe arbitror: Præterquam enim, quod *Eſſentia* ex ſupradictis ſpeciebus extracta, ſi per retortam ex arena igne forti deſtilletur, ingratum empyreuma contrahat, inſuper etiam commiſtione illâ insignem virium patitur jacturam: Nam *ſpiritus ſulphuris argillam* aggreditur, eamque corrodit, & dum in ipſam agit, agendo repatitur, plurimumque infringitur, ac aliam naturam induit, imò in totum aliud ens transmutatur, ut adeò ſimplicem & antiquam illam hujus *Elixiris* præparationem, quæ fit per ſufficientem *ſpecierum extractionem ſpiritu vini* & *ſulphuris*, & per aliqualem *ſpiritûs vini* abſtractionem, artificioſæ huic tantoperè commendatæ, aſt planè ineptæ & cachino dignæ correctioni, in multis præferre neceſſe habeam; tùm quod in ea vires ingredientium nullatenus deſtruantur, (prout in deſtillatione etiam reliquæ ſpecies comburuntur, & ſalvis viribus per alembicum non tranſeunt,) tùm etiam, quod nullum ingratum taliter paratum, præ ſe ferat odorem.

ESSENTIA UTERINA, Sive ELIXIR UTERINUM LIQUIDUM.

Elixir uterinum Crollii præſtabit ceu nimis ſpiſſum, & ad uſus internos non admodum habile (ni priùs aliis liquoribus diſſolvatur,) in *Eſſentiam liquidam* redigere, ita enim & commodiùs propinatur, & virtutes *Caſtorei* omnes integræ conſervantur: Paretur igitur hoc modo:

℞. *Caſtorei libram ſemis,*
Croci Auſtriaci uncias duas,
Spiritûs Vini opt. & rectificat. libras duas.

Stent in digeſtione in vitro benè clauſo die unâ vel alterâ; poſtea in M. B. deſtillando evocetur *Spiritus* totus, cui ſtatim jungantur
Ol. ſtillat. Aniſi,
Angelicæ,
Succini ana drachma duæ:

Quo facto, mixtura ſeorſim ſervetur. Deinde ex *reſiduo Caſtorei* & *Croco*, fiat modo ſolito *ſpiritu vini*, repetitis affuſionibus & abſtractione in M. B. *Extractum craſſum*, quod de novo prius *unciis ſex* vel *ſeptem ſpiritûs vini rectificatiſſimi* (vel illius, qui in abſtractione *Extracti* primò prodiit,) unà cum *unciis quatuor Extracti Artemiſiæ* nonnihil dilutum, *ſuperiori ſpiritui oleis permixto* addatur, ſimiliter *ſalis matris Perlarum uncia una*, in ultimo à *Caſtorei extracto* abſtracti *ſpiritûs phlegmatici ſ. q.* priùs diſſoluta, addi debet. Quæ omnia artificiosè juncta, ſeptimanam unam vel alteram in tepore digerantur, tandem colata & filtrata *Eſſentia* uſui aſſervetur.

ESSENTIÆ.

ESSENTIA AMBRÆ MINDERERI.

℞. Elixir vitæ Matthioli uncias duas,
Aquæ Epilepticæ Langii unciam unam,
Ambræ ſcrupulum unum,
Moſchi Orientalis grana quatuor.
Fiat infuſio per aliquot dies, deinde filtretur.

Præſtans hoc & illuſtre remedium, animum & ſpiritus animales reficit; in omnibus organis facultatis animalis, ita ut & in vertigine ſcotomiâ, caligine oculorum, capitis frigidis affectibus excellentiſſimum ſit.

ESSEN-

ESSENTIA CASTOREI SENNERTI.

℞. Caſtorei libram unam: Seca id in minutiſſimas particulas; affunde acetum vini deſtillatum forte, & extrahe tincturam; per chartam filtra, & acetum per balneum deſtillando ſepara. Materiæ reſtanti ſpiritum vini rectificatum affunde, & per quatuordecim dies digere; poſtea in vitrum purum eſſentiam effunde, & ſerva.

ESSENTIA CITRI.

℞. Elæoſacchari Citri uncias duas ſemis,
Succi oleoſi ex recentibus Corticibus Citri exterioribus expreſſi, quantum ſufficit, ut fiat Eſſentia liquida.
Miſce ſecundum artem.

Delicata admodum & praſtans eſt hac Eſſentia ad cordis & ventriculi imbecillitatem juvandam; venenis etiam adverſatur, oris halitum commendat vino permixta, illud ſuaviſſimo ſuo odore & ſapore magnificè commendat.

ESSENTIÆ CROCI MARTIS CROLLII.

℞. Scoriam ferri cœruleam, tere in pulverem minutum, pone in vitro; affunde acetum vini deſtillatum acerrimum; ſtet in calore mediocri per quatuordecim dies, & tingetur colore rubro: filtra & abſtrahe in balneo, remanet materia rubra, à qua ter vel quater aqua pluvialis abſtrahitur, ut ſapor aceti evaneſcat.

Conducit in ſiſtendis fluxionibus, intempeſtivis menſtruis; in dyſenteriis, diarrhœis hæmorrhagiis ſalubre.

ESSENTIA MARTIS LIQUIDA.

Ferrum limatum candefac igne valido, aut in crucibulo, aut ollâ, excandeſcens limatum ferrum extingue in ſufficienti quantitate aceti acerrimi; reiteretur labor prædictus ter aut quinquies ſemper cum extinctione ferri in aceto: deinde acetum (Eſſentiâ Martis prægnans,) filtra per chartam, & impone cucurbitæ, abſtrahe acetum in balneo, ad latitudinem trium digitorum, remanentiis verò affunde ſpiritum vini in quantitate ſufficiente pro extrahenda Eſſentia Martis; iterum ſpiritum vini tinctum filtra. & in balneo abſtrahe, uſque ad ſyrupi liquidioris conſiſtentiam.

ESSENTIA SACCHARINA

BEGUINI.

℞. Sacchari albi groſsè tuſi uncias quatuor,
Spiritûs vini rectificati uncias octo.

Spiritum vini ſuccende in ſcutella figulina vitreata. in quam ſaccharum injice, continuè ſpatulâ agitando, donec flamma ceſſet. Adde, ſi placet, aquæ roſaceæ uncias duas.

Miſce.

Est ſuavisſimi ſaporis, corroborat, & tuſsi à materia lenta & craſſa laborantibus, certo experimento opitulatur; aſthmati, raucedini, & pectoris affectibus medetur. Incidit enim iſtam materiam, abſumit eam, lenit pectus, catarrhos nonnihil ſiſtit, & ventriculi concoctionem promovet.

ANIMADVERSIONES

In Eſſentias.

ESSENTIA AMBRÆ MINDERERI Ventilatur.

IN præparatione *Eſſentia Ambræ Mindereri* hoc difficultatis occurrit, quod neque *Elixir vitæ Matthioli*, utpotè quod jam ante plurimis *ſpeciebus oleaginoſis* & *ſacchare* ſufficienter imbutum eſt, multò minùs *aqua epileptica Langii*, eſſentiam ex *Ambra* & *Moſcho* rectè elicere valeant, licet aliquali odore & ſapore *Ambræ* & *Moſchi* imbuantur, potioribus tamen eorundem partibus & virtutibus relictis; adeòque neceſsè eſt, ſi veram prædictarum rerum odoriferarum *Eſſentiam* exoptas, ut aliâ ratione rem aggrediaris.

ESSENTIA AMBRÆ LIQUIDA.

℞. *Spiritûs Liliorum convallium, vel Roſarum, vel etiam Ceraſorum nigrorum rectif. uncias tres.*

Indantur retortæ vitreæ, vel cucurbitæ parvæ cum ſuo capitello munitæ, cujus roſtro inſerantur nodulo incluſa,

Ambra gryſ. ſcrupulus unus,
Moſchi Orient. gr. v, plus minusvè.

Fiatque, probè circumlitis juncturis & recipiente præpoſito *ſpiritus* deſtillatio vel abſtractio, qui in tranſitu vires *Ambræ* & *Moſchi* eliciet; hic *ſpiritus ambratus* poſtea cum *Elæoſaccharis* vel *Cinamomi*, vel *Citri* aut *Macis* edulcorari & aſſervari poteſt.

ESSENTIA AMBRÆ SICCA.

SI quiſpiam etiam *Eſſentiam Ambræ ſiccam* deſideret, quæ & commodius circumferri poſſit, & meo judicio præcedentem viribus ſuperet, licet *Ambra in ſubſtantia* ipſi commiſceatur, confici illa poteſt modo ſequenti:

℞. *Ambra gryſ. drachmam unam.* Diſſolvatur in
Olei deſtillat. Cinamomi; vel ſi lubet,
Olei Citri aut Macis, &c. drachmâ unâ,
in mortario vitreo; cui adde
Sacchari candi pulveriſ. uncias duas, plus minusvé.

Miſceantur benè, fiatque *Eſſentia ambrata nobiliſſima*, quæ vino & quibuſcunque liquoribus diſſolvi & commiſceri poteſt, delicatulis viribusque exhauſtis ægrotantibus ſummoperè inſerviens.

ESSENTIA CASTOREI SENNERTI EMENDATA.

IN confectione *Eſſentiæ Caſtorei Sennerti* ne odorem Caſtorei, ingratum licet, ad effectus uterinos tamen ſummè efficacem, in prima abſtractione *aceti*, *eſſentiâ Caſtorei impregnati* (ſi prima extractio neceſſariò *aceto* fieri debet,) eamus perditum, ſubjungam modum, quò *Eſſentia hac* juxta modum præſcriptum quidem elaborari poſſit, nil quicquam tamen de *Caſtoreo* pereat. Itaque

℞. *Caſtorei optimi & recentis qu. pl. verb. gr. libram ſemis,*
Spiritûs vini rectiſicati libras duas.

Fiat infuſio *Caſtoreo* conciſo, & poſt digeſtionem aliquot dierum *ſpiritûs vini affuſi* abſtractio per M. B. ad ſiccitatem *Caſtorei* priſtinam, *ſpiritus abſtractus* interim reſervetur: *Reſiduo Caſtoreo* affundatur *acetum deſtillatum*, & eo, repetitâ affuſione extrahatur *tinctura caſtorei* tota, quodque denuò ad *extracti* ſpiſſitudinem per M. B. abſtrahatur: Relictum *Extractum caſtorei* de novo profundatur cum ſuperiori, ab eo ante ipſius extractionem *abſtracto vini ſpiritu*; digerantur aliquot dies, filtretur poſtea *Eſſentia*, uſuique aſſervetur.

ESSENTIA CITRI LIQUIDA ET SUBACIDA.

ESſentia Citri ad normam propoſitam parata, ſuas meretur laudes; efficacior autem exiſteret, ſi eidem de *ſucco Citri acido* ſimul nonnihil adjungeretur; hoc modo enim & delicatiſſima evadit, & ad cordis imbecillitatem ac ventriculum roborandum præſtantiſſima; ſcilicet,

℞. *Sacchari candi albiſſimi pulveriſati libram unam,*

Succi oleoſi ex recentibus Citri corticibus expreſſi, unciam unam, vel unciam unam ſemis.
Olei Citri recenter deſtill. drachmam unam ſemis.

Miſceantur, & agitentur diu, ut probè uniantur, quibus addatur
Succi Citri depurati, & ad tertias (id eſt, ſi ejus libra una & dimidia fuerit, dimidia ſaltem libra remaneat,) in M. B. abſtracti, libram ſemis.

Miſce leniſſimo calore, fiatque Eſſentia Syrupi ad inſtar ſubacida & delicatiſſima.

ESSENTIA CITRI SICCA.

Si ſicca, & non liquida nec acida expetatur, fiat modo ſequenti;
℞. *Sacchari albi vel candi pulveriſati libram unam:*

Et ſupra ignem in patella cum *ſucco ex Citri corticibus extimis expreſſo*, nonnihil diſſolvatur, ac ſi rotulæ confici deberent; cui demum refrigerato & exſiccato *ſaccharo*, adde
Ol. Citri ex recent. Citri cort. deſtill. ℨ iij, vel ℥ ß.
Fiat Eſſentia.

ESSENTIÆ CROCI MARTIS EXAMINATUR.

Eſſentias *Croci Martis* quod ſpectat, inter illas *Eſſentia Martis* dicta *Crollii*, (ſi tamen hæc *Eſſentia* dicenda eſt,) non differt à *Chalybe* cum *aceto* præparato, de quo in *Claſſe præcedenti ſimplicium præparationum* ſufficienter egimus.

Alteram Eſſentiam liquidam quod concernit, quam *Tincturam* communiter vocant, & illa nil artificioſi aut virtuoſi continet; omnes enim tales *Metallorum extractiones* acidis & corroſivis liquoribus factæ, propriè *extractiones* non ſunt, ſed ſimplices duntaxat *ſolutiones*, pro diverſitate affuſi menſtrui hâc vel illâ *tincturâ* imbutæ, quæ tamen *tinctura* tantùm abeſt, ut ſit vera *Metalli eſſentia*, quin utplurimùm ejus *Vitriolum*, ſive *Metallum ſolutum*, fucato colore tinctum; ſicuti videre eſt in *Vitriolo communi viridi*, quod parùm calcinatum & in rubedinem converſum, cum *aceto* in liquorem rubrum diſſolvi poteſt, & iterum in *Vitriolum viride* cryſtallizari. Neque etiam *Eſſentia* vel *Tinctura* ſimiles ſuum colorem retinent, prout in hac præſcripta *Martis eſſentia* (vel ſolutione potiùs,) experiundi habemus exemplum, ubi Acetum, etiam ſi Ferrum candefactum, in ipſo non extinguatur, ſed duntaxat *limatura* vel *ſcoriæ Martis* cum ejus ſ. q. ſuperfuſæ aliquandiu digerantur, rubicundo colore ſaturatè tingitur: Si quis autem illud ad tertias vel ad dimidias abſtrahat & inſpiſſet, in ipſa abſtractione colore privari, & rubedinem exuere videbit, *Ferro ſoluto* inſtar *Croci flavi* ...rente fun-

dum, quod *ſpiritus vini* nullo modo ſolvit vel extrahit; & licet etiam ille rubedinem exiguam exinde eliceret, tamen in abſtractione ipſius, quæ fieri debet ad Syrupi liquidioris conſiſtentiam, illa denuò evaneſceret, fundumque peteret *Ferrum:* Sunt igitur omnes hæ *Eſſentiæ* & *Tinctura Martiales* cum *liquoribus acidis confectæ*, nihil aliud, quàm *Ferrum ſolutum*, vel in *Vitriolum* redactum: Quod ipſum *Vitriolum Martis* ritè præparatum, haud indignè prædictarum *Eſſentiarum* vices ſupplere poſſet. Equidem tales *ſolutiones* quodammodo in effectu inter ſe differunt, non tamen hoc fit ob ſingularem aut artificioſam earundem elaborationem, ſed propter *menſtruum affuſum*, cujus ratione magis vel minùs efficaces, magiſque aut minùs reſolventes aut adſtringentes evadunt, nec non volatiliores aliæ, aliæ fixiores, v gr. ſi vel *ſpiritu Vitrioli* vel *ſpiritu Nitri* extrahatur aut ſolvatur *Ferrum*, magna in hiſce ſolutionibus apparebit differentia, quippe ex illa (quæ ſcilicet cum *ſpiritu Vitrioli* fit,) copioſum, ex hac verò (quæ cum *ſpiritu Nitri* peragitur, ſolutione, nullum ferè acquires *Vitriolum*, erit nihilominùs præſtans medicamentum, tùm intra corpus, tùm externè adhibitum.

ESSENTIA MARTIS VERA
QUALITER PARANDA.

PAratur alioquin *Tinctura Martis pulcherrima* ex ſolo *Vitriolo ipſius non calcinato* (ut ſæpius in præſentiâ Clariſſ. & Excellentiſſ. Viri D. *Henrici Kueſteri* Med. Doct. Celeberrimi, qui mihi hiſce *Animadverſionibus* expoliendis, fideliter ſuam operam impertitus eſt. perfeci;) beneficio *Salis cujuſdam ſecretioris*, cujus plenariam confectionem lubens hîc addidiſſem, niſi illam unà cum *Salis* dicti præparatione ſecreta & vera aliquandiu adhuc mihi reſervare firmiter decreviſſem; ſufficiat hîc aperuiſſe, quæ qualeſque aut quanti æſtimandæ ſint *Tinctura illa* vel *ſolutiones*, quæ vulgò pro *Eſſentia Martis* venditantur, ex qua noſtra de iis traditâ informatione probè intellectâ, quilibet de ſimilibus *Tincturis*, quæ affatim apud Authores inveniuntur, facilè judicium ferre, ſibique ex ipſis eligere poterit, quas maximè in rem ſuam eſſe arbitrabitur.

ESSENTIA SACCHARINA
BEGUINI examinatur.

ESſentia ſaccharina Beguini, ut ridicula eſt ejus præparatio, ita quoque nimis abuſivè eſſentiæ nomine venit: Quæ enim hæc erit *Sacchari eſſentia?* Quandoquidem, ſi *ſpiritus vini dephlegmatus* & *rectificatus ſaccharo affuſus* ſuccendatur, conceptâ flammâ totus deflagret, remanente *ſaccharo* nihil immutato: ſi autem aquoſus idem *ſp*[illegible] ... [illegible]t, & pluri *phlegmati* permixtus, tunc quidem ceſſante

flam-

flammâ nonnihil de *phlegmate vini* cum *ſaccharo* relinquitur, an autem *phlegma vini ſaccharum* in eſſentiam commutare poſſit, id ſanè mihi non fit veriſimile; Eſt igitur hæc *eſſentia ſaccharina* nihil aliud, quàm *ſolutio ſacchari* cum *phlegmate vini* & *aqua roſarum* peracta, quæ longè efficacior evaderet, ſi *ſaccharum* duntaxat in *ſpiritu vini* & *aqua roſarum* ſolveretur, ita tamen, ne is in ſcutella, uti jubent, ſuccendatur vel conflagret, ſed integer cum *ſaccharo* remaneat.

ESSENTIA SACCHARINA ALIA.

SI quis verò paulò magis artificioſam *Tincturam ſacchari* conficere velit, is aliquandiu *Saccharum aceto deſtillato q. ſ.* nonnihil diſſolvat, digerat, donec rubicundiſſimo colore tingatur, iterumque cum eo ferè exſiccet lento igne, quod deinde *ſaccharum ſpiritu vini rectificato* extrahat, donec *Tinctura* omnis elicita ſit, tum denique *ſpiritum vini* deſtillando ad *ſyrupi conſiſtentiam* evocet, ferveтque *Tincturam* vel *Syrupum*, in catarrhoſis affectibus *tuſſi* & ſimilibus efficaciſſimum, qui etiam cordialibus commixtus, (qualem deſcribit *Martinus Schmuckius* inter ſua *ſecreta Chymica num.* 30. *fol.* 31.) cor & ventriculum egregiè roborat & confortat.

TINCTURÆ.

TINCTVRA CORALLIORVM.

℞. Coralliorum rubicundiſſimorum,
Salis Nitri purificati ana libram ſemis.

In marmore ſimul trita miſceantur, & calcinentur per horas ſex, igne ita moderato, ut non liqueſcat nitrum. Nitrum poſtea ſepara à pulvere Coralliorum per aquam calidam, ex pulvere Coralliorum ſiccato, extrahe tincturam toties, cum ſpiritu vini rectificatiſſimo, donec nullus ampliùs color transfundi poſſit; ultimò ſuperfluo ſpiritu per deſtillationem ad medietatem evocato, tincturam aliquandiu circulatam uſui reſerva.

MVndificat & renovat pleniſſimè ſanguinem in toto corpore, obſtructiones viſcerum reſerat; in leucophlegmatia, cordis palpitatione, ſyncope, melancholia, hydrope, podagra, calculo, utero repurgando & vaſis urinariis proficuum medicamentum.

ALIA.

℞. Spiritum Mellis verum, funde ſuper fragmenta Corallorum rubicundiſſima per ſe priùs Spagyricè, & ſine igne calcinata, ad extrahendum Tincturam, donec corpus album & quaſi

mortuum remanſerit. Omnes extractiones mixtas, poſt debitam ablutionem & coagulationem in B. M. lentè abſtrahe, & reſiduam eſſentiam denuò rectificatiſſimo vini ſpiritu extrahe, uſque dum Tincturam rubicundiſſimam ſanguinis inſtar acceperis, quam in forma olei, alcohole ſaltem ad medietatem abſtracto, ad uſum retinere poteris.

TINCTVRA HYPERICI.

℞. Summitatum Hyperici florentis pulveriſatarum quantum vis. Macera octiduum in ſpiritûs vini rectificati ſufficienti quantitate, ſtent in loco tepido, poſtea filtrentur, & accipies Tincturam rubicundiſſimam inſtar Rubini Saccharo edulcorandam, & ad uſus ſuos aſſervandam.

IN contumacibus affectibus valdè utilis; imbecillitatem, hebetudinem, ſtupiditatem torporemque mentis, quantum per artem licet, corrigit & emendat, omneſque imaginationum affectus feliciter tollit: Morbis etiam renum & veſicæ prodeſt, urinam provocat, & menſtrua pellit.

ANIMADVERSIONES In Tincturas.

TINCTVRÆ CORALLORVM.

NUllus ferè qui vel à limine ſaltem Chymiam ſalutavit, eſt, qui non de ſingulari aliqua *Coralliorum Tinctura* præparatione glorietur, & inſigniter ſe jactet: ſi autem paulò penitiùs omnes illos proceſſus *dictæ Tincturæ* præparandæ perluſtro, invenio iſtos nullam planè prærogativam habere præ *Martis* (de qua paulò ante egimus,) aut aliorum *metallorum Tincturis* aut *eſſentiis vulgò dictis.* Nimirum meræ *ſolutiones Coralliorum* ſunt, non extractiones, facili negotio per præcipitationem beneficio *Salium* vel *ſpirituum mineralium acidorum* in pulverem album, quem *Magiſterium* vocant, vel per abſtractionem menſtrui, deſtillando vel evaporando, in *pulverem ſalinum* ſimiliter album, & in quovis liquore (exceptis *ſpiritibus ardentibus*,) reſolubilem, quem *Salem* vel *Solutionem Coralliorum* nuncupant; redigibiles. Conſiſtit autem ſola differentia *illarum Tincturarum* in diverſitate *menſtruorum* vel *liquorum*, quibus *Corallia* extrahuntur vel ſolvuntur; & prout *menſtruum aſſuſum* variat, ita etiam magis minuſvè efficaces ſunt putatitiæ illæ *Coralliorum Tincturæ*. Itaque ſi medicamina ſalubriora ex *Coralliis* conficere animus eſt, non tam ad rubedinem vel tincturam, utpotè quæ in illis valdè volatilis, inconſtans & fraudulenta eſt, & ſæpenumero ex ſola digeſtione affuſi liquoris oritur, aut prior & propria

vel nativa annihilatur, reſpiciendum eſt, quàm ad *menſtrua ſolventia*, quippe quæ per ſe efficacia pro conditione morbi & ægroti eligi & adhiberi debent. Quorum præcipua ſunt *ſpiritus Veneris*, peculiari artificio ex *Venere eſſentificata* deſtillatus & rectificatus, cujus ſolutio longè diverſa eſt ab aliis *corroſivis aquis* aut *ſpiritibus*, qui ſolvendo in quid alienum à ſua natura transmutantur; quod in hoc *laudabili ſpiritu* non evenit, ſed integris viribus à re ſoluta abſtrahi, & ad alios conſimiles uſus adaptari poteſt. Item, *ſpiritus* ex *Tartaro, Nitro, & Antimonio*, ſive *aqua Stimmi Tartarea Schröderi:* Nec non *menſtruum*, quod plures in ſecretis habent ex *Vitriolo* & *Tartaro* paratum, & ſimilia alia, quorum non pauca collegit Clariſſimus *Schröderus lib. 3. Pharm. Med. Chym. cap. 6. pag. 337. & ſequ.* In defectu autem ſimilium ſolutionum, cum *enumeratis menſtruis* confectarum conſultum eſſet, ut vel *Coralliis ipſis* ſuper Porphyrite ſubtiliſſimè tritis aut lævigatis, vel *ſolutione* eorundem cum *aceto* vel *ſucco Berberum* paratâ contenti eſſemus, nec tàm ingentibus torturis, tamque faſtidioſis laboribus, maximè verò tot variis violentisque calcinationibus, ceu quibus ea deſtruimus potiùs, quàm ut boni tantillum ex ipſis eliciamus, pro *Tinctura* (quæ tamen vera & genuina in hunc uſque diem à me nec dum viſa eſt, ut omnia examina ſuſtineat;) extorquendâ, *Corallia* ſubjiceremus.

TINCTURA HYPERICI.

Tinctura Hyperici paratu facilis eſt, cui adhuc majoris efficaciæ conciliandæ ergò de *Extracto Hyperici* ſeparatim facto, nonnihil addi poſſet, prout in *ſimilium eſſentiarum* præparationibus jam antè ſæpius innuimus.

OLEA DESTILLATA.

OLEUM ABSINTHII.

℞. Summitatum Abſinthii ad maturitatem ſeminis accedentium quantum vis. Macerentur aquâ fontanâ ſalsâ per dies quatuordecim, vel ſine maceratione, additâ Salis ſufficiente quantitate; deſtillentur per veſicam, & exibit aqua cum Oleo, ſeparetur Oleum per filtrum, aut chartam bibulam.

Uſus hujus Olei idem eſt cum vegetabili ſuo, ſive ſimplici, ex quo extractum eſt: ſicut etiam ſubſequentia naturam æmulantur eorum, è quibus profecta ſunt, vires tamen longè potentiores, & in minima quantitate exerunt.

Hac ratione parantur
Oleum Menthæ,

Oleum Rutæ,
Salviæ.

OLEUM ANGELICÆ.

℞. Seminis Angelicæ contuſi libram unam,
Aquæ fontanæ libras decem.

Stent in digeſtione per novem dies, adde manipulum Salis, vel Tartari, deſtilla per veſicam, & oleum ſeparetur ab aqua.

Eodem modo fiunt
Oleum Aniſi,
Carui,
Coriandri,
Cumini,
Fœniculi.

OLEUM ARANTIORUM.

℞. Pomorum Arantiorum copiam.

Separentur cortices uſque ad album ſubtiliter, incidantur & deſtillentur per veſicam, affuſâ aquæ Roſarum & Bugloſſæ ſufficienti quantitate.

Ita etiam fit
Oleum Citri.

OLEUM CARYOPHYLLORVM.

℞. Caryophyllorum libram unam.

Contunde in pulverem groſſo modo: ponantur in vaſe figulino, addendo Salis unciam unam; affunde aquam tepidam, ſtent in infuſione per dies quinque, imponantur in veſicam & deſtillentur, ſeparetur oleum modo ſolito.

Modum conficiendi eundem habent
Oleum Cinamomi,
Macis,
Nucis Moſchatæ,
Piperis,
Zedoariæ.

OLEUM CHAMOMILLÆ
EX FLORIBUS.

℞. Flor. Chamomillæ Romanæ ſiccos, contunde & impone in vas fictile, addito Sale; ſuperinfunde aquam calidam, ſtent per quatuordecim dies, deſtillatis per veſicam abſtrahatur oleum.

Ita etiam parantur
Olea Flor. Lavendulæ,

Olei

Olea Flor. Roſarum,
Spicæ.

OLEUM JUNIPERI EX BACCIS.

℞. Baccarum Juniperi quantum lubet.
Contundantur, immittantur in ollam affuſâ aquâ calidâ, in fermentatione ſtent, poſtea deſtillentur, aqua ab oleo ſeparetur.

OLEUM CAMPHORÆ SENNERTI.

℞. Camphoræ uncias duas,
Argillæ manipulum unum.
Miſceantur diligentiſſimè, & ex maſſa illa formentur globuli ſiccati in Sole, indantur cucurbitæ, & deſtillentur; aſcendit primò phlegma, ſecundò aqua, tertiò oleum, quod cum ſpiritu vini rectificandum eſt.

OLEUM CERÆ.

℞. Ceræ elegantis libram unam.
Oſſium calcinatorum libras duas.
Miſce: & deſtilla per retortam vel cucurbitam mediocrem, & exibit oleum, quod bis tervé eſt rectificandum.

OLEUM GALBANI SENNERTI.

℞. Gummi Galbani ſelecti libram unam,
Silicum calcinatorum libram unam ſemis,
Salis communis uncias ſex.
Deſtillentur in arena per retortam vitream, deſtillabit liquor albus cum oleo flavo, quo facto, recipiens mutetur, & aucto igne exibit oleum rubrum, quod rectificandum, & exibit oleum flavum.
Hoc modo fiunt
Oleum Benzoi,
Myrrhæ,
Maſtiches,
Succini.

OLEUM ANTIMONII EJUSDEM.

℞. Antimonii libram ſemis,
Sacchari Candi uncias ſex.
Pulveriſata miſceantur, & deſtillentur in arena,

OLEUM PHILOSOPHORUM, Sive De Lateribus Mesue.

℞. Laterem aut tegulam ruſam antiquiſſimam, ex ruſo luto ductam, eam conſtringe in fruſta mediocria, & in prunis urito, donec tota excanduerit. Deinde è prunis exempta fragmenta reſtinguito oleo claro veteri, ac dimittito quouſque ſe oleo impleverint. Poſtea oleo exempta, in tenuiſſimum pulverem contundito, atque in retortam aut cucurbitam vitream indito, & ſecundum artem luto chymico juncturas vitrorum claudito, ac ſubtus accenſis prunis oleum elicito, & proleſtum reponito.

Eſſentia tenuitate in altum penetrat, digerit, materiam omnem excrementoſam conſumit. Aurium tinnitui a flatu craſſo, iisque vermenantibus medetur; paralyſi, ſpaſmo cynico iſchiadi, gonagra, podagra, cæteriſque articulorum affectibus prodeſt; potum aut inunctum, ſplenis tumores ſolvit; comitiales naribus inunctum ſubitò excitat, cerebrum calefacit, memoriam firmat, dentium dolorem ſedat, injectum utero menſes provocat, fœtum vivum aut mortuum educit, ora venarum aperit, & ſanguinem concretum diſſolvit, pulmones purgat ab humoribus craſſis & viſcidis, oculorum ſuffuſiones delet, vermes interficit, venenis inſuper frigidis potenter reſiſtit, ſcorpionis morſum & noxas ab Opio aut Hyoſcyamo propellit, calculum veſica pellit, & mirificè commendatur ruptis è doloribus partus.

OLEUM SALIS COMPOSITUM HARTMANNI.

℞. Salis communis,
Nitri præparati ana partes æquales.

Commiſceantur luto figulino, formentur orbiculi, qui ſiccati per retortam deſtillentur igne fortiſſimo: Liquoris deſtillati libram unam cum unciis quatuor ſalis permiſce, & per retortam deſtilla, & rectifica.

OLEUM SATURNI.

Salem Saturni cryſtallinum tere, vaſi vitreo longi colli impone, affunde ſpiritum Terebinthinæ, in cineribus calidis digere, tincturam extrahe, ut è floribus ſulphuris fieri ſolet: ſolvetur Sal in liquorem rubentiſſimum rubini inſtar; mox retortæ impoſita, deſtilla inſtar aquæ ſtygiæ; primò lento igne, quoad ſpiritus Terebinthinæ exierit; deinde mutato recipiente auge ignem in horas, quoad totum oleum exierit.

Habebis Oleum, quod viribus naturale Balſamum excedit; malignis ulceribus, cancro, polypo, noli me tangere, egregiè ſola inunctione medetur. Hoc item Oleum in pulverem & lapidem congulari poteſt.

OLEUM TARTARI SENNERTI.

℞. Salis Tartari præparati quantum vis.

Abſtrahe aliquoties acetum deſtillatum, novum ſemper recipiendo, donec de ſua acredine nihil poſt ſe relinquat ampliùs: deinde ſolve hoc Sal aliquoties in ſpiritu vini optimè rectificato, atque ipſum toties ab illo Sale abſtrahe, donec maſſa alba relinquatur: hæc in loco frigido ponenda, ut ſolvatur in liquorem rubeum, quod duorum vel trium dierum ſpacio fiet.

OLEUM TEREBINTHINÆ.

℞. Terebinthinæ pellucidæ, quantum volueris.

Deſtilletur lento igne, habebis primò oleum, ad quod ſequitur flavum, & ultimò rubrum, quod fortiori igne erit extrahendum: hæc olea ſeparata reſerva, rubrum eſt balſamum, quod in arena poteſt rectificari.

OLEUM VITRIOLI RUBRUM.

℞. Vitrioli ad rubedinem calcinati libras tres.

Terantur in pulverem tenuiſſimum, cum ſpiritu vini aſpergantur, & per retortam vitream fortiter deſtillentur, poſtea rectificentur & reſerventur.

ANIMADVERSIONES
In Olea deſtillata.

OLEORUM ESSENTIALIUM
DESTILLANDI MODI.

Modus deſtillandi *Olea eſſentialia odorifera* per veſicam vel alembicum additâ aquâ, omnibus Pharmacopœis jam innoteſcit, ut non opus ſit plura de iis verba facere: Hoc ſaltem obſervandum, quòd nonnulla *Olea graviora*, utpotè *Cinamomi & Caryophyllorum*, paulò intenſiorem ignis gradum poſtulent, quàm quæ ſpirituoſa & leviora ſunt, uti *Olea deſtillat. corric. Citri, Majoranæ, &c.* Cohobatio vel reiterata aquarum deſtillatio, præſertim *recentibus herbis* aut *aromatibus*, ex quibus *olea* deſtillanda, adjectis,

oleis

ciis autem prius & ſingulis vicibus ſeparatis, non parùm adjumento eſſe poteſt, ad majorem copiam *oleorum* acquirendam, quia aqua à primo, v. gr. *Cinamomo* aut aliâ redeſtillata, imbuta & imprægnata, de recenti *Cinamomo* illi adjecto, nec quicquam ampliùs continere poteſt, ſed neceſſum eſt, ut peracta deſtillatione *oleum* à *Cinamomo* fundum petat, vel ab alia re ſupernatet. Additio *Salis Tartari* vel aliarum ſimilium rerum ſupervacanea eſt, modò in regimine ignis non peccetur, quem æqualem eſſe convenit; *Alembicus* vel *veſica cuprea* non ſit nimis alta, *capitellum* ejus largum vel amplum eſto efformatum ad formam *capitelli vitrei*: *Stanno* ſint obducta ſingula, *veſica cuprea* ſcilicet, *capitellum*, & *canalis*. Eſt & alius modus *olea* ſimilia abſque affuſione *aqua* deſtillandi per retortam in M. B. vel ſegmentis ligneis collocatam, igne, quàm in tali deſtillatione fie: i poteſt, intenſiori, quem modum paucis indigitavi in *Animadverſionibus ſuper Aquas ſimplices* in fine.

OLEUM CAMPHORÆ.

OLeum *Camphora Sennerti* juxta modum præſcriptum confici nequit, & miror, quod in omnibus Tyrociniis Chymicis hujus *olei* præparatio ſimili tenore toties deſcripta reperiatur, cùm tamen commendata deſtillatio naturæ *Camphora* ex toto adverſa ſit: hinc etiam fit, ut illa integra per alembicum aut retortam tranſeat in excipulum, utplurimùm etiam retortam vaſque recipiens diffringat: Neceſſum igitur, ut aliâ viâ procedamus, & vel experientiſſimi *Glauberi* modum amplectamur, vel in cucurbitâ metallica, argentea aut ferrea, aut etiam cuprea, quæ in parte ſuperiori foramen habeat (per quod *Camphora*, dum cucurbita ſupra ignem collocata candet, injici poſſit;) cum ſuo convenienti & accommodato operculo, appoſito etiam capitello. deſtillationem inſtituamus; *Oleum* denique cum impetu prodiens, rectificari poteſt.

OLEUM CERÆ.

CEra admixtis *oſſibus calcinatis* vel *cineribus*, & ſimilibus rebus deſtillando, difficulter in *Oleum* convertitur, ſed ſaltem inſtar *Butyri craſſi* tranſit: Itaque opus eſt, ut *liquefacta prius Cera*, à *carbonibus*, *lateribus*, vel *globulis argillaceis ignitis* imbibatur, & tùm demùm deſtillationi committatur.

OLEUM SALIS COMPOSITUM HARTMANNI,

OLeum *Salis compoſitum Hartmanni*, in ſecundo Furno *Glauberi* commodè deſtillari poteſt.

OLEUM, Sive BALSAMUM SATURNI.

OLeum ſive *Balſamum Saturni*, juxta modum præſcriptum ad inſtar *Balſami ſulphuris* paratu facillimum eſt.

OLEI TEREBINTHINÆ.

IN deſtillatione *Olei Terebinthinæ* ex cucurbita obſervandum, quòd ubi *Oleum album* ſive *ſpiritus ejus* per alembicum prolectus eſt, qui leni igne & confeſtim tranſit, illicò *Terebinthinæ reſiduæ, liquidæ & calidæ adhuc exiſtenti*, ſemoto capitello, *ſabulum* vel *cineres* ſufficienter admiſceri debeant ad ſiccitatem uſque, ita namque commodè ſuccedit *Oleorum flavi* ſcilicet & *rubri* deſtillatio; ſecùs ſi deſtillatio continuatur ſine *cinerum* admixtione, *Oleum craſſiſſimum* tranſit, & quaſi *Terebinthina* ipſa. Inſuper notandum, quòd deſtillatio *ſpiritûs Terebinthinæ*, quæ cum additione *aquæ* in veſica quandoque perficitur, non uſque adeò commendabilis ac proficua ſit, cui tum etiam prædictam deſtillationem per cucurbitam meritò præfero; Etenim *aqua* non exiguam quantitatem *ſpirituum* & *virium Terebinthinæ* devorat, & arctè ſecum retinet, undè poſtea *ſpiritus* in quantitate & qualitate diminuuntur.

OLEI VITRIOLI RUBRI
Vera deſtillatio.

OLei *Vitrioli rubri* legitimi parandi modum, deſcribit ſolertiſſimus *Glauberus Tract. 2. Furni philoſophici fol.* 164.

BALSAMA EX OLEIS
Deſtillatis ſimplicia.

BALSAMUM ANGELICÆ SENNERTI.

℞. Extracti Angelicæ unciam unam,
Mannæ ſelectæ drachmas duas.
Miſce ſuper igne lento; adde
Olei Angelicæ drachmam unam ſemis.
Fiat Balſamum.

BALSAMUM CARYOPHYLLOR.

℞. Olei Caryophyllor. drachmam unam.

Tha-

Tincturæ eorum ſcrupulum ſemis,
Salis Caryophyllor. grana ſex,
Ceræ præparatæ quantum ſatis; Fiat Balſamum.

Idem modus eſt parandi ſequ. Balſama; utpote,

Arantiorum,
Cinamomi,
Citri,
Fœniculi,
Lavendulæ,
Macis,
Majoranæ,
Menthæ,
Nucis Moſchatæ,
Roriſmarini,
Roſarum,
Rutæ,
Succini,
Zedoariæ.

BALSAMA COMPOSITA.

BALSAMVM APOPLECTICVM.

℞. Olei Nuciſtæ drachmam unam,
Liliorum convallium guttas ſex,
Succini albi guttas quatuor,
Zibethi optimi ſcrupulum ſemis,
Moſchi Orientalis grana ſex,
Ambræ gryſeæ grana novem,
Granor. Styracis ſelect. grana viginti.
Contuſis benè omnibus & commiſtis, fiat Balſamum.

BALSAMVM BENZOINVM FRAGRANTISSIMUM TENZELII.

℞. Styracis Calam. ſelectæ uncias quatuor,
Benzoi, ſeu Aſæ dulcis uncias duas.

Tritis ſuperfunde ſpiritum vini rectificatum ad quatuor vel ſex digitorum eminentiam. Macera in balneo per aliquot dies, poſtea cola; & ſepara ſubtile à ſpiſſo. De colatura ſpiritum per balneum deſtillando abſtrahe, uſque dum reſiduum oleiforme appareat.

Aſthmaticis, catarrhoſis & lienoſis utiliter exhibetur, urinamque promovet.

BALSAMVM CORDIALE
SENNERTI.

℞. Olei Citri,
Caryophyllorum,
Cinamomi,
Roriſmarini ana ſcrupulum ſemis,
Ambræ,
Moſchi ana grana ſex,
Extracti Croci grana ſeptem,
Confectionis Alkermes ſcrupulum ſemis,
Olei Nucis Moſchatæ expreſſi quantum ſatis.
Fiat Balſamum.

BALSAMVM GALBANETVM
UTERINUM EJUSDEM.

℞. Galbani libram ſemis,
Olei Terebinthinæ claræ libras tres.

Digerantur in cucurbita vitrea lento calore per quatuordecim dies, poſtea deſtillentur, adde olei Lavendulæ unciam unam.

Iterum deſtillentur, prodibit Balſamum; quod ſi cum ſpiritu vini circulaveris, penetrantiſſimum efficietur.

BALSAMVM LOIMICVM
HENISIANUM.

℞. Oleor. Camphoræ,
Succini,
Citri debito ſuo modo præpar. ana partes æquales.

Stent ſimul mixta in vitro optimè munito in leniſſimo balnei calore, donec perfectiſſimè inter ſe unita ſint, & oleum aurei coloris evadat.

HOc Balſamum in variis Germaniæ & Italiæ locis, graſſantibus atrociſſima peſtis contagiis feliciſſimè uſurpatum, & triennali experientiâ comprobatum, Author bono publico conſecrare hic voluit, cujus virtutes in ejuſdem hiſtoria expeditionis Italico Loimica fuſius explicantur.

BALSAMVM SVLPHVRIS ANISATUM MYNSICHTI.

℞. Olei Aniſi uncias ſex,
Florum Sulphuris unciam unam.

Digerantur & circulentur, donec oleum Aniſi tincturam ſulphuris perfectiſſimè extraxerit, & habebis per inclinationem oleum rubicundiſſimum, filtra & uſui reſerva.

Paratur & Balſamum ſulphuris cum ſpiritu Terebinthinæ eodem modo, quo ſupetius.

ANIMADVERSIONES
In Balſama ſimplicia & compoſita.

Pro dextra *Balſamorum* confectione priùs diſtinguere oportet *Balſama*, quæ interno, quævé externo uſui inſervire debeant; Etenim hâc ratione plurimùm variat ipſorum conficiendi modus.

BALSAMVM ANGELICÆ.

Balſamum *Angelicæ* uſui interno duntaxat deſtinatum erit, illud ipſum juxta modum præſcriptum, cum *Manna* & *Extracto proprio* paratum commendo: Si verò externæ inunctioni deſervire debeat, (in quem uſum talia *Balſama* utplurimùm parantur,) præſcripta ejus præparatio non benè convenit, cùm propter tenacitatem admixti *Extracti*, tùm etiam quòd idem *Extractum* omni ſua ſpirituoſitate ſpoliatum ſit, ut adeò inutiliter ſaltem addatur.

De aliis *Balſamis conſimilibus* eadem ratio eſt; proinde ſi hoc *Balſamo* pro externa inunctione uti libet, præſtat illud ex ſolo *Nucistæ oleo*, ſecundâ vice vel ultimò expreſſo, (quod albicantis eſt coloris) & odore ſuo per extractionem cum *ſpiritu vini*, & edulcorationem cum *aqua roſarum* privato, additâ *Olei Angelicæ deſtillat. ſ. q.* confeciſſe: Similiter & reliqua *Balſama* omnia, quæ externè inungenda ſunt, ad hunc modum parari poſſunt. Si quis etiam eadem *Balſama* internè uſurpare vellet, poſſet ipſis taliter præparatis *Extractis proprii* portiunculam addere, ſed tùm *nativus* aut *proprius Balſamorum color* deſtruitur: Nam ferè cuncta *Extracta* nigra ſunt, aut ſpadicei coloris, ob id etiam *Balſama*, quibus adduntur, nigredine aliquali imbuunt; Aſt uſu jam receptum eſt, unumquodque *Balſamum* cum nativo aut proprio ſuo colore conficere, utpotè *Roſarum*, rubro vel ſanguineo; *Rutæ*, viridi; *Succini*, albicante; *Citri*, flaveſcente, &c. quod ipſum tamen non adeò facilè eſt, nec fieri poteſt, niſi additis *ipſarum herbarum* aut *florum*, quorum *Balſama* expetuntur, *Magiſteriis*, quæ tali modo paranda ſunt.

MAGISTERIA VEGETABILIUM.

℞. *Herbæ Rutæ*, vel *Florum Roſarum rubrarum*, nativis ſuis colori-

loribus ditiſſim, quantum libuerit; coquantur in aqua, addendo *olei Tartari q. ſ. Decocto* colato, infunde *ſolutionem Aluminis*, & præcipitabitur materia pultis inſtar; *viridis*, ſi ex herbis viridibus; *rubra*, ſi ex *roſis rubris*, & ſimilibus floribus; quo facto, ſupernatans aquoſitas per filtrum ſeparetur, & remanenti materiæ in filtro toties *aqua ſ.* affundatur vel *propria*, donec omnem ſaporem & ſalſedinem ab *oleo Tartari* & *Alumine* contractam depoſuerit: Hoc in filtro reſtante *Magiſterio*, ad craſſam pultis formam leniter (non tamen omnimodè,) exſiccato, *corpus Balſamorum*, *oleum* ſcilicet *Nuciſtæ expreſſum*, & uti ſuperiùs dixi, præparatum, tingi poteſt, quod demùm vel in aëre iterùm exſiccetur, vel ſtatim addito *oleo deſtillato*, in *Balſamum* redigatur.

Notandum autem hîc, quòd ſi *Magiſteria illa* totaliter exſiccarentur, nullatenus *corpus Balſamorum* colore ſuo proprio imbuerent, itaque humida nonnihil intermiſcenda ſunt.

CORPORA BALSAMORUM

QUAE?

SUnt qui *Ceram*, vel etiam *ſevum ex omentis agnorum*, pro *corpore Balſamorum* recipiunt: Verum quocunque modo etiam lota aut præparata fuerit *Cera*, planè inutiliter & perversè pro *corpore Balſamorum* adaptatur; ſimiliter etiam *ſevum agninum*, *&c.* brevi enim ranceſcunt taliter parata *Balſama*, & tractu temporis exiguo, inſtar *emplaſtri* tenaciſſima fiunt: E contrà verò, noſtro jam indigitato modo, confecta *Balſama* ad decennium & diutiùs perdurare poſſunt, niſi quod diuturnitate temporis duriuſcula evadant, quibus tamen pauculis duntaxat guttulis *olei proprii deſtillati* additis, priſtina forma debitaque *Balſamorum conſiſtentia* facillimè reſtitui poteſt. Ex hiſce jam liquet, qualiter *Balſama* omnia dextrè conficienda ſint, cùm quæ ad externos, tùm etiam internos deſtinentur uſus.

BALSAMI APOPLECTICI

Cenſura.

PRogrediamur jam ulteriùs ad *Balſamum Apoplecticum*, cui minùs commodè *grana Styracis* adduntur, & his longè convenientiùs *Oleum Styracis deſtillatum fragrantiſſimum* ſubſtituitur. *Ambra*, cuicunque *Balſamo* ſeparatim priùs in *Oleis convenientibus* diſſoluta admiſceri debet. Plura alia ſimilia efficaciora *Balſama Apoplectica* reperiuntur apud *Mynſichtium*, *Crollium*, & alios.

BALSAMI BENZOINI TENZELII CENSURA.

EX ſpeciebus pro *Balſamo Benzoino Tenzelii* deputatis, ſi juxta præſcriptum modum ſtrictè inſtituatur præparatio, non *Balſamum*, ſed *Reſinam* conficies, prout in præparatione *Theriacæ* jam ante edocui, quæ ipſa niſi cum aliis rebus commiſceatur aut diſſolvatur, intrà corpus ſumi nequit: Eſt enim inſtar *Terebinthinæ*, propterea neceſſum eſt, ut vel dicta *reſina* totaliter exſiccetur, quò in pulverem redigi queat, qui poſtea *Syrupo* commiſtus aſſumatur, vel ante abſtractionem *ſpiritûs vini*, extracta Eſſentia in uſum trahatur, aut denique ex *reſina* jam confecta liquida, *vitello ovi & liquoribus appropriatis* additis, miſtura lactea conficiatur, uti *Lac terebinthinæ*, quæ ſic datâ occaſione propinari poſſet.

BALSAMUM CORDIALE SENNERTI Ventilatur.

BAlſamum *Cordiale Sennerti* juxta præſcriptum modum, additis *Olei Nucis Moſchatæ expreſſi drachmis tribus* vel *quatuor*, facilè paratu eſt: quod ipſum licet eximiis virtutibus non deſtituatur; attamen *ſuccos acidos* vel *aceta aromatica* internè & externè uſurpata, longè citiùs cordi robur addere, & languidum corpus validiùs, quàm hoc & ſimilia delicatiſſima & precioſiſſima *Balſama* refocillare & erigere poſſe, experientia frequens nos edocuit.

BALSAM. GALBANET. UTERIN.

BAlſamum *Galbanetum uterinum* ejuſdem ad modum *Olei terebinthinæ* in alembico vel cucurbita vitrea deſtillari poteſt, adjectis cineribus, poſtquam *ſpirituoſum oleum*, quod leni calore inter initia exſtillat, prolectum ſit; *Oleum Lavendulæ* unà cum reliquis committatur, & ubi per digeſtionem probè invicem unita fuerint, cuncta ſimul deſtillentur: *Olea illa* in deſtillatione ſigillatim prodeuntia, uti in deſtillatione *Terebinthinæ* ſeorſim colligi & deinceps vel uniri, aut ſingula ſeparatim aſſervari poſſunt; Inter quæ primum ſatis ſpirituoſum erit, nullâ propterea ulteriori circulatione cum *ſpiritu vini* tantoperè indigens.

BALSAMVM LOIMICVM ET SULPHURIS.

BAlſamum *Loimicum*, quod *Oleum compoſitum* potiùs, quàm *Balſamum* appellandum eſſet, & *Balſamum ſulphuris*, conficiantur juxta modos præſcriptos.

Vel, ſi lubet, paretur Balſamum Sulphuris modo ſequenti:

℞. *Sulphuris commun. pulveriſati,*
Salis Tartariani uncias tres.

Miſce, & ſupra ignem leniſſimum in vaſe plano terreo fiat hepar ſive maſſa hepatis inſtar, quæ in pulverem iterum redacta, immittatur Alembico vitreo parvo, cui ſuperaffundatur *Oleum Iuniperi deſtillatum* ad eminentiam quatuor vel quinque digitorum, ſtent in calore leniſſimo, donec rubicundiſſimo colore imbuatur, quod effundendum, filtrandum, uſuique aſſervandum.

Hoc *Balſamum* inſignes habet virtutes, eſtque vulgari præſtantius, nec graveolens, ſed boni odoris; poteſt necnon cum *ſpiritu terebinthinæ* loco *olei Iuniperi* parari.

FECULÆ.

FECULA RADICIS ARONIS.

℞. Raſuræ radicis Aronis, quantum vis: Minutim inciſam & contuſam ſacco lineo inditam ſub prelo extrahas, & quàm fortiſſimè ſuccum exprimas, quem in loco frigido detineas, & videbis fæces albiſſimas inſtar Amyli in fundo colligi, quibus aqua turbida ſupernatat, quam per inclinationem ſepares. Amylum verò in fundo reſidens exſiccetur in umbra, & paucis horis materia in forma Amyli exſiccata, erit Fecula Aronis.

AD humores tartareos, gummoſos ac tenaciſſimos diſſolvendos, duritiem & obſtructiones viſcerum progenerantes, feliciter adhibetur.

Ita etiam habet præparatio
Feculæ Bryoniæ,
Iridis.

GERSA, Seu CERUSSA SERPENTARIAE.

EX radicibus Serpentariæ majoris ab extimo cortice nigro mundatis, ac in lapidea pila tuſis, ſuccus exprimitur, qui in vitreo catino probè tectus, ad Solem ſiccetur, donec Ceruſſæ ſimilis evaſerit.

ANIMADVERSIONES In Feculas.

DE *Feculis*, *Gerſis*, ſeu *Ceruſſis*, non eſt, quod multus ſim, quippe quæ nihil aliud ſunt, quàm pulveres ſubtiles farinacei, *ſucco*

ſuo nativo orbati, conſequenter etiam omnis virtutis & efficaciæ expertes, quibus ego proindè *radicum ipſarum ſiccatarum*, ceu *ſucco ſuo nativo* (inſpiſſato quidem vel concreto,) adhuc gaudentium, pulverem longè præferendum eſſe autumo.

MAGISTERIA.

MAGISTERIUM ALUMINIS.

℞. Aluminis puriſſimi & pellucidi quantum vis.

Compone aptè in veſicam bubulam, aut ſuillam, & ſic in aquam fervidam immerge, donec Alumen contentum liqueſcat, inque liquorem penitùs convertatur. Liquor filtro depuratus deſtillatur per Alembicum, cucurbitâ brevi in cineribus poſitâ, ad ſiccitatem uſque materiæ, ſeu remanentiam capitis mortui. Quod ipſum denuò prædicto modo in liquorem ſolvitur, deſtillaturque, idque eò uſque repetendo, donec tota Aluminis ſubſtantia ſaltem rejectis inquinamentis, Alembicum tranſcenderit.

Stypticum præclarum in immodicis hæmorrhagiis, ipsâ ferri eſſentiâ, ſperniolâ, aut quicquid hoc in genere præclari nominis eſt, non inferius!

MAGISTERIUM CORALLIORUM.

℞. Coralliorum quantitatem ſufficientem,
Aceti vini optimè deſtillati ad ſufficientem ſupereminentiam.

Stent per noctem in calore, ut fiat ſolutio, decanta, & filtra per chartam. Mox reliquis adde aliud acetum ad ſolvendum, eò uſque illud repetendo, donec penitùs quod reliquum eſt, non niſi fæcibus remanentibus, ſolvatur: Colaturæ inſtilla Oleum Tartari, ut pulvis dejiciatur. Hunc ſeorſim poſitum, elue aquâ fontanâ aliquoties, poſtmodum exicca, & ad uſum ſerva. Quod ſi ſolutionem abſque præcipitatione ad ſiccitatem evaporare animus ſit, poſt aliquot ablutiones & reiteratas coagulationes, eadem in cella ſupra marmor menſibus Junio, Julio, & Auguſto poſita, in liquorem reſolvetur, quem addito ſpiritu roſarum optimo aliquandiu circulare, & ad uſus neceſſarios reſervare poteris.

Eadem ratione & modo fiunt ac parari ſolent Magiſteria & Solutiones

Granati,
Hyacinthi,
Margaritarum,
Matris Perlarum,

Oculorum Cancri,
Smaragdi.

MAGISTERIUM CORNU CERVI.

℞. Limaturæ Cornu Cervini ex apicibus juſto tempore cæſi uncias ſex.

Irroretur cum ſpiritu Nitri, poſtmodum ſuperfunde acetum vini optimè deſtillatum; ſtent per aliquot dies in digeſtione, deinde filtrentur per chartam emporeticam, immitte Oleum Tartari, & præcipitabitur pulvis ad fundum, quem frequentioribus ablutionibus edulcora, & ad uſum reſerva.

Ita etiam fiunt Magiſteria,
Ungulæ Alcis,
Cranii humani,
Lapidis Lazuli.

MAGISTERIUM JALAPPÆ.

℞. Rad. Jalappæ ſelectæ uncias octo.

Pulveriſentur groſſo modo, ſuperfunde ſpiritum vini optimè rectificatum, ut tres vel quatuor digitos ſupereemineat. Stent in infuſione in loco calido per aliquot dies, poſtea cola cum forti expreſſione; filtrato liquori ſuperfunde aquæ fontanæ, aut roſarum aliquid, ſicque præcipitabitur pulvis, ſeu reſinoſa ſubſtantia Jalappæ ad fundum, adhuc ſemel abluenda, demùm exſiccanda, terenda, & ad uſum ſervanda.

Seroſos bilioſosque humores commodè evacuat, delicatulis & cætera pharmaca averſantibus maximè accommodum.

Eodem modo paratur Magiſterium Scammonii, ſeu Pulvis Syrius dictus.

MAGISTERIUM SULPHURIS, Seu LAC Ejuſdem.

℞. Flor. Sulphuris unciam unam,
Salis Tartari uncias tres.

Miſce; & ſuperfunde aquæ communis libras tres. Digere in arena per diem naturalem, ita ut ſub finem aqua ferè bulliat, & Sulphur penè omne ſolutum ſit: poſtea filtra calidè per chartam emporeticam, & ſuperfunde aceti deſtillati quantum ſufficit, & præcipitabitur pulvis lacteus Sulphuris paulatim ad fundum; deple humorem, & reiteratis ablutionibus materiam edulcora. Ultimò, ablue cum aqua cordiali, & exicca.

GL-

MAGISTERIUM TARTARI VITRIOLATI.

℞. Olei Tartari ex Sale reſoluti & purificati uncias quatuor, Spiritûs Vitrioli unciam unam ſemis.

Hunc guttatim ſupra Oleum Tartari in vitrum capax inſtilla. Fiet coagulum albiſſimum, humiditas ſupernatans evocetur lento calore ad ſiccitatem Salis.

Generale ferè digeſtivum ad omnes obſtructiones ſolvendas; in calculo, nephritide, ictero, menſium retentionibus, febribus, hydrope, ſplenis duritie multo cum fructu exhibetur.

ANIMADVERSIONES In Magiſteria.

ALVMINIS MAGISTERIUM.

Aluminis Magiſterium longè citiùs & minori cum labore per retortam vitream, quàm per Alembicum, ob ejus altitudinem, deſtillando parari poteſt, nec opus eſt in *veſica bubula ſordida & fœtida* utplurimùm *Alumen* liquefacere, quin commodius *aqua ſimplicis* tantum affundi poteſt, quantum pro diſſolutione ejus in calore ſufficiat; ſolius enim humiditatis per veſicam attractæ beneficio ſolvitur *Alumen*, non verò propter hunc ſingularem modum: *aqua ſuperflua* ultimò, cùm *totum Alumen* ferè repetitâ affuſione *aqua* & deſtillatione per Alembicum tranſcenderit, in M. B. leniter abſtrahatur, inque cucurbita oblongâ & altâ.

MAGISTERIORVM VULGARIUM CENSURA.

Cæterùm quantis torturis, ſolutionibus ſcilicet, præcipitationibus, calcinationibus, coagulationibus & deſtillationibus *Corallia* & *Perla*, nec non *reliqua Gemma* ſubjiciantur, & quàm *varia menſtrua* pro ipſorum diſſolutionibus inventa ſint, abundè videre eſt apud Clariſſimum *Schröderum libr. 3. cap. 6.* aſt quàm perperam potiſſimæ ſuperiùs enumeratæ operationes ſuſcipiantur, illi ſoli patet, qui eas accuratè perpendit, maximè verò, qui ipſemet aliquoties illas tentavit. Si ſaltem *vulgaria Magiſteria officinalia* (de quibus nobis propriè nunc ſermo eſt,) ex. gr. *Coralliorum* & *Perlarum*, &c. examinemus, hæc ſanè quocunque etiam *acido menſtruo* ſolvantur, & contrario eidem liquore præcipitentur, nihil aliud ſunt, quàm *Perla* & *Corallia* in ſubtiles atomos & calces ferè inſolubiles & inutiles converſa, quibus non exigua portio

menſtruorum ſolventium & *liquorum præcipitantium* tenaciter adhæret, ita ut difficulter impoſterum *iiſdem aquis corroſivis* ſolvi poſſint, ob adjunctam terram à contrarietate *aquarum*, aut *ſpirituum*, vel *ſalium* exortam, de eorum viribus autem non minimum menſtruis poſt præcipitationem ſeparatis relinquitur. Quod autem à menſtruis ſolventibus & liquoribus præcipitantibus rebus ſolutis & præcipitatis nonnihil adhæreat, hujus experiundi evidens exemplum præbent *Magiſteria vegetabilium*, quæ beneficio *aquæ Aluminis* & *olei Tartari* conficiuntur. Non ſemel enim hoc, ſed pluries in præparatione *Laccæ Florentinæ* ex *granis Kermes* ipſus expertus ſum, ubi ferè duplo plus *Laccæ Florentinæ* acquiſivi, quàm fuêre *grana* ante præparationem, nullo penitùs addito corpore heterogeneo vel homogeneo. Hinc fit, ut *præcipitati hi pulveres* ad inſtar calcis, ſint etiam *corroſivis aquis* ægrè diſſolubiles, ut hâc ratione permotus *ipſa Corallia cruda, Perlas*, & ſimilia tritâ duntaxat & in ſubtiliſſimum pulverem redacta, majoris æſtimem, quàm *præcipitata* eorum *Magiſteria*, utut levia hæc ſint & aſpectu pulcherrima, ſplendida etiam argenti ad inſtar, prout ipſe ſæpiùs illa paravi.

Quod verò *Magiſteria* præfato modo parata, ſolutu difficilia ſint, & inſtar *calcis* ſe habeant mortuæ, manifeſtè demonſtrat inter cætera etiam *Magiſterium Cornu Cervi*, hoc ipſum, cùm ex *Cornu Cervino crudo raſpato* confectum ſit, ejus qualitates meritò aliqualiter ſaltem æmulari deberet, in *odore* nimirum exhalante, ſi deſtilletur, aut Vulcano tradatur, vel in *viſcoſitate*, ſi coquatur: Aſt nihil horum, ſi violento igni committatur, neque de *ſpiritu* vel *Sale volatili* quicquam ex eo elicitur, ſed fixum uti *Cornu Cervi uſtum* (licet fortiter etiam calcinatum,) remanet, nec ſi coquitur, *mucilaginem* vel *gelatinam* præbet, nec cum *aquis fortibus*, utpotè *Spirit. Nitri, &c.* ſi cum ipſis ejus ſolutio tentetur, denuò diſſolvitur. Quibus probis ceu invictis rationibus ſuffultus aſſero, *Cornu Cervi Magiſterium* ab *uſto Cornu*, & huic ſimilia *Magiſteria* ex *oſſibus* & *cornibus* confecta, ab ejuſmodi *calcinatis, viribuſque exutis oſſibus* & *cornibus* parùm diſcrepare: Hinc & reliqua *Magiſteria* ex *Coralliis, Perlis* & *conſimilibus gemmis* parvipendo, imò penitùs rejicio.

Solutiones verò, quæ abſque præcipitatione & per ſolam abſtractionem *menſtrui ſolventis* fiunt, in ſuo precio relinquo, quibuſcunque etiam *menſtruis* conficiantur, licet unum alteri in bonitate (uti in *Animadverſionibus Tincturæ Corall.* innui,) præferendum: Earum autem *ablutiones* & *edulcorationes*, quas omnia Tyrocinia Chymica tàm ſtudioſè præcipiunt, ſupervacaneæ ſunt, ſi ſolutio *aceto deſtillato*, vel *Spiritu Nitri*, aut *Vitrioli Philoſophico* peracta ſit, cùm nullo modo *aciditas* aut *vis corroſiva menſtrui ſolventis*, (quæ jam tùm in aliud ens commutata eſt,) elui, aut ſolutiones edulcorari poſſint, etiamſi vel centies hæc operatio iteretur. Nam *aciditas* ſive *ſal cor-*

roſivum menſtrui (ſi ita appellare licet,) nexu indiſſolubili rei ſolutæ copulatum eſt, eique tam firmiter cohæret, ut nec extremâ Vulcani violentiâ, ſive per deſtillationem, ſive aliâ quâvis torturâ ab ipſis divelli queat, itaque ſemel aut bis ad ſummum *ſolutiones* aut *ſales* (uti appellare mavis,) ejuſmodi diſſolvendo & filtrando ab adhærentibus impuritatibus liberâſſe ſuffecerit, quæ tandem *ſpiritu quodam ardenti* aliquandiu circulari, & tandem deſtillando vel abſtrahendo, ab eodem liberari poſſunt.

MENSTRVVM SECRETVM PRO PERLIS, CORALLIIS, &c.

Quod ſi verò ſecretum aliquod pro his *ſolutionibus* & *Magiſteriis* conficiendis, *menſtruum* exoptas, quod, ſolutis illo *Perlis*, *Coralliis*, *Oculis Cancrorum*, *&c.* per abſtractionem totaliter ſeparari, & ad alios conſimiles uſus, hocque ſæpiùs accommodari queat, abluas *Venerem* ab impuritatibus *ſucco quodam vegetabili*, & *Bacche* inebries, dabitque tibi deſtillando *ſpiritum* miris virtutibus præditum, tùm ad medicinam, tùm multas alias operationes aptiſſimum.

MAGISTERII GIALAPPÆ.

Magiſterii ſeu *Reſinæ Gialappæ* præparatio, cùm manca ſit, veriorem hîc ſubjiciam; utpotè

℞. *Gialappæ craſſiuſculè contuſæ libram unam,*
cui affundantur
Spiritûs vini rectificati libræ tres.

Stent in digeſtione calore leni uno vel altero die, *ſpiritus vini tinctus* per filtrum ſeparetur, aliuſque reaffundatur, qui labor tamdiu continuetur, quoad *ſpiritus vini* non ampliùs coloretur: *Tinctos ſpiritus omnes conjunctos* & *filtratos*, in cucurbita vitrea ad remanentiam pauci liquoris (*libræ unius* circiter,) abſtrahe, & affuſo *aqua frigida* tantillo *reſiduo liquori* (niſi jam tum *Reſina* fundum cucurbitæ petierit, aut reſiduo liquori innatet,) *præcipitatam reſinoſam ſubſtantiam* ab aquoſitate ſepara, ablue & exſicca, exſiccatam denique in pulverem redige. Tali modo *parata Reſina* ſplendidior evadit & purior, nec tam graveolens, uti alioquin eſſe ſolet, quando *ſpiritus vini* non fuit abſtractus, quæ graveolentia etiam nullo modo per ablutiones, quàm ſæpiſſimè etiam fiant, tolli poteſt.

RESINA SCAMMONII.

Eodem modò *Reſina Scammonii*, *Turbith*, aliarumque rerum reſinoſarum parari queunt: Ex *reſiduo liquore*, mediante abſtractione ſuperfluæ humiditatis, conficiatur *Extractum* juſtæ conſiſtentiæ

ſiſtentiæ. Cæterùm quæ circa diſſolutionem *reſinarum* aut eorum ex-hibitionem notatu & obſervatione digna ſunt, ex *Animadverſionibus noſtris antecedentibus ſuper Extracta* nonnulla, quorum compoſitionem res reſinoſæ ingrediuntur, luculenter patebunt.

MAGISTERIUM, Sive LAC SULPHURIS rejicitur.

M*Agiſterium Sulphuris*, ut ab aliorum *Magiſteriorum* præparationibus parùm aut nihil differt; ita nullam præ iis ſingularem meretur laudem. Igitur *flores Sulphuris* aut ipſum crudum Sulphur in virtutibus ipſi longè præfero.

MAGISTERIUM TARTARI.

M*Agiſterium Tartari Vitriolati* ex *Sale Tartari reſoluto*, id eſt, *oleo Tartari* per *deliquium facto*, vel etiam & commodiùs ex *ſicco Sale* parati, & ſi lubet, cryſtallizari poteſt; certum tamen *liquoris* vel *olei Tartari*, & *ſpiritus Vitrioli* pondus determinari nequit, ob *ſpiritum Vitrioli*, qui magis vel minus purus vel aquoſus eſſe poteſt: Diſcrepat & *oleum Tartari* in tenuitate, *ſal* item in ſiccitate, quæ cuncta pondus cùm *ſpiritus Vitrioli*, tùm *olei Tartari* maximè variare poſſunt: ſufficiet autem tamdiu *ſpiritum Vitrioli* dicto *oleo Tartari* vel *Sali* inſtillare, donec omnis ceſſet contrarietas.

Nolo hîc etiam ſilentio præterire inconſideratam quorundam aſſertionem, qui poſt peractam & ſufficientem *ſpiritus Vitrioli* in *oleum Tartari* inſtillationem, à *reſidente* & *præcipitato pulvere albo*, *ſupernatantem liquorem* ceu *inutilem* ſeparare, & qui ex *eodem ſcilicet liquore*, per abſtractionem aut evaporationem humiditatis paratur, *Tartarum Vitriolatum*, ceu nauſeoſum vomitumque concitantem, abjicere jubent. Falſa enim hæc eſt, & nata è re malè intellectâ aſſertio, quandoquidem *verus Tartarus Vitriolatus* in liquore quovis ſolubilis (qualem ipſum neceſſariò eſſe oportet, ſi quid boni præſtare debet,) in *ſupernatante humiditate* delitéſcit, & ex eo ceſſante contrarietate ſive ebullitione vel ſtrepitu per inſpiſſationem, uti dictum, vel exhalationem *humiditatis* colligitur, qui verò præcipitatur *pulvis albus* ad inſtar *Magiſterii*, (ſi ex *oleo* vel *liquore Tartari calcinati*, non *Sale ejus ſicco* conficiatur,) tantùm abeſt, ut ſit veræ & optimæ notæ *Tartarus Vitriolatus*, quin potiùs ſe habeat inſtar *calcis fixæ inſipidæ* & *inutilis*, qui neque in liquore potulento reſolubilis eſt, ſed ita immutatus perſiſtit, non ſecus ut ex *Vegetabilibus* nonnullis beneficio *Olei Tartari* & *Alumine* confecta *Magiſteria*, de quibus paulò antè egimus. Cùm autem *liquor* peractâ ſufficienti inſtillatione *ſpiritus Vitrioli*, ſubſidenti *Magiſterio* vel *Calci* potiùs *inutili* ſupernatans, nihil aliud ſit, quàm optimus &

veter Tartarus vitriolatus reſolutus, & nondum coagulatus, quæ eſſet dementia eundem abjicere, aut ceu damnoſum deteſtari? & ſanè, ſi qua ex uſu *Tartari vitriolati* dira quandoquidem ſuborirentur ſymptomata, utpotè *vomitus enormes*, *cardialgia*, & neſcio quæ mala alia, culpa ob id non ſtatim in *Tartarum vitriolatum* derivanda eſſet, ſcilicet quà talem, ſive quatenus ex *liquore* ſupradicto conſtat, ſed quatenus, uti communiter fit, ex *Sale Tartari*, quod è *Tartaro impuro*, plurimisque rebus fæculentis heterogeneis, & neſcio queis ſordibus ſpurciſſimis permixto, per calcinationem parato, confectus fuit. Ut itaque hæc mala evitarentur, ſummè neceſſarium eſſet; (quod jam toties inculcavimus,) *Tartarum* ſemel in aqua, mediante coctura diſſolvere, & per filtrationem aut colaturam, ab inhærentibus ſordibus liberare, iterumque in cryſtallos redigere, atque hunc demùm ita aliquatenus *purificatum Tartarum* ad medicamenta uſui interno deſtinata ſeligere. Quod ſi fieret, non eſſet, cur nobis à præfatis malis imposterùm metueremus, modò etiam in utendi modo & doſi, aliisque requiſitis neceſſariis non delinqueretur.

SALIA.

SAL ABSINTHII.

℞. Abſinthii ſicci quantum vis.

Uratur in cineres albos, ſal extrahe cum aqua ejuſdem herbæ ſtillatitia, vel communi calida, digerendo per noctem. Poſtea aquam per inclinationem & filtrationem effunde, cavendo ne fæces turbentur: aliam uſque tertiò affunde, digerendo ut ſupra; tandem omnes aquas filtra & coagula, ſæpiùs id repetendo, donec coagulum evadat albiſſimum. Hoc rurſus diſſolve, filtra, & ad pelliculam evapora, frigido expone, & collige cryſtallos.

Uſus hujus Salis, uti & reliquorum ad aperiendas obſtructiones, humores craſſos attenuandos, viſcidos incidendos, putredinem expugnandam multùm commendatur: hinc medicamentis attenuantibus, diureticis & diaphoreticis magna cum utilitate admiſcetur.

Eodem modo parantur & reliqua Salia ſequentia; utpotè,

Sal Angelicæ,
Artemiſiæ,
Bardanæ,
Betonicæ,
Calendulæ,
Cardui Benedicti,
Centaurii minoris,

Sal Cynosbati,
Ebuli,
Eupatorii Avicennæ,
Eupatorii Meſue,
Euphraſiæ,
Fraxini,
Fumariæ,
Geniſtæ,
Gentianæ,
Guaiaci ex ligno,
Hyperici,
Juniperi,
Meliſſæ,
Pimpinellæ,
Reſtæ bovis,
Rutæ,
Saxifragiæ,
Scolopendrii,
Scordii,
Tamariſci,
Valerianæ,
Veronicæ,
Vincetoxici,
Zinziberis.

SAL CORALLIORUM.

℞. Corallia poſt extractionem tincturæ reſidua, quod Caput mortuum dicitur; calcina illud cum ſulphure aliquoties, donec ſcilicet in cineres planè vertatur. Ex his cineribus ſuperfuſâ aquâ urticæ minoris deſtillatâ, Sal extrahe: poſt hebdomadalem in balneo digeſtionem à fæcibus, per filtrum ſepara, & uſque ad cuticulam evapora; pone in frigido loco, & concreſcit eleganter.

SAL PRUNELLÆ, Seu NITRUM DEPURATUM.

℞. Salis Petræ quantum placet. Solve in aqua communi, & per chartam emporeticam trajice, quò à ſordibus omnibus expurgetur, deinde vaſe vitreato decoque, & crebro deſpuma coagula poſtmodum in frigido. Exiccatum tere, & ſartagini impone, ut intra prunas accenſas liqueſieri poſſit. Liquati Nitri libræ injice florum ſulphuris unciam unam, non ſemel unâ vice, ſed pluribus, donec omnis pinguedo ſulphurea de-

flagrârit. Tandem Sal Nitri probè eliquatum, & purum, in vas ferreum vel æneam pelvim priùs probè excalefactam, effundatur, ut frigore concreſcat.

ALii & fortè majori cum commodo, ſolummodò Nitrum depuratiſſimum reddunt, reiteratis multis ſolutionibus, filtrationibus, & coagulationibus.

SAL, Sive SACCHARUM SATURNI.

℞. Cinerem Plumbi, aperto igne ſine alio adjecto præparatum; ex illo ſalem cum aceto deſtillato extrahe, quem poſtea aquâ pluviali ſolvendo, filtrando, & leniſſimè in balneo evaporando, ſepties edulcora.

E*Xtrinſecus uſurpatum, mira præſtat in ulceribus cancroſis, malignis, corroſivis, & ſimilibus; contra ambuſta, inflammationes, puſtulas faciei rubras, utiliſſimum eſſe judicatur.*

SAL TARTARI.

Sternitur Tartarum in vaſe terreo non vitreato plani fundi ad craſſitudinem digiti: Reverberatur poſtea ad albedinem uſque, ſpacio quinque vel ſex horarum, igne ita moderato, propter fuſionem, ut vas ſaltem candeat: Tum perfunditur aquâ communi, filtratur & coagulatur. Ex hoc Sale per deliquium ſoluto, fit Oleum Tartari per deliquium vocatum, ad Medicos uſus rarò expetitum, Hermeticis verò operationibus frequenter inſerviens.

SAL VITRIOLI VOMITORIUM ANGELI SALAE.

℞. Vitrioli Ungarici cœrulei & optimi quantum vis; calcinetur in crucibulo ad ignem rotæ, donec in pulverem bruneum, ſeu obſcurè purpureum abeat. Huic Vitriolo prædicto modo calcinato, & in vaſe vitreo poſito, ſuperfundatur aquæ communis bona quantitas, ſenſim & ſenſim agitando, ne in fundo conglomeretur, donec aqua affuſa refrixerit. Stent ita viginti quatuor horis, poſtea trajiciantur per chartam emporeticam, in patinam latam vitreatam, & fiat exhalatio ſuper ignem lentum, donec Sal in fundo reperiatur ſiccum, & coloris quodammodo incarnati, qui pulveriſando in albedinem convertitur.

A*D purgandum ſuperfluitates per vomitum circa præcordia hærentes, corruptosque humores ipſis ventriculi tunicis impactos educendos egregiè valet.*

SPIRITVS VITRIOLI Coagulatus.

℞. Salis Abſinthii cryſtallini, & ſummè depurati, ſufficientem quantitatem; huic affunde Spiritûs Vitrioli tantum, ut cum eo ſecundum artem coagulari & uniri poſſit, cum exſuperantia tamen Spiritûs Vitrioli, coagulatum juſto modo, in vaſe vitreo conſerva ad uſum.

SUnt & quædam Salia compoſita noſtris in uſu, ut Sal theriacale juxta *Quercetani* deſcriptionem in Pharmacopœia reſtituta, pag. 530. & Sal ex remanentiis aquæ theriacalis Bezoardicæ noſtri Diſpenſatorii præparatum.

ANIMADVERSIONES IN SALIA.

QUamvis *Salium vegetabilium* præparatio res ſit communiſſima & maximè vulgaris, novi tamen nonnullos, qui etiamſi Chymicos ſe profeſſi ſint, nihilominùs ne rectam quidem & competentem *calcinationem herbarum* pro *ſalibus* ex ipſis eliciendis inſtituere ſcivêre. Quæ ipſa *vegetabilium in cineres calcinatio* hoc peculiare habet, quod *herba*, *radices*, &c. nulli vaſi incluſæ, ſive tecto, ſive aperto, ſed in aprico comburi velint, ſimilem in modum, uti *ligna* alias ſuper focum comburuntur; ſecùs enim, ſi in olla vel in alio vaſe fiat calcinatio, non cineres, etiamſi diu crementur *herba*, ſed *carbones* pro *ſale* extrahendo inutiles acquires. Peractâ hac incineratione ſolent non pauci, ut *ſalem* acquirant *pulchriorem cryſtallinum*, nec tam facilè in frigore liquabilem, *cineres* adhuc ſemel additâ *ſulphuris æquali* vel *duplâ portione* calcinare ad conflagrationem *ſulphuris*; quam *calcinationem* cum tanta *ſulphuris* quantitate probare nullo modo poſſum, licet aſſerant, *cineres* exindè magis reſerari, quò tandem efficaciorem & copioſiorem ſalem fundant; aſt perperam: Nam dum *ſulphur* deflagrat, *ſpiritus ejus ſalem in cineribus* adhuc exiſtentem reddit vitriolatum, non aliter ac ſi *ſpiritus ſulphuris* vel *vitrioli ſali* additus eſſet, quo ipſa ſalina ſubſtantia nativa, ſive *Sal Alkali*, nec non vis & efficacia per diaphoreſin operandi deſtruitur, & *ſalia magis diuretica* evadunt deperdito *Alkali*, imò à nativa ſua (ſi quæ in *ſalibus hiſce fixis* diverſitas eſt,) proprietate & indole, in aliud eſſe peregrinum, transmutantur. Nec magis dextrè & ingenioſè, ſed æquè malè ac perversè ii laborant, qui jam *confectis ſalibus aquam fortem* jungunt, quò minus in frigore liqueſcant, & ad cryſtallinam diaphaneitatem perduci, vel in cryſtallos majuſculos redigi queant: Hoc vitium in Chymia vulgari maximè commune eſt illis, qui duntaxat ad *formam* & *pulchritudinem medicamentorum*, non verò ad eorum *genuinas virtutes* & *proprietates* (quæ contrariis rebus additis, facilè immutantur & abolentur,) unicè reſpiciunt. Sciendum

igitur,

igitur, (ut mediâ procedamus viâ,) quod plurima *ſalia*, utpotè *Abſinthii, Centaurii, &c.* ſi benè parata ſunt ex *cineribus ritè calcinatis*, non tam facilè in frigore liqueſcant, nec difficulter in cryſtallos redigantur, etiamſi *cineribus eorundem* nullum *ſulphur* addatur, ut adeò nec *ſulphure*, nec *aquâ forti* heic ſemper opus ſit: Quod ſi verò *nonnullis cineribus*, ex quibus aliàs *ſales facilè liquabiles* eliciuntur, *ſulphur* admiſcere volupe fuerit, non opus eſt *aquali*, multò minus *dupla ejus portione* reſpectu *cinerum*, ſed *aliquali ſaltem particulâ*; nimirùm *unciâ ſemis*, vel ad ſummum *drachmas ſex ſulphuris*, ad *libram unam cinerum*. Nunc ſecundâ hâc *calcinatione cinerum* ventilatâ, progredior immediatè ad *confectionem ſalium:* Coquantur igitur *cineres in ſ. q. aqua*, ſæpiùs recenti reaffuſâ, in vaſe terreo vel ferreo, donec *omnis ſalſedo* extracta ſit; *lixivium* inſpiſſetur vel evaporet ad ſiccitatem *ſalis*, qui impurus erit, lixivialem odorem, ſi ſine *ſulphure*; ſulphureum verò, ſi cùm *ſulphure cineres* calcinati fuerint, redolens; quem odorem, ut ex parte *ſali* adimamus, eundemque puriorem reddamus, (quod aliàs innumeris filtrationibus & coagulationibus fieri nequit,) neceſſum eſt, ut ipſum immiſſum crucibulo, igni fuſorio committamus, & quamprimùm fluit, effundamus, *aquâ affuſâ* iterum ſolvamus, filtremus, & vel ad ſiccitatem coagulemus, aut leniter & ſucceſſivè humiditatem abſtrahendo, in cryſtallos redigamus; Quâ ratione autem *ſalia* dextrè cryſtallizari poſſint, de hoc multa haberem, quæ in medium proferrem, ſed hæc manualibus operationibus potiùs demonſtrari, quàm verbis exprimi poſſunt: hoc ſaltem aſſero, quòd *ſalium quorumcunque, cryſtallorum Tartari*, & quarundam rerum aliarum cryſtallizatio, longè exactius in calore perficiatur, quàm in frigore: cauſa eſt, quod frigus impetu veluti liquorem cogat, ut inhærentem ſibi *ſalem* præcipitanter deponat, quæ præceps cryſtallizatio tàm exactè fieri nequit, ac ſi lentè, ſucceſſivè, & cum mora aliqua in leni ſaltem calore aut tepore fiat, hinc etiam in tectis & coopertis vaſis, majores pellucidioresque cryſtalli creſcunt, quàm in apertis.

Cæterùm operæprecium eſſet inveſtigare, quam ob rem quædam *vegetabilia* adeò exiguam ſuppeditent portionem *ſalis fixi*, utpotè *Lignum ſanctum, Helleborus, &c.* quâ de re nonnulli ita ratiocinantur, quod nimirùm talia *vegetabilia* ſint tenuium partium, & paucas obtineant partes terreſtres, plures autem volatiles & ſulphureas, propterea etiam prædicta, majorem copiam ſuppeditare *Spirituum & Oleorum*, minorem verò *Salis fixi:* Aſt rationem hanc inſufficientem eſſe, exinde patet, quod *Vegetabilia*, quæ parùm *Salis fixi* præbent, æquè uti reliqua, partes craſſiores habeant & terreſtriores, cùm eandem ſuppeditent cinerum copiam: Nec eſt, ut in ſpirituoſitatem cauſam referamus, *Vegetabilia* enim ſummè *ſpirituoſa*, magnam perſæpè quantitatem *Salium fixorum* præbent; utpotè

Abſinthium, *Lilium convallium*, & alia complura: Ego, quantum experientiâ edoctus ſum, hanc cauſam eſſe aſſero, quòd *vegetabilia* illa modicum *ſalis fixi* ſuppeditantia plure *ſale nitroſo* ſint imprægnata, quod *oleo eorum reſinoſo* firmiter adhæret; idipſum *oleum* ubi in calcinatione *vegetabilium* deflagrat, rapit unà ſecum *ſalem ſuum homogeneum nitroſum*, quo abſumpto, exiguum quid relinquitur *ſalis fixi*, non ſecus uti *nitrum ipſum*, ſi reſinâ aliquâ permixtum, ignique immediatè injectum, totaliter conſumitur: fluit autem idem diu multùmque in igne, ſi immediatè ab eo non tangatur. Pro confirmatione hujus aſſertionis, ſubſequentem pono *Salis ligni ſancti* præparationem.

SALIS LIGNI SANCTI
PRÆPARATIO.

℞. *Ligni ſancti q. ſ.*

Coquatur diu multumque, ſæpiùs recenti aquâ reaffuſâ, donec omnis eſſentia, quantum fieri poteſt, extracta ſit, & aqua ultimò affuſa, nullum amplius ſaporem referat; *ſolutiones* vel *aqua decocta* inſpiſſentur ad ſiccitatem, *Extractum ſiccum ſpiſſumque* immittatur crucibulo, ignique tradatur, ſic inter initia ſtrepitum edet inſtar *nitri* prunis injecti, poſtea fluet inſtar *ſalis*, tùm effundatur, & ulteriùs, prout ſuperiùs edocui, per crebras ſolutiones, filtrationes, & coagulationes, ad puritatem reducatur. Et hæc quoad *Salia fixa ex vegetabilibus*.

SAL CORALLIORUM.

SAl *Coralliorum*, quod ex calcinatis cum *ſulphure coralliis* elicitur, ſe habet in modum ſolutionis eorundem, cum aliquo ſpirituum corroſivorum confectæ: Nam *ſpiritus ſulphuris*, dum *ſulphur* in calcinatione deflagrat, ſolvit & rodit *corallia*, ut poſtmodum affuſâ aquâ, *ſal ipſorum* extrahi queat. De cæteris autem *Coralliorum* violentis calcinationibus non aliter ſentio, quàm quod meræ deſtructoriæ ſint eorum *eſſentiæ* & *virtutum*. Inſuper ſatis mirari nequeo, quod etiam inter Viros doctos, qui apicem Chymiæ digito tetigiſſe ſibi imaginantur, reperiantur, qui aſſerere auſint, *Corallia*, mediante violentâ calcinatione ſpatio aliquot dierum eò reduci poſſe, ut prius in albedinem, poſtea in flavedinem, tandem in rubedinem convertantur, ex quibus tandem *tincturam* eorum elicere in facili ſit: Quæ ſpecioſa verba & aurea promiſſa, me & alios plures illexere in diſpendium, nec parùm defraudârunt; quippe qui nihil hac violentâ & diuturnâ calcinatione ex *Coralliis* adeptus ſum, præter calcem vivam acerrimam, vix ullo ſigno ab alia calce vivâ diſcrepantem.

SAL PRUNELLÆ.

S*Al Prunellæ*, quod *nitrum* eſt *clarificatum*, diverſimodò parari poteſt, vel per injectionem ſulphuris, dum in igne & crucibulo fluit, vel per reiteratas ſolutiones, filtrationes, & cryſtallizationes. Notandum hîc, quod ultima ſolutio pro diverſitate affectuum, quibus adaptari debet, in ſuccis depuratis herbarum, vel decoctis earundem clarificatis, non incommodâ fieri poſſit.

SACCHARUM SATURNI.

S*Accharum Saturni* non ſolùm ex *plumbo* communiter calcinato, ſed etiam ex eodem laminato ſaltem & granulato, ac minerâ ejuſdem, nec non *Ceruſſa*, *Lithargyro* & *Minio*, purius tamen ex uno, quàm ex alio, beneficio *aceti deſtillati*, vel alterius liquoris acidi, elici poteſt: Ex enumeratis autem pro *Sacchara Saturni* omnium optimo conficiendo, *plumbum* ipſum eligerem.

SAL TARTARI.

S*Alis Tartari*, item *Salis vitrioli vomitivi*, (quod etiam ex *Vitriolo albo* parari ſolet, de quo in præcedenti *Claſſe* ſub proprio titulo egimus:) præparationes artificioſi nihil continent. De *Sale Tartari* tamen hoc notare velim, ut potiùs *ex ſemel ſoluto & cryſtallizato*, *quàm crudo & impuro Tartaro* paretur, ob ſonticas rationes ſuperiùs in præparat *Magiſterii Tartari vitriolati*, & alibi etiam indigitatas.

VITRIOLI SPIRITUS.

S*Piritus vitrioli* cum diverſis *ſalibus* coagulari poteſt, omnium tamen optimè cum *Sale vitrioli* (ceu proprio,) quod ex *Vitriolo* ſummè calcinato, in aëre relicto & aſtris imprægnato extrahitur; ſimiliter etiam cum *Nitro* eleganter ſuccedit coagulatio. Totum autem hoc coagulationis opus in eo conſiſtit, ut *ſpiritui vitrioli* corpus aliquod, quod ipſi non contrarietur, adjungatur; tale autem eſt *Sal proprium*, & *Sal nitri*, tanquam *ſalia acidiora*: *Salia* autem *lixivialia*, utpotè *Abſinthii*, *Tartari*, & ſimilia. *ſpiritibus acidis* contraria ſunt, idcircò neceſſum eſt, ſi cum ſimilibus *ſalibus ſpiritus vitrioli*, aliorumvé *ſpirituum acidorum*, coagulatio inſtituatur, ut multum *ſpiritus* inutiliter deperdatur, tantum ſcilicet quantum fuerit *ſalis coagulantis*; tantum enim circiter in ſe recipiunt *ſalia*, antequam aciditas *ſpirituum acidorum*, in deſtructa vel immutata ſeſe manifeſtare poſſit, quod cum *Sale nitri*, vel *Vitrioli proprio*, tanquam *ſalibus* magis cognatis & acidis, non contingit.

De *Salibus theriacalibus* egi in *Animadverſionibus ſuper Appen-*

dicem Claſſis XIV, ubi etiam *Salem theriac. Quercet.* tetigi, quidque de illo cenſendum ſit, aperui, quò Lectorem amicum relego.

FLORES.

FLORES ANTIMONII.

℞. Antimonii ſelecti libram unam.

Tere in ſubtilem pulverem, & ex vaſe terreo in ollas artificioſè ſibi incumbentes, applicato ſupernè Alembico roſtrato, ſublima ſecundum artem, dando ignem per gradus.

FLORES ARMONIACI SALIS.

℞. Salis Armoniaci libram unam,
Squamæ ferri uncias decem.

Miſce diligenter, & ex cucurbita in arena ſublima ſecundum artem. Vaſe refrigerato, ſepara quod ſublimatum eſt, & miſce cum quinque aut ſex unciis Salis communis fuſi, repetendo iſtam ultimam ſublimationem quinquies aut ſexies, novum ſemper ſalem addendo.

Inſigne ſudoriferum in febribus præſertim quartanis, & aliis morbus, diaphoreſin exigentibus.

FLORES BENZOINI.

℞. Benzoinum, tere, & ollæ rotundæ impone, deinde claude duplici chartâ emporeticâ, convolutâ in modum manicæ Hippocratis; da poſtea ignem ad ſublimationem idoneum, floreſque niveos ſæpiùs collige.

FLORES SULPHURIS.

℞. Sulphuris communis in fruſta conquaſſati libram unam.

Immitte cucurbitæ vitreæ benè lutatæ, pone in arenam, & appoſito Alembico vitreo, ſublima igne primùm miti, poſtea fortiori: videbis paulò pòſt elevari flores in Alembicum, qui repetitis ſæpè alternis Alembicorum vicibus, ſtudioſè ſunt colligendi. Hanc florum ſublimationem ſemel atque iterum reitera.

FLORES SVLPHVRIS COMPOS.

℞. Florum ſulphuris ter elevatorum uncias duas,
Aloës hepaticæ,
Myrrhæ ſelectæ ana unciam unam,
Croci ſcrupulum unum.

Terantur in pollinem ſubtiliſſimum, & ſerventur ad uſum.

ANIM-

ANIMADVERSIONES IN FLORES.

ANTIMONII FLORES.

F*Lorum Antimonii* exactam præparationem, tradit doctiſſimus *Glauberus in Tract. 1. Furni philoſophici fol.* 71. ad cujus imitationem (licet furnum illum in promptu non habeamus,) eorum ſublimationem diverſimodè inſtituere poſſumus.

FLORES SALIS ARMONIACI
CUM MARTE.

EOdem modo & *Flores Salis Armoniaci* confici queunt; non autem opus eſt tot reiteratis ſublimationibus, majoris enim efficaciæ erunt poſt primam à *Marte* ſublimationem, quàm ſi quinquies vel ſexies additione recentis *Salis ſimplicis* ſublimati eſſent. Hoc inſuper notandum, quod ſi *Eſſentiam Martis* prædictis *floribus* imprimere velimus, ut *Martem* vel *Chalybem* aquis corroſivis, aceto aut ſimilibus nonnihil prius ſolutum, vel *Crocum Martis aperientem*, non nimiùm calcinatum *Sali Armoniaco* commiſceamus, & tandem ſublimationem inſtituamus, tali modo *Salem flaveſcentem* & *Eſſentiâ Martis prægnantem* incipiſcemur, ad denominatos affectus efficaciſſimum.

FLOR. BENZOINI ELEGANTES.

F*Lores Benzoini* diverſimodè parari conſueverunt; præ cæteris autem modis is apprimè mihi placet, quem tradit Clariſſimus *Schröderus in ſua Pharmacop. l. 4. cap.* 377. nimirùm deſtillando per retortam ejus butyrum, ex quo beneficio aquæ ferventis, *flores* extrahuntur, cùm in majori copiâ, tùm etiam majores & elegantiores.

FLORVM SVLPHVRIS
SUBLIMATIO.

F*Lorum Sulphuris ſublimatio*, ſine additione corporis cujuſdam quod liquefactionem *Sulphuris* impediat, haud commodè perficitur; idcircò nonnulli *Caput mortuum vitrioli* addunt, aſt non admodum prudenter; difficulter enim & pauci *flores* hoc modo aſcendunt, ſuis etiam de cauſis, nimirum quod *Sulphur* aciditate ſuâ rodendo *terram vitrioli*, quam in priſtinum *vitriolum* vel eſſe fermè reſtituit, ſe deſtruat, & conſequenter *Flores* præbere nequeat, id quod in plurimis operationibus, deſtillatione *Spiritus Salis*, *Nitri*, &c. ſtudioſè obſervandum eſt, ne res illis commiſceantur, in quas hi *ſpiritus acidi* agere, & neceſſariò ſe mutuò deſtruere de-

bent, quæ unica cauſa eſt in hunc uſque diem nec dum perpenſa, quòd haud feliciter cedant hæ deſtillationes, *ſalis* utplurimum, cùm potior pars *ſpiritûs* rodendo & ſolvendo, *argillam* vel *terram ipſi adjectam*, annihiletur, & in aliud ens commutetur. Suadeo itaque, ut *ſulphuri ſalem communem* duntaxat in duplo pondere adjiciant; hoc modo *pulcherrimi flores* ſublimantur ex cucurbita lutata igne aperto quidem, ſed moderato. Frequenter iteratas *florum dictorum* ſublimationes non uſque commendo, & ſi mihi daretur optio, ego *crudum ſulphur*, imò *vivum*, ſi purum & candidum eſſet (prout etiam reperitur,) præ *floribus aliquoties etiam ſublimatis* amplecterer, & tutò traherem in uſum, utpotè quod ſuo adhuc gaudeat *ſale centrali nativo*. Plura de *floribus ſulphuris* variis modis præparatis & compoſitis, legantur apud Clariſſimum *Schröderum in Pharmacop. Med. Chymica lib. 3. cap. 27.*

CROCI VITRUM, SUBLImati, Præcipitati, aliique pulveres chymicè præparati.

CROCUS MARTIS.

℞. Limaturæ Martis quantum ſufficit.

Igne reverberii eouſque examina, donec aſperitate & pondere penitus privetur, ac in florem rubicundiſſimum abeat: cum aquis convenientibus ablue, & ſerva ad uſum.

CROCUS MARTIS EX OLEO SULPHURIS.

℞. Limaturæ ferri unciam unam.

Diſſolve in ſpiritus ſulphuris acidi unciis octo. Digere per noctem, & deſtilla per alembicum ſpiritum ſulphuris ex arena: Reverbera leni igne per tres aut quatuor horas; ſerva ad uſum.

CROCVS METALLORVM.

℞. Antimonii electi,
Salis communis,
Nitri ana partes æquales.

Minutiſſimè trita, & mixta cum catino, luto probè munito, foramine tamen parvulo in medio ſuperficiei ſpirituum arſenicalium exhalandorum gratiâ relicto, in furnum anemium collocentur; igne follium adhibito, donec omnia ſufficienter fluant, tamdiu hoc continuando,

tinuando, quamdiu fumus per foramen illud perrumpere non deſinit. Quando verò deſinit, ignem probè ad quadrantem horæ adauge, deinde exime, ubi vaſe infrigidato, Antimonium in fundo à ſalibus ſupereminentibus inſtar Reguli à ſcoriis ſequeſtratum, ſeſe malleo detruncandum, atque in pulverem terendum facilè dabit. Tritus pulvis inſtar cinnabaris rubicundiſſimus erit.

EMeticum hoc medicamentum, ubi mitiora locum non habent, multa cum utilitate exhiberi poteſt. Unde in doloribus capitis, ab impuritate ventriculi illud lancinantibus, in epilepſia, in vermibus cujuscunque generis uſus ipſius inſignis eſſe poterit.

VITRUM ANTIMONII HYACINTHINUM.

℞. Antimonii Ungarici quantum vis. Tere, & pone cum olla non vitreata ſupra ignem lentum, & incipiet fumigare. Rutabulo in extremo reflexo, agitata ſedulò, ne adhæreat. In nodos fortè ſi concreſcat, iterum tere, & ad ignem denuò colloca, procedendo ut priùs, donec fumum non amplius evomat, nec in nodos concreſcat, ſed maneat in forma pulveris. Refrixum in olla fuſoria, colloca ad furnum anemium, per tres circiter horas, ut penitus fundatur, idque mox funde ſupra pelvim æneam, vel modulum pro libitu effigiatum.

ANTIMON. DIAPHORETICVM.

℞. Antimonii,
Salis Petræ ana libram unam.

Pulveriſata ſimul miſce, & pone in crucibulum inter accenſas prunas ut candeat, tum injice uncias duas aut circiter hujus mixtionis, & ſtatim detonabit. Poſtea novos pulveres injice, ita ad finem continuando. Vaſe refrigerato, materiam exime, ablue, & rurſum tere, miſcendo ut ſuprà cum ana Salis Petræ, eodem modo calcinando, & elaborando, tertiâ etiam vice ſimiliter peragendo. Tandem da ignem liquefactionis modicæ, ad horæ ſpatium. Ultimò, totum illud, quod remanſit, tritum, coquatur in aqua fontana per aliquot horas, poſtea calens decoctum per filtrum transmittatur, & loco frigido relinquatur, ſic nimirum per ebullitionem id quod ſubtilius, in aqua ſolvitur, & tandem præcipitatur in pulverem admodum albicantem & tenuem, ſæpiùs abluendum & exiccandum. Quod ſi acetum deſtillatum immittatur in idem decoctum filtratum, faciliùs & celeriùs pulvis iſte cadit majorum virtutum.

VAldè commendatur ad interiora apoſtemata, in lue venerea recenti, & vitioſis humoribus per habitum corporis ejiciendis.

ANTI-

ANTIMONIUM PRÆPARATUM
AD PULVEREM COMIT. WARWICHII.

℞. Antimonii optimi unciam unam,
Salis Nitri uncias duas.

Simul negligenter triturentur, mox in vaſe teſtaceo ſupra carbones ignitos collocato, ponantur ad calcinandum igne non admodum vehementi. Hoc facto, iterum tantundem Salis Nitri addatur, & denuò comburantur. Tertiò denique rurſus tantundem Salis Nitri ſuperaddatur, & calcinentur, ferro continuò res dictas agitando, ut undequaque ex æquo penitùs combuſtæ ſint, id quod ex colore cognoſcitur, qui vel ſubalbus, vel ſubflavus eſſe cognoſcitur; & ſi ſuper ignitos carbones iterum ponantur, non ampliùs crepitum vel ſonum emittunt. Quin etiam idem Antimonii pondus, vel parùm excedens, quod ante calcinationem acceptum fuerat, poſt calcinationem remanere debet.

MERCVRIUS COSMETICVS, Vel
PRAECIPITATUS ALBUS.

℞. Mercurii uncias quatuor.

Diſſolve in aquæ fortis ſufficienti quantitate, & affunde aquam ſalſam, præcipitabitur in album pulverem, diſſolvens per inclinationem effunde, & præcipitatum multis ablutionibus omni ſalſedine & acrimoniâ priva: Tandem exſicca, aquâ roſacea ablue, & iterum exſicca.

MERCVRIUS SVBLIMATVS.

℞. Mercurii purificati,
Vitrioli calcinati,
Salis præparati ana libram unam.

Subigantur cum pauxillo aquæ fortis, aut modico aceto, exiccata terantur, & miſceantur ſimul in mortario lapideo tamdiu, donec Mercurius unà cum prædictis ſpeciebus in pulverem abeat. Tritam materiam inde cucurbitæ cum Alembico, dando in arena ignem per gradus ad octo vel decem horas.

MERCVRIUS SVBLIMATVS
DULCIS.

℞. Mercurii ſublimati præcedentis uncias ſex,
Argenti vivi & benè purgati uncias quatuor.

Miſce exactè, ut Mercurius vivus ampliùs non appareat, & ſublima ſecundum artem; ſublimationem hanc tertiò etiam reiterando.

Pulvis

Pulvis rubeus in fundo, & albus in vitri collum ſublimatus ſemper rejiciatur; medium verò tene, exime, tere, & ad uſum repone.

MERCVRIUS PRÆCIPITATVS Rubeus.

℞. Mercurii libram ſemis.

Diſſolve in aquæ fortis ſufficienti quantitate, fiat evaporatio ad ſiccitatem, igne forti ad extremum adminiſtrato. In fundo hærebit pulvis rubeus præcipitatus.

TURPETHUM MINERALE.

℞. Mercurii purificati uncias quatuor,
Olei Sulphuris rectificati uncias octo.

Miſce, & digere per biduum in arena: deinde per retortam deſtilla cum tribus cohobiis; ultimò igne vehementi, ut retorta candeat. Maſſam albam exime, & tere, aquâ deſtillatâ calidâ ſæpius ablue, donec præcipitatum videas verſum in pulverem flaviſſimum, ſuper quem ſpiritum vini ter accendas.

ALIUD MYNSICHTI.

℞. Mercurii ſublimati quantum vis. Reſolve illum in aqua pluvia calida, ſolutionem aliquoties filtra, filtratum vitro immitte, & guttatim infunde tantum Olei Salis Tartari, quantum putabis requiri, quoad in fundo appareat & ſubſiſtat pulvis rubeus: Aquoſitatem profunde, & pulverem rubeum retine, aquâ communi edulcora, uſque dum deſtituatur omni acredine, & ſalſedine. Cohoba denuò cum aqua mellis rectificata ſex vel ſeptem vicibus; Cohobiis tot repetitis, tandem pulvis eximatur, & affunde alcohol vini, ut benè humectetur, incendatur, & ferreâ ſpatula move identidem, ut ſpiritus comburii ardore conſumatur. Servetur uſui.

GUMMI GAMANDRÆ VITRIOLATUM MINDERERI.

℞. Gummi Gamandræ quantum volueris. Diſſolve cum ſufficiente quantitate ſpiritûs Vitrioli in vaſe vitreato; poſtea per Alembicum humiditas omnis evocetur, & Gummi reſidens in vaſe exſiccetur, cavendo ne nigreſcat, ſed colorem ſuum nativum reſervet luteum, ſemel atque iterum aquâ pluviali edulcora.

ANIM-

ANIMADVERSIONES
In Crocos, Vitra, Sublimatos, Præcipitatos, alioſque pulveres Chymicè præparatos.

CROCI MARTIS ADSTRINGENTIS PARANDI MODUS.

CRoci Martis cùm *adſtringentis*, tùm *aperientis*, tot tantique in Tyrociniis Chymicis extant proceſſus laborioſiſſimi nonnunquam, ut tædium afferant Lectori: Inter hos prior ſive *adſtringens* ſolâ reverberatione, nullâ re aliâ admixtâ exactiſſimè parari poteſt vel ex *Croco Martis aperiente*, vel *virgulis ipſis craſſioribus Chalybis*, quæ furno & igni reverberii traduntur per aliquot dies, donec undique *Crocus leviuſculus* & *pulcherrimus* illis adhæreat, qui ſeparandus, *virgulæ* verò ulteriori calcinationi tradendæ, donec expetita quantitas collecta ſit: Ego, ut unâ fideliâ duos, quod dicitur, dealbarem parietes, & unâ operâ plures abſolverem labores, ſolitus ſum, quoties *ſpiritum Vitrioli* deſtillavi, *virgulas ferreas* furno, infra & ſupra retortam intrudere, ſicque elegantem acquiſivi *Crocum leviuſculum* & *adſtringentem*: Hunc *Crocum* autem affuſâ aquâ edulcorare vel abluere ingentis eſt ſtupiditatis, licet (quod valdè miror,) plurimi Chymicorum ſtudiosè id præcipiant; nullâ enim acrimoniâ, nulla impuritate hîc *Crocus* ſcatet: Quid igitur opus ablutione, utpote quâ nihil efficimus ampliùs, quàm quòd datâ operâ omnem vim adſtrictoriam eluamus? Quæ ipſa etiam optimè quadrant in *Crocum Martis aperientem*, quippe ſi is edulcoretur, uti non pauci Chymicorum etiam jubent, tota ejus vis & efficacia in *Sale vitriolato dulci* conſiſtens, penitùs aufertur.

CROCI MARTIS APERIENTIS DEXTRA PRAEPARATIO.

COnſiſtit autem *Croci hujus aperitivi* præparatio in dextra *Martis* ſolutione, quâ, ſive *ſpiritu Vitrioli*, ſive *Sulphuris*, *Salis*, *Nitri*, *Aceti*, aut quibuscunque *liquoribus acidis* peractâ, leni tandem calcinatione *Crocus aperiens rubicundus* efficitur, cujus virtutes in ſolo ejus *Vitriolo* fundatæ ſunt, quod ipſum *Vitriolum Martis* quadrante unius horæ in *Crocum pulcherrimum aperitivum* converti poteſt. Patet itaque, quod *Vitriolum Martis* longè efficacius ſit in operando, quàm *Crocus ille aperitivus*, in longè minori quantitate etiam adhibitum.

CROCI METALLORUM VERA
PRÆPARATIO.

C*Rocus Metallorum* multis paratur modis, qui ipſus ſecundùm præſcriptum proceſſum commodè parari poteſt. Mihi alias in uſu fuit ille, quem deſcribit Clariſſ. *Schröderus libr.* 3. *cap.* 17. *fol.* 425. *num.* 4. Non tamen in crucibulo clauſo, ſed aperto, detonationem ſive calcinationem perficio, & quidem paulatim ac per vices; calcinatum poſtea in aqua coquo ſæpiùs, quouſque *Tinctura* extrahatur, quam decantatam, per inclinationem *aceto* inſperſo præcipito, & *Crocum* per filtrum ſeparatum, uſui aſſervo.

VITRI ANTIMONII LEGIT.
PRAEPAR. Sine ADDITIONE.

V*Itri Antimonii ſine additione Baſilii Valentini* exactam præparationem, tradit etiam Clariſſ. *Schröd. lib.* 3. *cap.* 18. *num.* 1. ſecundùm quem modum non ſemel *Vitrum Antimonii rubini inſtar* elaboravi: obſervavi tamen nonnulla circa ejuſdem præparationem, quæ lubens communico: Primò, *Antimonium* poſt perfectam calcinationem aliquandiu, imò per unum ſaltem vel alterum diem aſſervatum, ægrè poſtea perſpicuitatem vel diaphaneitatem acquirit, eò, quod ab aëre attracto immutetur: Itaque poſtquam illud ſufficienter calcinatum fuerit, diutiùs non aſſervandum, ſed ſtatim crucibulo immiſſum, igni fuſorio tradendum eſt, ſic ſpatio quadrantis horæ perſpicuitatem (quam ſubinde bacillo ferreo inſerto explorare poſſumus,) nanciſcetur, quâ apparente ſtatim effundendum eſt. Secundò, *Antimonium Martem* avidè devorat, itaque dum *Antimonium* liquatum eſt in igne, quantum poſſibile, breviſſimâ morâ *ferreis inſtrumentis* tractetur; Quod ſi etiam illud in *ferreo vaſe* calcinares, non *vitrum* ſed *ſcoriam* & *regulum* efficeres. Item, ſi in *crucibulo* ex *ſcoriis ferri parato* funditur, undique eum terebrat, & in *ſcorias* convertitur *vitrum*. Tertiò, *Sulphur crudum Antimonium* egregiè purificat, itaque ſi (quod aliquando accidit,) ejus *vitrum* ad perſpicuitatem reduci nequeat, injiciatur illi in crucibulo, dum fluit aut liquatum eſt, fruſtulatim aliquid *Sulphuris Citrini crudi*, quod *Antimonium* illicò depurabit, & perſpicuum reddet *vitrum*.

ANTIM. DIAPHOR. PRÆPAR.

A*Ntimonii Diaphoretici* præparationes inſigniter variant; quidam additâ ſ. q. *Nitri*, unâ duntaxat calcinatione contenti ſunt, nonnulli duabus, utplurimùm verò tribus calcinationibus rem abſolvunt, ſemper addito *recenti Nitro*: Alii, *Tartarum* commiſcere ſolent, ſed in paucâ quantitate; ex. gr.

℞. An-

℞. *Antimonii crudi libram unam,*
Nitri puri libram ſemis,
Tartari albi uncias tres.

Mixta hæc & in pulverem redacta detonant, paulatim nimirum & per vices, mixturam prunis ardentibus crucibulo injectis inſpergendo; hanc detonationem ter reïterant, additâ ſemper *relicto Antimonio*, eâdem quantitate *recentis Nitri* & *Tartari*; tandem edulcorant aquâ ſimplici: Edulcoratum & exſiccatum pulverem albiſſimum crucibulo immiſſum, duabus vel tribus horis igni committunt, ad majorem fixitatem & vim adſtrictivam ipſi conciliandam: Quem modum & ego mihi commendatum habui, & plurimum in peſte, aliiſque morbis contagioſis *hoc ipſo Diaphoretico* præſtiti ad drachmam integram exhibito, quo & ipſe in mediis luis peſtiferæ flammis conſtitutus, per DEI gratiam liberatus fui. Additionem *Tartari* non inutilem cenſeo, propterea quòd *ejuſdem Sal* non parùm faciat ad exactiorem *Antimonii* reſolutionem, licet tantillum de *cineribus Tartari* ipſi cohæreat. Si in tertia detonatione albedinem non acquiſiverit (quod vitio *Antimonii* non admodum bonæ notæ exiſtentis contingit;) etiam quarta calcinatio repetenda eſt, ſed tertia, & ſi opus eſt, etiam quarta detonatio in crucibulo ignito vel candente fiat: *Sulphure* enim *Antimonii* inflammabili jam maxima ex parte conſumpto & fixato, haud promptè poſtea accenditur mixtura, nec uti priùs detonat. In edulcoratione partes craſſiores, quæ fundum citò petunt, relinquantur in reſiduo, & abjiciantur ſolo reſervato pulviſculo illo, qui leviter commotus aquæ innatet.

ANTIMONII DIAPHORETICUM
EX REGULO.

EX *Regulo Antimonii* juxta eundem modum *egregium Diaphoreticum*, & quidem faciliori negotio confici poteſt, iiſdem rebus, ſcilicet *Nitro* & *Tartaro* admixtis.

Obſervandum etiam, quòd *Antimonium Diaphoreticum* quocunque modo, ſive cum ſolo *Nitro*, aut addito etiam *Tartaro*, paratum ſit, tractu temporis aëri expoſitum pravam, & quaſi malignam induat naturam, ſumptumque intra corpus, cordis anguſtias, cardialgias, lipothymias, vomituſque & ſimilia prava ſymptomata procreet, quæ facilè tamen evitabimus, ſi vel ſingulis duobus vel tribus menſibus recenter illud conficiamus, vel jam *paratum Antimonium Diaphoreticum vetuſtum*, additâ portiunculâ *Nitri*, aut etiam abſque *Nitro*, per unam vel alteram horam Vulcano tradamus, penituſque igniamus, iterumque, ſi *Nitrum* additum fuerit, edulcoremus, & paulumper reverberemus. Filtratio autem, quæ in præſcripta præparatione præcipitur, perperam inſtituitur; nam *vetum Antimonium* *Dia-*

Diaphoreticum per chartam non tranſit, unde neque illud, quod per chartam tranſmittitur, & uti alia *Magiſteria* præcipitari poteſt, pro *vero diaphoretico*, ſed pro *calce* duntaxat vires *antimonii diaphoretici* non adæquante, (quæ utplurimùm à contrarietate *præcipitantis ſalis* aut *liquoris* ortum duxit,) habendum eſſe cenſeo.

Antimonium præparatum ad pulverem Comitis Warwichii, à præcedenti *Antimonio diaphoretico* non diſcrepat, proindè neque aliis *Animadverſionibus* aut ſingulari præparatione indiget, nec tantâ, tamque exceſſivâ quantitate *Nitri* opus eſt, præſertim ſi *Nitrum* ablui non deberet.

MERCVRIUS COSMETICVS.

MErcurium Coſmeticum in perpoliendâ cute, more aliorum & ſimilium pulverum albicantium, qui fucatâ quâdam albedine eandem imbuunt, quid præſtare poſſe, non ibo inficias: Aſt vereor, ſi frequenter adhibeatur, ne poris ſe inſinuet, ac tractu temporis dentibus, aliisvé partibus non leve damnum inferat; idcirco uſus ejus inter Coſmetica mihi non probatur, proſtant longè præſtantiora Coſmetica, quibus innocuè uti poſſumus.

MERCURII SVBLIMATI CORROSIVI Vera Præparatio.

MErcurius ſublimatus rectè quidem cum *Sale* & *Vitriolo* paratur, ſed neceſſum eſt, ut *Vitriolum*, quod ipſi additur, ita calcinetur, ne *ſuo corroſivo* aut *ſpiritu acido* privetur: Quantitas item præſcripta *Vitrioli* & *ſalis* non ſufficit, præſertim ſi corroſivus (uti ex ſequenti dulci ſublimat. apparet) reddi debeat *Mercurius*; neceſſum igitur eſt, ut non ſolùm pondus eorum dupletur, ſed & ſublimatio *Mercurii*, additis ſemper recentibus ſpeciebus *Sale* ſcilicet & *Vitriolo*, bis tervé reiteretur, donec in cryſtallinam compagem elevetur; commodiùs autem igne aperto, quàm in arena ſublimatur, ſervatis ignis gradibus, in cucurbita lutata, aut in alio accommodato inſtrumento: Sciendum etiam, quòd *Mercurius* non ad capitellum uſque elevetur, ſed duntaxat ad latera cucurbitæ, ob id etiam niſi rumpatur cucurbita, ab ea poſtquàm ſublimatus, ſeparari nequeat.

MERCVR. CORROSIVUS ALIUS.

QUi citiùs, minori etiam labore *Sublimatum corroſivum* conficere intendit, is ſolvat *Argentum vivum aquâ forti*, vel *ſpiritu Vitrioli* & *Salis*; poſtea humiditatem omnem ab eo deſtillando evocet ad ſiccitatem *Mercurii* ſive *Argenti vivi*, qui inſtar albicantis maſſæ in fundo cucurbitæ remanet; hanc *Mercurii maſſam* adhibito

hibito fortiori igne per gradus ſurſum pellat, donec tota ex fundo vaſis ad latera ejus, Alembici ſcilicet ſublimata fuerit, & ſi ignem debitè rexeris, in prima jam dicta ſublimatione cryſtallinus apparet ſublimatus; ſin minùs, repetatur ſublimatio nullâ re additâ alterâ vice,

MERCURII DVLCIS LEGITIMA PRAEPARATIO.

EX *Mercurio corroſivo* jam parato, addito *Mercurio*, ſive *Argento vivo*, quantum ſcilicet is capere poteſt, (nam exacta *Argenti vivi* quantitas determinari nequit, quia quò magis *corroſivus eſt Mercurius ſublimatus*, eò plus requirit de *Argento vivo* pro ſua edulcoratione, & viceverſa:) ſublimatur *Mercurius*, ſive *ſublimatus dulcis* ſimiliter igne aperto in cucurbita vitrea infrà lutatâ dextreque igni admotâ, ita tamen, ne ignis totam cucurbitam lambat, ſed paulò ultrà, quàm quouſque cucurbita *Mercurio* adimpleta eſt, ignis eam (ſcilicet cucurbitam) immediatè attingere aut circumdare poſſit: Claudatur igitur circa cucurbitam undique furnus, ita ut pars cucurbitæ vacua extra clauſuram emineat, relictis tamen à latere nonnullis ſpiraculis ad ſervandos gradus ignis; ac tali modo optimè ſuccedit operatio, & *Mercurius* ad latera cucurbitæ prominentia elevatur cryſtallinus ſpatio quatuor, vel quinque aut ſex horarum, prout gradus ignis obſervantur, Hic modus in omnibus *Mercurii ſublimationibus* etiam prædicti corroſivi obſervari poteſt; hoc pacto enim pauciori igne, breviori tempore, minori labore & longe exactius magisque cryſtallinus *Mercurius* ſublimatur, quàm ſi ſublimatio in arena facta eſſet; ſublimatur autem bis, ter, quatervè, quouſque cryſtalli ad inſtar appareat.

MERCURIUS PRÆCIPITATUS.

M*Ercurius Præcipitatus*, *Turbith minerale flavum* & *rubrum*, juxta modos præſcriptos parari poſſunt. Si quis plures eorum proceſſus deſiderat, adeat Tyrocinia Chymica.

GVMMI GAMANDRÆ VITRIOLATI MINDERERI.

G*Vmmi Gamandræ vitriolati Mindereri* præparatio potiùs in dedecus, quàm honorem Authoris huic Mantiſſæ pro corollario inſerta eſt, utpotè quâ Author dictus ſummam ſuam inſcitiam, in cognitione rerum naturalium & artis deſtillatoriæ prodidit. Quis enim *ſpiritum Vitrioli* à *Gummi Gamandra* abſtraxerit, *Gummi dicto* non combuſto, ejusque colore nativo luteo non abolito: Quippe

ſpiritus vitrioli violentiorem ignem deſiderat pro ſui abſtractione (non quidem in alembico, ſed quod plus, in retorta vitrea humili perficienda;) quàm *Gummi Gamandra* pro totali ſuâ combuſtione & deſtructione: Edulcoratio hujus *Gummi Gamandra vitriolati* æquè ridicula eſt, ſive illa abluendo, ſive abſtrahendo fieri debet. Idcircò ſpretâ hâc ludicrâ præparatione, contenti ſimus *Gummi de Peru roſato Mynſichtii* juxta *Animadverſiones noſtras* parato, ceu coloris gratiâ viriumque nobilitate præſcripto præſtantiori.

CREMOR ET CRYSTALLI TARTARI.

℞. Tartari albi aquâ calidâ aliquoties ab impuritatibus abluti, & in pulverem ſubtilem contuſi libras duas: Ebulliant in ſufficiente quantitate aquæ fontanæ in vaſe figulino ad diſſolutionem; amove ab igne, & fervens adhuc decoctum, trajice per manicam Hippocratis in aliud vas firmum; ubi refrixerit, cremorem ſupernâ parte ſublimatum, & parietibus vaſis adhærentem collige, diligenter lava & exicca. In frigido loco expoſitum decoctum, cryſtallos edit, quos coagulatos, aliquoties fontanâ aquâ abluito; lentè exiccatos ſuper Porphyrio lapide in pulverem albiſſimum conterito.

ANIMADVERSIONES.

TARTARI CREMORIS

Verus parandi modus.

ET hic modus parandi *Cremorem* vel *Cryſtallum Tartari* planè inſufficienter traditus eſt, quod ex ſequenti noſtra dexteriori præparatione clarè patebit.

℞. *Tartari albi integri*; vel ſi in majora fruſta fuerit concretus, groſſo modo confracti, neutiquam autem contuſi vel pulveriſati q. ſ. abluatur, ſæpiùs aquâ frigidâ, non calidâ, quouſque nulla ſpurcities ampliùs ab ipſo elui queat, & aqua affuſa clara perſtet. Hunc *lotum Tartarum* immitte veſicæ cupreæ ſtanno obductæ, vel vaſi figulino ſuperiùs aliqualiter clauſo (intenſior enim calor eſt in vaſe operto, etiam aperto, hinc etiam in vaſe clauſo *Tartarus* citiùs diſſolvitur;) affuſâ *aqua ſimpl. ſ. q.* coque fortiter per horam unam, ſub finem coctionis adjiciendo *aliquot albumina ovorum*, cum aquâ ſimplici conquaſſata, utpotè quæ impuritatem ſegregant, & in ſe recipiunt; hinc colet. per pannum lineum, & ſi non totaliter ſolutus fuerit, (uti raro fit, præſertim ſi multum fuerit *Tartari*;) reaffuſâ *aqua recentis ſ. q.* horâ unâ denuò coquatur, iterumque coletur, qui labor

coquendo & colando tamdiu continuandus, totiesque reiterandus eſt, quouſque *Tartarus* in univerſum ſolutus ſit, ac nil præter arenoſas ac lapidoſas fæces reliquerit: Et tali pacto unicâ die pro magnitudine vaſis, in quo coquitur, *ſex, decem, duodecim* vel *ſedecim* aut *plures libræ Tartari* diſſolvi poſſunt. Has colaturas omnes deinceps unitas vel confuſas, & benè invicem agitatas, (ut *Tartarus*, qui inſtar *boli* vel *pulveris* fundum petiit, ſolutioni vel aquæ commiſceatur,) infunde rurſus in idem vas, in quo *Tartarus* antea coctus vel diſſolutus fuit; prius tamen elotum & mundatum, & per dimidiam horam adhuc fortiter coque, tùm denique in calore ſenſim refrigerare & cryſtallizare ſine, vaſe ſuperiùs cooperto: Quo refrigerato, aquam effunde (in qua parùm vel nihil *Tartari* ampliùs hæret, licet aliqui exiſtiment multum adhuc in ea deliteſcere, aſt falsò:) *Tartarum* verò, qui partim lateribus vaſis undique cryſtallinus adhæret, partim etiam in fundo jacet, multis recrementis & fæcibus permixtus; aquâ frigidâ iterum lava, lotum & purificatum exſicca, ac tandem in pulverem redactum uſui aſſerva.

Notandum etiam hîc, quod *unica Tartari diſſolutio* ſufficiat, licet inde non evadat adeò candidus vel cryſtallinus; nam quò frequentius ipſum coxeris, eò plus de viribus ipſi detrahes: Hinc non ſemper ad medicamenti pulchritudinem, ſed potiùs ad ejuſdem efficaciam reſpiciendum eſt: Multoties enim nimium curioſis & artificioſis noſtris laboribus rem deſtruimus potiùs, quam quod boni aliquid exindè efficiamus.

TARTARUS PEREGRINIS
VIRTUTIBUS Imbui poteſt.

QUòd ſi libuerit *Tartarum hunc ſolutum* & *cryſtallizatum* peregrinis virtutibus imbuere, eidem vim vel catharticam, vel magis diureticam imprimere, facilè illud effectum dare poterimus, mediantibus *decoctis rerum* vel *catharticarum*, utpotè *Gialappæ*, *Hellebori*, *fol. Senæ*, *Hermodactylorum*, &c. vel *aperientium*, ut *radicum Cichorii*, *oculorum Cancrorum*, *Chalybis*, &c. unà cum iiſdem *Tartarum* diſſolvendo, coquendo, iterumque cryſtallizando: [illegible], licet colore alieno nonnihil tingatur; nihilominus ſi in Porphyro teratur, iterum albeſcit, atque tali modo paratus *Cremor Tartari* feliciter in Medicina uſurpari poteſt.

CORNU CERVI PHILOSOPHICE
Sive abſque uſtione calcinatum.

℞. Cornu Cervi in majora fruſta ſecti, quantum placet. Suſpendatur in collo veſicæ, aut cucurbitæ, in qua aqua deſtillanda eſt;

eſt; aqua tantiſper bulliat, aliam fervidam ſæpiùs affundendo, donec cornu Cervi ad albedinem calcinatum ſit, & ubi ſecatur, fragile, & friabile ferè redditum. Alii apices cornu Cervi decoquunt in aqua florum Tiliæ in cucurbita, ſuperpoſito Alembico cœco donec molleſcant.

Eodem modo calcinatur Ungula Alcis, & Cranium humanum.

ANIMADVERSIONES.

CORNUA ET OSSA PHILOSOPH. Calcinata.

QUamvis *Cornua* & *Oſſa* qualiacunque calcinatione, quam *Philoſophicam* appellant, quæque per *vaporem aquæ ferventis* cujuſcunque peragitur, tantoperè non deſtruantur, ſuiſque nativis viribus perindè ſpolientur, atque aliàs in violenta illa calcinatione ſive præparatione, quæ per totalem combuſtionem perficitur; nihilominùs non parùm ipſis & hoc modo detrahitur: Et licet ex *Cornibus* vel *Oſſibus* ita philoſophicè calcinatis, ac deſtillationi ſubjectis, de *ſpiritu ſale volatili*, & *oleo ipſorum fœtido* nonnihil eliciatur, non tamen propterea exiſtimandum, ipſa adhuc iiſdem, quibus *crudum cornu*, pollere viribus, vel majoribus etiam (prout nonnulli ſibi imaginantur & aſſerunt,) vel etiam, uti alii arbitrantur, hâc calcinatione nihil aliud peractum fuiſſe, quàm quod friabilia, ad pulverandum aptiora & magis pura reddita ſint: Neutiquam. Quippe qui *ambo cornua, tùm crudum, tum philoſophicè calcinatum*, examini ignis ſubjiciet, re ipſa deprehendet, multum de nativa ſua humiditate, *ſale volatili & oleo*, huic *Cornu philoſophicè calcinato* detractum eſſe, & eorundem vix parte quartâ adhuc gaudere, ut propterea & hanc *calcinationem philoſophicam*, licet totali exuſtione aliquantò meliorem, approbare nequeam: è contra verò, *ipſum crudum Cervi cornu ſubtiliter & minutim raſpatum*, pluris æſtimem, quod tamen diverſimodè parari, inque virtutibus ſuis exaltari poteſt, ut vel in ſubſtantia, formâ nimirùm pulveris, vel in aqua decoctum, & in *mucilaginem* vel *gelatinam* converſum, tutò & ſine nauſea propinari queat, quorum aliquot exempla ſub finem annectam.

In præſens verò, loco Corollarii proponam, quale *Cornu Cervinum* ad uſum medicum maximè eligi & adhiberi debeat. Notum eſt, quod *Cervis* ordinaria naturæ lege annuatim, & quidem utplurimum Menſe Februario *Cornua* decidant, ſcilicet ob nimiam contractam duritiem, quippe quæ prohibet, quò minus pro alimento ipſorum modo conſueto copioſè affluens ſanguis ulterius diſpergi queat: tunc demùm fit, ut idem ſanguis circa bregma ſe ſiſtat, & putredinem veluti concipiat, unde tractu temporis vermiculi generantur

rantur, qui radices cornuum continuò rodendo, ipſaque quodammodo à bregmate ſeparando, pruritum excitant & titillationem, quâ *cervi* concitati, & ſuper hâc moleſtiâ indignati, *cornua* arboribus affricant, & continuo affrictu tandem decidere faciunt; Quibus ubi ſe privatos ſentiunt, illicò latebras quærunt, & tanquam inermes ſe abſcondunt. donec ſuccedente tempore Verno,

Cuncta ubi cœperunt fronde virere novâ,

recentes acquirant corneas excreſcentias, ſive *Typhas*. (Germanis Hirſchkolben dictas,) & quidem circa Feſtum Paſchatos.

VERÆ CORNU CERVINI
PRÆPARATIO.

H*As ipſas tenellas adhuc molles, lanuginoſas ac ſanguine turgidas typhas jam unâ cum cruenta illa maſſa, ex qua enaſcuntur, mactato cervo accipe*; easque detracta pelle lanuginosâ fruſtulatim minutimque concisas cucurbitæ vitreæ immitte, ac lentè deſtillando calore M B. exſicca; aquam prolectam bis ter quaterve cohobando; Tandem materiam vel maſſam in fundo cucurbitæ relictam & exſiccatam rubeſcentem, ſi ex typhis admodum tenellis & ſanguine turgidis; albicantem verò, ſi ex iiſdem adultioribus parata fuerint, in pulverem ſubtiliſſimum redige, qui ſpreto *Cornu Cervi* tùm *uſto*, tùm *Philoſophicè calcinato* vel *præparato*, ſtudioſè ad ſingulares tuos uſus aſſervandus eſt Cui etiam varia pro diverſitate affectuum & intentione Medici admiſceri poſſunt, utpote primò pro ſudore excitando tempore infectionis, aut graſſantibus febribus malignis componetur tale.

BEZOARDICUM CERVINUM
ALEXIPHARMACUM I.

℞. *Cornu ſive pulveris prædicti ex typhis cervinis præſcripto modo parati, v gr. libram unam*; cui adde
Salis Viperini vel Theriacalis, juxta modum ſecundum vel tertium ſuperius in fine Animadverſionum ſuper Appendicem de Salibus theriacalibus edoctum libram ſemis,
Ol. ſtillat. Cort. Citri recent.
Rutæ ana drachmas tres.

Miſce, fiat *pulvis Bezoardicus præſtantiſſimus*, cujus doſis à ſcrupul. j. ad drach. ſemis. & drach. unam, in vehiculo convenienti.

BEZOARDICUM CERVINUM
ALEXIPHARMACUM II.

℞. *Viperarum recentium vel Serpentum Germanicorum, in ſanis degentium num. x, vel xv*,

qui

qui abſciſſis capite & caudâ, detractisque exuviis & interaneis, exemptis unà cum *hepatibus* & *cordibus*, dum vitâ integrâ & motu adhuc gaudent, immerſi in

Decoctum Scordii & Rutæ, additisque
Salis Scordii & Rutæ ana unciis duabus:

Coquantur donec molleſcant, & quaſi in gelatinam convertantur; colerur decoctum cum forti expreſſione; cui adde

Pulveris ex typhis Cervinis ſupra præſcripti libram unam;

& in cucurbita vitrea junctim deſtillando ad omnimodam ſiccitatem iterum abſtrahatur, tùm in pulverem ſubtilem priùs redactis, admiſce

Ol. ſtillat. cort. Citri recent.
Rutæ ana drachmas duas;
& ſi lubet,
Elæoſacchari Cinamomi uncias tres.

Miſce, fiat *Bezoardicum* & *Alexipharmacum præſtantiſſimum.* Doſis à ſcrupulo uno ad drach. unam in omnibus morbis malignis.

ALEXIPHARMACUM, Seu BEZOARDICUM CERVINUM III.

℞. *Herb. recent. Scordii noſtrat.*
Rutæ hortenſ. ana uncias quatuor,
Rad. Angelicæ,
Scorzoneræ,
Zedoariæ ana uncias tres.

Fiat affusâ *aqua pluvialis* ſ. q. repetitis vicibus, decoctio ad totalem virtutum ſpecierum extractionem: *Decoctum clarificatum, & ad libram unam circiter per cocturam inſpiſſatum*, affundatur

Libræ uni pulveris Cervini ex typhis parati;
nec non
Unciæ uni Croci Auſtriaci pulveriſati; &
Unciæ uni cum dimidia pulveris Myrrhæ electæ:

Quæ junctim cucurbitæ vitreæ immiſſa, in M. B. totaliter exſiccentur, quoad commodè iterum in pulverem redigi queant, cui, ſi lubet, adde *Ol. deſtillat.* vel *Rutæ*, vel *Citri unciam ſemis*. Fiat *Alexipharmacum nobile*, doſis drachma ſemis ad drachmam unam.

ANTEPILEPTICUM CERVIN. I.

℞. *Flor. Tiliæ recent. uncias tres,*
Rad. Pæon. recent. deb. t. coll. uncias quatuor,
Seminis ejuſdem excort. unciam unam.

Inciſ. & contuſa coquantur in *aqua ſimplicis* ſ. q. repetitis vicibus affuſ. & expreſſæ, quouſque tota virtus protecta ſit: *Decoctiones expreſſæ*

preſſa, junctim optimè clarificentur, & ad *uncias ſex* circiter evaporent; Cui *relicto decocto*, ſive *extracto liquido* cucurbitæ vitreæ immiſſo, adde

Pulv. cervini ſimpl. ex typhis parati & ſuperiùs edocti ℔ ß,
Margar. Oriental. præparat. ſive earundem ſolutionis, menſtruo noſtro indigitato parata, unciam unam,
Corall. rubror. præparat. ſeu eorundem etiam ſolut. ſupra indicato menſtruo parata, unciam unam ſemis.

Et lentâ deſtillatione per M. B. iterum totaliter exſiccentur, ut in Alcohol redigi queant; cui pro aromatiſatione addatur

Elaoſacchari Cinamomi uncia una ſemis,
Olei Coriandri deſtill. drachma dua.

M. fiat *pulvis epilept. efficax*, cujus doſis à *ſcrup. j*, ad *ſcrup. ij*.

ANTEPILEPTIC. CERVINUM II.

℞. *Pulv. cervini ſimpl. ex typhis parati & ſupra edocti, unc. vj*,
Salis volatilis cornu Cervi, juxta modum ſalis viperini volatilis ſuperiùs edoctum parati, unciam unam ſemis,
Sacchari Candi albi pulveriſati uncias duas,
Ol. ſtillat. Coriandri,
Majoranæ,
Lavendulæ ana drachmam unam.

Miſce, fiat *Pulvis antepilepticus*; cuſtodiatur in vitro cerâ optimè obturato, cujus doſis à ſcrupulo uno ad ſcrupulos duos.

BEZOARD. CERVIN. AUREUM.

℞. *Pulv. cerv. ſimpl. ex typhis parati ſupraque edocti, unc. iij*,
Croci Solis modo ſequenti parati, drach. iij ß, plus minusvè,
Eſſent. Citri ſicca noſtro modo parata unciam ſemis.

Miſce, fiat *pulvis delicatiſſimus* in vitro cuſtodiendus, cujus doſis drachma ſemis ad drachmam unam.

Nota: Poſſet, ſi cui voluntas eſſet, *Crocus Solis typhis* nondum exſiccatis addi, & unà cum ipſis exſiccari: vel etiam hiſce duobus pulveribus commixtis, nec non cucurbitæ vitreæ immiſſis, affundi *ſpiritûs urinæ*, & *ſpiritûs vini ana libra ſemis*, & ab iiſdem c[illegible]bando tertiâ vice abſtrahi, quo magis unitentur: tandemque exſic[illegible]is, & de novo per cribrum trajectis pulveribus addi *eſſentia citri dict.*

CROCI SOLIS PRÆPARATIO.

QUamvis ſub hoc titulo *Cornu Cervi* minùs appoſitè *Aurum* intermiſceatur, aſt cùm nil quicquam ab Autho[illegible] in hac *Mantiſſa de Auro* traditum fuerit, cui judicium meum aut qu[illegible] ſimile annectere potuiſſem, *novam* autem *Mantiſſam* con[illegible]truere, ſe[illegible]rios

proceſſus Chymicos addere animus in præſens nunquam fuerit, prout ſæpiùs innui; idcircò non à re prorſus alienum fore exiſtimavi, ſi per accidens *Croci Solis*, huic *pulveri* & *Bezoardico* neceſſariò addendi, præparationem heic annecterem, quam ut boni conſulat Amicus Lector, nullus dubito. Fiat itaque modo ſequenti:

℞. *Auri finiſſ. per Antim. purg.* & *ſubtil. laminati unc.* ß,
Salis Nitri opt. pur. ℥ x, *Alum.* ℥ viij. *Salis commun.* ℥ v.

Miſceantur, immittanturque cucurbitæ vitreæ, quibus ſuperaffundatur *aqua ſimpl. q. ſ.* pro diſſolutione totali ſalium dictorum; coquantur poſt in arena igne moderato ad ſpiſſitudinem vel ſiccitatem ſalium priſtinam, *Aurum* totaliter ſolvetur, & *ſalibus* permiſcebitur, quibus denuò *aqua ſimplic. ſ. q.* pro diſſolutione dictorum *Salium* & *Auri* affundatur, filtretur *ſolutio Solis flava aureique coloris*, cui guttatim inſtilletur *Oleum Tartari per deliq. facti q. ſ.* quousque *Aurum* totaliter fundum petat, quod per filtrum ab *aqua ſalſa* ſeparandum, & *aquâ dulci recenti* optimè edulcorandum, tandemque exſiccandum, & ſi lubet, igne lento per horæ quadrantem calcinandum eſt, erit *Crocus Solis pulcher purpureo violacei coloris*, ſudoriferum & cordiale non infimum.

BEZOARDICVM CERVINVM
CORROBORANS.

℞. *Sacchari albiſſimi pulveriſati uncias quatuor.*

Solvatur ſupra ignem cum ſ. q. ſucci ex corticibus Citri extimis expreſſi, ſine ebullitione, ac ſi tabulæ ex ſuccis acidis parari deberent, in quo remoto ab igne & nonnihil refrigerato, liquefac

Ambra gryſea unciam ſemis; ſuperaddendo
Pulveris Cervini ſimpl. ex typhis parati uncias ſex,
Ol. ſtillat. Cinamomi,
Macis ana drachmam unam.

Miſce, fiat pulvis confortans efficax.

ESSENT. CERVI. ANTEPILEPT.

℞. *Cornuum tenellorum Cervi, ſive typhorum libras duas.*

Conſcindantur in fruſtula minuta, & cucurbitæ vitreæ capitello uniendæ immittantur, cui ſuperaffundantur

Spiritûs Ceraſorum ardentis,
Liliorum convall. ardent. ana libra una.

Factâque digeſtione die unâ vel alterâ abſtrahatur in M. B. per Alembic... ℔ j circiter, qui ipſe tamen ſpiritus reaffundendus, & ſimul ... aliqualem adhuc digeſtionem colandus, filtrandus, iterum ...que aſſervandus eſt. Ex *reſiduis cornibus* retortæ vitreæ & loricatæ

cataræ immiſſis, deſtillentur ſervatis ignis gradibus, *Sal volatile*, *ſpiritus & oleum*, quod ultimum à *ſpiritu & Sale volatili* per tritorium ſeparetur, aut per chartam emporeticam madefactam: *Sal volatile*, quod in *ſpiritu* diſſolutum erit, rectificetur, abſtrahendo nimirùm [illegible] *medietatem ſpiritûs*, cui totum *Sal volatile* inhærebit; *Hic rectificatus ſpiritus Sale volatili prægnans* jungatur *ſuperiori eſſentiæ factæ*, circulentur adhuc aliquandiu, uſuíque tandem aſſerventur, cui pro aromatiſatione *Elæoſaccharum quoddam appropriatum* addi convenit.

ESSENT. CERVIN. ALEXIPHARM.

ILla juxta modum præcedentem ex *tenellis Cervorum cornibus* parari poteſt, ſubſtituendo duntaxat pro *ſpiritu Ceraſorum & Liliorum convallium*, *ſpiritum Juniperi* vel *Rutæ*, ad libitum eorum, quibus hic vel ille odor magis familiaris vel adverſus eſt.

Habes hic Lector benevole ſelectiſſima medicamenta, ex *typhis* vel *tenellis Cornibus Cervinis* parata, ad quorum imitationem plures compoſitiones addi poſſent, admixtis *oleis & ſpiritibus deſtillatis ardentibus*, ac *Salibus volatilibus*, ex *Cervi ſanguine*, *oſſibus cordium Cervinorum*, & ipſo etiam *Cornu Cervi crudo* parandis; verum illa brevitatis causâ cum hæc ſufficiant, lubens omitto.

Nota; quod in defectu *typhorum* vel *novellorum cornuum*, etiam ex *Cornu Cervini adultiori*, non tamen ſpontè delapſo, ſed à mactato Cervo circa Feſtum Ægidii initio Septembris deſumpto, ac ſubtiliter raſpato, efficacia medicamenta ad imitationem præcedentium parari poſſint, quæ tum pro diverſitate affectuum & conditione ægrotantium cum *decoctis convenientibus*, aliquoties humectanda iterumque exſiccanda ſunt. Item *Cornu Cervi Philoſophicè calcinatum*, ſimilibus *decoctis* imprægnatum, non raró in ſuis virtutibus exaltaretur, præſertim ſi *decoctum Cornu Cervi crudi* aut *Cranii hominis* (quæ mucilaginem vel gelatinam in coctura præbent,) vel etiam *Olea ipſorum deſtillata & rectificata*, nec non *Oleum Succini*, item *Salia eorum volatilia* ipſis juxta modos ſuperiùs indigitatos, ſimul imprimerentur, quæ cuncta arbitrio prudentis Medici relinquo.

Atque hæc ſunt LECTOR candide, *quæ tam ſtudioſè in t[illegible]m & ægrotantium commodum meditatus ſum: Plura quæ tempus & experientia ſuppeditabunt, in poſterum, ubi per otia licebit, addi[illegible]ram. Tu interim, quiſquis es, hæc omnia, licet non tantoperè elaborata, ex ſincero tamen, tibique inſerviendi promptiſſimo animo profecta, æqui bonique conſule, & errores hinc inde in hoc Opere feſtinanti adeò calamo conſcripto, pro tuo candore corrige.*

811

PHARMACOPOEIA REGIA,

SEV

DISPENSATORIVM NOVUM.

AUTHORE

JOANNE ZWELFER PALATINO, M. D.



ANNO DOM. M. DC. LIII.

Google

IN DISPENSATORIUM NOVUM PRÆFATIO.

Quamvis præcedens nunc à me primùm Reformata Auguſtanorum Pharmacopœia quamplurimis indignis ac inutilibus ſcateat Compoſitionibus, quæ vel obiter legenti ſæpenumero riſum moveant, vel nauſeam concitent, ne dum illi, qui eaſdem rectæ rationis & judicii examini ſubjicit, & penitius perluſtrat; Attamen non pauca etiam hinc indè in ipſa diſperſa ſunt Compoſita, quæ (præſertim ſi illorum juxta modos in Animadverſionibus noſtris, ſuper eadem non exiguo labore conſcriptis, edoctos, diligens & exacta inſtitueretur præparatio,) ſuas merentur laudes, quas & ego ipſis neutiquam detrahere volui. Nihilominùs cùm forſan nonnemo in tanta ubertate Compoſitionum, & ut dixi, pro majore parte inutilium, circa delectum utilium facilè hærere poſſit, en, Lector Benevole, conſtitui Novum aliquod, idque breve quidem, aſt ad Officinam Pharmaceuticam ritè & benè inſtruendam abundè ſufficiens conſtruere Diſpenſatorium, maximè in gratiam illorum, quibus juxta Divini noſtri ſenis Hippocratis monitum, Citò, Tutò, & Jucundè curare unica voluptas eſt: Saniori enim & in morborum exquiſita diagnoſi probè verſato Medico pauca ſufficiunt ſelecta & experta medicamenta, nec illi opus eſt tàm ingenti compoſitorum farragine. Quod ſi tamen aliquis plura anhelaret, & ex majori ingredientium congerie conflata, ac longo uſu & crebrâ experientiâ quorundam probata medicamina, horum dextrè parandorum in præcedenti Pharmacopœia plenariam & legitimam, nec non rationi & experientiæ minùs repugnantem, imò facilimam habebit Methodum, diligentiſſimis noſtris Animadverſionibus ſuccinctè & fideliter comprehenſam, juxta quam ſi accuratè inſtituerit medicamentorum ſuorum compoſitiones & præparationes, nullo modo à vero & utili aberrare aut declinare poterit. Quod reliquum eſt, certò conſ[illegible], me, ſi forſitan unicuique in omnibus non ſatisfecero, erroribus in ha[illegible] qualicunque opella commiſſis, à quovis æquo arbitro facilè veniam [illegible]e-traturum, cùm ad votum noſtrum, quamvis feſtinanter mihi ſub [illegible]a-nibus ſuccreverit; quippe nulla res eſſe poteſt eadem feſtinata ſimul, & exquiſitè elaborata. Age itaque Lector Amice, & quæ bono publico in præſens conſecravi, ex quo proxime [illegible]eo inſervire ſtudui, id eſt, candido & ſincero animo ſuſcipe; ita [illegible] à juſto juſtus Orator ſum.

PH.

PHARMACOPOEIÆ REGIÆ

CLASSIS PRIMA;

SYRUPORUM ALTERANTIUM, MELLIUM, JULEPORUM, MIVARUM ac ROB, veram componendi rationem explanans.

SYRUPUS DE ABSINTHIO, Sive STOMACHALIS.

Poſſet hic Syrupus *ſimpliciter parari* ex ſolo ſucco & plantâ Abſinthii, *ad normam* Syrupi de Betonica ſimplicis, in *Animadverſionibus* noſtris ſuper ipſum traditam; *taliter enim paratus, non minimis ſanè in ventriculo & hepate roborandis gauderet viribus; Si tamen eundem magis compoſitum deſideras*, ſequens compoſitio *abſque dubio deſiderium tuum explebit; videlicet,*

℞. Herbar. recent. Abſinthii uncias ſex,
Menthæ criſpæ uncias tres,
Galangæ unciam unam,
Calami Aromatici uncias duas,
Roſar. rubrar. unciam unam ſemis,
Spicæ Indicæ unciam ſemis.

…e minutim inciſa & contuſa immittantur in cucurbitam vi… …e… …, ſuperaffundendo *vini optimi libras quatuor.* Stent in digeſtio… r… …co calido; poſtea appoſito capitello, & juncturis benè clauſis, … …ſtillatio & abſtractio libræ unius & dimidiæ: Reſiduæ verò in cucurbita ſpecies exprimantur, expreſſum clarificetur, & interim aſſervetur: *Abſtracta aqua odorifera & ſpirituoſa*, de novo immergantur…

Abſinthii recent. unciæ duæ ſemis,
Caryophyllorum drachmæ tres,

Nucis

Nuc. Moſchatæ uncia ſemis,
Maſtichis elect. drachm. tres.

Factáque digeſtione per diem unum vel alterum, fiat colatura & expreſſio; colatus liquor filtretur. Tùm

℞. Reſiduum à deſtillatione ſuperiori liquorem clarificatum, quem additis libris duabus Sacchari, percoque ad conſiſtentiam Tabulati, cui denique jungatur

Eſſentia deſtillata, noviſque ſpeciebus impragnata,

ac ſolâ diſſolutione fiat *Syrupus*, quem ipſum, ſi libuerit, *ſpiritu Vitrioli Salis*, aut *Salis Armoniaci acido* ad gratam aciditatem acuere poteris, *atque eundem virtutibus Syrupo Abſinthii ſimpliciter parato, non minorem vel inferiorem certo experire.*

SYRVP. ACETOSITAT. CITRI.

℞. Succi Citri recent. depurati libras ſex.

Abſtrahatur in M. B. ad ℔ iij, aqua abſtracta nullius ferè ſaporis abjiciatur. Cum reſiduis *libr. duabus liquoris acidi* infundatur.

Cort Citri recent. extimorum ſubtiliſſimorum libr, ſemis,

& peractâ digeſtione unius diei, iterùm per Alembicum fiat abſtractio libræ dimidiæ, quæ tamen, poſtquam refrixerit, addenda eſt reſiduo, quod colandum, exprimendum, & cum *ſacchari libris tribus* circiter, ſolâ ejuſdem diſſolutione, aut unicâ ebullitione in *Syrupum* juſtæ conſiſtentiæ redigendum: Cujus virtutes vide ſupra in *Diſpenſatorio præcedenti.*

SYRVPVS EX SVCCO ACETOSELLAE.

℞. Succi Acetoſellæ libras tres,
Herbæ Acetoſellæ conſciſſæ & contuſæ libram unam.

Coquantur parùm & exprimantur; *Liquori expreſſo & optimè clarificato* adde

Sacchari albi libram unam ſemis.

Et in vaſe terreo percoque ad debitam conſiſtentiam *Syrupi*, qui, ſi lubido fuerit, vel *ſpiritu Vitrioli*, vel *aquâ Stimmi ſulphureâ Schrôderi* ad gratam aciditatem acui poterit.

SYRVPVS ACETOSVS COMPOSITVS.

℞. Rad. rec. Apii,
Fœniculi,
Endiviæ,
Cichorii ana uncias duas,

Cymarum Aſparagi recent. unciam unam ſemis,
Sem. Aniſi,
Fœniculi,
Apii ana drachmas ſex,
Erucæ unciam unam.

Inciſa & contuſa immittantur in cucurbitam vitream, quibus ſuperaffundantur *aceti deſtillati* ℔ ij, factáque digeſtione *acetum* per M. B. totaliter, vel quantum fieri poteſt abindè evocetur, & *huic de novo* immergantur

Rad. Cichorii,
Apii,
Fœniculi,
Cymarum Aſparagi ana drachm. ſex,
Sem. Erucæ,
Apii,
Fœniculi ana unciam ſemis:

reïtereturque digeſtio loco calido per diem; poſtea factâ colaturâ & expreſſione *filtrata eſſentia* reſervetur. Tum

℞. Species à deſtillatione ſuperiori & infuſione remanentes; quæ affusâ *aqua* ſ. q. coquantur in vaſe terreo vitreato ad ℔ ij circiter, & exprimantur; *expreſſum* albumine ovorum optimè clarificatum, additis

Sacchari albi libris tribus,

coquatur ad conſiſtentiam *Tabulati*; cui adde tandem

Acetum ſuperiùs à ſpeciebus deſtillatum, & eſſentificatum; ſic deniqué unâ vel alterâ ebullitione aut ſolâ diſſolutione fiat *Syrupus, ſuperiori Syrupo acetoſo compoſito viribus correſpondens.*

SYRUPUS APERITIVUS HEPATICUS.

℞. Succ. depuratorum ex totis,
Pimpinellâ,
Lupulo,
Apio,
Petroſelino, &
Fœniculo, ana libr. ſemis,
Scillæ crudæ uncias quatuor.

Quibus *ſuccis* immergantur inciſarum & contuſarum (ſi fieri poteſt) recentium omnium,

Rad. Apii,
[illegible]ulæ,
Vincetoxici,
Cymarum Aſparagi ana unciam unam,

Herb.

Herb. Agrimoniæ,
Epaticæ nobilis,
Agerati ſ. Eupat. Meſ.
Abſinthii,
Scolopendrii ana unciam ſemis, vel drachmas ſex,
Granorum Alkekengi unciam unam.

Factâque digeſtione aliquot horarum, fiat in M. B. deſtillatio, & totius ferè humiditatis abſtractio. *Prolecta aqua odorifera*, de novo immergatur

Medietas ſuperiorum ingredientium omnium, radicum ſcilicet & herbarum recent.

Reïteratâque digeſtione per diem, fiat colatura & expreſſio; *Expreſſum* filtretur, vel *albumine*, factâ cum ipſo unicâ ebullitione in cucurbita clarificetur, interimque aſſervetur.

Jam ex *ſpeciebus* à *deſtillatione* & *infuſione relictis*, affuſâ ſ. q. *aqua ſimplicis*, fiat decoctum ad ℔ ij; quod expreſſum & optimè *albumine ovorum* clarificatum, additis *tribus libris ſacchari albi*, coquatur ad conſiſtentiam *Tabulati*, cui tandem jungatur

Aquæ ſuperiùs deſtillatæ & novis ſpeciebus eſſentificatæ ſ. q. (unciæ xx circiter.)

Fiatque ſolâ diſſolutione *ſacchari*, aut unâ vel alterâ ebullitione *Syrupus*, quem, ſi volueris, cum *ſpiritu Salis*, aut *Vitrioli*, ad gratam aciditatem acuere poteris, *qui ſanè præſtantiſſimus exiſtet in hepatis, lienis & venarum meſaraicarum obſtructionibus, atque indè exortis morbis quamplurimis.*

SYRUPUS APERITIVUS ALTER Pro Mulieribus.

℞. Rad. recent. Apii,
Fœniculi,
Petroſelini,
Pimpinellæ,
Pæoniæ,
Iridis noſtrat.
Valerianæ ana unciam unam ſemis;
Herb. recent. Artemiſiæ rubræ,
Centaurii minoris,
Meliſſæ,
Sabinæ,
Urticæ ana unciam unam,
Baccar. Lauri unciam unam,
Semi. Petroſelini,
Apii ana unciam ſemis;

Cinamomi acuti uncias tres,
Cardamomi,
Cubebarum ana unciam ſemis,
Antophyllorum drachmas tres.

Quibus omnibus conſciſſis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperaffundantur *vini albi generoſi* ℔ v, ferventurque in digeſtione per diem unum vel alterum; poſtea appoſito Alembico, fiat in M. B. abſtractio ad dimidias, & ejuſdem liquoris abſtracti reaffuſio, reiterataque abſtractio, (quæ operatio alioquin cohobationis nomine indigitatur.) In *abſtracto liquore*, vel *aqua deſtillata ſpirituoſa* diſſolve

Boracis Venetæ unciam unam,
Salis volat. ex Sale armon. cum Sale tartari deſt. unc. ſem.

interimque aſſervetur. Tum

℞. Species à deſtillatione relictas cum reſiduo liquore, additâque adhuc unâ vel alterâ librâ *aquæ ſimplicis*, fiat decoctio ad ℔ ij: *decoctum expreſſum & optimè clarificatum*, cum

Sacchari albi libris quatuor,

coquatur ad conſiſtentiam *Tabulati*; cui ultimò junge

Aquam ſuperiùs deſtillatam, Borace & Sale volatili impræ-
gnatam ad libras duas circiter, vel ſ. q.

ut ſolâ duntaxat diſſolutione *ſacchari. ſyrupi conſiſtentia* acquiratur, *qui in reſerandis menſibus obſtructis, egregiam praſtabit operam.*

Nota, quod Sal volatile Salis Armoniaci *in unciis duabus circiter* aquæ ſuperiùs deſtillatæ *diſſolvi*, & Syrupo *jam quaſi refrigerato, cum* reliqua aqua deſtillata *commiſceri poſſit, ne promptè nimis levi calore pulſum, æthera petat.*

SYRUPUS DE CORTICIBUS ARANTIORUM.

SYrupus hic efficaciſſimè paratur juxta modum in *Animadverſionibus ſuperioris Diſpenſatorii reformati* ſuper ipſum factis, indigitatum, quo Lectorem benevolum relego.

SYRUP. DE BETON. SIMPLEX.

HIc *Syrupus* commodiſſimè & laudabiliter juxta *Animadverſiones noſtras* ſuper eundem ſuperiùs factas, parari poteſt; vel ad normam *Syrupi de Meliſſa ſequentis.*

SYRUPUS DE BETONICA COMPOSITUS, Seu CEPHALICUS.

℞. Herb. recent. Betonicæ unc. tres,

 Herb.

Herb. recent. Majoranæ,
Serpylli,
Roriſmarini,
Verbenæ ana uncias duas,
Flor. recent. Lavendulæ,
Liliorum convall.
Salviæ,
Roſar. rub. ana unciam unam ſemis,
Rad. recent. Doronici,
Pæoniæ ana uncias duas,
Cubebarum,
Cardamomi,
Nuc. Moſchat. ana unciam ſemis,
Ligni Aloës drachmam unam ſemis.

Conſciſſa omnia & contuſa immittantur cucurbitæ vitreæ, quibus ſuperaffundantur *vini albi generoſi* ℔ *iv*, locenturque in digeſtionem loco calido diem unum vel alterum; poſtea fiat abſtractio per deſtillationem uſque ad dimidias, & reïterata ejuſdem deſtillationis cohobatio; *Aquæ deſtillatæ* de novo immergantur

Radic. Doronici & Pæoniæ (conſciſſar. duntaxat,) ana uncia una,
Croci Auſtr. drachma una.

Et poſt digeſtionem unius diei, factâ colaturâ, expreſſione & filtratione, *eſſentia* interim aſſervetur. Jam

℞. Species in cucurbita relictas unà cum reſtante liquore; nec non

Species à prædicta eſſentia reſiduas,

easque, additâ adhuc librâ unâ *aquæ ſimplicis*, coque ad remanentiam librarum duarum; *Decoctum* colatum, expreſſum, & cum albumine ovorum optimè clarificatum, additis *libris tribus ſacchari*, coquatur ad conſiſtentiam *Tabulati*; tum adjice

Liquoris vel eſſentiæ aſſervatæ ſ. q. (℔ j ß circiter, vel uncias xxj,)

Et ſolâ diſſolutione confice *Syrupum in affectibus capitis frigidis efficaciſſimum.*

SYRUPUS EX SUCCO BERBERUM.

COnficiatur modo ſimplici, vel ad normam *ſyrupi acetoſitatis citri*, cui etiam odor & *eſſentia citri*, vel alia juxta modum edoctum imprimi poteſt.

SYRUPUS EX SUCCO CARDUI BENEDICTI.

PAretur ad modum *Syrupi de Betonica ſimplicis*, ſuperiùs in noſtris ſuper eundem *Animadverſionibus* indigitatum, ſic nativis ſuis viribus imprægnabitur.

SYRUPUS DE CICHOR. SIMPLEX.

℞. Succi Cichorii depurati libr. quat.
Rad. Cichorii recentium mundat. libram unam.

Coquantur ad dimidias, tùm fiat colatura, & fortis expreſſio: *Expreſſus liquor* albumine ovorum clarificetur, & additis
Sacchari albi libris duabus,
coquatur ad conſiſtentiam Syrupi, *ad hepatis & renum intemperiem calidam corrigendam perutilis.*

SYRUPUS DE CINAMOMO AMBRATUS.

S*Yrupus hic laudabilis* juxta *Animadverſiones noſtras ſuperiores* optimè parari poterit, quæ itaque revolvantur; Si quis tamen paratu faciliorem aliquem deſideraret en dabo ſequentem:

℞. Cinamomi optimi & acutiſſimi uncias ſex;
Quod conſciſſum craſſiuſculè, & cucurbitæ vitreæ immiſſum, ſuperfunde
Aquæ Cinamomi cum vino deſtillatæ libras duas,
factâque digeſtione in calore leni unius alteriusvé diei, fiat *aquæ affuſæ* deſtillatio & abſtractio ad libram unam ſemis, vel uncias ſedecim, (ſi placebit, antequam abſtrahatur *aqua*, immittantur roſtro alembici in petia ligata *Ambræ ſcrupulus unus*, & *Ligni Aloës drachma una*,) *aqua abſtracta* interim ſtudioſè aſſervetur: Relicto autem in cucurbita *Cinamomo*, affundatur parùm *aquæ ſimplicis*, ut una vel altera ebullitio fieri, & libra una circiter liquoris poſt colaturam remanere poſſit, qui albumine ovi clarificandus, & cum *ſacchari libris duabus* ad conſiſtentiam *Tabulati* coquendus eſt; tandem *ſuperioris abſtractæ aquæ unc. xvj circiter* addantur, & ſolâ *ſacchari* diſſolutione cõnficiatur *Syrupus, nativis Cinamomi virtutibus uberrimè imbutus.*

SYRUPUS DE CORALLIS.

SUperio[illegible] cujus *Syrupi Animadverſiones*, genuinam ejuſdem pr[illegible]arationem abundè commonſtrant, quas Lector benevolus ha[illegible] gravatim adeat.

SYRUPUS DE CORTIC. CITRI.

A*Nimadverſiones* noſtræ ſuperiores cùm hujus tùm etiam *Syrupi de corticibus Arantiorum* legitimas præparationes ubertim ſuppeditant, quas Amicus Lector conſulat.

SYRUPUS DE ENDIVIA.

COnficiatur hic *ſyrupus* planè in modum *Syrupi de Cichorio ſimplicis*, paulò ante propoſiti, qui iiſdem etiam affectibus medetur.

SYRUPUS DE FARFARA.

PAretur & hic *Syrupus* (qui calidis pectoris affectibus potiſſimum dicatus eſt) juxta normam *Syrupi de Cichorio ſimplicis*.

SYRUPUS DE FUMARIA.

NEque hic *ſyrupus* quoad præparandi modum variat à præparatione *ſyrupi de Cichorio ſimplicis*, nimirùm *radicibus ſucco additis: Cujus vires ex ſuperioribus ejus attributis clarè patebunt.*

SYRUPUS DE FRAGIS.

SImpliciter conficitur uti *Syrupus Berberorum*.

SPIRITUS DE GLYCYRRHIZA

PECTORALIS.

℞. Rad. Glycyrrhizæ raſæ uncias duas,
Tuſſilaginis unciam unam,
Enulæ Campanæ,
Ireos Florent. ana unciam unam ſemis,
Herb. Pulmonariæ maculoſæ,
Marrubii,
Scabioſæ,
Hyſſopi,
Veronicæ ana unciam unam,
Sem. Urticæ unciam ſemis,
Dactylorum,
Jujubarum,
Ficuum ana num. x.

Quibus inciſis & contuſis, affundantur *aqua fontana* ... coquanturque ad dimidias, tum fiat colatura & expreſſio; *Deco* ...

expreſ-

expreſſum, & albumine ovorum optimè clarificatum, additis *ſacchari albi libris duabus*, vel *mellis libris tribus*; coquendo redigatur ad conſiſtentiam *Syrupi*, cui *Elæoſacchari Aniſi unc. ij*, admiſceantur.

SYRUPUS PECTORALIS, Vel ASTHMATICUS alter,

℞. Rad. Enulæ Campanæ,
Glycyrrhizæ,
Ireos,
Calami aromatici ana uncias duas,
Herb. Hyſſopi,
Veronicæ,
Sem. Aniſi,
Erucæ,
Urticæ ana unciam unam ſemis,
Cinamomi unciam unam.

Radices & *herba recentes* (quantum fieri poteſt,) & reliqua omnia inciſa & contuſa, immittantur in cucurbitam vitream, quibus ſuperaffunde
Vini generoſi opt. libras quatuor,
Succi Scillæ recentis uncias ſex,
factaque digeſtione per diem & noctem, fiat deſtillatio & abſtractio libræ unius & dimidiæ; cui *aquæ ſpirituoſæ* de novo immerge
Scillæ recentis non aſſatæ vel præpar. uncias duas,
Ceparum unciam unam ſemis,
Rad. Ireos,
Enulæ ana unciam unam,
Salis Armoniaci ſublimati unciam ſemis.

Digerantur per diem & noctem, poſtea fiat colatura & expreſſio; *Eſſentiâ* interim aſſervata,

℞. Species à deſtillatione & extractione reſiduas, additâque adhuc librâ unâ vel alterâ *aquæ ſimplicis*, decoquantur ad ℔ ij circiter. *Decoctum* albumine ovorum optimè clarificetur, & cum *ſacchari libris duabus* coquatur ad conſiſtentiam *Tabulati*; cui ultimò jungantur
Eſſentiæ jam antè paratæ & aſſervatæ unc. v circiter,

Fiatque ſolâ diſſolutione *ſacchari* juſtæ conſiſtentiæ *Syrupus in Aſthmate proficuè adhibendus*.

SYRUPUS GRANAT. ACIDOR.

J[illegible] modum aliorum *Syruporum acidorum ſimplicium* parari poteſt; Si verò idem hic *Syrupus* re aliquâ fragranti vel odorifera

 imbui

imbui debet, tum procedendum erit ſecundum præparationem *Syrupi acetoſitatis Citri.*

SYRUPUS DE SUCCO HEDERAE TERRESTRIS.

PAretur uti *Syrupus de Betonica ſimplex*, ita nimirùm affectibus quibus propriè deſtinatus eſt, perquàm commodè deſerviet.

SYRUPUS DE HYSSOPO PECTORALIS.

℞. Herbæ Hyſſopi recent. uncias quatuor,
Rad. Apii,
Fœniculi,
Petroſelini,
Glycyrrhizæ ana recent. uncias duas.

Craſſiuſculè inciſis & contuſis, ac cucurbitæ vitreæ immiſſis, ſuperaffundantur

Succi Hyſſopi libra una,
Fœniculi libra ſemis;

& poſt digeſtionem unius diei fiat deſtillatio *ſuccorum* ferè ad ſiccitatem ſpecierum; *Aqua deſtillata* de novo immerge

Hyſſopi recentis,
Scillæ recentis non præpar. ana unciam unam ſemis,
Radic. Fœniculi unciam unam.

Et poſtquam per diem in calore ſteterint, fiat colatura, expreſſio & filtratio; Tùm

℞. Species omnes à deſtillatione & ultima extractione relictas, Eaſdemque additâ *aqua* ſufficienti quantitate, coque ad ℔ ij circiter; *Decoctum* expreſſum, albumine ovorum optimè clarificatum, cum *duabus libris ſacchari* percoque ad priſtinam hujus conſiſtentiam, ſive formam *Tabulati*; cui adde

Eſſentiæ ſuperiùs deſtillatæ & infuſæ uncias xv circiter,

& ſolâ diſſolutione, vel etiam, ſi libuerit, unicâ ebullitione effice *Syrupum, tuſſi aliiſque pectoris affectibus perutilem & accommodatiſſimum.*

SYRUPUS DE SUCCO MELISSÆ.

HIc *Syrupus* etiam ſatis commodè ad normam *Syrupi de Betonica ſimplicis*, confici poterit; Si tamen aliquis hunc & ſimiles, ex *ſuccis & herbis fragrantioribus* paratos ſyrupos, efficaciores adhuc efficere velit, is procedat hunc in modum:

℞. Succi Meliſſæ citratæ libras tres,

Quibus

Quibus immerge

Herb. Meliſſæ citr. recent. conſciſſæ libram unam,

Et poſt unius diei digeſtionem, *unc. xv* circiter *ſucci odorati* per deſtillationem ex M. B. evoca; cui *prolecto liquori odorifero*, de novo immerge

Herb. Meliſſ. citr. recent. conſciſſæ unc. quatuor, vel ſex,

Factâque digeſtione ſufficienti, in vaſe clauſo, iterùm coletur & exprimatur, *eſſentiâ* interim aſſervatâ. Jam

Relictam in fundo cucurbitæ Meliſſam, unà cùm ſucco reſiduo à deſtillatione fortiter exprime:

expreſſum albumine ovi clarifica, & eum *ſacchari libris duabus* percoque ad conſiſtentiam *Tabulati*, cui tandem adde

Succi ſuperiùs deſtillati, & recenti Meliſsâ imprægnati uncias xv,

Fiatque ſolâ diſſolutione *Syrupus*, *uterinis affectibus* perquam proficuus.

SYRUPUS DE MENTHA

STOMACHALIS.

℞. Menthæ recentis uncias ſex,

Nucis Moſchatæ unciam ſemis,

Cinamomi optimi unciam unam,

Maſtichis elect. unciam ſemis.

Inciſa & contuſa craſſiuſculè immittantur in cucurbitam vitream, quibus ſuperaffundantur

Succi Menthæ recent. expreſſi libræ tres:

Et poſt digeſtionem, ope deſtillationis abſtrahatur libra una cum dimidia, vel unc. xvj, roſtro alembici in deſtillatione (ſi libuerit) immiſſis, in petia ligatis

Gall. Moſchat. noſtro modo parat. drachmâ unâ ſemis.

Maſtichis electæ drachmis duabus;

quæ etiam finita deſtillatione in *liquorem prolectum* immergantur, quò eò meliùs ipſorum fiat extractio: *Aqua illa fragrantiſſima* interim aſſervetur: *Species* autem *relicta* in cucurbita cum *ſucco reſiduo* exprimantur; *expreſſum* optimè clarificetur, & additis *libris duabus ſacchari*, coquatur ad conſiſtentiam *Tabulati*, cui ultimò jungatur

Superioris aſſervatæ aquæ deſtillatæ odorif. & eſſentif. ſ. q. pro Syrupi conſiſt. ſine ulteriori coctione acquirenda.

Item, ſi placuerit, addatur

Succi Cydoniorum & Granatorum recentium invicem ad conſiſtent. craſſam inſpiſſat. libra ſemis,

& evadet *Syrupus*, *ſtomachum inſigniter roborans*.

SYRUPUS NASTURTII, & COCHLEARIAE ANTISCORBUTICI.

PArentur in modum *Syrupi de Betonica ſimplicis*, vel *de Meliſſa*, quos Lector benevolus revolvat.

SYRUPUS NEPHRITICUS.

℞. Rad. recent. Leviſtici,
Petroſelini,
Raphani ana uncias duas,
Herb. recent. Naſturtii uncias duas,
Rutæ murariæ uncias tres,
Gran. Juniperi,
Alkekengi ana uncias duas ſemis,
Cynosbati cum acinis uncias duas,
Sem. Dauci unciam unam ſemis,
Urticæ unciam unam,
Lapidum ſilicum molliorum, qui ignem non concipiunt, uncias quatuor,
Oculorum Cancrorum unciam unam,
Millepedum noſtro modo præparat. unciam ſemis.

Inciſa & contuſa immittantur in cucurbitam vitream, quibus ſuperaffundantur
Vini albi generoſi libræ quatuor,
Succi Ceparum unciæ quatuor.

Stent in digeſtione loco calido per unum vel alterum diem, poſtea deſtillentur ad tertias vel prolectionem libræ unius & dimidiæ. Huic *aquæ deſtillatæ* immerge
Oculorum Cancrorum drachmas duas,
Liquiritiæ raſæ unciam unam ſemis,
Cort. median. ligni Coryli unciam ſemis.

Reiteretur digeſtio, poſtea coletur; colaturâ aſſervatâ, tum

℞. Relictas a deſtillatione & ultima extractione ſpecies, quas, additâ adhuc *librâ unâ* vel *ſ. q. aquæ ſimplicis* decoque ad *libras duas*: *Decoctum* expreſſum albumine ovorum optime clarificetur, & additis *libris duabus cum dimidia ſacchari*, coquatur ad conſiſtentiam *Tabulati*; cui demum addatur
Superioris deſtillatæ aquæ ſpirituoſæ & eſſentificatæ q. ſ. vel libra una ſemis circiter,

ac ſolâ digeſtione aut unicâ ebullitione, fiat *Syrupus Nephriticus egregius*, in *aquâ* vel *ſucco Betulæ* exhibendus.

SYRU-

SYRUPUS DE NYMPHÆA.

℞. Florum Nymphææ alb. q. ſ.

Qui contuſi immittantur cucurbitæ vitreæ, & in M. B. deſtillentur abſque ulla additione ad ſiccitatem uſque, *Flores* reſidui interim aſſerventur: Tum

℞. Aquæ hujus prolectæ libram unam ſemis circiter.

Cui immergatur

Flor. Nymphææ recent. conſciſſor. libra una.

Serveturque in digeſtione loco calido, vaſe clauſo, per diem & noctem; poſtea fiat colatura, & aliqualis *florum* expreſſio, colaturâ ſtudioſè aſſervatâ. Jam accipe

Flores cùm à deſtillatione tùm ab expreſſione reſiduos;

Quibus ſuperaffunde *aquæ ferventis* ℔ ij, & poſt digeſtionem unius diei vel noctis, infuſionem cola, & leniter exprime; *expreſſum* albumine ovorum optimè clarifica, & cum *libris duabus ſacchari* percoque ad conſiſtentiam *Tabulati*, addendo ultimò

Superioris aquæ deſtillatæ & recentibus flor. impregnatæ, uncias xv circiter,

fiatque unicâ ebullitione *Syrupus refrigerans*, & *Hypnoticus*.

Nota; *Si quis loco* florum *à deſtillatione relict. pro ſecunda infuſione*, recent. florum libram unam *acceperit, is non iniquè fecerit*.

SYRUPUS DE PAPAVERE
ERRATICO.

Paretur hic *Syrupus* juxta modum præcedentis *Syrupi de floribus Nymphææ*.

SYRUPUS DE PAPAVERE
SIMPLEX.

Cum *Syrupus hic papaverinus* ex ſeminibus & capitibus Papaveris commodè confici nequeat, idcircò ſuadeo, ut loco hujus *Diacodium papaverinum* noſtro modo paratum, in uſum trahatur.

SYRUPUS DE PÆONIA.

Deſtilletur ex *recentibus floribus Pæoniæ aqua libra una ſemis, ſine ulla additione in M. B.*

Huic aquæ immergantur

Dictorum florum Pæoniæ recentium,

Radic. Pæoniæ (maris) conſciſſar. ana unciæ tres,

& poſt digeſtionem in calore paulò validiori vaſe clauſo, fiat cola-

ſura & lenis expreſſio; *Eſſentia parata* interim aſſervetur. Tum

Fiat ex libra ſemis florum recentium & unciis tribus radicum ejuſdem,

cum ſ. q. *aquæ ſimplicis ferventis* nova infuſio; & demum poſt unam vel alteram ebullitionem colatura & expreſſio: *Colatura* albumine ovorum optimè clarificetur, & cum *libris duabus* & *dimidia ſacchari* coquatur ad conſiſtentiam *Tabulati*, addendo ultimò,

Aquæ ſuperioris deſtillatæ & recentibus floribus eſſentificatæ ſ. q. (libram unam ſemis circiter,)

Fiatque unicâ ebullitione *Syrupus Antepilepticus.*

SYRVPVS ROSATVS SIMPLEX.

HIc *Syrupus roſatus ſimplex*, ſi juxta modum in *Diſpenſatorio* jam *reformato* præſcriptum paretur, idem præſtabit ac *Syrupus roſatus ſolutivus* ex tam frequentibus infuſionibus cum Roſis paratus; Quippe credibile non eſt, nec poſſibile ut ℔ j *aqua*, vires *libra unius* & *dimidia roſarum* elicere poſſit, nam uti ſæpius dictum, nullum recipiens recipit ad modum imprimentis, ſed duntaxat ad modum ſuæ receptivitatis: Idcircò ne impoſterùm tam inutiliter tantam *Roſarum* faciamus jacturam, præſens *Syrupus roſatus ſimplex*, modo ſuperiùs præſcripto ex tribus infuſionibus paratus, omni jure loco *Syrupi roſati ſolutivi* eſſe poterit, utpotè qui & idem efficiet, & paratu facilior exiſtet, nec non viliori precio proſtabit: Quicunque verò ſolummodò *Syrupum roſatum odoratum* & *cordialem* expetit, is adeat *Animadverſiones ſuperiores Diſpenſatorii reformati* ſuper *Iulapium roſarum*, aut eundem paret in modum *Syrupi de Nymphea* præcedentis, & efficiet *Syrupum roſatum præſtantiſſimum* & *fragrantiſſimum.*

SYRVPVS DE ROSIS
SICCIS.

ET hic *Syrupus* optimè conficitur juxta modum in Pharmacopœia reformata præſcriptum, cùm *ſola virtus ſtyptica* in eo expetatur.

SYRVPVS DE SCABIOSA
ET DE SCORDIO.

HI *Syrupi* juxta modum *Syrupi de Betonica ſimplicis*, & *de Meliſſa* laudabiliter parantur, idcircò eorundem præparationes & Animadverſiones ſtudioſè perlegantur, & ſecundum illarum ductum horum *Syruporum* præparatio inſtituatur.

SYRU

SYRVPVS DE SCORDIO COMPOSITUS.

℞. Herb. Scordii recentis libram ſemis,
Rutæ recentis uncias tres,
Rad. Angelicæ,
Scorzoneræ,
Imperatoriæ ana unciam unam ſemis,
Sem. Citri unciam unam,
Baccar. Juniperi uncias duas.

Inciſa & contuſa immittantur in cucurbitam vitream, ſuperaffundendo

Succi Scordii recentis libras duas,

Et factâ digeſtione unius diei fiat deſtillatio & prolectio *aqua* ad *libram unam & dimidiam*; Cui de novo immerge

Herbæ Scordii recentis uncias quatuor,
Rad. Scorzon. recent. uncias duas.

Et poſt aliqualem digeſtionem coletur & filtretur, aſſerveturque interim *eſſentia*. *Species* à deſtillatione & extractione reſiduæ, *affuſâ aqua ſ. q.* coquantur ad libras duas; *decoctum* coletur, exprimatur, & albumine ovorum optimè clarificetur, additisque *libris duabus* cum *dimidia ſacchari*, coquatur ferè ad conſiſtentiam *Tabulati*; cui tandem admiſce de *ſuperiori aqua deſtillata* & *recenti Scordio*, ac *Scorzonera eſſentificata ſ. q.* (℔ j ß circiter) fiatque unâ vel alterâ ebullitione, vel ſolâ diſſolutione *ſacchari ſyrupus* juſtæ conſiſtentiæ, *in febribus malignis & peſte ipſa efficaciſſimus.*

SYRVPVS SPLENETICVS.

℞. Rad. Petroſelini,
Pimpinellæ,
Raphani ana recent. unciam unam ſemis,
Cortic. rad. Capparorum,
Tamariſci ana unciam unam,
Capparorum aceto condit. uncias quatuor,
Herb. recent. Naſturtii,
Scolopendrii,
Ceterach ana uncias duas ſemis,
Matriſylvæ uncias tres,
Sem. Erucæ unciam unam ſemis,
Oculor. Cancror. unciam ſemis,
Cinnamomi optimi unciam unam ſemis.

Quæ inciſa & contuſa immitte in cucurbitam vitream, iiſdemque ſuperaffunde

Vini

Vini albi generoſi libras quatuor,

factâ digeſtione deſtilletur & abſtrahatur aquæ ſpirituoſæ ℔ j ß, cui immergantur

Oculorum Cancrorum uncia ſemis,

Granorum Juniperi uncia una ſemis;

poſt reiteratam digeſtionem fiat colatura & expreſſio; *eſſentia* interim aſſervetur. *Species* à deſtillatione & extractione reſiduæ, additâ adhuc *librâ unâ* vel *alterâ aquæ ſimplicis*, decoquantur ad remanentiam librarum duarum, tùm colentur & exprimantur, *expreſſum* albumine ovorum optimè clarificetur, & cum *ſacchari libris duabus* cum *dimidia* coquatur ad *Tabulati* conſiſtentiam, cui in fine adde *aquam ſuperiùs deſtillatam* & *eſſentificatam*, ſolaque diſſolutione *ſacchari* vel unicâ ebullitione, confice juſtæ conſiſtentiæ *Syrupum in Scorbuto, aliiſque morbis ſpleneticis ſummæ activitatis.*

SYRUPUS DE STOECHADE

CAPITALIS.

℞. Flor. Stœchad. uncias duas,
Salviæ,
Betonicæ,
Lavendulæ,
Summit. Majoranæ,
Thymi,
Herb. & Flor. Roriſmar. ana recent. unciam unam ſemis,
Rad. Doronici,
Pæoniæ,
Sem. Coriandri ana unciam ſemis.

Inciſis & contuſis craſſiuſculæ, ac cucurbitæ vitreæ immiſſis, ſuperaffundantur

Aquæ Liliorum convallium abſque additione aquæ ſimplic. vel etiam (ubi hi Flores in copia haberi nequeunt,) cum vino deſtillatæ libræ duæ,

factâque digeſtione unius vel alterius diei, fiat deſtillatio & evocatio *aquæ libræ unius* cum *dimidia*; Huic *aquæ deſtillatæ* ſtatim immergatur

Radic. Doronici,
Pæoniæ,
Calami aromatici ana conſciſſar. non contuſar. uncia ſemis.

Et peractâ digeſtione vaſe clauſo & loco calido, per unum vel alterum diem, fiat colatura & filtratio, *eſſentiâ* interim aſſervatâ.

Tum

accipiantur *ſpecies omnes* à deſtillatione & extractione relictæ, ac

aff-

affusâ *aquæ ſimplicis* ſ. q. fiat decoctio ad *libras duas*: *Decoctum* expreſſum, colatum, & cum albumine ovorum optimè clarificatum, additis *ſacchari libris duabus*, coquatur ad omnimodam *Tabulari* conſiſtentiam; cui denique adjunge

Aquæ ſuperioris deſtillatæ & eſſentificatæ q. ſ. (uncias xv ci[illegible]er,)

pareturque ſolâ diſſolutione *Syrupus capitalis efficaciſſimus*.

SYRVPVS EX VERONICA.

Efficaciſſimus evadet hic *Syrupus*, ſi paretur juxta normam *Syrupi de Betonica ſimplicis*.

SYRVPVS VIOLARVM

PURPUREUS.

Dextram hujus *Syrupi* præparationem tradidi in *Animadverſionibus ſuperioribus Pharmacopœia reformata*, quo amicum Lectorem ablego.

MEL ANTHOSATVM,

Vel RORISMARINI.

Duplex hujus *Mellis Anthoſati* præparatio exhibita eſt in *Animadverſionibus* noſtris ſuper idem factis ſuperiùs in *Pharmacopœia præcedenti*, quarum tamen *ultimam* imprimis Lectori benevolo commendo.

MEL ROSATVM, & MEL

ROSATUM CITRATUM.

Legitimæ horum *Mellium præparationes* petantur ex *Animadverſionibus prægreſſæ Pharmacopœiæ reformatæ* ſuper eadem factis, & juxta ipſas procedatur.

OXYMEL SIMPLEX.

Ex ſolo *aceto deſtillato* & *dephlegmato*, ac *Melle puro* anaticâ proportione commixtis, per ſimplicem coctionem *Oxymel hoc* confici poteſt; Magis autem conſultum foret *Succos acidos* vel *Granatorum*, vel *Citri*, vel *Berberùm*, loco *aceti* ſubſtituere, utpotè quorum aciditas, prout *aceti*, in cocturam leni non exhalat, ſed cum *Melle* remanet. Idcircò præſtabit ejus præparationem inſtituere modo ſequenti:

℞. Succi Citri depurati vel Granatorum acidorum aut Berberûm, cujuſcunque horum libuerit, vel invicem mixtorum libras tres.

Melli

Mellis deſpumati optimi libram unam ſemis.

Coquantur leniter in olla vitreata ad *Mellis* conſiſtentiam, fiatque *Oxymel.*

OXYMEL DIURETICUM.

℞. Rad. rec. Apii,
Petroſelini,
Raphani,
Reſtæ Bovis,
Pimpinellæ ana unc. ij;
Herb. recent. Cochleariæ,
Naſturtii,
Rutæ murariæ,
Cymar. Aſparagi recent. ana unciam unam ſemis.
Sem. Fœniculi.
Saxifragiæ,
Coriandri ana unciam unam.

Inciſa & contuſa immittantur in cucurbitam vitream, ſuperaffundendo

Aceti acerrimi deſtillati libras duas.

Serventur in digeſtione loco calido per diem unum vel alterum: poſtea deſtillando per M. B. proliciatur *liquoris* libra una; cui immerge

Herb. Cochleariæ,
Naſturtii ana uncias tres.

Reïteratâque digeſtione coletur & filtretur *eſſentia*, quæ interim aſſervetur.

Ex reſiduis à deſtillatione & infuſione *ſpeciebus*, additâ *aqua ſimplicis librâ unâ* vel *alterâ*, fiat in olla *decoctum* ad *libram unam ſemis*, quod ipſum albumine ovorum clarificatum, adjunctis *Mellis puri libris tribus*, coquatur ad conſiſtentiam *Mellis* craſſiſſimam, ordinariâ ejuſdem conſiſtentiâ multò craſſiorem: Tum demum affunde

Acetum ſuperiùs deſtillatum, & novis herbis imprægnatum; ac ſine ulteriori coctione confice *Oxymel* juſtæ conſiſtentiæ *Diureticum* & *Antiſcorbuticum.*

OXYMEL SCILLITICUM.

℞. Aceti Scillitici ex Scilla cruda, non cocta aut aſſata parati libras duas,
Mellis optimè deſpumati libras duas,

Quæ in vaſe terreo percoque ad debitam *Oxymellis* conſiſtentiam.

JULEB

JULEB EX VINO.

HUjus *Iulapii* dextra præparatio, petatur ex *Animadverſionibus* ſuper ipſum factis, in *præcedenti Pharmacopœia reformata.*

MIVA CYDONIORUM
SIMPLEX.

MIvá hæc Cydoniorum paretur juxta *Animadverſiones Pharmacopœiæ prægreſſæ.*

MIVA CYDONIORUM AROMATICA.

℞. Succi Cydoniorum libras viginti,
Muſti vini recentis libras decem.

Coquantur vel inſpiſſentur per ſe leniter in vaſe vitreato ad conſiſtentiam *Mivæ* vel *Syrupi.* Jam

℞. Cinamomi optimi uncias quinque,
Caryophyllorum unciam unam,
Cardamomi minoris unciam unam ſemis,
Zinziberis unciam ſemis,
Calami Aromatici,
Macis,
Nucis Moſchatæ ana unciam unam,
Maſtichis electæ unciam unam ſemis,
Croci Auſtriaci drachmas duas.

Quibus inciſis & contuſis, ac cucurbitæ vitreæ immiſſis, ſuperaffundantur *Vini veteris generoſi & optimi* ℔ v; & poſt digeſtionem unius vel alterius diei loco calido in vaſe clauſo, fiat deſtillatio vel abstractio *librarum duarum,* roſtro capitelli imponendo

Moſchi ſcrupulum unum,
Ambræ ſcrupulos duos,
Ligni Aloës drachmam unam ſemis,

ut in deſtillatione odor & eſſentia harum rerum ab aqua ſpirituoſa prodeunte eliciatur. Hanc *Aquam ſpirituoſam fragrantiſſimam & Aromaticam* ſeorſim aſſerva: Remanentes in fundo *ſpecies* prelo ſubjice; *expreſſum* clarifica, & cum ℔ vj *ſacchari* ad conſiſtentiam *Tabulati* percoque. Tandem illi junge

Succum Cydoniorum unà cum muſto inſpiſſatum & ſuperiùs aſſervatum; nec non
Aquam illam perquam fragrantem ac ſummè ſpirituoſam, à ſpeciebus aromaticis deſtillatione abſtractam:

Tùmque ſolâ diſſolutione *ſacchari* ſine ulteriori coctura para *Mivam Cydoniorum Aromaticam Regiam & præſtantiſſimam.*

ROB

ROB NVCVM, DIAMORON, ROB EBULINUM, ROB SAMBUCINUM, & ROB JUNIPERINUM.

PArari poſſunt ſimplici viâ, juxta modos ſuperiùs in *præcedenti Pharmacopæia reformata* præſcriptos, ſedulò tamen obſervatis noſtris *Animadverſionibus*, præſertim quoad *Rob Iuniperinum.*

PHARMACOPOEIÆ REGIÆ

CLASSIS .II,

Syruporum Purgantium ſtructuram complectens.

Q*Vamvis minus difficilè mihi foret, vel centum* Syruporum Purgantium compoſitiones *heic apponere, tamen quia Syrupi purgantes rarò abſque commixtione rerum aliarum liquidarum adhibentur, & Cathartica propter diuturnam coctionem, quam in Syruporum confectione ferre debent, in viribus non parùm diminuantur: Igitur longè conſultius eſſe arbitror, ad exemplum Infuſi purgantis (quod hodierno die plurimi Clariſſimorum Medicorum in uſu habent) Magnifici & Excellentiſſimi Viri* D. D. Mannagettæ, *Medici Cæſarei digniſſimi, ex iiſdem Infuſa parare. Dicti autem celebris Infuſi purgantis formula ita ſe habet.*

℞. Folior. Senæ elect. drachm. ſex,
Mannæ elect. uncias quatuor,
Cremoris Tartari drachmas duas,
Paſſular. minor.
Confection. Coriandri drachmas tres.

Miſce; inciſa & contuſa craſſiuſculè, includantur nodulo, cui affundantur *aquæ bullientis* ℥ *xiv*; ſtent in infuſione per horas ſex, fiat deinde colatura ſine vel cum leni ſaltem expreſſione, ſerveturque uſui, cujus ℥ *iij*, vel ℥ *iiij* dentur pro *doſi.*

Ex hoc jam manifeſtum fit, quod toties antea inculcavimus, *Aquam ſimplicem, vel aliam quamcunque, aut quodvis aliud menſtruum ultra modum ſuæ receptivitatis recipere non poſſe.* Etenim ex hac laudabili infuſione, cui de catharticis ſolummodò *ſex drachmæ*

folio

foliorum Senæ, & aliquot *unciæ Mannæ*, cum *unciis ſedecim aquæ ſimplicis* infundendæ deſtinantur, quatuor ad minimum potiones purgantes efficiuntur, quæ nunquam non cum laude & felici ſucceſſu exhibentur, cùm è contra (aſt haud benè) vel *uncia una cum dimidia dictorum foliorum cum diverſis aliis purgantibus*, *Rhabarbaro*, *Gialappa*, *Agarico*, *&c.* pro unica potione nonnunquam à quibuſdam Medicis præſcribantur, qui tamen vix eundem effectum aſſequuntur. Non minùs prudenter huic infuſioni *ſpecies catharticæ multum reſinoſæ* adjectæ non ſunt, utpotè quorum vis purgatrix in reſinoſa ſubſtantia conſiſtens, ab *aqua ſimplici* extrahi nequit, ſed pro ejuſdem extractione *ſpiritu aliquo ardenti* opus eſt. Ex horum numero ſunt *Jalappa*, *Mechoacanna*, *Turbith*, *Agaricus*, *&c.* quæ cum Medicò ſcitu ſummè neceſſaria ſint, perquam raròautem in præſcriptione medicamentorum obſerventur, non potui, quin datâ occaſione, paucis hæc attingerem. Proindè ad normam *prædicta laudatæ infuſionis*, alia complurima *infuſa* loco *Syruporum purgantium* ex tempore efformari poſſent, ne tot tamque inutilibus, ex tanta omnis generis tùm catharticarum, tùm alterantium & confortantium (quæ non ſolùm ſuperfluè, ſed inſuper etiam planè ineptè & perperam *purgantibus* adduntur, & hîc nil ampliùs præſtare poſſunt, quàm quod prohibeant, quò minùs rerum catharticarum virtus debito modo extrahi queat:) ſpecierum farragine conglomeratis compoſitionibus Officinæ gravarentur. Si nihilominùs aliquis *purgantes Syrupos* deſideraret, is recurrat ad *Syrupos purgantes præcedentis Pharmacopœiæ*, ſcilicet *Syrupum de Tribus*, *Diaſereos*, *de Rhabarbaro*, *&c*, obſervatis noſtris *Animadverſionibus*, juxta quas ipſorum inſtituat præparationes, omiſſis tamen rebus non purgantibus, aliiſque quæ impedimento ſunt, quò minùs reliqua cathartica vim ſuam in affuſum menſtruum exactè deponere queant, aut ſubſequentes conſulat formulas.

SYRUPUS DE TRIBUS
SOLUTIVUS.

℞. Fol. Senæ elect. uncias octo,
Agarici trochiſcati uncias quatuor,
Rhabarbari opt. uncias duas,
Tartari Cremoris unciam unam.

Inciſa ſaltem coquantur cum ſ. q. *aquæ ſimplicis*, repetitis vicibus affuſæ & expreſſæ, quouſque tota virtus cathartica extracta ſit: *Expreſſiones* omnes albumin. ovorum optimè clarificentur, & additis

Sacchari albi libris duabus cum dimidia,

lenuò coquantur ad conſiſtentiam *Syrupi*, qui *Elæoſacchari citri*, *Cinamomi*,

namomi, vel *Macis* aromatizandus: *Cujus uncia una erit impregnata virtute quatuor ſcrupulorum fol. Senæ, duorum ſcrupulorum Agarici, & unius ſcrupuli Rhabarbari.*

SYRUPUS DE RHABARB O.

℞. Rhabarbari optimi uncias ſex,
Tartari albi crem. unciam unam.

Coquantur vel infundantur ſaltem ſæpiùs cum ſ. q. *aquæ ſimplic. ferventis*, quouſque tota virtus prolecta ſit; *colatura* & *expreſſiones*, ſive *infuſiones* omnes, album. ovorum optimè clarificentur, quibus addantur

Sacchari albi libræ duæ.

Iterum leniter coquantur ad conſiſtentiam *Syrupi*, qui *eſſentiâ Citri noſtrâ*, vel *ſicca* vel *liquidâ*, in prægreſſæ Pharmacopœiæ Mantiſſa edoctâ, aromatizandus; *Cujus uncia una continebit vires unius drachmæ circiter Rhabarbari.*

SYRUPUS DE FOLIIS SENÆ.

℞. Fol. Senæ ſ. ſt. libram unam,
Tartari albi uncias duas.

Inciſa & contuſa ſuperfundantur ſæpiùs ſ. q. *aquæ ferventis*, ad totalem virtutum extractionem: *Extractiones* ſive *expreſſiones* omnes album. ovorum optimè clarificentur; & additis

Sacchari albi libris tribus,

coquantur leniter ad *Syrupi* conſiſtentiam, qui *eſſentiâ Citri noſtrâ*, vel *Elæoſaccharis congruis* aromatizandus; *Cujus uncia una, ſi benè & legitimè paratus fuerit, vires continebit duarum drachmarum circiter folior. Senæ.*

SYRUPUS HELLEBORI NIGRI.

℞. Fol. Hellebori nigri recent. libram unam.
Quibus inciſis & cucurbitæ vitreæ immiſſis, ſuperaffundantur
Vini albi generoſi libræ quatuor.
Et poſt digeſtionem deſtillentur ad dimidias; *aquæ prolectâ* de novo immergantur
Fol. Hellebori nigri recent. unciæ quinque.
Reïterataque digeſtione & colaturâ, *eſſentia Helleborina* interim aſſervetur. Tùm
℞. Fol. Hellebori à deſtillatione & extractione reſidua;
Quæ unâ vel altera adhuc librâ *aquæ ſimpl.* affuſâ, decoque ad libras duas circiter: *Decoctum* exprime, *expreſſum* clarifica, & cum
Sacchari albi libris duabus cum dimidia,

pr

percoque ad conſiſtentiam *Tabulati*; cui demùm jungatur

Superioris deſtill. aquæ eſſentif. q. ſ. vel unciæ xviij circiter, fiatque unicâ ebullitione *ſyrupus* juſtæ conſiſtentiæ.

Ex radicibus Hellebori nigri *ſimili modo ſi lubido fuerit*, Syrupus *parari pot*[illegible] *ex minori tamen ipſarum quantitate, quàm* foliorum *reſpectu* Sacc[illegible].

Loco Syrupi Emetici *ſuaderem etiam, ut cum* ſolo vino, *vel ex* Vitro Antimonii correcto, *vel* Croco metallorum, *aut* floribus Antimonii, *infuſiones conficerentur*; *Nec multis* aromatibus *pro correctione heic opus eſt*; Vinum *enim ipſorum eſt correctivum, modò in doſi non peccetur. Si forſan nonnemini* infuſum aliquod catharticum *arrideret, quod in minori doſi efficaciter operetur, ipſe conſulat* Mantiſſam Hermeticam prægreſſæ Pharmacopœiæ, & Animadverſiones noſtras ſuper Elixir purgans, *juxta quarum ductum & alia parari queunt*, *meo tamen judicio unum vel alterum catharticum ſimile abundè ſufficere poſſet*; *Etenim adhuc ſub judice lis eſt, an* medicamentum catharticum *electivè hunc vel illum, an verò quodlibet quemlibet indiſcriminatim expurget humorem. Cum verò* ſpiritus Vini *nec omnibus arrideat, multò minùs conducibilis ſit* omnibus naturis, ætatibus, regionibus, & affectibus, *proindè ſuperaddo ſequentem infuſionem.*

INFVSVM PVRGANS.

℞. Fol. Senæ elect. uncias ſex,
Agarici trochiſcati uncias tres,
Rhabarbari opt. uncias duas,
Tartari Cremoris unciam unam ſemis,
Coriandri drachmas ſex.

Quibus inciſis & contuſis, ſuperaffundantur *aquæ ſimpl. ferventis* ℔ *iij*; relinquantur in digeſtione loco calido per diem, poſtea colentur & exprimantur *ſpecies*; *expreſſum* ſive *colatum infuſum* albumine ovorum optimè clarificetur, interimque aſſervetur. *Relictæ ſpecies expreſſæ* de novo infundantur cum ℔ *iij aqua ferventis*, & poſt digeſtionem diei unius exprimantur, & hæc *infuſio* cum recenti *aqua ferventis*, nec non *expreſſio*, tertia vice repetatur. Tùm *hæ duæ ultimæ expreſſiones* optimè priùs clarificatæ albumine ovorum, ad remanentiam ℔ *j* leniter evaporent, quæ *ſuperiori jam clarificata infuſioni* jungatur, atque ſic unita, & per manicam Hippocratis filtrata, nec non *eſſentiâ liquidâ Citri* in Mantiſſa progreſſæ Pharmacopœiæ edoctâ, edulcorata & aromatizata, *infuſio* uſui aſſervetur: *Cujus uncia una continet vires drachm. j. fol. Senæ, drachmæ dimidiæ Agarici, & ſcrup. j. Rhubarbari.*

Si quis loco *aquæ ſ. vinum album & clarum* ſubſtituere vellet, infuſionem redderet nonnihil potentiorem vel efficaciorem.

Google

PHARMACOPOEIÆ
REGIÆ
CLASSIS III,
Electuariorum lenientium parandi normam exponens.

Q*Via, uti ſuperiùs diximus, uſus* Electuariorum purgantium *in Germania nunc penè exolevit, idcircò non multus ero in ipſorum præſcriptionibus; ſufficiet unum vel alterum pro uſu interno, & totidem pro Clyſteribus appoſuiſſe; Ad quid enim tantâ* purgantium *varietate opus eſt, præſertim tam* craſſiorum Electuariorum, *cùm, ſi rem rectè perpendamus, ferè omnia idem præſtent, & uno eodemque modo operentur. Ne itaque* Pharmacopolia *impoſterùm tot tamque inutilibus* compoſitionibus *graventur, velim ut Medici his ſequentibus paucis contenti ſint, vel ſi plura deſiderent, adeant præcedentem* Pharmacopœiam reformatam, *ubi ſimilium* compoſitionum purgantium, *& quidem maximâ ex parte ſatis nauſeoſarum inſignem habebunt copiam.*

FLOS, Seu PULPA CASSIÆ.

HÆc ſimpliciter parari poterit juxta modum in ſuperiori *Pharmacopœia*, inque ejuſdem *Animadverſionibus* edoctum, ex qua perfectè extracta, jam ulteriùs diverſa *Electuaria compoſita*, cùm lenientia, tùm ſolutiva confici poſſunt, vel in forma Boli adhibenda, vel etiam potiunculis commiſcenda: Utpotè

℞. Flor. Caſſiæ recent. extract. uncias ſex,
Extracti Rhabarbari,
Fol. Senæ ana drachmas duas, vel drachmas tres,
Miſce. Vel

℞. Flor. Caſſiæ recent. uncias ſex,
Pulv. Gialappæ unciam unam,
Reſinæ Gialappæ,
Extracti fol. Senæ ana unciam ſemis.

Miſce. *Doſis drach. ij*, vel *drach. iij*, *in forma Boli* cum *Elæoſaccharis Citri, Cinamomi*, vel *Macis* aromatizanda. Vel

℞. Fol. Senæ elect. uncias tres,
Rad. Helleb. nigri uncias duas,

Rad. Hermodact. unciam unam ſemis.

Ex inciſis & contuſis fiat cum *ſ. q. aquæ* repetitis vicibus affuſæ, decoctio; *Decoctum* clarificatum, & ad libram ſemis circiter inſpiſſatum, addatur

Li[illegible]æ uni flor. Caſſiæ recent.

cui inſuper jungatur

Sacchar. albi libra una, vel unciæ quindecim.

Coquantur invicem lento igne ad conſiſtentiam *Electuarii*, ſi libet, cum *Elaoſacchari*, *Macis*, *Citri*, vel *Cinamomi* aromatizandi.

CASSIA EXTRACTA.

Poteſt & hæc *Caſſia* modo in *prægreſſa Pharmacopœia* præſcripto commodè parari, quæ tum etiam diverſimodè augeri & acuari poteſt, cùm pro uſu interno, ſcilicet ut per os aſſumatur, tùm quoque pro clyſteribus gutturi inferiori injiciendis. Et quidem pro uſu interno, ſi vis ejus nonnihil intendi debet, *decoctum* fieri poteſt ex *fol. Senæ*, *Rhabarbaro*, *Agarico*, *&c.* & cum illo *Caſſiam* ut moris eſt, extrahere; vel jam *Extractæ Caſſiæ* diverſa *Extracta purgantia* vel *pulveres* (prout ſuperiùs in floribus ejuſdem indigitavimus,) commiſcere poterimus; Ita pariter ex hac tàm pro clyſteribus acrioribus, quàm lenioribus, additis rebus aliis accommodatis, *Electuaria* fieri poſſunt; utpotè pro *Clyſteribus lenioribus*,

℞. Caſſiæ extractæ ſimplicis ſine Saccharo libram unam.
Sacchari Thomæi pro Clyſter. libram ſemis,
Mellis roſati ſolutivi libram unam.

Miſce, coquantur ad conſiſtentiam *Pulpæ* vel *Electuarii*; cui in fine, ubi jam quaſi refrixerit, addè

Vitellorum ovorum numero octo vel decem.

Miſce, fiat Caſſia pro Clyſteribus lenientibus.

Pro Clyſteribus acrioribus,

℞ Caſſiæ extractæ ſimpl. ſine Saccharo, libram unam;
cui adde
Decoct. unciæ unius & dimidiæ Colocynth. nec non unciarum duarum fol. Senæ,

factum cum ſ. q. *aquæ*, iterumque ad libram ſemis circiter inſpiſſatum,

Sacchari Thomæi pro Clyſt. libram unam,
Mellis ſimplicis libram ſemis.

Coquantur ad conſiſtentiam *Electuarii*; cui in fine admiſce
Croci metallorum drachmas ſex,
Salis communis uncias duas,

Miſce, fiat *Electuarium* vel *Caſſia* pro *Clyſteribus acrioribus*.

PVLPA TAMARINDORVM.

Communiter extrahitur uti *Pulpa Caſsiæ*, quæ & ipſa cùm lenientibus tùm fortioribus catharticis commiſceri, [illegible]eri, & exaltari poteſt, prout in prægreſſa *Pulpa* & *Floribus* [illegible]*ſsiæ* edoctum eſt.

ELECTVARIUM LENITIVUM.

℞. Pulpar. Caſſiæ,
Tamarindorum,
Prun. ana cum decocto forti fol. Senæ & Polypodij (unciarum ſeptem circiter fol Senæ, & unciarum quatuor Polypodii,) extract. uncias quinque,
Syrupi roſarum ſolutivi,
Sacchari albi ana uncias ſex.

Coquantur ad conſiſtentiam *Electuarij*, quod ad uſus ſuperiùs in *Electuarii Florenzola* dictos, aſſervetur.

PHARMACOPOEIÆ REGIÆ

CLASSIS IV,

Electuariorum Solutivorum mollium ſtructuram complectens.

BENEDICTA SOLUTIVA.

℞. Turbith electi drachmas decem,
Diagrydii ſulphurati,
Eſulæ præparatæ,
Hermodact. ana drachm. quinque,
Caryophyllorum,
Macis,
Semin. Fœniculi ana drachmam unam ſemis,
Mellis cum decocto fol. Senæ deſpumati libram unam.

Fiat modo ſimpliciſſimo *Electuarium* juxta *Animadverſiones de Hiera cum Agarico Pharmacopœia præcedentis*.

ELECTUARIUM HYDRAGOGUM.

℞. Rad. Ebuli,
Cort. median. Sambuci ana uncias tres,
R[illegible] Aſari unciam unam,
[illegible]um. Aſinini uncias duas,
Fol. Hellebori nigri,
Herb. Gratiæ DEI ana unciam unam,
Sem. Ebuli unciam unam ſemis.

Inciſa & contuſa coquantur in *aqua ſimplicis ſ. q.* ad libras duas circiter. Factâ colaturâ & expreſſione, *decoctum* clarificetur, cui admiſceantur

Sacchari albi,
Mellis deſpumati ana unciæ decem;

Coquanturque rurſus ad ſatis craſſam conſiſtentiam: in fine adde
Elaterii ſive ſucci Cucum. Aſinini inſpiſſati unciam ſemis,
Pulv. Gialappæ uncias tres,
Gummi Gamandræ unciam ſemis,
Cinamomi optimi drachmas ſex,
Caryophyllorum,
Nucis Moſchatæ ana unciam ſemis.

Miſce, fiat Electuarium; *Cujus doſis à drachma una ad drachmas duas vel drachmas tres in forma Boli, potiuncula, aut cum Syrupis diluenda.*

ELECTUARIUM PANCHYMAGOGUM.

℞. Rad. Ellebori nigri unciam unam,
Polypodii querc. uncias tres,
Aſari,
Rhabarbari ana unciam unam ſemis,
Cort. rad. Eſulæ unciam unam,
Agarici albi,
Folior. Senæ elect. ana unciam unam ſemis.

Inciſa & contuſa, coquantur in ſ. q. *aqua*, repetitis vicibus affuſæ & colatæ, donec omnis virtus extracta ſit. *Decoctiones colata* albumine ovorum optimè clarificentur, & additis *libris duabus ſacchari*, coquantur ad conſiſtentiam *Syrupi* craſſioris; cui, quando parum refrixit, adde

Pulv. Gialappæ uncias tres,
Turbith uncias duas,
Reſinæ Scammoneæ unciam unam,
Sem. Aniſi,

Sem. Coriandri,
Nucis Moſchatæ ana unciam ſemis.

Miſce, fiat Electuarium, *quod omne id præſtabit, quod cuncta* Holagoga, Panchymagoga, Cholagoga, &c. *quibuscunque etiam aliis ingredientibus illa ornata, & quot precioſis etiam Gum[m]is ac Lapidibus, item* Moſcho, Ambrâ, *& ſimilibus, ditata ſ[unt].*

ROB RIBIUM PURGANS.

℞. Mechoacannæ,
Gialappæ ana uncias quinque,
Turbith uncias quatuor,
Fol. Senæ elect. uncias ſex.

Quæ cuncta inciſa & contuſa extrahantur cum ſ. q. *ſpiritûs vini*, repetitis vicibus affuſi & colati: *Colatura* ſive *Extractiones* poſtea omnes filtrentur, & ad remanentiam libræ unius, per Mariæ balneum leniter abſtrahantur: Relicto *liquori, reſina* innatabit, quæ ſtudioſè ſeparanda, inque leni calore exſiccanda & pulveriſanda eſt; *Liquor* verò *reſiduus*, vel *Extractum liquidum*, ad conſiſtentiam juſtam *Extracti* in Diplomate exhalet. Cui *Extracto* adde

Rob ribium ſimpliciter cum ſ. q. Sacchari parati libras duas,

Item,

Reſinam ab Extracto ſeparatam, ſubtiliſſimè pulveriſatam, & nonnullis Amygdalis duabus ſubactam.

Ad ſaporem verò & odorem gratum conciliandum,
Elæoſacchari Cinamomi,
Macis ana unciam unam;

Fiatque *Electuarium* juſtæ conſiſtentiæ, amabile, *cujus doſis drachma dua, drachma tres, ad unciam ſemis, in quocunque liquore inſtar Extracti reſolubile.*

Ejuſmodi Electuaria *plura addere infacili mihi foret, verùm hac, uti arbitror, abundè ſuffecerint; imò unico horum, vel etiam uno aliquo ſimplici ex præfatis ingredientibus idem præſtare poſſemus, quod omnibus conjunctim ſumptis; Addere ſaltem hac libuit, ut varios habeant modos ſecundum veteres in hac vel illa forma medicamenta conficiendi, ſecus enim ſuperfluum ducerem talia medicamina compoſita præſcribere.*

INFUSUM HELLEBORI.

℞. Rad. Hellebori nigri unciam unam,
Tartari albi vel Cremoris unciam ſemis,
Sem. Coriandri,
Nucis Moſchatæ ana drachmam unam.

Con-

Contuſa parùm infundantur in

Vini optimi ferventis libra una, vel unciis quindecim.

Relinquanturque in calore leni per diem integrum, factâ poſtea colaturâ, fiat edulcoratio cum *Syrupo de Helleboro ex foliis parato*, quem vide in *Claſſe* prægreſſa *Syruporum purgantium*.

Similit[illegible] *omnibus aliis* Catharticis *infuſa parari queunt, quæ poſtea vel* Saccharo, *vel* Syrupo aliquo appropriato, *vel etiam* Mannâ *edulcoranda ſunt. Et ſanè* ſimilibus infuſionibus *plùs præſtare poſſumus, quàm* ipſis decoctis purgantibus; *longâ enim & frequenti* coctura *plurima* vegetabilia *effœta veluti redduntur, & ad operandum inefficacia.*

Cæterùm, quicunque ejuſmodi Infuſiones *præſcribere voluerit, id unicè obſervet, ut, ſi quæ reſinoſa ſpecies, v. gr.* Turbith, Gialappa, Mechoacanna, &c. *infundenda ſint, ipſarum infuſiones, ſi non cum* ſpiritu vini, *ad minimum* cum vino potenti *inſtituat*; Foliorum Senæ *verò*, Rhabarbari, &c. *infuſiones cum* aqua ſimplici *(ſi* vinum *non arrideret,) perfici poſſunt.*

PHARMACOPOEIÆ REGIÆ

CLASSIS V.

Confectionum ſolutivarum ſolida in forma parandi modum proponens.

ANISUM SOLUTIVUM SOLIDUM.

℞. Sacchari albi libram unam.

Coquatur cum *aqua Aniſi* ad conſiſtentiam *Tabulati*, cui, ubi parumper refrixerit, adde

Pulv. Sem. Aniſi unciam unam,
Nucis Moſchatæ drachmas duas,
Scammonii ſulphurati unciam unam,
Gialappæ drachmas ſex.

Miſce, fiat confectio in Morſellis vel Tabulis.

CONFECTIO ADVERSUS LUMBRICOS.

℞. Sem. Cynæ unciam unam,

Corallinæ unciam ſemis,
Myrrhæ drachmas tres,
Camphoræ drachmam ſemis,
Turbith Gummoſi,
Raſur. Cornu Cervi ſubt. tritæ ana unciam ſemis,
Salis Armoniaci cum Vitriolo ſubl. drachmam unam ſemis,
Sacchari in aqua Roſar. vel Aniſi ſol. libram unam.

Fiat Confectio in *Morſulis* vel *Rotulis* majoribus, inſpergantur, ſi lubet, *oleo Aniſi* vel *Macis*.

DIACYDONIUM SOLUTIVUM.

℞. Diacydonii pellucidi ſimplicis adhuc calentis, & ad conſiſtentiam cocti libram unam ſemis,
Magiſt. Scammon.
Gialappæ ana in ſpiritu vini rectificatiſſimo ſolut. drach. ſex,
Extracti folior. Senæ,
Rhabarbari ana unciam unam.

Miſce, fiatque adhuc unâ vel alterâ leni ebullitione *Diacydonium purgans*, ad inſtar Electuarii craſſioris ſive ſolidioris, addendo ſub finem, ubi quaſi refrixit, odoris & ſaporis gratiâ,
Elæoſacchari Macis,
Cinamomi ana unciam unam.

DIACYDONIUM PELLUCIDUM PURGANS.

℞. Cydoniorum matur. mundator. & in aliquot fruſta majuſcula conſciſſor. numer. x, vel xx, plus minuſvé.

Coquantur cum *aqua ſimpl. ſ. q.* in vaſe vitreato vel patella ferrea, aut ſtanno obducta, quouſque nonnihil mucilaginoſum aſt clarum reddatur *decoctum*, cui colato, claro, & aliquantùm expreſſo, adde

Sacchari (ſi decocti libræ quatuor fuerint,) libras duas,

& ad conſiſtentiam *Gelatinæ* percoque: Huic jam ab igne remoto, admiſce

Reſinæ Scammon. & Gialappæ, in ſpiritu vini rectificatiſſimo priùs ſolutor. ana unciam unam, drachmas duas.

Et poſtquam probè mixta fuerint, *ſpiritusque vini* maxima ex parte exhalârit, effunde in exſculptas figuras plumbeas priùs madefactas, & ex his deinde immitte in ſcatulas, *Oleo Macis* vel *Cinamomi* aut *Citri* inunctas. Poſſet nec non ipſa hæc *Gelatina*, quando nonnihil exſiccata eſt, melioris aromatiſationis ergò, *oleis deſtillatis Nuciſtæ*.

riſta, Cinamomi, Macis vel *Citri* aliquantum aſpergi. *Virtutes ejus cum ſuperiori in Pharmacopœia reformata coincidunt.*

ZINZIBER SOLIDVM SOLUTIVUM.

HUjus compoſitio & dextra præparatio tradita eſt in prægreſſa Pharmacopœia reformata.

PHARMACOPOEIÆ REGIÆ

CLASSIS VI,

Pilularum Compoſitiones exhibens.

PILULÆ ALOEPHANGINÆ CAPITALES & STOMACHICAE.

PIlularum harum *exacta præparatio duplici modo ſuperius* in prægreſſa Pharmacopœia reformata *in ipſarummet harum* Pilularum Animadverſionibus *edocta & exhibita eſt, quæ ibidem videantur. Si quis etiam vellet harum* Pilularum maſſam *cum cathartico aliquo validiori*, ſive Magiſterio Gialappæ *aut* Scammoneæ, *vel etiam* decocto ex Helleboro vel foliorum Senæ, &c. *(quo* Aloë *prius imbuenda, iterumque exſiccanda eſſet,)* acuare, *ſanè efficeret* Pilulas, *quæ loco multarum eſſe poſſent. Vtpotè,*

℞. Fol. Helleb. nigri uncias quatuor, (vel radicum Hellebori nigri unc. tres)

Fiat affusâ ſ. q. *aquæ ſimplicis* repetitis vicibus decoctum, quo cum diſſolve *Aloës libram unam*; col tum poſtea leniter inſpiſſa & exſicca, cui adde *cætera Pilularum harum ingredientia*, *Myrrham ſcilicet Maſtichen*, *olea item deſtillata*, aut horum loco *dimidiam partem Aromatum*, prout in ſecunda præparatione earundem ſuperiùs edocui. Fiatque maſſa, *capitis & hypochondriorum affectibus ſummè proficua.*

Iuxta hanc normam vel *Methodum etiam ex* foliis Senæ, Rhabarbaro, radicibus Eſulæ, Hermodactylis, &c. *decocta parantur, pro imbibitione* & *impragnatione* Aloës, *cui tum etiam alia poſtmodum commiſceri poſſunt. Pro exemplo ſint ſubſequentes.*

PILU-

PILULÆ ANTIHYPOCHONDRIACAE.

℞. Rad. Hellebori nigri uncias tres,
Foliorum ejuſdem recentium uncias quatuor,
Hermodactylorum unciam unam,
Croci Auſtr. unciam ſemis,
Roſarum rub. exſiccat. unciam unam.

Inciſa & contuſa coquantur in *aqua ſimplici*, repetitis vicibus affuſâ, quouſque vis dictarum rerum totaliter prolecta ſit; Decoctum colatum clarificetur, quo cum ſolvatur

Aloës Succotrinæ libra una,

(quæ ſi impura ſit, coletur, iterumque leniter exſiccetur, mollitie tamen ejus ſervatâ,) cui adde

Maſtichis,
Myrrhæ,
Olibani ana trit. unciam ſemis,
Succini albi pulveriſati,
Gummi Ammoniaci in vino ſoluti ana unciam unam,
Salis Armoniaci cum Marte ſublimati,
Vitrioli Martis cum ſpiritu Vitrioli facti ana drachmas ſex,

Fiat Maſſa Pilularum; quæ aromatizetur

Ol. ſtillat. Maſtichis,
Succini,
Macis aña drachma una.

Uſus horis duabus vel tribus à cœna, ſed in pauca quantitate, ut ſaltem alvum poſtero diebus tervè laxent.

PILULÆ DE ALOE ROSATA.

Præparentur juxta modum ſuperiùs præſcriptum in noſtris ſuper eaſdem factis *Animadverſionibus*, nimirùm cum ſimplici infuſione Roſarum.

PILULÆ DE CYNOGLOSSA.

℞. Radic. florum & herbarum Cynogloſſæ uncias quatuor,
Flor. Nymphææ recent. uncias duas.

Fiat ex illis affuſâ *ſ. q. aqua* decoctum, quod clarificetur; cum quo diſſolve

Opii, per evaporationem Sulphuris Narcotici, uti ſuperiùs monitum præparati, unciam unam ſemis.

Coletur, colatura iterum ad ſiccitatem inſpiſſetur, ſive ad formam extracti leni ter evaporet; Cui adde

Ladani,

Ladani,
Styracis Calamitæ,
Myrrhæ ana unciam ſemis,
Olei Nuciſtæ expr. drachm. tres,
Balſami Peruviani unciam ſemis.

Miſce, fiat maſſa Pilularum, *in affectibus catarrhoſis & dyſenteria proficua.*

PILULÆ DE EUPATORIO
HEPATICÆ.

℞. Succor. Eupatorii Meſuæ,
Agrimoniæ,
Hepaticæ nobilis,
Abſinthii ana libram unam;
Cum quibus ſolvatur
Aloës Succotrinæ libra una,
quæ iterùm leniter cum ipſis in M. B. vel arena evaporet, cui antequam prorſus ad ſiccitatem redacta eſt, adde
Pulveris Rhabarbari unciam unam,
Gummi Ammoniaci vino diluti, unciam unam ſemis,
Pulv. Croci drachmas tres,
Extracti Helleb. noſtro modo facti, unciam unam ſemis,
Salis Armon. cum Marte ſubl. drachmas ſex,
Olei Succini drachmas tres.

Fiat Maſſa; *affectibus hepaticis & hypochondriacis ſummè conducibilis, ex qua formentur Pilulæ magnitudine piſorum, bihorium poſt cænam uſurpandæ.*

PILULÆ MASTICHINÆ.

℞. Agarici albi unciam unam ſemis:
Infunde in *vini optimi* & *ſpirituoſi* ℔ j, per diem & noctem; factâ colaturâ & expreſſione, adde *expreſſo vino* adhuc calenti
Aloës Succotrinæ uncias duas.
Iterumque leniter evaporare ſine ad formam *Extracti* ſpiſſioris, cui admiſce
Maſtichis electæ pulveriſatæ unciam unam;
Fiatque leniter exſiccando *Maſſa, in affectibus ventriculi & capitis utiliſſima.*

PILULÆ PANCHYMAGOGÆ.

℞. Pulpæ Colocynthidæ uncias duas,
Agarici albi,
Rhabarbari ana unciam unam,

Helle-

Hellebori nigri uncias duas,
Hermodactyl. uncias duas ſemis,
Fol. Senæ uncias tres,
Cort. median. Sambuci,
Sem. Ebuli ana unciam unam,
Herb. Gratiæ DEI drachmas ſex.

Inciſa & contuſa coquantur in *aqua ſimplicis* ſ. q. ad totalem dictarum rerum virtutum extractionem, bis vel ter *aquam recentem* affundendo. *Decoctiones colata* & *expreſſa* albumine ovorum clarificentur, & ad libram unam circiter evaporent; cui adde

Aloës Epaticæ libram unam,

& leni calore reduc in Extracti conſiſtentiam, in fine ſuperaddendo

Magiſterii Gialappæ,
Scammoneæ ana unciam ſemis,
Maſtichis electæ drachmas ſex,
Ol. Nuciſtæ deſtill. drachmam unam.

Fiat Maſſa Pilularum. *Doſis ſcrupulus unus, vel ad ſummum drachma ſemis.*

PILULÆ PESTILENTIALES.

℞. Scordii recentis noſtrat. libram ſemis,
Rutæ recent. uncias tres,
Radic. Angelicæ,
Zedoariæ,
Contrajervæ ana unciam unam,
Baccar. Juniperi unciam unam ſemis.

Inciſa & contuſa coquantur in *aqua ſimplici* ſæpiùs affuſa, quouſque tota prædictorum vis extracta ſit; *Decoctum* albumine ovorum optimè clarificatum ad libram unam circiter evaporet; cui adde

Aloës Succotrinæ libram unam.

Et in leni calore redige ad *conſiſtentiam extracti ſpiſſioris*, ſuperaddendo

Myrrhæ opt. uncias tres,
Croci Auſtr. unciam ſemis,

cum vino parumper diluta.

Et ubi jam debitam *Maſſa* conſiſtentiam acquiſiverint, admiſce vel inſtilla

Olei Juniperi,
Rutæ,
Angelicæ,
Succini ana drachmam unam, vel drachmam unam ſemis;

& malaxando fiat *Maſſa, in præſervatione peſtis perutilis.*

PILULÆ DE RHABARBARO.

℞. Rhabarbari optimi,
Abſinthii noſtrat.
Agrimoniæ,
Hepaticæ nobilis ana uncias duas.

Inciſa & contuſa coquantur in *aqua ſimplicis* ad omnimodam virtutum extractionem; *Decoctum expreſſum*, & albumine ovorum clarificatum, evaporet ad libram unam circiter; cui addatur
Aloës Succotrinæ opt. libr. ſemis.

Tum exſiccentur in calore leni ad *conſiſtentiam ſpiſſioris extracti*, ultimò ſuperinjiciendo
Maſtichis electæ pulveriſatæ unciam ſemis,
Croci pulveriſati, & diluti vino, drachmas duas.
Et ſi lubido fuerit,
Olei Abſinthii deſtillat. drachmas duas.

Fiatque *Maſſa pilularum Epatica*.

PILULÆ STOMACHICÆ, Vel etiam ANTIHYPOCHONDRIACAE.

℞. Succi Abſinthii noſtrat. libras duas,
In quibus diſſolve
Aloës Succotrinæ libram unam.

Et leni calore ad ſiccitatem iterùm inſpiſſa, addendo inſuper
Pulv. Roſarum rub. drachmas duas,
Maſtichis,
Myrrhæ,
Olibani,
Succini albi,
Croci Auſtriaci,
Baccar. Lauri excort. ana unciam ſemis,
Reſinæ Gialappæ, vel ejus loco, Scammonii ſulphurati, aut Reſinæ ejuſdem unciam unam,
Extracti Helleb. nigri noſtro modo facti uncias duas.

Miſce, & cum *Elixireos Proprietatis ſ.q.* fiat *Maſſa*, ex qua formentur *Pilulæ* piſorum magnitudine, *quarum doſis numero tres, bihorio à cœna.*

PHAR-

PHARMACOPOEIÆ REGIÆ

CLASSIS VI,

Extractorum genuinum conficiendi modum tradens.

QVâ *ratione* Extracta *cùm* Simplicia, *tùm* Compoſita, *dextrè confici debeant, ſuperius ſufficienter edocui, ut opus non ſit hac de re prolixè heic diſſerere, vel etiam diverſa* Compoſita Cholagoga, Phlegmagoga, Melanagoga, Panchymagoga *praſcribere vel efformare*; *hoc ſaltem moneo, ut* Extracta ſimplicia *benè conficiantur, ſcilicet de* Agarico, Rhabarbaro, Gialappa, Mechoacanna, foliis Senæ, Helleboro, Colocynth. &c. *ex quibus enumerata, ſi tantoperè expetantur, extempore parari queunt.*

EXTRACTVM PANCHYMAGOGUM Pro Potionibus.

℞. Rhabarbari opt.
Hermodactylorum,
Hellebori nigri ana uncias tres,
Turbith albi uncias duas,
Gialappæ uncias quatuor,
Cort. median. Sambuci uncias duas,
Fol. Senæ elect. uncias quatuor.

Inciſa & contuſa extrahantur cum *ſpiritu vini* repetitis vicibus affuſo, quouſque tota vis cathartica extracta ſit; *Extractiones filtratæ* abſtrahantur in cucurbita vitrea in M. B. ad remanentiam *libræ unius* circiter: poſtea ab hoc *liquore* ſive *extracto liquido, innatans Reſina* ſeparetur; quo facto, *liquor dictus* leniter, vel in diplomate, ad conſiſtentiam Extracti debitam evaporet, cui denuò admiſceatur *Reſina ab ipſo ſeparata, & recentis ac rectificatiſſimi vini ſpiritus* ſ. q. priùs ſoluta, fiatque *Extractum* juſtæ conſiſtentiæ.

EXTRACTVM PANCHYMAGOGUM Pro Pilulis.

℞. Rhabarbari opt. unciam unam,
Agarici albi uncias duas,

Gialappæ uncias tres,
Turbith gummoſi uncias duas,
Colocynthid. unciam unam ſemis,
Hellebori nigri uncias duas,
Fol. Senæ uncias quatuor,
Sem. [illegible]li,
Scammonii ana unciam unam.

Inciſa & contuſa extrahantur cum ſ. q. *ſpiritûs vini*, quouſque tota vis extracta ſit; *Extractiones* omnes abſtrahantur in M. B. ad remanentiam libræ unius, quæ, ſeparatâ *reſinâ*, fundatur ſuper libram dimidiam *Aloës roſata*, & in calore leni ſimul exſiccentur, admiſcendo ultimò *reſinam ſeparatam*, & *recent. ſpirit. vini* ſ. q. ſolutam, atque ita fiat *Extractum* ſatis ſpiſſum in forma *Maſſa pilularum*.

LAVDANVM OPIATVM.

℞. Extracti Opii, priùs per lenem calcinationem ſuper laminam
ferream parati unciam unam,
Extracti Croci Auſtriaci drachmas tres,
Caſtorei drachmas duas,
Ol. Nuc. Moſchat. expreſſi drachmas duas,
Sulphuris Vitrioli Narcot. rubicundi,
Bezoardici Solaris ana unciam ſemis,
Solut. Perlarum Oriental.
Corall. rub. ana drachmas tres,
Ol. ſtillat. Coriandri drachmam unam,
Cinamomi,
Succini ana drachmam ſemis.

Miſce, & cum *Syrupo Papaveris Rhaados* redigatur in *maſſam* juſtæ conſiſtentiæ, cui, ſi lubido fuerit, *Ambra* & *Moſchus* permiſceri poſſunt. *Doſis ejus ſcrupulus ſemis, ad gran. xij, & xv.*

PHARMACOPOEIÆ
REGIÆ
CLASSIS VIII,
Decoctorum ſtructuram exponens.

DECOCTVM APERITIVVM.

℞. Rad. Apii,
Fœniculi,

Rad. Petroſelini,
Cichorii ana unciam unam ſemis,
Cort. Tamariſci,
Cappar. ana unciam unam,
Herb. Agrimoniæ,
Betonicæ,
Eupatorii,
Ceterach,
Fumariæ,
Thymi ana M iij,
Flor. Roſarum rub. manipulos duos,
Sem. Aniſi,
Coriandri ana unciam unam,
Tartari Cremoris unciam unam ſemis.

Inciſa & contuſa, ſuperfundantur cum *aqua ferventis* ℔ *vj*, vel *viij*; ſtent in digeſtione loco calido, factaque unâ vel altera ebullitione in cucurbita vitrea, vel veſica parva ſtanno obducta, (ut exigua illa, quæ prodit humiditas, reſtitui poſſit,) fiat colatura & expreſſio, nec non clarificatio cum albumin. ovorum: poſtea edulcoretur cum *Syrupo aliquo appropriato*, & ſi lubet etiam, acuetur cum *ſalis armoniaci ſublimati unc. j*, & *ſpiritûs ſalis ſ. q.* pro grato acore.

DECOCTVM CARMINATIVUM.

℞. Sem. Aniſi,
Fœniculi,
Dauci,
Cumini,
Coriandri,
Carui ana unciam unam,
Flor. Chamomillæ Rom. manipulos tres,
Baccarum Lauri unciam unam ſemis.

Miſce; Inciſa & contuſa, ſi opus eſt, coquantur ut ſuprà.

DECOCTVM CONTRA CALCULUM, Vel NEPHRITICUM.

℞. Rad. Liquiritiæ recentis unciam unam ſemis,
Petroſelini,
Apii ana unciam unam,
Herb. Rutæ murar. manipulos duos,
Fol. Althææ manipulum unum,
Granor. Juniperi drachmas ſex,
Alkekengi unciam unam,

Sem. Dauci unciam unam,
Urticæ unciam ſemis,
Cicerum rub, uncias tres,
Oculorum Cancror. drachmas duas,
Tartari Cremoris unciam unam,
Macis drachmas tres.

Inciſa & contuſa craſſiuſculè coquantur benè in Alembico (ut exſtillans humiditas reſtitui poſſit,) cum ℔ *x*, vel *xij aqua fontana*, vel quod meliùs, *vini albi*; Deinde coletur *decoctum*, & clarificetur, cum quo fiat *emulſio* ex *ſem. quatuor frigid. major. ana unc. j*; cui adde

Sacchari albi uncias quatuor,
Succi Citri recentis uncias octo.
Miſce.

Nota; *quod etiam ſine ſeminibus quatuor frigid. pro potu ordinario inſervire poſſit hoc decoctum.*

DECOCTVM FLORUM ET FRUCTUUM PECTORALE.

℞. Rad. Glycyrrhizæ unciam unam ſemis,
Enulæ,
Ireos ana unciam unam,
Herb. Hyſſopi,
Veronicæ,
Pulmonar. macul. ana manip. tres,
Flor. Roſarum rub.
Borraginis,
Buglosſæ,
Violarum ana manipulum unum,
Ficuum pingu.
Dactyl. ana num. xv,
Jujub. num. xxx,
Paſſul. major. uncias duas;
Miſce.

Inciſa & contuſa, ſerventur pro uſu, vel coquantur, prout ſuperiùs innui, & ultimò etiam addatur aliquid de *Sale armoniaco*, cum *Vitriolo ſublimato*.

DECOCTVM FOLIORVM SENÆ.

℞. Fol. Senæ unciam unam,
Zinziberis,
Caryophyll. ana drachmam ſemis,

Coriandri drachmam unam,
Aquæ ferventis libram unam, uncias tres.

Fiat infuſio & colatura ſine coctione pro potionibus purgantibus.

HYDROMEL PURGANS.

℞. Fol. Senæ unciam unam ſemis,
Tartari albi puri unciam ſemis,
Cinamomi,
Caryophyllorum,
Coriandri ana drachmam unam.

Miſce. Inciſa infundantur cum *Hydromellis ferventis libra una ſemis*; fiat digeſtio per diem, poſtea coletur, ſerveturque uſui.

POTUS HIPPOCRATICI.

Deſcripti ſunt in *prægreſſa Pharmacopœia reformata*, quò benevolum Lectorem ablego.

PHARMACOPOEIÆ REGIÆ

CLASSIS IX.

Pulverum Medicamentorum compoſitiones exhibens.

PULVIS SENÆ SOLUTIVUS GROSSUS.

℞. Fol. Senæ elect. ſ. ſt. unciam unam,
Conſcindantur cum forſice craſſiuſculè, minutim tamen, quibus addantur
Coriandri,
Macis ana groſſo modo conquaſſ. drachma una,
Cremoris Tartari drachma una ſemis. Miſce.

Hic Pulvis in ſubſtantia juſculo vel panatella aſſumi, aut quoties libuerit, cum vino vel aqua infundi poteſt, infuſum poſtmodum colatum uſurpari. Sufficiet autem pro doſi in ſubſtantia ʒ ß; *pro infuſione vero* ʒ j, ʒ j ß, *vel* ʒ ij, *ſi plùs quàm uncias tres vel quatuor vini aut aquæ non affuderis.*

PUI

PULVIS SOLUTIVUS TARTARISATUS.

℞. Gialappæ unciam unam ſemis,
Mechoacannæ unciam unam,
Cremoris Tartari drachmas ſex,
Ol. Macis drachmam ſemis.
Miſce, fiat Pulvis. Vel

℞. Pulv. Gialappæ uncias duas,
Cremoris Tartari unciam ſemis,
Ol. Macis ſcrupulum unum:
Miſce, fiat Pulvis.

PULVIS SOLUTIV. DE TRIBUS.

℞. Fol. Senæ drachmas ſex,
Turbith gummoſi drachm. quatuor,
Rhabarbari drachmas tres,
Tartari drachmas duas,
Coriandri,
Macis ana drachmam unam.
Miſce, fiat Pulvis.

PULVIS COMIT. DE WARWICH.

Hujus Pulveris præparationem ſuperiùs invenies.

PULVIS AD SUPPOSITORIA.

℞. Trochiſcor. Alhandal drachmam unam ſemis,
Salis communis unciam ſemis,
Aloës Epaticæ drachmas ſex,
Ol. ſtillat. Ceræ drachmam unam,
Miſce,

SUPPOSITORIA SICCA.

℞. Pulv. Aloës Epat. unciam ſemis,
Trochiſc. Alhandal drachmam unam,
Croci metallor. drachmam unam ſemis,
Salis ſimplicis,
Farinæ Hordei ana unciam unam,
Vitellor. ovorum q. ſ.
ut exinde Suppoſitoria formari poſſint: adde
Olei ſtillat. Ceræ drachmam unam ſemis.

PULVIS CONTRA VERMES.

℞. Sem. Cynæ unciam unam,
Corallinæ unciam ſemis,
Myrrhæ drachmam unam,
Mercurii dulcis unciam ſemis, drachmas duas,
Raſuræ Cornu Cervi,
Turbith ana drachmas duas,
Sacchari albi unciam unam,
Ol. Macis ſcrupulum unum.
Miſce, fiat Pulvis.

PULVIS CONTRA ABORTUM.

℞. Granorum Kermes unciam ſemis,
Margarit. Orient. præpar.
Corall. rub. præpar. ana drachmas tres,
Nucis Moſchat. unciam ſemis,
Roſar. rubrar.
Ligni Aloës gummoſi,
Maſtichis electæ,
Succini albi ana drachmas tres,
Sacchari albiſſimi uncias tres,
Ol. ſtillat. Nuciſtæ,
Coriandri ana ſcrupul. unum, vel drach. ſemis.
Miſce, fiat Pulvis.

PULVIS ADSTRINGENS AD USUM EXTER.

℞. Aloës Epaticæ,
Thuris,
Maſtichis,
Terræ ſigillatæ,
Lapidis Hæmatit.
Gallarum,
Rad. Tormentillæ ana unciam ſemis,
Vitrioli Veneris cærul. ad albed. calcinati unc. unam ſemis,
Aluminis unciam ſemis.
Miſce, fiat Pulvis.

PULVIS BEZOARDIC. PRIMUS.

QUamvis de Pulveribus Bezoardicis *ſufficienter actum ſit in fine* Mantiſſæ *ſub titulo* de Cornu Cervi philoſophico; *item in* Anim-

Animadverſionibus Claſſis duodecimæ, *ubi de* Pulvere Viperarum *egimus; nihilominus addam adhuc unam vel alteram compoſitionem, ſi prædicti haberi nequeant. Ex. gr.*

℞. Rad. Angelicæ,
Contrajervæ,
Cardopatiæ ana unciam ſemis,
Herb. Rutæ,
Scordii ana unciam unam,
Sem. Citri,
Rutæ ana drachmas tres,
Cornu Cervi raſpati,
Salis Cornu Cervi volatilis ana unciam ſemis,
Succini,
Myrrhæ ana drachmas quinque,
Sulphuris crudi pellucidi unciam unam,
Ol. ſtillat. Succini,
Rutæ ana drachmam unam ſemis,
Macis drachmam unam.
Miſce, fiat Pulvis ſubtiliſſimus in vitro clauſo aſſervandus.

PULVIS BEZOARDICVS SECUNDUS.

℞. Bezoardici Solaris,
Antimonii Diaphor. recent. facti ana unciam ſemis,
Sulphuris crudi opt. drachm. ſex,
Sacchari albi unciam ſemis,
Ol. Macis drachmam ſemis.
Miſce, fiat Pulvis.

PVLVIS BEZOARDICVS TERTIUS SOLARIS.

℞. Croci Solis, in fine Mantiſſæ Pharmacopœiæ prægreſſæ edocti, fol. 801. drachmam unam,
Antimon. Diaphoret. unciam ſemis,
Eſſentiæ Citri ſiccæ Sacchar. drachmam unam.
Miſce, fiat Pulvis in vitro cuſtodiendus. *Doſis drachma ſemis ad ſcrupulos duos, & drachmam unam.*

PVLVIS CACHETICVS.

℞. Vitrioli Martis cum ſpiritu Vitrioli facti unciam unam,
Solut. Corall. rub. drachmas ſex,
Succini albi præparat.

Maſtichis electæ ana drachmas duas,
Sacchari albi uncias tres,
Olei Cinamomi drachmam unam.
Miſce, fiat Pulvis ſubtiliſſimus.

PULVIS AD CALCULUM.

℞. Rad. Petroſelini,
Liquiritiæ,
Saxifrag. alb. ana unciam ſemis,
Baccarum Alkekengi,
Juniperi ana drachmas tres,
Sem. Dauci,
Milii Solis ana drachmas duas,
Ocul. Cancror. præpar. unciam unam,
Sacchari albi uncias duas,
Olei Succini,
Spiritûs Terebinth. ana drachmam unam ſemis.
Miſce, fiat Pulvis.

PULVIS ALIUS AD CALCULUM.

℞. Cancrorum marinor. (Italicè *Cancrelli,*) ſuperiorum corticum ſeparator. ab aliis partibus & ſiccator. uncias duas,
Umbilicorum marinorum unciam unam.
Miſce, fiat Pulvis ſubtiliſſimus, *cujus doſis* ʒ j, ʒ j ß. *Similiter ex Cancris noſtrat. pulvis ad hunc affectum parari poteſt.*

PULVIS CAPITALIS, Sive CEPHALICUS.

℞. Rad. Doronici veri.
Coſti dulcis,
Ligni Aloës gummoſi,
Cubebarum,
Cardamomi,
Coriandri,
Nucis Moſchat. ana unciam ſemis,
Maſtichis electæ drachmas duas,
Ambræ gryſeæ drachmam ſemis,
ſolutæ in
Ol. ſtillat. Cinamomi drachmam unam,
Sacchari albiſſimi uncias tres vel quatuor.
Miſce, fiat Pulvis, caput inſigniter roborans.

PUL-

PULVIS AD CASUM.

℞. Pulv. Myrrhæ electæ drachmas ſex,
Sanguin. Dracon. drachmas tres,
Hirci modo ſuperiùs edocto parati,
Oculorum Cancrorum præpar. ana drachmas ſex,
Spermatis Ceti unciam ſemis,
Sacchari unciam unam,
Olei Succini deſtillat. drachmas duas,
Fiat Pulvis,

PULVIS DYSENTERICUS.

℞. Oculorum Cancrorum præpar.
Coralliorum rub. præpar.
Croci Martis adſtringentis ana unciam ſemis.
Sanguinis Draconis,
Thuris,
Aluminis crudi ana drachmas duas,
Nucis Moſchatæ,
Cinamomi ana drachmas tres,
Sacchari albi unciam unam,
Ol. Nuciſt. expreſſ. drachmas duas.
Miſce, fiat Pulvis ſubtilis.

PULVIS EPILEPTICUS.

Pulveres Epileptici deſcripti ſunt in *Mantiſſa reformata*, ſub titulo *Cornu Cervi Philoſophici*. Videatur etiam *Pulv. Marchionis* in *Pharmacopœia prægreſſa*.

PULVIS HYSTERICUS.

℞. Rad. Pæoniæ deb. temp. coll. unciam unam,
Antophyllorum drachmas tres,
Croci Auſtriaci,
Caſtorei ana drachmas duas,
Succini præpar.
Solut. Matris perlar.
Coralliorum,
Salis Jovis, ſive Stanni Angl. ana unciam ſemis.
Sacchari albi unciam unam,
Olei ſtillat. Succini drachmam unam ſemis.
Miſce, fiat Pulvis in ſuffocatione & ſtrangulatione uteri accommodatiſſimus.

PULVIS AD NASALIA.

Videatur ſuperiùs in prægreſſa *Pharmacopœia reformata*.

PULVIS PARTUM PROVOCANS.

℞. Boleti Cervi unciam ſemis,
Glaciei Mariæ fixæ (quæ eſt ſpecies Talci,)
Cinamomi optimi ana drachmas duas,
Bezoar Occident. drachmam unam.
Miſce, fiat Pulvis.

Item, *Iecur* & *Fel Anguillæ* ſiccata & pulveriſata, experta ſunt remedia. Videantur etiam *pulveres* in hunc finem ordinati, in *Pharmacopœia reformata*.

PULVIS PLEURITICUS.

℞. Raſuræ minutiſſ. dentium Apri unciam ſemis,
Priapi Cervi drachm. tres,
Sanguinis Hirci juxta modum ſuperiùs edoctum præparati unciam ſemis.
Miſce. fiat Pulvis ſubtil.

PULVIS STERNUTATORIUS.

Videatur *Pharmacopœia prægreſſa reformata*.

PULVIS STOMACHICUS.

℞. Calami Aromatici,
Pimpinellæ rad.
Aronis rad.
Nucis Moſchatæ,
Oculorum Cancrorum præpar.
Granorum Juniperi ana unciam ſemis,
Sacchari albi uncias quatuor,
Ol. ſtillat. Cinamomi,
Caryophyllorum ana drachmam ſemis.
Miſce, fiat Pulvis.

PULVIS AD STRUMAS.

Videatur ejus compoſitio in *Pharmacopœia reformata*.

PHAR.

PHARMACOPOEIÆ REGIÆ

CLASSIS X.

Eclegmatum, Diacodiorum, & Lohoch formulas comprehendens.

DIACODIUM, Sive ECLEGMA PECTORALE.

℞. Siliquarum dulcium uncias tres,
Glycyrrhizæ raſæ uncias duas.

Inciſa coquantur in *ſ. q. aqua* ad remanentiam ℔ ij; *decoctum* clarificetur, & aſſervetur: poſtea

℞. Hujus decocti libram ſemis; & cum
Sem. Papaveris albi unciis duabus,
Cucurbitæ excort. unciâ unâ,

diu ac fortiter contuſorum; fiat *emulſio craſſa* per pannum linteum rarum colanda & exprimendâ; hâc interim aſſervatâ, accipiatur

Reliqua decocti libra una ſemis; & additâ
Sacchari albiſſ. librâ unâ & dimidiâ;

coquatur ferè ad conſiſtentiam *Tabulati*, cui junge *emulſionem craſſam ſuperiùs factam*, & ſine ulteriore coctione repone.

DIACODIUM PAPAVERINUM
Loco SYRUPI uſurpandum.

℞. Capitum Papaveris numero xij.

Conſciſſa coquantur in *aqua ſ. q.* ad libras duas; *decoctum* albumine ovorum optimè clarificetur,

Cujus decocti recip. libr. ſemis, & cum
Sem. Papav. albi unciis tribus,

diu multùmque contundendo, fiat *emulſio craſſiſſima*, ut potior pars in colatura per pannum linteum rarum tranſeat, quæ interim aſſervetur: Tum

℞. Reſiduam decocti libram unam ſemis, & cum
Sacchari libra una,

percoque ferè ad conſiſtentiam *Tabulati*; cui remoto ab igne, adde *emulſionem ſuperiùs factam*, ac ſine ulteriori coctione reſerva uſui.

DIA

DIACODIUM SOLID. SIMPLEX.

℞. Emulſionis fortiſſimæ ſeminum Papaveris cum decocto capitum ejuſd. factæ q. ſ.
Sacchari albiſſimi pulveriſati libram unam.

Fiatque ſine coctione ad modum *Rotularum* ex *ſuccis acidis* confectio ſolida, ſive in forma *Rotularum*, ſive *Morſulorum*.

DIACODIVM DYSENTERICVM.

℞. Flor. roſarum rub. exſiccat. unciam unam ſemis,
Balauſtiorum unciam ſemis,
Succi Hypociſtid. drachmas duas.

Coquantur in *ſ. q. aqua* ad libras duas; *decoctum* coletur, & optimè albumine ovi clarificetur.

Hujus decocti accipe libram ſemis,
Sem. Papaveris albi uncias tres.

Ex quibus per continuam forteinque contuſionem fiat *emulſio craſſiſſima*, per pannum rarum lineum colanda, interimque aſſervanda. Jam

℞. Decoctum reſiduum aſſervatum; & additâ
Sacchari albi librâ unâ,

percoque ad conſiſtentiam *Tabulati*; cui ab igne remoto, addantur
Emulſio primò ſuperiùs facta;

Deinde reliqui pulveres ſubſequentes; utpotè
Croci Auſtriaci drachmæ tres,
Ocul. Cancrorum præpar.
Coral. rub. præpar. ana uncia una,
Rad. Glycyrrhizæ,
Nuc. Moſchat. ana unciæ ſemis. Miſce, fiat Diacodium.

LOHOCH PECTORALE.

℞. Rad. Ireos unciam unam ſemis,
Liquirit. unciam unam,
Paſſular. majorum unciam unam ſemis,
Dactylorum numero decem,
Pulmonariæ maculoſæ manipulum unum.

Inciſa & contuſa coquantur in *ſ. q. aqua* ad libras duas. *Decocti* colati & optimè clarificati, accipe ℔ ß; item
Nucleor. Pinear. unciam unam ſemis,
Amygdal. dulcium unciam unam.

Fiat ſ. a. ex iis *emulſio craſſiſſima*, per pannum rarum lineum colanda & exprimenda; hâc interim aſſervatâ, accipiatur
Decoctum reſiduum; & cum
Sacchari librâ unâ,

coqua-

coquatur ad conſiſtentiam *Tabulati*; cui ab igne remoto, adde
Emulſionem aſſervatam; Item,
Pul. rad. Ireos unciam unam ſemis,
Liquiritiæ drach. ſex,
Amyli unciam ſemis; & ſi libuerit,
Oxymellis Scillit. paulò ad craſſitiem cocti unc. tres.
Fiatque Lohoch.

LOHOCH DE PULMONE VULP.

℞. Rad. Liquirit. unciam unam,
Ireos unciam ſemis,
Capillorum Veneris,
Pulmonar. maculoſ. ana manipulos duos.

Inciſa coquantur in *aqua* ad *libras duas* circiter; *decoctum* coletur & clarificetur, additâque *ſacchari librâ unâ*, denuò coquatur ad conſiſtentiam *Syrupi*, cui admiſce
Pul. pulmon. Vulpis ſiccat. & noſtro modo parator. unciam unam ſemis,
Ireos Flor. unciam unam,
Liquiritiæ,
Sem. Aniſi,
Fœniculi ana unciam ſemis.
Miſce, fiat Lohoch.

LOHOCH DE SCILLA GALENI.

Fiat ad mentem *Galeni* ſuperiùs in *Pharmacopœia reformata*, ſcilicet ex *ſucco Scillæ non præparatæ vel aſſatæ, ſed crudæ.*

PHARMACOPOEIÆ REGIÆ

CLASSIS XI,

Specierum ſeu Pulverum aromaticorum dextram conficiendi normam demonſtrans.

Qvamtumvis *in ſuperiori* Claſſe nona, *ubi de* Pulveribus medicatis *actum eſt, contra plurimos humani corporis affectus non pauci* Pulveres compoſiti *traditi ſunt, ut adeò non*

non tantoperè neceſſum eſſet, plures Pulveres *ſive* Species aromaticas compoſitas *addere, nihilominus adjiciam aliquot compoſitiones, ſed paucas & ſelectiores, quas abundè ſufficere exiſtimo. Videantur etiam* Animadverſiones *noſtræ ſuper eandem citatam* Claſſem, *ex quibus compoſitionum abſurditates evidenter eluceſcent, quibus poſtliminio poſitis ſpretiſque commendamus ſequentes, ceu illis & elegantiores, & multò efficaciores.*

SPECIES CONTRA APOPLEX.

℞. Rad. Pæoniæ maris deb. t. coll. unciam unam,
Pyrethri,
Piperis longi,
Sem. Erucæ,
Sileris mont. ana unciam ſemis.

Contuſa craſſiuſculè, coquantur in ſ. q. *aqua* ad libram ſemis: *decoctum* coletur & clarificetur optimè; cui adde
Sacchari albiſſimi libram ſemis;
iterumque ad conſiſtentiam *Tabulati* coquatur, in quo paululum refrigerato, diſſolve & liquefac, ſi lubet,
Ambræ gryſeæ drachmam unam.

Et dum adhuc parùm calet, eidem inſtilla
Ol. ſtillat. Cinamomi ſcrupulos duos,
Lavendulæ,
Succini ana drachmam unam;
Superaddendo
Pulv. Bezoard. Cervini ſimpl. in fine Mantiſſæ edocti drachmas tres,
Cardamomi,
Cubebarum ana drachmas duas ſemis,
Sem. Erucæ,
Coriandri,
Solution. Perlarum,
Corallior. ana drachmas duas.

Miſce, fiat *Pulvis ſubtiliſſimus*; cui etiam *Salium volatilium* aliquid, vel *Cornu Cervi*, vel *Microcoſmi* admiſceri poſſet, ſi odorem ingratum patientes vel ægri non averſentur. Aſſervetur in vitro cerâ & veſicâ optimè clauſo, in loco ſicco vel tepido, *eſtque in Apoplexia ſummæ activitatis.*

SPECIES CONTRA EPILEPSIAM.

℞. Rad. Pæoniæ,
Flor. Tiliæ ana unciam unam,
Piperis longi drachmas tres.

Inciſa & contuſa craſſiuſculè coquantur in *aquæ ſimpl. ſ. q.* affuſâ ad uncias quatuor circiter; *Decoctum* coletur, clarificetur, & ad uncias duas circiter evaporet, cum quo contundantur optimè & diu,

Semin. Pæoniæ excort. unciæ duæ,

ut ferè totaliter per colatorium ad inſtar *emulſionis craſſiſſimæ* cogi queant. Tùm

℞. Sacchari albiſſimi pulveriſati libram ſemis.

Quod ſupra ignem recentem, cum *prædicta emulſionis* ſ. q. diſſolve ſine ebullitione, ac ſi tabulæ ex ſuccis acidis confici deberent; in quo, remoto ab igne, diſſolve

Ambræ gryſeæ drachmam unam;
vel loco hujus
Ladani puri aut Reſinæ ejus drachmas duas:
Superaddendo
Bezoardici Cervini ſimplicis unciam ſemis,
Pulv. jecinorum Ranarum drachmas duas,
Cranii humani ſimpliciter præpar. drachmas tres,
Pul. rad. Pæoniæ d. t. coll. unciam ſemis,
Olei Cinamomi,
Coriandri ana ſtillat. drachmam unam,
Succini rectif. ſcrupulos duos.

Miſce; fiat *pulvis ſubtiliſſimus, & ad inſultus epilepticos inhibendos efficaciſſimus, cui etiam Salis volatilis cranii humani particula admiſceri poſſet; ſed hæc ſint penes arbitrium Medici, cùm faciliùs addi quàm demi queat.*

PVLVIS ALIUS EPILEPTICVS.

℞. Pulv. Bezoardici Cervini ſimplic. in fine Mantiſſæ edocti unciam ſemis,
Cranii humani præpar. drachmas tres,
Raſuræ ungulæ Alcis drachmas duas,
Rad. Pæon. d. t. coll. drachmas ſex,
Salis volatilis Cranii humani,
Pulv. ſem. Coriandri ana unciam ſemis,
Sacchari albiſſimi unciam unam ſemis,
Ol. ſtillat. Succini,
Majoranæ ana drachmam unam.

Miſce, fiat *pulvis ſubtiliſſimus* cuſtodiatur in vitro anguſti orificii.

Nota; *quod huic intentioni diverſa* compoſitiones *vel* pulveres Antepileptici, *ex rebus, quas Authores hinc inde commendant, addi poſſent, utpotè ex* Cinnabari nativa, *vel* Antimonii, Magiſterio *&* Bezoardico Lunari, Secundinis exſiccatis mulieris primiparæ filium enixæ; *Item ex* Mercurio dulci, *ſi ſuſpicio vermium ſubeſſet: Verùm hæc ſint etiam penes arbitrium Medici.*

Qui-

Quicunque etiam vel unicâ re maximè appropriatâ, ex enumeratis compoſitis contentus eſſe velit, is ſanè meo judicio non malè faciet, quin multa præſtabit.

Sub titulo Cornu Cervi Philoſoph. *in fine* Mantiſſæ *præcedentis* Pharmacopœiæ reformatæ, *videantur plura* medicamenta Antepileptica, & *celebriora.*

SPECIES CEPHALICÆ.

℞. Sacchari albiſſimi in pauxillo aquæ Cinamomi vel ſimpl. ſol. uncias quatuor.

Coquatur ad conſiſtentiam *Tabulati*; cui remoto ab igne, & nonnihil refrigerato, admiſce, vel in eo diſſolve

Ambræ gryſeæ drachmam unam; ſuperaddendo
Pulv. rad. Doronici drachmas ſex,
Cyperi rotundi,
Ligni Aloës gummoſi ana drachmas duas,
Macis,
Nucis Moſchatæ,
Cardamomi,
Coriandri ana unciam ſemis,
Cubebarum drachmas duas,
Ol. ſtillat. Coriandri,
Cinamomi,
Majoranæ ana drachmam ſemis.

Miſce, fiat Pulvis ſubtiliſſimus, *cerebri affectibus frigidis maximè conducibilis. Cuſtodiatur in vitro clauſo, loco tepido.*

SPECIES CORDIALES.

℞. Sacchari albiſſimi pulvariſati uncias quatuor;
Solvatur ſupra ignem cum ſ. q.
Succi ex Corticibus Citri extimis expreſſi,

ſine ebullitione, ac ſi *Tabula* ex ſuccis acidis confici deberent; cui ab igne remoto, & nonnihil refrigerato, adde, ut in eo liqueſcant,

Ambræ gryſeæ drachma ſemis,
Reſinæ Styracis Calamitæ,
Ladani ana drachma una.

Et dum adhuc parùm calet, ſuperadde

Ol. ſtillat. Roſar. veri ſcrupulum unum,
Cinamomi,
Macis ana ſcrupulos duos,
Solution. Perlarum,
Coralliorum ana unciam ſemis,
Caſſiæ ligneæ veræ,

Cro-

Croci Auſtriaci ana drachmas tres,
Ligni Aloës gummoſi drachmas duas,
Rad. Doronici unciam ſemis.

Miſce, fiat pulvis ſubtiliſſimus, *cordi egregium robur addens. Servetur in vitro benè clauſo, & loco tepido vel ſicco.*

SPECIES DE GEMMIS, Vel PRETIOSIS FRIGIDÆ.

℞. Margaritarum Orientalium unciam ſemis,
Corallior. rub. præpar. unciam unam,
(vel, ſi lubet, ipſorum ſolutiones accipiantur,)
Sem. Acetoſæ,
Baſilicon. ana drachmas tres,
Citri excort.
Flor. Roſar. rub. ana drachmas ſex,
Bezoard. cervini ſimpl. in fine Mantiſſ. præced. Pharmacop. edocti, unciam unam,
Ol. ſtillat. roſar. veri ſcrupul. unum, vel drachm. ſemis.

Miſce, fiant ſpecies vel pulvis ſubtiliſſimus, *in ſubitaneis alterationibus infantum & ſenum perutilis. Cui etiam Bezoar Occidentalis drach. ij vel iij, pro lubitu addi poſſent.*

SPECIES DE GEMMIS, Sive PRETIOSIS CALIDÆ.

℞. Margarit. Oriental. præpar. unciam ſemis,
Corallior. rub. præpar. unciam unam;
(vel ſolutiones earundem accipiantur)
Rad. Contrajervæ,
Zedoariæ ana unciam ſemis,
Croci Auſtriaci drachmas tres,
Sem. Aquilegiæ,
Citri ana unciam ſemis,
Macis,
Galangæ,
Caryophyllor. ana drachmas duas;
Bezoardici cervini ſimpl. in Mantiſſa præced. Pharmac. edocti drachmas ſex,
Bezoar. Occident. drachmas duas,
Ol. ſtillat. Cinamomi drachm. ſemis,
Citri ex recent. cort. ſcrupulos duos.

Miſce, fiat pulvis, *cujus uſus etiam in febribus malignis eſſe poteſt.*

SPECIES DIAIREOS.

℞. Rad. Liquiritiæ unciam ſemis,
Ireos Flor. drachmas ſex.

Conſciſſa parùm coquantur in *aqua ſimplici. Decoctum* ad uncias duas circiter evaporet, cum *decocti hujus* ſ. q. contundantur diu & optimè

Sem. Papav. albi uncia una,
quatuor frigid. major. ana drachmæ tres,

quouſque per cribrum inſtar pultis totaliter ferè cogi queant; Cui pulticulæ adde

Pulv. Sacchari Penidii unc. quat.

exiccentur iterùm in calore, ſuperadjiciendò

Pulv. Ireos albiſſimi uncias quatuor,
Liquiritiæ drachmas ſex,
Gummi Arabici,
Tragacanthi (ſi lubet,) ana unciam ſemis,
Camphoræ drachmam unam, in Ol. Aniſi ſtillat. drachmis tribus ſolutam.
Fiat ſpecies vel pulvis.

SPECIES HEPATICÆ.

℞. Sacchari albiſſimi uncias ſex.

Diſſolve in *aqua Abſinthii*, iterumque ad conſiſtentiam *Tabulati* percoque; cui ab igne remoto addantur

Succor. inſpiſſ. Agrimoniæ,
Eupatorii Meſue,
Hepat. nobilis ana drachmæ tres,
Abſinthii drachmæ duæ,
Pulv. flor. roſar. rub. drachmæ ſex,
Croci Auſtriaci drachm. tres,
Rad. Pimpinellæ,
Calami aromatici ana uncia ſemis,
Vitrioli Martis drachm. ſex,
Galangæ,
Nucis Moſchat. ana drach. tres,
Ol. ſtillat. Cinamomi,
Caryophyll. ana drachmam ſemis.

Miſce, fiat Pulvis, *hepar inſigniter roborans.*

SPECIES IMPERAT. CONFECT.

Fiant ſecundum deſcriptionem ſuperiorem Diſpenſatorii reformati.

SPE-

SPECIES STOMACHICÆ.

℞. Sacch. albiſſ. ſoluti in aqua ſimpl. vel Cinam. unc. ſex,
Coquatur ad conſiſtentiam *Tabulati*, cui remoto ab igne, ſtatim injice & in eo diſſolve,

Maſtichis electæ unciam ſemis,
Reſinæ Styracis drachmas duas,
Extracti Zedoariæ craſſi unciam ſemis,
Pulv. Calami Aromat.
Aronis non præparat.
Cinamomi ana unciam ſemis,
Galangæ,
Caryophyllorum,
Nucis Moſchat. ana drachmas duas,
Ol. ſtillat. Cinamomi,
Abſinthii ana drachm. ſemis.

Miſce, fiat pulvis ſubtiliſſimus, *affectibus ſtomachicis ſummoperè conveniens.*

SPECIES PESTILENTIALES, Sive ALEXIPHARMACÆ.

L*Icet in fine* Mantiſſæ, *ubi de* Cervi cornu, *nec non in* Animadverſionibus Claſſis duodecimæ Trochiſcorum, *ubi de* Viperis *actum eſt*, pulveres Alexipharmacos & peſtilentiales *egregios & efficaciſſimos adjecerim, addam nihilominus auctarii loco unciam compoſitionem haud ſpernendam. Nimirum*

℞. Sacch. albi in aqua ſimpl. vel Scordii ſoluti uncias ſex.
Coquatur ad conſiſtentiam *Tabulati* duram, cui ab igne remoto, adde

Succi Scordii inſpiſſati unciam ſemis,
Decocti ex æqualibus partibus Angelicæ, Scorzoneræ, Zedoariæ parati, & ad extracti ſpiſſi form. redacti drach. ſex,
Pulv. Myrrhæ opt. unciam unam,
Croci Auſtriaci,
Nuc. Moſchat. ana unciam ſemis,
Sem. Citri unciam ſemis,
Boli Armenæ unciam unam,
Bezoard. Cervini ſimpl. unciam ſemis,
Bezoar Occident. drachmas duas,

Miſce, fiat pulvis Alexipharmacus.

TRAGEA AROM. COMMUNIS.

℞. Cinamomi acutiſſ. unciam unam ſemis,

 Nucis

Nucis Moſchatæ,
Macis ana unciam ſemis,
Galangæ,
Caryophyllor. ana drachmas duas,
Zinziberis drachmam unam ſemis,
Coriandri drachmas tres,
Sacchari albiſſimi libras duas.
Miſce, fiat Tragea.

TRAGEA PRECIOSA.

℞. Sacchari albiſſ. in aqua ſimpl. vel cinam. ſol. libram unam.
Coquatur iterùm ad conſiſtentiam *Tabulati*, in quo remoto ab igne, liquefac
Ambræ gryſeæ drachmam unam,
Reſinæ Ladani drachmam unam ſemis.
Et dum adhuc parum calet, ſuperadde
Ol. ſtillat. Cinamomi drachmam unam,
Nucis Moſchatæ,
Caryophyllorum ana drachm. ſemis.
Cort. citri ex recent. non putrefactis ſcrup. duos,
Roſarum veri ſcrupul. unum.
Moſchi in ſpirit. roſar. particula ſoluti ſcrupulum ſemis.
Miſce, fiat Tragea confortativa precioſa.

Nota; *addo quandoq;* aquam cinamomi, roſarum, *vel aliam, pro diſſolutione* ſacchari, *non quod ſpecies vel compoſitum ſingulares virtutes ab ipſis contrahant, quia potiores & ſpirituoſiores earundem partes in coctione* ſacchari *ad priſtinam ferè ejus conſiſtentiam, iterum exhalant, ſed ut* ſaccharum *aliqualem ſaltem odorem concipiat, & paulò gratius evadat.*

TRAGEA GROSSA COMMUNIS.

℞. Cinamomi acuti unciam unam,
Nucis Moſchatæ,
Calami Aromat.
Cubebarum,
Coriandri,
Caryophyllorum,
Galangæ ana unciam ſemis.

Fiat omnium pulvis, & additâ *librâ unâ ſacchari pulveriſati*, ac *olei ligni Rhodii drach.* j, nec non ſ. q. *mucilag. Tragacanthi*, efficiatur *maſſa tenax*, ex qua formentur *globuli parvi*, ad magnitudinem-

nem confectionis Coriandri, pulvere Sacchari conſpergendi, quibus leniter exiccatis, adde

Confectionis Aniſi,
Fœniculi,
Carui,
Coriandri ana uncias tres.

Miſce, fiat Tragea groſſa.

TRAGEA GROSSA PRECIOSA.

℞. Sacchari albiſſimi pulveriſati libram unam.

Solvatur ſupra ignem cum ſ. q. *ſucci ex corticibus Citri extimis recenter expreſſi*, ſine ebullitione, ac ſi *Tabula* ex ſuccis acidis parare lubido eſſet, in quo remoto ab igne, & dum non intensè ampliùs calet, liqueſcant & diſſolvantur

Ambræ gryſeæ drachm. ſemis,
Reſinæ Styracis Calam. drachmam unam,
Superaddendo
Pulv. Sem. Erucæ,
Cubebarum,
Nucis Moſchatæ ana unciam ſemis,
Ligni Aloës gummoſi drachmas duas,
Olei Cinamomi drachmam ſemis,
Macis ſcrupulos duos,
Caryophyllorum,
Roſarum veri ana ſcrupulum unum,
Moſchi in particula ſpirit. roſar. ſoluti ſcrupulum ſemis.

Fiat omnium pulvis, ex quo cum ſ. q. *mucilag. Tragacanthi in aqua roſarum* diſſol. fiat *maſſa tenax*, ex qua formentur *globuli parvi* inſtar pilularum, vel ad magnitudinem confectionis Coriandri, quibus leniter exſiccatis, ſuperadde

Confect. Aniſi,
Fœniculi,
Coriandri ana uncias duas.

Fiatque Tragea aromatica groſſa præſtantiſſima.

SACCHARUN ROSATUM
TABULATUM.

℞. Pulv. flor. roſar. rubicundiſſ. uncias tres,
Cui ſuperaffundatur
Succi Citri vel Berberûm q. ſ. ut fiat inſtar pulmenti vel pulticuli. Jam

℞. Sacchari albi pulveriſ. libram unam,

Quod in patella ſupra ignem cum prædicti *Roſar. pulmenti* ſ. q. lique-

liquefac vel diſſolve, in modum, ac ſi *tabulæ* ex ſucco acido efformari deberent, fiantque *morſuli* ſine coctura, cavendo tamen, ne nimium *ſucci citri*, *pulveri roſarum* affundatur, quò omnes tres unciæ *ſaccharo* imprimi queant.

MANUS CHRISTI, Sive TABULÆ PERLATÆ confortantes acidæ.

℞. Solutionis Perlarum, & ſi lubet etiam,
Corallior. ana drachmas ſex.

Diſſolvantur cum ſ. q. *ſucci Citri recentis* ad formam pulticulæ, quâ ſupra ignem recentem in patella, ſolvatur *Sacchari albiſſimi pulveriſati* ℔ j, ut moris eſt in præparatione Tabularum cum ſuccis acidis, fiantque *Rotulæ*, quæ jam factæ *oleis deſtillatis*, vel *Citri*, aut *Cinamomi*, vel etiam *Roſarum*, conſpergi poſſunt.

Nota: *In defectu* ſucci Citri recentis, ſuccus Berberûm *accipi poteſt*; *Quò acidiores etiam efficiantur* Rotulæ, *& agrotis etiam gratiores*, *abſtrahantur duæ vel tres partes à ſuccis acidis*, *vel* Citri, *vel* Berberûm, *prout in confectione* Syrup. acetoſit. Citri *edocui*, *& cum relicto liquore efficiantur* Rotulæ. *Poſſunt nec non* ſolutiones Perlarum, *& aliorum ſemel atque iterùm*, *antequàm* Rotulæ *ex illis conficiantur*, *cum ſuccis acidis humectari*, *& denuò exſiccari.*

CONFECTIO PECTORALIS.

℞. Sacchari albiſſimi libram unam:

Solvatur in *aqua roſarum ſ. q.* coquatur ad conſiſtentiam; cui remoto ab igne, injice

Reſinæ Styracis,
Maſtichis elect. ana drachmas duas:
quibus liquatis adde
Specierum Diaireos noſtrarum unciam unam,
Pulv. rad. Ireos unciam ſemis,
Croci drachmam unam,
Ol. Aniſi deſtillat. drachmam ſemis,
Cinamomi gr. v,
Caryophyllorum,
Macis ana ſcrupulum unum.

Fiant Rotulæ Pectorales.

MORSELLI CONFORTANT.

℞. Sacch. albi in aqua roſarum ſoluti libram unam;

percoque ad conſiſtentiam *Tabulati*, in quo ab igne remoto, & nonnihil refrigerato, diſſolve

Am-

Ambræ gryſeæ ſcrupulum unum,
Reſinæ Ladani drach. ſemis; ſuperaddendo
Piſtachior. excort.
Pinear. mundat.
Amygdal. dulc. excort.
Nuc. Moſch. Ind. cond. ana craſſiuſc. conſciſ. unc. unam;
& cùm jam jam fundi debent, inſtilla
Ol. Cinamomi ſcrupulum unum,
Macis,
Caryophyllorum ana drachmam ſemis.
Fiant Morſelli. Vel

℞. Sacchari albiſſimi libram unam, quam ſubtiliſſimè pulveriſatam cum ſ. q. *ſucci Citri acidi ad tertias abſtracti*, ſupra ignem recentem ſine coctura ſolve ſ. a. Hinc adde craſſiuſculè inciſa,
Pinear. mundat.
Piſtach. decort.
Amygdal. dulcium decort.
Nucis Moſchatæ condit. ana drachmas ſex.
Item, cùm jam jam fundi debent,
Ambræ gryſ. ſcrup. unum, ſolutæ in
Ol. ſtillat. Cinamomi ſcrupul. uno,
Macis,
excort. Citri recent. ana drachmam ſemis.
Fiant Morſelli precioſi.

PHARMACOPOEIÆ REGIÆ

CLASSIS XII,

Trochiſcorum ritè parandorum rationem veram indicans.

De Trochiſcis *ſuperiùs in propria ipſorum* Claſſe *multa diſſerui, nimirùm quàm* inutilia ſint medicamenta *(nonnullis exceptis, utpotè* pectoralibus, ſublingualibus, *& qui* ſuffumigiis *deſtinati ſunt;) ac planè inhabilia, ut in ſua forma propria in uſum medicum trahi queant; ſed opus habeant, ut priùs in pulverem denuò redigantur; Hoc autem non adeò aptè fieri poſſe, neque etiam conſultum eſſe, ibidem demon-*

ſtravi. Nec eſt, quod quis objiciat, medicamenta in talem formam redacta, diutius integris perſiſtere viribus, quaſi verò non alia eſſent medicamentorum formulæ ſatis durabiles: Ne autem Officina Pharmaceutica Trochiſcis *omninò deſtituantur, addam aliquas formulas, aſt magis congruas, & Medico in diverſis morborum generibus profligandis, abundè ſufficientes, juxta quarum normam alia medicamenta in ſimilem formam commodè redigi poterunt.*

AGARICUS TROCHISCATUS.

A*Garicum* propter ſuam levitatem in aliam formam redigere, conſultum duco, ut nonnihil gravior vel ponderoſior reddatur, & ad trituram aptior; cùm crudus ægrè in pulverem contundi poſſit, & propter ſuam levitatem partim avolet, partim etiam dum in floccos facilè convertitur, triturationi valdè reſiſtat; Quâ ratione autem idem in *Trochiſcos* efformari debeat, ſuperiùs in *Animadverſionibus ſupradictæ Claſſis* de *Trochiſcis* edocui, quas Lector benevolus haud gravatim conſulat.

TROCHISCI ALHANDAL.

PRopter eandem cauſam, ob quam *Agaricus* ſummam ſcilicet levitatem & difficillimam triturationem etiam *Colocynthis* in *Trochiſcos* cogitur, qui *Alhandal* dicuntur, quorum præparatio pariter ex ſuperioribus noſtris *Animadverſionibus Claſſis propriæ*, in Pharmacopœia reformata patebit.

TROCHISCI ALIPT. MOSCHAT.

HOrum *Trochiſcorum* legitimam confectionem, vide in Pharmacopœia prægreſſa.

TROCHISCI BECHICI ALBI

PECTORALES.

℞. Sem. quatuor frigid. major. excort. unciam unam ſemis,
Papaveris albi unciam unam.

Contundantur optimè cum ſ. q. *aqua roſarum*, ad formam pulticulæ, ut per cribrum anguſtum inſtar *pulpæ* ferè totaliter cogi queant, quâ pulticulâ aſſervatâ, accipe

Pulv. Sacchari albiſſimi libram unam,
Candi,
Penidii ana uncias quatuor,
Rad. Ireos Flor. albiſſimæ,
Amyli ana uncias tres:

Et cum ſuperiori parata *ſeminum pulte*, ac ſi illa non ſuffecerit, *muci-*

mucilaginis tragacanthi ſ. q. fiat *maſſa tenax*, addendo, ſi libet, aliquid *olei Benzoës*, vel *olei Aniſi*, aut etiam *Moſchi*, formenturque *Trochiſci*.

TROCHISCI BECHICI NIGRI
PECTORALES.

℞. Sem. quatuor frigid. major. excort. uncias duas,
Papaveris albi unciam unam ſemis.

Contundantur optimè cum ſ. q. *ſucci Liquiritia* in *aqua roſarum* ſoluti, ad pultis formam, ut per cribrum anguſtum inſtar *pulpa* cogi queant, quâ interim aſſervatâ, diſſolve etiam ſeorſim
Succi Liquiritiæ unc. quatuor, in
Aquæ roſarum ſ. q. ad pultis formam.
quibus *pulpis* in mortario commixtis, adde
Reſinæ Styracis Calamit. priùs autem pulveri ſacchari permiſtæ, unciam unam ſemis; Item,
Pulv. rad. Ireos Flor. uncias tres,
Sacchari albiſſimi libras duas,
Penidii libr. ſemis,
Ol. ſtillat. Aniſi drachmas tres.

Fiatque (ſi ſuperiores *pulpa* non ſuffecerint,) additâ ſ. q. *mucilaginis Tragacanthi*, maſſa tenax, ex qua efformentur *Trochiſci*.

TROCHISCI BECHICI RUBRI
ANTIPLEURITICI ET PECTORALES.

PArentur ex *ſpeciebus Trochiſcorum Bechici albi*, addendo *Boli Armeni Orient. unc. j, Extracti flor. Papav. Rhœados ℨ vj.*

TROCHISCI DE BENZOE AD
USUM INTERNUM.

℞. Sacchari albiſſimi libram unam,
Solvatur in *aqua roſarum*, & coquatur ad *Tabulati* conſiſtentiam, in quo ab igne remoto, diſſolve
Reſinæ Styracis Calam. unciam unam,
Item ubi parùm refrixère,
Olei Benzoës deſtillati drachmas duas,
Pulv. Ireos Flor. unciam unam,
Ligni Aloës opt. unciam ſemis,
Moſchi in particula aquæ roſar. ſolut. ſcrupulum ſemis.

Ex hac mixtura, ſive hoc *permixto ſaccharo*, additâ ſ. q. *mucilag. tragac.* efformetur ſ. a. *maſſa*; ex qua tandem formentur *trochiſ. laudatiſſ.* pro uſu interno, *in affect. pectoris & aſthmat. ſummè proficui.*

TROCHISCI DE BENZOE AD SUFFITUS PRECIOSOS.

℞. Reſinæ Styracis Calam. ſuperiùs in præparat. Ther. Andr. edoctæ, unciam unam.
Liquefiat leniter in patella, cui impaſtentur
Pulv. Benzoës unciæ tres,
Moſchi ſcrupulum unum.
Et ſi non ſuffecerint pro *maſſa duriſſima* (in calore ſolùm,) in *Trochiſcos* vel *Paſtillos* efformanda, addatur nonnihil de *pulvere carbonum*, fiantque *Paſtilli* vel *Trochiſci duriſſimi*, inſtar ceræ Hiſpanicæ, quique omni jure pro *Paſtillis Hiſpanicis* haberi poſſunt.

TROCHISCI DE GALLIA MOSCHATA.

HI Trochiſci, *ſi ſecundum deſcriptionem Meſues confici debent, in ſua forma vel conſiſtentia uſurpari nequeunt, niſi prius iterum in pulverem redigantur: Proindè ſuaſor ſum, ut modò ſequenti cum* ſaccharo *conficiantur, qui tandem non ſolùm in forma trochiſcali Magnatibus proſtabunt, verùm etiam cunctis aliis medicamentis commodè admiſceri poterunt.* Utpotè
℞. Moſchi drachmam unam.
Solvatur cum *ſpiritu roſarum* ad formam pultis, & cum
Pulv. Sacchari uncia ſemis, &
Ligni Aloës gummoſi drachmis duabus,
iterùm convertatur in pulverem. Tùm
℞. Sacchari albiſſimi (ad minimùm,) uncias tres;
& additâ particulâ *aqua roſarum*, coquantur ad conſiſtentiam *Tabulati*, in quo ab igne remoto, & nonnihil refrigerato, diſſolve
Ambræ gryſeæ drachm. tres, cum
Pulv. Ligni Aloës opt. drachmis tribus,
etiam aliqualiter permiſtæ, fiat Pulvis.
Ex *binis his pulveribus*, *Ambrato* ſcilicet & *Moſchato*, additâ ſ. q. *mucilaginis Tragacanthæ*, vel ſaltem *aqua roſarum*, fiat *maſſa*, ex qua formentur *Trochiſci*.
Nota; *quod* Sacchari *quantitas augeri poſſit ad libitum, ſi fortè pro Magnatibus in forma Trochiſcorum præſcribi deberent.*

TROCHISCI SUBLINGUALES PESTILENTIALES.

℞. Sacchari albiſſimi in ſucco Scordii recenti & depurat. ſol. libram unam.

Co-

Coquantur ad conſiſtentiam *Tabulati* duram, in quo ab igne remoto, diſſolve

Extracti Zedoariæ, &

Scordii ana unciam ſem.

Salis Viperini Alexipharmaci ſecundi ſuperius edocti drach. ſex,

Ambræ gryſeæ ſcrupulum unum.

Et cum refrixerint, adde

Moſchi ſol. in ſpir. roſarum ſcrupul. ſemis,

Ol. ſtillat. Rutæ,

Myrrhæ ana drachm. ſem.

Macis,

Cinamomi ana ſcrupulum unum.

Quæ cuncta ſ. a. probè comiſta, additâ portiunculâ *mucilaginis Tragacanthi*, redigantur in *maſſam*, ex qua formentur *Trochiſci*.

TROCHISCI PESTILENTIALES ALII.

℞. Sacchari albiſſimi in ſucci Rutæ ſ. q. ſoluti libram unam.

Coquatur ad conſiſtentiam *Tabulati*, in quo ab igne remoto, diſſolve

Reſinæ Ladani drachm. ſem. vel drachm. unam,

Extracti Zedoariæ,

Angelicæ ana unc. ſemis,

Ex quo impRægnato ſaccharo, additis

Pulv. Myrrhæ el. unciâ unâ,

Succini albi drachmis ſex,

Ol. ſtillat Angelicæ,

Rutæ,

Succini ana drachmam unam, &

Mucilag. Tragacanthæ ſ. q.

efformentur Trochiſci.

TROCHISCI DE VIPERIS Vel SERPENTIBUS.

QUaliter hi Trochiſci *confici debeant*, *patebit ex* Animadverſionibus noſtris Claſſis duodecimæ Pharmacopœiæ reformatæ, *ubi de* Viperis & Viperino pulvere *tractatum fuit*.

PHAR-

PHARMACOPOEIÆ REGIÆ

CLASSIS XIII,

Paſtarum odoratarum & Suffituum parandi modos edocens.

Quod Sieff *ſive* Collyria ſicca *inutilia ſint medicamenta aquè, uti non pauci* Trochiſcorum, *quos habet ſuperior* Pharmacopœia reformata, *id ipſum jam ante probatum feci; proindè ea hic planè omitto, cùm etiam eorum uſus propemodum evilueris; quantumvis adhuc in officinis quibuſdam ad apparatum, aſt inutiliter proſtent. Progredimur ad*

POMUM AMBRÆ.

℞. Reſinæ Ladani, ſuperiùs in præpar. Theriacæ Androm. edoctæ, unciam unam,
Reſinæ Styracis calam. ibid. edoct. unciam ſemis.
Quibus parumper liquatis, in mortario calido admiſce, & in ipſis diſſolve
Ambræ gryſeæ drachmam unam,
Tandemque ſuperadde
Ligni Aloës opt. & gummoſi,
Rhodii ana unciam ſemis,
Gummi Benzoës,
Animæ ana drachm. ſex,
Caryophyllorum,
Cinamomi opt. ana drachm. duas,
Moſchi in particula ſpiritûs roſar. ſoluti, & præced. pulveribus priùs permiſti drachm. ſemis,
Zibethi drachmam unam.
Miſce, fiat *Pomum Ambræ* precioſum.

POMUM AMBRÆ TEMPORE INFECTIONIS.

℞. Camphoræ unciam ſemis,
Ambræ gryſeæ ſcrupulum unum.

Sol-

Solvantur contundendo in mortario cum
Ol. ſtillat. Angelicæ,
Rutæ,
Succini ana drachmâ unâ,
addendo
Pulv. Angelicæ drachmas duas,
Ladani unciam ſemis,
Moſchi ſcrupulum unum,
Salis volatilis urinæ puerorum drachmas tres.
Miſce, fiat *Paſta*, ſive *Pomum Ambræ antipeſtilentiale.*

SUFFITUS CEPHALICUS.

℞. Benzoës uncias tres,
Styracis Calam. uncias duas,
Succini Citrini unciam unam ſem.
Maſtichis,
Olibani ana unciam unam,
Gummi Animæ drachmas ſex,
Ligni Aloës gummoſi unc. ſemis.
Miſce, fiat pulvis groſſus.

SUFFITUS PESTILENTIALIS.

℞. Succini Citrini uncias tres,
Myrrhæ uncias duas,
Styracis Calamitæ,
Olibani ana unciam unam ſemis,
Baccar. Juniperi uncias quat.
Sulphuris crudi uncias ſex.
Miſce, fiat pulvis groſſus.

CANDELÆ PRO SUFFITU PRECIOSÆ.

℞. Pulv. Styracis Calamitæ,
Ladani ana uncias duas,
Benzoës uncias quatuor,
Olibani uncias duas,
Carbonum Tiliæ vel Salicis libram unam ſemis.

Miſce, & cum *mucilagine Tragacanthæ* in mortario frigido (non calido) fiat *maſſa*, ex qua ulteriùs formentur *Candelæ*.

Nota; *qui has* candelas *fragrantiores deſideret, poterit præfatæ compoſitioni admiſcere* Ambræ drachm. j, *item pro* Styrace & Ladano *ſubſtituere eorundem* Reſinas, *ſuperiùs in præparatione* Theriacæ Andromachi *edoctas*.

PA-

PASTILLI PRO FUMO.

Videatur præparatio *Trochiſcorum de Benzoë* hujus Diſpenſatorii novi, revolvantur itidem *Ammadverſiones noſtræ ſuper Trochiſcos Aliptæ Moſchatæ* in Pharmacopœia reformata.

PHARMACOPOEIÆ REGIÆ CLASSIS XIV,

Confectionum Antidotalium, Narcoticarum ſeu Opiatarum, Cordialium & conſimilium dexterrimas compoſitiones ſtudioſè deſcriptas continens.

ANTIDOTUS THERIACALIS PRIMA.

℞. Rad. Imperatoriæ,
Scorzoneræ,
Succiſæ ana uncias decem,
Petaſitidis,
Cardopatiæ ana unc. quinque,
Herb. Scordii noſtrat. unc. octo,
Galegæ,
Flor. Calendulæ ana unc. quinque,
Baccar. Juniperi uncias ſex.

Inciſa & contuſa coquantur in ſ. q. *aquæ ſimplicis*, reiteratâ affuſione & effuſione cum expreſſione, quouſque tota eorum vis extracta ſit; *Decoctiones* & *expreſſiones omnes* junctim cum album. ovorum optimè clarificentur, & ad libras duas vel tres circiter evaporent: Cui *decocto inſpiſſato* ſive *extracto liquido* adde
Mellis optimi & purificati libras quindecim;

Et ad priſtinam ejus conſiſtentiam denuò percoque, quod ipſum *Mel* ſpecierum prædictarum virtutibus imbutum, interim aſſervetur. Jam

℞. Pulv. Viperarum vel Serpentum Germanicorum in locis ſanis montoſis degentium, noſtro modo parati, & ſuperiùs in annotationibus de Viperis Claſſis xij edocti, uncias octo, vel uncias decem,

Pulv

Pulv. Bezoardici Cervini ſimplicis, ſub finem Mantiſſæ in noſtris Animadverſionibus ſuper cornu Cervi Philoſophicum edocti uncias quatuor,
Pulv. rad. Angelic. noſtrat. unc. tres,
Contrajervæ uncias duas,
Gentianæ unciam unam,
Succiſæ,
Valerianæ ana unc. un. ſemis,
Zedoariæ uncias tres,
Herb. & ſummit. Scordii noſtrat. uncias quatuor,
Galegæ,
Rutæ hortenſis,
Flor. Calendulæ ana unciam unam ſemis,
Sem. Aquilegiæ,
Citri excort.
Napi ſylveſt.
Rutæ ana unciam unam ſem.
Baccar. Juniperi uncias duas,
Herbæ Paridis unc. un.
Myrrhæ electæ pell. uncias tres,
Croci Auſtriaci uncias duas,
Macis,
Ol. Nuciſtæ expreſſ. ana unciam unam ſemis,
Cinamomi opt. uncias duas,
Balſami Indici Peruviani unciam unam ſemis,
Succi Citri oleoſi ex corticibus eorum recentibus & extimis expreſſi uncias quatuor,
Vini generoſi, in quo x corda Viperarum viva, vel Serpent. Germanicor. cum eorundem vivis corporibus mactatis & mundatis immerſa, & aliquandiu digeſta ſint, lib. un. ſem.

Fiatque ex omnibus lege artis *electuarium* ad modum *Theriacæ Andromachi.*

Nimirùm *Crocus* per ſe tritus cum *unc. iv, eſſentiæ prædictæ Viperinæ* vel *Serpentum* diluatur: Item *Myrrha* ſigillatim trita diluatur in *unc. iv, ejuſdem eſſentiæ*, & nonnihil in calore ſupra ignem diſſolvatur, antequam addatur: *Balſamus Indicus* ſolo *Melle* & *aliquot unciis pulver.* ſigillatim in aliqua patella diſſolvi & addi debet: Similiter *oleum Nuciſtæ expreſſum*, & ſic exactè conficiatur laudabilis hæc *Antidotus*, cui *ſuccus Citri oleoſus*, item quæ ſupereſt *eſſentia Viperina*, ſub finem addantur.

ANTIDOTUS THERIAC. II. DYSENTERIIS MALIGNIS accommodata.

℞. Rad. Scorzoneræ,

Succiſæ,

Succiſæ,
Petaſitidis ana uncias octo,
Tormentillæ uncias quinque,
Herb. Scordii noſtrat. uncias ſex,
Galegæ,
Flor. Calendulæ ana uncias quat.
Roſarum rub. exſicc. uncias ſex.

Inciſa & contuſa coquantur cum ſ. q. *aquæ ſimpl.* reiteratâ affuſione & effuſione cum expreſſione, quouſque tota eorum vis & efficacia extracta ſit; *Decoctiones* & *expreſſiones omnes* junctim albuminibus ovorum optimè clarificentur, & ad ℔ *iij* circiter, leniter coquendo evaporent; Cui *decocto* vel *extracto* addantur
Mellis optimi puri & clarificati libr. duodecim.

Et ad priſtinam *Mellis* conſiſtentiam craſſam iterum percoquantur; Huic *Melli* rerum prædictarum virtutibus impregnato, ſequentia ſubtiliſſimè trita, quæ terenda ſunt, artificioſè immiſceantur ad normam *Theriacæ Andromachi*, in Animadverſionibus noſtris ſuper eandem edoctam, utpotè

℞. Pulv. Viperini ſimplicis, vel Serpentum Germanicorum in locis ſanis degentium, noſtro modo parati uncias octo,
Pulv. Bezoardici Cervini ſimpl. itidem juxta noſtrum modum in fine Mantiſſæ præcedentis Pharmac. edoctum, parati, uncias quatuor,
Rad. Contrajervæ,
Succiſæ,
Acori noſtrat. ſive Gladioli,
Zedoariæ ana uncias duas,
Angelicæ,
Tormentillæ ana unciam unam ſemis;
Herb. Scordii noſtrat. uncias tres,
Galegæ,
Flor. Calendulæ,
Roſarum rub. ana unciam unam ſemis,
Sem. Hyperici,
Rutæ,
Citri excorticati,
Baccar. Juniperi ana unc. unam,
Myrrhæ electæ uncias duas,
Croci Auſtriaci,
Cinamomi opt.
Nucis Moſchatæ ana unciam unam ſemis,
Terræ ſigillatæ Sileſiac. uncias tres,
Vitrioli Martis drachmas ſex,
Opii noſtro modo præpar. uncias duas,

Balſa-

Digitized by Google

Balſami Indici Peruviani,
Ol. Nuciſtæ expreſſi ana uncias duas,
Succi citri ex recentibus & extimis eorum ſubtilioribus corticibus expreſſi, uncias quatuor.
Vini albi generoſi, in quo decem corda Viperarum; vel Serpentum Germanicorum, viva cum vivis eorundem corporibus mactatis & mundatis, immerſa & aliquandiu digeſta ſint, libram unam ſemis:

Fiatque ex omnibus lege artis commixtis, (prout in *Antidoto præcedente* præcepi,) ad normam *Theriaces Androm. Pharmacop. reformata, Electuarium* ſive *Antidotus*, diſſolvendo *Opium* cum dicta *eſſentia viperina*, ut & *Crocum*, nec non *Myrrham* & *Vitriol. Martis*.

THERIACA SIMPLEX.

℞. Rad. Scorzoneræ,
Succiſæ ana uncias ſex,
Valerianæ uncias quatuor,
Herb. Scordii noſtrat. uncias ſex,
Galegæ uncias duas.

Inciſa & contuſa coquantur in ſ. q. *aqua* ad totalem virium extractionem repetitis affuſionibus & expreſſionibus; *Decoctiones* junctim poſtea albuminibus ovorum optimè clarificentur, & ad libras duas ſemis circiter evaporent; quibus addantur

Mellis optimi puri & clarificati libr. ſex,

& ad priſtinam ejus conſiſtentiam mediante coctione, denuò inſpiſſentur. *Melli huic eſſentificato*, reliqua ſubſequentia artificioſè & exactè immiſceantur; Utpotè

Rad. Angelicæ
Zedoariæ ana unciæ tres,
Tormentillæ uncia una ſem.
Herb. Scordii noſtrat. unc. quat.
Rutæ hortenſ.
Galegæ ana unciæ duæ,
Baccarum Juniperi,
Myrrhæ electæ ana unciæ tres,
Croci Auſtriaci drachmæ ſex;
Sem. Citri excort.
Cinamomi opt.
Nucis Moſchatæ ana unc. una.

Fiat *Antidotus* ſive *Theriaca ſimplex*.

DIACORUM STOMACHICUM.

℞. Rad. Acori veri, ſive Calami Aromatici libram ſemis,

Rad. Eryngii uncias tres; vel ejus loco, rad. Cichorii.

Mundata optimè, craſſiuſculè minutim ac quadratè conſcindantur, poſtea coquantur in vaſe terreo cum

Succi Cydonior. recent. q. ſ. (libr. ſex circiter,)

quouſque molleſcant ac ſi condiri deberent, *radicibus* ſufficienter coctis, interimque aſſervatis, accipe

Succum cydoniorum à coctione relictum, & additis

Mellis optimi odorati ac deſpumati libris tribus,

aut loco Mellis,

Sacchari albi libris duabus.

Coquantur ad priſtinam *Mellis* conſiſtentiam craſſam, immittendo ultimò ſuperiores coctas & conſciſſas *radices*, parùmque adhuc coquantur; his ſuperinjice

Pinear. mundatar.

Piſtachior. decort.

Amygdal. dulc. decort.

Nucis Moſchatæ condit. ana craſſiuſculè etiam & quadratè conſciſſor. drachm. decem,

Macis conſciſi unciam unam ſemis,

Elæoſacchari Cinamomi unciam unam,

Citri in Mantiſſ. edocti uncias duas.

Miſce, fiat *Electuarium*, quod, ſi lubet, pro nonnullis, qui ad taliter expetunt, cum *ſpiritu vitrioli* ad gratam aciditatem reducatur.

CONFECTIO ALKERMES.

UT etiam Veteres imitemur, ac rubram & pulchram hanc efficiamus *confectionem*, fiat inter initia *Magiſterium ſeminis Alkermes* (cum *ſucco recenti Kermes*, in noſtris oris deſtituamur,) modo ſequenti;

℞. Granorum Kermes uncias duas,

Contuſa nonnihil parùm percoquantur in *aqua ſimplici*, inſtillatis aliquot guttulis *Olei Tartari per deliquium facti*; Aqua tincta coletur, aliaque reaffundatur cum tantillo *olei Tartari* prædicti acuta, factâque unicâ ebullitione rurſus coletur, qui labor adhuc tertiâ vice reiteretur, vel quouſque *aqua* nullâ ampliùs *tinctura* imbuatur; Huic *tinctura* guttatim & per vices infundatur *ſolutio Aluminis crudi*, cum *aqua ſimplici* facti, & præcipitabitur *Magiſterium*, ſive tota ſubſtantia *granorum Kermes* rubicundiſſima, demùm etiam *oleum Tartari* & *ſolutio Aluminis* alternatim inſtillentur, quoad *aqua* iterùm alba & limpida evadat, & tota *granorum eſſentia* & ſubſtantia præcipitata ſit, quæ per filtrationem ab *aqua* ſeparanda, & affuſâ *aquâ recenti purâ* tamdiù edulcoranda eſt, quouſque nullus ſapor nec de *oleo Tartari*, neû *Alumive* guſtu percipiatur, Relict...

Magiſterium vel *Eſſentia* in charta vel filtro, nonnihil exſiccetur ad inſtar *pulpæ*, interimque aſſervetur. Jam

℞. Succi Pomor. dulc. recent. depurati libras tres,
Abſtrahantur in M. B. ad remanentiam partis tertiæ, (libram unam, & uncias duas circiter,) cui immergantur,
Cort. recent. extimor. citri unciæ quatuor;

Et factâ digeſtione abſtrahantur etiam ab hac libra, juncturis undique clauſis aliquot unciæ, quæ tamen reſiduo cum corticibus reddendæ ſunt. *Liquor* poſtea coletur, cum levi corticum expreſſione; In quo *liquore odorifero Eſſentiâ citri impregnato*, diſſolve

Sacchari albiſſimi libras duas,
Liquatis in eo, dum adhuc calet,
Ambræ gryſ. drachm. duabus, vel drachm. tribus, cum
Pulv. ligni Aloës gummoſi opt. uncia una, drach. ſex;
jam tum beneficio *aliquot guttularum olei roſar. veri* permiſtis,
Quibus ſuperaddantur,
Margaritar. Oriental. præpar. uncia una ſemis,
Magiſterii cærulei lapidis Lazuli, in Animadverſ. Claſſis xx, ſuper præparationem ejuſdem lapidis edocti, drach. ſex;
Cinamomi acutiſſimi uncia una ſemis,
Moſchi opt. Orientalis in ſpirit. roſar. tantillo ſoluti, & cum prędicto pulv. cinam. iterùm ad ſiccit. redacti drach. ſem.
Elæoſacchari vel eſſentiæ Citri ſicci, in prægreſſa Mantiſſa edocti, uncia una ſemis,
Magiſterii Alkermes jam facti, & nonnihil humidi adhuc, unciæ duæ ſemis, vel unciæ tres.

Miſce, fiat *confectio nobiliſſima*, cui, ſi liberet, ad ſaturandos oculos vulgi, *auri folia*, vel etiam, ſi cuipiam ſuppeteret *vera eſſentia auri* in competenti quantitate, ultimò addi poſſet, atque ſic *Regia* efficeretur *confectio Alkermes*.

CONFECTIO ANACARDINA
Cephalica.

℞. Mellis Anthoſati, ſecundum ultimum in Animadverſ. noſtris prægreſſæ Pharm. adjectum modum parati, libras duas,
cui ſ. a. immergantur *pulveres & ſpecies ſubſequentes*. Utpotè
Anacardiorum n. m. præpar. unciæ tres,

Quorum autem præparatio videnda eſt in *Claſſe xx*, ſub proprio titulo præpar. *Anacardiorum*:

Rad. Doronici veri,
Cyperi rotundi ana uncia una,
Coriandri,
Cubebarum,

Cardamomi ana uncia ſemis,
Ligni Aloës opt. drachmæ tres,
Cinamomi,
Macis ana drachmæ duæ,
Elæoſacchari Majoranæ,
Lavendulæ,
Coriandri ana unc. ſemis.
Miſce, fiat Electuarium.

CONFECTIO ANACARDINA

CEPHALICA ALTERA.

℞. Aquæ Majoranæ,
Roriſmarini ana unc. ſeptem.
Quibus cucurbitæ vitreæ infuſis, immergantur
Anacardiorum noſtro modo præfato præparator. vel etiam crudor. unciæ tres.

Stent in digeſtione per diem, poſtea appoſito capitello, juncturis circumlitis, abſtrahantur per deſtillationem aliquot unciæ, quæ tamen refrigeratâ cucurbitâ, reſtanti liquori cum Anacardiis reddantur; poſtea liquor colandus, & cum *libris duabus*
Sacchari albiſſimi
ſolâ ejuſdem diſſolutione, in *Syrupum craſſum* redigendus eſt. Cui demùm admiſceantur, & quidem dùm benè adhuc calet *Syrupus*, in ipſo liquefiant
Ambræ gryſeæ drachma una,
Reſin. Styracis,
Ladani ana drachmæ duæ.
His liquatis, etiam reliqua adjiciantur; nimirum
Pulv. Anacardior. præparat. uncia una ſemis,
Rad. Doronici uncia una,
Cyperi rotundi drachm. ſex,
Ligni Aloës uncia una,
Cinamomi opt. uncia una ſemis,
Coriandri,
Cubebarum,
Cardamomi ana drachmæ duæ,
Macis,
Caryophyllorum ana drachmæ tres,
Nucis Moſchat. Ind. cond. & minutim ac quadratè conſciſſ. unciæ tres,
Miſce, fiat *Electuarium* precioſum & excellens *in refrigerato & debilitato capite confortando.*

ELECTUARIUM DE BACCIS LAURI.

℞. Mellis Menthæ n. m. & quidem ad modum Mellis Anthoſati
ſecundi facti libras duas;
In quo, dum benè calet, liqueſac
Reſin. Styracis Calamit.
Ladani ana drachmas duas,
Superaddendo
Pulv. Baccar. Lauri uncias duas,
Caſtorei drachmas tres,
Rad. calami aromatici unciam unam ſemis,
Herb. Rutæ,
Sem. Carui,
Cumini,
Coriandri,
Leviſtici,
Caryophyllor.
Macis ana unciam ſemis,
Croci drachmas tres.
Miſce, fiat Electuarium.

ELECTUARIUM CHALYBEATUM.

PAretur hoc *Electuarium* juxta modum in *Pharmacopœia reformata*, & noſtris *Animadverſionibus* ſuper idem *Electuarium* factis, edoctum, fitque *Electuarium* præſtantiſſimum.

ELECTUARIUM CONTRA DYSENTERIAM.

℞. Flor. Roſar. rub. exſiccat.
Rad. Tormentillæ,
Scorzoneræ ana uncias duas,
Herb. Scordii noſtrat. uncias tres,
Sanguiſorb. unciam unam.
Inciſa & contuſa coquantur in ſ. q. *aquæ ſimplic.* ſæpiùs recentem affundendo & exprimendo, quouſque tota vis extracta eſt; *Decoctionis expreſſa* junctim albuminibus ovorum optimè clarificentur, & additis *libris duabus Sacchari albi*, coquantur ad conſiſtentiam *Syrupi* ordinariâ multò craſſiorem, cui ſequentia ſecundum artem immiſce, ſcilicet
Terræ ſigillatæ Sileſiac. unc. tres.

Bezoardici cervini noſtro modo parati unciam unam;
vel ejus loco, ſi fortè non proſtraret,

Cornu Cervi philoſoph. præpar. uncias duas,
Oculor. cancror. præpar. uncias duas ſemis,
Margarit. Orient. præpar. unciam ſemis,
Corallor. rub. præpar. uncias duas,
Pulv. Thuris,
Maſtichis,
Nuc. moſchat. ana unc. ſem.
Roſar. rub. unciam unam.
Sem. quatuor frigid. major. excort. ana drachmas duas,
Papaveris albi unciam ſemis.

Quæ ſemina cùm aqua chalybeata, vel pauxillo ſuperioris aſſervati decocti ad pultis vel pulpæ formam contundendo, redigi debent, & per cribrum anguſtum tranſmitti,

Opii noſtro modo parati, & in aqua roſar. vel chalybeata ſolut drachmam unam ſemis.

Miſce, fiat lege artis Electuarium.

ELECTUARIUM MITIGATIVUM, In doloribus quibuſcunque, & Febribus ardentibus.

℞. Semin. quatuor frigid. major. excort. ana drachm. ſex,
Papaveris albi unciam unam.

Contundantur optimè in mortario, cum *aqua* vel *decocti* aut *infuſi Papav. rhœad. ſ. q.* ut ferè totaliter per cribrum anguſtum aut colatorium rarum cogi queant: Huic *pulticulæ* vel *pulpæ* adde

Elæoſacchari vel Eſſentiæ citri ſiccæ, in præcedenti Mantiſſa reformata ſub. proprio titulo edoctæ, uncias tres,
Conſervæ Roſar. rub. unc. quat.
Flor. Papav. rhœad. uncias tres,
Opii Thebaici n. m. parati, & in ſucco Citri ad pultis formam ſoluti drachmas ſex,
Ol. Nuciſtæ expreſſi drachmas tres,
Elæoſacchari Roſarum veri unciam ſemis,
Syrup. de Papav. rhœad. noſtri unciam unam.

Miſce, fiat *Electuarium* ſ. a. juſtæ conſiſtentiæ.

DIASATYRIUM.

℞. Rad. Satyrion. recent. mundat. libram ſemis;
Eryngii recent. uncias tres.

Conſcindantur minutim & quadratè, coquanturque in ſ. q. *ſucci*

Cydoniorum ad ipſorum mollitiem, non ſecus, ac ſi condiri deberent, quibus è ſucco exemptis, interimque aſſervatis, addantur *reſiduo liquori*, ſive *ſucco*, in quo ad mollitiem *radices* coctæ ſunt,

Sacchari albi libræ duæ,
vel loco hujus
Mellis puri clarif. libræ tres,

Coquanturque ad conſiſtentiam *Syrupi craſſioris*, in fine adjiciendo *prædictas antea coctas radices*, quò etiam illarum attracta humiditas unâ vel alterâ ebullitione evaporet; & poſtquam aliquantùm refrixerint, ſuperadjiciantur

Nuc. Indic. conditarum,
Zinzib. Ind. condit. ana craſſiuſculè conſciſſ. unc. tres,
Pinear. mundat.
Piſtach. decort. ana conſciſſ. craſſ. unciæ duæ,
Pulv. Caryophyllorum,
Cardamomi min.
Nucis Moſchatæ,
Boleti cervini,
Priapi cervi ana unc. ſemis,
Sem. Erucæ uncia una ſemis,
Urticæ unc. ſemis,
Ambræ gryſeæ drachm. ſemis, ſolut. cum
Ol. Cinamomi ſcrupulo uno,
Macis ſcrupul. duobus.
Fiat Electuarium.

SOTIRELLA PARVA AD DENTES.

℞. Ol. Nuciſtæ expreſſi drachmas duas,
Fuliginis deſtill. ſcrupulum unum,
Opii Thebaici præpar. drachmam ſemis,
Sem. Hyoſcyami,
Extr. Croci Auſtr. ana gr. x.
Camphoræ,
Pulv. fuliginis ſplendidi ana ſcrupulum unum.

Miſce, fiat *Maſſa durinſcula, cavernis dentium dolentium imponenda*.

DIACYDONITES SIMPLEX ET AROMATISATUM.

Horum præparationes videantur in *præcedenti Pharmacopœia reformata*.

PHARMACOPOEIÆ REGIÆ

CLASSIS XV,

Aquarum compoſitarum cum vino deſtillatarum, Infuſionum item, ſive Eſſentiarum, debitam componendi rationem exhibens.

S*I quæ in præſcribendis* Medicamentis compoſitis *difficultas eſt, ſanè illa in* compoſitionibus aquarum deſtillatarum *quàm maximè ſe prodit, & ſatis mirari nequeo plurimorum Authorum ſtupiditatem, inprimis illorum, qui apertè* Chymicos *ſe profeſſi ſunt, quod nimirum ſine omni ratione & judicio, fixa & volatilia*, Animalia, Mineralia, & Vegetabilia, *abſque ullo diſcrimine, uni & æquali deſtillationi adaptarint. Anſam equidem illi nobis præberent, (inprimis Mynſichtius, utpotè qui in hac parte præ aliis ſe nimioperè proſtituit) fuſius hac de re diſſerendi: Verùm cùm jam ſuperiùs hinc indè in* Animadverſionibus ſuper aquas deſtillatas, *potiſſimùm autem in* cap. de deſtillationibus aquarum in genere, *abundè de hac materia egerimus, proinde Lectorem benevolum eò ablegare volo, ubi pleniorem habebit informationem, quam hic brevitati ſtudens omittam, propoſiturus paucas* aquarum compoſitiones, *magis tamen concinnas, nec adeò ex rebus diſſonantibus fabricatas: Interim ingenuè fateor, longè conſultiùs eſſe, loco* aquarum deſtillatarum, *quandoq;* Infuſiones *vel* Eſſentias *parare, quibus ſæpenumero haud parùm, imò plùs, quàm iſtis, præſtare poſſemus, propterea etiam* Eſſentias *vel* Infuſiones aquis deſtillatis compoſitis *intermiſcebo. Sit autem prima,*

AQUA APOPLECTICA, Sive CONTRA APOPLEXIAM.

℞. Cinamomi optimi uncias quatuor,
Cardamomi,
Cubebarum,
Macis ana unciam unam ſemis,
Rad. Cyperi unciam unam,
Herb. recent. Majoranæ,
Roriſmarini,

Herb.

Herb. recent. Serpylli,
Flor. recentiſſ. Lavendulæ ana uncias tres,
Salviæ floreſcent.
Meliſſæ floreſcent. ana recent. uncias duas,

Inciſa & contuſa immittantur in cucurbitam vitream, ſuperaddendo

Salis volatilis cornu Cervi uncias duas,
Ol. Succini deſtillat. unciam ſemis,
& his mixtis,
Aquæ Lilior. convall. ſine ulla addit. aquæ & vini deſtillat.
Verbenæ ſimiliter ſine additione deſtillat. ana libram unam ſemis,
Spiritûs vini rectificati libras tres.

Stent in digeſtione loco calido per ſeptimanam unam, poſtea fiat deſtillatio per M. B. ad ſiccitatem ſpecierum: Roſtro Alembici pro libitu immiſſis in petia ligatis,

Ambræ gryſeæ drachmâ unâ,
Moſchi ſcrupulo uno,
Ligni Aloës drachmis duabus.

Quæ etiam poſt peractam deſtillationem *aquæ deſtillatæ* immergantur, inque eadem pendula ſerventur: Hæc *Aqua Apoplectica* quotieſcunque exhibetur, *Iulepo de vino* noſtro modo parato, ad libitum dulcorari poteſt.

AQUA ANTAPOPLECT. ALIA.

℞. Flor. Lavendulæ uncias tres,
Herb. Salviæ floreſc.
Major floreſc. ana unc. duas,
Cinamomi acutiſſimi unc. tres,
Macis unciam unam,
Coriandri unciam unam ſemis.

Inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis, affundantur
Spiritûs vini rectificat. libr. tres, vel libr. quatuor,
Salis volatilis cornu Cervi vel Succini unciam unam ſemis,

Factâque digeſtione, deſtillentur ad ſiccitatem *ſpecierum*; *Aquæ ſpirituoſæ prolectæ* adde

Ol. ſtillat. Cinamomi,
Lavendulæ,
Major. ana drachmam ſemis.
Succini q. ſ. vel quantum Spiritus hic deſtillatus continere poteſt.

Fiatque aqua apoplectica, *in ipſo ſtertore & paroxyſmo exhibenda*.

AQUA ANTAPOPLECTICA MINERALIS.

℞. Cremoris Tartari libram unam,
Antimonii crudi libras duas.
Deſtilletur ex iis per Retortam *Spiritus acidus*.
Hujus Spiritûs accipe unc. ſex; adde
Spiritûs Veneris ſive Viridis æris uncias tres,
Saturni ardenti ex ſaccharo unciam unam ſemis,
Vitrioli volatilis ab acido ſuo ſpiritu ad mentem Glaub. rectif. unc. tres.
Miſce.

AQUA ARTHRITICA.

HÆc *aqua* commodè juxta modum & præſcriptionem, nec non *Animadverſiones noſtras* in *pragreſſa Pharmacopœia* fideliter factas, deſtillari poteſt.

AQUA Vel ESSENTIA ASTHMATICA.

℞. Rad. Enulæ campan.
Ireos Flor. ana uncias tres,
Scillæ recent. non præpar. uncias quatuor,
Herb. recent. Calaminthæ,
Hyſſopi,
Salviæ,
Pulmonar. macul.
Roriſmar. ana unciam unam ſemis,
Sem. Aniſi uncias duas,
Erucæ,
Naſturtii ana unciam unam ſemis,
Croci Auſtr. drachmas tres,
Camphoræ drachmas duas,
Cinamomi acuti uncias duas.
Quibus inciſis & contuſis, ac cucurbitæ vitreæ immiſſis affundantur
Aquæ Hyſſopi n. m. deſtill.
Spiritûs vini opt. ana libr. tres,
ſtent in digeſtione loco calido; poſteà per Alemb. in M. B. deſtillentur, roſtro capitelli immiſſis
Salis Armoniaci ſublimati unciâ ſemis,
Benzoës,

Styracis Calamitæ ana drachmâ unâ ſemis,

ad ſiccitatem ſpecierum, *aqua deſtill.* interim aſſervatâ. Ex *ſpeciebus* in fundo cucurbitæ relictis, beneficio *ſpirit. vini* fiat extractum, ut moris eſt, quod, ſi libet, *aqua jam deſtillata* jungatur, & poſt aliqualem digeſtionem *filtrata eſſentia* aſſervetur. Vel *extractum* per ſe aſſervatum, unâ cum *aqua deſtillata*, in competenti quantitate, quoties expetitur, propinari poteſt, *Syrupo aliquo aſthamat.* dulcoratum.

ELIXIR ASTHMATICUM.

℞. Rad. Enulæ compan. uncias duas,
Ireos Flor. uncias duas,
Herb. recent. Calaminth. odorat.
Hyſſopi,
Salviæ,
Roriſmarini ana uncias duas ſemis,
Sem. Aniſi uncias tres,
Baccar. Juniperi uncias duas,
Cinamomi optim. uncias tres,
Camphoræ drachmam unam.

Inciſis & contuſis nec non cucurbitæ vitreæ immiſſis, ſuperaffundantur

Spiritûs vini opt. libr. ſex,
Aquæ roſarum opt. libra una ſemis.

Factâque digeſtione deſtillentur per M. B. ad ſiccitatem ſpecierum, immiſſis Alembici roſtro, in petia ligatis

Benzoës,
Styracis Calam. ana drachm. duabus,
Croci drachm. duabus ſemis,
Salis Armoniaci ſublimati unciâ ſemis.

Quæ peractâ deſtillatione etiam *liquori deſtillato*, ad mojorem extractionem immergi poſſunt. Tandem dulcoretur *Syrupi alicujus pectoralis librâ dimidiâ*.

AQUA ALEXIPHARMACA.

℞. Corticum Citri recentium extimorum libram ſemis,
Herb. recent. Rutæ hortenſis,
Scordii noſtratis ana uncias tres,
Rad. Angelicæ,
Zedoariæ,
Cardopatiæ ana uncias duas,
Baccar. Juniperi,
Cinamomi optimi ana unc. tres,
Macis uncias duas.

Inc-

Inciſa & contuſa immittantur in cucurbitam vitream, ſuperaffundendo & adjiciendo

Salis volatilis urinæ puerorum uncias tres,
Vini albi generoſi libr. quatuor,
Spiritûs vini libram unam.

Factâ digeſtione fiat deſtillatio per arenam ad ſiccitatem ſpecierum, *aquâ prolectâ* ſtudioſè aſſervatâ, quæ quoties in uſum trahitur, ad libitum vel *Syrupo de Scordio ſimplici* vel *compoſito*, vel *de corticibus Citri* edulcoranda eſt.

Ex *reſiduis autem ſpeciebus*, beneficio *aquæ* vel *ſpiritûs vini* extractum parari, idque unà cum *ſuperiori aqua*, cùm pro præſervatione tùm curatione exhiberi poterit. Si inſuper *eidem extracto* majorem ſaporis gratiam, validioreſque virtutes conciliare lubido fuerit, admiſceantur illi *Elæoſacchari Rutæ*, *Citri* & *Angelicæ ana unc.* ß, vel *drach. vj*, ſicque evadet efficaciſſimum.

ESSENTIA ALEXIPHARMACA.

℞. Rad. Scorzoneræ,
Angelicæ,
Zedoariæ,
Succiſæ ana uncias duas,
Herb. Scordii,
Galegæ,
Rutæ hortenſ. ana unciam unam ſemis,
Baccar. Juniperi unciam unam,
Corticum Citri extim. recent. uncias tres,
Myrrhæ el.
Cinamomi opt. ana uncias duas,
Macis unciam unam ſemis.

Inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis ſuperaffundantur *ſpiritus vini opt.* ℔ vj, factâque digeſtione deſtillentur ad ſiccitatem ſpecierum; *Liquori* ſive *ſpiritui egreſſo*, immergantur

Corda Viperarum vel Serpentum viva, nec non
Eorundem corpora ab omni immunditie liberata numer. xv, vel xx.

Quæ peractâ digeſtone per octiduum ab eo per colaturam, & lenem expreſſionem denuò ſeparentur. Interim autem ex reſiduis à deſtillatione *ſpeciebus*, cum *ſpiritu vini* paretur *extractum* non nimis ſpiſſum, quod *eſſentiæ huic Viperinæ* jungatur, quæ ipſa reiteratâ digeſtione per aliquod dies filtretur, & uſui aſſervetur. *Relictæ* ab *eſſentia Viperæ* vel *Serpentes* committantur deſtillationi per retortam, atque exindè prolectum & rectificatum *Sal volatile* etiam *præfatæ eſſentiæ* adunetur, eritque præſtantiſſima.

AQU

AQUA CORDIALIS.

℞. Corticum Citri recent. extimorum libram ſemis,
Cinamomi acuti uncias tres,
Macis unciam unam ſemis,
Caryophyllorum unciam ſemis,
Roſarum recent. ſale condit. libr. ſemis,
Meliſſæ Citrat. recentis uncias tres,
Baſilic. recent. uncias duas.

Quibus inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperinfundantur
Vini Malvatici libræ duæ,
Spiritûs Roſarum libra ſemis,
Fragorum libra una,
Aquæ Meliſſæ ſine ulla additione vini aut aquæ deſtill.
Aquæ flor. Liliorum convallium ana unciæ novem,
factâ digeſtione deſtillentur, immiſſis Alembici roſtro, in petia ligatis
Croci Auſtriaci,
Rad. Doronici,
Ligni Aloës opt. ana drach. duabus,
Ambræ gryſeæ ſcrupul. uno,
Moſchi ſcrupul. ſemis.

Aqua precioſiſſima & fragrantiſſima ſervetur uſui.

INFUSUM CORDIALE EXTERNE USURPANDUM.

CUm acidi ſucci *per Alembicum pelli nequeant, iiſdem autem cor, ſpiritusque vitales externè regioni cordis, pulſibus, frontiq; admoti plurimùm recreent, idcircò communico ſequentem* infuſionem cordialem *efficaciſſimam.*

℞. Corticum Citri recentium ext. uncias ſex,
Meliſſæ Citratæ recent, unc. tres,
Croci drachmas tres,

Quæ inciſa & contuſa immitte cucurbitæ vitreæ, & ſuperaffunde
Succi Citri recent. depurati libram unam,
Aquæ Meliſſæ ſine additione ſtillat.
Spiritûs Roſarum ana libram ſem.

Factâ digeſtione abſtrahantur per deſtillationem aliquot unciæ, quæ tamen *reſiduo liquori* & ſpeciebus addantur. Tum demum *liquor* colandus, filtrandus & uſui aſſervandus eſt.

Notandum *autem, quod in magna quantitate hoc infuſum parare non liceat, cùm non ſit admodum durabile.*

AQUA

AQUA ANTEPILEPTICA.

QUamvis in ſuperiori Auguſtanorum Pharmacopœia & Animadverſionibus noſtris *ſuper* aquas Epilepticam Langii, Hirundinum & Puerorum, *aliquot aquas & infuſiones huic affectui, accommodatiſſimas conficere edocuerim, nihilominus pro majori delectu unam adhuc atque alteram libuit adjicere formulam. Vtpotè*

℞. Rad. Pæoniæ rec. deb. t. coll. uncias quatuor,
Semin. ejuſdem uncias duas,
Flor. Tiliæ recent. matur. uncias ſex,
Viſci quercini unciam unam ſem.
Nucleor. Perſicorum uncias tres,
Cinamomi opt.
Nuc. Moſchat. ana unciam unam.

Quibus inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperinfundantur.

Spiritûs Ceraſorum nigr. ardentis, libr. tres,
Aquar. Liliorum conval.
Flor. Tiliæ ana ſine addit. deſtillatar. libr. una ſem.

ſtent in digeſtione loco calido, poſtea deſtillentur ad ſiccitatem ſpecierum. *Liquori deſtillato* immergantur, & in eo veluti ſuffocentur

Pullorum Hirundinum numero quindecim,
& ſi haberi poſſunt,
Pullorum Turturum, &
Cornicum nondum plumat. ana numero iij,

factâque digeſtione per dies aliquot, denuò *pulli* ab aqua ſeparentur, immittanturque retortæ vitreæ, & igne aperto deſtillentur ad illorum totalem combuſtionem: Peractâ deſtillatione ſeparetur *oleum fœtidum* à *ſpiritu* & *Sale volatili*, deinde *ſpiritus* cum *Sale volatili* ſemel atque iterùm rectificatus plùs quàm ad dimidias (reſtans liquor, fœtidus erit & amarus,) *aqua ſuperius deſtillata*, & *pullis avium dictarum eſſentificata* adunetur, & poſt unius diei digeſtionem filtretur, ſicque, ſi lubido fuerit, ſervetur, ſin minus, fiat ex *ſpeciebus* à *deſtillatione reſiduis* beneficio *ſpiritus vini extractum* non nimis craſſum, ſed quodammodo liquidum, quod *aqua huic* additum cum ipſa digeri, & poſt filtrationem tandem uſui aſſervari poteſt: Atque ità parata erit *eſſentia Antepileptica* nobiliſſimarum virtutum; *Si quis etiam ob majorem aquæ jam edoctæ durabilitatem extractum hoc ad ſpiſſitudinem redactum, ſeorſim aſſervare, & neceſſitate urgente demum illud cum aqua commixtum propinare voluerit, cum eo non pugnabo, quin potius conſultum eſſe judico.*

AQUA

AQUA ANTEPILEPTICA MINERALIS.

℞. Cremoris Tartari,
Nitri purificati,
Antimonii crudi ana libr. unam, vel libras duas.
Deſtilletur ex iis more Glauberiano *ſpiritus*.
Hujus ſpiritûs accipe unc. quat. adde
Spiritûs Vitrioli volatilis non acidi à ſuo ſpiritu rectificati vel abſtracti uncias tres,
Veneris ſive Viridis æris uncias duas,
Saturni ardentis ex ſaccharo unciam unam ſemis.
Miſce, ſervetur uſui.

BALSAMUS EMBRYONUM.

Lector benevolus haud gravatim revolvat *Balſami hujus* compoſitionem in *ſuperiori Pharmacopœia reformata*, & ſecundum noſtras *Animadverſiones* ſuper ipſam factas ejuſdem præparationem inſtituat.

AQUA Vel INFUSIO Seu ESSENTIA HYSTERICA.

℞. Rad. Pæoniæ deb. t. coll. & recent.
Bryoniæ recent. ana uncias duas,
Zedoariæ unciam unam ſem.
Allii recent. unciam unam,
Herb. Artemiſ. rub.
Abrotani,
Menthæ,
Ariſtol. rotundæ ana recent. unciam unam ſemis,
Baccar. Lauri unciam unam,
Sem. Pæoniæ,
Carui,
Cumini ana drachmas ſex,
Myrrhæ unciam unam ſemis,
Macis drachmas ſex,
Croci drachmas tres,
Camphoræ drachmas duas,
Opii Thebaici modo ſup. præpar. drachmas duas,
Caſtorej recentis unc. unam ſemis.
Inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis ſuperaffundantur

Aquæ Meliſſæ cum vino deſtill. libr. quatuor,
Spiritûs Ceraſor. nigr. libr. duæ,

factâque digeſtione deſtillentur ad ſiccitatem ſpecierum. Ex *ſpeciebus reſiduis* beneficio *ſpiritus vini* repetitis affuſionibus paretur *extractum* non admodùm ſpiſſum, quod *aqua deſtillata* jungatur; poſtea ubi aliquandiu adhuc conjuncta in digeſtione ſervata fuerint, filtretur *eſſentia*, uſuique aſſervetur.

Nota; *ſi cui libuerit* aquam & extractum, *ſingula ſcilicet ſeorſim aſſervare, nec priùs, quàm ubi neceſſitas poſtulat, ipſa conjungere, vel conjunctìm propinare, non is malè fecerit.*

AQUA PERLARUM CONFORTATIVA.

℞. Aquæ Ceraſorum nigr.
de Rubo Idæo,
Meliſſæ Citrat. ana ſine addit. vini vel aquæ deſtill. uncias ſex,
Cortic. Citri recent.
Cinamomi ana uncias tres,
Solution. Perlarum Orientalium unciam ſemis,
Coralliorum rub. drachmas ſex,
Syrupi acetoſitatis Citri noſtro modo facti uncias tres.
Miſce, fiat *aqua Perlata* præſtans.

AQUA ODORIFERA
pro Epithematibus Cordis, Pulsûs & Capitis.

℞. Cortic. Citri extim. recent. uncias quatuor vel quinque,
Rad. Ireos Flor. uncias duas,
Cinamomi opt.
Macis ana unciam unam ſemis,
Herb. recent. Majoran.
Thymi,
Baſilic.
Flor. recent. Lavendulæ ana unc. unam ſemis,
Roſar. rub. ſale condit. uncias ſex.
Inciſa cuncta immittantur cucurbitæ vitreæ, ſuperaffundendo,
Aceti Lavendulæ,
Roſarum,
de Rubo Idæo,
Flor. Sambuci ana unc. ſex,
Aquæ Liliorum convallium,
Meliſſæ,
Roſarum ana ſine addit. deſtill. libr. unam,

facta digeſtione deſtillentur per alembicum in M. B. ad totalem ſpecierum ſiccitatem, ne *aceta* in fundo vel reſiduo maneant, roſtro alembici immittendo

Styracis Calamitæ,
Ladani ana drachmas tres,
Ligni Aloës opt. gummoſi drachmas duas;
& ſi lubet,
Moſchi Orient. &
Ambræ gryſeæ ana ſcrupul. ſemis.
Aqua deſtillata ſervetur uſui.

AQUA Vel ESSENTIA NEPHRITICA.

℞. Rad. Apii,
Petroſelini,
Liquiritiæ ana uncias duas,
Ceparum recent. uncias tres,
Herb. recent. Rutæ murar. unciam unam;
Baccar. Alkekengi uncias duas,
Juniperi uncias tres,
Sem. Apii.
Naſturtii ana unciam unam ſemis,
Nucleorum Perſicorum,
Ceraſorum ana uncias duas,
Ligni Nephritici unciam unam ſemis,
Cinamomi,
Macis ana drachmas ſex,
Terebinth. odorif. claræ uncias duas.

Inciſis & contuſis, quæ incidenda & contundenda ſunt, nec non cucurbitæ vitreæ immiſſis, ſuperaffundantur

Vini albi opt. libræ quatuor,
Succi vel liquoris Betulæ ſponte effluxi, libræ duæ,

factâque digeſtione, fiat deſtillatio ad ſiccitatem ſpecierum, *aqua ſpirituoſa* interim aſſervetur. Ex *ſpeciebus in cucurbita reſiduis*, fiat beneficio *ſpiritûs vini* repetitis affuſionibus, *Extractum* non nimis ſpiſſum; quod ſi lubido fuerit, *ſuperiori aqua* jungatur, & poſt digeſtionem & filtrationem *Eſſentia* aſſervetur; ſin minùs, & quod meliùs, *Extractum* ſigillatim aſſervetur, poſtulante autem neceſſitate unà cum *aqua ſuperiori deſtillata* propinetur. *Aqua* verò adhuc jungatur

Solutionis oculor. Cancror. uncia una ſemis.

Fiatque *aqua Nephritica* præſtantiſſima uſui aſſervanda.

ELIXIR VITÆ STOMACHALE ET CAPITALE.

℞. Cinamomi electi uncias tres,
Caryophyllorum,
Cubebarum ana unciam ſemis,
Cardamomi min.
Baccarum Lauri ana unciam unam,
Nuc. Moſchat. unciam unam ſemis,
Macis unciam ſemis,
Calami Aromatici,
Galangæ ana unciam unam,
Cortic. citri extim. recent. uncias tres,
Meliſſæ recent.
Roriſmarini ana recent. unciam unam,
Roſarum recent. ſale condit. uncias tres.

Inciſis & contuſis, nec non cucurbitæ vitreæ immiſſis, ſuperaffundantur *Spiritus vini optimi rectif.* ℔ *xij*, factâque brevi digeſtione deſtillentur, roſtro Alembici immittendo in petia ligata
Storacis calamitæ unc. ſemis,
Ladani drachm. tres,
Ligni aloës opt. drachmam unam ſemis,
Ambræ drachm. ſemis,
Moſchi ſcrupulum unum.

Spiritus prolectus (cui, quæ roſtro alembici impoſita fuêre, aliquandiu immergi poſſunt, pro meliori extractione) dulcoretur cum *libra una Iulapii*, vel *roſarum*, vel *vini*, noſtro modo paratorum, eritque *Elixir* præſtans.

ACETUM SCILLITICUM.

PAretur ſecundum *Animadverſiones* ſuperioris Pharmacopœiæ reformatæ.

ACETUM THERIACALE.

OPtimè confici poterit ex *ſpeciebus* ſuperiùs pro *Eſſentiâ Alexipharmaca* deputatis cum ℔ *viij aceti deſtillati*, per ſolam infuſionem & extractionem ſine deſtillatione.

PHAR-

PHARMACOPOEIÆ REGIÆ

CLASSIS XVI,

Oleorum coctorum & expreſſorum ſeriem complectens.

Olea nonnulla cocta & magis neceſſaria, nimirùm Abſinthii, Anethinum, Chamæmelinum. Hyperici, Iaſminum, Liliorum alborum, Lumbricorum, Maſtichinum, Menthæ, Populinum, Roſarum, Rutæ, Sambucinum, Scorpionum ſimplex, Vulpinum, &c. *Item quædam* Olea expreſſa, *quæ in Officinis neceſſariò proſtare debent, juxta* noſtras Animadverſiones *in præcedenti* Pharmacopœia Auguſtana *ſuper quodlibet ferè ſigillatim factas, parari poſſunt. Præter hac aliquâ compoſita annectemus, quorum primum eſto*

BALSAMUM VULNERARIUM.

℞. Olibani, ſive Thuris,
Galbani,
Myrrhæ,
Maſtichis ana uncias tres,
Hederæ,
Elemi ana uncias duas.
Diſſolvantur omnia probè, & miſceantur cum
Olei Terebinthinæ rubri deſtill. unciis ſex;
ſuperaddendo
Aloës Epaticæ uncias duas,
Macis,
Zedoariæ,
Cinamomi opt. ana unciam unam;
Summitat. Hyperici,
Millefolii ana unciam unam;
Balſami Indici Peruviani uncias duas,
Camphoræ unciam unam ſemis.

His omnibus permixtis, & retortæ vitreæ immiſſis, fiat deſtillatio ut moris eſt, ſervatis ignis gradibus, quouſque nil ampliùs prodeat, ad totalem ſpecierum combuſtionem. *Olea* quæ prodeunt, *primum*

mum & *ſecundum* ſigillatim aſſerventur; *ultimum* verò, quod craſſum nigrum & fœtidum erit, ſuper cineres rectificari, & vel ſigillatim aſſervari, aut prioribus commiſceri poteſt, *eritq́ vulnerarium efficaciſſimum & præſtantiſſimum.*

OLEUM DE CAPPARIBUS SPLENETICUM ET HEPATICUM.

℞. Cortic. rad. Capparor. unciam unam,
Herb. Tamariſci cum corticibus,
Verbenæ recentis,
Tabaci infumati ana uncias duas,
Fructûs Cappar. aceto vel ſale condit. uncias tres,
Salis Armoniaci ſublimati unciam unam.
Inciſis & contuſis affundantur
Succi Verbenæ unciæ tres,
Olei clari Olivarum libræ duæ.
Digerantur aliquandiu, poſtea coquantur leniter ad exhalationem humiditatis, tùm colentur, addendo ubi parùm refrixerit,
Camphoræ unciam unam,
Ol. Ammoniaci deſtill. unciam unam ſemis,
Miſce, fiat *Oleum ſpleneticum & hepaticum.*

Nota; *ſi quis huic Oleo addere vellet Ol. ſtillat. Fulig. & Tabaci ana drach. ij, vel unc. ß, is illud in virtutibus maxime exaltaret.*

OLEUM DE CASTOREO NERVINUM.

℞. Caſtorei pinguiſſ. vel pingued. ejuſdem unciam unam,
Euphorbii,
Croci,
Cubebarum,
Piperis longi,
Nigri,
Pyrethri,
Sabinæ ana unciam ſemis,
Olei puri Olivarum libram unam ſemis,
Vini albi uncias tres.

Infuſa relinquantur in digeſtione; poſtea in cucurbita cum ſuo capitello munita, fiat una vel altera ebullitio, reddendo *reſiduo oleo* humiditatem prolectam: Tum fiat colatura & expreſſio; *Expreſſo* addantur
Ol. ſtillat. Styracis Calam.
Galbani,

Ol. Opopanacis ana ſtillat. uncia ſemis,
Lavendulæ ſtillat. drachma una ſemis.

Fiatque *Oleum nervinum, frigidis, cæteriſque in ſuperiori Pharmacopœia denominatis affectibus perquàm utile.*

OLEUM MOSCHELINUM
STOMACHICUM.

℞. Ol. puri recentis libram unam;
in quo diſſolvatur
Maſtichis electæ uncia una ſemis; addendo
Ol. Nucis Moſchatæ expreſſi unciam unam,
Stillat. Macis drachmam unam,
Styracis Calam.
Myrrhæ ana unciam ſemis,
Caryophyllorum,
Abſinthii ana drachmam unam,
Maſtichis drachmas duas.
Miſce, fiat Oleum ſtomachicum.

Vel

℞. Ol. Nuciſtæ expreſſi unciam unam ſemis,
Stillat. Macis drachmam unam,
Caryophyll. drachmas duas,
Styracis Calam.
Myrrhæ,
Maſtichis ana drachmas tres,
Abſinthii drachmam unam.
Miſce, fiat Oleum ſtomachicum nobile.

OLEUM HYPNOTICUM.

℞. Ol. Nucis Moſchatæ expreſſi unciam unam ſemis,
Stillat. Citri drachmam unam ſemis,
Croci Auſtriaci pulveriſati drachmas duas,
Opii Thebaici drachmas duas ſemis,
Ladani drachmam unam.

Digerantur aliquandiu in loco calido in vitro optimè clauſo, colletur tandem *Oleum*, uſuique aſſervetur. Vel

℞. Ol. expreſſ. Nuciſtæ, id eſt, Nucis Moſch. unciam unam,
Papaveris albi drachmas duas,
Hyoſcyami drachmam unam,
Ceræ drachmas duas,
Croci pulveriſati drachmam unam.
Miſce, fiat Oleum, vel potiùs unguent. molle.

OLEUM SCORPIONUM ALEXIPHARMACUM COMPOS.

℞. Olei Olivarum recenr. libr. tres,
Cui immergantur inciſa & contuſa craſſiuſculè
Rad. Angelicæ,
Zedoariæ,
Tormentillæ,
Scorzoneræ ana uncia una,
Herb. recent. Scordii noſtrat.
Rutæ hortenſ. ana unciæ duæ,
Flor. recent. Centaurii uncia una,
Hyperici unciæ tres,
Myrrhæ elect. uncia una,
Croci Auſtriaci uncia ſemis,
Vini albi unciæ quatuor.

Digerantur per aliquot dies, poſtea coquantur vel deſtillentur in Alembico ad prolectionem humiditatis, quæ aſſervanda; *Oleum* à ſpeciebus per expreſſionem liberandum, *& recentibus ſpeciebus ſimilibus* unà cum à prima deſtillatione aut coctione *prolectâ & aſſervatâ humiditate* reaffundendum, digeſtio per aliquot dies reiteranda, & *humiditas* ut antea coquendo, per Alembicum proliciendа eſt, poſtea *oleum* denuò exprimendum, qui labor cum *recentibus ſpeciebus* infundendo, deſtillando, & exprimendo, etiam tertiâ vice repetatur, *reſervatâ* iterùm *prolectâ humiditate.* Tandem adde *oleo expreſſo.*

Ducentos Scorpiones vivos diebus canicularibus collectos, qui in ipſo ſuffocentur, & poſt ſufficientem digeſtionem addantur
Ol. ſtillat Myrrhæ drachm. tres,
Baccarum Juniperi drachmæ duæ,
Angelicæ,
Rutæ,
Zedoariæ,
Cort. Citri recent. ana drachma una ſemis,
Styracis Calam. drachm. tres;
nec non
Aqua vel humiditas illa à ſuperioribus deſtillationibus aſſervata;

Factâque adhuc digeſtione per octiduum, *oleum* tandem per inclinationem à *Scorpionibus* & ſubſidente humiditate ſeparetur, vel decantetur, uſuique aſſervetur, *ceu præſtantiſſimum Oleum Alexipharmacum.*

PHAR-

PHARMACOPOEIÆ REGIÆ

CLASSIS XVII,

Unguentorum ſtructuram ſtudioſè deſcribens.

UNGUENTUM ÆGYPTIACUM.

℞. Mellis cum ſucco Plantaginis & Millefolii deſpumati & co-ᔆti, uncias octo,
Pulv. Æruginis ſubt.
Aceti Sambucini vel Roſacei uncias duas ſemis.

Coquantur igne paulò validiori ad conſiſtentiam *unguenti, ulceribus malignis & putridis detergendis valdè proficui.*

UNGUENTUM DE ALABASTRO.

Paretur juxta *Animadverſiones noſtras* ſuper ipſum factas, in *Pharmacopœia præcedenti.*

UNGUENTUM ALBUM.

℞. Ceruſſæ cribratæ libram unam,
Olei Sambucini libras duas ſemis,
Aceti Sambuicini libram unam ſemis.

Coquantur in vicem ad conſumptionem *aceti*, & ferè ad conſiſtentiam *unguenti*, in quo liquefac
Ceræ albæ lib. ſemis (ſi opus fuerit) & ubi penitus refrixerit,
Album. ovorum conquaſſat. num. ſex,

Fiatque *unguentum ad Eryſipelas, & ad ſedandas inflammationes & combuſtiones efficaciſſimum.*

UNGUENTUM ALBUM CAMPHORATUM.

Ex *præcedenti unguento* componi poterit, admixtâ ipſi ultimò, ubi plane refrixerit, *Camphoræ unc.* j ß, in *oleo roſaceo* ſoluto, & evadet ad præfatos affectus adhuc efficacius.

UNGUENTUM DE ALTHÆA.

VIdeantur *Animadverſiones Pharmacopœia reformata*, & ſecundum illas dextra hujus *unguenti* inſtituatur præparatio.

UNGUENTUM APOSTOLORUM.

℞. Terebinth. claræ & liquidæ uncias tres ſemis,
in qua liqueſac
Pulv. Gummi Ammoniaci unciam unam ſemis,
Opopanacis,
Galbani puri ana unciam ſemis,
Maſtichis drachmas ſex,
Quibus liquatis, adde paulatim ſequentia tria pariter colliquata, & per linum colata, ſcilicet
Reſinæ,
Ceræ flavæ ana uncias tres,
Ol. Terebinth. rubr. deſtill. unciam unam ſemis,
nec non
Pulv. Ariſtoloch. long.
Thuris albi,
Myrrhæ ana drachmas ſex,
Æruginis unciam unam ſemis,
Sacchari Saturni unciam ſemis.

Fiatque unguentum vulnerarium laudabile, *nervorum & ipſis etiam oſſium vulneribus accommodatum.*

UNGUENTUM DE ARTHANITA PURGANS.

PAretur juxta modum in *Animadverſionibus noſtris* ſuper idem in *prægreſſa Pharmacopœia Auguſtana* indigitatum.

UNGUENTUM BASILICON VULNERARIUM.

℞. Terebinth. claræ uncias duas;
in qua liqueſcant
Pulv. Maſtichis,
Sagapeni ana uncia una,
Colophoniæ claræ unciæ duæ,
Ceræ flavæ odorif. unciæ quinque,
Ol. Terebinth. rubr. unciæ tres.
Ultimò adde
Pulv. Myrrhæ,

Pulv.

Pulv. Thuris albi ana unciam unam.

Fiatque *unguentum vulnerarium* efficaciſſimum, plurima *Balſama vulneraria* ſuâ efficaciâ antecellens.

UNGVENTVM CLYSMATICVM.

Conficiatur juxta modum in *Pharmacopœia Auguſtana* præſcriptum.

UNGVENTUM COMITISSÆ
Sive ADSTRINGENS.

Paretur & hoc *unguentum* juxta *Animadverſiones Pharmacopœia pragreſſa*, addito *Sacchàro Saturni*.

UNGVENTVM FVSCVM.

℞. Terebinthinæ claræ & liquidæ uncias quinque,
in quibus liquefac
Pulv. Gummi Sagapeni unc. duas,
Maſtichis,
Galbani puri ana unc. unam.

His liquatis ſenſim immiſceantur ſimiliter invicem liquata, & per linum colata ſequentia,
Ceræ flavæ odorif. unciæ quat.
Picis Græcæ,
Nigræ ana unciæ duæ,
Olei Terebinthinæ rub. uncia una ſemis,
nec non ultimò
Pulv. Thuris uncia una ſemis.

Fiatque unguentum ſarcoticum nobile.

UNGVENTVM AD HÆMORRHOIDES.

Præparetur hoc *unguentum* ſecundum præſcriptam compoſitionem *Pharmacopœia Auguſtana* reformatæ, & juxta Animadverſiones noſtras ipſi annexas.

UNGVENTVM INFRIGIDANS GALENI.

Prægreſſa Pharmacopœia & Animadverſiones noſtræ adjunctæ *hujus unguenti* præparationem legitimam luculenter demonſtrant.

UNGUENTUM SATURNINUM.

℞. Aceti Sambuci fortiſſimi ex aceto deſtill. & flor. Sambuci parat. libr. tres,
Minii libram unam,

Coquantur in vaſe vitreato ad conſumptionem tertiæ partis; *Reliqua dua libra aceti à Minio* ſeparentur colenturque, & ad ſpiſſitudinem liquoris (ad libram circiter dimidiam,) ſive *olei Tartari* exhalent, cui adde ſub continua agitatione
Olei Sambuci ex floribus per trinam infuſionem, macerationem & expreſſionem dilig. parati, quantum ad unguenti albi conſiſtentiam ſufficere videbitur, quod ipſa præparatio dictitabit,
adjiciendo poſtremò ad
libram unam unguenti
Pulv. ſubt. Olibani vel Thuris,
Maſtichis,
Lapid. Calamin. cum ſucco Millefolii levigati & ſiccati ana unc. unam,
Pulv. Pompholyg. drachm. ſex.
Camphoræ in dicti olei Sambucini ſ. q. ſolutæ unc. ſemis.

Fiat unguentum nobiliſſimum refrigerans, *quodque omnibus inflammationibus, ulceribus ſordidis & pertinacibus, nec non ambuſtionibus ac Eryſipelati ſummoperè medetur.*

UNGUENTUM MERCURIALE.

FIat hujus *Vnguenti* præparatio, juxta *Animadverſiones noſtras* ſuper ipſum factas in *Pharmacopœia præcedenti*, diſſolvendo ſcilicet *Mercurium* cum *aqua forti.*

UNGUENTUM NIHILI.

VIdeantur *Animadverſiones noſtra* ſuper ipſum factæ in *Pharmacopœia reformata Auguſtana*, juxta quas ipſius inſtituatur præparatio.

UNGUENTUM PECTORALE,

Item reliqua, utpote, Pediculorum, Pomatum, Populeonis, Potabile rubrum, Roſatum, de Minio, ad Scabiem, ad Vermes, & Viride Reginæ.

COnficiantur juxta *Animadverſiones noſtras* ſuper ipſa in *prægreſſa Pharmacopœia* ſigillatim factas, quas Lector Amicus minus gravatè revolvere dignetur.

PHAR-

PHARMACOPOEIÆ REGIÆ

CLASSIS XVIII,

Emplaſtrorum debite parandorum formulas explanans.

EMPLASTRUM ALBUM COCTUM.

℞. Olei Sambucini ex floribus per trinam infuſionem, macerationem & expreſſionem exactè parati libras duas,
Ceruſſæ libram unam ſemis, vel etiam libras, duas.

Miſta coquantur leni igne, continuò infundendo aliquid *aceti Sambucini* pro diſſolutione *Ceruſſæ* (quouſque ferè *aceti* ℔ j ſs, vel ℔ ij, affuſæ ſint,) donec *Emplaſtri mollis conſiſtentiam* acquiſiverint, ſpatulâ vel rudiculâ ſine intermiſſione agitando, cui addantur ſtatim, ut in eo liqueſiant,
Ceræ albæ unc. quatuor.

Et ab igne remoto ſubſequentes pulveres, utpotè
Maſtichis el.
Thuris ana unciæ duæ,
Lapidis Calaminaris, cum Spermate Ranarum, reſoluto ſaltem in aquam, non deſtillato, levigati aut præparati unciæ duæ,
Pompholygis uncia una.

Fiat *Emplaſtrum* laudabile *ad omnes inflammationes, ulcera ſordida cancroſa, &c. praſtantiſſimum.*

EMPLASTRUM DE BACCIS LAURI STOMACHICUM.

℞. Terebinthinæ claræ & liquidæ uncias tres,
in quibus liqueſac
Pulv. Maſtichis,
Myrrhæ,
Thuris ana unciam unam, drachmas duas.

Quibus invicem benè liquatis & commixtis, adde paulatim & alternatim de ſequentibus *pulveribus* & *Melle.* Utpotè
Mellis Menthæ noſtro modo parati unc. tres,
Pulv. Baccar. Lauri unc. duas,

Pulv.

Pulv. Nucis Moſchat. unciam unam ſemis,
Caryophyllorum,
Calami Aromat.
Zedoariæ ana drachmas ſex.
Fiat *Emplaſt. ſtomachicum* efficaciſſimum.

EMPLASTRUM STOMACHALE
aliud PRECIOSIUS.

℞. Tacamahacæ,
Ladani puri,
Storacis Calam.
Maſtichis electæ ana unc. unam.
Diſſolvantur hæc cuncta pulveriſata in
Terebinthinæ claræ odorif. unciis quatuor,
quibus ſuperadde
Ol. ſtill. Abſinthii,
Caryophyllorum,
Zedoariæ ana drachm. unam,
Nuciſtæ drachm. unam ſemis,
Pulv. Myrrhæ,
Thuris,
Cyperi rotundi ana unciam unam ſemis,
Ultimò addendo
Balſami Indic. Peruviani drachm. tres.
Ex mixtis ſ. a. fiat *Emplaſtrum ſtomachicum egregium.*

EMPLASTRUM BASILICUM
Nervinum & Vulnerarium.

℞. Terebinthinæ claræ odoratæ uncias duas,
in qua liquefac
Maſtichis el.
Pulv. Sagapeni ana unciam unam,
Colophoniæ uncias quatuor,
Et ultimò adde
Pulv. Myrrhæ,
Olibani,
Succini ana unciam unam.

Fiat *Emplaſtrum* aliquandiu in calore leni ſaltem liquatum agitandum, *omnibus vulneribus recentibus & antiquis nervorum, oſſium, capitis, &c. accommodatiſſimum.*

EM-

EMPLASTRVM DE LAPIDE
CALAMINARI ad ulcera fluida.

℞. Terebinthinæ liquid. uncias duas,
in quibus liquefac
Maſtichis electæ unciam unam,
Colophoniæ,
Ceræ flavæ ana uncias duas; ſuperaddendo
Lapidis Calaminaris præpar.
Tutiæ præpar. ana uncias duas,
Lithargyrii cum unciis duab. aceti cocti, & cum eo totaliter
exſiccati unciam unam ſemis,
Olibani triti ſubt. drachm. ſex,
Fiatque *Emplaſtrum* juſtæ conſiſtentiæ, *ulceribus manantibus proficuum.*

EMPLASTRVM CITRINVM.

PAretur ſimpliciter modo præſcripto in *Diſpenſatorio praecedenti reformato.*

EMPLASTRVM DIACHYLON
SIMPLEX.

SImiliter & hoc *Emplaſtrum* juxta modum in *Animadverſionibus noſtris* ſuper idem ipſum factis in *pragreſſa Pharmacopœia* parari poterit.

EMPLASTRVM DIACHYLON
cum GUMMIS.

COnficiatur modo in Animadverſionibus noſtris præcedentis Pharmacopœiæ reformatæ edocto; vel etiam
℞. Diachyli ſimpl. libram unam, cui
Gummi Ammoniaci,
Opopanacis,
Galbani,
Sagapeni, ana unc. ſem.
ſoluta prius in *aceto*, ſ. a. admiſceantur.

EMPLASTRVM DE CRVSTA
PANIS.

℞. Farinæ Hordei,
Cruſtæ panis in aceto maceratæ iterumque exſiccatæ, ana unc. tres.

Coquan-

Coquantur parum in *aceto Roſaceo* ad Cataplaſmatis durioris conſiſtentiam, cui adde invicem liquata

Terebinthinæ uncias duas,
Pulv. Maſtichis unc. unam ſemis,
Ceræ flavæ odorat. unc. tres; & ultimò
Pulv. Menthæ unciam unam,
Caryophyllorum unciam ſemis,
Nucis Moſchat. drachm. ſex,
Olibani unciam unam.

Miſce, fiat *Emplaſtrum ſtomachicum efficax.*

EMPLASTRUM DE FULIGINE.

℞. Terebinthinæ uncias duas ſemis,
Saponis Veneti ſubt. conſciſſi uncias quinque.

Liquefiant invicem ſuper igne lento quibus ſtatim adde
Fermenti acris uncias duas,
Pulv. Croci Auſtr. unciam unam.

Piſtentur & agitentur benè, donec omnia unita ſint exactè,
Tùm ſuperadde
Fuliginis Camini ſplend. pulveriſ. uncias duas,
Theriacæ ſive Antidoti Theriacalis noſtri ſecundæ unciam unam ſemis,
Mellis Roſati drachm. ſex,

Piſtentur iterùm optimè, donec omnia probè unita ſint, deniquè, cùm non ampliùs intensè calent, ſed quaſi refrixerint, admiſce
Vitellorum ovorum num. quinque, &
Salis Theriacalis noſtri, tertiæ deſcriptionis prægr. Pharm. unciam unam.

Fiatque Emplaſtrum nobile *in peſte.*

EMPLASTRVM ISCHIADICVM.

COmmodè *hoc Emplaſtrum* parari poterit juxta præſcriptionem in *prægreſſa Pharmacopœia* & *noſtras Animadverſiones.* Hoc inſuper conſultum fore exiſtimarem, ſi pondus *Euphorbii*, *ſem. Erucæ* & *Ceparum* nonnihil augeretur, nec aliud quàm *Saponis oleum*, loco *olei Lini*, reciperetur.

EMPLASTRVM MAGNETICUM.

PAretur modo ſuperius in *Pharmacopœia prægreſſa* indigitato.

EMPLASTRUM DE MELILOTO.

REvolvantur *Animadverſiones* ſuper idem hoc *Emplaſtrum* factæ, in *Pharmacopœia præcedenti*, & ſecundum illas inſtituatur præparatio.

EMPLASTRVM NERVINVM PODAGRICUM.

℞. Terebinthinæ claræ Cypriac. uncias quinque,
in qua liquefac
Gummi Carannæ puriſſ. unciam unam,
Pulv. Gummi Ammoniaci,
Gummi Elemi,
Tacamahacæ ana uncias duas,
Quibus exactè unitis adde invicem liquata
Ceræ flavæ & novæ odorat. uncias quinque,
Colophoniæ claræ uncias duas.
Ultimò denique ſequentes *pulveres* & *olea* inſpergantur, utpotè
Olibani,
Maſtichis,
Sandaracæ,
Succini ana unciæ duæ,
Ol. ſtill. Succini uncia ſemis.
Miſceantur exactè omnia, & erit Emplaſtrum *excellens in doloribus Arthriticis*.

EMPLASTRVM OPODELTOCH.

HUjus *Emplaſtri* dextra & plenaria præparatio tradita eſt ſuperiùs in *Pharmacopœia reformata*, in Animadverſionibus propriis, quas Lector benevolus haud gravatim revolvat.

EMPLASTRVM OXYCROCEVM.

℞. Terebinthinæ claræ odoratæ uncias octo,
in quibus liquefac
Pulv. Gummi Ammoniaci,
Maſtichis,
Galbani puriſſimi ana unc. tres.
Quibus invicem benè commixtis, adde priùs conjunctim liquata,
Ceræ flavæ odorat.
Colophoniæ,
Picis Græcæ ana uncias nov.
ac ultimo inſperge

Digitized by Google

Pulv. Thuris el.

Myrrhæ ana uncias duas ſemis,

Croci in vino parùm diluti uncias duas.

Fiat *Emplaſtrum* juſtæ conſiſtentiæ, aliquandiu agitandum, ut ſpecies eò meliùs permiſceantur & uniantur, & quidem in leni ſaltem calore, ne ſpirituoſæ & penetrabiliores ejus partes evaneſcant. *Ità evadet ad affectus ſuperiùs in pragr. Pharmacopœia denominatos, ipſoſque dolores podagricos demulcendos præſtantiſſimum.*

EMPLASTRUM DE RANIS
Cum MERCURIO.

PAretur juxta *Animadverſiones Pharmacopœia ſuperioris*, diſſolvendo nimirùm *Mercurium* cum *aqua forti.*

EMPLASTRUM DE SPERMATE
RANARUM.

UT *Emplaſtrum* hoc ritè paretur, conficiatur priùs *oleum* per infuſionem, macerationem & coctionem (non tamen totalem humiditatis exhalationem,) ex *ſpermate Ranarum* & *Cancris fluviatilibus.*

℞. Hujus olei cum adjuncta adhuc aliquid ejus ſubſidente humiditate libras quatuor,

Ceruſſæ cribratæ libras duas ſemis, vel lib. tres.

Coquantur leni igne rudiculâ continuò agitanda, & in ipſa coctura ſucceſſivè admiſce

Vitrioli albi, &

Aluminis crudi ana diſſolut. in ſ. q. ſpermatis Ranarum non deſtillati, ſed ſaltem reſoluti & per linteum ſpontè defluxi, uncias tres.

Et poſtquam per cocturam ad debitam *Emplaſtri* conſiſtentiam redacta fuerint, adde

Ceræ albæ uncias ſex,

remotiſque ab igne

Pulv. Maſtichis,

Thuris ana unc. unam, vel uncias duas.

Tandem, cùm ferè refrixerit *Emplaſtrum*, immiſce

Camphoræ in olei Roſar. ſ. q. priùs ſolutæ unciam unam, vel uncias duas.

Fiatque *Emplaſtrum* juſtæ conſiſtentiæ, *omnibus vulneribus & inflammationibus, &c. conducibile,*

EMPLASTRUM HEPATICUM.

℞. Terebinth. claræ & liquidæ uncias quatuor;
in quibus diſſolve
Pulv. Gummi Ammoniaci,
Elemi ana uncias duas.

His optimè colliquatis, ſenſim admiſce ſubſequentia alternatim & per vices; nimirùm
Ceræ flavæ ſeorſim jam liquatæ uncias ſex,
Succor. inſpiſſat. Agrimon.
Abſinthii ana unciam unam,
Salis Armoniaci flavi cum Vitriolo ſublimati, & ſuccis prædictis permiſti, uncias duas ſemis,
Pulv. Myrrhæ elect. unciam unam,
Eupatorii Avicennæ:
Ultimò adjunge
Camphoræ cum ſ. q. Olei Styracis, vel ſi hoc deſit, Ol. Succini ad pultis formam in mortario contundendo redacti, unciam unam, vel unciam unam ſemis

Fiat *Emplaſtrum* nobile, *obſtructionibus hepatis reſerandis ſummè idoneum.*

EMPLASTRUM SPLENETICUM.

℞. Terebinth. claræ & liquidæ uncias quatuor;
in quibus liquefac
Pulv. Gummi Ammoniaci,
Elemi ana uncias duas.

Et cùm invicem benè commixta & colliquata ſunt, ſenſim per vices & alternatim adde de ſequentibus, utpotè
Ceræ flavæ & liquatæ uncias ſex,
Decocti Tabaci infumati ad ſpiſſam Extr. conſiſt. inſpiſſ.
Succi Verbenæ inſpiſſ. ana unc. unam, vel unc. unam ſem.
Salis Armoniaci ſublimati & ſuccis prædictis inſpiſſat. antequam addatur, permiſti, uncias duas,
Pulv. Myrrhæ rubr. unciam unam,
Verbenæ,
Parietar. ana unciam ſemis.

Miſce, fiat *Emplaſtrum ſpleneticum* præſtantiſſimum.

EMPLASTR. TRIAPHARMACUM.

PAretur ſecundum præſcriptionem traditam ſuperiùs in *Parmacopœia Auguſtana reformata.*

PHARMACOPOEIÆ REGIÆ

CLASSIS XIX,

Ceratorum parandorum modum præſcribens.

CERATUM DE BETONICA CAPITALE.

℞. Terebinth. claræ unc. unam ſemis; in qua liqueſcat
Pulv. Maſtichis elect. uncia una:
Poſtea adde invicem colliquata,
Ceræ flavæ, &
Colophon. pellucid. ana uncias duas;
Quibus benè mixtis, & ſaltem liquefactis, immiſce
Pulv. Thuris,
Succini,
Benzoës ana drachm. tres,
Betonicæ unciam ſemis, vel drachmas ſex,
Ol. ſtill. Benzoës, vel loco hujus Styr. Cal. drach. un. ſem.
Fiat *Ceratum capitale* præſtans.

ALIUD PRECIOSIUS.

℞. Reſinar. Styracis Calam.
Ladani ana unciam ſemes.
Harum Reſinarum præparationes in Animadverſionibus Theriacæ Andromachi prægreſſæ Pharmacopœiæ edoctæ ſunt.
Quibus leniter liquefactis, adde
Ceræ liquatæ unciam unam ſem.
Pulv. Thuris,
Maſtichis,
Sandaracæ,
Succini,
Benzoës ana drachmas duas,
Ligni Aloës gummoſi drachmam unam ſemis,
Ol. ſtillat. Coriandri drachmam unam.
Fiat *Ceratum capitale* precioſum.

CERA-

CERATUM DIAQUERCINUM,

quod in Germania, ubi Palmarum rarus eſt proventus, vices Diapalmæ ſupplere poteſt.

℞. Folior. Quercûs recent. teneriorum & ſucculentorum libr. duas.

Conſcindantur & contundantur optimè, immerganturque in
Axungiæ Porcinæ, &
Ol. clari Oliv. ana libris duabus.

Factâ aliquandiu maceratione, coquantur & exprimantur; *Oleo & Axungia expreſſa, recentia conſciſſa & contuſa folia* in ſupradicto pondere immergantur, reiteratâ macerationе coctione & expreſſione; Huic *Axungia & oleo jam eſſentificatu*, addantur
Lithargyrii ſubtiliſſ. triti libræ tres.

Coquantur leniter ſpatulâ vel rudiculâ continuò agitando, & ſenſim ac per vices infundendo
Vitrioli albi in ſucco vel ſaltem decocto Quercino ſoluti unc. quatuor, vel quinque,

ad conſiſtentiam *Cerati durioru* ſeu *Emplaſtri*, quod non ſolùm prænominatæ *Diapalma* vices ſupplere poterit, quin ipſam etiam in effectu & virtutibus ſuperabit.

CERATUM MATRICALE.

JUxtà præſcriptionem *Pharmacopœia reformata* & *Animadverſiones* noſtras ſuper ipſum factas parari convenit.

CERATUM pro HERNIIS, ſeu CATAPLASMA ADSTRICTIVUM.

℞. Pulv. florum Roſar. rub. exſicc.
Balauſt.
Saniculæ cum radicibus,
Ariſtolochiæ ana unc. tres,
Gallarum,
Nucum Cupreſſ. ana uncias duas,
Tormentillæ unc. unam ſemis,
Succi Acaciæ, &
Hypociſtid. ana, prius in ſucco vel decocto Quercino ſolut. unciam unam,
Succi Quercini folior. tenellorum, vel decocti eorum fortis libram unam ſemis.

Coquantur benè ad conſiſtentiam *Cataplaſmatis* continuò agitando, in fine addantur

Mellis ſimplicis libra una ſemis,
Vitrioli Veneris uncia una ſemis.

Et denuò coquantur ac ſine intermiſſione agitentur, quoad redigantur ad formam *Cataplaſmatis, quod in herniis, inprimis bubonocele magni erit juvaminis.*

CERATUM ALIUD MAGIS DURABILE AD HERNIAS eaſdem.

℞. Terebinthinæ claræ libram ſemis,
in qua liqueſcant
Pulv. Myrrhæ uncia una,
Maſtichis uncia ſemis,
Quibus benè liquatis ſuperadde
Ceræ flavæ odor. unc. quatuor,
Succi Acaciæ, &
Hypociſtidis ana, in ſucco vel decocto forti fol. Quercûs in pultis formam ſolutor. unciam unam,
Vitrioli Veneris pulveriſati & ad albedinem parumper calcinati, nec non prædictis ſuccis, antequam addatur ſuperioribus, commiſcendi unciam unam ſemis,
Pulv. Sangu. Draconis,
Nucum Cupreſſi,
Gallarum ana unc. unam,
Aluminis crudi parumper cum decocto folior. Quercûs ad pultis formam humectati drachm. ſex,
Sarcocollæ unciam unam.
Miſce exactè, fiat *Ceratum.*

CATAPLASMA INSIGNE AD ENTEROCELEN.

℞. Radic. Conſolid. major. recent. mundat. & conſciſſar. libras duas,
Herb. Sanicul. rub. cum radicib. libram unam,
Recent. Conſolid. Sarracen. lib. ſemis,
Fol. Quercûs recent.
Pyrolæ,
Alchimillæ,
Perfoliatæ ana recent. uncias quatuor.

Inciſa omnia coquantur in ſ. q. *aqua* repetitis vicibus affuſæ, quouſque tota virtus extracta ſit; *Colatura omnes unitæ*, ad remanentiam quatuor circiter librarum evaporent, fiatque *Gelatina*, cui immiſce

Pulv. flor. roſarum rub. uncias duas,

Digitized by Google

Pulv. Ariſtoloch. rotund. uncias unam ſemis,
Sanguinis Draconis,
Maſtichis,
Myrrhæ,
Olibani ana unciam unam,
Sarcocollæ unciam unam ſemis,
Aloës Epat. uncias duas,
Rad. Conſolid. major exſic.
Tormentillæ,
Nuc. Cupreſſ. ana uncias tres,
Mellis puri crudi libras tres.

Coquantur omnia & ſingula lento igne, continuò agitando ad conſiſtentiam *Cataplaſmatis* mollioris, *quod ſingulis diebus bis, & calidè linteolo involutum, regioni partis affectæ applicetur.*

EPILOGUS.

HÆc ſunt, *Lector Philiatre*, quæ arduo quidem non ſine conatu, aſt aurigante benevolo & promptiſſimo *Tibi* gratificandi animo exaravi; *Tu* interim, quæ *Tua* eſt humanitas, hæc qualiacunque æqui bonique conſule; Quod ſi feceris, abundè mihi uti polliceor, me non ſolùm ulteriùs *Tibi, tuiſque* conatibus impensè habebis faventem, ſed etiam ad majora, quæ fortè maturior ætas dictabit, invitabis ac incitabis. Ne mireris autem, quod, dum in omnibus *methodum D. D. Auguſtanorum* imitatus ſum, novam aliquam *Mantiſſam ſelectiorum medicamentorum Chymicorum* non ſubjunxerim, quam ſanè credas me non niſi ſonticas ob cauſas prætermiſiſſe, quas in præfatione *ſuperioris Mantiſſæ Pharmacopœiæ prægreſſa* quodammodo innui; Loco autem *Mantiſſa Hermetica nova* interim *Tibi* commendo ſcripta Chymica *Excellentiſſ. Schroderi* & *Glauberi*, in quibus ſelectiorum medicamentorum Chymicorum inſignem habebis ubertatem & delectum, quæ proinde, quoties res & uſus poſtulat, minùs gravatè evolvas, atque hiſce bene valeas.

INDEX GENERALIS.

Numerus prior eſt Pharmacopœiæ Auguſtanæ; poſterior Regiæ, tam in generali quàm ſpeciali Indice.

Præliminaria neceſſaria, 1
De ſimplicibus abſolutè ſcriptis; 2
De ſuccedaneis quorundam medicamentorum, 8
De ponderibus & menſuris medicis, 11
Præfatio in Pharmac: Reg: 782

CLASSIS I,

Syrupos alterantes, Mella, Iuleb, Mivas, ac Rob, & iiſdem annexas Animadverſiones continet. 15, 813

CLASSIS II,

Syruporū purgantium ſeriem, & eorundem annexas Animadverſ. complectitur. 107, 832

CLASSIS III,

Pharmacorum & Electuariorum lenientium parandi modum, cum Animadverſionibus ſuper eadem exponit. 140, 836

CLASSIS IV,

Electuariorum ſolutivorum mollium ſtructuram & iiſdē annexas Animadverſiones comprehendit. 156, 838

CLASSIS V,

Confectio. ſolutivas quæ in forma ſolida parari conſueverunt, cum Animadverſionibus proponit. 179, 841

CLASSIS VI,

Pilularum compoſitiones & iiſdem annexas Animadverſiones exhibet. 188, 843

CLASSIS VII,

Extracta cum ſuis Animadverſionibus tradit. 227, 848

CLASSIS VIII,

Decocta & Infuſiones, nec non iiſdem adjunctas animadverſiones exhibet. 258, 849

CLASSIS IX,

Pulveres medicatos eorundemque compoſitiones explicat, inter quos Purgantes primam conſtituunt aciem: 272. Item, *Animadverſ. integram hanc Claſſem concernentes.* 293, 852

CLASSIS X,

Eclegmata, Sapas, Linctus & Lohoch, cum ſuis Animadverſionib. comprehendit. 294, 859

CLASSIS XI,

Confectiones Aromaticas ſeu ſpecies, eorundemq; parandi modum docet, 307. Item, *Animadv. univerſam hanc claſſem concernentes.* 347, 861

CLASSIS XII,

Trochiſcorū componendorum rationes, 351. Item, *Animadverſiones totam hanc Claſſem concernentes denotat.* 373, 871

CLASSIS XIII,

Collyria ſicca, Arabibus Sief *dicta, Paſtas odoratas, nec non alia Suffituum genera,* 391. Item, *Iiſdem additas Animadverſiones ſeorſim deſcriptas habet.* 398, 876

CLAS-

CLASSIS XIV,
Confectiones Antidotales, Narcoticas, quæ & Opiata dicuntur, aliasque cenſimiles Conſervas & Condita, ſuis animadverſionib. locupletata complectitur. 399, 878

CLASSIS XV,
Aquarum compoſitarum cum vino deſtillatarum, ſimplicium, vinorum & acetorum parandi modos, nec non Animadverſ. ſuper eadem tradit. 490. 888

CLASSIS XVI,
Oleorum coctorum & expreſſorum ſeriem complectitur. 553
Animadverſiones autem eorundem ſuper univerſam Claſſem conſcriptas. 578. 897

CLASSIS XVII,
Vnguentorum ſtructuram ac ſeriem cum iiſdē adjectis animadverſ. depingit. 584. 901

CLASSIS XVIII,
Emplaſtra, eorundemque Animadverſ. explanat. 639. 905

CLASSIS XIX,
Ceratorum parandorum modum cum Animadverſionibus ſuis præſcribit. 690. 914

CLASSIS XX,
Preparationes quorundam ſimplicium cum iiſdē adjectis animadverſionibus dilucidat. 707

MANTISSA. 737
Præfatio in Mantiſſam, ibid.
Spiritus ſimplices, 740
Animadverſiones ſimplices Spiritus attingentes, 742
Spiritus compoſiti, 746
Animadverſiones in ſpiritus compoſitos omnes, 749
Elixir, 752
Animadverſiones in Elixiria, 755
Eſſentia, 758
Animadverſiones in Eſſentias, 760
Tinctura, 764
Tincturis annexa Animadverſiones, 765
Olea deſtillata, 766
Animadverſiones Oleis deſtillatis addita, 770
Balſama ſimplicia, 772
Balſama compoſita, 773
In Balſama ſimplicia & compoſita adjuncta Animadverſiones, 775
Facula, 778
Facular. animadverſiones, 778
Magiſteria, 779
Magiſteriis adjecta Animadverſiones, 781
Salia, 785
Salium animadverſiones, 788
Flores, 792
Florum animadverſiones, 793
Croci, Vitrum, Sublimati, Præcipitati, aliique pulveres chymicè præparati, 794
Animadverſiones in Crocos, Vitra, Sublimatos, Præcipitatos, alioſq; pulveres chymicè præparatos, 798
Cremor Tartari, & eidem annexa Animadverſiones ſigillatim facta, 803
Cornu Cervi Philoſophicè præparatum, eidemque annexa Animadverſ. 804
Epilogus. 917

INDEX SPECIALIS,

Sive particularis Simplicium & Compoſitorum, aliarumque rerum notabilium: Tam in Pharmacopœia Auguſtana quàm Regia, contentarum.

Acetum de Lithargyro, 549
Acetum ſcilliticum, 550, 898
Acetum theriacale, 551, 898
in aceta omnia animadverſ. 552
Aceti acrimonia à Gummis aliisque rebus eo ſolutis elui nequit, 232
Acorus conditus vulgaris, 440
Adſtringentia vegetabilia deſtillationibus inepta ſunt, 61
Adipum præpar: cum adjunctis animadverſionibus, 707
Æris uſtio cum animadverſ. 708
Æris uſtiones diſcrepantes, ibid.
Agarici præparatio, 709
Agarici trochiſcatio, 384
Agreſtarũ ſpirit. acidus nondum maturus coquendo non exhalat, 25
Aloës lotio, 709
in eandem animadverſ. ibid.
Aloë propriè loquendo lavari nequit, 197
Aluminis uſtio, 710
Ambra oleis deſtill. ſolvi, & reb. aliis vel pulverib. commiſceri poteſt. 293
Anacardiorum præparatio cum annexis animadverſionibus, 710
Anacard. aliisq; ſimilibus fructib. non ſulphureis. coctione nil demitur, 86
Animalia quomodo deſtillanda, 545
Animalia viva deſtill. commiſſa, ſpiritum vivificum præbere poſſunt, 506
Animalium carnes ad totalem ipſarũ exſiccationem deſtillatæ, nil præter aquam elementarem præbent, ibid.
Animalium mactatorum vis reſtaurativa, in vapore exhalante, dum coquuntur, non conſiſtit, 503
Aniſum laxativum, 197
Aniſum ſolutivum ſolidum, 842
Antepilepticum cervinum I. 807
II. 808
Antidotus Marthioli, 431
In antidotum Matth. notabiles animadverſiones, 434
Antidotus Matth. conſtat ex ſedecim diverſis compoſitis, & trecentis & octoginta octo ſpeciebus vel ingredientibus, 434, 435
Antidotus Theriacalis I. 878
Antid. ther. II. Dyſenteriis malignis accommodata. 879
In antidotorum claſſem appendix, 476
In antidotorum appendicem animadverſiones notatu dignæ. 479
Antimonium diaphoreticum, 795
præparatum ad pulverem Comiris Warwichii, 796
non diſcrepat ab ant. diaph. 801
Antim. diaphor. præpar. variant, 799
dextra præparatio, 800
Antim. diaphor, ex Regulo, ibid.
tractu temporis malignam induit. qualitatem, ibid.
Antiſcorbuticorũ virtus in ſpirituoſa eorundẽ parte, vel ſale volatili, aut ſpiritu volatili ſalino conſiſtit. 76
Aquæ deſtillatæ, 490
Aqua acoviſtica D. D. Mindereri, 490
in eandem animadverſiones, 491
Aqua alexipharmaca. 892
antapoplectica alia, 889
mineralis. 890
Aqua antepileptica, 894
apoplectica, 888
Aqua antid. alexipharm. Matth. 492
in eandem animadverſiones, 493
Aqua antimelanchol. D. Fiſcheri, ibid.
in eandem animadverſiones, ibid.
Aqua antiſcorbutica, 494
Arthritica, 495, 890
Aſthmatica cum annexis animadverſ. notabil. 496, 497, 890
Aurea D. Joannis Langii, 499
Bardanæ compoſita, 505
Caponis compoſita, 506
in eandem animadverſ. ibid.
Cinam perperam Extractis pro correctione additur, 244
Confortativa uſitata, 509
in eandem animadverſ. ibid.
Aqua cordialis, 893
Aqua cordialis temperata 510
in eandẽ animadv. notabiles, 512
Ejuſdem dexterior præparatio, 513
Aqua Epileptica Langii cum animadverſionibus, 517, 518
Aqua epileptica puerorum, 518
pro epithemate cordis, 519

Ejuſ-

Ejuſdem vera præparatio, 520
Fumariæ compoſita, ibid:
Hirundinum uſitata, 521
in eam animadverſiones & dexterior. præparatio, 522
Hirundinum compoſ: minor. 523
Hirundinũ compoſ: major. ibid:
in eandem animadverſiones, 524
Hyſterica, 895
Lithargyri, 525
in eandem animadverſiones, ibid.
Maſtich. cum annexis animadv. & dexteriori præparatione, 526
Mercuriata, 527
Mercuriata alia præſtantiſſ: 528
Mirabilis Langii, ibid:
in eandem animadverſiones, 529
Nephritica. 897
Nephritica Brengeri, 530
ad oculos uſitata, 531
Odorifera, 531, 896
Panaeis Heraclei compoſ. 533
Perlarum confortativa, 896
Phyſogona, 533
Stapediana prima, 534
Stapediana ſecunda, ibid:
in eandem animadverſ: 535
ad ſcabiem, furfures, tineas, & pediculos capitis abigendos, 623
ſtomachica, 535
theriacalis Bezoardica, 536
in eandem animadverſ: 537
Vitæ compoſita, 538
in eandem animadverſ: 539
Aquæ deſtillatæ cum vino, ibid.
Aquæ deſtillatæ ſimplices, ibid:
Aquæ deſtillatæ ex mineralibus, quomodo præparari debeant, 542
Aquæ deſtillatæ propter copiam quâ expetuntur & vile precium, ritè deſtillari nequeunt, 548
Aquæ deſtill decoctis ſpirituoſ. ſunt, ergò in coctura prius exhalant. 41
Aquæ deſtillatæ ad extractiones rerũ reſinoſarum inhabiles, 246
Aquæ eſſentiales virib. integris plantarum uberrimè prægnantes, 546
Aquæ ex carnibus deſtillatæ, nullam nutriendi vim obtinent, 543
Aquæ ex ſuccis deſtillatæ & ſale proprio acutæ examinantur, ibid:
Aqua fortis minus ritè confectis ſalibus adjungitur, 789
Aquarum ex vegetabil. ſimpliciſſimus & genuinus deſtillandi modus, 544
Aquarũ legitimè deſtillandarum generalis informatio, 542, 543, 544
Argumenta contra compoſitorum reſolutionem, eorundemque ſolutiones, 436, 437
Ari radicum præparatio, cum annexis animadverſionibus, 710, 711
Aromata & odorata coctionem non ferunt ſine virium jactura, 22
Aſellorum præparatio, 711
Athanaſia magna Nicolai, 451
Audacia quid juvet circa ſerpent: 481
Avellanatum præparatio, 711
Aurea Alexandrina Nicolai, 448
in eandem animadverſiones, 450
Aurum foliatum inutiliter pulveribus & ſpeciebus admiſcetur, 293
Balſama ex oleis deſtillatis ſimplicia & compoſita, 772, 773
Balſamum Angelicæ Sennerti, 772
Angel. interno uſui deſtinatũ, 775
Angel. interno uſui deſtinat. ibid:
apoplecticum, 773
ejuſdem cenſura, 776
Caryophyllorum, 772
Cordiale Sennerti, 774
Embryonum, 500, 895
Eidem annexæ animadverſ. 502
& dextra præparatio. 504
Galbanetum uterinum, 774
Loimicum, ibid:
Sulphuris aniſat. Mynſicht. ibid:
Sulphuris aliud, 777
Vulnerarium, 899
Vulnerarium Mindereri, 555
Benedicta ſolutiva Nicolai 156, 538
Bezoardicum cervinum alexipharmacum I. 806
II. ibid:
III. 807
Bezoardicum cervinum aureum, 808
corroborans, 809
Boli Armenæ præparatio cum additis animadverſ: notatu dignis, 712
Boli armenæ genuina præparat: ibid:
Calx viva quid præſtat in animal: 485
Calcinatione clauſâ, non cineres, ſed carbones efficiuntur, 482
Candelæ pro ſuffitu, 395
Cantharid. præparatio, 713
Caponum & Gallinarũ ſaginatio, vipetinis carnibus, 383
Carnes in deſtillationibus nil virtutis exferunt, 544
Caſſia extracta, 141, 837

Caſſia pulpa, 836
Cataplaſmata ad Enterocelen, 916
Cauterii potentialis præparatio, 713
Cauteriũ potentiale aliud nobile, 714
Cera alba ſat ſufficienterque lota eſt, itaque non opus habet lotione cum aquâ frigida, 606
Cerata, 690
Ceratum de ammoniaco cum ejuſdem dexteriori præparatione, ibid.
Cerat. ex Betonica, 681
 Capitale, 692, 914
 aliud pretioſius, 914
 Cerine Cteſiphontis, 693
Cerati capitalis & Cerine Cteſiphontis veræ præparationes. ibid:
Ceratum diachalciteos, ſeu diapalm: Galen. cum eidem annexis animadverſionibus & genuina præpar. 693
Cerat. diadictamnũ, ſeu ſacrum Gal. cum dexteriori ejuſdẽ præpar. 695
Ceratum diaquercinum. 915
Ceratum de gratia DEI Nicol. 696
 alia ejuſdem præparatio, 697
Ceratũ Iſis ex Galeno cum dexteriori ejuſdem præparatione. ibid:
Cerat. matricale, vel de Galb. 698, 915
 in idẽ animad. & genuina præp. 699
Ceratum Oeſypi Meſue, ibid.
 Philagrii, ibid.
 in cerat. œſypi & philag. anima. 700
Cerat. diapipereos Galeni, ibid.
Cerat. ex pelle arietina, & eidem annexæ animadverſiones cum genuina præparatione, 701
Cer. pro hernioſ. D. D. Norib. 703, 915
 aliud magis durabile, 916
 Santalinum Meſue, 704
 Sparadrapp. Vigon. ibid.
 ejuſdem vera præparatio, 705
 ſtomachale Galeni, 706
 in idem animadverſiones, 706
Ceruſſæ lotio vel ablutio inepta. 714
Chalcitis quid ſit, 416
 præparatio, 714
Chalybis præparatio ex aceto, ibid.
 cum ſulph, ibid.
 in Chalyb. præp. cum aceto & ſulphure animadverſ. 715
Chalyb. cum ſulphure vera calcinatio, & in vitriolum converſio, 715
Chyloſtagma diaphor. D. D. Mind. 507
 in idem animadverſiones, 508
Chymia ſummis difficultatib. referta eſt, 737
Coctio rerũ aromatical. in vaſe licet probè recto, inepta eſt, 43
Coleothar verũ non eſt corroſiv. 716
Colcothar perperã ſulph. commiſcetur pro flor. ſulphur. ſublimatione, 793
Colcotharis indulcati præpar. cum annexis animadverſ. notabilibus, 716
Ex Colcothare mox à deſtillatione ſal elici nequit, ibid.
Colócynthidis præparatio, ibid.
Compoſita compoſitis cumulare abſurdum eſt, 348
Compoſitio medicamentorũ Galenicorum non eſt vera miſtio, ſed tantummodò congeſta appoſitio, 437
Compoſiti Sperniolæ præpar. 717
 in compoſ. Sperniol. animadv. & vera præparatio, ibid.
Condita, 471
 in condita annotationes, 472
Conditum pro familia, 454
Confect. anacardina Meſue, 454
 Cephalica, 883, altera, 884
 Alkermes Meſue, 441, 882
 Monſpelienſium, 442
Confectio Alkermes præſtantior in novo Diſpenſatorio cernitur, 444
Confectio adverſus lumbricos, 180
Confectiones antidotales, 399
Confectio Archigenis cum ſuis animadverſ. & vera præparat. 446, 447
Confect. Hamech Meſue cum annexa vera præparatione, 161, 162
Confectio pectoralis, 343
 poſt paſtum, ibid.
Confectionis pectoralis reſolutio, 348
Confectio ſolida, quid, 179
 ad vermes, 341, 342
 Zingiberis cocti, 341
Conſervæ, 473
Conſerva Hederæ terreſtris, 474
 Roſarum perperam deſtillationibus committitur, 513
Corallia ſoluta, ſunt ſal corallio. 790
Coralliorum violentæ calcinationes deſtructoriæ ſunt, ibid.
Coralliorũ tinctura falſa ex coralliis calcinatis, 791
Coriandrorum præparatio cum annexis animadverſionibus, 718
Coriandri ſemen exſiccatum, nullam habet pravam vel venenatam qualitatem, ibid.
Cornu cervi præparatio, cum adjunctis animadverſionibus, ibid.

Cornu cervi crudum & raſpatum uſto longè præſtantius eſt, 719
Cornu cervi philoſoph. calcinatū, 804
cum adjunctis animadverſ. 805
Cornu cervini vera præparatio, 806
Cornu cervinū quale ad uſum medic. eligendum, 805
Cornua & oſſa philoſophicè calcinata, examinantur, ibid:
Cranii hominis præparatio, 719
Cremor ptiſſanæ, 871
Crocus Martis, 794
ex oleo ſulphuris, ibid:
Croci Martis adſtringentis verus præparandi modus, 798
aperient. dextra præp. ibid:
Metallorum, 795
vera præparatio, 798
Crocor. Mart. edulcorat. ſtupida. ibid:
Crocus Veneris, 708
Croci Solis præparatio, 809
Cuperoſæ præparatio. 719
Decocta, 258
Decoctum aperitivum, 849
Decoctum aperitivum majus, 458
Aperitiv. majus cum rhabarb. 259
Aperitiv. leniiiv. minus, 260
in idem animadverſ. & generalis decoctor. parandi ratio, 261
Capillorum Veneris, & eidem annexæ animadverſ. 261, 262
Carminativum, 262, 850
Contra calculū, vel nephrit. 850
Epithymi Meſue, 263
Ellebori, 164
Florum & fructuum, 263
Fumariæ Meſue, 264
Decoct. pectorale, 264, 851
Fol. Senæ, 851
Senæ D. Gereonis. 264
In decocta plurima animadverſiones, & generalis de rebus coquendis regula, 266
Dentium aprorum præparatio, 719
Diabalzemer, ſeu Elect. Senatum Renodæi, 157
In diabalzem. animadverſ. 158
Diacarthamu Arnol. de Villa nova, 159
Diacarthamu ſolidum, 180
Diacaryon, ſeu Rob nucum Gal. 101
Diacaſſia cum Manna, cum annexis animadverſionibus. 143
Diacodia & Linctus quid, 294
Diacodion pectorale, 859
Diacodion actuarii, 296
in idem animadverſ. & vera præparatio, 297
Dyſentericum, 860
Diacodion Joann. Bapt. Montani, 295
Simplex Galeni, 295
In Diacodion Montani. & ſimpl. animadverſ. 296
Papaverinum, 859
Diacodiō in ſolido uſitatum, 298, 860
Solidum, 297
Diacorum ſtomachicum, 881
Diacorū Meſue cum ſuis animadverſionib. & dextrà præpar. 438, 439
Diacydonites ſimplex, 475
aromatiſatum, 475, 887
Diacydon. laxativum, & eidem additæ animadverſiones cum legitima præparatione, 182
Diacydon. ſolutivum, 842
Diacydon. laxat. pellucidum cum ſuis annotationibus, 183, 184, 842
Diambræ ſpecies perperam Laudano, aliisq; extractis junguntur, 253, 256
Diamoron, 832
Diamoron compoſitum Galeni, 102
Simplex Galeni, ibid.
Uſitatum Nicolai, ibid.
Diaphœnicon Meſue, 169
Feruelii, 170
In diaphœn. utrumque animad. 171
Diaphœnicon ſolidum cum animadverſionibus notabilibus, 185, 186
Diaprunis ſolutivum Nicol. 171
Diaſatyriu Nicolai, 464, 886
Diaſcordium Hieron. Fracaſt. 466
Diaſena Nicol. cum animadv. 177, 178
Diaturbith cum rhabarb. Montag. 187
Doſis quorundam medicamentorum valdè diminuta eſt, 348
Eboris ſeu Antiſpodii præparatio, 720
Elaterii præparatio, ibid.
Electuarium quid, 140
Electuar. Alkermes Meſue, 441
Monſpelienſ. 442
In Electuar. Alkermes animadverſiones notab. ibid.
Elect. è baccis lauri Rhaſis, & eidem adjunctæ animadverſ. 452, 453, 858
Elect. Caryocoſtinum, 160
Chalybeatum, 453, 885
In Elect. chalybeat. animadverſ. & dexterior præparatio, 454
de Citro ſolutivum, 160
Elect. contra Dyſenteriam, 885
Elect. Diacathol. Nicolai, 14.

Elect. diureticum Barth: Montag: 456
Electuar. contra dyſenteriam cum ſuis animadverſ. 455
Electuar. Epiſcopi, 160
Electuar. Epiſcopi, ſeu Eleſcoph ſolidum, & eidem annexa animadv. 184
Elect. Guidonis contra peſtem, 457
Elect. Indum majus Meſue, 168
Animadverſ. in idem, 169
Elect. Lenitivum. 838
Elect. Lenitivum Florenzolæ, 145
Lenitivum de Manna Nicol. 146
Lenitivum ex Tamarindis, 151
Diaprunis ſimplex, 147
Diaprunis lenitiv. ſeu Damaſc. Nicolai, 148
Hieræ picræ Galeni ſimplic. cum animadverſ. in idem, 149, 150
Hieræ cum Agarico, & eidem addicæ annotationes. 150
Elect. Hydragogum, 839
Magnanimitatis, 465
Elect. mitigativum in doloribus, 186
de Ovo Maximil. Imper.. 458
in Elect. de Ovo & Guidon. animadverſiones. 459
Elect. Panchymagogum, 839
de Pſyllio Montagnan. 171
in idem animadverſ. 173
Roſatum Meſue cū animadverſionibus & dextra præp: 174
De ſucco Roſar. Nicolai, 175
Diaſebeſten Barth: Mont: 176
De ſcoria Ferri Rhaſis, 456
De ſucco roſarum ſolid. 186
Vitæ Arnoldi de Villa nova, 470
Ellebori albi & nigri præparat: 721
Elixir aſthmaticum. 891
Elixir peſtilentiale Crollii, 753
Elixir peſtil. aliud præſtantius, 757
Elixir proprietatis Paracelſi. 754
idem examinatur, 757
Purgans panchymagog: 752
ejuſdem dexterior præparat: 755
Elixir vitæ ſtomachale & capitale, 898
vitæ Matthioli, 514
in idem animadverſio & dexterior præparatio, 516
uterinum Crollii, 754
uterinum liquidum, 758
Emplaſtra, 639
Emplaſtra & Cerata non niſi conſiſtentiā inter ſe differunt. 639
Emplaſtrum album coctum, 640, 907
D.D. Ulmenſium, 640
In Emplaſtrum album coctum, & D.D. Ulmenſ: animadverſiones, & dextræ præparat: 641
Emplaſtr. Apoſtolicon Nicolai Alexandrini, 642
In idem Animadverſio, & dexterior præparatio, 643
de baccis Lauri, 644, 907
Baſilicum nervinum & vulnerarium, 908
Baſilicum majus Meſue, 644
Baſilicum minus Meſue, 645
de lapide calaminari, 645, 909
in Empl. antecedentia animad. 645
Empl. catagmaticū, ſeu ad fracturam oſſium, cum animadverſ: & dexteriori præparatione, 646, 647
Ceroneū Nicolai cum animadverſ. & legitima præp. 649, 650
Citrinum vulgare, 651, 909
Diachylon ſimplex, ibid: 909
Diachylon compoſit. cum vera præparatione, 652
Diachylon magnum Meſue, 653
ejuſdem dextra præparat: 654
Diachylon parvum Meſue, ibid:
Diachylō cum Gummis Vigon: 655, 909
in Diachyl: parv: & cum gummis Meſ. animadverſ. & legimæ præparationes, 656
de cruſta Panis Montagn. cum animadv: & dexteriori præparat: 657, 909
alia ejuſdem Empl: præpar. 658
de Fuligine cum dextra ejuſdē præparatione, 658, 659, 910
Gryſeum ſ. de lap. calam. 660
Hepaticum, 913
ad hydropem cum genuina ejus præparatione, 660, 661
Iſchiadicum, 661, 910
ejuſdem genuina præpar: 662
Empl. Magnet: Angeli Salæ, & eidem annexæ animadv. cum dexteriori præparatione, 662, 910
de Meliloto, cum veriori præparatione, 664, 665, 911
de Min: Vigo: 1, & 2, & iiſdem annexæ genuinæ præpar: 666
Nervinum podagricum, 911
Nervin: Vigon: cum animadv: & dextra præparatione, 668
Nigrum cum annexa genuina præparat: 670, 671

Emp. Opodelt. D.D. Mind. 671,911
ejuſdem genuina præpar. 673
Oxycroceum commune, cum annexis animadv. & dextra præparat. 675,676,911
Oxycroc. Vigonis, cum dexteriori præparat. 677
Diaphœnicon calid. Meſ. 678
Diaphœnicon frig. Meſ. 679
Diaphœn. calid. & frigidi legitimæ præparat. 680
de Ranis cum Mercur. 681,912
ejuſdem genuina præpar: 681
de Rhabar: Ioan: Manard: 683
Santalinum vel inognit: 683
de ſpermate Ranarum, 912
Splenetic: ab aquapend: 684,913
ejuſdem aucta præpar: 684
Sticticum Crollii, ibid.
Emp. Stomachale pretioſum, 908
Tetrapharmacon Gal: 686,912
Triapharmacon Meſ: 686,913
in Stictic: Crollii Tetrapharm: & Triaph: animadverſ: 697
ad Trophos, ibid.
ejuſdem genuina præpar: 688
Filii Zachariæ, ibid.
Veſicatorium, 689
Eſſentiæ, 758
Eſſentia Abſinthii, 742
Alexipharmaca, 892
Ambræ Mindereri, 758
Ambræ alia liquida, 760
Ambræ alia ſicca, 761
Aniſi, 743
Aſthmatica, 890
Caſtorei Sennerti, 759
emendata, 761
Cephalica, 749
Cervina antepileptica, 809
alexipharmaca, 810
Citri, 759
Citri liquida & ſubacida. 761
Citri ſicca, 762
Hyſterica, 895
Eſſent. Martis liquida, 759
in candem animadv: not: 763
Eſſent. Mart. vulgo dictarũ vices ſupplere poteſt Vitriolum Martis, ibid.
Eſſent. Mart. vera qualiter paranda, ib.
Eſſent. Mart. vulgares quales ſint. ibid.
Nephritica, 895
Eſſentia Saccharina Beguini, 760
eadem examinatur, 763
Eſſentia Saccharina alia, 764
Eſſent. Theriacalis camphorata, 752
Uterina, 758
Eſulæ radicum præparatio, 721
Extracta compoſita, 235
Extractionis rerum reſinoſar: exempl: 233
Extractum Agarici, 238
in idem animadverſ: not: ib.
Extract: Agarici compoſit: 235
Catholicum cum animadv: & legit: præparat: 236
Extract: ſeu Balſam: Aloës, 229
in extract: Aloës animadv: not: 231
Extract: Diacarthami & eidem annexæ animadverſ: 237, 238
Extract: Cholagogum Quercet: 238
Ellebori nigri & eidem annexæ animadverſ: 248, 249
Extract: Diacitru: Reuſnericum animadverſ: notatu dignis & dexteriori præparat: 240
Extract: Gummi Gamand: Hadriani à Mynſicht: cum animadverſ: & legitima præpar: 241
Extract: Holagog: Andern: 243
Melanagog: Querc: cum animadverſ: 255
Panchymag: cum animadv: 256
Phlegmagog: Querc: cum animadverſ: 257
Diapœonias D. Mind. 250
in Extract: Diapœon: animadv: cum ejuſdem dextra præp: 251
Marocoſtin: Minder: 245
in idem animadverſ: notabiles cum vera præparat: 246
Extractum Panchymagogum pro potionibus, 848
Extracta pilularum cum ſuis animadverſionibus, 251, 252, 848
Fæculæ, 778
Fæcula radicis Aronis, ibid.
in Fæculas animadverſ: ibid.
Flos ſeu pulpa Caſſiæ, 140
Flores Antimonii, 792
eorundem legitima præparat: 793
Armoniaci Salis, 792
eorundem cum Marte præp: 793
Benzoini, 792
eorundem elegantiorũ præp: 793
Sulphuris, 792
eorundem vera ſublimatio, 793
Sulph: compoſiti, ibid.
Florum Sulphuris iteratæ ſublimationes rejiciuntur, 794

Flores contuſi ſuccum præbent mucilaginoſum, 84
Flor. & herbæ minorem ſpirit. quantitatem præbent quam fructus, 744
Flor. nonnulli fragrantes, ſi contundantur, ingrat. ſpirant fœtorē, 547
Fricatio nonnullarum ſpecierum oleo Amygd. dulc. inutilis & repudianda eſt, 169
Gemmæ & lapides precioſi duri, an benè compoſitis ſpeciebus pulverati admiſceantur, 350
Gemmæ plurimæ ineptè in aquarum deſtillationibus adduntur, 542
Gerſa ſeu Ceruſſa Serpentariæ, 778
Gummi Gamandræ Vitriolat. Minderi, 797. examinatur. 802
Gummata vel reſinoſa vel mucilaginoſa ſunt, 232
Gum. reſinoſa longè exactius ſolvuntur in terebint. quam in aceto, 677
Gummata cum acetó multum coquere inconſultum eſt, ibid.
Hiera compoſita Nicolai, 165
Hiera Logadii Nicol. Myrepſi, 166
Pachii ex Nicol. Alex. 167
in Hieram comp. Logadii & Pachii animadverſ. 168
Hirundinum uſtio cum annexis animadverſionibus, 722
Hollippæ purgantes, 184
Hydromel compoſitum, 267
Hydromel laxativum, cum ejuſdem legitima præparat, 269
Hydromel purgans, 268, 852
Jecoris Lupi præparatio, 723
Infuſ. Elleb. cum animadverſ. 164, 841
Cordiale externe uſurpandum, 893
Seri lactis Meſuæ, 265
aliud ſeri lactis, ibid.
Hieræ Meſuæ, 266
Hyſtericum, 895
Purgans D. Mannageltæ, 832
aliud, 835
Inſtrumenta ferrea cupreis minus nova, 49
Inteſtini Lupi præparat. 723
Inunctiones Mercuriales in Gallia ſunt frequentiſſimi uſus, 617
Inunctiones Mercuriales ſi malè cedant, quæ cauſa, ibid.
Julep roſarum, cum adjunctis animadverſ. & dextra præparat, 97
Julep Sambucinum, ibid.
Jul. ex vino Arnol. de Villa nov. 98, 831
in idem animadverſ. cum dexteriori præparatione, 98
Julep Violarum, 99
Laccæ lotio, 723
Lac Virginum, 525
Sulphuris rejicitur, 784
Lapidis Lazuli præpar. 724
in eandem animadverſion. 725
Lapidis Lazuli Magiſterium, ibid.
Lapides precioſi deſtillationibus inhabiles, 512, 542
Lapidum pretioſorum & metallorum ſolutiones aquis corroſivis peractæ inutiles, 543
Laudanum Opiatum, 252, 849
in Laudan. Opiat. animadverſ. & ejuſdem vera præparatio, 253
Leporis uſtio, 724
Lohoch de Caulibus Gordonii, 298
de Farfara, 299
de Papavere Meſue, ibid.
Paſſularum, 301
de Pino Meſue, ibid.
de Paſſul. & de Pino veræ præparationes, 301
pectorale, 860
è portulaca, 303
è pulmone Vulpis, 304, 861
Sanum & expertum, ibid.
è Scilla, 861
è ſucco Scillæ Gal. 305
è Scilla compoſ. Meſ. 306
Lumbricorum præparatio, 724
Magnetis præparatio, ibid.
in eandem animadverſ. 725
Magnetis præparatio eſſentiā Martis an legitima & virtutum ejuſdem multiplicativa, 674
Magnes trahit ferrum ab uno, repellit ab altera parte, ibid.
Magnes trius omni ferè virtute trahendi ferrum expers, ibid.
Magiſteria, 779
Magiſterium Aluminis, ibid.
Corallorum, ibid.
Cornu Cervi, 780
Cornu Cervi ab uſto cornu non diſcrepat, 782
Jalappæ, 780
ejuſdem dextra præpar. 783
Sulphuris, 780. rejicitur, 783
Tartari Vitriolati, 784
cenſura & vera præpar. ibid.
in Magiſteria animadverſ. 781
Mandibularum Lucii piſcis præp. 724

Man-

Mantiſſa Hermetica, 737
Manus Chriſti S. Tabulæ confortantes perlatæ acidæ, 870
Manus Chriſti ſimpl. & cum Margaritis, 342
Medicamentum roborans virtute ſua balſamica ſpirituoſa non debet eſſe orbatum, 29
Mel Anacardinum Azaravii, 85
Mellis Anacard. dextra præpar. 86
Mel Anthoſatū cum ſuis animadverſ. & legitima præparat. 86, 829
Mel anthoſat. aliud cum annexis animadverſ. & artificioſa præpar. 87
Mel Emblicorum cum animadverſ. 88
Mel Menthæ 89
ejuſdem vera & dextra præp. ibid.
Mel Mercuriale, ibid.
Mel Paſſularum, 90
Mel roſatum ſimplex, 90, 829
Meſue, 90
eidem additæ animadverſiones, 91
Laxativum, 136
Citratum cum adjectis animadverſ. & artificioſa præparatione, 91, 829
Mel Violatum, 92
Solutivum, 136
Menſtruum ſecretū pro Perlis & Corallis, &c. 783
Menſtrua pro extractis varia, 228
Mercurius Coſmeticus vel præcipitatus albus, 796
Sublimatus, ibid.
Subl. dulcis. ibid.
Merc. Corroſiv. legit. præp. 801
alius, ibid.
Præcipit. & Turbith. Miner. 802
Mercurius in duram ac ſolidam compagem ſublimatur beneficio ſpirituum corroſivorum, 745
Mercur. ſolus in inunctione vim ſuam exſerere debet, 616
Mercurio aſſociata ad intima membra non penetrant, ibid.
Metalla ineptè in aquarum deſtillationibus adduntur. 542
Mezerei præparatio, 724
Mieleta Nicolai Myrepſi, 460
Mithridatium Damocratis, 424
in Mithridat. animadverſ. ejuſdemque legitima præparatio. 428
Miva Cydon. aromatica, 100, 831
Miva Cydoniorum ſimpl. Meſ. 99, 831
Mivæ Cydon. legit. præpar. 99
Mivæ Cydon. adjunctæ animadv. cum dexterrima præparat. 100
Mixtura de Tribus, 750
alia, 751
alia ex ſpiritibus mineralibus, ibid.
confortantes, 870
Morſelli Imperat. cum fructibus, 342
Mucilagines in ſyrupi durabilem conſiſtentiam cogi nequeunt, 55
Mumia quid ſit, quæque olim fuerit, & an medic. dextr. admiſceatur, 692
Myrrhæ præparatio, 724
Nitrum conv. deſtillandi method. 542
depuratum, 786
clarificatum eſt Sal prunel. 791
Obſtructiones Meſenterii, hepatis & venarum meſaraicarum efflagitant medicamenta ſpirituoſa, non craſſas & feculentas medicinas, 28
Oeſypi collectio cum adjunctis animadverſionibus, 726, 727
Olea cocta, 553
deſtillata, 766
Olei lotio, 727
ejuſdem animadverſ. 728
Olea expreſſa, 574
Oleum coct. Abrotani, 553
Abſinthii, ibid.
Anagallidis, 554
Anethinum, ibid.
Araneatum Mind. ibid.
Ol. Chamæmelinum, 555
de Capparibus, 555, 900
Caſtoreo Jacobi de Manl. 556
Nervinum, 900
Cheyrinum Meſue, 557
Coſtinum Meſue, ibid.
è Croco Meſue, ibid.
Cydoniorum, ibid.
de Enula Meſue, 558
ex Euphorbio Meſue, ibid.
Hyperici, 559
Hypnoticum, 901
Jaſminum, 559
Liguſtrinum Meſue, 560
Liliorum alborum ſimpl. ibid.
Liliorum alb. compoſit. 561
Liliorum convallium, ibid.
Lumbricorum terreſt. ſimpl. ibid.
Lumbricorum compoſit. ibid.
Mandragoræ, 562
Maſtichinum Meſue, ibid.
Menthæ, 563
Moſchelinum Nicolai, ibid.

Ol. Stomachicum, 901
Myrtillorum, 564
Myrtinum, ibid.
Nardinum ſimpl. Meſue, 565
comp, ejuſd. 564
Nymphææ, 565
Papaverinum, ibid.
de Piperibus Meſue, 566
Populinum Nicolai Alel. 567
Ranarum, ibid.
Reſolutivum, ibid.
Roſatum vulgare, ibid.
Roſatum Omphacinum, 568
Roſat. compoſ. Meſue, ibid.
Rutæ, ibid.
Sambucinum, 569
Sampſuchinũ, id eſt, Major. ibid.
Scorpion. comp. Meſue, 570
Scorpion. Magn. Matth. ibid.
Scorp. alexipharmacũ comp. 902
Scorpion ſimpl. Meſ. 572
Stomachale Cratonis, ibid.
è Styrace, ibid.
è floribus Verbaſci, 573
Violaceum, ibid.
Vulpinum Meſue. ibid.
Ol. expr. Amygdal. amaratum, 574
dulcium, ibid.
Balaninum, 575
Carthami, ibid.
è granis Citri, ibid.
Hyoſcyami, ibid.
Laurinum, ibid.
Ol. Seminis Lini, 576
Nucis Indicæ, ibid.
Nucum juglandium, 577
Nucis Moſchatæ, ibid.
Seminis Papaveris albi, ibid.
è granis Pæoniæ, ibid.
Nucleorum Perſicorum, ibid.
ex Piſtachiis & Pineis, 578
Seſaminum, ibid.
è Vitellis ovorum, ibid.
in Olea cuncta, tùm cocta tùm expreſſa, & eorundẽ univerſam claſſem animadverſiones, 578, 579
in quibus ſingulariter examinantur ſequentia, eorumque verus parandi modus indigitatur, utpote
Oleum coct. de Caſtoreo, 580
Jaſminum, ibid.
Liliorũ alborum compoſ. 581
Lumbricorum compoſ. ibid.
Maſtichinum Meſue, 582
Moſchelinum, ibid.
Ol. Nardinum, 582
Papaverinum, ibid.
de Piperibus, ibid.
Populinum, ibid.
Roſatum, ibid.
Scorpion. Matthioli, ibid.
Stomachale Cratonis, 583
è Styrace, ibid.
Olea expreſſa examin. ibid.
Olea deſtillata, 766
Ol. ſtill. Abſinthii, ibid.
Angelicæ, 767
Arantiorum, ibid.
Caryophyllorum, ibid.
Chamomillæ ex flor. ibid.
Juniperi ex baccis, 768
Camphoræ Sennerti, ibid.
Ceræ, ibid.
Galbani Sennerti, ibid.
Antimonii ejuſdem, ibid.
Philoſophorum ſeu de later. 769
Salis compoſ. Hartmanni, ibid.
Saturni, ibid.
Tartari Sennerti, 770
Terebinth. ibid.
Vitrioli rubr. ibid.
In olea deſtillata animadverſ. ibid.
Ol. eſſential. deſtill. modus verus, 770
Opii correctio vera, 207
Oxymel compoſit. Meſ. cum annexa dextra præparatione, 93, 94
Oxymel Diuret. D. Ambroſii Jung. cum annotat. 94, 830
Oxymel. Elleborat. majus Juliani, 136
in idem animadverſiones, 138
Oxymel. Scilliticũ Meſue, 95. 830
Oxymel ſimplex Galeni cum adjunctis animadverſ. 92, 93, 829
Oxyſaccharum compoſ. Nicol. 96
Oxyſaccharum ſimplex, ibid.
Paſſulæ laxativæ, 155
Paſſulæ laxativæ ſiccæ, 185
Paſta regia ſeu panis Marcius, 348
Paſta regia compoſita, ibid.
Paſta, quâ Scilla involuta fuit, venenata non eſt, 389
Paſtilli pro fumo uſitati, 396, 878
Pavor hominum venenum quoddam receptum, multum exaggerare poteſt, 481
Pelliculanum ventr. Gallin. præp. 728
Philonium Meſue, 461
Perſicum Meſue, ibid.
Majus Roman. Nicol. 462
Tharſenſe Galeni, ibid.

in Philonia cuncta animadverſ. 463
Pilatum marinarum torrefactio, 729
Pilorum Leporis uſtio, ibid:
Pilulæ quid, 188
Pilularum inutilis abundantia eſt, 188
Pilularum verus & univerſalis conficiendi modus, 191
Pilulæ de agarico Meſue, 189
aggregativæ majores Meſ: ibid:
aggregativæ minores Meſ: 190
in pilulas de agarico & aggregativas animadverſiones, 191
Aloëphangin. ſeu aro. Meſ. 192
in aloëphangin. pil. animadverſ. & dextræ præp. 194, 195, 196
Capitales & ſtomachicæ, 843
de aloë lota incerti autoris, 196
de aloë roſata, 197, 844
de aloë & maſtiche Nicolai, 197
de ammoniaco Quercetani, 198
Angel. ſeu de aloë & rhabar. ib.
in eaſdem animadverſ: 199
antihypochondriacæ, 844
arabicæ Nicolai, 200
arthriticæ Nicolai. ibid:
Pilulæ aſſaireth Avicennæ, 201
aureæ Nicolai, 202
de Bdellio majores Meſue, ibid:
in varias pilulas animadv. 203
de Benedicta, ibid:
de Caſtoreo, ibid:
Cochiæ Rhaſis, 204
de colocynthide Meſue, 205
de cynogloſsâ Nicolai, 206, 844
de cynogloſsâ cum caſtoreo, 206
de Eupatorio, 207, 845
de Eupatorio Meſue, 207
Fœtidæ majores Meſue, 208
de Fumaria Avicennæ, 209
de Hermodact. major. Meſ. 210
de Hiera Picra Galeni, 211
earundē vera præparatio, ibid:
de Hiera cum agarico, 212
vera earundem præparat. ibid:
de Hiera compoſit: Nicol: ibid.
Hydropicæ, 213
Imperiales incerti autoris, ibi:
Indæ Haly ex Meſue, 214
de Lapide Lazuli, 215
Lucis majores Meſue, ibid:
Maſtichinæ Concil. 216, 845
de Mezereo Meſue, 216
de quinque generib. Myrob. 217
de Nitro Alex. Trall: ibid:
de 8 rebus, ſeu octom. Nic. 218
Pilulæ de Opopanace Meſue, 219
Panchymagogæ, 846
Peſtilentiales Avicennæ, 219
Peſtilentiales Ruffi, 220, 846
Peſtilentiales Felicis Plat: 220
de Rhabarbaro Meſue, 220, 847
Sagapeno Meſue, 221
Sarcocolla Meſue, 222
ſine quibus eſſe nolo Nic. ibid:
ſtomachicæ Alkindi, 223, 847
de ſuccino Craronis, 223
In Pilulas de Hiera compoſ. Nicolai, & reliquas ordine ſubſequentes, uſque ad Pilulas de ſuccino Craronis animadverſ. ibid:
Pilulæ de Tarraro Quercet. 224
iiſdem annexæ animadverſio, & legitima præparatio, 225
Pilulæ Turbith aureæ Meſue, 227
Pineolatum album, 344
viride, ibid:
vulgare, ibid:
Plantæ balſam: & ſiccioris naturæ exiguam ſucci portionem præbent, 546
Plantæ inodoræ & terreſtriores ſimpliciter deſtillatæ, aquam ſaltem præbent elementarem, 547
Plumbi uſtio & lotio, 728
Pomum ambræ, 393, 876
aliud, 394, ibid:
Potus Hippocraticus, 270, 852
Potus jucundior Hippocraticus, 270
Hippocrat. extemporaneus, 271
In Potus Hipp. omnes animadv. ibid:
Præparationes quorundam ſimpl. 707
Præparationes radicum cum aceto, quomodo fieri debeant, 293
Pulmonum vulpium præparatio, 729
Pulpa prunorum, 141
Pulpa Tamarindorum, 142
In Pulpas animadverſiones, ibid:
Pulveres medicati, 272
Pulvis contra abortum, 276, 854
adſtringens ad uſum extern. 854
adſtringens Galeni, 277
anonymus, ibid:
Avicennæ è cineribus, 281
Bezoardicus primus, 854
Bezoardicus ſecundus, 855
Bezoardic: tertius Solaris, ibid:
Bezoardicus Nicolai, 278
Elect. de Bolo, 279
Cachecticus Quercet: 280, 855
ad calculum, ibid: 856
ad calculum alius, 281, ibid:

Pulvis Cephalicus, 856
Cholagogus ſimplex, ſeu Diagrydium ſulphuratum, 274
Cholagogus inſuccatus, ſeu diagrydium roſatum, ibid:
Comitis de Warwich, 274, 853
ad calum, 282, 857
ad dentifricia moſchatus, 282
Dyſentericus D. Langii, 283
Epilepticus, 857
pro Epithemate cordis, 283
pro Epithemate Epatis, 284
Gryſeus Cæſar. contra peſt: ib.
Hyſtericus, 285, 857
Marchionis. ſeu Epilepticus, 285
ad Naſalia, 285, 858
Partum provocans, 286, ibid:
aliud Helid. 286
Pulvis ad Dyſtokiam, 287
pleuriticus, 287, 858
rubeus Cæſaris contra peſt: 287
pannonicus, 288
pannonicus alter, 289
Saxonicus, ibid:
Sennæ præpar. Montagn. 272
Solutivus Magiſtr. Stockſt. 273
Solutivus groſſus, 852
tartariſatus, 853
Solutivus de Tribus, 273, 853
Stegnoticus D. Guttman, 290
Sternutatorius, 290, 858
Sternutator. alius delic. 291
Stomachic. D. Birckm. 291, 858
ad ſtrumam Arn. de Villa nova, 291, 858
ad ſuppoſitoria acut. 275, 853
ſuppoſitoria comm. 275
ſicca, ibid:
Tartari cryſtallini ſolut. 273
contra Vermes, 275, 854
Violarum odoratus, 292
alius, ibid:
pro ulceribus gutturis, 293
In Pulveres omnes animadverſ. ibid:
Purgantibus ſive catharticis cordialia commiſcere non conſultum eſt, 180
Purgatrix vis in ſale fixo vegetabilium catharticorum non conſiſtit, 234
Requies Nicolai, 463
Reſinæ non reſolutæ nil operantur, licet in magna doſi aſſumptæ ſint, 238
Reſinæ Extractis dextre commiſceri debent, & quomodo, 233, 237
Reſinæ Scammonii præparatio, 78
Res pinguiores ad ſuffitus ineptæ, 386
Rob de agreſta, 103
de Berberis ſimplic. ibid:
compoſ. ibid:
Ceraſorum ſimplex, ibid:
de Cornis, 104
Cydoniorum, ibid:
Cynosbati, ibid:
Ebulinum, 104, 832
Juniperinum, 104, 832
Nucum, 831
Prunorum ſylveſtr: 105
de Ribibus utrumque, ibid:
Ribium purgans, 840
Sambucinum, 105, 832
Veronicæ, 105
In Rob de Cornis, Cynosbat. & Juniperinum animadverſiones, 106
Saccharum candum violatum, rarò in pharmacopoliis invenitur, 132
Saccharum diſcrepat. 16
Saccharum igne crematum, ingratum fœtorem exhalat, 386
Saccharum Penidii ſi diſſolvi debet, in liquore ab alio quovis puro Saccharo non diſcrepat, 40
Saccharum Penidii ſolâ conſiſtentiâ durâ, in coctura acquiſitâ ab alio Saccharo differt, ibid:
Saccharum Penidii ſi ſyrupis additur, ſaltem precium ipſorum auget, 55
Saccharum roſatum tabulatum. 344
Saccharum Pharmacopœor. ſal eſt. 179
Saccharum Saturni ex diverſis rebus è plumbo oriundis paratur, 791
Saccharum Saturni decocta vegetabilium præcipitat, 609
Sal abſinthii, 785
Coralliorum, 786, 790
Ligni ſancti, 790
Prunellæ, 786, 791
ſive Saccharum Saturni, 787
Tartari, 787, 791
Vitrioli vomitorium falſæ, 787
Sal theriacale antiqu examinatur, 481
Sal Viperin: quod ex Italia nunc temporis fertur, quid & quale ſit, 483
Salia chymicè præparata, 785
Salia fixa vel alcalia, ſpiritus vini non attingit, 234
Salia fixa virtute diureticâ non catharticâ prædita ſunt, 249
de Salibus theriacalibus antiqu. 476
Salia theriacalia compoſita ex Viperis varia, 481, 482
Salia vegetab. cryſtalliſandi meth. 78

Salis theriacalis Quercet. correctio inutilis. 483
Salis Viperini genuinus parandi modus; 483
volatilis virtutes uſus & doſis, 487
volatilis fixatio, 486
fixati vires uſus & doſis, 487
Salium ingens differentia, 234
Salium vegetabilium fixorum verus præparandi modus, 788
Sanguinis Hirci præparatio, 730
alia præparat. 733
Sapo Moſchatus Venetus, 397
alius albi color. ibid.
Scammonii præparatio, 730
reſinæ præparatio, 764
& Diagrydii alia præpar, 394
Scillæ præparatio, 730
in eandem animadverſ. 734
Scoria ferri præparatio, 730
Scorpion. uſtio, ibid.
Semina Malvæ, Cydoniorum, Fœnugr. Lini, inepta ſunt pro Syrupis conficiendis, 72
Semina uſitata Sacchаro obducta, 346
Ex ſeminib. mucilaginoſis virtus nulla extrahi poteſt, niſi ſimul extractâ mucilagine, 67
Seminum mucilaginoſorum incluſio in nodulum inter coquendum perperam inſtituitur, ibid.
Seriei crudi torrefactio, 731
Sericum an neceſſario ad confect. Alkermes ſumendum ſit, 443
Serpentes qui loco anguillarum comederint, 481
Serpentibus merum quendam indidit provida natura, ibid.
Seta ſive ſericum, non ſincerâ granorum Kermes tinctorâ, multò minus eorum puro ſucco imbuitur, ſed diverſis rebus aliis inquinatur, 70
Sief album cum & ſine Opio, 391
album Galeni, ibid.
citrinum Meſue, 392
de Plumbo Meſue, ibid.
de Roſis ejuſdem, ibid.
de Thure Rhaſis, 393
Viride Antæi, ibid.
In Sief. Collyria, Suffitus, animad. 398
Solutiones admittuntur, 782
Sotirella parva, 471, 887
Species aromaticæ, 307, correctionis loco extractis ineptè adduntur, 237
238, 244, 245
Species aromat. caryophyll. Meſ. 308
aromat. roſati Gabrielis, 309
Diambræ Meſue, ibid.
Dianiſu Meſue, 310
contra apoplexiam. ibid.
Spec. Dianthon Nicolai, 311
Diacalaminth Meſue, ibid.
Diacalam Galeni, 312
Diacinamomi Meſue, ibid.
Confect. cordialis Al. Ben. 313
Cordiales temperatæ, 314
Diacumini Nicolai, ibid.
Diacurcumæ Meſue, 315
Diaſpolit. Galeni, 316
Elect. Ducis ex Nicol. ibid.
Diagalangæ Meſue. 318
Elect. de gemmis calidi, ibid.
frigidi, 319
Confect. de Hyacyntho, 320
Diahyſſop. Nicolai, 321
Imperatoris, 322
Diaireos Salomonis, ibid.
ſimplices, 323
uſitatæ, ibid.
Electuar. Juſtini Nicol. ibid.
Dialaccæ major. Meſue, 324
Lætificant. Galeni, 325
Lætificans Rhaſis, 326
Confect. liberantis, ibid.
Lithontrib. Nicolai, 328
Diamarg. Calidi, 329
frigidi, ibid.
Diamoſchi dulcis, 331
Diapenidi Nicolai, ibid.
Elect. contrà peſtẽ Ferdin. 332
Pler. Archont. 333
Diapraſſ. Nicolai, 334
Diarhod. abbat. Nicol. 336
Roſatæ Novellæ, 337
Diatrion piper. Galeni. 333
Meſue ibid.
Diatr. Santal. Nicolai, 337
Diathamar. Nicolai, 338
Diatragacanth. calidi. 339
frigidi, ibid.
Diaxyloaloës Meſue, 340
Diazingiberis Nicolai, ibid.
Inciſæ Saccharo obductæ, 345
ſive Tragea groſſa, ibid.
Species aromat. præſtantiores continet Diſpenſat. novum, 351
In Species omnes, & earum claſſem animadverſiones, 347

Sperma Ranarum ſpontè reſolutum, aquæ ejuſdem præferendum, 717
Spiritus ſimplices, 740
compoſiti, 746
Abſinthii, 740
Aniſi, ibid.
Spir. ardentes varii, 743
Ceraſorum, 740
Cephalicus, 746
Euphraſiæ, 747
Diapente, 747, 751
Diapente examinatur, 751
Roſarum, 741
Salis, ibid.
deſtillatio cur difficilis, 744
rarò purus invenitur, ibid.
Nitri, 741
Sulphuris, ibid.
Tartari, ibid.
Tartari genuinus, 745
Theriac. camphorat. 748
Diatrion. 747
Spir. vini aptiſſ. menſtruum pro rebus cathart. extrahendis. 229, 233
Spir. vini pro extractione rerum reſinoſarum aptiſſimus, 229, 232
Spir. vini nonnulli perperàm damnant pro extract. catharticarum, 234
Spir. Vitrioli, 742
Vitrioli angeli Sali ventilatur, 752
Vitrioli cordialis Angeli Salæ, 748
In Spiritus ſimplices omnes animadverſiones, 742
In Spiritus compoſitos omnes animadverſiones, 749
Spongiarum uſtio, 731
Squama æris nihil diverſum eſt ab ære uſto, 708
Stypticorū vis in parte terreſtr. conſiſtit, & coquendo non exhalat, 61
Styracis & Ladani Reſinæ præpar. 417
Succi acidi deſtillationibus inepti, 512
Succi vegetab. inhabiles ſunt ad extrahendas res reſinoſas, 239
Suffitus cephalicus, 395
delicatus, ibid.
communis, ibid.
Suffit quæ perperàm adſciuntur, 398
Sulphuris inconveniens quantitas in calcinatione vegetabilium inutilis & noxia, 789
Sulphuris vivi præparatio, 731
Syrupi alterantes, 15
Syrupus quid, ibid.
quam conſiſtent. expoſcat, 16
Syrupus de abſinthio, 16, 814
ejuſdem vera præparatio, 17
Syrupus flor. acaciæ, 107
Syrupus acetoſitatis citri. 17, 814
In Syrup. acetoſitat. citri animadverſ. cum legitima præparat. 18
Syrup. de ſucco acetoſæ Meſue, 19
acetoſellæ Meſ. 19, 814
iiſdē annexæ animadverſiones. & dextræ præparat. ibid.
acetoſus ſimplex Meſue, 20
dextra ejuſdem præparat. 21
acetoſus compoſitus Meſ. ejuſdemque dexter. præp. 21, 814
acetoſus diarhodon Meſue, cum animadverſion. & vera præparat. 23
adiantinus Fernelii, 24
de agreſta Meſue, 25
de althæa Fernel. cum animadverſionibus, 25, 26
aperitivus Magiſtr. Minder. eidemque additæ animadv. cum legitima præparat. 26, 27
aperitivus Epaticus, 815
alter pro mulieribus, 816
Florum arantiorum cum dexteriori præparatione, 30, 31
arantiorum ſimplex, 29, 817
de cort. arantiorum, cum vera ejuſdem præparat. 29, 30
de artemiſ. cū adjunctis animadverſ. & legit. præp. 31, 32, 33
de Betonica ſimplex cum legitima ejuſdem præp. 33, 34, 817
de Betonica compoſ. & ejuſdem vera præparat. 34, 35, 817
de Berberis. 35, 818
Borragine, 36
Buglosſo, ibid.
Byzant. ſimpl. Meſue, 37
compoſ. Meſue, ibid.
de Calamintha Meſue, & ejuſdem vera præparat. 38
de Chamæmelo, 39
de capill. Vener. ſimpl. 39
compoſ. 40
de Carthamo cum animadverſionibus notabilibus, 107, 108
ejuſdem vera præparat. 110
Syr. de ſucco Card: benedicti, 41, 819
de Cichorio ſimplex, 42, 819
de Cichorio cum Rhab. eidemque annexæ animadverſ. 111, 112
Ceraſorum acidorum, 43

Syr. de Cinamomo, 42, 819
In eundem animadv: & legitima præpar: 43
de Corticibus Citri, 46, 820
Corallorũ cum adjunctis animadv: & dext: præp: 44, 45, 819
Cydoniorum, 47
Diaſereos Andernaci, 113
in eundem animadverſ: cum meliori præparatione. 114
Domeſticus ſeu de Spina infectoria cum dextra præpar. 115
de Endivia ſimplex, 48, 820
Compoſitus cum ſuis annotat. 49, 50
Emeticus Angeli Salæ eidemque annexæ animadverſ: 117
de Epithymo Meſue, 118
in eundem animadv: notatu dignæ, 119
de Eupatorio Meſue, 49
de Farfaro, 50, 820
de Fragis, 51, 820
de Fumaria ſimplex, 51, 820
compoſ: Meſ: 119
in eundem animadverſ: 120
de Glycyrrhiza Meſue, 51
de Glycyrrhiza pectoralis, 820
pectoralis alter, 821
Granatorum dulcium, 52
acidorum, 52, 821
de ſucco Hederæ terreſt: 53, 822
Hellebori nigri, 834
florum Hyperici, 53
de Hyſſopo Meſ: & eidẽ annexæ animadverſ: 54
de Hiſſ: pectoralis, 822
de Jujubis cum animadv: 55, 56
de Limonib. cũ adjunctis animadverſionibus. 56
de Limõ: vices ſyr: acetoſit: Citri ſupplet, ibid.
de Lupulo, 57
de ſucco Meliſſophylli, 57, 822
de Mentha minor Meſ: 57
major: Meſ: 58
de Mentha Stomachalis, 823
de ſucco Mercurialis, 60
Myrtinus compoſ: Meſ: ibid.
in eundem animadv: not: 61
Naſturtii & Cochleariæ antiſcorbutici, 824
Nephriticus, ibid.
Nephrocatharticus Joub: 61
in eundem animadv: notab: 63
Syr. de Nymphæa ſimpl: Nic: 64, 825
de Nymphæa compoſ: Pedem: 65
de Papavere ſimpl: Meſ: 66
de Papavere compoſ: Meſ: ibid.
de Papavere erratico, 67, 825
Simplex, 825
Florum Paralyſeos, 68
de Pæonia, 825
de floribus Perſicorum, 120
de Piloſella ſeu Hiſpidula, 68
de ſucco Plantaginis, 69
de Polipodio, 121
in eundem animadverſ: & legitima præparatio, 121, 122
de Pomis ſimplex Meſue, 69
de Pomis ad confectionẽ Alkermes expetitus. 70
in eundem animadverſ: notab: ib.
de Pomis regis ſapori Meſ: 123
de Portulaca Meſue, 71
de Praſſio Meſue, 72
de duabus radicibus. 73
de quinque radicibus. ibid:
de Rhabarbaro, 834
de Rhabarbaro ſolut. 123
de Ribibus, 74
Roſatus ſimplex, ibid.
Roſatus ſolutivus ſimpl: 124, 826
in eundem animadverſ: 126
Roſatus compoſ: ſolut: Helleboratus, & eidem additæ animadv: cum dextra præparat: 127, 128
Roſatus compoſitus ſine elleboro, cum animadverſ: 129, 130
Roſatus ſolut. Quercet. 130
de Roſis ſiccis, 74, 826
de Rubo Idæo, 75
de Scabioſa, 75, 826
Scelotyrbicus cum ſuis annotationibus, 75, 76
de Scolopendrio Fernelii, 76
de Scordio ſimplex, 77, 826
de Scordio compoſ: Merc: 77, 827
de Sempervivo ſimplex, 78
compoſit: ibid.
de Senæ Foliis, 834
Spleneticus Verbezii, 131, 827
in eundem animadverſ: 132
de Stœchade capitalis, 828
de Stœchade ſimplex, 79
in eundem animadverſ. cum legitima præparatione, ibid.
de Stœchade compoſ: Meſ: 80
de Stœchade Fernelii, ibid.
de Symphyto Fernelii, 81, 833

Syr. Lenitivus de Tribus, 132
in eundem animadverſ. & dexteriorpræparatio, 133
Syr. florum Tunicæ, 82
de ſucco Veronicæ, ibid.
Violatus ſimplex, 83
Violatus compoſ: Meſue, ibid.
Violatus ex ſucco florum. 84
in eundem animadverſ: & dextræ præparationes, ibid.
Violatus ſolutivus, 135
Syrupi craſſi & ad conſiſtentiam debitam cocti, inhabiles ſunt ad extrahendas ſpecies recent. vel arom. 115
Syrupus ſive decoctum ſaccharo imprægnatum rerum eſſentias extrahere nequit, 47
Tæda aromatica, 396
Tamarindos pulpa, 838
Tartarus peregrinis virtutibus imbui poteſt, 804
Tartari ad Magiſterium ejus conficiendum neceſſaria depuratio, 784
Tartari cremor: & Cryſtalli, 803
verus parandi modus, ibid.
virtutes frequentes ſolutiones ejuſdem diminuunt, 804
Terebinthinæ coctio, 731
Terræ Vitrioli edulcoratio an legitima & neceſſaria, 675
In Theriacam Androm D. D. Auguſtanor. proœmium, 399
Theriaca Andromachi Senioris ex Galeno, 400
In Theriacam androm: animadverſiones, cum dextra & legitima præparatione, 408
Theriaca aucta à Medicis Romanis & Bononienſ: 418
in eandem animadverſ. 421
Theriaca Diateſſaron Meſ: ibid.
Communis ſeu Auguſtana, 422
in eandem animaverſ: 424
Andro: in intemperie ventriculi frigida, aliiſque inteſtinorũ ſymptomatibus: compeſcendis præſtantiſſima eſt, 409
Theriacæ legitima præpar: 410
Theriaca & Mithridat: perperàm deſtillationibus committuntur, 508
Theriaca ſimplex, 881
Tincturæ, 764
Tinctura Coralliorum, ibid.
examinantur, 765
inconſtans, ibid.
Tinctura Hyperici, 765
Roſarum, 537
Tragea aromatica communis, 858
Pretioſa, ibid.
Groſſa communis, ibid.
Pretioſa, 859
Tragea groſſa cum Tabulatis, 345
aromatica uſitata, 346
Trochiſci, 351
Trochiſci de abſinthio Meſ: ibid.
de agarico Meſ: 352
de agno caſto, 352
Alhandal Meſue, 353, 872
eorundem legit: præpar: 384
alipta Moſchata Nic. 355, 872
Trochiſcorũ aliptæ Moſchatæ ad pretioſos ſuffitus, uſus etiam internos dexterrimæ præparationes, 355
Trochiſcorum de Alkekeng: ſeu Halicac: 354
Trochiſc: de aniſo Meſue, 355
Bechici albi. 356
ventilantur, 373
Bechici albi pectorales, 872
Bechici nigri, 356, 873
examinantur, 373
Bechici rubri. 357, 873
examinantur, 373
de Benzoi, 357, 873
examinantur, 373
ad ſuffitus prætioſos, 874
de Berberis Meſue, 357
de Camphora Meſue, 358
de Capparibus Meſue, ibid.
de Charabe Meſue, 359
de Corallio Nicolai, ibid.
Diacoralliu Gal: 360
de Croco Nicolai, ibid.
Crocomagmat: Damocr: ibid.
Cypheos Damocr: ex Gal: 361
de Eupatorio Meſue, ibid
de Gallia Moſchat. Meſue, 362 874
de Gallia Moſch: & plur: alii exam. eorundemq. dextræ præpar: traductur, 373
Gordonii, 362
Hedychroi Andr: è Gall: 363
examinantur, 373
Diajon ſeu de Violis, 364
de Lacca, 364
de Myrrha Rhaſis, 365
Pectorales cum ambra, ibid.
Pectorales dexteriores, 357
eorundem reſolutio, 388

Troch.

Troch. Ramich Meſue, 366
de Rhabarbaro, 467
Troch. Diarhodon Nicol: 367
de Roſis Rhaſis, 367
de Santalis, 368
de Scilla Galeni, ibid.
examinantur, 389
de ſpodio cũ ſemine acet. 369
Sublinguales completi contra peſtem, 369,874
Sublinguales incompleti, 370
Sublinguales alii præſtantiores pro divitibus & pauperibus, 390,875
Sublingu: odoriferi Moſchati præſtantiſſimi, 390
de Terra ſigillata Meſue, 370
de Tutia & Sulphure, 371
de Violis ſolutivi, ibid.
de Vipera Galeni, 372,875
Viperini veri quomodo parandi, 378
de Viperis accuratè ventilantur, 373
Viperini confortantes & Alexiphar. 381
Viperini alii confortantes & Alexiphar. ibid.
in Trochiſcos & univerſam eorundem claſſem animadverſiones, 373
Trochiſcorum compoſitiones plurimæ inutiles ſunt, ibid
Trochiſci difficilis triturationis ſunt & quare, ibid.
Tryphera magna Nicolai, 467
minor Phænonis, 468
Sarracenica, 469
Perſica Meſue, 152
Turpethum Minerale, 797
aliud Mynſichti, ibid.
Tutiæ calcinatio, 731
Vegetabilia differentia in deſtillationibus aquarum ſcitu neceſſaria, 497
Vegetabilia plurima ſpiritũ continent ſummè fugacem, 16
Vegetabilia qua ratione deſtillan. 546
Vegetab. quædam incinerata exiguam præbent particulam ſalis fixi, 546
Vegetabilium frigidioris naturæ genuinus deſtillandi modus, 498
de Vegetabilium deſtillatione generalis informatio, 498,499
& quare id fiat, 789
Veſicarum aprorum præpar. 731
Vina medicata, 542
Vina medicata ſive ſucci quidam, ex fructibus vegetabilium expreſſa, deſtillationibus plane non accommodata ſunt, 549
Vini partes aëreæ ſpirituoſæ coquendo penitus exhalant, 98
Vinum antiquum & generoſum perperàm decoctis ſyruporum additur, 59
Viperæ an Venenatæ reverà & ubinam conſiſtat eorum venenum, 377
Viperæ dentes habent falcatos & longos inſtar Apri, ibid.
Viperæ ex locis montanis & ſalubribus, non verò paludoſis oriundæ, in uſum medicum eligendæ ſunt, 375
Viperæ & animalia cuncta parum vel nihil Salis fixi habent, 486
Viperarum correctio Sale & Anetho ventilatur, 376
Viperarum differentia ratione ſexus parvipendenda, 375
Viperarum morſus cur morſu cæterorum Serpentum, & animalium perniciosior, 377
Viperarum morſus ſummè venenatus & quare, ibid.
Viperarum oſſa, cor & hepar perperam à confectione Trochiſcorum abarcentur, 375
Viperar. pulveris dexterrimus, & nunquam deſcriptus conficiendi modus, 378
Viperarum pulvis alexipharmac. compoſ. 379
Viperarum pulvis alexiph. alius, 380
confortans, 379
ex folis cordibus & hepatibus, ſive Bezoardicum animale, 384
Viperas aſpides ipſas & ſerpentũ omne genus nonnulli reſpu. 479,480
Viperina eſſentia alexipharmaca utiliſſima & efficaciſſima, 381,382
Viperina eſſentia alia, 382
Viperinum pulverem qui ſumpſit, an ab earum morſu inpoſterum immunis ſit, 479
Viperinum Vinum pro reſtauratione virium, 383
Vitrum antimonii legit. præparandi ratio, ſine additione, 798
Vitrum antimonii, ut benè paretur, requiſita, ibid.
Vitrum antimonii Hyacinth, 795
Vitri antimonii correctio adjectione aro-

aromatū & aceti malè inſtituitur, 117
Vitrum MartisCroco Martis aperienti præfertur, 798
Vitri uſtio, 732
Vitriolum Veneris, 708
Ultramarinum, 726
Unguenta, 584
Unguent. Ægyptiacum, 903
Unguentorum Ægyptiaco. compoſit. magiſt. 584
in idem animadv. & dextra præparatio, 585
Ægyptiacum ſimplex Meſ. 586
Agrippæ ex Nicolao, ibid.
de alabaſtro, 587,903
ejuſdem vera præparatio, 587
album ſive de ceruſſa, 588,903
Camphoratum, 588,903
Unguentor. odoratorū ſecretus conficiendi modus. 631
in Unguentor. deCeruſſa & alb.Camphor. animadverſ. & legit. præparationes, 589
Unguent. de althæa cum animadv. & vera præparatione, 589,590,904
de althæa ſimplex, 591
anodynum, ibid.
Apoſtolorum Avicenna cum dextra ejuſdem præpar. 592,593, 904
Aregon Nicolai, 594
ejuſdem dexterior præpar. 595
de Arthanita majus Meſ. 596
ejuſdem vera præparat. 597
de Arthanita purgans, 904
aureum Meſue, 597
Baſilicum Vulnerarium, 904
de Bdellio Meſue, 598
è Calce, ibid.
Citrinum ſeu Baſilicum, 599
ejuſdem dextra præpar. 600
Clyſmaticum 1. & 2. 601,905
Comitiſſæ,& animadv. 602,603, 905
de Cynogloſſo, 604
Fuſcum Nicolai, 604,905
ejuſdem vera præpar. 604
ad Hæmorrhoidas, 605,905
Infrigidans Galeni, 606,905
Unguent. Jovis, 607
de Liquiritia, 607
de Lithargyro, 608
de Lithargyro aliud præſtantiſſimum, 609
Martiaton Nicolai, ibid.
legitima ejuſdem præp. 611,612
ad membra ex igne combu. 614
ad membra peruſta gelu, ibid.
Mercuriale cum ſuis animadv. notabilibus, 615,616,906
ejuſdem vera præpar. 618
de Minio, 906
Nervinum cum annexis animadverſionibus & vera præparatione, 618,619
Nicotianæ ſeu ex Tabaco, 620
Nihili ad oculos 1. & 2. 621,906
Pectorale, 621,906
Pediculor. 906
Diapompholygos, 624
Pomatum, 624,909
aliud, 625
in eadem animadverſ. & dextra præparat. 625
Populeon, 627, 906
Porabile, ibid. ibid.
ex Rhamno & Frangula, 628
Reſumptivum Fernelii, 629
Roſarum Meſue, 630,906
dextra ejuſdem præpar. 630
Rubeum, ſive de Minio camphoratum, 631
Saturninum, 906
ad Scabiem, 632,906
ad Tineam, 632
de Succis arantii, 633
de Tutia Nicolai, 634
ad Vermes, 634,906
Violatum, 635
ad Verrucas, ſeu carunculas in meatu urinario, 636
Viride Reginæ cum animadv. & legitima præparat. 637,906
Ungulæ alcis præparatio, 732
Zingiber laxativum. 117

FINIS.